FOR OFFICIAL USE

1927. No. 1.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 8TH JANUARY 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 8TH JANUARY, 1927.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the first week of the year numbered 7,332 and corresponded to an annual rate of 19·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,883 and corresponded to an annual rate of 15·8 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 12·9, 12·2 and 15·8. Infant mortality based on the average weekly number of births during the last 52 weeks, was 98 per 1,000 births against 84, 82 and 100 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,660 births, corresponding to a rate of 18·8 per 1,000, and 1,602 deaths of civilians, corresponding to an annual rate of 18·2, against 13·2, 12·1 and 16·7, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 15·1 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 88 as against 81, 81 and 88 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 5,898 to 5,883 ; the deaths from influenza which had been 60, 69 and 86 in the preceding three weeks, were 172 last week. In London the number of deaths from all causes increased from 1,473 to 1,602 ; the deaths from diphtheria which had been 12, 9 and 19 in the preceding three weeks fell to 8 last week ; and the deaths from influenza which had been 18, 16 and 17 in the preceding three weeks, rose to 72 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 8th January, 1927.**

TOWNS.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	7,332	5,883	674	1	28	4	60	46	51	172
London	4,602,000*	1,660	1,602	137	-	-	-	16	8	12	72
Towns in Outer Ring.											
Croydon C.B ..	199,300	65	69	4	-	-	-	2	1	-	6
Wimbledon ..	58,170	14	13	-	-	-	-	-	-	-	1
Ealing	91,000	29	22	-	-	-	-	-	-	-	1
Acton	63,110	23	20	-	-	-	-	-	-	-	1
Willesden ..	168,900	62	48	5	-	-	-	1	-	-	2
Hendon	59,150*	20	7	-	-	-	-	-	-	-	1
Hornsey	87,210	18	24	-	-	-	-	-	-	-	1
Wood Green ..	51,960	12	19	2	-	-	-	-	-	-	-
Tottenham ..	153,600	42	44	6	-	-	-	2	1	-	1
Edmonton ..	71,210	44	23	1	-	-	-	-	-	-	1
Enfield	63,740	15	18	2	-	-	-	-	-	-	1
West Ham C.B. ..	318,500	160	84	9	-	-	-	1	1	1	4
East Ham C.B. ..	147,200	31	36	1	-	-	-	-	1	-	-
Leyton	132,700	27	26	2	-	-	-	-	-	-	-
Walthamstow ..	130,800	29	37	2	-	-	-	1	1	-	3
Ilford	93,590	26	31	2	-	-	-	-	1	-	2
Gillingham	48,680*	15	13	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	5	7	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	16	21	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	15	12	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	34	49	2	-	-	-	-	1	-	-
Portsmouth C.B. ..	232,900*	79	63	10	-	-	-	-	1	1	2
Bournemouth C.B. ..	85,840	27	39	2	-	-	-	-	-	-	1
Southampton C.B. ..	168,600	81	64	9	-	2	-	1	-	1	3
Reading C.B.	93,670*	25	38	2	-	3	-	-	-	-	-
Oxford C.B.	57,090	23	14	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	20	20	1	-	-	-	-	-	-	-
Luton	59,230	24	17	3	-	-	-	-	-	-	-
Cambridge	59,020	25	11	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	38	22	2	-	-	-	-	1	-	2
Ipswich C.B.	83,120*	30	32	3	-	-	-	1	-	1	-
Great Yarmouth C.B.	57,890	14	22	1	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	38	40	4	-	-	-	3	-	-	-
Swindon	56,880	24	14	3	-	-	-	-	-	-	-
Exeter C.B.	59,820*	24	18	3	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	55	64	10	-	-	-	-	1	-	1
Bath C.B.	69,050	13	19	-	-	-	-	-	-	-	-
Bristol C.B.	385,700*	146	111	10	-	-	-	-	1	1	1
Gloucester C.B. ..	53,060	21	15	-	-	-	-	-	-	-	1
Stoke-on-Trent C.B.	278,900	141	71	18	-	-	-	2	1	1	1
Burton-upon-Trent C.B.	49,530	17	14	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	43	31	7	-	-	-	2	-	-	-
Walsall C.B.	102,300	49	29	2	-	-	-	-	-	-	1
West Bromwich C.B	79,490	27	18	3	-	-	-	-	1	-	-
Dudley C.B.	58,810	32	23	2	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	15	17	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	430	252	36	-	6	1	2	4	5	6
Smethwick C.B. ..	78,840	18	17	3	-	-	-	-	-	1	-
Coventry C.B. ..	129,100	51	25	1	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	90	99	19	-	-	-	8	2	1	-
Lincoln C.B.	66,600*	20	19	2	-	-	-	-	-	-	1
Grimsby C.B.	87,190	26	20	1	-	3	-	-	-	-	-
Nottingham C.B. ..	270,600	87	86	12	-	-	-	-	1	1	-
Derby C.B.	134,400*	52	30	4	-	-	-	2	2	-	-
Chesterfield ..	65,800	18	15	1	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	39	25	2	-	-	-	-	-	-	-
Chester C.B.	41,670	16	10	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	73	38	6	-	-	-	-	-	1	1
Wallasey C.B. ..	91,720	21	31	2	-	-	-	1	-	-	1
Liverpool C.B. ..	856,000	388	269	42	-	4	-	2	2	2	4
Bootle C.B.	83,260	46	23	2	-	-	-	-	1	-	-
St. Helens C.B. ..	109,600	47	26	3	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from						
					Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	18	21	1	-	-	-	-	-	-	-
WIGAN C.B.	91,010	36	38	8	-	-	-	-	1	-	1
WARRINGTON C.B. ..	77,970*	42	18	3	-	-	-	-	-	1	-
BOLTON C.B.	180,400	67	52	6	-	1	-	-	-	-	1
BURY C.B.	56,700*	16	21	4	-	-	-	-	-	1	-
MANCHESTER C.B. ..	755,800	306	238	39	-	-	1	1	3	3	4
SALFORD C.B.	244,700	119	76	4	-	-	-	-	-	1	1
OLDHAM C.B	146,200	37	45	5	-	-	-	-	-	-	2
ROCHDALE C.B... ..	92,190	26	31	3	-	-	-	1	-	-	1
BURNLEY C.B.	102,300	30	25	1	-	1	-	-	-	-	-
BLACKBURN C.B. ..	126,900	41	36	2	-	1	1	-	-	1	-
PRESTON C.B.	122,900	42	32	5	-	-	-	-	-	-	1
BLACKPOOL C.B. ..	80,750	24	27	1	-	-	1	-	-	-	1
BARROW-IN-FURNESS C.B.	73,470	16	13	2	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,100	31	36	2	-	-	-	-	1	-	2
HALIFAX C.B.	97,860*	33	25	2	-	-	-	-	-	-	-
BRADFORD C.B. ..	290,200	82	72	13	-	-	-	-	-	3	-
LEEDS C.B.	472,900	174	132	15	-	3	-	2	1	1	2
DEWSBURY C.B ..	54,570	24	17	-	-	-	-	-	-	-	1
WAKEFIELD C.B. ..	53,980	25	14	3	-	-	-	-	-	-	-
BARNSLEY C.B. ..	71,170	37	25	3	-	-	-	3	1	-	3
SHEFFIELD C.B. ..	526,900*	214	162	31	1	-	-	2	3	4	7
ROTHERHAM C.B. ..	70,600	47	9	1	-	-	-	1	-	-	-
DONCASTER	55,610	24	14	3	-	-	-	-	-	-	1
YORK C.B.	84,630*	35	24	1	-	-	-	-	-	-	-
HULL C.B.	297,300	124	92	14	-	-	-	-	-	-	2
MIDDLESBROUGH C.B.	136,200	70	44	8	-	1	-	-	-	1	1
DARLINGTON C.B. ..	69,130	26	22	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,000	26	13	2	-	-	-	-	-	-	1
WEST HARTLEPOOL C.B.	71,590	25	19	2	-	-	-	-	-	-	2
SUNDERLAND C.B. ..	166,000	77	62	13	-	-	-	-	-	1	-
SOUTH SHIELDS C.B. ..	124,600	47	40	8	-	-	-	1	1	-	3
GATESHEAD C.B. ..	129,000	63	32	11	-	-	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	286,300*	149	78	14	-	-	-	2	1	2	1
TYNEMOUTH C.B. ..	66,180	31	17	-	-	-	-	-	-	-	-
CARLISLE C.B.	55,160*	22	21	3	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	96,420*	41	23	1	-	-	-	-	-	-	-
CARDIFF C.B.	227,100*	73	78	12	-	3	-	-	1	3	7
RHONDDA	167,570	82	44	4	-	-	-	-	-	-	1
MERTHYR TYDFIL C.B.	82,920	25	12	3	-	-	-	-	-	-	-
ABERDARE	57,700	32	20	3	-	-	-	-	-	-	3
SWANSEA C.B.	163,200	58	37	7	-	-	-	-	-	-	-
GREATER LONDON ..	7,742,212*	2,738	2,524	208	1	-	-	25	14	15	128
OUTER RING	3,140,212*	1,078	922	71	1	-	-	9	6	3	56
16 GREAT TOWNS IN OUTER RING	1,890,140*	617	511	36	-	-	-	7	6	1	25
REMAINDER OF OUTER RING	1,250,072*	461	411	35	1	-	-	2	-	2	31
EDINBURGH†	426,900	153	140	15	-	3	-	1	1	-	1
GLASGOW† ..	1,050,700	545	367	63	-	2	3	3	1	8	5
DUBLIN (REGISTRATION AREA)†	421,000	213	164	33	-	2	1	2	4	3	1
BELFAST†	416,000	194	131	27	-	-	-	1	-	4	5

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available peric**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza
London‡	4,602,000	1927. Jan. 8	1660	1602	18·2	–	–	–	–	16	8	12	7
Calcutta and Suburbs	1,077,273	1926–27. Dec. 4	?	914‖	44·1	?	24	?	?	?	?	?	
Bombay§	1,279,061	Dec. 11	461	525	21·3	2	4	–	–	–	–	20	
Madras	528,791	Dec. 11	493	405	39·7	1	–	–	?	2	–	23	
Sydney and Suburbs	1,038,950	Nov 30 (30 days)	1770	890	10·3	3	–	5	5	8	5	39	
Brisbane (Metropolitan Area).	263,711	Oct. 31 (31 days)	478	235	10·8	–	–	–	–	–	1	2	
Perth (Metropolitan Area).	179,388	Nov. 13	60	31	9·0	–	–	–	–	1	1	–	
Auckland (Urban Area).	192,176	Nov. 30 (30 days)											
Wellington (Urban Area).	121,324	Nov. 30 (30 days)											
Christchurch (Urban Area).	118,408	Nov. 30 (30 days)											
Cape Town	113,709	Dec. 11	32	21	9·6	–	–	–	–	–	1	–	
Johannesburg	165,958	„ 11	87	31	9·7	–	–	–	–	–	–	2	
Durban	54,822	„ 11	28	8	7·6	–	–	–	–	–	–	–	
Paris	2,906,472	„ 20 (10 days)	1269	1834	23·0	8	–	4	1	3	9	19	1
Antwerp	300,193	Dec. 4											
Amsterdam	724,126	Dec. 25											
Copenhagen	592,000	Jan. 1	189	115	10·0	–	–	–	–	2	1	1	
Stockholm	442,528	Dec. 25	93	105	12·3	–	–	–	–	–	1	–	
Gothenburg	230,963	„ 4	?	38	8·9	–	–	–	–	–	–	–	
Oslo (Christiania) ..	255,724	Jan. 1	64	67	13·6	–	–	1	–	–	–	–	
Berlin	1,996,000	Dec. 18	354	500	13·0	–	?	–	1	3	4	1	
Breslau	561,000	„ 18	151	140	13·0	–	?	–	–	1	–	1	
Cologne	710,000	„ 18	226	129	9·4	–	?	–	–	2	–	1	
Dresden	622,000	„ 18	149	133	11·1	–	?	–	–	–	–	1	
Frankfort-on-Main ..	471,000	„ 18	110	69	7·6	–	?	–	–	–	–	1	
Hamburg	1,104,000	„ 18	263	245	11·5	1	?	1	1	1	–	3	
Leipzig	685,000	„ 18	161	135	10·2	–	?	–	1	1	–	1	
Munich	685,000	„ 18											
Vienna	1,873,432	June 30 (30 days)											
Prague and Suburbs	725,196	July 31 (31 days)											
Budapest	960,995	Dec. 18	288	266	14·4	5	–	1	4	–	4	–	
Warsaw	1,015,426	Dec. 25	?	287	14·8	4	–	–	14	3	2	7	
Cairo	859,400	Aug. 26	762	565	34·3	12	–	5	–	?	6	104	
		Sept. 2	780	530	32·2	14	–	1	–	?	5	90	
Alexandria	492,100	Aug. 26	441	260	27·5	4	–	–	–	?	3	44	
		Sept. 2	446	256	27·1	1	2	–	–	?	1	36	
New York	5,924,139	Dec. 25	?	1451	?	1	–	1	–	3	9	9	
Chicago	2,995,239	Dec. 10	1064	657	11·2	–	?	1	1	–	5	10	
		„ 17	1132	696	11·9	–	?	1	–	1	6	4	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cit Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children und year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 31 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 8th January, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1602	137	38	28	34	51	55	121	187	233	318	400
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	16	5	5	5	1	-	-	-	-	-	-	-
Diphtheria	8	-	1	3	2	1	-	1	-	-	-	-
Influenza	72	3	-	-	1	1	4	8	16	11	19	9
Erysipelas	4	-	-	-	-	-	-	1	1	-	1	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	3	-	-	-	1	1	1	-	-	-	-	-
Meningococcal meningitis	2	1	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	106	-	-	1	1	20	17	28	15	16	7	1
Nervous system	5	1	-	-	4	-	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	1	-	-	1	-	-	-	-
Other forms	8	-	3	-	-	1	1	-	2	1	-	-
Venereal diseases	1	-	-	-	-	-	-	-	1	-	-	-
Cancer	109	1	-	1	-	1	2	10	24	24	30	16
Rheumatic fever	1	-	-	-	-	-	-	-	-	1	-	-
Diabetes	9	-	-	-	-	-	-	-	1	3	2	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	-	-	1	-	-	-	2	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	80	-	-	-	-	-	-	2	5	14	30	29
Epilepsy	7	-	-	-	-	2	-	2	1	2	-	-
"Convulsions" (not puerperal) ..	3	1	1	1	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	40	1	-	1	2	3	1	8	5	8	5	6
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	9	-	-	-	-	1	3	-	1	2	1	1
Other diseases of heart	244	-	-	-	2	1	4	8	22	45	75	87
Other diseases of circulatory system	64	-	-	-	-	-	-	2	7	14	18	23
Bronchitis	218	9	3	1	-	1	3	15	18	34	44	90
Broncho-pneumonia	138	48	18	10	4	1	1	7	12	13	10	14
Lobar-pneumonia	57	3	1	1	2	5	4	6	15	8	8	4
Pneumonia (type not distinguished)	29	4	2	-	1	1	1	2	7	1	7	3
Other diseases of respiratory system	26	1	-	-	1	-	1	3	3	4	7	6
Diarrhœa and enteritis	18	11	1	-	-	2	1	-	-	-	1	2
Appendicitis, Typhlitis	5	-	1	-	2	1	-	1	-	-	-	-
Hernia, Intestinal obstruction.. ..	19	2	-	-	-	-	3	-	3	5	2	4
Cirrhosis of liver	8	-	-	-	-	-	1	1	1	4	1	-
Other diseases of digestive system ..	20	2	-	1	-	2	-	3	5	3	1	3
Acute nephritis	2	-	-	-	-	-	-	-	1	-	-	1
Chronic Bright's disease..	42	-	-	-	-	-	-	4	7	5	16	10
Other diseases of genito-urinary system.	24	-	-	-	-	1	1	-	2	2	7	11
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth..	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	9	9	-	-	-	-	-	-	-	-	-	-
Premature birth	25	25	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	70	-	-	-	-	-	-	-	-	-	11	59
Suicide	8	-	-	-	-	-	1	2	2	3	-	-
Burns and Scalds	8	1	-	-	1	-	-	-	-	-	2	4
Drowning	3	-	-	-	-	-	-	-	2	1	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14	-	-	1	3	1	-	-	3	2	4	-
Other deaths by violence	13	-	-	-	-	-	1	-	2	2	1	7
Other specified causes	41	4	1	1	5	4	2	4	1	5	8	6
Ill-defined causes	1	-	-	-	-	-		-	1	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 8th January, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	210	255	2	345	C. 8 D. 2 E. 1 F. 1 G. 8 M. 11 N. 25
†CITY OF LONDON	-	1	1	-	1	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	7	15	-	33	-
†BERMONDSEY ...	-	10	11	-	4	C. 2 M. 1
†BETHNAL GREEN	-	10	20	-	4	C. 1 M. 2
†CAMBERWELL ...	-	13	15	-	6	G. 2 N. 1
†CHELSEA	-	-	1	-	9	-
†DEPTFORD ...	-	10	8	1	11	-
†FINSBURY ...	-	2	1	-	2	N. 1
†FULHAM	-	9	7	-	17	D. 1
†GREENWICH ..	-	10	9	-	4	-
†HACKNEY ...	-	11	15	-	10	M. 1 N. 2
†HAMMERSMITH ...	-	6	10	-	4	-
†HAMPSTEAD ...	-	3	1	-	4	-
†HOLBORN... ..	-	2	-	-	1	-

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	11	17	-	7	C. 1 M. 4 N. 4
†KENSINGTON ...	-	5	7	1	17	N. 1
†LAMBETH ...	-	17	13	-	14	C. 1
†LEWISHAM ...	-	8	5	-	5	-
†PADDINGTON ...	-	4	10	-	17	E. 1 N. 2
†POPLAR	-	7	7	-	22	C. 1 N. 1
†ST. MARYLEBONE	-	3	2	-	4	M. 1 N. 3
†ST. PANCRAS ...	-	6	13	-	17	C. 1 M. 1 N. 1
†SHOREDITCH ...	-	11	12	-	13	G. 1 N. 3
†SOUTHWARK ...	-	8	16	-	14	D. 1 F. 1 G. 1 N. 2
†STEPNEY	-	17	15	-	16	G. 1
†STOKE NEWINGTON	-	5	2	-	1	-
†WANDSWORTH ...	-	8	17	-	68	G. 3 N. 1
†WESTMINSTER, CITY OF	-	2	3	-	5	C. 1
†WOOLWICH ..	-	4	2	-	15	M. 1 N. 3

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	14	11	–	3	D. 1 N. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	10	–	–	1	N. 1
KEMPSTON ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	1	9	–	1	D. 1
Rural Districts:—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	1	1	–	1	–
BERKS	–	8	–	1	6	M. 1 N. 1
†READING C.B. ..	–	1	–	1	2	M. 1 N. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	–	–	1	–
†NEW WINDSOR ...	–	1	–	–	1	–
Rural Districts:—						
ABINGDON ...	–	2	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
WINDSOR... ...	–	1	–	–	1	–
WOKINGHAM ...	–	1		–	1	–
BUCKINGHAM ..	–	7	5	–	5	N. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
NEWPORT PAGNELL	–	3	–	–	1	–
†SLOUGH	–	–	–	–	1	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	1	1	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	–	2	–	1	–
LONG CRENDON...	–	–	–	–	–	N. 1
WINSLOW... ...	–	–	1	–	–	–
WYCOMBE ...	–	1	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ..	–	2	2	–	3	–
Borough:—						
†CAMBRIDGE ..	–	2	2	–	1	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
NEWMARKET ...	–	–	–	–	1	–
CHESTER	–	58	34	3	39	C. 5 F. 1 G. 2 M. 3 N. 11
†BIRKENHEAD C.B.	–	3	4	–	6	C. 2 M. 1 N. 1
†CHESTER C.B. ...	–	–	–	1	6	N. 1
†STOCKPORT C.B.	–	18	3		2	M. 1
†WALLASEY C.B. ...	–	5	2	–	1	N. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	N. 2
ASHTON UPON MERSEY	–	–	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	1	–	1	–
BOLLINGTON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	2	1	–	1	–
BUGLAWTON ...	–	–	1	–	1	–
†CHEADLE AND GATLEY	–	1	–	–	1	–
†CONGLETON ...	–	1	4	–	1	F. 1 N. 1
†CREWE	–	1	2	–	–	C. 1 M. 1 N. 1
†DUKINFIELD ...	–	–	–	–	2	C. 1
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	1	1	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HYDE	–	1	–	–	4	N. 1
†MACCLESFIELD ...	–	–	1	2	1	G. 1 N. 2
NANTWICH ...	–	1	–	–	–	–
NESTON AND PARKGATE	–	–	–	–	1	G. 1
†NORTHWICH ...	–	1	–	–	–	C. 1
†RUNCORN... ...	–	2	–	–	–	–
†SALE	–	–	1	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
TARPORLEY ...	–	1	1	–	–	–
†WINSFORD ...	–	–	–	–	4	–
Rural Districts:—						
BUCKLOW ...	–	4	–	–	2	N. 1
CHESTER	–	1	–	–	–	–
NANTWICH ...	–	6	1	–	–	–
NORTHWICH ...	–	–	–	–	1	–
RUNCORN ...	–	–	4	–	2	–
TINTWISTLE ...	–	1	–	–	–	–
WIRRAL	–	1	6	–	–	–
CORNWALL ...	–	5	1	–	6	C. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	2	–	–	–	–
PENRYN	–	1	–	–	–	–
REDRUTH ...	–	–	1	–	1	–
ST. JUST	–	–	–	–	1	–
WADEBRIDGE ...	–	–	–	–	1	C. 1
Rural Districts:—						
BODMIN	–	–	–	–	1	–
LISKEARD ...	–	–	–	–	1	–
ST. COLUMB MAJOR	–	–	–	–	1	–
ST. GERMANS ...	–	1	–	–	–	–
STRATTON ...	–	1	–	–	–	–
TRURO	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	17	18	–	3	G. 1
†CARLISLE C.B. ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
CLEATOR MOOR ...	–	1	7	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
HOLME CULTRAM	–	4	–	–	–	–
MILLOM	–	4	–	–	–	–
†WHITEHAVEN ...	–	–	–	–	1	–
†WORKINGTON ...	–	1	2	–	–	–
Rural Districts:—						
BOOTLE	–	1	–	–	–	G. 1
BRAMPTON ...	–	2	4	–	–	–
COCKERMOUTH ...	–	–	1	–	–	–
PENRITH	–	1	–	–	–	–
WHITEHAVEN ...	–	–	1	–	–	–
WIGTON	–	–	–	–	1	–
DERBY	22	35	18	1	41	C. 2 M. 3 N. 1
†DERBY C.B. ...	1	7	4	–	9	–
Boroughs and Urban Districts:—						
†ALFRETON ...	1	1	–	–	4	–
ALVASTON AND BOULTON	–	1	–	–	1	–
†BELPER	9	–	–	–	–	–
†BOLSOVER ...	–	2	2	–	–	–
†CHESTERFIELD ...	–	3	2	–	7	–
†GLOSSOP	–	1	–	–	–	–
HEAGE	6	–	–	–	–	–
†HEANOR	–	–	1	–	1	M. 1
†ILKESTON ...	–	–	–	–	2	C. 1 M. 1
†LONG EATON ...	–	2	1	–	1	–
NEW MILLS ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RIPLEY	4	–	1	–		–
SOUTH DARLEY ...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	5	–	–	6	–
†THE MATLOCKS...	–	1	–	–	–	M. 1
Rural Districts:—						
BELPER	–	–	–	–	–	N. 1
BLACKWELL ...	1	1	–	–	2	C. 1
CHESTERFIELD ...	–	5	4	1	4	–
CLOWNE	–	1	2	–	2	–
NORTON	–	–	–	–	1	–
REPTON	–	1	1	–	–	–
SHARDLOW ...	–	3	–	–	1	–
DEVON	–	22	12	–	16	C. 2 G. 1 N. 3
†EXETER C.B. ...	–	5	–	–	2	N. 1
†PLYMOUTH C.B....	–	6	11	–	3	C. 1 G. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	–	–	1	–
DARTMOUTH ...	–	–	–	–	1	–
†EXMOUTH ...	–	1	–	–	–	
HONITON... ...	–	–	–	–	–	N. 1
NORTHAM ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	–	–	1	–
†PAIGNTON ...	–	–	–	–	–	C. 1
SALCOMBE ...	–	–	–	–	1	–
SOUTH MOLTON ...	–	–	–	–	1	–
†TORQUAY ...	–	–	–	–	1	–
Rural Districts:—						
BIDEFORD ...	–	–	–	–	–	N. 1
BROADWOOD WIDGER	–	–	–	–	1	–
HOLSWORTHY (part)	–	1	–	–	–	–
HONITON ...	–	1	–	–	–	–
DEVON—*cont.*						
Rural Districts—*cont.*						
NEWTON ABBOT...	–	1	–	–	1	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	2	1	–	–	–
ST. THOMAS ...	–	3	–	–	–	–
TIVERTON ...	–	–	–	–	2	–
DORSET	–	5	–	–	1	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	–
†POOLE	–	4	–	–	–	–
Rural Districts:—						
POOLE	–	1	–	–	–	–
DURHAM	284	48	23	2	91	C. 2 D. 1 G. 2 M. 6 N. 6
†DARLINGTON C.B.	–	3	1	–	2	G. 1
†GATESHEAD C.B.	11	4	4	1	2	–
†SOUTH SHIELDS C.B.	–	3	2	–	13	–
†SUNDERLAND C.B.	–	1	–	–	17	C. 1 D. 1 N. 2
†WEST HARTLEPOOL C.B.	–	4	–	–	7	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	–	–	–	–	N. 1
BARNARD CASTLE	–	1	–	–	–	–
BENFIELDSIDE ...	–	–	1	–	–	–
†BISHOP AUCKLAND	1	–	–	–	–	–
†BLAYDON... ...	–	–	–	–	1	–
†BRANDON AND BYSHOTTLES	30	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER LE STREET	2	–	–	–	4	–
†CONSETT	–	2	–	–	1	–
†CROOK	32	–	2	–	–	–
†DURHAM	–	–	–	–	–	M. 2
†FELLING	–	1	–	–	–	–
†HARTLEPOOL ...	–	2	2	–	–	–
†HEBBURN ...	–	3	–	–	3	–
†HETTON	22	–	–	–	9	–
†HOUGHTON LE SPRING	5	–	–	–	–	–
†JARROW	14	1	–	–	9	M. 1 N. 1
LEADGATE ...	–	–	1	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON	19	–	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	–	N. 1
†SPENNYMOOR ...	–	–	1	–	–	–
†STANLEY	4	3	1	–	1	–
†STOCKTON ON TEES	–	–	1	–	3	M. 1
†TANFIELD ...	10	–	–	–	–	–
†WASHINGTON ...	–	–	–	1	–	–
†WHICKHAM ...	1	–	–	–	1	–
WILLINGTON ...	21	1	–	–	1	–
Rural Districts:—						
AUCKLAND ...	8	3	5	–	–	M. 2 N. 1
BARNARD CASTLE	1	–	1	–	–	–
CHESTER LE STREET	40	1	–	–	1	–
DARLINGTON ...	–	1	–	–	–	–
DURHAM	6	1	–	–	–	–
EASINGTON ...	12	8	1	–	8	G. 1
HOUGHTON LE SPRING	7	–	–	–	2	–
LANCHESTER ...	27	2	–	–		–
SEDGEFIELD ..	6	1	–	–	1	–
SOUTH SHIELDS...	3	–	–	–	–	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ..	–	–	–	–	3	C. 1
WEARDALE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	2	2	–	–	M. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	–	–	–	–	–	M. 1
WHITTLESEY ...	–	–	1	–	–	–
Rural Districts:—						
THORNEY... ...	–	2	–	–	–	–
WISBECH	–	–	1	–	–	–
ESSEX	–	96	62	–	52	C. 2 E. 1 G. 3 M. 2 N. 6
†EAST HAM C.B. ...	–	12	7	–	2	–
†SOUTHEND-ON-SEA C.B.		5	2	–	8	C. 1
†WEST HAM C.B. ...	–	37	19	–	15	G. 1 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	4	–	–	2	N. 1
BRENTWOOD ...	–	–	3	–	2	–
BURNHAM ON CROUCH	–	2	–	–	–	–
†CHELMSFORD ...	–	3	–	–	–	M. 1
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	–	1	–	1	–
DAGENHAM ...	–	3	3	–	–	–
EPPING	–	–	1	–	2	–
†GRAYS THURROCK	–	–	1	–	1	–
†ILFORD	–	1	6	–	4	N. 1
†LEYTON	–	8	4	–	1	G. 1
†ROMFORD ...	–	1	–	–	–	N. 1
SAFFRON WALDEN	–	1	–	–	–	C. 1
TILBURY	–	–	–	–	–	N. 1
†WALTHAMSTOW...	–	8	5	–	3	–
†WANSTEAD ..	–	–	1	–	1	–
WITHAM	*	*	*	*	*	*
†WOODFORD ...	–	–	4	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BILLERICAY ...	–	–	–	–	–	M. 1
BRAINTREE ...	–	3	–	–	1	G. 1
CHELMSFORD ...	–	–	–	–	1	–
DUNMOW	–	–	3	–	–	–
EPPING	–	–	1	–	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	1	–
MALDON	–	1	–	–	–	–
ORSETT	–	–	1	–	4	–
ROCHFORD ...	–	–	–	–	3	–
ROMFORD... ...	–	3	–	–	–	–
TENDRING ...	–	2	–	–	–	E. 1
GLOUCESTER ..	–	36	24	5	29	E. 1 G. 1 M. 2
†BRISTOL C.B. ...	–	20	16	2	20	G. 1 M. 1
†GLOUCESTER C.B.	–	–	2	–	3	–
Boroughs and Urban Districts:—						
AWRE	–	–	1	–	–	–
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	3	–	–	–	–
†KINGSWOOD ...	–	5	–	1	–	–
STROUD	–	1	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	–
DURSLEY	–	4	–	–	2	–
EAST DEAN AND UNITED PARISHES	–	2	–	1	–	–
FARINGDON (part)	*	*	*	*	*	*
LYDNEY	–	–	–	1	–	–
STROUD	–	–	2	–	2	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	–	–	–	1	–
WEST DEAN ...	–	1	1	–	–	E. 1 M. 1
HEREFORD ..	–	5	3	1	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	2	–	–	–
LEDBURY... ...	–	–	1	–	–	–
ROSS	–	3	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	1	–	–
ROSS	–	1	–	–	–	–
WEOBLEY... ...	–	1	–	–	–	–
HERTFORD ...	–	6	3	1	2	C. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	1	–
BUSHEY	*	*	*	*	*	*
CHORLEYWOOD ...	*	*	*	*	*	*
GREAT BERKHAMPSTEAD	*	*	*	*	*	*
HARPENDEN ...	–	–	2	–	–	–
†HEMEL HEMPSTEAD	*	*	*	*	*	*
†HERTFORD ...	–	4	–		–	C. 1
†ST. ALBANS ...	–	–	–	–	1	–
TRING	*	*	*	*	*	*
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
BARNET	*	*	*	*	*	*
BERKHAMPSTEAD	*	*	*	*	*	*
HEMEL HEMPSTEAD	*	*	*	*	*	*
ST. ALBANS ...	–	–	1	1	–	N. 1
WATFORD ...	*	*	*	*	*	*
WELWYN	*	*	*	*	*	*
HUNTINGDON ..	–	2	2	–	2	M. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	2	–	–	–
ST. NEOTS ...	–	–	–	–	1	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever : K. Trench Fever ; L, Dysentery : M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON—*cont.*						
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
ST. NEOTS ...	–	–	–	–	–	M. 1
THRAPSTON (part)	–	1	–	–	–	–
KENT ...	–	45	26	–	48	E. 2 G. 2 M. 3 N. 4
†CANTERBURY C.B.	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	–	–	1	–
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY ...	–	2	–	–	1	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY ...	–	–	–	–	3	–
†CHATHAM ...	–	–	3	–	1	–
CHERITON ...	–	–	–	–	1	–
†CRAYFORD ...	–	–	–	–	1	–
†DARTFORD ...	–	2	–	–	1	–
†ERITH ...	–	–	1	–	4	G. 1
†FOLKESTONE ...	–	1	–	–	9	N. 1
†GILLINGHAM ...	–	2	1	–	–	–
†GRAVESEND ...	–	5	4	–		–
†HERNE BAY ...	–	–	–	–	1	E. 1 G. 1
†MAIDSTONE ...	–	5	–	–	–	N. 1
†MARGATE ...	–	1	3	–	1	–
†NORTHFLEET ...	–	2	2	–	1	–
†PENGE ...	–	1	–	–	2	N. 1
†RAMSGATE ...	–	–	3	–	2	–
†ROCHESTER ...	–	1	1	–	1	–
†ROYAL TUNBRIDGE WELLS	–	–	2	–	4	M. 1
†SHEERNESS ...	–	–	2	–	1	M. 1
SITTINGBOURNE	–	1	–	–	–	–
SOUTHBOROUGH	–	1	–	–	–	–
SWANSCOMBE ...	–	1	3	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
WHITSTABLE ...	–	1	–		3	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
CRANBROOK ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—cont.						
DARTFORD ...	–	2	–	–	–	–
HOLLINGBOURNE	–	–	–	–	1	–
ISLE OF THANET	–	–	–	–	1	–
MALLING ...	–	4	–	–	1	–
SEVENOAKS ...	–	–	–	–	–	M. 1
SHEPPEY ...		–	–	–	2	–
STROOD ...	–	1	–	–	–	–
TENTERDEN ...	–	4	–	–	–	E. 1 N. 1
TONBRIDGE ...	–	1	–	–	–	–
LANCASTER ...	1	164	134	2	264	C. 5 D. 1 E. 1 G. 6 L. 1 M. 26 N. 9
†BARROW IN FURNESS C.B.	–	3	–	–	–	N. 1
†BLACKBURN C.B.	–	4	5	–	10	N. 1
†BLACKPOOL C.B.	–	–	3	–	1	–
†BOLTON C.B. ...	–	11	2	–	2	G. 1 N. 1
†BOOTLE C.B. ..	–	5	7	–	–	M. 1
†BURNLEY C.B. ..	–	1	–	–	3	M. 1 N. 1
†BURY C.B. ...	–	–	–	–	4	M. 1
†LIVERPOOL C.B. ..	–	27	47	–	62	D. 1 G. 1 M. 12 N. 1
†MANCHESTER C.B.	–	36	17	–	67	C. 3 E. 1 M. 2
†OLDHAM C.B. ...	–	4	5	–	4	G. 1
†PRESTON C.B. ..	–	1	1	–	6	G. 1 N. 1
†ROCHDALE C.B. ..	–	4	3	–	1	–
†ST. HELENS C.B. ...	–	4	1	–	6	M. 1 N. 1
†SALFORD C.B. ...	–	10	10	–	5	M. 1
†SOUTHPORT C.B.	–	6	1	–	2	–
†WARRINGTON C.B.	–	–	2	–	3	–
†WIGAN C.B.	–	1	1	–	10	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	1	–	1	–
†ASHTON IN MAKERFIELD	–	1	–	–	5	–
†ASHTON UNDER LYNE	1	–	–	–	1	–
ASPULL	–	1	–	–	4	–
†ATHERTON ...	–	2	–	–	1	M. 1 N. 1
AUDENSHAW ...	–	2	–	1	–	–
†BACUP	–	–	–	–	1	–
BARROWFORD ...	–	1	–	–	1	–
†CHADDERTON ...	–	1	–	–	1	–
†CHORLEY... ...	–	–	–	–	1	–
CHURCH	–	–	–	–	–	M. 1
†CLITHEROE ...	–	–	2	–	–	–
†CROMPTON ...	–	–	1	–	–	
†DARWEN	–	1	1	–	1	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	1	–	–	–	–
†FAILSWORTH ...	–	1	–	–	3	–
†FARNWORTH ...	–	–	2	–	1	M. 1
†FLEETWOOD ...	–	–	–	–	1	–
†HASLINGDEN ...	–	6	–	–	–	C. 1
†HAYDOCK ...	–	2	–	–	2	–
†HEYWOOD ...	–	1	–	–	1	–
†HINDLEY... ...	–	1	–	–	3	–
†HORWICH ...	–	–	2	–	4	–
†INCE IN MAKERFIELD	–	–	–	–	6	–
†LANCASTER ...	–	–	–	–	1	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
LEES	–	–	–	–	1	–
LEYLAND... ...	–	–	–	–	1	–
†LITHERLAND ...	–	1	1	–	–	–
†LITTLEBOROUGH	–	1	7	–	–	–
LONGRIDGE ...	–	1	–	–	–	–
†MIDDLETON ...	–	–	–	–	1	–
†MORECAMBE ...	–	–	1	–	–	–
†NELSON	–	2	1	–	4	–
†NEWTON IN MAKERFIELD	–	–	1	–	4	–
ORMSKIRK ...	–	–	–	–	1	–
†OSWALDTWISTLE	–	1	1	–	1	–
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	2	–	–	3	–
†RAMSBOTTOM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAWTENSTALL ...	–	–	–	–	–	M. 1
†ROYTON	–	–	–	–	1	–
SKELMERSDALE...	–	–	–	–	1	G. 1
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	3	1	–	4	–
†SWINTON AND PENDLEBURY	–	3	–	–	4	M. 1
TOTTINGTON ...	–	–	1	–	–	M 1
†TURTON	–	3	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
†ULVERSTON ...	–	–	–	–	–	G. 1
WARDLE	–	–	1	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	2	–
†WESTHOUGHTON	–	1	1	–	–	N. 1
WHITEFIELD ...	*	*	*	*	*	*
Rural Districts:—						
BLACKBURN ...	–	–	–	–	1	–
BURY	–	1	–	–	–	–
CHORLEY... ...	–	–	–	–	1	M. 1
CLITHEROE ...	–	–	–	–	2	–
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	–	1	–	–	–
ULVERSTON ...	–	–	2	1	–	–
WARRINGTON ...	–	–	–	–	2	L. 1
WIGAN	–	–	–	–	2	–
LEICESTER... ...	–	10	18	–	19	E. 3 M. 2 N. 1
†LEICESTER C.B. ...	–	4	8	–	11	E. 1 M. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	2	–	1	–
†HINCKLEY ...	–	2	1	–	2	N. 1
†LOUGHBOROUGH	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:— *cont.*						
MARKET HARBOROUGH	–	–	–	–	–	E. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	2	M. 1
BARROW UPON SOAR	–	3	1	–	1	–
CASTLE DONINGTON	–	–	–	–	1	–
HALLATON ...	–	–	–	–	–	E. 1
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	–	4	–	1	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	5	2	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	1	–
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
EAST ELLOE ...	–	1	–	–	–	–
SPALDING (part)..	–	3	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	2	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	2	–
Rural Districts:—						
SLEAFORD ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	7	14	8	1	19	G. 1 M. 1
†GRIMSBY C.B. ...	–	3	1	–	4	G. 1 M. 1
†LINCOLN C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	4	–	–	–
BRIGG	–	–	–	1	–	–
†CLEETHORPES ...	–	–	–	–	2	–
CROWLE	–	–	–	–	2	–
†GAINSBOROUGH...	7	1	–	–	3	–
HORNCASTLE ...	–	–	–	–	1	–
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	1	–
SKEGNESS ...	–	1	–	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	–	1	1	–	1	–
GRIMSBY	–	4	2	–	–	–
HORNCASTLE ...	–	–	–	–	5	–
MIDDLESEX ...	–	46	60	–	100	C. 2 E. 2 G. 1 M. 2 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	4	1	–	–	M. 1 N. 1
†BRENTFORD ...	–	1	–	–	2	–
†CHISWICK ...	–	–	1	–	–	–
†EALING	–	1	3	–	3	C. 1
†EDMONTON ...	–	3	6	–	7	–
†ENFIELD	–	–	9	–	4	E. 1
†FINCHLEY ...	–	2	4	–	1	–
†FRIERN BARNET	–	–	–	–	6	–
†HAMPTON ...	–	–	8	–	–	–
†HARROW ON THE HILL	–	9	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
HAYES	–	1	–	–	1	–
†HENDON	–	3	1	–	3	–
†HESTON AND ISLEWORTH	–	1	–	–	9	G. 1
†HORNSEY... ...	–	5	2	–	5	N. 1
RUISLIP NORTHWOOD	–	–	–	–	1	–
†SOUTHALL NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	1	–	–	7	–
STAINES	–	2	–	–	–	–
SUNBURY ON THAMES	–	–	–	–	–	N. 1
†TEDDINGTON ...	–	–	1	–	5	–
†TOTTENHAM ...	–	10	11	–	8	C. 1 E. 1
†TWICKENHAM ...	–	–	1	–	7	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	1	–	–	4	–
†WILLESDEN ...	–	1	4	–	19	M. 1 N. 1
†WOOD GREEN ...	–	1	2	–	3	–
Rural Districts:—						
HENDON	–	–	1	–	1	–
SOUTH MIMMS ...	*	*	*	*	*	*
STAINES	–	–	3	–	3	–
NORFOLK	–	15	6	1	4	C. 2 E. 2
†GREAT YARMOUTH C.B.	–	3	–	–	–	–
†NORWICH C.B. ...	–	3	1	–	1	C. 2
Boroughs and Urban Districts:—						
KING'S LYNN ...	–	–	5	–	–	–
SHERINGHAM ...	–	–	–	–	–	E. 2
WALSOKEN ...	–	1	–	–	1	–
Rural Districts:—						
BLOFIELD ...	–	1	–	–	2	–
DEPWADE ...	–	1	–	–	–	–
DOWNHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
EAST AND WEST FLEGG	–	–	–	1	–	–
HENSTEAD ...	–	3	–	–	–	–
THETFORD ..	–	2	–	–	–	–
NORTHAMPTON ...	–	3	4	–	12	C. 1 M. 1 N. 1
†NORTHAMPTON C.B.	–	–	3	–	6	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	2	–	–	2	–
ROTHWELL ...	–	–	–	–	1	–
†RUSHDEN... ...	–	–	–	–	1	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	C. 1
KETTERING ...	–	–	–	–	–	M. 1
NORTHAMPTON ...	–	–	–	–	1	–
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	–	1	–	–	N. 1
NORTHUMBERLAND	5	39	12	1	71	C. 4 M. 5 N. 3
†NEWCASTLE UPON TYNE C.B.	1	17	5	–	55	C. 2 M. 3 N. 2
†TYNEMOUTH C.B	2	4	–	–	1	M. 2
Boroughs and Urban Districts:—						
AMBLE	–	–	3	–	–	–
†ASHINGTON ...	1	3	–	1	1	–
†BEDLINGTONSHIRE	–	–	–	–	2	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	–	–	–	2	C. 1
†EARSDON	–	–	1	–	–	–
HEXHAM	–	1	1	–	1	–
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
†NEWBURN ...	–	–	–	–	1	–
PRUDHOE... ...	–	–	1	–	–	–
†WALLSEND ...	–	2	–	–	6	–
†WHITLEY AND MONKSEATON	–	3	–	–	–	–
Rural Districts:—						
ALNWICK ...	*	*	*	*	*	*
BELFORD	–	–	–	–	1	–
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	1	–	–	–	1	–
HEXHAM	–	4	1	–	–	–
MORPETH ...	–	–	–	–	–	N. 1
NOTTINGHAM ...	1	36	36	2	20	E. 1 G. 2 M. 2 N. 1
†NOTTINGHAM C.B	–	8	28	–	11	M. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	–	1	–	–	–
†CARLTON	–	3	–	–	–	E. 1 M. 1
†EAST RETFORD ...	–	–	1	–	2	–
†HUCKNALL ...	–	1	2	–	1	–
HUTHWAITE ...	1	–	–	–	–	–
†KIRKBY IN ASHFIELD	–	6	–	–	2	–
†MANSFIELD ...	–	–	–	–	1	–
†NEWARK	–	–	2	–	–	–
†SUTTON IN ASHFIELD	–	–	1	1	–	–
WARSOP	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST BRIDGFORD	–	–	1	–	–	–
†WORKSOP... ...	–	5	–	–	–	–
Rural Districts:—						
BASFORD	–	4	–	–	–	G. 1
EAST RETFORD ...	–	1	–	–	2	–
MISTERTON ...	–	1	–	–	–	–
SOUTHWELL ...	–	2	–	–	–	N. 1
STAPLEFORD ...	–	–	–	–	–	G. 1
WORKSOP... ...	–	3	–	–	1	–
KINGSTON UPON SOAR AND RATCLIFFE UPON SOAR (Parishes)	–	–	–	1	–	–
OXFORD	–	3	1	–	5	N. 2
†OXFORD C.B. ...	–	1	1	–	–	N. 1
Boroughs and Urban Districts:—						
THAME	–	–	–	–	–	N. 1
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
GORING	–	–	–	–	1	–
HEADINGTON ...	–	1	–	–	1	–
WITNEY	–	–	–	–	3	–
PETERBOROUGH (Soke of)	–	3	–	–	5	–
Borough:—						
†PETERBOROUGH...	–	3	–	–	5	–
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
SALOP	–	12	2	–	1	M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	2	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–		–	M. 1
WELLINGTON ...	–	1	–	–	–	–
†WENLOCK ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	1	–	–	1	–
CHIRBURY ...	–	1	–	–	–	–
DRAYTON... ...	–	2	–	–	–	–
ELLESMERE ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	2	–	–	–	–
SOMERSET	–	16	7	1	13	E. 1 L. 1 M. 1 N. 3
†BATH C.B. ...	–	3	–	–	–	E. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	1	–
CHARD	–	–	2	–	–	–
GLASTONBURY ...	–	–	–	–	1	–
ILMINSTER ...	–	1	–	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–
MINEHEAD ...	–	1	–	–	–	–
PORTISHEAD ...	–	–	–	–	–	N. 1
†TAUNTON ...	–	1	–	–	2	L. 1
WELLS	–	–	–	1	1	–
†WESTON SUPER MARE	–	–	1	–	1	M. 1
†YEOVIL	–	2	–	–	1	–
Rural Districts:—						
CHARD	–	2	–	–	–	–
CLUTTON... ...	–	1	–	–	1	N. 1
FROME	–	1	1	–	–	–
SHEPTON MALLET	–	1	–	–	1	–
TAUNTON... ...	–	–	–	–	1	–
WELLS	–	2	–	–	1	–
WILLITON ...	–	–	–	–	–	N. 1
WINCANTON ...	–	–	3	–	1	–
YEOVIL	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SOUTHAMPTON ..	–	34	35	–	29	C. 1 M. 5 N. 4
†BOURNEMOUTH C.B.	–	–	–	–	2	M. 1
†PORTSMOUTH C.B.	–	9	23	–	3	M. 2
†SOUTHAMPTON C.B	–	13	8	–	17	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	1		–	M. 1
ANDOVER... ...	–	–	–	–	1	–
†BASINGSTOKE ...	–	1	–	–	–	–
†FAREHAM ...	–	2	–	–	–	N. 1
HAVANT	*	*	*	*	*	*
MILTON	*	*	*	*	*	*
ROMSEY	–	1	–	–	–	–
WARBLINGTON ...	–	–	–		–	N. 1
†WINCHESTER ...	–	–	–	–	3	–
Rural Districts:—						
ALRESFORD ...	–	3	–	–	–	–
ALTON	–	–	1		–	–
CATHERINGTON ...	–	–	1	–	–	–
DROXFORD ...	–	–		–	–	N. 1
FAREHAM ...	–	–	–	–	1	–
HARTLEY WINTNEY	–	–	–	–	1	–
KINGSCLERE ...	–	1	–	–	–	–
LYMINGTON ...	–	1	–	–	–	–
NEW FOREST ...	–	3	–	–	–	–
SOUTH STONEHAM	–	–	1	–	–	N. 1
WHITCHURCH ...	–	–	–	–	1	–
STAFFORD	–	45	36	–	99	C. 5 E. 2 F. 1 L. 1 M. 5 N. 8
†BURTON UPON TRENT C.B.	–	2	1	–	4	–
†SMETHWICK C.B.	–	4	2	–	9	C. 1 M. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†STOKE ON TRENT C.B.	–	9	8	–	33	C. 2 M. 2 N. 2
†WALSALL C.B. ...	–	5	5	–	3	N. 1
†WEST BROMWICH C.B.	–	–	2	–	7	–
†WOLVERHAMPTON C.B.	–	2	1	–	4	N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	1	E. 1
BIDDULPH ...	–	–	–	–	4	–
†BILSTON	–	2	–	–	1	
†BRIERLEY HILL...	–	–	–	–	2	–
†BROWNHILLS ...	–	–	2	–	2	F. 1
†CANNOCK	–	1	–	–	–	–
†COSELEY	–	–	1	–	–	–
†DARLASTON ...	–	–	2	–	2	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	3	–	–	–	–
KIDSGROVE ...	–	3	–	–	1	–
†LEEK	–	–	–	–	–	M. 1
†NEWCASTLE UNDER LYME	–	–	–	–	3	–
PERRY BARR ...	–	–	1	–	–	–
QUARRY BANK ...	–	–	–	–	2	–
†ROWLEY REGIS ...	–	1		–	3	–
†SEDGLEY	–	1	–	–	–	
†STAFFORD ...	–	1	1	–	–	C. 1 E. 1 N. 1
†TIPTON	–	–	–	–	6	–
†WEDNESBURY ...	–	1	–	–	3	M. 1
†WILLENHALL ...	–	2		–	–	–
†WOLSTANTON UNITED	–	3	2	–	1	N. 1
Rural Districts:—						
CANNOCK	–	2	6	–	1	–
CHEADLE	–	–	–	–	2	L. 1 N. 1
KINGSWINFORD ...	–	–	–	–	–	C. 1
LICHFIELD ...	–	1	–	–	–	–
SEISDON	–	2	–	–	1	–
STAFFORD ...	–	–	–	–	1	–
STONE	–	–	1	–	2	–
WALSALL... ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ..	–	13	–	–	7	N. 1
†IPSWICH C.B. ...	–	5	–	–	3	–
Boroughs and Urban Districts:—						
EYE	–	–	–	–	1	–
†LOWESTOFT ...	–	6	–	–	–	N. 1
SAXMUNDHAM ...	–	–	–	–	1	–
Rural Districts:—						
HARTISMERE ...	–	–	–		1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	1	–
SAMFORD... ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2	–	–	–	–
NEWMARKET ...	–	1	–	–	1	–
Rural Districts:—						
MELFORD... ...	–	–	1	–	–	–
SURREY	–	38	17	2	52	C. 1 E. 2 M. 2 N. 2
†CROYDON C.B. ...	–	20	11	–	8	N. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	2	C 1
†BEDDINGTON AND WALLINGTON	–	–	–	–	3	–
†CARSHALTON ...	–	–	–	–	1	–
†CHERTSEY ...	–	2	–	–	1	–
†COULSDON AND PURLEY	–	2	–	–	1	–
EAST AND WEST MOLESEY	–	–	–	–	4	–
†EGHAM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ESHER AND THE DITTONS	–	–	–	–	2	–
†FARNHAM ...	–	–	–	–	1	M. 1
GODALMING ...	–	–	1	–	–	–
†KINGSTON ON THAMES	–	–	–	–	1	N. 1
†MERTON AND MORDEN	–	2	1	–	–	–
†MITCHAM... ...	–	4	–	–	13	–
†REIGATE	–	1	–	–	1	–
†SURBITON ...	–	–	–	–	6	E. 1
†SUTTON	–	–	1	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WIMBLEDON ...	–	1	1	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	2	E. 1
DORKING	–	–	–	–	3	–
EPSOM	–	2	1	1	2	–
GODSTONE ...	–	–	1	–	–	–
REIGATE	–	–	–	1	–	M. 1
SUSSEX, EAST ...	–	8	16	–	10	M. 1 N. 1
†BRIGHTON C.B. ...	–	3	6	–	2	M. 1
†EASTBOURNE C.B.	–	3	–	–	1	–
†HASTINGS C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
BATTLE	–	–	1	–	–	–
NEWHAVEN ...	–	–	–	–	3	–
Rural Districts:—						
CHAILEY	–	–	–	–	1	–
CUCKFIELD ...	–	–	1	–	–	–
EASTBOURNE ...	–	1	–	–	–	–
EAST GRINSTEAD	–	–	7	–	–	–
RYE	–	–	–	–	–	N. 1
UCKFIELD ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ..	–	9	4	–	8	M. 1 N. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	–	–	1	–
†CHICHESTER ...	–	1	1	–	–	–
†HORSHAM ...	–	1	–	–	–	–
SHOREHAM BY SEA	–	–	1	–	3	–
SOUTHWICK ...	–	–	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	3	–	–	1	–
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	1	1	–	–	–
STEYNING WEST...	–	–	–	–	1	–
THAKEHAM ...	–	–	–	–	1	–
WESTBOURNE ...	–	1	–	–	1	–
WESTHAMPNETT ..	–	1	–	–	–	M. 1 N. 1
WARWICK	–	41	75	2	131	C. 3 D. 1 E. 1 G. 2 M. 8 N. 5
†BIRMINGHAM C.B.	–	28	64	2	108	C. 3 D. 1 E. 1 G. 2 M. 8 N. 1
†COVENTRY C.B. ...	–	1	2	–	5	–
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	–	–	–	N. 1
†NUNEATON ...	–	2	1	–	3	N. 2
†ROYAL LEAMINGTON SPA	–	–	1	–	–	N. 1
†RUGBY	–	–	–	–	1	–
†SUTTON COLDFIELD	–	–	1	–	1	–
†WARWICK ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	-	-	1	-	2	-
FOLESHILL ...	-	2	-	-	4	-
MERIDEN... ...	-	3	-	-	4	-
RUGBY	-	1	-	-	1	-
SOLIHULL ...	-	-	-	-	1	-
SOUTHAM... ...	-	3	-	-	-	-
TAMWORTH (part)	-	-	4	-	-	-
WESTMORLAND ...	-	8	-	-	1	N. 1
Boroughs and Urban Districts:—						
APPLEBY... ...	-	1	-	-	-	-
GRASMERE ...	-	1	-	-	-	-
Rural Districts:—						
EAST WESTMORLAND	-	2	-	-	-	-
SOUTH WESTMORLAND	-	3	-	-	1	N. 1
WEST WARD ...	-	1	-	-	-	-
WIGHT, ISLE OF ...	-	5	-	-	-	-
Boroughs and Urban Districts:—						
EAST COWES ...	-	1	-	-	-	-
SANDOWN ...	-	2	-	-	-	-
Rural Districts:—						
ISLE OF WIGHT	-	2	-	-	-	-
WILTS	-	9	8	-	19	E. 1 L. 3 M. 2 N. 3
Boroughs and Urban Districts:—						
CALNE	-	-	1	-	-	-
CHIPPENHAM ...	-	1	-	-	-	-
MARLBOROUGH ...	-	-	-	-	1	-
MELKSHAM ...	-	2	-	-	-	-
†SALISBURY ...	-	1	-	-	1	-
†SWINDON... ...	-	1	1	-	6	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TROWBRIDGE ...	-	2	-	-	-	-
WARMINSTER ...	*	*	*	*	*	*
WILTON	-	-	-	-	1	-
Rural Districts:—						
AMESBURY ...	-	-	-	-	2	-
CRICKLADE AND WOOTTON BASSETT	-	-	3	-	3	-
DEVIZES	-	-	-	-	-	L. 3
HIGHWORTH ...	-	-	2	-	2	-
MALMESBURY ...	-	-	-	-	1	-
MELKSHAM ...	-	-	-	-	-	N. 1
MERE	-	1	-	-	-	E. 1
PEWSEY	-	-	-	-	2	N. 1
WARMINSTER ...	*	*	*	*	*	*
WESTBURY AND WHORWELLSDOWN	-	-	-	-		N. 1
WILTON	-	1	1	-	-	-
WORCESTER ...	-	5	5	1	18	N. 1
†DUDLEY C.B. ...	-	2	1	-	1	-
†WORCESTER C.B.	-	-	1	-	10	-
Boroughs and Urban Districts:—						
BROMSGROVE ...	-	1	-	-	-	-
†HALESOWEN ...	-	-	-	1	-	-
†KIDDERMINSTER	-	-	-	-	-	N. 1
†LYE AND WOLLESCOTE	-	1	2	-	1	-
†MALVERN ...	-	1	-	-	-	-
†OLDBURY... ...	-	-	-	-	2	-
†STOURBRIDGE ...	-	-	1	-	-	-
STOURPORT ...	*	*	*	*	*	*
Rural Districts:—						
MARTLEY... ...	-	-	-	-	2	-
PERSHORE ...	-	-	-	-	1	-
SHIPSTON ON STOUR	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	30	22	1	20	D. 1 M. 2 N. 3
†KINGSTON UPON HULL C.B.	–	19	21	1	14	D. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	3	–	–	–	–
COTTINGHAM ...	–	2	–	–	2	N. 1
HESSLE	–	1	–	–	–	–
HORNSEA	–	1	1	–	–	–
NORTON	–	1	–	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	–	–	–	1	–
HOWDEN	–	–	–	–	2	–
PATRINGTON ...	–	–	–		–	N. 1
POCKLINGTON ...	–	–	–	–	–	N. 1
RICCALL	–	2	–	–	1	–
YORKS ... ... (North Riding.)	–	25	2	–	17	C. 1 G. 3 N. 1
†MIDDLESBROUGH C.B.	–	13	1	–	6	C. 1
Boroughs and Urban Districts:—						
†ESTON	–	7	–	–	–	–
LOFTUS	–	–	–	–	2	–
†REDCAR	–	1	–	–	–	–
RICHMOND ...	–	–	1	–	–	–
†SCARBOROUGH ...	–	2	–	–	3	–
†THORNABY ON TEES	–	1	–	–	–	G. 2 N. 1
†WHITBY	–	–	–	–	4	–
Rural Districts:—						
AYSGARTH ...	–	–	–	–	–	G. 1
BEDALE	*	*	*	*	*	*
NORTHALLERTON	–	1	–	–	–	–
WHITBY	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	91	130	66	5	294	C. 4 E. 1 G. 3 M. 8 N. 11
†BARNSLEY C.B. ...	–	2	–	–	1	N. 1
†BRADFORD C.B. ...	–	16	11	–	17	N. 2
†DEWSBURY C.B....	–	–	–	–	1	–
†HALIFAX C.B. ...	–	4	–	–	2	–
†HUDDERSFIELD C.B.	–	8	7	–	8	M. 1 N. 1
†LEEDS C.B. ...	–	14	7	–	26	M. 1 N. 1
†ROTHERHAM C.B.	–	4	–	1	19	–
†SHEFFIELD C.B....	20	24	25	3	128	C. 4 E. 1 G. 1 M. 2 N. 2
†WAKEFIELD C.B.	–	3	1	–	4	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	3	–	–	–	–
†BATLEY	–	–	1	–	1	–
†BINGLEY	–	–	1	–	2	–
BIRSTAL	–	1	1	–	–	–
†BOLTON UPON DEARNE	–	2	–	–	3	–
BURLEY IN WHARFEDALE	–		–	–	1	–
†CONISBROUGH ...	3	–	–	–	1	–
DARFIELD ...	–	1	–	–	–	N. 1
†DARTON	–	1	1	–	–	M. 1
†DONCASTER ...	10	4	–	–	2	–
DRIGHLINGTON ...	–	–	–		1	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	2	–	–	3	–
GREASBROUGH ...	–	–	–	–	2	–
GREETLAND ...	–	–	–	–	2	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–	4	1	–	–	–
HAWORTH ...	2	–	–	–	–	–
†HEMSWORTH ...	–	–	–	–	1	–
HOLME	–	1	–	–	–	–
†HOLMFIRTH ...	–	2	–	–	2	–
HORSFORTH ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAND NETHER	–	3	1	–	2	G. 1
HOYLAND SWAINE	*	*	*	*	*	*
†KEIGHLEY ...	33	1	2	–	1	–
KNARESBOROUGH	–	–	1	–	–	–
LEPTON	–	–	–	–	1	–
LINTHWAITE ...	–	1	–	–	–	–
MALTBY	–	1	–	–	–	–
MARSDEN... ...	–	1	–	–	1	–
†MEXBOROUGH ...	15	–	–	–	3	–
†MORLEY	–	–	–	–	1	–
MYTHOLMROYD ...	–	–	–	–	1	–
†NORMANTON ..	–	–	–	1	5	–
†OSSETT	–	–	–	–	–	N. 1
OTLEY	–	–	–	–	2	–
OXENHOPE ...	1	1	–	–	–	–
PENISTONE ...	*	*	*	*	*	*
†PUDSEY	–	1	–	–	–	–
†RAWMARSH ...	–	2	–	–	1	–
SELBY	–	–	–	–	–	N. 1
†SPENBOROUGH ...	–	–	–	–	3	–
STAINLAND ...	–	–	–	–	1	–
†STANLEY	–	–	–	–	1	–
STOCKSBRIDGE ...	–	–	–	–	2	–
†SWINTON... ...	4	–	–	–	4	–
THURNSCOE ...	–	1	–	–	–	–
†TODMORDEN ...	–	3	–	–	1	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	1	2	–	1	–
†WORSBOROUGH ...	–	–	–	–	–	M. 1
Rural Districts:—						
BOWLAND ...	–	–	–	–	1	–
DONCASTER ...	–	1	–	–	18	M. 1 N. 1
GOOLE	–	–	–	–	1	–
HALIFAX	–	2	–	–	–	–
HEMSWORTH ...	–	3	–	–	5	–
KEIGHLEY ...	3	–	–	–	–	–
KIVETON PARK ...	–	–	2	–	1	–
KNARESBOROUGH	–	–	–	–	1	–
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	3	–	–	1	–
SETTLE	–	–	1	–	–	–
SKIPTON	–	2	–	–	1	–
TADCASTER ...	–	–	1	–	1	–
THORNE	–	2	–	–	–	–
WAKEFIELD ...	–	1	–	–	2	G. 1
WORTLEY ...	–	1	–	–	1	–
§YORK, CITY OF	–	3	4	–	1	N. 1
†YORK C.B. ...	–	3	4	–	1	N. 1
WALES.						
ANGLESEY	–	3	4	–	1	M. 1
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	1	–	–	–
Rural Districts:—						
AETHWY	–	–	2	–	–	–
TWRCELYN ...	–	–	1	–	1	–
VALLEY	–	3	–	–	–	M. 1
BRECKNOCK ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
Rural Districts:—						
VAYNOR AND PENDERYN	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAERNARVON ...	–	1	1	–	–	N. 1
Rural Districts:—						
CONWAY	–	1	1	–	–	N. 1
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
ABERAYRON ...	–	–	1	–	–	–
CARMARTHEN ...	–	2	4	–	6	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	1	–	1	–
†LLANELLY ...	–	–	–	–	3	–
Rural Districts:—						
CARMARTHEN ...	–	1	1	–	–	–
LLANDILO FAWR	–	1	–	–	–	–
LLANELLY ...	–	–	2	–	1	–
LLANYBYTHER ...	–	–	–	–	1	–
DENBIGH	–	–	5		1	C. 1 G. 1
Boroughs and Urban Districts:—						
†WREXHAM ...	–	–	1	–	1	–
Rural Districts:—						
RUTHIN	–	–	–	–	–	G. 1
UWCHALED ...	*	*	*	*	*	*
WREXHAM ...	–	–	4	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
FLINT	–	4	3	–	4	–
Boroughs and Urban Districts:—						
FLINT	–	–	–	–	1	–
PRESTATYN ...	–	1	–	–	–	–
†RHYL	–	–	2	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1		–	3	–
OVERTON ..	–	–	1	–	–	–
GLAMORGAN ..	–	37	47	2	67	E. 1 M. 2 N. 8
†CARDIFF C.B. ...	–	4	6	1	14	N. 3
†MERTHYR TYDFIL C.B.		2	2	–	–	–
†SWANSEA C.B. ..	–	9	5	–	17	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	1	–	3	–
†BARRY	–	2	3	–	1	N. 1
†CAERPHILLY ...	–	1	3	–	2	–
†GELLIGAER ...		1	2	–	2	N. 1
†GLYNCORWG ...	–	1	1	–	–	–
†MAESTEG ...	–	–	5	–		–
†MOUNTAIN ASH ...	–	1	–	–	3	–
†NEATH	–	1	1	–	–	M. 1
†OGMORE AND GARW	–	2	1	–	2	–
†PENARTH ...	–	–	–	–	1	–
†PONTYPRIDD ...	–	1	–	–	2	N. 1
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	1	5	–	–	–
†RHONDDA ..	–	3	4	–	15	E. 1 M. 1 N. 1
Rural Districts:—						
LLANTRISANT AND LLANTWIT FARDRE	–	–	–	–	1	–
NEATH	–	2	5	–	2	–
PENYBONT ...	–	–	2	–	–	–
PONTARDAWE ...	–	–	–	1	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	–	–	10	–	–	C. 1
Urban Districts :—						
DOLGELLEY ...	–	–	1	–	–	–
FFESTINIOG ..	–	–	9	–	–	–
Rural Districts :—						
DEUDRAETH ...	–	–	–	–	–	C.
EDEIRNION ...	*	*	*	*	*	*
MONMOUTH ..	–	17	13	–	10	E. 1 M. 1 N. 3
†NEWPORT C.B. ..	–	5	1	–	9	E. 1 N. 1
Boroughs and Urban Districts :—						
†ABERCARN ...	–	–	2	–	–	–
†ABERSYCHAN ...	–	2	1	–	–	–
†ABERTILLERY ...	–	2	–	–	–	M. 1
BEDWAS AND MACHEN	–	1	–	–	–	–
†BEDWELLTY ...	–	3	3	–	–	–
†EBBW VALE ..	–	–	1	–	–	–
LLANTARNAM ...	–	1	–	–	–	N. 1
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†PANTEG	–	–	2	–	–	–
†TREDEGAR ...	–	–	2	–	–	N. 1
Rural Districts :—						
PONTYPOOL ...	–	2	–	–	–	–
ST. MELLONS ...	–	1	1	–	–	–
MONTGOMERY ..	–	1	3	–	4	–
Boroughs and Urban Districts :—						
LLANFYLLIN ...	–	–	3	–	–	–
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	1	–
MONTGOMERY— *cont.*						
Rural Districts :—						
FORDEN	–	1	–	–	–	–
LLANFYLLIN ...	–	–	–	–	1	–
NEWTOWN AND LLANIDLOES	–	–	–	–	2	–
PEMBROKE ...	–	4	2	–	–	–
Boroughs and Urban Districts :—						
FISHGUARD ...	–	–	1	–	–	–
GOODWICK ...		–	1	–	–	–
†PEMBROKE ...	*	*	*	*	*	*
Rural Districts :—						
HAVERFORDWEST.	–	2	–	–	–	–
NARBERTH ...	–	1	–	–	–	–
PEMBROKE ...	–	1	–	–	–	–
Total of Part II. ...	411	1256	924	35	1683	C. 46 D. 5 E. 23 F. 2 G. 31 L. 6 M. 101 N. 114

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
CARDIFF	–	–	–	–	1	-	SOUTHAMPTON ...	–	-	–	-	1	–
DOVER	–	1	–	–	–	–	PORT OF LONDON ...	1	1	–	–	2	–
PLYMOUTH	–	–	–	–	1	–							
							Total of Part III.... ...	1	2	–	–	5	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	210	255	2	345	C. 8 D. 2 E. 1 F. 1 G. 8 M. 11 N. 25
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	411	1256	924	35	1683	C. 46 D. 5 E. 23 F. 2 G. 31 L. 6 M. 101 N. 114
Total of Part III.—Port Sanitary Districts	1	2	–	–	5	–
Total (*i.e.*, of returns received), England and Wales ...	412	1468	1179	37	2033	C. 54 D. 7 E. 24 F. 3 G. 39 L. 6 M. 112 N. 139

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

ble 5.—London and Great Towns in the AGGREGATE. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.
NDON :—													
ATHS—all ages	895	1,014	1,124	1,209	1,108	1,048	950	1,043	1,170	1,161	1,070	1,473	1,602
„ 0 to 1 year ..	102	90	113	94	86	83	98	108	154	127	126	137	137
REAT TOWNS, aggregate (including London):—													
RTHS	6,240	6,509	6,389	6,891	6,672	6,505	6,352	6.515	6,646	6,238	5 347	6,469	7.332
ATHS—all ages	3,793	4,137	4,697	4,817	4,665	4.527	4,193	4.498	4,919	4.797	4,556	5,898	5,883
„ 0 to 1 year ..	505	488	514	503	488	499	481	518	643	574	563	690	674
TERIC FEVER—Cases	30	28	17	17	27	25	25	16	16	16	8	13	15
„ Deaths	1	1	1	1	3	1	4	3	2	4	5	2	1
ALL POX—Cases ..	40	32	30	31	30	20	40	39	29	26	48	34	45
„ Deaths ..	—	—	—	—	—	—	–	–	—	–	—	—	—
ARLET FEVER—Cases	1,055	1,106	1,151	1,076	1,106	1,201	1,130	961	950	801	756	881	818
„ Deaths	2	5	3	8	5	3	4	7	8	5	9	2	4
PHTHERIA—Cases ..	833	817	848	777	788	775	814	872	793	784	707	671	788
„ Deaths ..	39	40	43	40	33	32	46	39	47	40	36	51	46
ASLES—Deaths ..	9	6	7	11	17	6	8	18	15	28	14	36	28
FLUENZA—Deaths ..	38	54	71	88	100	78	52	68	52	60	69	86	172

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 8th January, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON (GREENWICH).	52	33	47·3	36·3	4	HUDDERSFIELD	49	32	45·9	37·0	8
						BRADFORD ..	50	29	45·0	36·7	10
GHTON ..	47	34	45·7	38·0	9	SHEFFIELD ..	52	31	46·4	37·1	8
RTSMOUTH ..	52	35	48·1	38·8	14	YORK (MUSEUM)	52	29	46·6	36·7	7
RWICH (EATON).	49	30	44·4	35·3	15	HULL (PEARSON PARK).	50	29	46·4	35·3	9
MOUTH ..	53	38	49·4	42·7	12	TYNEMOUTH ..	51	27	45·9	38·6	11
STOL (CLIFTON).	51	36	47·3	40·1	5	CARDIFF.. ..	50	34	47·4	39·6	12
MINGHAM (EDGBASTON).	51	32	45·9	37·4	8						
						EDINBURGH ..	50·0	27·0	44·0	35·6	11
TTINGHAM ..	52	32	47·1	36·3	5	GLASGOW ..	51·0	31·0	45·3	37·2	38
KENHEAD (BIDSTON).	50	33	46·1	40·3	15	DUBLIN (PHŒNIX PARK).	52·2	30·0	48·3	36·3	9
NCHESTER (WHITWORTH PARK).	51	33	47·6	37·9	26	(FITZWILLIAM SQUARE†).	53·3	34·2	49·1	39·1	3
NLEY	49	29	45·3	36·4	27	BELFAST.. ..	51·0	34·0	48·1	37·9	14

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 8th January, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	2	..	30·000	47·4	42·8	4·6	45·4	+ 7·0	40·9	4·5	5·7	2·3	84	50·0	36·2	44·8	SW	SW	1·1	0·0	0·1	336	+ 14	0·00
MONDAY -	3	New. Greatest Declination S.	29·629	49·4	36·5	12·9	43·1	+ 4·8	39·5	3·6	8·0	1·8	87	66·4	29·0	44·8	SW	SW : WSW.	2·8	0·0	0·2	369	+ 49	0·07
TUESDAY -	4	..	29·785	41·0	32·8	8·2	37·1	− 1·2	30·1	7·0	9·3	3·4	76	49·3	26·0	44·6	SW	W : NW.	4·5	0·0	0·3	441	+ 121	0·00
WEDNESDAY	5	..	29·846	46·1	34·3	11·8	40·6	+ 2·4	39·3	1·3	7·8	0·0	95	51·0	27·1	44·6	W : SW : S.	SW : W : SSW.	2·1	0·0	0·1	320	− 2	0·04
THURSDAY -	6	..	29·655	52·1	38·5	13·6	46·6	+ 8·5	42·4	4·2	7·6	1·6	85	58·9	30·2	44·7	SSW	WSW : SW.	2·0	0·0	0·2	342	+ 19	0·02
FRIDAY -	7	Perigee	29·592	45·3	37·4	7·9	41·7	+ 3·7	36·4	5·3	10·0	2·6	82	55·1	29·3	44·6	SW	W : WSW : NNW.	1·4	0·0	0·1	297	− 24	0·02
SATURDAY -	8	..	30·058	50·6	34·4	16·2	41·7	+ 3·8	39·1	2·6	8·0	0·5	90	59·3	26·2	44·5	NNW : Calm : SSW.	SW : WSW.	1·5	0·0	0·1	262	− 56	0·02
MEANS -		..	29·795	47·4	36·7	10·7	42·3	+ 4·1	38·2	4·1	8·1	1·7	86	55·7	29·1	44·7	SW		..	..	..	Sum 2367	Sum + 121	Sum 0·17
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	2	wP till 12h.; mP till 22h.; then wP.	0·4	7·9	Overcast, with slight breaks between 14h. and 15h. Damping 10¾h. till 11¼h.
MONDAY ..	3	wP till 7h.; mP till 14h.; mN till 16½h.; then mP.	0·0	7·9	Overcast till 19½h., then clearing rapidly to cloudless by 21h. Damping at 3h., and 4¾h. Rain 12h. till 16½h. Haze from 21h.
TUESDAY ..	4	mP.	2·3	7·9	Cloudless till 10½h.; partially cloudy becoming nearly overcast by 13¾h. till 16½h.; then variably cloudy clearing to nearly cloudless by 18¾h. Hoar frost and haze in morning. Shower at 14h. Brisk wind from 15h.
WEDNESDAY	5	mP till 9½h.; wP till 15h.; then mP.	0·0	7·9	Overcast till 15h.; then clearing to nearly cloudless by 16½h. Frequent damping between 7½h. and 13h., with rain from 9¾h. till 11h. Dew at night.
THURSDAY	6	mP till 2h.; wP till 19h.; then mP.	0·0	7·9	Nearly overcast generally. Rain 4¾h. till 6h. Slight shower at 10¾h. Dew at night.
FRIDAY ..	7	wP till 7h.; mP till 16h.; variably mP and mN till 19h.; then mP.	2·5	8·0	Very cloudy till 5h., then nearly cloudless till 12h., becoming overcast by 13h. Slight damping 16h. till 21h.
SATURDAY	8	mP till 16h.; then wP.	1·0	8·0	Variably cloudy becoming overcast by 12h. Hoar frost in morning. Mist from 8h. till 12h. Slight rain 16½h. till 20½h.
			Sum 6·2	Sum 55·5	
No. of Col. ..	..	—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day

The reading of the barometer decreased from 30·07 ins. at the beginning of the week to 29·60 ins. by 21h. on 3rd; increased to 30·02 ins. by 2h. on 5th; decreased to 29·55 ins. by 9h. on 7th; increased to 30·11 ins. by 12h. on 8th; decreased and was 29·99 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION, LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

Austin CARS ARE AVAILABLE for all and every purpose.

Dignified in appearance—silent in running—comfortable to ride in—low to maintain, and in perfect keeping with a doctor's standing.

Prices from £145 to £775.

THE AUSTIN MOTOR CO. Ltd.
LONGBRIDGE, BIRMINGHAM.

20-H.P. CARLTON SALOON
£550.

THE **MEDICAL GENERAL INSURANCE** ASSN., LTD.

RECTORY HOUSE, 67, QUEEN ST., LONDON. E.C.4.
Telephone: CITY 1720. *Telegrams:* "RETROCEDE, CANNON, LONDON."
Dr. K. M. C. WOODRUFF *(Chairman).* H. G. C. JONES *(Managing Director).*

To secure **LOWEST CAR INSURANCE PREMIUMS** cut out this advertisement and send with the following information:

MAKERS OF CAR .....? H.P.....? YEAR BUILT.....?
Existing policy expires.....day of.....?

FREE ENGINEER'S ADVICE to clients buying new cars.

ALSO indicate for which of the following we may submit terms:
LIFE, SICKNESS & ACCIDENT, HOUSEHOLDERS COMPREHENSIVE, BAGGAGE, PERSONAL JEWELLERY AND FURS INSURANCES.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.
Telegrams: "Clinician, Wesdo, London."

(60750) Wt. 64—16 1875 1/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 2.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 15TH JANUARY 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. **The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.**

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 15TH JANUARY, 1927.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the second week of the year numbered 6,929 and corresponded to an annual rate of 18·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,917 and corresponded to an annual rate of 15·9 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 12·2, 15·8 and 15·8. Infant mortality based on the average weekly number of births during the last 52 weeks, was 96 per 1,000 births against 82, 100 and 98 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,527 births, corresponding to a rate of 17·3 per 1,000, and 1,648 deaths of civilians, corresponding to an annual rate of 18·7, against 12·1, 16·7 and 18·2, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 16·4 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 78 as against 81, 88 and 88 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 5,883 to 5,917 ; the deaths from influenza which had been 69, 86 and 173 in the preceding three weeks, rose to 326 last week. In London the number of deaths from all causes increased from 1,602 to 1,648 ; the deaths from diphtheria which had been 9, 19 and 8 in the preceding three weeks were 7 last week ; and the deaths from influenza which had been 16, 17 and 72 in the preceding three weeks, further rose to 137 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 15th January, 1927.

Towns.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	6,929	5,917	656	1	34	6	64	38	46	326
London	4,602,000*	1,527	1,648	122	-	-	2	20	7	7	137
Towns in Outer Ring.											
Croydon C.B ..	199,300	62	78	6	-	-	-	2	-	1	5
Wimbledon ..	58,170	9	31	1	-	-	-	-	-	-	8
Ealing	91,000	25	32	2	-	-	-	-	-	-	3
Acton	63,110	21	20	-	-	-	-	-	-	-	3
Willesden ..	168,900	60	56	14	-	-	-	-	-	-	5
Hendon	59,150*	13	16	-	-	-	-	-	-	-	-
Hornsey	87,210	17	31	3	-	-	-	-	-	-	3
Wood Green ..	51,960	11	17	2	-	-	-	-	-	-	-
Tottenham ..	153,600	37	54	9	-	-	-	-	-	-	5
Edmonton ..	71,210	37	25	2	-	-	-	-	1	-	1
Enfield	63,740	16	28	3	-	-	-	1	2	-	-
West Ham C.B. ..	318,500	138	85	10	-	-	-	1	-	-	5
East Ham C.B. ..	147,200	40	51	5	-	1	-	1	-	-	2
Leyton	132,700	22	35	-	-	-	-	1	2	-	6
Walthamstow ..	130,800	35	36	4	-	-	-	-	-	-	-
Ilford	93,590	35	31	5	-	-	-	-	1	-	7
Gillingham	48,680*	22	17	3	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	8	9	1	-	-	-	-	-	-	1
Hastings C.B.	60,470	18	20	-	-	-	-	-	-	-	7
Eastbourne C.B. ..	55,060	13	19	2	-	-	-	-	-	-	1
Brighton C.B. ..	137,800*	36	42	4	-	-	-	-	-	-	6
Portsmouth C.B. ..	232,900*	88	68	7	-	-	-	1	-	-	3
Bournemouth C.B. ..	85,840	23	32	-	-	-	-	-	-	-	1
Southampton C.B. ..	168,600	54	44	6	-	-	-	1	-	-	1
Reading C.B.	93,670*	20	21	2	-	-	-	-	-	-	1
Oxford C.B.	57,090	17	18	-	-	-	-	-	1	-	-
Northampton C.B. ..	93,780*	25	22	1	-	-	-	-	-	-	2
Luton	59,230	22	23	4	-	-	-	-	1	-	-
Cambridge	59,020	19	22	2	-	-	-	-	-	-	2
Southend-on-Sea C.B.	98,060	18	22	3	-	-	-	-	-	-	3
Ipswich C.B.	83,120*	28	29	5	-	-	-	2	-	-	1
Great Yarmouth C.B.	57,890	25	13	3	-	-	-	1	-	-	-
Norwich C.B. ..	124,000*	43	33	3	-	-	-	1	-	-	1
Swindon	56,880	15	11	-	-	-	-	-	-	-	2
Exeter C.B.	59,820*	16	16	-	-	-	-	-	-	-	3
Plymouth C.B. ..	192,100*	67	71	8	-	-	-	-	-	1	3
Bath C.B.	69,050	22	25	1	-	-	-	-	-	-	2
Bristol C.B.	385,700*	128	107	4	-	-	-	-	1	-	11
Gloucester C.B. ..	53,060	13	17	2	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	101	84	13	-	-	-	2	-	-	-
Burton-upon-Trent C.B.	49,530	14	16	-	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	39	24	2	-	-	-	2	-	-	-
Walsall C.B.	102,300	40	21	7	-	-	-	-	-	-	-
West Bromwich C.B	79,490	38	20	8	-	-	-	-	-	-	1
Dudley C.B.	58,810	26	9	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	14	14	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	397	263	35	-	4	-	3	3	3	6
Smethwick C.B. ..	78,840	22	18	2	-	1	-	-	-	-	-
Coventry C.B. ..	129,100	37	36	6	-	-	-	-	-	1	2
Leicester C.B. ..	242,100	106	77	8	-	-	-	2	-	1	4
Lincoln C.B.	66,600*	18	18	-	-	-	-	-	-	-	-
Grimsby C.B.	87,190	38	19	2	-	2	-	-	-	-	-
Nottingham C.B. ..	270,600	90	65	9	-	1	-	1	2	1	1
Derby C.B.	134,400*	46	37	2	-	-	1	1	-	-	2
Chesterfield ..	65,800	27	20	4	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	32	22	3	-	-	-	-	-	-	1
Chester C.B.	41,670	20	11	1	-	-	-	-	-	-	1
Birkenhead C.B. ..	155,500	64	41	2	-	-	-	1	-	1	1
Wallasey C.B. ..	91,720	30	22	3	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	382	235	36	-	10	-	1	5	5	6
Bootle C.B.	83,260	38	18	2	-	-	-	-	-	-	-
St. Helens C.B. ..	109,600	42	32	3	-	-	-	1	-	-	1

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	17	18	1	-	-	-	-	-	-	-
Wigan C.B.	91,010	34	29	7	-	-	-	-	-	-	-
Warrington C.B. ..	77,970*	48	18	4	-	-	-	1	-	1	1
Bolton C.B.	180,400	67	59	9	-	1	-	-	-	1	1
Bury C.B.	56,700*	14	16	2	-	-	-	-	-	1	-
Manchester C.B. ..	755,800	283	222	24	-	1	-	2	3	4	9
Salford C.B.	244,700	97	79	10	-	-	2	-	1	2	3
Oldham C.B	146,200	32	44	4	-	-	-	-	-	-	3
Rochdale C.B... ..	92,190	26	32	5	-	-	-	-	1	-	1
Burnley C.B.	102,300	30	27	4	-	1	-	-	-	-	-
Blackburn C.B. ..	126,900	38	30	1	-	-	-	-	-	2	1
Preston C.B.	122,900	45	21	3	-	-	-	-	-	-	-
Blackpool C.B. ..	80,750	21	20	3	-	-	-	-	-	1	-
Barrow-in-Furness C.B.	73,470	22	11	2	-	-	-	-	-	-	-
Huddersfield C.B. ..	112,100	48	37	1	-	-	-	-	-	-	2
Halifax C.B.	97,860*	37	25	3	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	95	92	14	-	1	-	-	2	3	1
Leeds C.B.	472,900	163	143	14	-	4	1	1	2	2	2
Dewsbury C.B ..	54,570	22	15	4	-	-	-	-	-	-	1
Wakefield C.B. ..	53,980	22	9	1	-	-	-	-	-	-	2
Barnsley C.B. ..	71,170	41	19	3	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	194	143	24	-	-	-	5	-	2	1
Rotherham C.B. ..	70,600	32	15	3	-	-	-	1	-	-	-
Doncaster	55,610	26	14	1	-	-	-	-	-	-	-
York C.B.	84,630*	31	23	5	-	-	-	-	-	-	1
Hull C.B.	297,300	119	86	16	-	-	-	1	1	-	1
Middlesbrough C.B.	136,200	60	46	8	-	-	-	1	-	-	1
Darlington C.B. ..	69,130	28	12	2	-	-	-	1	-	-	1
Stockton-on-Tees ..	68,000	32	28	8	-	-	-	-	-	-	-
West Hartlepool C.B.	71,590	35	29	4	-	-	-	4	1	-	4
Sunderland C.B. ..	166,000	67	49	12	-	3	-	-	-	-	1
South Shields C.B. ..	124,600	51	37	9	-	-	-	1	-	-	2
Gateshead C.B. ..	129,000	68	27	2	-	1	-	-	-	-	1
Newcastle-on-Tyne C.B.	286,300*	136	77	7	-	-	-	-	1	2	3
Tynemouth C.B. ..	66,180	35	16	2	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	28	14	3	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,420*	21	24	3	-	-	-	-	-	2	2
Cardiff C.B.	227,100*	86	101	10	1	3	-	-	-	1	12
Rhondda	167,570	67	41	2	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	82,920	36	20	5	-	-	-	-	-	1	2
Aberdare	57,700	13	8	1	-	-	-	-	-	-	-
Swansea C.B.	163,200	56	44	11	-	-	-	-	-	-	-
Greater London ..	7,742,212*	2,491	2,706	229	-	1	2	30	15	9	233
Outer Ring	3,140,212*	964	1,058	107	-	1	-	10	8	2	96
16 Great Towns in Outer Ring	1,890,140*	578	626	66	-	1	-	6	6	1	53
Remainder of Outer Ring	1,250,072*	386	432	41	-	-	-	4	2	1	43
Edinburgh†	426,900	134	143	15	-	-	-	-	-	2	4
Glasgow† ..	1,050,700	430	326	64	-	-	1	2	3	6	3
Dublin (Registration Area)†	421,000	232	139	18	-	1	-	6	2	1	2
Belfast†	416,000	168	127	23	-	-	-	4	1	1	5

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available per**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,602,000	1927. Jan. 15	1527	1648	18·7	–	–	–	2	20	7	7
Calcutta and Suburbs	1,077,273	1926-27. Dec. 11	?	987‖	47·6	?	42	?	?	?	?	?
Bombay§	1,279,061	Dec. 18	458	537	21·8	6	4	1	–	–	2	24
Madras	528,791	Dec. 18										
Sydney and Suburbs	1,038,950	Dec. 31 (31 days)										
Brisbane (Metropolitan Area).	263,711	Nov. 30 (30 days)										
Perth (Metropolitan Area).	179,388	Nov. 20	67	26	7·5	–	–	–	–	–	–	–
Auckland (Urban Area).	192,176	Nov. 30 (30 days)										
Wellington (Urban Area).	121,324	Nov. 30 (30 days)										
Christchurch (Urban Area).	118,408	Nov. 30 (30 days)										
Cape Town	113,709	Dec. 18	51	15	6·9	–	–	–	–	–	1	–
		„ 25	32	21	9·6	–	–	–	–	–	1	–
Johannesburg	165,958	„ 18	82	35	11·0	2	–	–	–	–	–	–
Durban	54,822	„ 18	22	8	7·6	–	–	–	–	–	–	–
Paris	2,906,472	„ 31 (11 days)	1342	1942	22·2	9	–	15	5	2	13	38
Antwerp	300,117	Dec. 4										
Amsterdam	725,542	Dec. 25										
Copenhagen	592,000	Jan. 8										
Stockholm	442,528	„ 1	105	119	14·0	–	–	–	–	–	–	–
Gothenburg	230,963	Dec. 11	?	42	9·5	–	–	–	–	–	–	–
		„ 18	?	53	11·9	–	–	–	–	–	–	–
Oslo (Christiania) ..	255,724	Jan. 8										
Berlin	1,996,000	Dec. 25	315	423	10·0	–	?	2	3	4	5	2
Breslau	561,000	„ 25	154	143	13·3	–	?	–	2	1	–	–
Cologne	710,000	„ 25	208	101	7·4	–	?	–	1	4	–	1
Dresden	622,000	„ 25	117	122	10·2	–	?	–	–	–	–	2
Frankfort-on-Main ..	471,000	„ 25	81	61	6·7	–	?	–	–	1	–	1
Hamburg	1,104,000	„ 25	202	222	10·5	1	?	3	–	–	1	2
Leipzig	685,000	„ 25	166	131	9·9	–	?	–	–	–	–	2
Munich	685,000	„ 18										
Vienna	1,871,607	June 30 (30 days)										
Prague and Suburbs	725,196	July 31 (31 days)										
Budapest	960,995	Dec. 25	241	246	13·3	2	–	2	2	1	4	2
Warsaw	1,015,426	Jan. 1	?	353	18·2	2	1	3	10	4	4	9
Cairo	859,400	Sept. 9	832	505	30·6	4	–	–	–	?	8	77
		„ 16	770	472	28·6	7	–	–	–	?	8	67
Alexandria	492,100	„ 9	421	256	27·1	7	–	–	–	?	1	40
		„ 16	485	239	25·3	8	–	–	–	?	3	29
New York	5,924,139	Jan. 1	?	1602	?	3	–	–	4	3	14	7
Chicago	2,995,239	Dec. 24	905	647	11·1	–	?	2	2	–	3	13

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Citi Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children unde year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 62 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 15th January, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1648	122	43	38	32	62	56	99	175	251	344	426
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	-	-	2	-	-	-	-	-	-	-
Whooping cough	20	8	4	7	1	-	-	-	-	-	-	-
Diphtheria	7	-	1	2	2	1	1	-	-	-	-	-
Influenza	137	3	1	3	2	7	5	13	21	13	34	35
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	1	-	-	-	-	1	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	93	-	-	-	2	28	13	20	15	13	2	-
Nervous system	3	1	2	-	-	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	-	-	1	-	-	-
Other forms	6	1	-	1	-	-	1	2	1	-	-	-
Venereal diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	119	-	-	-	-	-	3	6	24	26	44	16
Rheumatic fever	4	-	-	-	1	3	-	-	-	-	-	-
Diabetes	14	-	-	-	-	-	4	2	-	2	4	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	1	-	-	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	54	-	-	-	-	1	-	3	2	11	21	16
Epilepsy	9	-	1	-	2	-	1	1	2	2	-	-
"Convulsions" (not puerperal) ..	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	31	1	-	5	-	1	1	2	4	9	8	-
Pericarditis	3	-	-	-	2	-	1	-	-	-	-	-
Acute endocarditis	6	-	-	-	1	1	2	1	-	1	-	-
Other diseases of heart	251	-	-	-	3	4	3	11	19	50	74	87
Other diseases of circulatory system	74	-	-	-	-	-	1	1	4	11	21	36
Bronchitis	216	10	1	-	1	1	2	6	16	28	54	97
Broncho-pneumonia	119	37	19	10	-	-	1	3	8	13	12	16
Lobar-pneumonia	49	-	2	2	-	5	5	3	8	15	4	5
Pneumonia (type not distinguished)	37	4	4	1	-	-	-	4	8	7	5	4
Other diseases of respiratory system	39	-	-	1	-	1	-	2	6	9	9	11
Diarrhœa and enteritis	8	6	1	1	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	2	-	-	-	-	-	-	-	2	-	-	-
Hernia, Intestinal obstruction.. ..	7	1	-	-	-	-	3	1	1	-	1	-
Cirrhosis of liver	6	-	-	-	-	-	-	-	2	2	2	-
Other diseases of digestive system ..	28	1	-	-	3	-	-	3	5	7	7	2
Acute nephritis	1	-	-	-	-	-	-	-	-	1	-	-
Chronic Bright's disease..	46	-	-	1	-	-	2	5	7	8	12	11
Other diseases of genito-urinary system.	10	-	-	-	-	-	-	1	1	4	1	3
Puerperal sepsis	2	-	-	-	-	1	-	1	-	-	-	-
Other causes incident to childbirth..	4	-	-	-	-	-	3	1	-	-	-	-
Congenital malformations	8	7	1	-	-	-	-	-	-	-	-	-
Premature birth	23	23	-	-	-	-	-		-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-			-	-	-	-
Old age	84	-	-	-	-	-	-	-	-	1	10	73
Suicide	16	-	-	-	-	-	-	3	8	5	-	-
Burns and Scalds	6	-	2	2	-	-	-	-	-	-	2	-
Drowning	2	-	-	-	-	1	-	-	-	1	-	-
Suffocation in bed	3	3	-	-	-	-		-	-	-	-	-
Vehicles and horses	15	-	-	-	3	3	2	-		2	2	3
Other deaths by violence	13	-	-	-	2	-	-	2	4	-	2	3
Other specified causes	56	7	3	2	4	3	2	2	5	9	13	6
Ill-defined causes	1	-	-	-	-	-		-	1	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 15th January, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	213	275	4	370	C. 8 D. 2 E. 2 G. 2 M. 16 N. 19
†CITY OF LONDON	-	1	1	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	11	20	-	37	D. 1 M. 1
†BERMONDSEY ...	-	7	11	-	3	N. 1
†BETHNAL GREEN	-	14	13	1	10	M. 1
†CAMBERWELL ...	-	12	26	-	10	M. 2
†CHELSEA	-	6	2	-	13	-
†DEPTFORD ...	-	9	9	-	6	N. 1
†FINSBURY ...	-	3	-	-	4	N. 1
†FULHAM	-	5	8	-	20	C. 1 N. 1
†GREENWICH ...	-	9	10	-	3	-
†HACKNEY ...	-	14	16	1	3	C. 1 G. 1
†HAMMERSMITH ...	-	9	5	-	15	M. 2
†HAMPSTEAD ...	-	-	1	-	5	-
†HOLBORN... ...	-	-	1	-	3	N. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont*						
†ISLINGTON ...	-	13	11	-	17	G. 1 M. 2 N. 2
†KENSINGTON ...	-	2	10	-	13	D. 1 M. 1 N. 3
†LAMBETH ...	-	9	11	1	19	N. 1
†LEWISHAM ...	-	9	17	-	16	E. 1
†PADDINGTON ...	-	4	9	-	13	C. 1
†POPLAR	-	13	13	1	15	-
†ST. MARYLEBONE	-	1	3	-	3	N. 2
†ST. PANCRAS ...	-	16	8	-	9	C. 1 M. 1
†SHOREDITCH ...	-	7	9	-	9	C. 1 M. 2 N. 1
†SOUTHWARK ...	-	8	18	-	17	N. 1
†STEPNEY	-	21	17	-	16	C. 3 M. 1 N. 1
†STOKE NEWINGTON	-	2	2	-	1	-
†WANDSWORTH ...	-	6	16	-	69	E. 1 M. 2 N. 2
†WESTMINSTER, CITY OF	-	-	1	-	1	M. 1
†WOOLWICH ...	-	2	7	-	20	N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	8	2	–	3	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	4	–	–	2	–
BIGGLESWADE ...	–	–	–	–	1	–
†LUTON	–	1	2	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BEDFORD ...	–	2	–	–		–
LUTON	*	*	*	*	*	*
BERKS	–	4	3	–	8	C. 3 G. 1 N. 2
†READING C.B. ...	–	1	1	–	2	C. 3 N. 2
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	–	–	2	–
†NEW WINDSOR ...	–	–	–	–	2	–
WOKINGHAM ...	–	–	2	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	–	–	–	–	G. 1
NEWBURY ...	–	1	–	–	1	–
WANTAGE ...	–	–	–	–	1	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	6	3	–	5	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	1	–	2	–
BUCKINGHAM ...	*	*	*	*	*	*
†CHEPPING WYCOMBE	–	–	2	–	–	–
†SLOUGH	–	1		–	2	–
†WOLVERTON ...	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AYLESBURY ...		1	–	–	–	–
NEWPORT PAGNELL	–	2		–	1	–
WINSLOW... ...	*	*	*	*	*	*
CAMBRIDGE ...	–	3	–	–	4	M. 1
Borough:—						
†CAMBRIDGE ...	–	3	–	–	–	M. 1
Rural Districts:—						
NEWMARKET ...	–	–	–	–	4	–
CHESTER	–	39	28	3	45	C. 2 F. 1 G. 1 M. 4 N. 1
†BIRKENHEAD C.B.	–	5	4	–	16	C. 1
†CHESTER C.B. ...	–	–	1	2	3	–
†STOCKPORT C.B.	–	15	4	–	3	M. 1
†WALLASEY C.B. ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	3	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	1	–	1	–
BOWDON	–	–	–	–	–	M. 1
BREDBURY AND ROMILEY	–	–	2	–	–	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–		2	–	5	–
†CREWE	–	–	2	–	–	–
†DUKINFIELD ...	–	–	–	–	1	C. 1 M. 1
†HOYLAKE AND WEST KIRBY	–	–	1	1	–	–
†HYDE	–	–	2	–	2	M. 1
KNUTSFORD ...	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LYMM	–	–	–	–	1	–
†MACCLESFIELD ...	–	–	–	–	2	F. 1
MIDDLEWICH ...	–	–	3	–	–	–
†NORTHWICH ...	–	3	1	–	–	–
†RUNCORN... ...	–	1	–	–	–	G. 1
†SALE	–	1	–	–	–	–
SANDBACH ...	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	3	1	–	2	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	2	–	–	–	–
DISLEY	–	–	–	–	1	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	1	–	–	1	–
RUNCORN ...	–	–	–	–	1	–
TARVIN	–	1	1	–	–	–
WIRRAL	–	–	1	–	3	–
CORNWALL ...	–	4	–	–	–	M. 2
Boroughs and Urban Districts:—						
LISKEARD ...	*	*	*	*	*	*
LOOE	*	*	*	*	*	*
REDRUTH ...	–	–	–	–	–	M. 1
ST. IVES	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
ST. GERMANS ...	–	1	–	–	–	–
TRURO	–	–	–	–	–	M. 1
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND ...	–	13	13	–	3	M. 1 N. 1
†CARLISLE C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	3	–	–	–
CLEATOR MOOR ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
EGREMONT ..	–	–	1	–	–	–
HOLME CULTRAM	–	2	–	–	–	–
MILLOM	–	–	–	–	1	–
PENRITH	–	1	–	–	–	–
†WORKINGTON ...	–	–	1	–	–	M. 1 N. 1
Rural Districts:—						
BOOTLE	–	2	–	–	–	–
BRAMPTON ...	–	1	–	–	–	–
CARLISLE ...	*	*	*	*	*	*
COCKERMOUTH ...	–	1	4	–	1	–
LONGTOWN ...	–	1	2	–	–	–
PENRITH	–	2	–	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	28	40	14	1	38	G. 1 M. 2 N. 1
†DERBY C.B. ...	2	2	4	–	15	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	3	1	1	1	–
ASHBOURNE ...	–	–	–	–	1	–
†BELPER	7	–	1	–	–	–
†CHESTERFIELD ...	–	12	1	–	3	–
†GLOSSOP	–	–	–	–	1	–
HEAGE	11	–	–	–	–	N. 1
†LONG EATON ...	–	5	–	–	–	–
NEW MILLS ...	–	1	–	–	–	–
†RIPLEY	4	–	–	–	–	M. 1
†SWADLINCOTE DISTRICT	–	1	–	–	6	M. 1
†THE MATLOCKS...	1	–	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	1	–	–	–	–	–
BLACKWELL ...	–	–	1	–	3	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHESTERFIELD ..	–	5	4	–	5	–
CLOWNE	–	4	1	–	–	–
GLOSSOP DALE ...	–	–	–	–	1	–
HARTSHORN AND SEALS	*	*	*	*	*	*
REPTON	–	1	–	–	–	–
SHARDLOW ...	2	5	1	–	2	–
DEVON	–	29	12	1	9	C. 1 E. 1 G. 1 M. 3 N. 1
†EXETER C.B. ...	–	4	–	–	–	–
†PLYMOUTH C.B....	–	14	10	–	5	C. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	1	–
BIDEFORD ...	–	2	–	–	–	–
†EXMOUTH ...	–	–	–	–	2	–
IVYBRIDGE ...	–	–	1	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	G. 1
†TORQUAY ...	–	1	–	–	1	E. 1 M. 1
TOTNES	*	*	*	*	*	*
Rural Districts:—						
NEWTON ABBOT...	–	–	–	1	–	–
PLYMPTON ST. MARY	–	5	–	–	–	–
ST. THOMAS ...	–	2	–	–	–	–
TORRINGTON ...	–	–	1	–	–	–
DORSET	–	14	1	–	9	M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	1	–	3	–
†POOLE	–	3	–	–	2	M. 1
†PORTLAND ..	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHERBORNE ...	–	–	–	–	2	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
BLANDFORD ...	–	2	–	–	–	–
BRIDPORT ...	–	1	–	–	–	–
POOLE	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	–	2	–	–		–
DURHAM	349	77	29	–	114	C. 1 D. 1 G. 3 L. 1 M. 11 N. 5
†DARLINGTON C.B.	–	8	2	–	6	G. 2
†GATESHEAD C.B.	6	12	3	–	6	–
†SOUTH SHIELDS C.B	2	9	3	–	28	M. 3
†SUNDERLAND C.B.	–	3	3	–	29	D. 1 L. 1 M. 1 N. 1
†WEST HARTLEPOOL C.B	–	8	1	–	7	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	5	1	–	–	–	N. 1
BARNARD CASTLE	–	–			1	–
BENFIELDSIDE ...	1	–	1	–	1	–
†BLAYDON... ..	1	2	1	–	–	C. 1
†BRANDON AND BYSHOTTLES	33	–	–			M. 1
†CHESTER LE STREET	4	1	–	–	1	–
†CONSETT	–	3		–	–	–
†CROOK	19	–	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DURHAM	7	-	-	-	1	-
†FELLING	1		-	-	-	-
†HARTLEPOOL ...	-	1	-	-	-	-
†HEBBURN ..	-	2	-	-	1	-
†HETTON	20		-	-	3	-
†HOUGHTON LE SPRING	1	-	1	-	2	-
†JARROW	19	3	-	-	9	-
LEADGATE ...	-	1	-	-	-	-
†RYTON	-	1	-		-	-
†SHILDON	50	1	-		-	-
†SOUTHWICK ON WEAR	-	-	-	-	2	M. 1
†SPENNYMOOR ...	2	-	1	-	-	-
†STANLEY	9	4	-	-	1	-
†STOCKTON ON TEES	1	1	4	-	2	-
†TANFIELD ...	-	1	-	-	1	-
†WHICKHAM ...	1	-	-		2	-
WILLINGTON ...	13	-	-	-	-	-
Rural Districts:—						
AUCKLAND ...	16	3	2	-	-	M. 2
BARNARD CASTLE	2	-	-	-	-	-
CHESTER LE STREET	47	2	-	-	1	N. 1
DARLINGTON ...	-	2	-	-	-	-
DURHAM	7	1	-	-	2	M. 1 N. 1
EASINGTON ...	32	2	4	-	4	M. 1
HARTLEPOOL ...	-	-	1	-	-	-
HOUGHTON LE SPRING	4	1	-	-	1	G. 1
LANCHESTER ...	34	-	-	-	-	-
SEDGEFIELD ...	10	-	1	-	-	-
SOUTH SHIELDS...	2	-	-	-	1	-
STOCKTON ...	-	-	-	-	1	-
SUNDERLAND ...		1	1	-	1	M. 1
WEARDALE ...	-	3	-	-	-	-
ELY, ISLE OF ...	-	2	1	1	3	M. 1 N. 2
Boroughs and Urban Districts:—						
ELY	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Rural Districts:—						
ELY	-	-	1	-	2	N. 2
NORTH WITCHFORD		1	-	-	-	-
THORNEY... ...	-	-	-	1	-	-
WISBECH	-	1	-	-	-	M. 1
ESSEX	-	116	66	3	81	C. 1 M. 4 N. 4
†EAST HAM C.B. ..	-	5	8	-	5	N. 1
†SOUTHEND-ON-SEA C.B.		10	1	-	7	M. 1
†WEST HAM C.B. ...	-	48	20	-	26	N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	3	-	-	3	-
BRAINTREE ...	-	1	-	-	-	-
BRENTWOOD ...	-	1	1	-		-
BRIGHTLINGSEA	-	-	-		1	M. 1
BUCKHURST HILL	-	3	-	-	-	-
†COLCHESTER ...	-	1	-		1	-
DAGENHAM ...	-	1	1	-	-	-
†HARWICH ..	-	1	-	-	-	-
†HORNCHURCH ...	-	2	-	-	1	-
†ILFORD	-	2	19	1	14	N. 1
†LEYTON	-	6	8	-	9	-
†ROMFORD ...	-	1	1	-	-	-
SAFFRON WALDEN	-	1	-	-		-
SHOEBURYNESS ...	-	-	-	-	3	M. 1
TILBURY	-	-	-	-	1	-
†WALTHAMSTOW..		7	3	-	7	C. 1 M. 1
†WANSTEAD ..	-	-	1	1	-	-
†WOODFORD ...	-	-	2	-	-	-
Rural Districts:—						
BELCHAMP ...	-	1	-	-	-	-
BILLERICAY ...	-	4	-	-	-	-
BRAINTREE ...	-	1	-	-		-
CHELMSFORD ...	-	-	-	-		N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
EPPING	–	–	1	–	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	3	–	–	–	–
MALDON	–	1	–	–	1	–
ORSETT	–	1	–	–	1	–
ROCHFORD ...	–	4	–	1	1	–
ROMFORD... ...	–	3	–	–	–	–
SAFFRON WALDEN	–	3	–	–	–	–
STANSTED ...	–	1	–	–	–	–
GLOUCESTER ...	–	34	20	–	38	C. 1 G. 3 L. 1 M. 1 N. 4
†BRISTOL C.B. ...	–	20	12	–	26	L. 1 N. 2
†GLOUCESTER C.B.	–	1	1	–	3	M. 1
Boroughs and Urban Districts:—						
AWRE	–	–	1	–	–	–
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	3	–	–	1	G. 1
†KINGSWOOD ...	–	2	–	–	–	–
STROUD	–	–	–	–	1	–
Rural Districts:—						
CAMPDEN ...	–	–	–	–	1	–
CHIPPING SODBURY	–	–	3	–	–	–
EAST DEAN AND UNITED PARISHES	–	3	2	–	–	–
GLOUCESTER ...	–	–	–	–	–	C. 1
STOW ON THE WOLD (part)	–	2	–	–	–	–
STROUD	–	2	–	–	4	G. 1 N. 1
THORNBURY ...	–	–	–	–	1	–
WEST DEAN ...	–	–	–	–	1	G. 1 N. 1
WHEATENHURST	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	1	5	–	–	1	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	2	–	–	1	–
DORE	1	–	–	–	–	–
HEREFORD ...	–	1	–	–	–	–
HERTFORD ...	–	9	9	1	3	–
Boroughs and Urban Districts:—						
†BARNET	–	–	1	–	–	–
BUSHEY	*	*	*	*	*	*
†CHESHUNT ...	–	1	–	–	–	–
CHORLEYWOOD ...	*	*	*	*	*	*
GREAT BERKHAMPSTEAD	*	*	*	*	*	*
HARPENDEN ...	–	3	1	–	–	–
†HEMEL HEMPSTEAD	*	*	*	*	*	*
†HERTFORD ...	–	3	6	–	–	–
HODDESDON ...	–	1	–	–	–	–
†ST. ALBANS ...	–	–	–	–	1	–
TRING	*	*	*	*	*	*
†WATFORD ...	–	–	–	–	2	–
Rural Districts:—						
BARNET	*	*	*	*	*	*
BERKHAMPSTEAD	*	*	*	*	*	*
HATFIELD ...	–	–	1	–	–	–
HEMEL HEMPSTEAD	*	*	*	*	*	*
HERTFORD ...	–	1	–	–	–	–
WARE	–	–	–	1	–	–
WATFORD ...	*	*	*	*	*	*
WELWYN	*	*	*	*	*	*

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	–	–	–	–	G. 2 N. 2
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	–	G. 1
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	–	N. 1
ST. IVES	–	–	–	–	–	G. 1
ST. NEOTS ...	–	–	–	–	–	N. 1
KENT	–	50	24	–	65	C. 1 D. 1 E. 3 G. 1 M. 1 N. 1
†CANTERBURY C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	–	–
†BECKENHAM ...	–	–	–	–	4	–
†BEXLEY	–	5	–	–	1	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	2	–
†BROMLEY ...	–	–	3	–	6	–
†CHATHAM ...	–	–	–	–	3	–
CHISLEHURST ...	–	1	–	–	–	–
†DARTFORD ...	–	–	3	–	1	–
†DOVER	–	2	1	–	1	D. 1 G. 1
†ERITH	–	–	2	–	6	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	1	1	–	7	–
†GILLINGHAM ...	–	8	–	–	2	C. 1
†GRAVESEND ...	–	–	3	–	–	–
†HERNE BAY ...		–	1	–	1	–
†MAIDSTONE ...	–	4	–	–	2	–
†MARGATE ...	–	–	1	–	–	–
MILTON REGIS ...	–	4	–	–	–	–
†NORTHFLEET ...	–	4	2	–	1	–
†PENGE	–	1	–	–	2	–
†RAMSGATE ...	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROYAL TUNBRIDGE WELLS	–	–	3	–	1	N. 1
SEVENOAKS ...	–	3	–	–		–
SIDCUP	–	–	–	–	–	M. 1
SWANSCOMBE ...	–	–	3	–	–	–
†TONBRIDGE ...	–	1	–		2	–
WHITSTABLE ...	–	–	–	–	3	–
Rural Districts:—						
BRIDGE	–	–	–	–	–	E. 1
BROMLEY ...	–	1	–	–	–	–
DARTFORD ...	–	3	–	–	1	–
EAST ASHFORD ...	–	–	–	–	–	E. 1
ELHAM	–	–	1	–	6	–
FAVERSHAM ...	–	1	–	–	–	–
HOLLINGBOURNE		1	–	–	3	–
MALLING	–	1	–	–	4	–
ROMNEY MARSH...	–	–	–	–	1	–
SEVENOAKS ...	–	–	–	–	1	–
TENTERDEN ...	–	4	–	–	–	–
TONBRIDGE ...	–	1	–	–	–	E. 1
WEST ASHFORD...	–	1	–	–	1	–
LANCASTER ...	11	140	138	3	243	C. 8 E. 1 F. 3 G. 8 K. 1 M. 31 N. 17
†BARROW IN FURNESS C.B.	–	–	3	–	–	N. 1
†BLACKBURN C.B.	–	1	–	–	2	M. 3
†BLACKPOOL C.B.	–	1	1	–	4	–
†BOLTON C.B. ...	–	2	8	–	3	–
†BOOTLE C.B. ...	–	2	1	–	3	–
†BURNLEY C.B. ..	–	–	1	–	3	G. 1 M. 1 N. 1
†BURY C.B. ...	–	2	1	–	1	M. 1
†LIVERPOOL C.B. ...	–	37	39	–	52	C. 1 G. 1 M. 12 N. 4

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
†Manchester C.B.	–	27	20	–	56	C. 4 G. 1 M. 9 N. 1
†Oldham C.B. ...	–	3	5	1	9	–
†Preston C.B. ...	–	–	1	–	2	–
†Rochdale C.B. ...	–	1	7	–	1	G. 1 M. 1
†St. Helens C.B....	–	1	3	–	7	N. 1
†Salford C.B. ...	–	6	9	–	11	N. 1
†Southport C.B.	10	3	–	–	2	–
†Warrington C.B.	–	–	2	–	6	G. 1 N. 1
†Wigan C.B. ...	–	–	–	–	10	–
Boroughs and Urban Districts:—						
Abram	–	1	–	–	1	–
†Accrington ...	–	–	2	–	–	M. 1
†Ashton in Makerfield	–	1	–	–	–	–
†Ashton under Lyne	–	3	–	–	–	–
Aspull	–	–	–	–	4	–
†Atherton ...	–	1	2	–	–	G. 2
Audenshaw ...	–	–	–	–	1	–
†Bacup	–	1	–	1	1	–
Barrowford ...	–	2	–	–	–	–
†Chadderton ...	–	1	1	–	2	N. 1
†Chorley... ...	–	–	–	–	2	–
†Clitheroe ...	–	–	–	–	–	G. 1
†Colne	–	–	–	–	2	–
†Crompton ...	–	1	1	–	2	–
†Dalton in Furness	–	2	–	–	1	–
†Darwen	–	–	–	–	1	–
†Denton	–	–	–	–	2	N. 1
†Droylsden ...	–	–	–	–	1	–
†Eccles	–	1	–	–	2	–
†Failsworth ...	–	1	1	–	–	–
†Farnworth ...	–	1	–	–	1	K. 1 N. 1
†Fleetwood ...	–	–	–	–	4	N. 1
†Great Crosby ...	–	–	1	–	–	
†Great Harwood	*	*	*	*	*	*
†Haslingden ...	–	–	–	–	–	C. 1
†Haydock ...	–	–	–	–	4	
†Heywood ...	–	–	–	–	–	E. 1
†Horwich ...	–	–	2	–	2	–
Huyton with Roby	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ince in Makerfield	–	–	1	–	–	
Kearsley ...	–	3	–	–	–	–
†Lancaster ...	–	1	–	–	1	N. 1
Lathom and Burscough	–	–	1	–	–	–
†Leigh	–	1	1	–	3	–
†Litherland ...	–	1	–	–	–	–
†Littleborough	–	1	5	–	–	–
Longridge ...	–	2	–	–	–	–
†Lytham St. Anne's	1	2	–	–	–	–
†Middleton ...	–	–	1	–	–	–
Milnrow... ...	–	–	–	–	1	–
†Nelson	–	1	–	1	1	–
†Newton in Makerfield	–	–	1	–	1	M. 1
†Oswaldtwistle	–	–	–	–	1	–
†Padiham ...	–	1	1	–	–	–
†Prestwich ...	–	1	1	–	–	F. 1
†Radcliffe ...	–	3	1	–	2	–
†Ramsbottom ...	–	–	–	–	1	M. 1 N. 1
†Rawtenstall ...	–	1	3	–	–	–
Rishton	–	1	–	–	–	–
†Royton	–	2	–	–	1	–
†Stretford ...	–	2	–	–	2	–
†Swinton and Pendlebury	–	–	–	–	2	F. 1
Tottington ...	–	–	1	–	–	–
†Turton	–	–	–	–	–	F.
†Tyldesley with Shakerley	–	–	–	–	3	–
Wardle	–	–	4	–	–	–
†Waterloo with Seaforth	–	4	1	–	2	–
†Westhoughton	–	2	–	–	–	M. 1
Whitworth ...	–	–	1	–	–	–
†Widnes	–	1	2	–	9	N. 1
Withnell ...	–	–	–	–	1	–
Rural Districts:—						
Bury	–	2	–	–	1	–
Chorley... ...	*	*	*	*	*	*
Clitheroe ...	–	–	–	–	2	–
Lancaster ...	–	1	1	–	–	–
Leigh	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
LIMEHURST ...	–	–	–	–	1	–
PRESTON	–	2	–	–	–	–
SEFTON	–	–	1	–	–	–
ULVERSTON ...	–	2	–	–	1	–
WARRINGTON ...	–	–	–	–	–	C. 2
WIGAN	–	–	–	–	1	–
LEICESTER... ...	–	9	16	–	20	E. 1 M. 5 N. 1
†LEICESTER C.B. ...	–	4	8	–	10	M 4 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†LOUGHBOROUGH	–	3	1	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	1	1	–	2	–
SHEPSHED ...	–	–	2	–	3	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	–	1	–	2	–
CASTLE DONINGTON	–	–	–	–	1	–
HINCKLEY ...	–	–	2	–	1	E. 1
LOUGHBOROUGH	–	–	1	–	–	–
MARKET HARBOROUGH...	–	–	–	–	–	M. 1
LINCOLN (parts of Holland).	–	4	1	–	–	C. 1
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
HOLBEACH ...	*	*	*	*	*	*
†SPALDING ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	–	–	–	–	C. 1
CROWLAND ...	–	2	–	–	–	–
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BOURNE	–	1	–	–	1	–
Rural Districts:—						
BOURNE	–	1	–	–	–	–
SLEAFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	4	16	4	–	9	C. 2 N. 3
†GRIMSBY C.B. ...	–	2	1	–	–	–
†LINCOLN C.B. ...	–	7	3	–	3	N. 2
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	–	–	1	–
†CLEETHORPES ...	–	1	–	–	–	–
†GAINSBOROUGH...	4	1	–	–	1	–
HORNCASTLE ...	–	–	–	–	1	–
MARKET RASEN...	–	1	–	–	–	–
SKEGNESS ...	–	1	–	–	–	–
Rural Districts:—						
CAISTOR	–	–	–	–	1	C. 1
GLANFORD BRIGG	–	1	–	–	–	C. 1
GRIMSBY	–	1	–	–	–	–
HORNCASTLE ...	–	–	–	–	2	–
LOUTH	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	39	40	2	96	C. 1 D. 1 E. 1 G. 3 M. 3 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	3	–
†BRENTFORD ...	–	3	–	–	3	–
†CHISWICK ...	–	1	–	–	3	M. 1 N. 1
†EALING	–	1	–	–	10	–
†EDMONTON ...	–	1	7	–	4	–
†ENFIELD	–	2	5	–	4	D. 1 G. 1
†FINCHLEY ...	–	2	–	–	5	M. 1
†FRIERN BARNET	–	–	1	–	2	–
†HARROW ON THE HILL	–	3	–	–	–	–
HAYES	–	–	–	–	2	–
†HENDON	–	1	4	1	–	N. 2
†HESTON AND ISLEWORTH	–	–	–	–	5	C. 1
†HORNSEY... ...	–	1	1	–	7	–
†SOUTHALL NORWOOD	–	2	–	–	–	–
†SOUTHGATE ...	–	–	–	–	5	–
STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	–	–	–	1	M. 1
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	6	11	–	10	E. 1 G. 1
†TWICKENHAM ...	–	–	2	1	1	N. 1
†UXBRIDGE ...	–	–	–		1	–
†WEALDSTONE ...	–	–	–	–	–	N. 1
†WEMBLEY ...	–	5	1	–	5	–
†WILLESDEN ...	–	6	7	–	22	G. 1 N. 1
†WOOD GREEN ...	–	–	–	–	2	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
HENDON	–	3	–	–	–	–
SOUTH MIMMS ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK	–	15	3	1	8	D. 1 G. 1 M. 1 N. 1
†GREAT YARMOUTH C.B.	–	4	1	1	2	–
†NORWICH C.B. ...	–	4	1	–	2	D. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1		–	–
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
AYLSHAM... ...	–	4	–	–	1	–
DEPWADE ...	–	1	–	–	–	–
DOCKING	–	2	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
MARSHLAND ...	–	–	–	–	1	–
SMALLBURGH ...	–	–	–	–	–	G. 1
WALSINGHAM ...	–	–	–	–	1	–
NORTHAMPTON ...	–	4	4	–	14	C. 1 G. 1 M. 1 N. 1
†NORTHAMPTON C.B.	–	1	4	–	11	G. 1 N. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	–	–		–	C. 1
†WELLINGBOROUGH	–	1	–	–	1	–
Rural Districts:—						
BRACKLEY ...	–	–	–	–		M. 1
BRIXWORTH ...	–	1	–	–	–	–
DAVENTRY ..	–	–	–	–	1	–
TOWCESTER ...	–	1	–	–	–	–
WELLINGBOROUGH	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	10	48	10	1	59	C. 1
†NEWCASTLE UPON TYNE C.B.	6	25	5	1	44	–
†TYNEMOUTH C.B.	–	8	1	–	3	C. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	3	1	–	–	1	–
†BEDLINGTONSHIRE	–	2	–	–	2	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	–	1	–	–	–
CRAMLINGTON ...	–	–	–	–	1	–
†LONGBENTON ...	–	1	1	–	–	–
†NEWBURN ...	*	*	*	*	*	*
PRUDHOE... ...	–	1	–	–	–	–
†WALLSEND ...	–	3	2	–	6	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
CASTLE WARD ...	1	–	–	–	1	–
MORPETH ...	–	4	–	–	–	–
ROTHBURY ...	–	1	–	–	–	–
NOTTINGHAM ...	5	33	13	–	23	M. 4 N. 2
†NOTTINGHAM C.B	–	9	9	–	7	M. 2 N. 1
Boroughs and Urban Districts:—						
†CARLTON	–	–	–	–	2	M. 2
†EAST RETFORD ...	–	–	–	–	1	–
EASTWOOD ...	–	2	–	–	1	–
†KIRKBY IN ASHFIELD	–	3	–	–	1	–
†MANSFIELD ...	–	1	1	–	2	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	3	–	–	2	–
†SUTTON IN ASHFIELD	4	1	–	–	4	–
WARSOP	–	1	–	–	–	–
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP... ...	–	4	–	–	–	–
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	1	2	–	–	–
BINGHAM... ...	–	1	–	–	–	–
EAST RETFORD ...	–	–	–	–	1	–
MISTERTON ...	1	–	–	–	–	–
SKEGBY	–	3	1	–	–	–
SOUTHWELL ...	–	2	–	–	–	N. 1
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	–	1	–	–	1	–
OXFORD	–	6	–	–	7	M. 1
†OXFORD C.B. ...	–	2	–	–	–	M. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	–	–	–	–
WITNEY	–	–	–	–	1	–
WOODSTOCK ...	–	1	–	–	–	–
Rural Districts:—						
BICESTER... ...	–	–	–	–	3	–
CHIPPING NORTON	–	–	–	–	1	–
HENLEY	–	1	–	–	–	–
WITNEY	–	–	–	–	2	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	–	–	–	2	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	–
Rural Districts:—						
PETERBOROUGH...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	17	1	–	–	C. 1 M. 2
Boroughs and Urban Districts:—						
CHURCH STRETTON	–	1	–	–	–	
†OAKENGATES ...	–	–	–	–	–	M. 1
OSWESTRY ...	–	5	–	–	–	
†SHREWSBURY ...	–	1	–	–	–	C. 1
WELLINGTON ...	–	1	–	–	–	
WHITCHURCH ...	–	–	–	–	–	M. 1
Rural Districts:—						
DRAYTON... ...	–	4	–	–	–	–
ELLESMERE ...	–	–	1	–	–	–
OSWESTRY ...	–	5	–	–	–	–
SOMERSET	–	15	7	–	16	G. 3 M. 1 N. 2
†BATH C.B. ...	–	6	1	–	–	M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	G. 1 N. 1
MIDSOMER NORTON	–	–	1	–	–	N. 1
MINEHEAD ...	–	1	–	–	–	–
†TAUNTON ...	–	1	–	–	2	G. 1
WATCHET ...	–	–	–	–	2	–
†WESTON SUPER MARE	–	1	2	–	2	–
WIVELISCOMBE ...	*	*	*	*	*	*
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	–	–
BATH	–	2	–	–	–	–
BRIDGWATER ...	–	–	–	–	2	–
CHARD	–	–	1	–	–	–
CLUTTON... ...	–	1	–	–	–	–
KEYNSHAM ...	–	–	–	–	3	–
LANGPORT ...	–	–	–	–	1	–
LONG ASHTON ...	–	–	1	–	2	–
TAUNTON... ...	–	–	–	–	1	–
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	1	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	26	30	1	25	C. 1 M. 4 N. 4
†BOURNEMOUTH C.B.	–	–	–	–	2	–
†PORTSMOUTH C.B.	–	7	23	–	2	M. 1
†SOUTHAMPTON C.B.	–	5	5	1	4	M. 3 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	1	–
ALTON	–	–	–	–	1	–
ANDOVER... ...	–	1	1	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†GOSPORT	–	2	–	–	1	–
LYMINGTON ...	–	2	–	–	–	–
†WINCHESTER ...	–	–	–	–	8	–
Rural Districts:—						
ALRESFORD ...	–	2	–	–	–	–
ALTON	–	–	–	–	4	–
DROXFORD ...	–	1	–	–	–	N. 1
FAREHAM ...	–	–	–	–	–	N. 2
HARTLEY WINTNEY	–	–	–	–	–	C. 1
NEW FOREST ...	–	2	–	–	1	–
RINGWOOD ...	–	–	1	–	–	–
WINCHESTER ...	–	–	–	–	1	–
STAFFORD	–	48	51	1	80	C. 1 G. 1 M. 7 N. 6
†BURTON UPON TRENT C.B.	–	–	1	–	2	–
†SMETHWICK C.B.	–	1	3	–	9	–
†STOKE ON TRENT C.B.	–	8	4	–	28	M. 3 N. 2
†WALSALL C.B. ...	–	1	3	–	3	N. 1
†WEST BROMWICH C.B.	–	–	3	–	4	–
†WOLVERHAMPTON C.B.	–	4	2	–	2	M. 1 N. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
AMBLECOTE ...	*	*	*	*	*	*
†AUDLEY	–	1	1	–	1	–
†BILSTON	–	1	4	–	3	–
†BRIERLEY HILL...	–	–	1	–	–	–
†BROWNHILLS ...	–	–	1	–	3	–
†CANNOCK	–	3	–	–	2	N. 1
†COSELEY	–	1	1	–		G. 1
†DARLASTON ...	–	–	–	–	4	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	–	3	–	2	–
†LEEK	–	1	–	–	–	–
LICHFIELD ...	–	–	–	1	–	–
†NEWCASTLE UNDER LYME	–	1	1	–	–	–
†ROWLEY REGIS ...	–	1	1	–	4	M. 1
SHORT HEATH ...	–		2	–	–	–
†STAFFORD ...	–	1	–	–	1	–
TAMWORTH ...	–	1	–	–	–	–
TETTENHALL ...	–	1	–	–	1	–
†TIPTON	–	–	–	–	3	–
UTTOXETER ...	–	1	–	–	–	–
†WEDNESBURY ...	–	2	1	–	3	–
†WILLENHALL ...	–	4	–	–	–	–
†WOLSTANTON UNITED	–	1	1	–	5	–
Rural Districts:—						
CANNOCK	–	6	13	–	–	–
CHEADLE	–	1	–	–	–	–
KINGSWINFORD ...	–	1	1	–	–	–
LEEK	–	–	2	–	–	–
LICHFIELD ...	–	3	1	–	–	C. 1 M. 1
SEISDON	–	2	–	–	–	M. 1
TAMWORTH (part)	–	–	1	–	–	–
SUFFOLK, EAST ...	–	19	2	–	11	G. 1 M. 1 N. 1
†IPSWICH C.B. ...	–	1	–	–	4	N. 1
Boroughs and Urban Districts:—						
BUNGAY	–	1	–	–	1	–
†LOWESTOFT ...	–	9	2	–	2	G. 1
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	1	–
EAST STOW ...	–	1	–	–	–	–
HARTISMERE ...	–	–	–	–	1	–
HOXNE	–	–	–	–	–	M. 1
MUTFORD AND LOTHINGLAND	–	1	–	–	1	–
SAMFORD... ...	–	5	–	–	–	–
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
Rural Districts:—						
MILDENHALL ...	–	1	–	–	–	–
THINGOE	–	–	–	–	1	–
SURREY	–	37	18	–	52	E. 2 G. 1 N. 2
†CROYDON C.B. ...	–	11	6	–	9	E. 1 G. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	3	–
†CARSHALTON ...	–	–	1	–	–	N. 1
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	2	–	–	–	–
EAST AND WEST MOLESEY	–	1	–	–	1	–
†EGHAM	–	2	–	–	–	–
†EPSOM	–	–	1	–	–	–
†KINGSTON ON THAMES	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†MERTON AND MORDEN	–	5	–	–	1	–
†MITCHAM	–	3	2	–	9	E. 1
†REIGATE	–	1	–		–	
†RICHMOND ...	–	1	–	–	1	N. 1
†SURBITON ...	–	–	–	–	4	–
†SUTTON	–	–	3		–	–
†THE MALDENS AND COOMBE	–	–	–	–	3	–
†WALTON UPON THAMES	–		1	–	2	–
†WIMBLEDON ...	–	1	1	–	7	–
Rural Districts:—						
CHERTSEY ...	–	2	–	–	1	–
DORKING	–	3	–	–	2	–
EPSOM	–	–	1	–	1	–
GODSTONE ...	–	–	2	–	–	–
HAMBLEDON ...	–	1	–	–	2	–
REIGATE	–	1	–		3	–
SUSSEX, EAST ...	–	20	17	–	18	C 2 E. 1 M. 1 N. 4
†BRIGHTON C.B. ...	–	2	8	–	4	M. 1 N. 1
†EASTBOURNE C.B.	–	3	–	–	–	
†HASTINGS C.B. ...	–	6	–	–	4	C. 1
Boroughs and Urban Districts—						
EAST GRINSTEAD	–	–	–	–	1	–
†HOVE	–	1	–	–	–	N. 2
†LEWES	–	1	–	–	1	–
NEWHAVEN ...	–	–	–	–	1	–
PORTSLADE BY SEA	–	–	–	–	5	N. 1
UCKFIELD ...	–	1	–	–	–	–
Rural Districts:—						
CHAILEY	–	2	–	–	–	–
EASTBOURNE ...	–	2	–	–	–	–
EAST GRINSTEAD	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts—*cont.*						
HAILSHAM ...	–	1	–	–	–	E. 1
NEWHAVEN ...	–	–	8	–	1	–
UCKFIELD ...	–	1	–	–	1	C. 1
SUSSEX, WEST ...	–	4	3	–	5	C 1 G. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	–	1	–	1	–
†WORTHING ...	–	–	2	–	2	–
Rural Districts:—						
EAST PRESTON ...	–	3	–	–	1	–
MIDHURST ...	–	–	–	–	–	C. 1
STEYNING WEST...	–	–	–	–	–	G. 1
WESTHAMPNETT ..	–	1	–	–	1	–
WARWICK	–	36	53	1	116	C. 4 E. 2 G. 3 M. 11 N. 4
†BIRMINGHAM C.B.	–	25	47	1	92	C. 4 E. 2 G. 3 M. 7 N. 1
†COVENTRY C.B. ..	–	–	1	–	5	M. 1 N. 1
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	–	–	–	M. 1
†NUNEATON ...	–	–	–	–	6	–
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†RUGBY	–	–	–	–	–	M. 1
†SUTTON COLDFIELD	–	2	1	–	3	–
†WARWICK ...	–	2	–	–	1	N. 1
Rural Districts:—						
ALCESTER ...	*	*	*	*	*	*
ATHERSTONE ...	–	–	1	–	1	
COVENTRY ...	–	–	–	–	–	N. 1
FOLESHILL ...	–	1	–	–	–	–
MERIDEN... ...	–	1	1	–	3	M. 1
RUGBY	–	–	1	–	–	–
SOLIHULL ...	–	2	–	–	3	–
SOUTHAM... ...	–	1	–	–	1	–
TAMWORTH (part)	–	2	–	–	–	–
WARWICK ...	–	–	1	–	–	–
WESTMORLAND ...	–	4	–	–	2	G. 1 N. 1
Boroughs and Urban Districts:—						
APPLEBY... ...	–	1	–	–	–	–
†KENDAL	–	2	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	2	G. 1 N. 1
WIGHT, ISLE OF ...	–	1	1	–	7	–
Boroughs and Urban Districts:—						
†COWES	–	–	–	–	3	–
Rural Districts:—						
ISLE OF WIGHT	–	1	1		4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	6	3	–	22	D. 1 L. 6 M. 3 N. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	–	–	4	–
†SWINDON... ...	–	–	–	–	11	–
†TROWBRIDGE ...	–	1	1	–	–	–
WESTBURY ...	–	–	–	–	1	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
CHIPPENHAM ...	–	2	–	–	–	M. 1 N. 1
CRICKLADE AND WOOTTON BASSETT	–	–	1	–	–	–
DEVIZES	–	–	–	–	1	L. 6
HIGHWORTH ...	–	2	1	–	1	D. 1 M. 2
PEWSEY	–	–	–	–	2	–
WILTON	–	1	–	–	1	–
WORCESTER ...	–	9	9	2	17	C. 1 M. 2 N. 4
†DUDLEY C.B. ...	–	2	2	–	1	–
†WORCESTER C.B.	–	–	–	–	3	N. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	3	–	–	2	M. 1
†KIDDERMINSTER	–	–	2	–	1	–
†LYE AND WOLLESCOTE	–	–	4	–	–	–
†MALVERN ...	–	1	–	–	1	–
†OLDBURY... ...	–	–	–	–	4	C. 1 M. 1 N. 2
†REDDITCH ...	–	2	–	2	–	–
†STOURBRIDGE ...	–	–	–	–	2	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
DROITWICH ...	–	1	–	–	–	–
KIDDERMINSTER	–	–	1	–	1	–
MARTLEY... ...	–	–	–	–	1	–
PERSHORE ...	–	–	–	–	1	–
YORKS ... ... (East Riding.)	–	20	14	2	10	M. 1 N. 2
†KINGSTON UPON HULL C.B.	–	16	13	1	8	M. 1 N. 2
Boroughs and Urban Districts:—						
HESSLE	–	–	–	–	1	–
Rural Districts:—						
BEVERLEY ...	–	1	1	–	–	–
DRIFFIELD ...	–	–	–	–	1	–
ESCRICK	–	1	–	–	–	–
POCKLINGTON ...	–	–	–	1	–	–
RICCALL	–	2	–	–	–	–
YORKS ... ... (North Riding.)	1	22	6	–	13	C. 1 M. 3 N. 1
†MIDDLESBROUGH C.B.	1	4	2	–	6	C. 1 M. 2
Boroughs and Urban Districts:—						
†ESTON	–	9	1	–	1	–
LOFTUS	–	2	–	–	1	–
RICHMOND ...	–	–	1	–	–	–
†SCARBOROUGH ...	–	–	1	–	3	M. 1
†SKELTON AND BROTTON	–	1	1	–	1	–
†THORNABY ON TEES	–	3	–	–	–	N. 1
Rural Districts:—						
GUISBOROUGH ...	–	3	–	–	–	–
KIRKBY MOORSIDE	*	*	*	*	*	*
SCARBOROUGH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	266	133	77	4	242	C. 8 D. 1 G. 1 M. 7 N. 13
†BARNSLEY C.B. ...	–	3	1	–	1	N. 2
†BRADFORD C.B. ...	1	4	11	–	20	–
†DEWSBURY C.B....	–	–	–	–	–	N. 1
†HALIFAX C.B. ...	–	1	–	–	2	–
†HUDDERSFIELD C.B.	–	10	2	–	3	–
†LEEDS C.B. ...	–	18	14	–	14	C. 2 M. 2 N. 5
†ROTHERHAM C.B.	–	2	–	–	19	–
†SHEFFIELD C.B....	157	28	26	1	122	C. 5 D. 1 G. 1 M. 3 N. 1
†WAKEFIELD C.B.	–	1	1	–	2	N. 2
Boroughs and Urban Districts:—						
†ADWICK LE STREET	2	3	–	–	1	–
ALTOFTS	–	–	–	–	2	–
BAILDON	–	–	1	–	–	–
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	–	2	1	–	–	–
†BINGLEY	–	–	–	–	4	–
BIRSTAL	–	–	1	–	–	–
†BOLTON UPON DEARNE	–	2	–	–	–	–
†CONISBROUGH ...	1	–	3	–	–	–
DARFIELD ...	–	1	1	–	1	–
†DARTON	–	1	–	–	–	–
†DONCASTER ...	42	3	1	–	1	–
DRIGHLINGTON ...	–	–	–	–	1	–
†FEATHERSTONE ...	–	–	–	–	4	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	2	1	–	–	–
GREASBROUGH ...	–	–	–	–	1	–
†HARROGATE ...	–	1	–	–	1	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	1	–	1	–
†HOLMFIRTH ...	–	1	–	–	1	–
†HOYLAND NETHER	–	1	–	–	–	–
ILKLEY	–	3	–	–	–	–
†KEIGHLEY ...	4	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
KIRKBURTON ...	*	*	*	*	*	*
KNOTTINGLEY ...	–	–	1	1	–	–
LEPTON	–	1	–	–	–	–
LUDDENDEN FOOT	–	3	–		–	–
METHLEY ...	–	–	–	–	1	–
†MEXBOROUGH ...	29	–	–	–	–	–
†MIRFIELD ...	–	–	2	–	–	–
†MORLEY	–	–	–	2	1	–
MYTHOLMROYD ...	–	–	–		1	
NEW MILL ...	–	–	–	–	2	–
†NORMANTON ...	1	1	–	–	5	–
OTLEY	–	–	1	–	–	–
†PONTEFRACT ...	–	1	–	–	2	–
†PUDSEY	–	–	–	–	–	C. 1
†RAWMARSH ...	–	1	–	–	1	–
†SADDLEWORTH ...	–	1	–	–	–	–
SHELLEY	–	–	–	–	1	–
†SHIPLEY	–	1	–	–	1	–
SKELMANTHORPE	–	–	–	–	1	–
SLAITHWAITE ...	–	1		–	–	–
SOUTHOWRAM ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	3	–	–	1	–
SPRINGHEAD ...	–	–	–	–	1	–
†STANLEY	–	–	–	–	1	–
STOCKSBRIDGE ...	–	5	–	–	–	–
†SWINTON	9	–	–	–	2	–
†WATH UPON DEARNE	1	–	–	–	–	–
WHITWOOD ...	–	–		–	1	–
†WOMBWELL ...	–	1	–	–	2	–
†WORSBOROUGH ...	–	1	–	–	–	M. 1 N. 1
Rural Districts:—						
DONCASTER ...	3	2	–	–	7	N. 1
GOOLE	–	–	–	–	2	–
GREAT OUSEBURN	–	3	–	–	–	–
HEMSWORTH ...	–	2	3	–	–	–
KEIGHLEY ...	8	–	1	–	–	–
KIVETON PARK ...	–	2	1	–	–	–
PONTEFRACT ..	–	1	–	–	–	–
ROTHERHAM ..	1	5	–	–	5	–
SELBY	–	1	–	–	–	–
SETTLE	–	2	1	–	–	–
TADCASTER ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
THORNE	7	–	–	–	–	M. 1
TODMORDEN ...	–	1	1	–	–	–
WETHERBY ...	–	–	–	–	1	–
WORTLEY ...	–	3	–	–	–	–
§YORK, CITY OF	–	2	3	–	–	N. 1
†YORK C.B. ...	–	2	3	–	–	N. 1
WALES.						
ANGLESEY	–	3	3	–	2	–
Rural Districts:—						
AETHWY	–	1	2	–	–	–
VALLEY	–	2	1	–	2	–
BRECKNOCK ...	–	–	2	–	1	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	2	–	–	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON ...	–	–	1	–	–	C. 1 E. 1
Boroughs and Urban Districts:—						
†BANGOR	–	–	–	–	–	E. 1
CONWAY	–	–	–	–	–	C. 1
Rural Districts:—						
GWYRFAI	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARMARTHEN ..	–	4	3	–	3	N. 1
Boroughs and Urban Districts:—						
KIDWELLY ...	–	2	–		1	–
LLANDOVERY ...	–	–	1	–	–	–
†LLANELLY ...	–	1	1	–	1	N. 1
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANELLY ...	–	1		–	–	–
LLANYBYTHER ...	–	–	–	–	1	–
DENBIGH	–	5	1		10	C. 1
Boroughs and Urban Districts:—						
†WREXHAM ...	–	1	1	–	–	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
RUTHIN	–	–	–	–	4	–
UWCHALED ...		–	–	–	2	C. 1
WREXHAM ...	–	4	–	–	4	–
FLINT	–	9	3	2	8	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	2		–	–	–
FLINT	–	–	–		2	–
HOLYWELL ...	–	–	–	–	2	–
PRESTATYN ...	–	1	–	–	–	
†RHYL	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	5	–	2	1	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	2	–
OVERTON ...	*	*	*	*	*	*
ST. ASAPH (FLINT)	–	–	–	–	1	–
GLAMORGAN ...	–	47	51	1	49	C. 3 D. 1 M. 2 N. 5
†CARDIFF C.B. ...	–	4	10	1	21	N. 1
†MERTHYR TYDFIL C.B.	–	–	2	–	1	N. 1
†SWANSEA C.B. ...	–	6	8	–	8	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	2	–	1	–
†BARRY	–	4	1		6	–
BRIDGEND ...	–	–	1	–	–	–
†CAERPHILLY ...	–	1	3	–	1	–
†GELLIGAER ...	–	–	5	–	2	–
†GLYNCORWG ...	–	1	–	–	–	–
†MAESTEG ...	–	2	4	–	1	–
†MOUNTAIN ASH ...	–	2	–	–	2	–
†NEATH	–	5	1	–	–	N. 1
†OGMORE AND GARW	–	1	–	–	2	C. 1
†PENARTH ...	–	1	–	–	1	–
†PONTYPRIDD ...	–	–	1	–	1	M. 1
PORTHCAWL ...	–	–	–	–	–	D. 1
†PORT TALBOT ...	–	2	3	–	–	–
†RHONDDA ...	–	6	5	–	2	C. 1 N. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont*						
Rural Districts—*cont.*						
NEATH	–	4	2	–		C. 1
PENYBONT ...		–	1	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	2	–	–	–	–
MERIONETH ..	–	4	13	–	–	C. 1
Urban Districts :—						
BARMOUTH ...	*	*	*	*	*	*
FFESTINIOG ..	–	2	11	–	–	C. 1
MALLWYD ...	–	–	1	–	–	–
Rural Districts :						
DEUDRAETH ...	–	2	1	–	–	–
MONMOUTH ..	–	5	4	1	14	M. 1 N. 3
†NEWPORT C.B. ..	–	2	–	–	7	–
Boroughs and Urban Districts :—						
†ABERCARN ...	–	–	–		–	N. 1
ABERGAVENNY ...		–	2	–	–	–
†ABERSYCHAN ..		1	2	–	–	–
†ABERTILLERY ...	–	–	–	–	1	M. 1
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ..	–	–	–	–	1	–
CAERLEON ...	–	2	–	–	–	–
†EBBW VALE ..	–	–	–	1	2	N. 1
†NANTYGLO AND BLAINA	–	–	–	–	2	–
†TREDEGAR ...	–	–			–	N. 1
MONTGOMERY ..	–	1	2	–	7	N. 1
Boroughs and Urban Districts :—						
LLANFYLLIN ...	–	1	2	–	–	–
LLANIDLOES ...	–	–	–	–	1	–
NEWTOWN AND LLANLLWCHAIARN ...		–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY—*cont.*						
Rural Districts :—						
LLANFYLLIN ...	–	–	–	–	–	N. 1
NEWTOWN AND LLANIDLOES	–	–	–	–	5	–
PEMBROKE	–	9	1	–	2	–
Boroughs and Urban Districts :—						
FISHGUARD ...	–	–	1	–	–	–
MILFORD HAVEN	–		–	–	1	–
Rural Districts :—						
HAVERFORDWEST.	–	7	–	–	–	–
PEMBROKE ...	–	2	–	–	1	–
RADNOR	–	3	–	–	–	N. 1
Urban District :—						
PRESTEIGNE ...	–	3		–	–	–
Rural Districts :—						
KNIGHTON ...	–	–	–	–	–	N. 1
Total of Part II. ...	675	1280	834	32	1644	C. 5 D. E. 1 F. G. 3 K. L. M. 12 N. 11

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
CARDIFF	–	–	–	–	1	–	PORT OF LONDON ...	–		–	–	1	–
LIVERPOOL	–	–	–	–	–	G. 1	Total of Part III.... ...		–	–	–	2	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see note below).
Total of Part I.—London	–	213	275	4	370	C. D. E. G. M. 1 N. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	675	1280	834	32	1644	C. 5 D. E. 1 F. G. 2 K. L. M. 12 N. 11
Total of Part III.—Port Sanitary Districts	–	–	–	–	2	G.
Total (*i.e.*, of returns received), England and Wales ...	675	1493	1109	36	2016	C. 5 D. E. 1 F. G. 4 K. L. M. 14 N. 13

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.
ON :—													
HS—all ages	1,014	1,124	1,209	1,108	1,048	950	1,043	1,170	1,161	1,070	1,473	1,602	1,648
0 to 1 year ..	90	113	94	86	83	98	108	154	127	126	137	137	122
T TOWNS, aggre- (including Lon-):—													
IS	6,509	6,389	6,891	6,672	6,505	6,352	6,515	6,646	6,238	5,347	6,469	7,332	6,929
HS—all ages	4,137	4,697	4,817	4,665	4,527	4,193	4,498	4,919	4,797	4,556	5,898	5,883	5,917
0 to 1 year ..	488	514	503	488	499	481	518	643	574	563	690	675	656
RIC FEVER—Cases	28	17	17	27	25	25	16	16	16	8	13	15	16
„ Deaths	1	1	1	3	1	4	3	2	4	5	2	1	1
L POX—Cases ..	32	30	31	30	20	40	39	29	26	48	34	45	228
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
LET FEVER—Cases	1,106	1,151	1,076	1,106	1,201	1,130	961	950	801	756	881	818	791
„ Deaths	5	3	8	5	3	4	7	8	5	9	2	4	6
THERIA—Cases ..	817	848	777	788	775	814	872	793	784	707	671	788	771
„ Deaths ..	40	43	40	33	32	46	39	47	40	36	51	48	38
LES—Deaths ..	6	7	11	17	6	8	18	15	28	14	36	28	34
ENZA—Deaths ..	54	71	88	100	78	52	68	52	60	69	86	173	326

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 15th January, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ON	53	32	48·0	38·6	7	HUDDERSFIELD	52	33	46·1	40·0	19
REENWICH).						BRADFORD ..	55	33	47·7	40·0	16
HTON ..	48	34	46·1	40·0	4	SHEFFIELD ..	54	34	48·3	40·6	3
SMOUTH ..	54	33	48·5	40·8	8	YORK (MUSEUM)	54	35	48·7	40·7	7
VICH	52	34	45·9	36·9	3	HULL (PEARSON	54	35	49·6	39·0	5
(EATON).						PARK).					
OUTH ..	53	37	48·4	42·7	21	TYNEMOUTH ..	54	35	46·4	42·3	3
OL	52	35	46·9	40·7	10	CARDIFF.. ..	52	32	47·7	39·4	17
(CLIFTON).											
INGHAM	53	33	45·7	38·1	3						
DGBASTON).						EDINBURGH ..	52·0	35·0	46·6	39·7	13
INGHAM ..	54	32	47·0	38·3	3	GLASGOW ..	53·6	35·3	46·7	41·1	20
ENHEAD	51	34	45·3	41·0	18	DUBLIN		Not	received.		
(BIDSTON).						(PHŒNIX					
HESTER	52	35	48·3	40·3	16	PARK).					
WHITWORTH						(FITZWILLIAM	54·3	33·0	48·8	41·1	6
PARK).						SQUARE†).					
LEY	50	33	45·1	38·4	31	BELFAST.. ..	55·5	33·0	50·5	39·0	10

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 15th January, 1927

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	9	..	30·221	52·9	45·4	7·5	49·0	+11·1	43·5	5·5	7·9	2·7	81	63·2	33·0	44·6	WNW: WSW.	WSW: SW.	1·8	0·0	0·2	355	+ 43	0·00
MONDAY -	10	In Equator First Quarter.	30·295	49·6	40·8	8·8	45·9	+ 8·0	41·0	4·9	8·0	2·1	83	55·2	29·6	44·8	SW: W: WSW.	WSW: SW.	2·8	0·0	0·2	358	+ 51	0·00
TUESDAY -	11	..	30·100	49·5	40·7	8·8	45·9	+ 8·0	41·8	4·1	7·6	2·4	86	72·6	31·0	44·9	SW	SW	3·0	0·0	0·3	422	+ 117	0·00
WEDNESDAY	12	..	29·695	50·0	44·8	5·2	47·1	+ 9·2	43·6	3·5	7·9	1·6	88	60·3	37·1	44·9	SW	SSW: S.	5·8	0·0	0·6	436	+ 130	0·02
THURSDAY -	13	..	29·119	46·5	35·1	11·4	38·8	+ 0·8	31·4	7·4	12·5	0·8	74	73·0	27·0	44·8	SW	SW: SSW: S.	4·0	0·0	0·5	452	+ 142	0·15
FRIDAY -	14	..	28·955	43·8	36·8	7·0	41·3	+ 3·3	37·9	3·4	5·0	0·8	88	49·0	34·2	44·9	SW	SW	1·7	0·0	0·1	343	+ 28	0·19
SATURDAY -	15	..	29·107	45·9	29·9	16·0	37·1	- 1·0	34·2	2·9	10·0	0·6	90	67·4	20·1	44·8	SW: SSW.	SSW	0·5	0·0	0·0	170	- 149	0·00
MEANS -		..	29·642	48·3	39·1	9·2	43·6	+ 5·6	39·1	4·5	8·4	1·6	84	63·0	30·3	44·8	SW		..	..	..	Sum 2536	Sum + 362	Sum 0·26
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	9	wP till 13h.; mP till 22h.; then wP.	0·0	8·0	Nearly overcast till 17h., then variably cloudy. Slight rain 4h. till 9h. Mist 9h. till 21h. Dew in evening.
MONDAY ..	10	wP till 4h.; then mP.	0·0	8·1	Nearly overcast generally till 18¾h., then clearing to nearly cloudless by 19½h.
TUESDAY ..	11	wP.	0·2	8·1	Cloudless till 1h.; then overcast generally.
WEDNESDAY	12	wP till 8h.; mP till 14h.; then wP.	0·0	8·2	Overcast. Occasional slight rain between 15½h. and 23h. Brisk wind from 16h. Dew in morning.
THURSDAY	13	wP till 9h.; mP till 21h.; then wP.	5·6	8·2	Variably cloudy. Brisk wind till 6h., and from 8h. till 10h. Slight snow shower at 13¼h. Rain 20½h. till 22h.
FRIDAY ..	14	wP till 14½h.; variably mP and mN till 20h.; then mP.	0·0	8·2	Overcast generally. Frequent slight rain between 10¼h. and 21h.
SATURDAY	15	wP till 8h.; then wP	2·7	8·2	Overcast till 5h.; partially cloudy till 12h.; nearly overcast till 14h., then clearing to partially cloudy by 15h. Hoar frost in morning and at night. Fog from 21h.
			Sum 8·5	Sum 57·0	
No. of Col. ..	..	—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day

The reading of the barometer increased from 29·99 ins. at the beginning of the week to 30·31 ins. by 21h. on 10th; decreased to 28·94 ins. by 14h. on 14th; increased and was 29·22 ins. by midnight on the 15th.

THE
CLINICAL RESEARCH ASSOCIATION,
LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

SHAW & SONS,
LIMITED.

The recognised Publishers of the prescribed and other necessary Forms and Records for

PUBLIC HEALTH AUTHORITIES.

All Notices and Registers under

NOTIFICATION OF INFECTIOUS DISEASES ACTS.
NOTIFICATION OF BIRTHS ACT.
MILK AND DAIRIES ORDER, 1926.
OPHTHALMIA NEONATORUM, PUERPERAL FEVER AND PUERPERAL PYREXIA REGULATIONS, 1926.

Complete Lists on Application to

SHAW & SONS,
LIMITED.

Local Government Printers and Publishers,
FETTER LANE, LONDON, E.C.4.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.

Telegrams:
"Clinician, Wesdo, London."

(60823) Wt. 64 16 1875 1/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 3.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 22ND JANUARY 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast,
or through any Bookseller.
1927.
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. **The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.**

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 22ND JANUARY, 1927.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the third week of the year numbered 6,231 and corresponded to an annual rate of 16·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 6,427 and corresponded to an annual rate of 17·2 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 15·8, 15·8 and 15·9. Infant mortality based on the average weekly number of births during the last 52 weeks, was 92 per 1,000 births against 100, 98 and 96 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,355 births, corresponding to a rate of 15·3 per 1,000, and 1,908 deaths of civilians, corresponding to an annual rate of 21·6, against 16·7, 18·2 and 18·7 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 18·8 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 87 as against 88, 88 and 78 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 5,917 to 6,427; the deaths from influenza which had been 86, 173 and 326 in the preceding three weeks, rose to 470 last week. In London the number of deaths from all causes increased from 1,648 to 1,908; the deaths from diphtheria which had been 19, 8 and 7 in the preceding three weeks were 9 last week; and the deaths from influenza which had been 17, 72 and 137 in the preceding three weeks, further rose to 197 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 22nd January, 1927.

Towns.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	6,231	6,427	630	2	43	4	66	39	44	470
London	4,602,000*	1,355	1,908	135	-	-	1	32	9	10	197
Towns in Outer Ring.											
Croydon C.B ..	199,300	53	89	8	-	-	-	3	-	-	17
Wimbledon ..	58,170	11	34	3	-	-	-	-	-	-	3
Ealing	91,000	26	40	1	-	-	-	-	-	-	6
Acton	63,110	18	18	2	-	-	-	-	-	-	2
Willesden ..	168,900	29	61	8	-	-	-	1	-	1	4
Hendon	59,150*	13	13	1	-	-	-	-	-	-	6
Hornsey	87,210	18	29	1	-	-	-	-	1	-	3
Wood Green ..	51,960	11	20	1	-	-	-	-	-	-	1
Tottenham ..	153,600	18	74	5	1	-	1	1	3	-	4
Edmonton ..	71,210	26	25	2	-	-	-	-	-	-	1
Enfield	63,740	13	27	1	-	-	-	-	-	-	4
West Ham C.B. ..	318,500	122	99	9	-	-	-	-	1	-	15
East Ham C.B. ..	147,200	33	44	3	-	-	-	-	-	-	4
Leyton	132,700	26	44	3	-	-	-	-	1	-	1
Walthamstow ..	130,800	26	46	5	-	-	-	2	1	-	7
Ilford	93,590	20	35	3	-	-	-	-	-	-	1
Gillingham	48,680*	18	15	1	-	-	-	-	-	-	2
Canterbury C.B ..	23,270*	8	12	-	-	-	-	-	1	-	1
Hastings C.B.	60,470	13	34	1	-	-	-	-	-	-	5
Eastbourne C.B. ..	55,060	11	20	1	-	-	-	-	-	-	2
Brighton C.B. ..	137,800*	36	47	3	-	-	-	-	1	-	5
Portsmouth C.B. ..	232,900*	75	71	7	-	-	-	-	1	-	5
Bournemouth C.B. ..	85,840	13	31	-	-	-	-	-	-	-	3
Southampton C.B. ..	168,600	60	59	4	1	2	1	-	-	-	2
Reading C.B.	93,670*	34	19	-	-	-	-	-	-	-	1
Oxford C.B.	57,090	8	24	1	-	-	-	1	-	-	3
Northampton C.B. ..	93,780*	31	20	2	-	-	-	-	-	-	1
Luton	59,230	16	21	1	-	-	-	-	-	-	2
Cambridge	59,020	7	20	-	-	-	-	-	-	-	2
Southend-on-Sea C.B.	98,060	24	31	-	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	27	29	2	-	-	-	-	-	-	2
Great Yarmouth C.B.	57,890	14	26	3	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	45	32	3	-	-	-	1	-	-	3
Swindon	56,880	15	24	1	-	-	-	-	-	-	8
Exeter C.B.	59,820*	18	20	-	-	-	-	-	-	-	3
Plymouth C.B. ..	192,100*	71	65	6	-	-	-	-	-	2	1
Bath C.B.	69,050	19	28	1	-	-	-	-	-	-	2
Bristol C.B.	385,700*	102	171	6	-	-	-	1	1	-	19
Gloucester C.B. ..	53,060	19	15	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	109	67	12	-	-	1	-	-	-	3
Burton-upon-Trent C.B.	49,530	18	14	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	41	23	5	-	-	-	1	-	1	1
Walsall C.B.	102,300	51	22	7	-	-	-	1	-	-	-
West Bromwich C.B	79,490	26	15	1	-	-	-	-	-	1	-
Dudley C.B.	58,810	23	16	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	13	13	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	348	240	31	-	4	-	5	2	6	3
Smethwick C.B. ..	78,840	13	17	1	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	42	29	5	-	-	-	1	-	-	-
Leicester C.B. ..	242,100	84	88	14	-	3	-	3	-	-	2
Lincoln C.B.	66,600*	22	11	1	-	-	-	-	-	-	1
Grimsby C.B.	87,190	26	20	2	-	1	-	-	-	-	-
Nottingham C.B. ..	270,600	98	101	12	-	-	-	-	2	-	5
Derby C.B.	134,400*	47	41	6	-	-	-	-	-	1	3
Chesterfield ..	65,800	41	20	6	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	36	33	4	-	-	-	-	-	-	2
Chester C.B.	41,670	25	9	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	47	45	8	-	-	-	-	1	2	2
Wallasey C.B. ..	91,720	24	27	1	-	-	-	-	-	-	2
Liverpool C.B. ..	856,000	372	263	43	-	8	-	1	2	5	3
Bootle C.B.	83,260	42	29	4	-	2	-	-	-	-	1
St. Helens C.B. ..	109,600	54	21	-	-	-	-	-	1	-	2

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from						
					Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	18	19	2	-	-	-	-	-	-	-
WIGAN C.B.	91,010	29	19	1	-	-	-	-	-	-	2
WARRINGTON C.B. ..	77,970*	37	14	-	-	-	-	1	-	-	-
BOLTON C.B.	180,400	57	42	4	-	1	-	-	-	-	4
BURY C.B.	56,700*	8	17	2	-	-	-	-	-	1	2
MANCHESTER C.B. ..	755,800	271	215	17	-	-	-	3	-	3	8
SALFORD C.B.	244,700	73	84	5	-	-	-	-	-	-	3
OLDHAM C.B	146,200	37	40	3	-	-	-	-	1	-	1
ROCHDALE C.B... ..	92,190	18	31	4	-	-	-	1	-	-	1
BURNLEY C.B.	102,300	24	40	3	-	7	-	-	-	1	3
BLACKBURN C.B. ..	126,900	21	39	3	-	2	-	-	1	-	-
PRESTON C.B.	122,900	28	32	4	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	80,750	25	26	1	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,470	20	16	1	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,100	33	32	4	-	-	-	-	-	-	3
HALIFAX C.B.	97,860*	34	22	1	-	-	-	-	-	-	-
BRADFORD C.B. ..	290,200	87	97	11	-	3	-	-	1	1	2
LEEDS C.B.	472,900	137	134	10	-	4	-	1	1	-	4
DEWSBURY C.B ..	54,570	19	18	1	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,980	24	7	1	-	-	-	-	-	-	-
BARNSLEY C.B. ..	71,170	22	19	5	-	-	-	-	-	-	1
SHEFFIELD C.B. ..	526,900*	202	156	37	-	-	-	3	2	2	2
ROTHERHAM C.B. ..	70,600	23	18	3	-	-	-	1	-	-	2
DONCASTER	55,610	17	13	1	-	-	-	-	-	-	-
YORK C.B.	84,630*	36	18	4	-	-	-	-	-	-	1
HULL C.B.	297,300	87	85	11	-	1	-	-	-	1	4
MIDDLESBROUGH C.B.	136,200	66	47	11	-	-	-	-	-	-	6
DARLINGTON C.B. ..	69,130	24	20	1	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,000	20	21	4	-	-	-	-	-	-	3
WEST HARTLEPOOL C.B.	71,590	32	31	2	-	-	-	-	-	-	6
SUNDERLAND C.B. ..	166,000	82	44	17	-	1	-	1	1	-	2
SOUTH SHIELDS C.B. ..	124,600	54	44	10	-	-	-	-	-	2	4
GATESHEAD C.B. ..	129,000	44	31	4	-	2	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	286,300*	115	54	8	-	-	-	-	-	-	2
TYNEMOUTH C.B. ..	66,180	23	21	3	-	-	-	-	1	-	1
CARLISLE C.B.	55,160*	18	16	-	-	-	-	-	-	-	2
NEWPORT (MON.) C.B.	96,420*	36	31	5	-	-	-	-	-	2	3
CARDIFF C.B.	227,100*	67	104	11	-	2	-	-	1	2	11
RHONDDA	167,570	74	27	6	-	-	-	-	1	-	4
MERTHYR TYDFIL C.B.	82,920	9	19	1	-	-	-	-	-	-	-
ABERDARE	57,700	19	9	-	-	-	-	-	-	-	1
SWANSEA C.B.	163,200	57	51	7	-	-	-	1	1	-	4
GREATER LONDON ..	7,742,212*	2,151	3,066	222	1	1	2	41	17	11	331
OUTER RING	3,140,212*	796	1,158	87	1	1	1	9	8	1	134
16 GREAT TOWNS IN OUTER RING	1,890,140*	463	698	56	1	-	1	7	7	1	79
REMAINDER OF OUTER RING	1,250,072*	333	460	31	-	1	-	2	1	-	55
EDINBURGH†	426,900	150	130	6	-	1	-	-	1	1	4
GLASGOW† ..	1,050,700	438	316	43	-	1	-	3	5	2	9
DUBLIN (REGISTRATION AREA)†	421,000	210	146	26	-	1	-	8	1	2	2
BELFAST†	416,000	166	133	22	-	-	-	1	1	3	5

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available per

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
LONDON	4,602,000	1927. Jan. 22	1355	1908	21·6	–	–	–	1	32	9	10
CALCUTTA AND SUBURBS	1,077,273	1926–27. Dec. 18	?	934‖	45·1	?	62	?	?	?	?	?
BOMBAY§	1,279,061	Dec. 25	430	546	22·2	1	5	1	–	1	1	26
MADRAS	528,791	Dec. 18	482	401	39·4	2	1	1	–	–	–	26
SYDNEY AND SUBURBS	1,038,950	Dec. 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	Nov. 30 (30 days)										
PERTH (Metropolitan Area).	179,388	Nov. 27	61	37	10·7	–	–	–	–	–	–	2
AUCKLAND (Urban Area).	192,176	Nov. 30 (30 days)										
WELLINGTON (Urban Area).	121,324	Nov. 30 (30 days)										
CHRISTCHURCH (Urban Area).	118,408	Nov. 30 (30 days)										
CAPE TOWN	113,709	Jan. 1										
JOHANNESBURG	165,958	Dec. 25	79	30	9·4	1	–	–	–	–	–	–
DURBAN	54,822	„ 25										
PARIS	2,906,472	Jan. 10 (10 days)										
ANTWERP	300,183	Dec. 4	86	67	11·6	–	–	–	–	–	1	1
		„ 11	88	86	14·9	1	–	–	–	1	–	1
AMSTERDAM	725,542	„ 25										
COPENHAGEN	592,000	Jan. 8	199	167	14·7	–	–	–	–	–	3	–
STOCKHOLM	442,528	„ 8	97	104	12·2	–	–	–	–	–	–	–
GOTHENBURG	230,963	Dec. 25	?	32	7·2	–	–	–	–	–	–	–
		Jan. 1	?	38	8·6	–	–	–	–	–	–	–
OSLO (CHRISTIANIA) ..	255,724	Jan. 8	79	93	18·9	–	–	3	–	–	–	–
BERLIN	1,996,000	Jan. 1	412	483	12·6	–	–	–	1	1	5	1
BRESLAU	561,000	„ 1	178	209	19·4	–	–	–	–	1	–	–
COLOGNE	710,000	„ 1	188	127	9·3	–	–	1	–	4	–	–
DRESDEN	622,000	„ 1	137	153	12·8	–	–	1	–	–	–	2
FRANKFORT-ON-MAIN ..	471,000	„ 1	91	68	7·5	–	–	–	–	1	–	1
HAMBURG	1,104,000	„ 1	243	229	10·8	–	–	–	–	–	1	–
LEIPZIG	685,000	„ 1	178	158	12·0	1	–	–	–	–	–	1
MUNICH	685,000	Dec. 18	161	146	11·1	–	–	1	1	–	2	1
		„ 25	165	140	10·6	1	–	2	–	2	–	1
VIENNA	1,871,607	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	July 31 (31 days)	880	611	9·9	1	–	1	2	1	4	8
BUDAPEST	960,995	Jan. 1	269	219	11·9	–	–	–	2	2	5	3
WARSAW	1,015,426	„ 8	477	379	19·5	6	–	2	16	2	1	14
CAIRO	859,400	Sept. 23	761	395	24·0	7	–	–	–	?	5	49
		„ 30	737	423	25·7	4	–	–	–	?	7	62
ALEXANDRIA	492,100	„ 23	406	260	27·5	6	–	–	–	?	1	40
		„ 30	440	260	27·5	2	–	–	–	?	2	36
NEW YORK	5,924,139	Jan. 8	?	1513	?	–	–	–	4	4	14	8
CHICAGO	2,995,239	Dec. 31	1156	761	13·0	–	–	3	–	1	2	12

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Citi Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children unde year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

§ The registration of Births in Bombay is incomplete.

‖ Including 51 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 22nd January, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1908	135	60	46	27	55	83	150	215	289	394	454
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	32	13	12	4	3	-	-	-	-	-	-	-
Diphtheria	9	2	1	6	-	-	-	-	-	-	-	-
Influenza	197	4	2	4	2	5	15	19	36	33	38	39
Erysipelas	2	-	-	-	-	-	-	-	2	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	5	-	-	-	-	1	2	1	1	-	-	-
Meningococcal meningitis	3	2	-	-	-	-	1	-	-	-	-	-
Tuberculosis :—												
Respiratory system	116	-	2	-	-	19	23	33	27	7	5	-
Nervous system	5	-	-	1	3	1	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	-	1	-	-	-	1	-	-
Other forms	9	-	-	-	1	5	-	1	-	1	1	-
Venereal diseases	2	-	-	-	-	-	1	-	-	1	-	-
Cancer	145	-	-	-	-	1	1	11	26	39	47	20
Rheumatic fever	3	-	-	-	2	1	-	-	-	-	-	-
Diabetes	10	-	-	-	-	-	-	1	2	-	4	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	2	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	70	-	-	-	-	-	-	2	6	17	22	23
Epilepsy	2	-	-	-	-	-	-	-	1	-	1	-
"Convulsions" (not puerperal) ..	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	33	-	-	1	2	-	3	5	5	5	9	3
Pericarditis	3	-	-	-	2	-	-	-	1	-	-	-
Acute endocarditis	7	-	-	-	-	3	1	3	-	-	-	-
Other diseases of heart	301	-	-	-	-	6	6	18	33	51	89	98
Other diseases of circulatory system	60	-	-	-	-	-	1	1	4	11	18	25
Bronchitis	280	9	2	2	-	1	5	11	23	42	68	117
Broncho-pneumonia	156	39	32	17	4	-	3	4	9	11	19	18
Lobar-pneumonia	48	1	1	3	2	1	1	7	7	13	6	6
Pneumonia (type not distinguished)	39	2	2	2	-	2	3	4	5	6	8	5
Other diseases of respiratory system	28	-	-	1	1	-	-	5	5	5	4	7
Diarrhœa and enteritis	13	5	5	-	-	-	-	-	-	1	1	1
Appendicitis, Typhlitis	5	-	-	1	-	-	1	1	-	1	-	1
Hernia, Intestinal obstruction.. ..	12	1	-	-	-	-	1	1	-	2	5	2
Cirrhosis of liver	10	-	-	-	-	-	-	1	1	4	3	1
Other diseases of digestive system ..	30	-	-	1	1	1	2	7	5	6	4	3
Acute nephritis	2	-	-	-	-	-	-	-	1	1	-	-
Chronic Bright's disease..	41	-	-	-	1	2	1	4	4	8	11	10
Other diseases of genito-urinary system.	25	-	-	-	-	-	1	2	2	5	8	7
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth..	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	24	24	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	60	-	-	-	-	-	-	-	-	-	6	54
Suicide	15	-	-	-	-	-	4	1	4	4	2	-
Burns and Scalds	2	1	-	1	-	-	-	-	-	-	-	-
Drowning	3	-	-	-	-	1	1	-	-	-	1	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	9	-	-	-	-	1	-	2	-	2	2	2
Other deaths by violence	19	-	-	-	-	-	2	1	1	5	5	5
Other specified causes	51	16	1	1	3	3	2	3	4	7	7	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 22nd January, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	189	240	3	380	C. 2 D. 4 E. 2 G. 6 M. 12 N. 30
†CITY OF LONDON	–	4	–	–	3	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	12	8	2	33	E. 1
†BERMONDSEY ...	–	4	11	–	6	M. 2 N. 1
†BETHNAL GREEN	–	9	13	–	11	N. 2
†CAMBERWELL ...	–	7	8	–	17	G. 1 N. 1
†CHELSEA	–	4	3	–	7	–
†DEPTFORD ...	–	5	8	–	11	D. 1
†FINSBURY ...	–	3	5	–	1	N. 1
†FULHAM	–	8	8	–	25	D. 1 M. 1
†GREENWICH ...	–	10	7	–	8	M. 1
†HACKNEY ...	–	4	11	–	4	N. 4
†HAMMERSMITH ...	–	1	6	–	6	–
†HAMPSTEAD ...	–	2	–	–	4	G. 1
†HOLBORN... ...	–	1	3	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	14	20	–	11	M. 3 N. 1
†KENSINGTON ...	–	2	10	–	12	N. 2
†LAMBETH ...	–	8	10	–	19	G. 1 N. 2
†LEWISHAM ...	–	11	13	–	16	–
†PADDINGTON ...	–	6	13	–	14	D. 1 N. 2
†POPLAR	–	16	4	–	27	G. 1
†ST. MARYLEBONE	–	4	6	–	4	C. 1 E. 1 N. 3
†ST. PANCRAS ...	–	6	8	–	15	C. 1 G. 1 N. 1
†SHOREDITCH ...	–	6	6	–	18	M. 2 N. 1
†SOUTHWARK ...	–	13	21	–	19	N. 2
†STEPNEY	–	13	12	1	23	G. 1 N. 1
†STOKE NEWINGTON	–	1	–	–	–	–
†WANDSWORTH ...	–	10	17	–	48	M. 1 N. 4
†WESTMINSTER, CITY OF	–	1	5	–	3	D. 1 N. 1
†WOOLWICH ...	–	4	4	–	15	M. 2 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
BEDFORD	–	10	3	–	5	N. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	2	–	–	1	–
BIGGLESWADE ...	–		–		1	–
†LUTON	–	4	2	–	–	–
Rural Districts:—						
AMPTHILL ...	–		–	–	1	–
BEDFORD ...	–	3	–	–	1	–
BIGGLESWADE ...	–	–	1	–	–	N. 1
EATON BRAY ...		1		–		–
LUTON	–	–	–	–	1	–
BERKS	–	8	5	–	–	C. 1 G. 1 N. 1
†READING C.B. ...	–	2	3	–	–	C. 1
Boroughs and Urban Districts:—						
†NEW WINDSOR ...		1	–	–	–	–
Rural Districts:—						
COOKHAM ...	–	2	–		–	G. 1
NEWBURY ...	–	1	–	–	–	
WALLINGFORD ...	–		–	–	–	N. 1
WANTAGE ...	–	–	1		–	–
WINDSOR... ...		1	–	–	–	
WOKINGHAM ...	–	1	1		–	–
BUCKINGHAM ...	–	8	3	–	4	C 1 M. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1		–	–	–
BLETCHLEY ...	–	–	3	–	–	–
†SLOUGH	–	–	–	–	1	–
†WOLVERTON ...	–	–	–		1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...		3	–	–	–	–
AYLESBURY ...	–	1	–	–	1	C 1
ETON	–	–	–	–	1	–
NEWPORT PAGNELL	–	2	–	–	–	–
WINSLOW... ...	–	1	–	–	–	–
CAMBRIDGE ...	–	5		1	2	N. 2
Borough:—						
†CAMBRIDGE ...	–	3		–	2	N. 1
Rural Districts:—						
CHESTERTON ...	–	–	–		–	N. 1
LINTON	–	2	–	–	–	–
NEWMARKET ...	–	–	–	1	–	–
CHESTER	–	47	28	1	41	C. 1 M. 4 N. 4
†BIRKENHEAD C.B.	–	2	5		13	–
†CHESTER C.B. ...	–	–	1		2	–
†STOCKPORT C.B.	–	15	3		4	N. 1
†WALLASEY C.B. ...	–	5	2	–	1	N. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	–	1	–	1	–
BOLLINGTON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	–		1	–
†CHEADLE AND GATLEY	–	3	–	–	–	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	1	1	–	–	N. 1
†DUKINFIELD ...	–	–	2		1	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HAZEL GROVE AND BRAMHALL	–	2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	3	–	–	–
†HYDE	–	–	1	–	1	–
†MACCLESFIELD ...	–	1	2	1	3	N. 1
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ...	–	–	–	–	1	M. 2
†STALYBRIDGE ...	–	1	–	–	–	–
TARPORLEY ...	–	–	–	–	1	–
WILMSLOW ...		–	1	–	1	–
Rural Districts:—						
BUCKLOW ...	–	2	–	–	–	C. 1
CHESTER	–	1	–	–	1	–
CONGLETON ...	–	–	–	–	–	M. 1
NANTWICH ...	–	3	–	–	2	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	1	–	–	–	M. 1
TARVIN	–	4	1	–	–	–
WIRRAL	–	1	5	–	2	–
CORNWALL ...	–	6	3	1	2	N. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	1	–	–	–
†FALMOUTH ...		1	–	–	–	–
LUDGVAN ...	*	*	*	*	*	*
MADRON	*	*	*	*	*	*
PAUL	*	*	*	*	*	*
ST. IVES	–	–	–	–	1	N. 1
†TRURO	–	2	–		–	–
Rural Districts:—						
BODMIN	–	1	–		–	–
CAMELFORD ...	*	*	*	*	*	*
HELSTON... ...	–	2	–	–	–	–
REDRUTH ...	–	–	2	–	–	–
ST. COLUMB MAJOR	–	–	–	–	1	–
ST. GERMANS ...		–	–	1		
WEST PENWITH...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	10	12	–	2	N. 2
†CARLISLE C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	2	–	–	–
ASPATRIA ...	–	–	–	–	1	–
CLEATOR MOOR ...	–	–	1	–	–	–
EGREMONT ...	–	1	5	–	–	–
KESWICK	–	–	–	–	1	–
†MARYPORT ...	–	–	2	–	–	N. 1
MILLOM	–	1	–	–	–	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	1	–	–	–	–
†WORKINGTON ...	–	1	–			–
Rural Districts:—						
CARLISLE ...		1	–	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
PENRITH	–	1	–	–	–	–
WHITEHAVEN ...	–	–	2		–	–
WIGTON		1	–	–	–	N. 1
DERBY	25	26	21	–	34	N. 1
†DERBY C.B. ...	1	1	5	–	6	N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
ALVASTON AND BOULTON	–	–	–	–	1	–
BAKEWELL ...	–	–	–	–	1	
†BELPER	13	–	–	–	–	–
†BOLSOVER ...	–	3	–	–	–	–
†CHESTERFIELD ...	–	3	5	–	9	–
CLAY CROSS ...	–	2	–		–	
HEAGE	1	–	–	–	–	–
†HEANOR	–	2	2	–	–	–
†LONG EATON ...	–	1	1	–	1	–
†RIPLEY	1	–	–	–	–	–
†SWADLINCOTE DISTRICT	–	3	1	–	3	–
†THE MATLOCKS...	1	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	8	–	–	–	–	–
BLACKWELL ...	–	4	3	–	3	–
CHESTERFIELD ...	–	2	3	–	6	–
CLOWNE	–	–	1	–	1	–
REPTON	–	1	–	–	1	–
SHARDLOW ...	–	–	–	–	2	–
DEVON	–	24	9	–	11	C. 1 E. 1 M. 1 N. 5
†EXETER C.B. ...	–	4	–	–	1	E. 1 N. 1
†PLYMOUTH C.B. ...	–	11	7	–	1	N. 2
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	–	–	1	–
BIDEFORD ...	–	1	–	–	–	–
DARTMOUTH ...		–	–	–	1	–
GREAT TORRINGTON	–	–	1	–	–	–
†TEIGNMOUTH ...	–	–	–	–	1	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	–	–	–	1	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
KINGSBRIDGE ...	–	2	–	–	1	–
PLYMPTON ST. MARY	–	2	–	–	1	–
ST. THOMAS ...	–	1	1	–	2	C. 1 N. 1
SOUTH MOLTON ...	–	–	–	–	1	M. 1 N. 1
TORRINGTON ...	–	2	–	–		–
DORSET	–	11	–	–	14	E. 1 M. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	3	–	–	1	–
BRIDPORT ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts—cont.						
DORCHESTER ...	–	–	–	–	2	–
†POOLE	–	3	–	–	3	E. 1
†PORTLAND ..	–	–	–	–	4	–
Rural Districts:—						
BEAMINSTER ...	–	3	–	–	–	–
BLANDFORD ...		–	–	–	1	–
BRIDPORT ...	–	1	–	–	–	–
CERNE	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	1	–
SHERBORNE ...	–	–	–	–	1	–
WEYMOUTH ...		–		–	1	–
DURHAM	313	55	31	1	85	C. 2 D. 1 E. 1 G. 1 M. 3 N. 6
†DARLINGTON C.B.	1	4	–	–	2	
†GATESHEAD C.B.	9	9	5	–	5	D. 1
†SOUTH SHIELDS C.B.	3	1	1	–	26	–
†SUNDERLAND C.B.	–	2	1	–	16	C. 1 G. 1
†WEST HARTLEPOOL C.B.	–	6	2	–	11	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	3	2	2	–	–	–
BENFIELDSIDE ...	–	1	–	–	1	N. 1
†BISHOP AUCKLAND	–	–	1	–	–	–
†BRANDON AND BYSHOTTLES	29	–	–	–	–	–
†CHESTER LE STREET	4	–	–		–	M. 2
†CONSETT	–	3	–	–	2	C. 1
†CROOK	26	–	–	–	–	–
†DURHAM	4		–	–	2	–
†FELLING	3	–	1	–	2	–
†HARTLEPOOL ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hebburn ...	5	3	–	–		–
†Hetton	23	–	–		2	–
†Houghton le Spring	1	–	1	–	–	–
†Jarrow	26	2	–	–	3	N. 2
Leadgate ...	–	–	–		1	
†Shildon	22	–	–		–	–
†Stanley	11	5	5	–	–	–
†Stockton on Tees	–	4	1	–	1	E. 1
†Tanfield ...	7	1	–		–	–
Tow Law ...	1	1	–	–	–	–
†Whickham ...	–	–	–	–	2	–
Willington ...	21	–	–			–
Rural Districts:—						
Auckland ...	21	–	1	–	–	–
Chester le Street	34	2	–	–	2	–
Darlington ...	2		–	–	–	–
Durham	3	3	–		–	–
Easington ...	18	1	5	–	2	–
Houghton le Spring	7	2	1	–	–	–
Lanchester ...	18	1	1	1	1	N. 1
Sedgefield ...	9	–	1	–	2	N. 1
South Shields...	2	1	2	–	–	–
Sunderland ...	–	–	–	–	2	–
Weardale ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	2	–	–	3	N. 1
Boroughs and Urban Districts:—						
Ely	–	–	–	–	2	N. 1
Rural Districts:—						
Wisbech	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	121	62	–	95	E. 1 G. 1 M. 3 N. 5
†East Ham C.B. ...	–	5	4	–	4	–
†Southend-on-Sea C.B.		7	6	–	8	M. 1
†West Ham C.B. ...	–	28	19	–	25	E. 1 N. 2
Boroughs and Urban Districts:—						
†Barking Town...	–	5	1	–	11	–
Braintree ...	–	1	–	–		–
Brentwood ...	–		1	–	–	–
Buckhurst Hill	–	4	–	–	–	–
Canvey Island...			2	–	–	–
†Chelmsford ...	–	2		–	1	–
Chingford ...	–	–		–	1	–
†Clacton	–	–	–	–	2	–
†Colchester ...		1	–	–	1	–
Dagenham ...		2	–	–	4	G. 1 N. 1
Epping	–	1	–	–	–	–
†Grays Thurrock	–	–	–	–	2	–
†Hornchurch ...	–	2		–	–	–
†Ilford	–	8	1	–	11	–
†Leyton		4	14	–	2	N. 1
Tilbury	–	–	–	–	1	–
†Walthamstow ..	–	18	7	–	8	M. 1
Walton on the Naze	*	*	*	*	*	*
†Wanstead ..	–	–	–		1	–
†Woodford ...	–	1	4	–	3	–
Rural Districts:—						
Belchamp ...	–	1	–	–	–	–
Billericay ...	–	1	–	–	1	
Braintree ...	–	1	–	–	–	–
Chelmsford ...	–	1	–	–	–	N. 1
Dunmow	–	1	–	–	4	–
Epping	–	4	1	–	2	–
Halstead ...	–	1	–	–	–	–
Lexden and Winstree	–	–	–	–	–	M. 1
Maldon	–	4	–	–	–	–
Orsett	–	2	2	–	–	–
Rochford ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
ROMFORD... ...	–	4	–	–	–	–
SAFFRON WALDEN	–	4	–	–	.	–
TENDRING ...	–	7	–	.	1	–
GLOUCESTER ..	.	30	35	–	39	G. 1 M. 1 N. 3
†BRISTOL C.B. ...	–	18	27	–	27	G. 1 N. 1
†GLOUCESTER C.B.	–	–	1	–	4	–
Boroughs and Urban Districts:—						
AWRE	–	1	1	–	–	–
†CHELTENHAM ...	–	1	–	–	–	–
NAILSWORTH ...	–	–	1	–	–	–
STROUD	–	–	–	–	1	–
Rural Districts:—						
CAMPDEN... ...	–	.	–	–	–	N. 1
CHIPPING SODBURY	–	–	1	–	–	–
CIRENCESTER ...	–	–	–	–	2	–
DURSLEY	–	1	–	–	–	M. 1
EAST DEAN AND UNITED PARISHES	–	–	1	–	–	–
NORTHLEACH ...	–	–	–	–	1	–
STOW ON THE WOLD (part)	–	–	.	–	–	N. 1
STROUD	–	6	3	–	–	.
THORNBURY ...	–	–	–	–	2	–
WEST DEAN ...	.	3	.	–	2	–
HEREFORD ..	–	2	1	–	1	N. 1
Boroughs and Urban Districts:—						
ROSS	–	2	.	–	–	–
Rural Districts:—						
BREDWARDINE ...	–	.	–	–	–	N. 1
DORE	–	–	–	–	1	–
ROSS	–	–	1	–	–	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ..	–	6	2	1	10	G. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	1	–	–	–
BISHOP'S STORTFORD	.	1	1	–	–	–
†CHESHUNT ...	–	–	–	–	1	G. 1
CHORLEYWOOD ...	–	1	–	–		N. 1
†EAST BARNET VALLEY	–	–	–	–	1	–
GREAT BERKHAMPSTEAD	–		.	1	–	–
†HERTFORD ...	.	3	–	–	–	–
†LETCHWORTH ...	–	–	–	–	2	–
†ST. ALBANS ...	–	1	–	–	1	–
†WATFORD ...	–	–	–	.	2	–
Rural Districts:—						
HITCHIN	–	–	–	–	1	–
WATFORD ...	–	–	–	–	2	–
HUNTINGDON ..	–	–	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	1	–
KENT	–	38	24	–	92	G. 2 M. 3 N. 3
†CANTERBURY C.B.	–	–	1	–	7	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	–	–	–	1	–
†BECKENHAM ...	–	1	–	–	2	N. 1
†BEXLEY	–	1	–	–	–	–

* Returns not received † Population over 10,000.

G, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROADSTAIRS AND ST. PETER'S	–	–	1	.	1	–
†BROMLEY ..	–	–	1	–	4	–
†CHATHAM ..		2	1	–	–	.
CHISLEHURST ...	–	–	–		1	M. 1
†DARTFORD ..	–	–	–	–	3	N. 1
†DEAL	–	1	–	–	–	–
†DOVER	–	1	1	–	10	–
†ERITH	–	–	–	.	9	–
†FAVERSHAM ...	–	4	–	–	–	G. 1
†FOLKESTONE ..	–	–	–	–	6	–
†GILLINGHAM ...	–	5	2	.	2	–
†GRAVESEND ...	–	1	5	–	–	M. 1
HYTHE	–	–	–	–	1	–
†MAIDSTONE ..	–	2	–	.	3	–
†MARGATE .	–		2	–	4	–
†NORTHFLEET ..	–	1	2	–	–	–
†PENGE	–	–	1	.	1	–
†RAMSGATE ..	–	–	.	–	2	N. 1
†ROCHESTER ..	–	2		–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	3	G. 1
SEVENOAKS ..	–	1	–	–	–	–
SIDCUP	–	–	–	–	2	–
SITTINGBOURNE		1	.		–	–
SWANSCOMBE ...	–	1	3	–	–	–
†TONBRIDGE ...	–	1	–	–	2	–
WHITSTABLE ...		–	2	–	1	–
Rural Districts:—						
BLEAN	–	–	–		1	–
BRIDGE	–	–	1	–	–	–
DARTFORD ..	–	2	1	–	–	–
EASTRY	–	2	–	–		–
ELHAM	–	–	–		6	–
FAVERSHAM ..	–	–	–	–	–	M. 1
HOLLINGBOURNE	–	1	–	–	1	–
MAIDSTONE ...	–	.	–	–	6	–
MALLING	–	1	–	–		–
ROMNEY MARSH...	–	–	.	–	1	–
SEVENOAKS ...	–	–	–	–	4	–
SHEPPEY	–	1	–	–	7	–
STROOD	–	2		–	1	–
TENTERDEN ...	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	7	178	122	2	214	C. 6 D. 1 E. 1 F. 1 G. 7 L. 2 M. 29 N. 12
†BARROW IN FURNESS C.B.	–	3	1	-	2	-
†BLACKBURN C.B.	–	2	1	1	–	N. 2
†BLACKPOOL C.B.	–	3	2	–	–	C. 1 F. 1 M. 2 N. 1
†BOLTON C.B. ...	–	5	3	–	1	G. 1
†BOOTLE C.B. ...	–	3	3	–	3	M. 1 N. 1
†BURNLEY C.B. ...	–	5	1	–	2	–
†BURY C.B. ...	–	3	1	–	1	–
†LIVERPOOL C.B. ...	–	33	41	–	66	C. 2 E. 1 M. 12
†MANCHESTER C.B.	–	38	13	1	53	C. 1 D. 1 M. 6 N. 2
†OLDHAM C.B. ...	–	7	7	–	2	C. 1 M. 1 N. 1
†PRESTON C.B. ...	–	2	–	–	2	–
†ROCHDALE C.B. ...	–	2	7	–	1	–
†ST. HELENS C.B....	–	5	4	–	2	N. 1
†SALFORD C.B. ...	-	10	11	–	7	M. 3
†SOUTHPORT C.B.	7	4	1	–	3	–
†WARRINGTON C.B.	–	1	6	–	2	–
†WIGAN C.B. ...	–	1	–	–	8	–
Boroughs and Urban Districts:—						
ABRAM	–	–		–	2	–
†ACCRINGTON ...	–	4	–	–	–	–
†ASHTON IN MAKERFIELD	–	2	-	–	1	–
†ASHTON UNDER LYNE	–	3	–	–	2	–
†ATHERTON ...	–	1	1	–	1	M. 1
AUDENSHAW ..	–	1	–	–	–	–
†BACUP		1	–	–	–	M. 1 N. 1
BRIERFIELD ...	–	–	–	-	–	G. 1
CARNFORTH ...	–	2	–	–	-	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHADDERTON ...	–	–	–	–	2	–
†CHORLEY	–	–	–	–	1	–
†COLNE	–	–	2	–	3	–
†CROMPTON ...	–	1	–	–	–	–
†DALTON IN FURNESS	–	1	1	–	–	–
†DARWEN	–	–	1	–	2	–
†DENTON	–	–	–	–	2	–
†ECCLES	–	–	1	–	–	N. 1
†FAILSWORTH ...	–	–	–	–	1	–
†FARNWORTH ...	–	1	–	–	1	C. 1
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	4	–	–	–	–
†HAYDOCK ...	–	–	–	–	1	–
†HEYWOOD ...	–	1	–	–	1	–
†HINDLEY	–	–	–	–	–	M. 1
†HORWICH ...	–	–	1	–	–	–
HURST	–	–	–	–	1	G. 1
HUYTON WITH ROBY	–	1	–	–	–	
†INCE IN MAKERFIELD	–	–	–	–	2	–
KEARSLEY ...	–	1	–	–	–	–
KIRKHAM ...	–	–	–	–	1	–
†LANCASTER ...	–	3	–	–	–	–
LEES	–	1	–	–	–	–
†LEIGH	–	–		–	1	G. 1
†LITHERLAND ...	–	1		–	–	–
†LITTLEBOROUGH	–	–	4	–	–	–
†LYTHAM ST. ANNE'S	–	–	1	–	.	–
†MIDDLETON ...	–	–	–	–	3	–
†MORECAMBE ...	–	2	–	–	–	–
†NELSON	–	1	–	–	1	–
†NEWTON IN MAKERFIELD	–	–	–	–	2	–
NORDEN	–	1	–	–	–	–
ORMSKIRK ...	–	–	1	–	1	–
ORRELL	–	–	–	–	1	–
†OSWALDTWISTLE	–	2	–	–	1	–
†PADIHAM ...	–	1	–	–	1	–
PRESCOT	–	1	–	–	.	–
†RADCLIFFE ...	–	5	2	–	3	–
†RAMSBOTTOM ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	–	–	–	–	M. 1
†STRETFORD ...	–	2	–	–	1	G. 1
†SWINTON AND PENDLEBURY	–	1	–	–	6	N. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
TOTTINGTON ...	–	–	–	–	1	–
TRAWDEN ...	–	1	–		–	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	1	–
†WESTHOUGHTON	–	–	1	–	–	G. 1
†WIDNES	–	–	2	–	5	N. 1
Rural Districts:—						
BLACKBURN ...	–	1		–	–	–
BURNLEY	–	–	–	–	–	G. 1
BURY	–	–	–	–	1	–
CHORLEY	–	–	–	–	1	–
CLITHEROE ...	–	–	–	–	–	L 2
GARSTANG ...	–	1	–	–	–	–
LIMEHURST ...	–	–	1	–	2	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON	–	–	1	–	–	–
LEICESTER	–	15	8	–	18	E. 1 N. 1
†LEICESTER C.B. ...	–	10	4	–	12	N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
†COALVILLE ...	–		1	–	–	–
†HINCKLEY ...	–	1	–		–	–
†LOUGHBOROUGH	–	2	1	–	–	–
MARKET HARBOROUGH	–	–	.	–	1	–
MELTON MOWBRAY	–	.	–	–	3	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BARROW UPON SOAR	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
HINCKLEY ...	–	–	–	–	–	E. 1
LUTTERWORTH ...	–	–	–	–	1	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	6	2	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
BOSTON	–	3	–	–	–	–
CROWLAND ...	–	1	–	–	–	–
EAST ELLOE ...	–	1	–	–	–	–
SPALDING (part)..	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	3	1	–	3	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	2	–
Rural Districts:—						
BOURNE	–	2	1	–	–	–
BRANSTON ...	–	–	–	–	1	–
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	14	15	5	–	18	G. 1 M. 1
†GRIMSBY C.B. ...	–	2	2	–	1	G. 1
†LINCOLN C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	1	4	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GAINSBOROUGH ...	13	1	–	–	4	–
HORNCASTLE ...	–	–	–	–	5	–
MABLETHORPE AND SUTTON	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	1		1	–
SKEGNESS ...	*	*	*	*	*	*
Rural Districts:—						
GLANFORD BRIGG	–	1	1	–	2	–
ISLE OF AXHOLME	–	–	–	–	1	–
LOUTH	–	3	–	–	–	–
SPILSBY	–	–	–	–	–	M. 1
MIDDLESEX ...	–	58	30	1	90	C. 1 D. 1 E. 2 G. 2 M. 1 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	5	1	–	–	–
†BRENTFORD ...	–	–	–	–	2	–
†CHISWICK ...	–	1	1	–	1	–
†EALING	–	3	–	1	14	–
†EDMONTON ...	–	1	3	–	2	–
†ENFIELD	–	–	2	–	6	–
†FINCHLEY ...	–	4	1	–	1	E. 1 M. 1 N. 1
†FRIERN BARNET	–	1	–	–	–	–
†HAMPTON ...	–	2	–	–	1	–
HAMPTON WICK...	–	–	–	–	1	–
†HARROW ON THE HILL	–	6	–	–	1	–
†HENDON	–	4	3	–	5	–
†HESTON AND ISLEWORTH	–	–	–	–	4	G. 1
†HORNSEY... ...	–	4	2	–	4	C. 1
†SOUTHALL NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	2	–	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†TEDDINGTON ...	–	–	1	–	1	N. 2
†TOTTENHAM ...	–	10	6		15	G. 1
†TWICKENHAM ...	–	–	2	–	8	N. 1
†WEALDSTONE ...	–	1	–	–	3	–
†WEMBLEY ...	–	–	–	–	5	–
†WILLESDEN ...	–	4	4	–	12	D. 1
†WOOD GREEN ...	–	2	2	–	4	N. 1
YIEWSLEY ...	–	4	–		–	–
Rural Districts:—						
HENDON	–	2	–	–	–	E. 1
STAINES		1	1	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK	–	27	4	2	11	G. 1 N. 1
†GREAT YARMOUTH C.B	–	6	–	–	1	–
†NORWICH C.B. ...	–	7	3	–	5	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1	–	1	N. 1
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	–	–
BLOFIELD ...	–	–	–	2	–	G. 1
DEPWADE ...	–	1	–		2	–
DOWNHAM ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	–	–		1	–
HENSTEAD ...	–	3	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
WAYLAND ...	–	7	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ..	1	4	2	–	15	–
†NORTHAMPTON C.B.	–	–	1	–	7	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	–	–	–	1	–
†KETTERING ...	1	1	–	–	1	–
†RUSHDEN... ...	–	–	–	–	1	–
Rural Districts:—						
HARDINGSTONE ...	–	–	–	–	1	–
KETTERING ...	–	1	–	–	–	–
NORTHAMPTON ...	–	–	1	–	1	–
OUNDLE (part) ...	–	1	–	–	–	–
THRAPSTON (part)	–	1	–	–	–	–
TOWCESTER ...	–	–	–	–	3	–
NORTHUMBERLAND	24	44	13	1	53	D. 1 E. 1 M. 3 N. 3
†NEWCASTLE UPON TYNE C.B.	3	20	4	–	33	D. 1 E. 1 M. 2 N. 1
†TYNEMOUTH C.B.	–	4	2	–	6	–
Boroughs and Urban Districts:—						
ALNWICK... ...	–	1	–	–	–	–
AMBLE	–	–	2	–	–	–
†ASHINGTON ...	15	5	–	–	–	–
†BEDLINGTONSHIRE	–	2	–	–	1	–
†BERWICK UPON TWEED	–	2	–	1	–	–
†BLYTH		–	–	–	–	N. 2
CRAMLINGTON ...	–	1	–	–	1	–
†GOSFORTH ...	1	–	–		–	M. 1
MORPETH... ...	1	–	–	–	–	–
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
†NEWBURN ...	–	1	–	–	1	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	3	4	–	8	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	1	–
HALTWHISTLE ...	–	2	1	–	1	–
NORHAM AND ISLANDSHIRES	4	–	–	–	–	–
NOTTINGHAM ...	10	27	20	–	31	E. 1 M. 5 N. 1
†NOTTINGHAM C.B	–	6	17	–	10	M 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	3	–
†BEESTON... ...	–	1	–	–	–	–
†CARLTON	–	1	–	–	–	N. 1
†EAST RETFORD ...	–	–	–	–	1	E. 1
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	–	–	–	–	6	M. 1
†KIRKBY IN ASHFIELD	1	8	–	–	–	M. 1
†MANSFIELD ...	–	–	1	–	2	–
†MANSFIELD WOODHOUSE	*	*	*	*	*	*
†SUTTON IN ASHFIELD	8	1	2	–	6	–
†WEST BRIDGFORD	–	–	–	–	1	–
†WORKSOP... ...	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	4	–	–	1	–
EAST RETFORD ...	–	3	–	–	–	–
MISTERTON ...	1	–	–	–	–	–
NEWARK	–	–	–	–	–	M. 1
SOUTHWELL ...	–	–	–	–	–	M. 1
STAPLEFORD ...	–	1	–	–	1	–
OXFORD	–	–	–	–	6	C. 1 M. 1 N 2
†OXFORD C.B. ..	–	–	–	–	1	C. 1 M. 1 N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	–	–	1	–
Rural Districts:—						
GORING	–	–	–	–	1	–
HEADINGTON ...	–	–	–	–	1	–
WOODSTOCK ...	–	–	–	–	2	–
PETERBOROUGH (Soke of)	–	–	1	–	2	G. 1
Borough:—						
†PETERBOROUGH...	–	–	1	–	2	G. 1
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM	–	1	–	–	–	–
SALOP	–	9	2	–	1	E. 1
Boroughs and Urban Districts:—						
ELLESMERE ...	–	2	–	–	–	–
†OAKENGATES ...	–	2	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ..	–	1	–	–	–	–
†WENLOCK ...	–	–	1	–	–	–
Rural Districts:—						
CLUN	–	–	–	–	–	E. 1
DRAYTON... ...	–	–	1	–	–	–
LUDLOW	–	–	–	–	1	–
OSWESTRY ...	–	1	–	–	–	–
WEM	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	13	6	–	24	G. 1 N. 1
†BATH C.B. ..	–	4	–	–	–	N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
MINEHEAD ...	–	1	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	–
†TAUNTON ...	–	1	–	–	2	–
WELLINGTON ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	2	5	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
BATH	–	–	1	–	–	–
BRIDGWATER ...	–	–	–	–	3	–
CHARD	–	–	–	–	1	–
CLUTTON	–	1	–	–	3	–
FROME	–	–	–	–	2	–
LANGPORT ...	–	–	–	–	5	–
LONG ASHTON ...	–	2	–	–	4	–
WELLINGTON ...	–	–	–	–	1	–
WILLITON ...	–	–	–	–	–	G. 1
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON ..	–	33	29	–	22	D. 1 E. 1 F. 1 M. 3 N. 4
†BOURNEMOUTH C.B.	–	3	–	–	2	F. 1
†PORTSMOUTH C.B.	–	11	19	–	2	D. 1 N. 1
†SOUTHAMPTON C.B.	–	6	6	–	7	M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	–
ALTON	–	1	–	–	1	–
ANDOVER... ...	–	1	–	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—						
Boroughs and Urban Districts:— *cont.*						
†GOSPORT	–	–	–			M. 1
LYMINGTON ...	–	1	–	–	–	–
MILTON	–	–	–	–	–	N. 1
ROMSEY	–	1	–		–	–
†WINCHESTER ...	–	–	–	–	2	–
Rural Districts:—						
ALRESFORD ...	–	2	–	–	–	–
ALTON	–	–	1	–	3	–
ANDOVER... ...	–	–	–	–	–	N. 1
DROXFORD ...	–	–	–	–	1	–
FORDINGBRIDGE ..	–	–	–	–	–	E. 1
HARTLEY WINTNEY	–	1	–	–	2	–
HURSLEY... ...	–	–	1		–	N. 1
LYMINGTON ...	–	1	–	–	–	–
ROMSEY	–	–	–	–	1	
SOUTH STONEHAM	–	–	2		–	–
STAFFORD	1	50	31		81	M. 5 N. 4
†BURTON UPON TRENT C.B.	–	1	2	–	2	–
†SMETHWICK C.B.	–	3	5	–	8	–
†STOKE ON TRENT C.B.	–	9	7	–	29	M. 1
†WALSALL C.B. ..	–	–	2	–	5	–
†WEST BROMWICH C.B.	–	1	1	–	6	–
†WOLVERHAMPTON C.B.	–	3	2	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	3	–	–	–	–
BIDDULPH ..	–	–	–	–	2	–
†BILSTON	–	3	1	–	2	–
†BROWNHILLS ...	–	3	1	–	3	–
†CANNOCK	–	–	–	–	1	–
†DARLASTON ...	–	–	1	–	1	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	2	–	–	1	–
KIDSGROVE ...	–	1	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROWLEY REGIS ...	–	2	1	–	3	–
†STAFFORD ...	–	–	–		1	–
†TIPTON	–		–	–	1	–
†WEDNESBURY ...	–	3	1	–	4	M. 3 N. 2
†WILLENHALL ...	–	2	–	–	1	–
†WOLSTANTON UNITED	–	3	–	–	1	–
Rural Districts:—						
CANNOCK	–	2	3	–	1	–
CHEADLE	–	1	–	–	–	N. 1
KINGSWINFORD ...	–	2	1	–	–	–
LEEK	–	–	–	–	1	–
NEWCASTLE UNDER LYME	–	–	–	–	1	–
SEISDON	–	2	–	–	–	–
STAFFORD ...	–	1	–	–	–	–
STONE	1	–	–	–	1	–
TAMWORTH (part)	–	–	1	–	–	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL... ...		2	–	–	4	–
SUFFOLK, EAST ...	–	11	2	–	8	N. 3
†IPSWICH C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
BUNGAY	–	1	–	–	–	–
†LOWESTOFT ...	–	5	1	–	3	N. 2
STOWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
BLYTHING ...	–	–	1		–	–
BOSMERE AND CLAYDON	–	1	–	–	1	–
HARTISMERE ..	–	–		–	–	N. 1
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	1	–		–	–
SAMFORD... ...	–	–	–	–	2	–
SUFFOLK, WEST ...	–	1	–	–	1	M. 1
Boroughs and Urban Districts:—						
NEWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
MELFORD... ...	–	–	–	–	–	M. 1
MOULTON ...	–	1	–	–	–	–
SURREY	–	33	16	–	43	E. 2 M. 3 N. 1
†CROYDON C.B. ...	–	8	4	–	9	E. 2 M. 2
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	6	–
†BEDDINGTON AND WALLINGTON	–	–	–	–	2	–
†CARSHALTON ...	–	1	1	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	2	–	–	1	–
EAST AND WEST MOLESEY	–	1	–	–	2	–
†EGHAM	–	1	–		–	–
†FARNHAM ...	–	2	–	–	–	–
†FRIMLEY	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	1	–	–	1	–
†KINGSTON ON THAMES	–	–	–	–	2	–
†MERTON AND MORDEN	–	3	2	–	2	–
†MITCHAM... ...	–	–	1		5	M. 1
†REIGATE	–	–		–	–	N. 1
†RICHMOND ...	–	1	–	–	–	
†SUTTON	–	–	2	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WALTON UPON THAMES	–	–	–	–	1	–
†WIMBLEDON ...	–	4	–	–	–	–
WINDLESHAM ...	–	–	–	–	1	–
†WOKING	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	3	–	–	1	–
DORKING	–	–	–	–	2	–
EPSOM	–	–	1	–	1	–
GODSTONE ...	–	–	–		3	–
REIGATE	–	1	5	–	2	–
SUSSEX, EAST ..	–	9	3	1	21	C. 1 N. 2
†BRIGHTON C.B. ...	–	1	3	1	7	N. 1
†EASTBOURNE C.B.	–	1	–	–	3	–
†HASTINGS C.B. ...	–	4	–	–	7	N. 1
Boroughs and Urban Districts—						
EAST GRINSTEAD	–	–	–	–	2	–
†HOVE	*	*	*	*	*	*
†LEWES	–	1	–	–	–	–
PORTSLADE BY SEA	*	*	*	*	*	*
SEAFORD	–		–	–	–	C. 1
UCKFIELD ...	–	–	–	–	1	–
Rural Districts:—						
EAST GRINSTEAD		–	–	–	1	–
NEWHAVEN ...	–	1	–	–	–	–
UCKFIELD ...	–	1	–		–	–
SUSSEX, WEST ..	–	8	1	–	4	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...		–	1	–	–	–
SHOREHAM BY SEA	–	–	–	–	1	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
HORSHAM ...	–	–	–	–	1	–
MIDHURST ...	–	5		–		–
THAKEHAM ...	–	1	–	–	–	–
WESTHAMPNETT ..	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	39	50	–	67	D. 1 E. 1 G. 1 M. 9 N. 5
†BIRMINGHAM C.B.	–	20	43	–	52	D. 1 E 1 G. 1 M. 7 N. 2
†COVENTRY C.B. ...	–	8	–	–	2	N. 3
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	1	–	4	M. 1
†RUGBY	–	–	–	–	2	–
†SUTTON COLDFIELD		–	–	–	1	M. 1
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	2	1	–	1	–
BRAILES	–	–	–	–	2	–
FOLESHILL ...	–	2	1	–	1	–
MERIDEN... ...	–	1	–	–	–	–
NUNEATON ...	–	–	1	–	–	–
RUGBY	–	–		–	1	
SOLIHULL ...		1	–	–	1	–
SOUTHAM... ...	–	1	–	–	–	–
TAMWORTH (part)	–	1	3	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND ..	–	10	1	–	1	–
Boroughs and Urban Districts:—						
APPLEBY... ...	–	2	–		–	–
†KENDAL	–	2	1	–	–	–
SHAP	–	1	–	–	–	–
WINDERMERE ...	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND		5	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT... ...		1	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
VENTNOR... ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	1	7	–	30	L. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	–	1	–	–	–
CHIPPENHAM ...	–	1	–	–	1	–
†SALISBURY ...		–	–	–	–	M. 2
†SWINDON... ...		–	–	–	15	–
WARMINSTER ...	–	–	–	–	–	N. 1
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
CHIPPENHAM ...	–	–	–	–	2	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	1	–
DEVIZES	–	–	–	–	–	L. 1
HIGHWORTH ...	–	–	3	–	7	–
MALMESBURY ...	–	–	–	–	2	–
MARLBOROUGH ...	–	–	–	–	–	N. 1
SALISBURY ...	–		3	–	–	–
WILTON	–	–	–	–	1	–
WORCESTER ...	–	9	9	–	16	C. 1 G. 1 N. 1
†DUDLEY C.B. ..	–	–	–	–	1	N. 1
†WORCESTER C.B.	–	–	–	–	7	–
Boroughs and Urban Districts:—						
EVESHAM ...	*	*	*	*	*	*
†HALESOWEN ...	–	3	1	–	4	–
†MALVERN ...	–	1	–	–	–	–
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORTH BROMSGROVE	–	–	1	–	–	–
†OLDBURY... ...	–	1	1	–	2	C. 1 G. 1
†REDDITCH ...	–	2	4	–	1	–
†STOURBRIDGE ...	–	–	1	–	–	–
STOURPORT ...	*	*	*	*	*	*
Rural Districts:—						
FECKENHAM ...	–	–	1	–	–	–
MARTLEY... ...	–	2	–		–	–
PERSHORE ...	–		–	–	1	–
YORKS ... ... (East Riding.)	–	21	19	–	7	M. 1 N. 1
†KINGSTON UPON HULL C.B.	–	15	13	–	5	M. 1 N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–		–
†BRIDLINGTON ...	–	1	–	–	–	–
FILEY	–	–	3	–		
WITHERNSEA ...	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	–	1	1	–	–	–
DRIFFIELD ...	–	–	1	–	–	–
ESCRICK	–	1	–	–	–	–
HOWDEN	–	1	–	–	1	–
POCKLINGTON ...	–	–	1	–	–	–
RICCALL	–	1	–	–	–	–
SHERBURN ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... .. (North Riding.)	2	22	4	1	20	C. 1 G. 1 N. 1
†MIDDLESBROUGH C.B	1	6	2	–	7	C. 1 G. 1
Boroughs and Urban Districts:—						
†ESTON	–	13	–	-	3	-
GUISBOROUGH ...	–	–	–	-	2	–
†REDCAR	–	–	–	–	3	-
†SCARBOROUGH ...	1	-	–	1	2	–
†SKELTON AND BROTTON	–	1	–	–	–	--
†THORNABY ON TEES	–	2	-	–	–	N. 1
†WHITBY	–	–	–	–	2	–
Rural Districts:—						
MALTON	–	–	1	–	–	-
NORTHALLERTON	*	*	*	*	*	*
SCARBOROUGH ...	–		1	–	1	-
YORKS ... ... (West Riding.)	161	132	81	3	241	C. 4 D. 1 G. 3 M. 14 N. 11
†BARNSLEY C.B. ..	–	2	1	–	3	C. 1
†BRADFORD C.B. ...	1	8	9	–	27	G. 1 M. 1 N. 1
†DEWSBURY C.B....	–	–	1	–	–	–
†HALIFAX C.B. ...	–	1	–	–	1	M. 1 N. 1
†HUDDERSFIELD C.B.	1	5	6	–	9	–
†LEEDS C.B. ...	–	17	17	1	27	C. 1 D. 1 M. 4 N. 3
†ROTHERHAM C.B.	–	2	–	–	24	N. 1
†SHEFFIELD C.B....	66	38	29	–	92	C. 2 G. 1 M. 2 N. 3
†WAKEFIELD C.B.	8	2	–	–	2	M. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–	–	1	–
ALTOFTS	–	1	–	–	1	–
†BATLEY	–	1	–	–	3	–
†BENTLEY WITH ARKSEY	–	2	1	–	–	-
†BINGLEY	–	-	1	–	4	–
BIRSTAL	–	1	1	–	–	–
†BOLTON UPON DEARNE	1	1	–	–	1	-
†BRIGHOUSE ...	–	–	–	–	1	–
BURLEY IN WHARFEDALE	-	–	–	–	2	–
CALVERLEY ...	-	1	-	–	–	-
†CASTLEFORD ...	-	–	–	–	1	-
†CONISBROUGH ...	5	–	1	–	–	–
DENBY AND CUMBERWORTH	-	–	–	–	1	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	18	2	1	–	3	-
DRIGHLINGTON ...	–	–	–	–	1	–
†ELLAND	–	–	–	–	-	M. 1
†GOLCAR	–	–	-	–	1	–
†GOOLE	-	3	–	–	–	-
GREASBROUGH ...	–	1	–		–	–
GREETLAND ..	*	*	*	*	*	*
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	-	4	-	–	4	M 1
†HEMSWORTH ...	–	–	1	–	–	–
†HOLMFIRTH ..	–	2	-	–	–	–
HONLEY	–	1	–	–	–	–
HORSFORTH ...		1	-	–	–	–
†HOYLAND NETHER	–	-	-	–	1	-
HOYLAND SWAINE	*	*	*	*	*	*
†KEIGHLEY ...	10		–	–	–	–
KIRKBURTON ...	–		–	–	2	–
KNOTTINGLEY ...	–	-	1	–	1	–
MARSDEN... ...	–	4	–	–	–	–
†MEXBOROUGH ..	28	1	–	–	1	–
†MIRFIELD ...	–	–	3	-	-	N. 1
†MORLEY	–	-	–	–	1	-
MYTHOLMROYD ...	*	*	*	*	*	*
†NORMANTON ..	–	–	1	1	–	M. 1
†OSSETT	–	2	1	–	–	–
OTLEY	–	–	–	–	1	

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polic-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	-	-	1	-	-	-
†RAWMARSH ...	1	4	-	-	-	-
†ROTHWELL ...		-	-	-	-	G. 1
†SADDLEWORTH ...	-	2	1		-	-
SELBY	-	-	-	-	1	-
†SHIPLEY	-	1		-	-	M. 2
†SKIPTON	-	1		-	-	-
SOUTH CROSLAND	-	-			3	-
†SPENBOROUGH ...	-	1	-	-	2	-
†STANLEY	-		-	-	2	
STOCKSBRIDGE ...	-	-		-	1	-
†SWINTON... ...	5	-		-	2	-
TICKHILL ...		-	-	-	2	-
†WATH UPON DEARNE	5	1	-	-	-	-
†WOMBWELL ...	-		-	-	1	-
YEADON	-	1	-	-	-	-
Rural Districts:—						
DONCASTER ...	4	1	-	-	-	-
GREAT OUSEBURN	-	-	-	-	1	-
HEMSWORTH ..	-	2	-	-	1	-
KEIGHLEY ...	3	-	-	-	-	-
KIVETON PARK ...	-	-	1	-	1	-
PENISTONE ...	-	-	1	-	-	-
RIPON	-		-	-	1	-
ROTHERHAM ..	-	3	-	-	2	-
SELBY		2	-	-	-	-
SKIPTON	-			1	-	-
TADCASTER ...	-	3	-		2	-
THORNE	5	-	-	-	-	-
WAKEFIELD ..	-	1	-	-	-	-
WETHERBY ...	-	1	2	-	1	-
WHARFEDALE (SOUTH)		-	-	-	1	-
WORTLEY ...	-	2	-	-	1	-
§YORK, CITY OF		4	1	-	3	C. 1
†YORK C.B. ...	-	4	1	-	3	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	-	1	1	-	1	-
Boroughs and Urban Districts:—						
AMLWCH	-	-		-	1	-
LLANGEFNI ...	-	-	1	-	-	-
Rural Districts:—						
VALLEY	-	1	-	-	-	-
BRECKNOCK ...	-	-	1	-	1	-
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
VAYNOR AND PENDERYN	-	-	1	-	-	-
YSTRADGYNLAIS	-	-	-	-	1	-
CAERNARVON ...	-	5	2	-	-	-
Boroughs and Urban Districts:—						
†BANGOR	-	1	-	-	-	-
CAERNARVON ...	-	1	1	-	-	-
†LLANDUDNO ...	-	1	-	-	-	-
Rural Districts:—						
GWYRFAI... ...	-	2	-	-	-	-
LLEYN	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	–	N. 1
CARMARTHEN ...	–	6	2	–	3	N. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	1	–	–	–
KIDWELLY ...	–	2	–	–	1	–
†LLANELLY ...	–	–	–	–	2	N. 1
Rural Districts:—						
CARMARTHEN ...	–	2	–	–	–	–
LLANELLY ...	–	–	1	–	–	–
WHITLAND ...	–	2	–	–	–	–
DENBIGH	–	1	1	–	3	–
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	–	–	2	–
Rural Districts:—						
RUTHIN	–	–	1	–	–	–
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	8	2	–	4	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	1	–
FLINT	–	1	–	–	1	–
†RHYL	–	1	2	–	1	–
Rural Districts:—						
HAWARDEN ...	–	4	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	1	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	36	38	2	74	L. 1 N. 4
†CARDIFF C.B. ...	–	5	10	–	19	N. 3
†MERTHYR TYDFIL C.B.	–	–	–	–	1	–
†SWANSEA C.B. ...	–	3	3	1	9	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	5	1	–	1	–
†BARRY	–	1	2	–	7	N. 1
BRIDGEND ...	–	1	–	–	–	–
†CAERPHILLY ...	–	–	1	–	–	–
†GELLIGAER ...	–	1	–	–	1	–
†GLYNCORWG ...	–	1	–	–	–	–
†MAESTEG ...	–	–	1	–	–	–
†MOUNTAIN ASH ...	–	3	1	1	2	–
†NEATH	–	3	3	–	1	–
†OGMORE AND GARW	–	1	1	–	–	L. 1
†PENARTH ...	–	–	–	–	2	–
†PONTYPRIDD ...	–	–	–	–	6	–
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	4	3	–	–	–
†RHONDDA ...	–	4	4	–	18	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...	–	1	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	3	–
NEATH	–	2	3	–	2	–
PONTARDAWE ...	–	1	3	–	–	–
SWANSEA... ...	–	–	1	–	–	–
MERIONETH ...	–	–	11	–	–	–
Urban Districts:—						
FFESTINIOG ..	–	–	10	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
MONMOUTH ...	–	9	8	–	20	M. 1
†NEWPORT C.B. ...	–	2	–	–	10	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	–	2	–	–	–
†ABERTILLERY ...	–	1	–	–	1	–
BEDWAS AND MACHEN	–	1	2	–	2	M. 1
†BEDWELLTY ...	–	1	–	–	1	–
CHEPSTOW ..	–	–	–	–	1	–
†EBBW VALE ..	–	1	1	–	1	–
†NANTYGLO AND BLAINA	–	–	–	–	3	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	2	–	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	1	–	–	–
MAGOR	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...		1	2	–	3	N. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	2	–	–	–
MONTGOMERY ...	–	–	–	–	1	–
WELSHPOOL ...	–	–	–	–	–	N. 1
Rural Districts:—						
LLANFYLLIN ...		1	–	–	1	–
MACHYNLLETH ...	–	–	–	–	1	–
PEMBROKE ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
MILFORD HAVEN		–	–	–	1	–
Rural Districts:—						
HAVERFORDWEST.	–	1	2	–	–	–
NARBERTH ...	–	1	–	–	–	–
RADNOR	–	1	–	–	1	–
Urban District:—						
PRESTEIGNE ...	–	1	–	–	1	–
Total of Part II. ...	558	1266	779	18	1603	C. 2 D. 7 E. 1 F. 2 G. 20 L. 4 M. 9 N. 100

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
CARDIFF	–	–	–	1	–	–	PORT OF LONDON ...	–		–	–	1	–
HARTLEPOOL	*	*	*	*	*	*	Total of Part III.... ...	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	189	240	3	380	C. D. E. G. M. 1 N. 3
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	558	1266	779	18	1603	C. 2 D. E. 1 F. G. 2 L. M. 9 N. 10
Total of Part III.—Port Sanitary Districts	–	–	–	1	1	
Total (*i.e.*, of returns received), England and Wales ...	558	1455	1019	22	1984	C. 2 D. 1 E. 1 F. G. 3 L. M. 10 N. 13

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—LONDON and GREAT TOWNS in the GGREGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8	Jan. 15.	Jan. 22.
DON :—													
THS—all ages	1,124	1,209	1,108	1,048	950	1,043	1,170	1,161	1,070	1,473	1,602	1,648	1,908
, 0 to 1 year ..	113	94	86	83	98	108	154	127	126	137	137	122	135
EAT TOWNS, aggre-te (including Lon-n):—													
THS	6,389	6,891	6,672	6,505	6,352	6,515	6,646	6,238	5,347	6,469	7,332	6,929	6,231
THS—all ages	4,697	4,817	4,665	4,527	4,193	4,498	4,919	4,797	4,556	5,898	5,883	5,917	6,427
, 0 to 1 year ..	514	503	488	499	481	518	643	574	563	690	675	656	630
ERIC FEVER—Cases	17	17	27	25	25	16	16	16	8	13	15	16	9
„ Deaths	1	1	3	1	4	3	2	4	5	2	1	1	2
LL POX—Cases ..	30	31	30	20	40	39	29	26	48	34	45	228	119
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
RLET FEVER—Cases	1,151	1,076	1,106	1,201	1,130	961	950	801	756	881	818	791	787
„ Deaths	3	8	5	3	4	7	8	5	9	2	4	6	4
HTHERIA—Cases ..	848	777	788	775	814	872	793	784	707	671	788	771	715
„ Deaths ..	43	40	33	32	46	39	47	40	36	51	48	38	39
ASLES—Deaths ..	7	11	17	6	8	18	15	28	14	36	28	34	43
UENZA—Deaths ..	71	88	100	78	52	68	52	60	69	86	173	326	470

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 22nd January, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†
	°	°	°	°	
DON	44	24	40·1	28·3	18
GREENWICH).					
GHTON ..	46	27	41·7	32·1	21
TSMOUTH ..	46	25	42·2	31·5	16
WICH (EATON).	41	26	38·6	29·9	15
MOUTH ..	49	29	44·9	33·4	25
STOL (CLIFTON).	44	26	39·7	30·0	10
MINGHAM (EDGBASTON).	40	27	38·1	30·0	10
TTINGHAM ..	41	23	38·4	28·3	8
KENHEAD (BIDSTON).	42	27	38·9	33·3	17
NCHESTER (WHITWORTH PARK).	40	24	38·1	30·3	29
NLEY	40	21	37·6	27·7	19

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	Not received.				
BRADFORD ..	40	23	37·6	29·1	7
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	41	27	37·7	30·4	8
HULL (PEARSON PARK).	42	28	38·9	30·9	8
TYNEMOUTH ..	41	29	38·7	32·4	7
CARDIFF	48	26	41·6	31·0	16
EDINBURGH ..	43·0	26·0	39·0	30·4	0·8
GLASGOW ..	39·9	22·8	37·9	28·6	5
DUBLIN (PHŒNIX PARK).	46·6	21·0	40·3	27·3	30
(FITZWILLIAM SQUARE†).	46·2	26·9	39·9	31·3	16
BELFAST	50·5	23·0	43·2	28·3	15

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 22nd January, 1927

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	16	Greatest Declination N.	29·300	44·0	30·4	13·6	37·5	− 0·8	33·3	4·2	9·8	0·6	85	70·0	20·6	44·7	SSW : SW.	SSW	0·6	0·0	0·0	196	− 122	0·00
MONDAY -	17	Full	29·228	39·8	27·0	12·8	34·0	− 4·5	33·1	0·9	2·9	0·6	97	59·6	17·5	44·5	Calm	ESE : ENE.	0·5	0·0	0·0	152	− 163	0·10
TUESDAY -	18	..	29·580	41·4	34·0	7·4	37·7	− 0·9	34·4	3·3	8·1	0·0	88	66·2	31·1	44·4	NE : NNE.	NNE : NNW.	1·4	0·0	0·2	315	+ 5	0·27
WEDNESDAY	19	..	29·828	40·4	30·6	9·8	36·3	− 2·4	31·5	4·8	8·8	0·0	82	54·0	23·1	44·1	NNW : WNW.	NW : WNW.	1·0	0·0	0·1	275	− 30	0·00
THURSDAY -	20	..	29·668	39·5	24·0	15·5	30·9	− 7·9	28·1	2·8	12·2	0·4	89	69·0	14·8	44·0	SW : Calm.	Calm : SSE.	0·1	0·0	0·0	150	− 152	0·00
FRIDAY -	21	..	29·453	38·2	30·4	7·8	33·6	− 5·2	31·3	2·3	7·8	0·0	91	47·6	22·0	43·9	SSE : S : SW.	WSW	1·1	0·0	0·1	256	− 46	0·22
SATURDAY -	22	..	29·421	38·6	28·8	9·8	34·2	− 4·6	33·3	0·9	4·0	1·3	97	43·5	24·2	43·5	WSW : SW.	S : SW	0·3	0·0	0·0	239	− 67	0·11
MEANS -		..	29·497	40·3	29·3	11·0	34·9	− 3·8	32·1	2·7	7·7	0·4	90	58·6	21·9	44·2	Variable		..	..	..	Sum 1583	Sum − 575	Sum 0·70
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	16	mP.	4·8	8·3	Variably cloudy. Damping about 2¾h. Lunar halo 20¾h. till 21h. Slight hoar frost and mist from 21h.
MONDAY ..	17	mP till 16½h.; variably sN and sP till 20h.; then mP.	0·1	8·3	Cloudless till 4h.; then partially cloudy becoming overcast by 9h. Hoar frost in morning. Fog 7h. till 12h. Slight shower about 15h. Rain 16h. till 17¾h.; 18¼h. till 20h.; and from 23h.
TUESDAY ..	18	Variably sP and sN till 9h.; then mP.	1·6	8·4	Overcast with cloudy period between 11h. and 14h. Rain till 4h.; frequent rain between 7h. and 9¼h.; and from 14¾h. till 15h. Hail shower about 9h.
WEDNESDAY	19	mP.	0·1	8·4	Overcast generally. Hoar frost and mist in morning. Slight rain from 14¾h. till 15½h.
THURSDAY	20	mP.	3·6	8·5	Nearly cloudless till 14½h.; partially cloudy till 22h., then becoming overcast. Hoar frost in morning and at night. Mist 8h. till 12h. Partial solar halo about 15h.
FRIDAY ..	21	wP till 5h.; variably wP and wN till 8½h.; variably mP and mN till 11h.; then mP.	0·7	8·5	Overcast till 13h.; variably cloudy till 23h. then overcast. Snow about 4h., and from 8½h. till 10¾h. Sleet 6h. till 8½h.
SATURDAY	22	mP till 11h.; variably wP and mN till 15h.; then mP.	0·0	8·6	Partially cloudy till 7h., then overcast. Slight snow 10h. till 10½h. Rain with occasional sleet from 11½h. till 13½h. Shower at 17¼h.
			Sum 10·9	Sum 59·0	
No. of Col. ..	..	—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·22 ins. at the beginning of the week to 30·31 ins. by 21h. on 16th; decreased to 29·20 ins. by 15h. on 17th; increased to 29·84 ins. by 11h. on 19th; decreased generally to 29·38 ins. by 15h. on 22nd: increased and was 29·45 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION, LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

Austin CARS ARE AVAILABLE for all and every purpose.

Dignified in appearance—silent in running—comfortable to ride in—low to maintain, and in perfect keeping with a doctor's standing.

Prices from £145 to £775.

THE AUSTIN MOTOR CO. Ltd.
LONGBRIDGE, BIRMINGHAM.



20-H.P. CARLTON SALOON
£550.

THE MEDICAL GENERAL INSURANCE ASSN., LTD.
RECTORY HOUSE, 67, QUEEN ST., LONDON. E.C.4.
Telephone: CITY 1720. *Telegrams:* "RETROCEDE, CANNON, LONDON."
Dr. K. M. C. WOODRUFF *(Chairman).* H. G. C. JONES *(Managing Director).*

To secure **LOWEST CAR INSURANCE PREMIUMS** cut out this advertisement and send with the following information:

MAKERS OF CAR.....? H.P.....? YEAR BUILT.....?
Existing policy expires.....day of.....?

FREE ENGINEER'S ADVICE to clients buying new cars.

ALSO indicate for which of the following we may submit terms:
LIFE, SICKNESS & ACCIDENT, HOUSEHOLDERS COMPREHENSIVE, BAGGAGE, PERSONAL JEWELLERY AND FURS INSURANCES.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.
Telegrams: "Clinician, Wesdo, London."

(60902) Wt. 64-16 1875 1/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 4.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 29TH JANUARY 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast,
or through any Bookseller.
1927.
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 29TH JANUARY, 1927.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fourth week of the year numbered 6,475 and corresponded to an annual rate of 17·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 7,321 and corresponded to an annual rate of 19·6 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 15·8, 15·9 and 17·2. Infant mortality based on the average weekly number of births during the last 52 weeks, was 107 per 1,000 births against 98, 96 and 92 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,510 births, corresponding to a rate of 17·1 per 1,000, and 2,045 deaths of civilians, corresponding to an annual rate of 23·2, against 18·2, 18·7 and 21·6 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 20·4 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 104 as against 88, 78 and 87 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 6,427 to 7,321; the deaths from influenza which had been 173, 326 and 470 in the preceding three weeks, rose to 725 last week. In London the number of deaths from all causes increased from 1,908 to 2,045; the deaths from whooping cough numbered 38 as against 16, 20 and 32 in the three weeks preceding; the deaths from diphtheria which had been 8, 7 and 9 in the preceding three weeks were 7 last week; and the deaths from influenza which had been 72, 137 and 197 in the preceding three weeks, further rose to 252 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in th week ended 29th January, 1927.

Towns.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,439,910*	6,475	7,321	731	2	50	6	101	43	44
London	4,602,000*	1,510	2,045	162	1	1	2	38	7	12
Towns in Outer Ring.										
Croydon C.B ..	199,300	61	106	11	-	-	-	-	-	-
Wimbledon ..	58,170	18	16	-	-	-	-	-	-	-
Ealing	91,000	27	42	3	-	-	-	1	-	-
Acton	63,110	14	30	4	-	-	-	-	-	-
Willesden ..	168,900	39	60	4	-	-	-	1	-	1
Hendon	59,150*	12	18	1	-	-	-	1	-	-
Hornsey	87,210	18	54	-	-	-	-	-	-	-
Wood Green ..	51,960	12	16	-	-	-	-	-	-	-
Tottenham ..	153,600	40	75	7	-	-	1	-	-	-
Edmonton ..	71,210	34	32	-	-	-	-	1	-	-
Enfield	63,740	26	33	1	-	-	-	-	-	-
West Ham C.B. ..	318,500	113	132	18	-	-	-	2	2	1
East Ham C.B. ..	147,200	53	64	4	-	-	-	-	1	-
Leyton	132,700	29	50	3	-	-	-	1	2	-
Walthamstow ..	130,800	36	55	6	-	-	-	2	-	-
Ilford	93,590	27	46	3	-	-	-	2	-	-
Gillingham	48,680*	16	18	2	-	-	-	-	-	-
Canterbury C.B ..	23,270*	7	18	1	-	-	-	-	-	-
Hastings C.B.	60,470	18	34	1	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	18	28	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	45	103	5	-	-	-	-	-	1
Portsmouth C.B. ..	232,900*	80	75	2	-	-	-	-	4	1
Bournemouth C.B. ..	85,840	14	27	1	-	-	-	-	-	-
Southampton C.B. ..	168,600	52	50	4	-	2	-	2	1	-
Reading C.B.	93,670*	31	32	3	-	-	-	-	1	-
Oxford C.B.	57,090	16	37	2	-	-	-	-	-	-
Northampton C.B. ..	93,780*	23	42	-	-	-	-	-	-	-
Luton	59,230	10	37	2	-	-	-	-	1	-
Cambridge	59,020	22	40	2	-	-	-	1	-	-
Southend-on-Sea C.B.	98,060	24	38	4	-	-	-	-	-	-
Ipswich C.B.	83,120*	25	45	5	-	-	-	1	-	-
Great Yarmouth C.B.	57,890	16	27	3	-	-	-	2	-	-
Norwich C.B. ..	124,000*	47	44	7	-	-	-	2	-	2
Swindon	56,880	12	35	-	-	-	-	-	-	-
Exeter C.B.	59,820*	23	16	2	-	-	-	-	-	1
Plymouth C.B. ..	192,100*	61	57	7	-	-	-	-	1	-
Bath C.B.	69,050	18	25	-	-	-	-	-	-	-
Bristol C.B.	385,700*	128	195	10	-	-	-	-	5	-
Gloucester C.B. ..	53,060	18	13	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	112	83	20	-	-	-	3	-	1
Burton-upon-Trent C.B.	49,530	22	19	1	-	-	-	-	1	-
Wolverhampton C.B.	108,800	36	17	2	-	-	-	2	-	-
Walsall C.B.	102,300	47	33	8	-	-	-	1	-	-
West Bromwich C.B	79,490	25	14	4	-	-	-	1	-	-
Dudley C.B.	58,810	26	20	4	-	-	-	-	-	-
Worcester C.B. ..	50,230	19	24	3	-	-	-	-	-	-
Birmingham C.B. ..	945,900	341	257	23	-	9	-	5	1	1
Smethwick C.B. ..	78,840	22	23	1	-	-	-	-	-	-
Coventry C.B. ..	129,100	39	30	7	-	-	-	1	-	-
Leicester C.B. ..	242,100	74	116	13	-	1	1	4	-	-
Lincoln C.B.	66,600*	14	19	1	-	-	-	1	-	-
Grimsby C.B.	87,190	33	27	1	-	-	-	-	-	-
Nottingham C.B. ..	270,600	94	122	17	-	-	-	-	1	2
Derby C.B.	134,400*	46	35	5	-	-	-	-	1	-
Chesterfield ..	65,800	15	19	1	-	-	-	-	-	-
Stockport C.B. ..	125,900	35	54	2	-	-	-	-	1	-
Chester C.B.	41,670	15	10	1	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	53	52	10	-	-	-	-	-	2
Wallasey C.B. ..	91,720	25	20	2	-	-	-	-	-	-
Liverpool C.B. ..	856,000	338	275	39	-	5	-	-	3	4
Bootle C.B.	83,260	42	18	3	-	-	-	-	1	1
St. Helens C.B. ..	109,600	42	28	4	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from						
					Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B ..	74,260	15	15	2	-	-	-	-	-	-	-
IGAN C.B.	91,010	51	24	3	-	-	-	-	-	-	-
ARRINGTON C.B. ..	77,970*	36	15	1	-	-	-	2	-	-	-
OLTON C.B.	180,400	57	52	5	-	1	-	-	-	-	2
URY C.B.	56,700*	14	18	1	-	-	-	1	-	-	-
ANCHESTER C.B. ..	755,800	267	249	32	1	-	-	7	1	2	8
LFORD C.B.	244,700	89	68	8	-	-	-	1	1	-	2
LDHAM C.B	146,200	46	49	3	-	-	-	-	2	-	-
OCHDALE C.B... ..	92,190	20	36	3	-	-	-	1	-	-	2
URNLEY C.B.	102,300	31	41	5	-	7	-	-	-	2	-
ACKBURN C.B. ..	126,900	27	47	3	-	3	-	-	-	-	1
ESTON C.B.	122,900	39	46	7	-	-	-	1	-	-	5
ACKPOOL C.B. ..	80,750	20	27	3	-	-	-	-	-	-	1
ARROW-IN-FURNESS C.B.	73,470	30	26	2	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	112,100	28	31	5	-	-	1	-	-	-	1
ALIFAX C.B.	97,860*	20	36	6	-	-	-	-	-	-	-
ADFORD C.B. ..	290,200	74	90	10	-	2	-	1	-	-	4
EDS C.B.	472,900	144	135	9	-	8	-	2	1	-	5
SWSBURY C.B ..	54,570	19	16	3	-	-	-	-	-	-	3
AKEFIELD C.B. ..	53,980	29	23	2	-	-	-	-	-	-	-
RNSLEY C.B. ..	71,170	27	25	4	-	-	-	2	-	-	1
EFFIELD C.B. ..	526,900*	177	156	25	-	-	-	1	1	3	2
THERHAM C.B. ..	70,600	32	28	8	-	-	-	1	-	1	1
NCASTER	55,610	18	11	1	-	-	-	-	-	-	1
RK C.B.	84,630*	34	27	6	-	-	-	-	-	-	3
LL C.B.	297,300	105	111	18	-	-	-	-	-	1	7
DDLESBROUGH C.B.	136,200	70	60	7	-	1	-	-	1	-	8
RLINGTON C.B. ..	69,130	21	27	4	-	-	-	-	1	1	-
OCKTON-ON-TEES ..	68,000	26	23	2	-	1	-	-	-	1	-
EST HARTLEPOOL C.B.	71,590	26	63	11	-	-	-	4	1	-	18
NDERLAND C.B. ..	166,000	76	66	17	-	2	-	-	-	1	6
UTH SHIELDS C.B. ..	124,600	55	38	10	-	-	-	1	-	-	2
TESHEAD C.B. ..	129,000	52	30	1	-	-	-	-	-	-	-
WCASTLE-ON-TYNE C.B.	286,300*	114	77	13	-	-	-	-	-	-	2
NEMOUTH C.B. ..	66,180	17	15	-	-	-	1	-	-	-	1
RLISLE C.B.	55,160*	23	22	5	-	-	-	-	-	1	-
WPORT (MON.) C.B.	96,420*	33	37	2	-	.	-	-	-	-	8
RDIFF C.B.	227,100*	85	104	7	-	7	-	-	-	1	19
ONDDA	167,570	55	31	4	-	-	-	1	-	-	1
RTHYR TYDFIL C.B.	82,920	21	25	1	-	-	-	-	-	-	3
ERDARE	57,700	13	12	-	-	-	-	-	-	-	1
ANSEA C.B.	163,200	51	64	10	-	-	-	-	-	-	9
EATER LONDON ..	7,742,212*	2,426	3,441	271	1	1	3	52	12	16	492
TER ING	3,140,212*	916	1,396	109	-	-	1	14	5	4	240
GREAT TOWNS IN UTER RING	1,890,140*	559	829	65	-	-	1	11	5	2	144
MAINDER OF OUTER ING	1,250,072*	357	567	44	-	-	-	3	-	2	96
INBURGH†	426,900	148	134	19	-	3	-	1	2	-	5
ASGOW† ..	1,050,700	427	310	60	-	-	-	4	2	3	9
BLIN (REGISTRATION REA)†	421,000	184	185	34	-	-	-	9	8	2	2
LFAST†	416,000	151	125	25	-	-	-	2	-	1	3

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and sgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and the addition of deaths of residents reported from elsewhere in Scotland during the week; those in blin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into blic institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last availabl

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
LONDON‡	4,602,000	1927. Jan. 29	1510	2045	23·2	1	-	1	2	38	7	
CALCUTTA AND SUBURBS	1,077,273	1926-27. Dec. 25	?	994‖	48·9	?	72	?	?	?	?	
BOMBAY§	1,298,708	Jan. 1	443	515‖	20·6	-	5	-	-	-	-	
MADRAS	528,791	Dec. 25	389	369	36·3	5	-	-	?	1	-	
SYDNEY AND SUBURBS	1,038,950	Dec. 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	Nov. 30 (30 days)	476	216	9·8	1	-	-	1	-	1	
PERTH (Metropolitan Area).	179,388	Dec. 4	71	20	5·8	-	-	-	-	-	-	
		,, 11	59	28	8·1	-	-	-	-	-	-	
AUCKLAND (Urban Area).	192,176	Nov. 30 (30 days)										
WELLINGTON (Urban Area).	121,324	Nov. 30 (30 days)										
CHRISTCHURCH (Urban Area).	118,408	Nov. 30 (30 days)										
CAPE TOWN	113,709	Jan. 1	33	27	12·3	2	-	-	-	-	2	
JOHANNESBURG	165,958	,, 1	82	40	12·5	2	-	-	-	1	1	
DURBAN	54,822	Dec. 25	25	13	12·3	-	-	-	-	-	-	
PARIS	2,906,472	Jan. 10 (10 days)										
ANTWERP	300,183	Dec. 18	93	86	14·9	1	-	-	-	-	-	
		,, 25	96	100	17·4	1	-	-	-	-	-	
AMSTERDAM	725,542	Jan. 1	266	161	11·6	-	-	1	-	-	-	
COPENHAGEN	592,000	,, 15	178	162	14·3	-	-	-	-	2	3	
STOCKHOLM	442,528	,, 15										
GOTHENBURG	231,624	,, 8	?	56	12·6	-	-	-	-	-	1	
OSLO (CHRISTIANIA) ..	255,724	,, 15	59	82	16·8	-	-	-	-	1	-	
BERLIN	1,993,000	,, 8	466	620	16·2	-	?	1	1	1	10	
BRESLAU	561,000	,, 8	166	218	20·2	-	?	-	1	1	1	
COLOGNE	711,000	,, 8	333	223	16·3	1	?	2	-	2	-	
DRESDEN	624,000	,, 8	130	142	11·8	-	?	1	-	-	-	
FRANKFORT-ON-MAIN ..	471,000	,, 8	111	85	9·4	-	?	-	-	1	-	
HAMBURG	1,111,000	,, 8	369	274	12·8	-	?	-	1	-	3	
LEIPZIG	685,000	,, 8	184	176	13·4	-	?	-	1	-	-	
MUNICH	685,000	Jan. 1	160	148	11·2	-	?	-	1	1	-	
VIENNA	1,871,607	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	Aug. 31 (31 days)	791	586	9·5	1	-	1	2	-	6	1
BUDAPEST	971,169	Jan. 8	338	263	14·1	4	-	2	-	-	7	
WARSAW	1,015,426	,, 15	471	336	17·3	6	-	1	6	1	3	1
CAIRO	859,400	Oct. 7	846	388	23·5	7	-	-	-	?	6	4
		,, 14	825	386	23·4	3	-	-	1	?	8	3
ALEXANDRIA	492,100	,, 7	454	201	21·3	4	1	-	-	?	1	2
		,, 14	407	243	25·7	5	-	-	-	?	2	3
NEW YORK	5,924,018	Jan. 15	?	1591	14·0	1	-	-	6	-	16	
CHICAGO	3,191,000	,, 7	1426	865	14·5	-	-	3	3	-	9	

* Including deaths from croup in Bombay, Paris, Antwerp, the German Cities, Budapest, Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children* u *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 62 deaths from Cholera in Calcutta and 2 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 29th January, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	2045	162	73	57	25	74	68	107	228	294	441	516
Enteric fever..	1	-	-	-	-	-	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	-	1	-	-	-	1	-	-	-	-
Whooping cough	38	11	16	11	-	-	-	-	-	-	-	-
Diphtheria	7	-	-	3	4	-	-	-	-	-		
Influenza	252	4	7	6	2	17	15	22	33	44	50	52
Erysipelas	5	-	-	-	-	-	-	-	1	2	1	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	5	-	2	3	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	84	-	-	1	-	23	13	17	16	9	4	1
Nervous system	7	2	-	2	2	1	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	1	-	1	-	-	-	-	-	-
Other forms	7	2	1	1	1	2	-	-	-	-	-	-
Venereal diseases	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	137	-	-	-	-	-	2	9	31	36	39	20
Rheumatic fever	3	-	-	1	1	1	-	-	-	-		-
Diabetes	10	-	-	-	-	-	1	1	-	5	1	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	3	-	-	-	1	-	-	-	-	1	-
Cerebral hæmorrhage, &c., Apoplexy	73	-	-	-	-	-	1	2	8	12	23	27
Epilepsy	6	-	-	-	-	2	-	-	3	1	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	
Other diseases of nervous system ..	35	1	1	-	4	2	4	4	10	4	4	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	1	2	-	1	1	-	-	-
Other diseases of heart	291	-	-	-	1	6	7	8	32	51	89	9
Other diseases of circulatory system	76	-	-	-	-	-	1	-	3	14	20	3
Bronchitis	293	11	4	-	-	-	2	9	27	34	98	108
Broncho-pneumonia	196	47	30	20	2	-	1	5	13	20	31	27
Lobar-pneumonia	69	5	3	4	-	5	3	4	12	9	13	11
Pneumonia (type not distinguished)	35	3	1	-	1	1	2	5	5	4	6	7
Other diseases of respiratory system	30	1	1	-	-	1	-	2	4	8	6	7
Diarrhœa and enteritis	15	11	1	2	1	-	-	-	-	-	-	-
Appendicitis, Typhlitis	2	-	-	-	-	1	-	-	-	1	-	-
Hernia, Intestinal obstruction.. ..	14	-	-	-	-	1	1	1	-	-	3	8
Cirrhosis of liver	9	-	-	-	-	-	-	-	2	5	2	-
Other diseases of digestive system ..	31	2	-	-	1	-	6	4	6	-	7	5
Acute nephritis	1	-	-	-	-	-	-	-	-	1	-	-
Chronic Bright's disease..	51	-	-	-	1	1	1	2	6	17	13	10
Other diseases of genito-urinary system.	20	-	-	-	-	-	-	1	2	1	5	11
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-		-
Other causes incident to childbirth..	6	-	-	-	-	-	5	1	-	-		-
Congenital malformations	7	6	1	-	-	-	-	-	-	-	-	-
Premature birth	28	28	-	-	-	-	-	-	-	-		-
Debility, atrophy (congenital) ..	8	8	-	-	-	-	-	-	-	-		-
Old age	70	-	-	-	-	-	-	-	-	-	7	63
Suicide	18	-	-	-	-	2	2	3	5	3	3	-
Burns and Scalds	8	-	1	1	1	-	-	-	1	-	2	2
Drowning	1	-	-	-	-	-	1	-	-	-	-	-
Suffocation in bed	3	3	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	10	-	-	-	1	1	-	-	1	1	2	4
Other deaths by violence	14	1	-	-	-	1	-	1	1	-	2	8
Other specified causes	52	11	3	-	1	2	-	4	4	12	9	6
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 29th January, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	205	272	4	432	C. 6 D. 1 E. 3 G. 1 M. 20 N. 20
†CITY OF LONDON	-	3	-	-	2	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	13	25	-	26	C. 1
†BERMONDSEY ...	-	11	12	-	4	N. 1
†BETHNAL GREEN	-	6	12	-	22	M. 2
†CAMBERWELL ...	-	14	17	-	17	M. 1 N. 2
†CHELSEA	-	2	-	-	15	-
†DEPTFORD ...	-	7	16	-	12	N. 1
†FINSBURY ...		5	3	-	5	C. 1 M. 1
†FULHAM	-	11	9	-	19	C. 1 N. 1
†GREENWICH ...	-	8	4	-	5	D. 1
†HACKNEY ...	-	11	12	-	5	M. 1 N. 1
†HAMMERSMITH ...	-	4	4	-	10	-
†HAMPSTEAD ...	-	-	2	-	1	-
†HOLBORN... ...		-	2	-	4	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	6	24	-	17	M. 5 N. 1
†KENSINGTON ...	-	2	5	-	20	-
†LAMBETH ...	-	14	19	3	23	E. 1 N. 1
†LEWISHAM ...	-	9	5	-	16	C. 1 N. 2
†PADDINGTON ...	-	1	10	-	29	N. 3
†POPLAR	-	12	9	-	33	M. 1
†ST. MARYLEBONE	-	2	4	-	5	N. 2
†ST. PANCRAS ...	-	5	10	-	12	C. 1 M. 2 N. 2
†SHOREDITCH ...	-	6	11	-	41	C. 1 M. 2 N. 1
†SOUTHWARK ...	-	14	20	1	15	G. 1 M. 2 N. 1
†STEPNEY	-	13	13	-	25	M. 2
†STOKE NEWINGTON	-	2	-	-	3	-
†WANDSWORTH ...	-	6	15	-	30	E. 2
†WESTMINSTER, CITY OF	-	4	3	-	3	-
†WOOLWICH ...	-	14	6	-	13	M. 1 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	–	5	7	–	21	N. 3
Boroughs and Urban Districts:—						
†BEDFORD...		1	–	–	12	N. 1
DUNSTABLE ...	–	1	1	–	–	–
LEIGHTON BUZZARD		1		–		–
†LUTON ...	–		5		1	–
Rural Districts:—						
AMPTHILL ...	–	1	1	–	–	N. 1
BEDFORD ..	–			–	3	–
BIGGLESWADE ..		1		–	1	N. 1
LUTON ...			–	–	4	–
BERKS ...		11	1	1	11	E. 1 M. 1 N. 4
†READING C.B. ...		1	–	–	3	N. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–		–	1	–
†NEW WINDSOR ...	–	3	–	–	–	N. 1
WANTAGE	–	–	–	–	1	–
WOKINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
BRADFIELD ...		–	–	–	3	–
COOKHAM ...		2	–		–	E. 1 N. 1
EASTHAMPSTEAD		1	–	–	–	–
FARINGDON (part)	–	–	–	–	–	N. 1
HUNGERFORD ...	–	1	–	–	–	–
NEWBURY ...	–	1		1	2	–
WALLINGFORD ...	–	1	–	–	1	–
WANTAGE ...	–	–			–	M. 1
WOKINGHAM ...	–	1		–	–	
BUCKINGHAM ...	–	6	–	1	21	M. 1 N. 2
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1		–	–	–
†CHEPPING WYCOMBE	–	1	–	–	13	M. 1
BUCKINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
CHESHAM... ...	–	–	–	–	4	–
NEWPORT PAGNELL ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	1	N. 2
AYLESBURY ...	–	1	–	1	–	–
BUCKINGHAM ...	–	–	–	–	1	–
ETON ...	–	–	–	–	2	–
NEWPORT PAGNELL	–	1			–	–
CAMBRIDGE ..	–	3	–	–	7	C. 1 D. 1 N. 1
Borough:—						
†CAMBRIDGE ...	–	2	–		3	D. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	1	–	–	–	N. 1
MELBOURN ...	–			–	1	
NEWMARKET ...	–	–	–		2	C. 1
CHESTER	1	71	27	2	36	C. 1 D. 1 N. 2
†BIRKENHEAD C.B	–	4	7	1	9	–
†CHESTER C.B. ..	–	1	–		3	–
†STOCKPORT C.B.	1	14	3		5	–
†WALLASEY C.B. ...	–	9	6	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	2	–
ASHTON UPON MERSEY	–	–	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	3	–			–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
BOLLINGTON ...	–	1	–	–	–	–
BOWDON	–	1	1	–	–	–
BREDBURY AND ROMILEY	–	–	–		1	–
†CHEADLE AND GATLEY	–	6	–		–	–
†CONGLETON ...	–	–	–	–	1	D. 1
†CREWE		1	1	–	–	–
†DUKINFIELD ...	–	–	1	–	–	
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL		2	–		1	–
HOLLINGWORTH	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	1	–
†HYDE	–	–			2	–
†MACCLESFIELD ...	–		3	1	3	–
MARPLE	–	2	–		–	–
MIDDLEWICH ...	–	–	–	–	1	–
NANTWICH ...	–	1	–		–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN... ...		4	–	–	–	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	–	1	–	–	–
†STALYBRIDGE ...	–	–	1	–	1	–
TARPORLEY ...		–	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	6	–	–	–	–
CHESTER	–	1	–	–	–	–
CONGLETON ...		2	–	–	3	–
MACCLESFIELD ...	–	–	–	–	1	–
NANTWICH ...	–	1	–	–	–	N. 2
NORTHWICH ...	–	2	–	–	–	C. 1
RUNCORN ...	–	1	–	–	–	–
TARVIN		1	1	–	–	–
TINTWISTLE ...	–	–	–	–	1	–
WIRRAL	–	1	–	–	1	–
CORNWALL ...	–	2	3	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
CALLINGTON ...	–	1	1	–	–	–
LISKEARD ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Boroughs and Urban Districts—*cont.*						
REDRUTH ...	–	–	–	–	1	–
ST. IVES		1			–	–
ST. JUST	–	–	–	–	1	–
Rural Districts:—						
HELSTON	*	*	*	*	*	*
LISKEARD ...	–	–	–			N. 1
ST. COLUMB MAJOR	*	*	*	*	*	*
TRURO	–	–	1	–	–	C. 1
CUMBERLAND ...	–	21	9	–	6	–
†CARLISLE C.B. ...	–	3	–	–	3	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–		1	–		–
CLEATOR MOOR ..		–	1	–	–	–
HOLME CULTRAM	–	1	–	–	–	–
KESWICK	–	1	–	–		–
MILLOM	–	5	1	–		–
†WHITEHAVEN ...	–	1	–	–	–	–
Rural Districts:—						
BOOTLE		1	–			–
CARLISLE ...	*	*	*	*	*	*
COCKERMOUTH ...		1	5		–	–
PENRITH	–	3	1		–	–
WIGTON		5			3	–
DERBY	15	26	16	1	54	C. 1 G. 1
†DERBY C.B. ..	6	9	9	–	15	–
Boroughs and Urban Districts:—						
†ALFRETON ..	–	–	–	–	1	–
ALVASTON AND BOULTON	–		–	–	1	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BELPER	2	–	–	–	–	–
†BOLSOVER ...	–	–	–	–	5	–
†BUXTON		1	–	1		–
†CHESTERFIELD ...	–	2	2		6	–
CLAY CROSS ...		2	–	–	–	C. 1
DRONFIELD ...	–	–	2	–		–
†GLOSSOP	–	–		–	2	–
HEAGE	2	–	–	–	–	–
†HEANOR		1			1	G. 1
†ILKESTON ...	–		–	–	2	–
†LONG EATON ...	–	2	–		2	–
†RIPLEY	4	–	–	–		–
†SWADLINCOTE DISTRICT	–	2	–	–	5	–
WIRKSWORTH ...	–	1		–	–	–
Rural Districts:—						
BLACKWELL ...		2	2	–	7	–
CHESTERFIELD ...	1	2	1	–	5	–
CLOWNE	–	–	–	–	2	–
HARTSHORN AND SEALS	*	*	*	*	*	*
REPTON	–	1		–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	40	13	–	7	C. 2 G. 1 M. 1 N. 6
†EXETER C.B. ...	–	1	–	–	1	C. 1
†PLYMOUTH C.B. ...	–	24	12	–	1	C. 1 N. 5
Boroughs and Urban Districts:—						
ASHBURTON ...		–	–		1	–
BIDEFORD ...	–	1	–	–	–	M. 1
HONITON ...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
SALCOMBE ...	–	–	–	–	3	–
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY ...	–	1	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Rural Districts:—						
†BARNSTAPLE ...	–	4	–	–		–
BIDEFORD ...	–	1	–	–	–	–
HOLSWORTHY (part)	–	–	–	–	–	N. 1
HONITON	–	–	–	–	1	–
PLYMPTON ST. MARY	–	2	1	–	–	–
ST. THOMAS ...	–	1		–	–	–
TORRINGTON ...	–	2		–		–
DORSET		9	1	–	16	M. 1 N. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	2	–
DORCHESTER ...	–	–		–	1	–
†POOLE	–	–			4	N. 1
†PORTLAND ..		–	–	–	2	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	M. 1
Rural Districts:—						
BLANDFORD ...	–	1	–	–	1	–
BRIDPORT ...	–	1	–	–	–	–
DORCHESTER ...	–	–	–	–	2	–
SHAFTESBURY ...	–	6		–	1	–
STURMINSTER ...		–		–	1	–
WAREHAM AND PURBECK	–	–	–		1	
WIMBORNE AND CRANBORNE	–	1	–	–	1	–
DURHAM	356	73	26	1	150	C. 2 E. 1 G. 1 M. 6 N. 7
†DARLINGTON C.B.	1	6	1	1	6	N. 1
†GATESHEAD C.B.	6	6	7	–	8	G. 1
†SOUTH SHIELDS C.B.	18	7	1	–	43	M. 1 N. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†SUNDERLAND C.B.	–	6	3	–	19	M. 1 N. 1
†WEST HARTLEPOOL C.B.	–	2	2	–	31	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	2	–
BENFIELDSIDE ...	–	–	–	–	1	–
BILLINGHAM ...	–	2	–	–	–	–
†BISHOP AUCKLAND	2	–	–	–	–	N. 1
†BLAYDON... ..	1	5	–	–	–	M. 1
†BRANDON AND BYSHOTTLES	15	–	–	–	–	–
†CHESTER LE STREET	7		–	–	1	–
†CONSETT	–	8	–	–		–
†CROOK	24	–	1	–	–	–
†DURHAM	5	–	1	–	1	–
†HARTLEPOOL ...	–	–	–	–	6	–
†HEBBURN ...	1	2	–	–	1	C. 1
†HETTON	14	–	–	–	3	–
†HOUGHTON LE SPRING	3	–	–	–	–	–
†JARROW	17	–	–	–	5	–
LEADGATE ...	–	–	–	–	2	C. 1 E. 1
†RYTON	–	1	–	–	–	–
†SHILDON	50	–	–	–	–	–
†SOUTHWICK ON WEAR	–	–	1	–	–	–
†STANLEY	10	4	–		–	–
†STOCKTON ON TEES	–	6	3	–	1	–
†TANFIELD ...	5	–	–			M. 1
†WASHINGTON ...	–	2	–	–	–	–
†WHICKHAM ...	1	–	–	–	1	–
WILLINGTON ...	12	1	–	–	–	–
Rural Districts:—						
AUCKLAND	48	1	1	–	–	M. 1
BARNARD CASTLE	3	–	–	–	–	–
CHESTER LE STREET	39	–	3	–	1	–
DARLINGTON ...	–	2	–	–	–	–
DURHAM	18	–	–	–	–	–
EASINGTON ...	23	1	1	–	10	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
HOUGHTON LE SPRING	4	2	–	–	1	–
LANCHESTER ...	20	5	1	–	–	N. 1
SEDGEFIELD ...	8		–	–	1	–
SOUTH SHIELDS...	1	3	–	–	–	–
STOCKTON ...		–	–	–	2	–
SUNDERLAND ...	–	–	–	–	4	M. 1
ELY, ISLE OF ...	–	3	1	–	10	M. 1
Boroughs and Urban Districts:—						
ELY	–	–	–	–	1	–
WHITTLESEY ...	–	–	–	–	2	–
†WISBECH	–	1	–	–	–	–
Rural Districts:—						
ELY	–	–	–	–	5	–
NORTH WITCHFORD	–	2		–	–	–
THORNEY... ...	–	–	1	–	–	–
WISBECH	–	–	–	–	2	M. 1
ESSEX	1	81	46	4	132	C. 4 G. 1 M. 1 N. 8
†EAST HAM C.B. ...	–	6	7	–	5	–
†SOUTHEND-ON-SEA C.B.	–	7	3	–	12	–
†WEST HAM C.B. ...	1	23	19	4	35	C. 1 M. 1 N. 4
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	–	–	10	C. 1
BRAINTREE ...	–	1	–	–	–	–
BUCKHURST HILL	–	2		–	–	–
CANVEY ISLAND...		–	1	–	–	–
†CHELMSFORD ...	–	–	–	–	2	–
CHINGFORD ...	–	1	–	–	1	N. 1
†CLACTON	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†COLCHESTER ...		1	–	–	6	N. 1
DAGENHAM ...	*	*	*	*	*	*
EPPING	–	–	–	–	5	–
†HORNCHURCH ...	*	*	*	*	*	*
†ILFORD		6	4	–	21	N. 1
†LEYTON	–	7	5	–	4	–
MALDON	–	–	–		1	–
†ROMFORD ...	*	*	*	*	*	*
TILBURY		1	–	–	–	–
WALTHAM HOLY CROSS	–	–	–	–	2	–
†WALTHAMSTOW...	–	10	2	–	16	N. 1
†WANSTEAD ..	–	1	–	–	1	–
†WOODFORD ...	–	2	2	–	1	–
Rural Districts:—						
BRAINTREE ...	–	2	–	–	–	–
CHELMSFORD ...	–	1	1	–	–	C. 1 G. 1
EPPING	–	–	–	–	1	–
HALSTEAD ...	–	2	–	–	1	–
LEXDEN AND WINSTREE	–	–	–		–	C. 1
MALDON	–	–	–	–	1	–
ORSETT	–	–	1	–	–	–
ROCHFORD ...	–	3	–	–	3	–
ROMFORD... ...	*	*	*	*	*	*
SAFFRON WALDEN	–	–	–	–	1	–
TENDRING ...	–	2	–	–	2	–
GLOUCESTER ..	–	40	30	1	88	F. 2 G. 1 N. 5
†BRISTOL C.B. ...	–	21	16	–	73	F. 2 N. 4
†GLOUCESTER C.B.	–	–	–	–	6	–
Boroughs and Urban Districts:—						
AWRE	–	–	2	–	1	–
†CHELTENHAM ...	–	1	1	–	3	–
COLEFORD ...	–	1	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSWOOD ...	–	–	3	–	–	–
STROUD	–	2	–	–	–	–
TETBURY	–	–	–	–	1	–
WESTBURY ON SEVERN	–	–	–	1	–	–
Rural Districts:—						
CAMPDEN... ...	–	–	–	–	2	–
CIRENCESTER ...	–	–	–	–	1	N. 1
EAST DEAN AND UNITED PARISHES	–	1	2	–	–	–
LYDNEY	–	1	–	–	–	–
NEWENT	–	1	–	–	–	–
STROUD	–	2	4	–	1	–
TETBURY (part)	–	–	1	–	–	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	7	–	–	–	–
WHEATENHURST	–	–	1	–	–	–
WINCHCOMB(part)	–	1	–	–	–	–
HEREFORD ..	–	–	–	–	5	M. 1
Boroughs and Urban Districts:—						
LEOMINSTER ...	–	–	–	–	–	M. 1
ROSS	*	*	*	*	*	*
Rural Districts:—						
BROMYARD ...	–	–	–	–	4	–
LEOMINSTER ...	–		–	–	1	–
ROSS	*	*	*	*	*	*
HERTFORD ..	–	1	1	–	11	G. 1 L. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	2	N. 1
BUSHEY	–	–	–	–	1	–
†CHESHUNT ...	–	–	–	–	6	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HERTFORD ...	–	–	1	–	–	–
†ST. ALBANS ...	–	1	–	–		G. 1 M. 1
†WATFORD ...	–	–		–	1	–
Rural Districts:–						
ST. ALBANS ...	–	–	–	–	–	L. 1
WATFORD ...	–	–	–	–	1	–
HUNTINGDON .	–	1	–	–	3	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	2	–
Rural Districts:–						
NORMAN CROSS ...	–	–	–	–	1	–
ST. IVES	–	1	–	–	–	–
KENT	–	48	28	1	76	C. 1 D. 1 F. 1 M. 1 N. 1
†CANTERBURY C.B.	–	–	3	–	3	–
Boroughs and Urban Districts:–						
†ASHFORD	–	–	–	–	3	M. 1
†BECKENHAM ..	*	*	*	*	*	*
†BEXLEY		2	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	3	–
†BROMLEY ..	–	1	–	–	3	C. 1
†CHATHAM ...	–	1	–	–	–	–
CHISLEHURST ...	–	2	–	–	3	–
†CRAYFORD ..	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARTFORD ..	–	–	1	–	–	–
†DOVER	–	1		–	1	N. 1
†ERITH	–	1	1	–	4	–
†FAVERSHAM ...	–	3	–	–		–
†FOLKESTONE ..	–	1	–	–	2	–
†GILLINGHAM ...	–	5	1	–	1	–
†GRAVESEND ...	–	5	3	–	–	–
†HERNE BAY ...	–	–	–	–	4	–
HYTHE	–	1	–		–	–
†MAIDSTONE ..	–	4	–	–	2	–
†MARGATE .	–	–	3	–	4	–
MILTON REGIS ...	–	–	4	–	–	–
NEW ROMNEY ...	–	1	–	–	–	–
†NORTHFLEET ...	–	2	–	–	1	–
†PENGE	–	1	–	–	5	–
†RAMSGATE ..	–	–	1		1	F. 1
†ROCHESTER ...	–	–		–	2	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	5	–
SEVENOAKS ...	–	1		–		–
SIDCUP		–	1	–	1	–
SITTINGBOURNE	–	–	–		1	–
†TONBRIDGE ...	–	–	–	–	1	–
WHITSTABLE ...	–	–	–	–	6	–
Rural Districts:–						
BLEAN	–	–	–	–	3	–
BRIDGE	–	–	–	–	1	–
BROMLEY ...	–	2		–	1	–
DARTFORD ..	–	–	2	–	–	–
EAST ASHFORD ...	–	–	–	–	1	D. 1
EASTRY	–	1	–	–	–	–
FAVERSHAM ..	–	–	2	–	–	–
HOLLINGBOURNE	–	1		–	–	–
HOO	*	*	*	*	*	*
ISLE OF THANET	–	1	–	–	2	–
MAIDSTONE ...	–	–		–	4	–
MALLING	–	3	–	–	2	–
MILTON	–	–	2	–		–
ROMNEY MARSH...	–	1	–	–	1	–
SEVENOAKS ...	–	3	1	1	–	–
SHEPPEY	–	–	–	–	3	–
STROOD	–	1	–	–	1	–
TONBRIDGE ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	18	167	124	3	220	C. 4 D. 2 E. 2 G. 3 L. 3 M. 27 N. 22
†BARROW IN FURNESS C.B.	–	1	1	–	1	–
†BLACKBURN C.B.	–	2	4	–	2	M. 1 N. 2
†BLACKPOOL C.B.	–	1	–	1	8	–
†BOLTON C.B. ...	1	4	2	–	5	M. 1 N. 2
†BOOTLE C.B. ..	–	5	4	–	2	N. 2
†BURNLEY C.B. ..	–	3	1	–	2	–
†BURY C.B. ...	–	2	1	–	1	N. 1
†LIVERPOOL C.B. ..	–	27	24	–	64	C. 2 L. 1 M. 17 N. 3
†MANCHESTER C.B	–	39	25	–	50	C. 1 D. 1 G. 2 M. 3 N. 1
†OLDHAM C.B. ..	–	5	7	–	2	–
†PRESTON C.B. ..	–	1	4	–	3	–
†ROCHDALE C.B. ...	–	1	4	–	–	N. 1
†ST. HELENS C.B. ...	–	2	1	–	5	–
†SALFORD C.B. ...	–	7	14	–	7	E. 1 M. 2 N. 2
†SOUTHPORT C.B.	17	1	–	–	1	–
†WARRINGTON C.B.	–	1	–	–	2	–
†WIGAN C.B. ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ..	–	2	–	–	1	–
†ASHTON IN MAKERFIELD	–	2	–	–	–	–
†ASHTON UNDER LYNE	–	1	–	–	2	–
†ATHERTON ...	–	–	1	–	2	–
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY	–	–	–	–	2	–
CLAYTON LE MOORS	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COLNE	–	1	1	–	2	–
†CROMPTON ...	–	–	–	–	2	–
†DARWEN	–	5	–	–	1	N. 1
†DENTON	–	–	–	–	1	–
†ECCLES	–	1	–	–	–	–
†FAILSWORTH ...	–	–	1	–	–	N. 1
†FARNWORTH ...	–	1	1	–	3	–
†FLEETWOOD ...	–	–	–	–	1	–
FORMBY	–	–	–	–	–	M. 1
FULWOOD ...	–	1	–	–	3	–
†GREAT CROSBY ...	–	–	1	–	2	–
†HASLINGDEN ...	–	6	–	–	–	–
†HAYDOCK ...	–	–	–	–	1	–
†HEYWOOD ...	–	3	1	–	1	C. 1
†HINDLEY... ...	–	1	1	–	1	–
†HORWICH ...	–	3	–	–	–	–
HURST	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	1	–	–	–
IRLAM	–	–	1	–	–	D. 1 N. 1
†LANCASTER ...	–	3	–	–	1	–
†LEIGH	–	–	2	–	1	M. 1
LEYLAND... ...	–	2	–	–	–	–
†LITHERLAND ...	–	–	2	–	–	–
†LITTLEBOROUGH	–	1	2	–	–	–
†LYTHAM ST. ANNE'S	–	–	–	–	–	N. 1
†MIDDLETON ...	–	1	1	–	2	–
†NELSON	–	–	–	–	2	M. 1
†NEWTON IN MAKERFIELD	–	1	–	–	2	–
ORMSKIRK ...	–	–	1	–	–	–
†PADIHAM ...	–	–	2	–	2	–
†PRESTWICH ...	–	–	–		3	–
†RADCLIFFE ...	–	2			4	–
RAINFORD ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	1			1	N. 2
†RAWTENSTALL ...	–	–	–	1		N. 1
RISHTON	–	1	–	–	1	–
†ROYTON	–	–	–	–	–	G. 1
STANDISH WITH LANGTREE	–	–	–	–	2	–
†STRETFORD ...	–	3	2	1	4	–
†SWINTON AND PENDLEBURY	–	2	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polic-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
TOTTINGTON ...	–	–	1	–	–	–
†TURTON	–	1	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–		1	–	–	–
†WALTON LE DALE	–	1	1	–	–	–
WARDLE	–	4	1	–	–	–
†WATERLOO WITH SEAFORTH	–	2	1	–	–	–
†WESTHOUGHTON	–	2	–		–	–
WHITEFIELD ...	–	–	–	–	1	–
WHITWORTH ...	–	1		–	–	–
†WIDNES	–	1	1	–	3	N. 1
†WORSLEY... ...	–	–	1	–	–	–
Rural Districts:—						
BURNLEY... ...	–	2	–	–	–	–
BURY	–	2	1	–	1	–
CLITHEROE ...	–	–	–	–	1	L. 2
FYLDE	–	–	–	–	–	E. 1
LEIGH	–	–	–	–	2	–
PRESTON	–	1	–		–	–
WEST LANCASHIRE	–	–		–	1	–
WHISTON... ...	–	1	1	–	–	–
LEICESTER... ...	–	15	11	–	39	C 1 N. 2
†LEICESTER C.B. ...	–	8	4	–	19	C. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	2	2	–	2	–
†LOUGHBOROUGH	–	2	2	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	–	–	4	–
SHEPSHED ...	–	–	–	–	–	N. 1
THURMASTON ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
BARROW UPON SOAR	–	2	–	–	3	–
BILLESDON ...	–	–	1	–	–	–
BLABY	–	–	1		2	–
LOUGHBOROUGH	–	1		–	2	–
LUTTERWORTH ...	–	–	–	–	–	N. 1
MARKET BOSWORTH	–	–	1	–	2	–
MARKET HARBOROUGH...	–	–	–	–	2	–
LINCOLN (parts of Holland).	–	5	–	–	5	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	2	–
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	–	–	–	3	–
CROWLAND ...	–	5	–	–	–	–
LINCOLN (parts of Kesteven).	–	8	1	–	14	N. 1
Boroughs and Urban Districts:—						
BOURNE	–	–	–	–	2	–
†GRANTHAM ...	–	–	–	–	8	–
STAMFORD ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE	–	2	1	–	–	–
CLAYPOLE ...	–	–	–	–	1	N. 1
GRANTHAM ...	–	1	–	–	1	–
SLEAFORD ...	–	–	–	–	2	–
SPALDING (part)..	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	1	19	7	–	19	D. 1 N. 4
†GRIMSBY C.B.	–	1	3	–	–	N. 2
†LINCOLN C.B. ...	–	7	2		–	–
Boroughs and Urban Districts:—						
BRIGG	–	–	–	–	2	–
†CLEETHORPES ..	–	–	1	–	2	N. 1
†GAINSBOROUGH ...	1	1	–	–	3	–
HORNCASTLE ...	–	–	–	–	3	–
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	–	–
SKEGNESS ...		–	–	–	–	D. 1
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–		–
GLANFORD BRIGG	–	3	–	–	7	–
GRIMSBY	–	–		–	1	–
HORNCASTLE ...	–	–	–	–	1	–
ISLE OF AXHOLME		1	–	–	–	–
SPILSBY	–	2	–	–	–	N. 1
WELTON		1	–		–	–
MIDDLESEX ...		57	41	–	138	C. 1 E. 1 N. 11
Boroughs and Urban Districts:—						
†ACTON	–	7	1	–	3	–
†BRENTFORD ...	–	–	1	–	5	–
†CHISWICK ...	–	–	–	–	13	–
†EALING	–	–	–	–	1	–
†EDMONTON ...	–	–	9	–	3	–
†ENFIELD	–	3	2	–	1	–
†FINCHLEY ...	–	1	–	–	4	–
†HAMPTON ...	–	1	–	–	1	–
HAMPTON WICK ...	–	–		–	2	–
†HARROW ON THE HILL	–	3	2	–	4	E. 1
HAYES		2	–	–	3	–
†HENDON	–	3	–	–	4	N. 1
†HESTON AND ISLEWORTH	–	2	1	–	11	–
†HORNSEY	–	4	3	–	9	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
KINGSBURY ...	–	–	1	–	–	N. 5
RUISLIP NORTHWOOD	–	–	–	–	3	–
†SOUTHALL NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	2	–	–	5	–
†TOTTENHAM ...		4	11	–	20	N. 2
†TWICKENHAM ...	–		–	–	3	–
†UXBRIDGE ...	–	–	1	–	4	–
†WEALDSTONE ...		4	–		3	–
†WEMBLEY ...	–	3	–	–	14	–
†WILLESDEN ...	–	8	5	–	19	C. 1 N. 2
†WOOD GREEN ...	–	3	1	–	3	–
YIEWSLEY ...	–	3	–	–	–	–
Rural Districts:—						
HENDON	–	3	1	–	–	–
STAINES		1	–	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK	–	25	7	–	12	G. 1 M. 2 N. 3
†GREAT YARMOUTH C.B		3	–	–	2	–
†NORWICH C.B. ...	–	4	4	–	5	G. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
DISS	–	1	–		–	–
†KING'S LYNN ...	–	–	2		2	M. 1
Rural Districts:—						
AYLSHAM	–	1	–	–	–	–
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	2	1	–	1	–
HENSTEAD ...	–	3	–	–	–	–
MITFORD AND LAUNDITCH	–		–	–	1	–
THETFORD ...	–	3	–	–	–	N. 1
WAYLAND ...	–	7	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	8	3	–	34	M. 1
†NORTHAMPTON C.B.	–	–	3	–	19	–
Boroughs and Urban Districts:—						
DAVENTRY ..	–	1	–	–	–	–
FINEDON	–	–	–	–	–	M. 1
IRTHLINGBOROUGH	–	–	–	–	5	–
†KETTERING ..	–	–	–	–	2	–
RAUNDS	–	–	–	–	1	–
ROTHWELL ...	–	–	–	–	1	–
†RUSHDEN... ...	–	–	–	–	3	–
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	3	–	–	–	–
NORTHAMPTON ...	–	–	–	–	1	–
THRAPSTON (part)	–	1	–	–	–	–
TOWCESTER ...	–	–	–	–	2	–
NORTHUMBERLAND	8	46	6	–	66	M. 3 N. 3
†NEWCASTLE UPON TYNE C.B.	–	20	2	–	34	M. 1
†TYNEMOUTH C.B.	2	8	1	–	5	N. 1
Boroughs and Urban Districts:—						
AMBLE	–	–	2	–	–	–
†ASHINGTON ...	3	2	–	–	2	M. 1 N. 2
†BEDLINGTONSHIRE	–	2	–	–	2	–
†BLYTH	1	–	–	–	4	–
CRAMLINGTON ...	–	1	–	–	–	–
†GOSFORTH ...	–	–	–	–	1	–
†LONGBENTON ...	–	–	–	–	3	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	4	–	–	4	–
PRUDHOE... ...	–	–	–	–	1	–
†WALLSEND ...	–	3	–	–	5	–
†WHITLEY AND MONKSEATON	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
BELFORD	–	1	–	–	–	–
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	1	–	–	2	M. 1
HALTWHISTLE ...	*	*	*	*	*	*
MORPETH... ...	2	2	1	–	–	–
NOTTINGHAM ..	3	27	27	–	44	C. 2 E. 1 M. 1 N. 1
†NOTTINGHAM C.B	–	12	20	–	26	C. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†BEESTON... ...	–	–	1	–	–	–
†CARLTON... ...	–	–	2	–	2	–
†EAST RETFORD ...	–	–	1	–	2	–
EASTWOOD ...	–	3	–	–	–	–
†HUCKNALL ...	–	–	–	–	4	N. 1
HUTHWAITE ...	–	–	–	–	2	–
†KIRKBY IN ASHFIELD	1	2	–	–	–	–
†MANSFIELD ...	–	2	–	–	1	–
†MANSFIELD WOODHOUSE	–	–	1	–	–	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	–	2	–	4	M. 1
WARSOP	–	1	–	–	–	–
†WEST BRIDGFORD	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	–	–	–	–	E. 1
EAST RETFORD ...	–	–	–	–	2	–
MISTERTON ...	2	2	–	–	–	–
STAPLEFORD ...	–	2	–	–	–	–
WORKSOP... ...	–	1	–	–	–	–
OXFORD	–	2	–	–	6	C. 3 M. 2 N. 3
†OXFORD C.B. .	–	2	–	–	1	C. 2 M. 1 N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Boroughs and Urban Districts:—						
†BANBURY... ...	-	-	-		1	-
Rural Districts:—						
CROWMARSH ...		-	-	-	1	-
HEADINGTON ...	-	-	-	-	-	M. 1 N. 1
WITNEY	-	-		-	2	-
WOODSTOCK ...	-	-	-	-	1	C. 1
PETERBOROUGH (Soke of)	-	2	-	-	-	-
Borough:—						
†PETERBOROUGH..	-	1	-	-	-	-
Rural Districts:—						
PETERBOROUGH..	-	1	-	-	-	-
RUTLAND	-	1	-	-	-	-
Rural Districts:—						
KETTON	-	1	-	-	-	-
SALOP	-	13	2	-	6	E. 1 M. 1
Boroughs and Urban Districts:—						
DAWLEY	-	1	2	-	-	-
NEWPORT ...	-	-	-	-	1	-
†OAKENGATES ...	-	-	-	-	1	-
†SHREWSBURY ..	-	4	-	-	2	-
†WENLOCK ...	-	-	-	-	-	M. 1
Rural Districts:—						
ATCHAM	-	-	-	-	1	-
BRIDGNORTH ...	-	1	-	-	-	-
ELLESMERE ...	-	2	-	-	-	-
NEWPORT ...	-	1	-	-	-	E. 1
WELLINGTON ...	-	1	-	-	1	-
WEM	-	3	-	-	-	-
SOMERSET ...	-	14	4	-	33	C. 1 L 2 M. 1 N. 5
†BATH C.B. ..	-	9	1	-	4	L. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	1	-	-	3	N. 1
BURNHAM ON SEA	-		-	-	1	-
GLASTONBURY ...	-	-	-	-	-	L. 1
MIDSOMER NORTON	-		1	-	1	-
RADSTOCK ...	-	-	-	-	-	N. 1
SHEPTON MALLET	-	-	-	-	2	-
WELLS	-	-	-	-	4	-
Rural Districts:—						
AXBRIDGE ...	-	-	-	-	2	C. 1 N. 1
BATH	-	1	-	-	-	-
CHARD	-		-	-	1	-
CLUTTON	-	2	-	-	-	-
FROME	-	-	-	-	3	N. 1
KEYNSHAM ...	-	-	-	-	4	-
LANGPORT ...		-	1	-	3	-
LONG ASHTON ...	-	1	1	-	2	-
WINCANTON ...	-	-	-	-	3	-
SOUTHAMPTON .	-	40	31	-	26	C. 1 N. 4
†BOURNEMOUTH C.B	-	-	-	-	1	C. 1
†PORTSMOUTH C.B	-	19	19	-	1	-
†SOUTHAMPTON C.B	-	6	8	-	1	N. 1
Boroughs and Urban Districts:—						
ANDOVER... ...	-	-	-	-	1	-
CHRISTCHURCH ...	-	-	-	-	3	-
†EASTLEIGH AND BISHOPSTOKE	-	-	1		-	-
†FAREHAM ...	-	1	-	-	-	-
FLEET	-	1	-	-	-	-
†GOSPORT	-	-	1	-	1	-
PETERSFIELD ...	-	1	1	-	-	-
†WINCHESTER ...	-	2	1	-	7	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
ALRESFORD ...	–	1	–		1	–
ANDOVER... ...		–	–	–	2	–
BASINGSTOKE ...	–	1	–	–	–	–
DROXFORD ...	–	–	–	–	2	N. 1
FAREHAM ...	–	–	–	–	2	–
FORDINGBRIDGE ..	–	–	–	–	1	–
HARTLEY WINTNEY	–	1	–	–	1	–
KINGSCLERE ...	–	1	–	–	–	–
LYMINGTON ...	–	1	–	–	–	–
NEW FOREST ...	–	3	–	–	–	–
ROMSEY	–	2	–	–	1	N. 1
WHITCHURCH ...	–	–			1	
STAFFORD	–	43	33	1	142	C. 2 E. 1 G. 1 L. 3 M 4 N. 4
†BURTON UPON TRENT C.B.	–	3	2	–	3	M. 1
†SMETHWICK C.B.	–	3	1		5	–
†STOKE ON TRENT C.B	–	10	7	–	62	M. 2
†WALSALL C.B. ..	–	1	2		2	N. 1
†WEST BROMWICH C.B.	–	–	3	–	9	–
†WOLVERHAMPTON C.B.	–	2	–		3	N 1
Boroughs and Urban Districts:—						
†AUDLEY	–	2	2	–	3	–
BIDDULPH ..	–	–	–	–	13	–
†BILSTON	–	–	–	–	7	–
†BRIERLEY HILL...	–	–	1	–	1	–
†BROWNHILLS ...	–	2	–	–	1	C. 1
†CANNOCK	–	1	–	–	1	N. 1
†COSELEY		–	–	–	1	M. 1
†DARLASTON ...	–	1	–	–	6	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	2	1	–	2	–
KIDSGROVE ...	–	1	1	–	3	–
LICHFIELD ...	–	–	–		1	G. 1
†NEWCASTLE UNDER LYME	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROWLEY REGIS ...	–	1	–	–	–	–
†SEDGLEY		2	–	–	2	–
SHORT HEATH ...	–	2	1	–	1	–
TAMWORTH ...	–	1	1	–	–	–
†TIPTON	–	1	–	–	5	–
†WEDNESBURY ...	–	–	1	–	3	N. 1
†WILLENHALL ...	–	–	–		1	–
†WOLSTANTON UNITED	–	–	–	–	3	–
Rural Districts:—						
CANNOCK	–	5	5	1	1	C. 1
CHEADLE... ...	–	1	–	–	2	L. 3
LEEK	–	1	1	–	–	–
LICHFIELD ...	–	–	2	–	–	E. 1
SEISDON	–	–	–	–	1	–
WALSALL... ...	–	–	1	–	–	–
SUFFOLK, EAST ..	–	11	4	–	10	C. 2 N. 4
†IPSWICH C.B. ...	–	2	–	–	4	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
†FELIXSTOWE ...	–	1	–	–	–	–
†LOWESTOFT ...	–	3	2	–	1	–
SAXMUNDHAM ...	–		–	–	1	–
SOUTHWOLD ...	*	*	*	*	*	*
STOWMARKET ...	–	2	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	3	–	–	1	–
HARTISMERE ...	–	–	–	–	–	C. 1
HOXNE	–	–	–	–	–	C. 1
PLOMESGATE ...	–	–	–	–	–	N. 3
SAMFORD... ...	–	–	–	–	1	–
WANGFORD ...	–	–	–	–	1	N. 1
WOODBRIDGE ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
SUFFOLK, WEST ...	–	1	–	–	5	D. 1 G. 1 N. 2
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	3	D. 1
HAVERHILL ...	–	1	–	–	–	G. 1
NEWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
CLARE	–	–	–	–	–	N. 2
MILDENHALL ...	–	–	–	–	1	–
SURREY	–	45	14	–	80	C. 1 M. 2 N. 6
†CROYDON C.B. ...	–	19	1	–	11	–
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	2	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	1	–
†CARSHALTON ...	–	1	1	–	1	–
†CHERTSEY ...	–	–	–		3	–
†COULSDON AND PURLEY	–	1	–	–	–	–
EAST AND WEST MOLESEY	–	–	–		1	–
†EGHAM	–	2	–	–	–	–
†EPSOM	–	–	–	–	5	–
GODALMING ...	–	1	–	–	1	–
†GUILDFORD ...	–	–	–	–	5	–
†KINGSTON ON THAMES	*	–	–	–	7	N. 1
LEATHERHEAD ...	–	–	–		1	–
†MERTON AND MORDEN	–	3	1	–	3	–
†MITCHAM... ...	–	3	1		1	M. 2 N. 1
†REIGATE		1	–	–	1	–
†RICHMOND ...	–		–	–	–	C. 1 N. 1
†SURBITON ...	–	–	1		9	–
†SUTTON	–	1	1	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	5	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON UPON THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	1	–	–	3	–
WINDLESHAM ...	–	–	–	–	1	N. 1
Rural Districts:—						
CHERTSEY ...	–	3	–	–	–	–
DORKING	–	–	–	–	5	–
EPSOM	–	6	–	–	6	N. 1
GODSTONE ...	–	–	–	–	2	–
GUILDFORD ...	–	–	1	–	–	N. 1
HAMBLEDON ...	–	1	–	–	1	–
REIGATE	–	–	6	–	5	–
SUSSEX, EAST ...	–	7	6	–	36	D. 1 L. 1 M. 1 N. 3
†BRIGHTON C.B. ...	–	1	3	–	11	D. 1 M. 1 N. 3
†HASTINGS C.B. ...	–	3	–	–	10	–
Boroughs and Urban Districts—						
†HOVE	–	–	–	–	10	L. 1
PORTSLADE BY SEA	–	–	–	–	3	–
Rural Districts:—						
CHAILEY	–	2	–	–	1	–
NEWHAVEN ...	–	–	2		–	–
UCKFIELD ...	–	1	1	–	1	–
SUSSEX, WEST ..	–	4	1	–	12	–
Boroughs and Urban Districts:—						
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ..	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, WEST— *cont.*						
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
HORSHAM ...	–	–	–	–	7	–
MIDHURST ...	–	–	1	–	1	–
WESTHAMPNETT ..	–	2	–	–	–	–
WARWICK	–	31	46	–	82	D. 1 G. 3 M. 14 N. 4
†BIRMINGHAM C.B.	–	18	39	–	69	D. 1 G. 1 M. 12 N. 3
†COVENTRY C.B. ...	–	2	2	–	2	M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	–	–	5	–
†ROYAL LEAMINGTON SPA	–	–	–	–	–	M. 1 N. 1
†RUGBY	–	–	–	–	1	–
†STRATFORD ON AVON	–	1	–	–	2	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	–	1	–	–	–
FOLESHILL ...	–	3	–	–	–	–
MERIDEN... ...	–	1	1	–	2	–
RUGBY	–	–	1	–	1	G. 1
SOLIHULL ...	–	1	–	–	–	G. 1
SOUTHAM... ...	–	2	–	–	–	–
TAMWORTH (part)	–	2	2	–	–	–
WESTMORLAND ...	–	5	–	–	4	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	–	3	–
SHAP	–	2	–	–	–	–
WINDERMERE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WESTMORLAND— *cont.*						
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
WEST WARD ...	–	–	–	–	1	–
WIGHT, ISLE OF ...		–	–		4	G. 1
Boroughs and Urban Districts:—						
†COWES	–		–	–	1	–
†NEWPORT... ...	–	–	–	–	3	G. 1
WILTS	–	3	7	–	38	E. 1 N. 2
Boroughs and Urban Districts:—						
CALNE	–	2	–	–	–	–
†SWINDON... ...	–	–	2	–	20	N. 1
†TROWBRIDGE ...	*	*	*	*	*	*
WARMINSTER ...	*	*	*	*	*	*
WILTON	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	2	–
CHIPPENHAM ...	–	–	–	–	1	–
HIGHWORTH ...	–	–	3	–	13	N. 1
MALMESBURY ...	–	–	–	–	1	–
MERE	–		1	–	–	E. 1
SALISBURY ...	–	–	1		–	–
WARMINSTER ...	*	*	*	*	*	*
WILTON	–	–		–	1	–
WORCESTER ...	–	7	3	–	41	C. 2 M. 1 N. 1
†DUDLEY C.B. ...	–	2		–	–	C. 1 N. 1
†WORCESTER C.B.	–	1	–	–	9	M. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	–	–	1	C. 1
†KIDDERMINSTER	–	–	1	–	–	–
†LYE AND WOLLESCOTE	–	–	1	–	1	–
†MALVERN ...	–	–	–		1	–
†OLDBURY... ...	–	1	–	–	15	–
†REDDITCH ...	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
KIDDERMINSTER	–		–	–	3	–
MARTLEY... ...	–	1	–	–	2	–
UPTON ON SEVERN		–	–	–	5	–
YORKS ... .. (East Riding.)	–	15	11	–	13	G. 1 M. 2
†KINGSTON UPON HULL C.B.		13	8	–	8	G. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	3	–	4	–
Rural Districts:—						
BEVERLEY ...	–	1	–			–
HOWDEN		–	–		1	
POCKLINGTON ...	–	1	–	–		–
YORKS ... ... (North Riding.)	1	15	9		26	–
†MIDDLESBROUGH C.B.	1		4	–	16	–
Boroughs and Urban Districts:—						
†ESTON	–	5		–	1	–
LOFTUS	–	–	–	–	1	–
NORTHALLERTON	–	1	–	–		–
†REDCAR		1		–	–	–
†SCARBOROUGH ...	–	1	4	–	5	–
†SKELTON AND BROTTON	–	1	–	–	1	–
†THORNABY ON TEES	–	–	1	–	1	–
†WHITBY	–	3		–	–	–
Rural Districts:—						
GUISBOROUGH ...	–	2	–	–		–
KIRKBY MOORSIDE	–			–	1	–
STARTFORTH ...	–	1	–	–		–
YORKS ... ... (West Riding.)	127	156	71	6	270	C. 5 D. 2 E. 1 G. 5 M. 6 N. 22
†BARNSLEY C.B. ..	–	5	2	–	–	N. 1
†BRADFORD C.B. ...	–	9	6		22	G. 1 M. 1 N. 2
†HALIFAX C.B. ...	–	1	1	–	1	G. 1 M. 1
†HUDDERSFIELD C.B.	–	10	7	–	5	N. 2
†LEEDS C.B. ..	–	11	7	–	28	C. 2 E. 1 M. 1 N. 4
†ROTHERHAM C.B.		2	1		26	–
†SHEFFIELD C.B....	54	33	30	1	88	C. 1 D. 1 G. 1 M. 2 N. 8
†WAKEFIELD C.B.	–	2		–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET		1	1	–	–	N. 1
ARDSLEY, EAST AND WEST	–	–		–	4	–
†BARNOLDSWICK ...	–	4	2	–	2	–
†BATLEY	–	1	–		1	–
†BINGLEY	–	1	–	–	1	–
BIRKENSHAW ...		1		–	–	–
†BOLTON UPON DEARNE	3	4	–	–	1	–
†BRIGHOUSE ...	–	1		–	–	–
BURLEY IN WHARFEDALE		–	–	–	3	–
†CASTLEFORD ...		1			–	–
†CONISBROUGH ...	3	2	–	1	3	M. 1
DARFIELD ...	–	1	–	–	–	–
†DARTON		4	–	–	–	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
†DONCASTER ...	8	2	–	–	3	–
DRIGHLINGTON ...		–	–	–	4	–
FARSLEY	–	–	1	–	–	–
†FEATHERSTONE ...		1		–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOOLE	–	2	–	–	9	–
†HARROGATE ...	–	2	4	–	–	–
HEBDEN BRIDGE	–	–	–	–	–	C. 1
HECKMONDWIKE	–	2	–	–	–	–
†HEMSWORTH ...	–	–	1	–	1	–
HIPPERHOLME ...	–		–	–	1	–
†HOLMFIRTH ...	–	2		–	1	–
†HOYLAND NETHER	–	2	–	–	1	
†KEIGHLEY ...	7		–	–	–	–
KNOTTINGLEY ...	–		–	–	3	–
LEPTON	–	3	–	–	–	–
MALTBY	–	1	–	–	3	–
MARSDEN... ...	–	1		–	–	–
†MEXBOROUGH ...	29	–	2	–	–	–
†MIRFIELD ...	–	–	–	–	1	
MYTHOLMROYD ...	–	–	–	–	–	C. 1
NEW MILL ...	–		–	–	1	–
†NORMANTON ...	–	2	–	–	5	–
†OSSETT	–	–	1	–	–	–
OTLEY	–	–	–	–	2	–
PENISTONE ...	–	1	–	–	–	–
†PUDSEY	–	1		–	–	–
RAWDON	–	1	–	1	–	–
†RAWMARSH ...	–	1		–	4	–
†SHIPLEY	–	1		–	–	–
†SKIPTON	–	5	–		–	–
SOUTHOWRAM ...	–	1	–	–	–	–
†SOWERBY ...	–	–	1	1	–	–
†SPENBOROUGH ...	–	1	–	–	1	–
SPRINGHEAD ...	–	–		–	–	N. 1
STOCKSBRIDGE ...	–	2	–	–	2	
†SWINTON... ...	11	1	–	–	–	–
TICKHILL ...	–	1		–	–	–
†TODMORDEN ...	–	3	–	–	3	G. 2
†WATH UPON DEARNE	2	–	–	–	–	–
†WOMBWELL ...	–	2	–	1	10	–
†WORSBOROUGH ...	–	–	–	–	–	D. 1
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
BISHOPTHORPE ...	–	–	–	–	1	–
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
DONCASTER ...	2	–	1	–	6	–
GOOLE	–	–		–	1	–
GREAT OUSEBURN	–	1	–		–	–
HALIFAX	–	–		–	2	–
HEMSWORTH ...	–	2	–	–	4	N. 1
KEIGHLEY ...	–	4	–	–	–	–
KIVETON PARK ...	1	1	–	–	5	–
KNARESBOROUGH	–	3	–		–	–
PONTEFRACT ...	–	–	2	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	4	3	–	–	3	–
SETTLE	–	1	–	–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	3	–	–	–		–
THORNE	–	–		–	–	N. 1
WAKEFIELD ...	–	3	–	1	–	–
WETHERBY ...	–	–	1	–	2	–
WHARFEDALE (NORTH)	–	–		–	3	–
WHARFEDALE (SOUTH)	–	–	–	–	2	–
WORTLEY ...	–	2	–	–	1	N. 1
§YORK, CITY OF	–	4	–	2	3	M. 1
†YORK C.B. ...	–	4		2	3	N. 1 M. 1 N. 1
WALES.						
ANGLESEY	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BEAUMARIS ...	–	1	–	–		–
†HOLYHEAD ...	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	1	–	–	10	–
Boroughs and Urban Districts:—						
BRECKNOCK ...		–	–	–	3	–
BRYNMAWR ...	–	–		–	4	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
CRICKHOWELL ...	–	1	–	–	2	–
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON ...	–	5	–		1	–
Boroughs and Urban Districts:—						
†BANGOR	–	5	–	–	–	–
CONWAY	–	–	–	–	1	–
CARDIGAN ...	–	–	–		1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–		–	–	1	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	*	*	*	*	*	*
CARMARTHEN ..	–	1	5	–	1	E. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	2	–	–	–
LLANDOVERY ...	–	1		–	–	–
†LLANELLY ...	–	–	1	–		–
Rural Districts:—						
LLANDILO FAWR	–	–	–	–	1	E. 1
LLANELLY ...	–		2			–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	6	4	–	3	–
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	1	–
DENBIGH ...	–	–	–		2	–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
RUTHIN	–	–	2		–	–
WREXHAM ...	–	5	2	–	–	–
FLINT	–	–	1	1	1	G. 2 N. 1
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	–	1	–
Rural Districts:—						
HAWARDEN ..	–	–	–	1	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	–	G. 2 N. 1
GLAMORGAN ...	–	30	49	1	55	C. 1 D. 1 G. 1 M. 3 N. 3
†CARDIFF C.B. ..	–	3	8	–	11	–
†MERTHYR TYDFIL C.B.	–	–	2	–	–	–
†SWANSEA C.B. ...	–	6	4	–	14	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	2	–	4	–
†BARRY	–	–	1	–	4	–
†CAERPHILLY ...	–	1	6	–	2	–
†GELLIGAER ...	–	–	–	–	3	–
†MAESTEG ...	–	–	5	–	–	–
†MOUNTAIN ASH ...	–	4	–		–	M. 1 N. 1

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEATH	–	2	5	–	1	–
†OGMORE AND GARW	–	1	1	–	–	–
†PENARTH ..	–	–	–	–	1	–
†PONTYPRIDD ..	–	2	2	–	–	–
PORTHCAWL ..	–	–	2	–	1	–
†PORT TALBOT ..	–	1	2	–		D. 1 G. 1 N. 1
†RHONDDA ...	–	6	6	–	7	M. 1 N. 1
Rural Districts:—						
COWBRIDGE ...	*	*	*	*	*	*
NEATH	–	–	1	–	6	–
PENYBONT ...	–	–	–	1	–	M. 1
PONTARDAWE ...	–	–	2	–	–	–
SWANSEA... ...	–	3	–	–	1	–
MERIONETH ..	–	1	6	–	–	–
Urban Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
FFESTINIOG ..	–	1	5	–	–	–
MONMOUTH ..	–	11	7		23	M. 1 N. 1
†NEWPORT C.B. ..	–	6	1		9	N. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	2	–	–	3	–
†ABERTILLERY ...	–	–	1	–	–	M. 1
BEDWAS AND MACHEN	–	–	–	–	2	–
†BEDWELLTY ...	–	1	3	–	–	–
†BLAENAVON ...	–	–	–	–	1	–
†EBBW VALE ..	–		2	–	5	–
†TREDEGAR ...	–	1	–		1	–
Rural Districts:—						
PONTYPOOL ...	–	–		–	2	–
ST. MELLONS ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ..	–	–	2	–	5	N. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	2	–	–	–
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	2	–
Rural Districts:—						
NEWTOWN AND LLANIDLOES	–	–	–	–	3	N. 1
PEMBROKE... ..	–	1	–		–	–
Rural Districts:—						
NARBERTH ...	–	1	–	–	–	–
RADNOR	–	–	6	–	–	–
Rural Districts:—						
NEW RADNOR ...	–	–	1	–	–	–
PAINSCASTLE ...	–	–	5	–	–	–
Total of Part II. ...	531	1295	758	26	2184	C. 39 D. 12 E. 11 F. 3 G. 2 L. 10 M. 8 N. 150

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
CARDIFF	–	–	–	–	1	–	WEYMOUTH	1	–	–	–	–	–
HARTLEPOOL	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	–	1	–
HULL AND GOOLE ...	–	–	–	1	–	–							
LIVERPOOL	–	–	–		–	L. 1	**Total of Part III.... ...**	1	–	–	1	2	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	205	272	4	432	C. 6 D. 1 E. 3 G. 1 M. 20 N. 20
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	531	1295	758	26	2184	C. 39 D. 12 E. 11 F. 3 G. 25 L. 10 M. 88 N. 156
Total of Part III.—Port Sanitary Districts	1	–	–	1	2	L. 1
Total (*i.e.*, of returns received), England and Wales ...	532	1500	1030	31	2618	C. 45 D. 13 E. 14 F. 3 G. 26 L. 11 M. 108 N. 176

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

able 5.—London and Great Towns in the Aggregate. Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Nov. 6.	Nov. 13	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11	Dec. 18	Dec. 25.	Jan. 1.	Jan. 8	Jan. 15	Jan. 22	Jan. 29.
LONDON :—													
DEATHS—all ages	1,209	1,108	1,048	950	1,043	1,170	1,161	1,070	1,473	1,602	1,648	1,908	2,045
„ 0 to 1 year ..	94	86	83	98	108	154	127	126	137	137	122	135	162
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,891	6,672	6,505	6,352	6,515	6,646	6,238	5,347	6,469	7 332	6,929	6,231	6,475
DEATHS—all ages	4,817	4,665	4 527	4,193	4,498	4,919	4.797	4,556	5,898	5 883	5,917	6,427	7,321
„ 0 to 1 year ..	503	488	499	481	518	643	574	563	690	675	656	630	731
ENTERIC FEVER—Cases	17	27	25	25	16	16	16	8	13	15	16	9	14
„ Deaths	1	3	1	4	3	2	4	5	2	1	1	2	2
SMALL POX—Cases ..	31	30	20	40	39	29	26	48	34	45	228	119	116
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,076	1,106	1,201	1,130	961	950	801	756	881	818	791	787	809
„ Deaths	8	5	3	4	7	8	5	9	2	4	6	4	6
DIPHTHERIA—Cases ..	777	788	775	814	872	793	784	707	671	788	771	715	735
„ Deaths ..	40	33	32	46	39	47	40	36	51	48	38	39	43
MEASLES—Deaths ..	11	17	6	8	18	15	28	14	36	28	34	43	50
INFLUENZA—Deaths ..	88	100	78	52	68	52	60	69	86	173	326	470	725

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 29th January, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°			°	°	°		
LONDON (GREENWICH).	52	30	49·3	38·0	8	HUDDERSFIELD	50	32	47·3	37·4	21
BRIGHTON ..	49	34	47·1	40·9	8	BRADFORD ..	50	32	46·6	36·4	36
PORTSMOUTH ..	52	32	50·0	41·1	17	SHEFFIELD ..	51	33	46.7	37·9	33
NORWICH (EATON).	51	27	47·3	35·4	22	YORK (MUSEUM)	52	30	46·7	36·6	18
PLYMOUTH ..	52	37	51·1	42·0	55	HULL (PEARSON PARK).	51	32	46·9	37·6	18
BRISTOL (CLIFTON).	51	35	49·3	40·0	46	TYNEMOUTH ..	51	33	45·9	38·6	17
BIRMINGHAM (EDGBASTON).	50	33	45·6	37·3	48	CARDIFF.. ..	51	34	49 0	38·4	76
NOTTINGHAM ..	51	31	47·6	35·7	21	EDINBURGH ..	49·0	29·0	45·3	35·1	30
BIRKENHEAD (BIDSTON).	52	33	47·4	39·4	24	GLASGOW ..	49·1	32·9	46·3	36·6	46
MANCHESTER (WHITWORTH PARK).	51	32	46·9	38·6	23	DUBLIN (PHŒNIX PARK).	51·6	33·9	48·4	37·9	21
BURNLEY	49	32	45·0	36·1	31	(FITZWILLIAM SQUARE†).	52·0	35·6	48·2	39·4	28
						BELFAST.. ..	52·5	31·5	48·1	35·1	63

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 29th January, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	23	Apogee	29·597	42·9	31·5	11·4	37·0	− 1·9	36·5	0·5	4·2	0·0	98	55·4	28·4	43·3	SW: Calm.	Calm	0·1	0·0	0·0	170	− 141	0·00
MONDAY -	24	In Equator	29·756	48·6	30·1	18·5	41·7	+ 2·8	38·6	3·1	8·0	0·0	89	58·2	30·0	43·1	Calm: S.	S: SSW.	3·4	0·0	0·2	279	− 38	0·01
TUESDAY -	25	..	29·746	52·1	42·8	9·3	47·5	+ 8·4	42·5	5·0	13·9	1·8	82	63·0	30·9	43·1	SSW	SSW	6·5	0·0	1·0	491	+ 168	0·00
WEDNESDAY	26	Last Quarter.	29·671	50·3	41·3	9·0	45·8	+ 6·5	41·1	4·7	9·4	1·9	83	62·0	30·8	43·0	SSW: S.	S: SW	6·2	0·0	0·8	453	+ 124	0·05
THURSDAY -	27	..	29·834	50·8	40·1	10·7	45·3	+ 5·8	35·0	10·3	22·5	4·5	67	82·9	30·5	43·1	SSW: SW.	SW	8·4	0·0	1·4	592	+ 257	0·16
FRIDAY -	28	..	29·671	50·2	40·0	10·2	46·5	+ 6·9	39·1	7·4	10·9	4·9	75	58·6	31·0	43·2	SW: SSW.	SW: SSW.	14·0	0·0	2·0	687	+ 348	0·00
SATURDAY -	29	..	29·237	49·9	38·1	11·8	43·1	+ 3·4	32·5	10·6	20·1	2·6	67	85·9	30·8	43·2	SSW: SW.	SW	16·1	0·0	16·9	692	+ 349	0·20
MEANS -		..	29·645	49·3	37·7	11·6	43·8	+ 4·5	37·9	5·9	12·7	2·2	80	66·6	30·3	43·1	SW		..	..	..	Sum 3364	Sum +1067	Sum 0·32
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	23	wP till 8h.; then mP.	1·3	8·6	Variably cloudy becoming overcast by 13½h. Dew in morning and at night. Mist from 8h. becoming fog by 12h.
MONDAY ..	24	mP till 9h.; then wP.	0·9	8·6	Overcast generally. Dew in morning. Occasional damping 9h. till 10¾h. Brisk wind 21h. till 23h.
TUESDAY ..	25	wP till 18h.; then mP.	0·0	8·7	Overcast till 15h.; then clearing to cloudless by 20h. Slight rain between 11½h. and 15h. Brisk wind 3h. till 16h. Dew at night.
WEDNESDAY	26	wP till 13h.; wN till 16h.; wP till 19h.; then mP.	0·0	8·8	Nearly cloudless becoming overcast by 2h. till 15¾h., then clearing to cloudless by 18½h. Frequent slight rain from 8¾h. till 15¾h. Brisk wind 10½h. till 23h.
THURSDAY	27	wP till 6h.; variably wN and wP till 12h.; variably mP and sN till 15h.; then mP.	3·7	8·8	Variably cloudly till 12h., then partially cloudy becoming cloudless by 21h. Brisk wind 3h. till 8h.; 12h. till 14h.; and 17h. till 21h. Moderate gale 14h. to 17h. Frequent showers between 10½h. and 12h.
FRIDAY ..	28	wP.	0·0	8·8	Cloudless till 3h., then partially cloudy, becoming overcast by 8½h. Brisk wind from 7h., with moderate gale 14h. till 17h. Slight shower at 13¾h.
SATURDAY	29	wP till 4h.; loss of register till 11h.; mP till 16h.; then wP.	1·3	8·9	Nearly overcast generally till 15¾h., then clearing to nearly cloudless by 18h. High wind 0h. till 12h. with moderate gale 2h. till 6h. Brisk wind 12h. till 22h. Rain 1½h. till 6h. Damping at 15½h. and 22h.
			Sum 7·2	Sum 61·2	
No. of Col. ..	..	—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·45 ins. at the beginning of the week to 29·80 ins. by 11h. on 24th; decreased to 29·68 ins. by 6h. on 25th; increased to 29·91 ins. by 23h. on 25th; decreased to 29·55 ins. by 15h. on 26th; increased to 30·01 ins. by 23h. on 27th; decreased generally to 29·06 ins. by 6½h. on 29th: increased and was 29·31 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION,
LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

Influenza.

In view of the prevalence of INFLUENZA Messrs. SHAW & SONS LTD., would draw attention to the following Leaflet and Poster published by them, which have been revised in accordance with the 1927 Memorandum of the Minister of Health.

HINTS AND PRECAUTIONS PREPARED BY A PROMINENT MEDICAL OFFICER OF HEALTH.

IN LEAFLET FORM, per 500, 18s.
IN POSTER FORM, per 100, 14s.

Specimens on application from

SHAW & SONS
LIMITED.

Local Government Printers and Publishers,
FETTER LANE, LONDON, E.C.4.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.

Telegrams:
"Clinician, Wesdo, London."

(60986) Wt. 61—16 1875 2/7 H St. G.43

FOR OFFICIAL USE

1927. No. 5.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 5TH FEBRUARY 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast,
or through any Bookseller.
1927.
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 5TH FEBRUARY, 1927.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifth week of the year numbered 7,010 and corresponded to an annual rate of 18·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 7,302 and corresponded to an annual rate of 19·6 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 15·9, 17·2 and 19·6. Infant mortality based on the average weekly number of births during the last 52 weeks, was 105 per 1,000 births against 96, 92 and 107 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,496 births, corresponding to a rate of 16·9 per 1,000, and 1,912 deaths of civilians, corresponding to an annual rate of 21·7, against 18·7, 21·6 and 23·2 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 21·3 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 88 as against 78, 87 and 104 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 7,320 to 7,302; the deaths from influenza which had been 326, 470 and 725 in the preceding three weeks, further rose to 818 last week.

The increase of influenza in the different parts of the country, which was almost uniform until last week, may be illustrated best by the following rates per million population in the Great Towns of the North, Midlands, South and Wales and in London.

—	North.	Midlands.	South (excluding London).	Wales.	London.
Week ended 8th Jan....	6·2	5·7	9·1	13·8	15·6
" " 29th Jan....	13·9	44·2	60·3	51·6	54·8
" " 5th Feb.	16 3	62·2	71·4	49·1	46·7

In the Midlands the greatest numbers of deaths occurred in Bristol, 60; Nottingham, 31; and Leicester, 22. In the South, in Brighton, 21.

In London the number of deaths from all causes decreased from 2,045 to 1,912. Of these 1,912 deaths 901 or practically one-half of the total deaths were of persons aged 65 years and upwards, and of these 901 deaths 89 resulted from influenza, 250 from diseases of the circulatory system and 249 from diseases of the respiratory system; the deaths from whooping cough numbered 26 as against 20, 32 and 38 in the three weeks preceding; and the total deaths from influenza which had been 137, 197 and 252 in the preceding three weeks, fell to 215 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 5th February, 1927.

TOWNS.	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 GREAT TOWNS ..	19,439,910*	7,010	7,302	716	2	43	11	89	51	42	818
LONDON	4,602,000*	1,496	1,912	137	-	1	5	26	12	9	215
TOWNS IN OUTER RING.											
CROYDON C.B ..	199,300	72	87	7	-	1	-	1	-	-	15
WIMBLEDON ..	58,170	12	22	2	-	-	-	1	-	-	4
EALING	91,000	21	35	4	-	-	-	-	-	1	6
ACTON	63,110	20	33	1	-	-	-	-	-	-	3
WILLESDEN ..	168,900	43	50	5	-	-	-	1	1	-	5
HENDON	59 150*	19	21	-	-	-	-	-	-	-	9
HORNSEY	87,210	21	47	1	-	-	-	-	-	-	19
WOOD GREEN ..	51,960	11	18	1	-	-	-	-	-	-	4
TOTTENHAM ..	153,600	47	72	3	-	-	-	-	-	-	19
EDMONTON ..	71,210	46	28	5	-	-	-	-	-	-	3
ENFIELD	63,740	29	35	3	-	-	-	1	-	-	5
WEST HAM C.B. ..	318,500	166	124	15	-	-	-	4	1	1	15
EAST HAM C.B. ..	147,200	43	50	4	-	-	-	-	1	1	6
LEYTON	132,700	33	56	3	-	-	-	1	-	-	6
WALTHAMSTOW ..	130,800	46	42	4	-	-	-	2	1	-	6
ILFORD	93,590	36	34	-	1	-	-	-	-	-	7
GILLINGHAM	48,680*	20	16	-	-	-	1	-	-	-	2
CANTERBURY C.B ..	23,270*	14	15	-	-	-	-	-	-	-	4
HASTINGS C.B.	60,470	17	27	3	-	-	-	-	-	-	6
EASTBOURNE C.B. ..	55,060	18	25	2	-	-	-	-	-	-	7
BRIGHTON C.B. ..	137,800*	55	81	9	-	-	-	-	1	-	21
PORTSMOUTH C.B. ..	232,900*	61	88	6	-	-	-	-	-	-	4
BOURNEMOUTH C.B. ..	85,840	26	39	-	-	-	-	-	-	-	9
SOUTHAMPTON C.B. ..	168,600	56	57	5	-	2	1	-	1	-	5
READING C.B.	93,670*	25	39	2	-	-	-	-	1	-	5
OXFORD C.B.	57,090	28	34	3	-	-	-	2	-	-	10
NORTHAMPTON C.B. ..	93,780*	27	56	1	-	-	-	1	-	2	8
LUTON	59,230	20	32	2	-	-	-	1	1	-	8
CAMBRIDGE	59,020	12	46	1	-	-	-	-	-	1	18
SOUTHEND-ON-SEA C.B.	98,060	20	48	-	-	-	-	-	1	-	6
IPSWICH C.B.	83,120*	36	41	3	-	-	-	-	-	-	12
GREAT YARMOUTH C.B.	57,890	12	28	3	-	-	-	4	-	-	1
NORWICH C.B. ..	124,000*	50	57	9	-	-	-	2	-	1	7
SWINDON	56,880	19	37	-	-	-	-	-	-	-	15
EXETER C.B.	59,820*	34	27	3	-	1	-	-	-	1	2
PLYMOUTH C.B. ..	192,100*	88	51	2	-	-	-	-	1	-	2
BATH C.B.	69,050	18	49	-	-	-	-	-	-	-	9
BRISTOL C.B.	385,700*	151	230	9	-	-	-	-	-	-	60
GLOUCESTER C.B. ..	53,060	20	20	1	-	-	-	-	-	-	1
STOKE-ON-TRENT C.B.	278,900	130	84	17	-	1	-	3	-	-	6
BURTON-UPON-TRENT C.B.	49,530	12	12	1	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	108,800	45	33	4	-	-	-	5	-	1	-
WALSALL C.B.	102,300	49	27	8	-	-	-	1	-	-	-
WEST BROMWICH C.B	79,490	37	27	7	-	-	-	-	1	-	2
DUDLEY C.B.	58,810	28	18	5	-	-	-	-	1	-	1
WORCESTER C.B. ..	50,230	13	17	2	-	-	-	-	-	-	1
BIRMINGHAM C.B. ..	945,900	393	274	35	-	2	-	1	4	-	16
SMETHWICK C.B. ..	78,840	21	21	2	-	-	-	-	-	-	2
COVENTRY C.B. ..	129,100	53	37	6	-	-	-	-	1	-	1
LEICESTER C.B. ..	242,100	81	129	12	-	1	-	2	-	1	22
LINCOLN C.B.	66,600*	22	24	3	-	-	-	-	-	-	1
GRIMSBY C.B.	87,190	29	24	4	-	1	-	-	-	-	2
NOTTINGHAM C.B. ..	270,600	92	141	9	-	-	1	-	3	-	31
DERBY C.B.	134,400*	50	48	3	-	-	-	-	-	-	7
CHESTERFIELD ..	65,800	27	25	5	-	-	-	-	-	-	3
STOCKPORT C.B. ..	125,900	39	35	1	-	-	-	-	-	-	1
CHESTER C.B.	41,670	18	14	-	-	-	-	1	-	-	-
BIRKENHEAD C.B. ..	155,500	60	45	5	-	-	-	-	1	1	5
WALLASEY C.B. ..	91,720	22	23	1	-	-	-	-	-	-	2
LIVERPOOL C.B. ..	856,000	432	256	35	-	3	-	-	2	4	5
BOOTLE C.B.	83,260	28	17	3	-	1	-	-	-	1	-
ST. HELENS C.B. ..	109,600	54	28	7	-	-	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from						
					Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	21	23	1	-	-	-	-	-	-	-
WIGAN C.B.	91,010	41	19	4	-	-	-	-	-	-	1
WARRINGTON C.B. ..	77,970*	33	11	2	-	-	-	-	-	-	-
BOLTON C.B.	180,400	70	57	3	-	-	-	-	1	-	1
BURY C.B.	56,700*	16	18	-	-	1	-	-	-	-	1
MANCHESTER C.B. ..	755,800	225	227	16	-	-	-	3	1	1	7
SALFORD C.B.	244,700	92	74	11	-	-	-	1	1	3	4
OLDHAM C.B	146,200	40	44	5	1	-	-	-	1	1	1
ROCHDALE C.B... ..	92,190	23	33	2	-	-	-	1	-	-	2
BURNLEY C.B.	102,300	23	35	1	-	2	-	-	-	-	1
BLACKBURN C.B. ..	126,900	43	47	5	-	4	-	-	-	-	3
PRESTON C.B.	122,900	30	49	5	-	-	-	4	-	-	5
BLACKPOOL C.B. ..	80,750	23	36	2	-	-	1	-	-	-	-
BARROW-IN-FURNESS C.B.	73,470	25	23	4	-	-	-	-	-	1	-
HUDDERSFIELD C.B. ..	112,100	28	40	3	-	-	-	-	-	-	1
HALIFAX C.B.	97,860*	34	24	2	-	-	-	-	-	-	-
BRADFORD C.B. ..	290,200	82	121	15	-	2	-	-	-	1	8
LEEDS C.B.	472,900	187	154	24	-	12	-	3	2	2	6
DEWSBURY C.B ..	54,570	20	16	5	-	-	-	-	-	1	2
WAKEFIELD C.B. ..	53,980	27	18	4	-	-	-	-	-	-	-
BARNSLEY C.B. ..	71,170	32	20	6	-	-	-	1	-	-	-
SHEFFIELD C.B. ..	526,900*	186	178	29	-	-	1	6	2	1	8
ROTHERHAM C.B. ..	70,600	31	18	5	-	-	-	1	-	1	2
DONCASTER	55,610	17	18	3	-	-	-	-	-	-	1
YORK C.B.	84,630*	22	25	2	-	-	-	-	-	-	3
HULL C.B.	297,300	126	119	26	-	1	1	-	1	1	4
MIDDLESBROUGH C.B.	136,200	71	67	10	-	4	-	-	2	1	8
DARLINGTON C.B. ..	69,130	15	24	1	-	-	-	-	-	-	4
STOCKTON-ON-TEES ..	68,000	30	23	4	-	-	-	-	-	1	1
WEST HARTLEPOOL C.B.	71,590	22	40	5	-	-	-	2	-	-	16
SUNDERLAND C.B. ..	166,000	74	48	7	-	1	-	-	1	-	1
SOUTH SHIELDS C.B. ..	124,600	52	58	6	-	-	-	-	1	-	6
GATESHEAD C.B. ..	129,000	51	36	8	-	2	-	-	-	-	1
NEWCASTLE-ON-TYNE C.B.	286,300*	108	67	12	-	-	-	-	1	-	2
TYNEMOUTH C.B. ..	66,180	32	22	2	-	-	-	1	-	-	2
CARLISLE C.B.	55,160*	22	11	1	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	96,420*	36	39	1	-	-	-	-	-	-	7
CARDIFF C.B.	227,100*	95	82	14	-	-	-	-	1	-	14
RHONDDA	167,570	71	44	7	-	-	-	1	-	-	2
MERTHYR TYDFIL C.B.	82,920	37	21	4	-	-	-	-	-	-	1
ABERDARE	57,700	15	21	-	-	-	-	-	-	-	1
SWANSEA C.B.	163,200	59	84	15	-	-	-	-	1	1	14
GREATER LONDON ..	7,742,212*	2,537	3,189	242	1	2	5	41	18	15	437
OUTER RING	3,140,212*	1,041	1,277	105	1	1	-	15	6	6	222
16 GREAT TOWNS IN OUTER RING	1,890,140*	665	754	58	1	1	-	11	4	3	132
REMAINDER OF OUTER RING	1,250,072*	376	523	47	-	-	-	4	2	3	90
EDINBURGH†	426,100‡	153	127	15	-	1	-	-	1	1	6
GLASGOW† ..	1,049,000‡	480	322	50	-	1	-	6	7	4	2
DUBLIN (REGISTRATION AREA)†	421,000	256	168	25	1	1	-	13	3	3	5
BELFAST†	416,000	176	137	28	-	-	-	4	1	1	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Revised provisional populations for 1927.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available perio

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza
LONDON‡	4,602,000	1926-1927. Feb. 5	1496	1912	21·7	-	-	1	5	26	12	9	21
CALCUTTA AND SUBURBS	1,077,273	1926-27. Jan. 1											
BOMBAY§	1,298,708	Jan. 8	448	509	20·4	1	5	-	-	2	-	22	
MADRAS	528,791	„ 1	328	426‖	41·8	2	-	-	?	2	-	25	
SYDNEY AND SUBURBS	1,038,950	Dec. 31 (31 days)											
BRISBANE (Metropolitan Area).	263,711	Dec. 31 (31 days)											
PERTH (Metropolitan Area).	179,388	Dec. 18	70	31	9·0	-	-	-	-	-	-	2	
AUCKLAND (Urban Area).	192,176	Nov. 30 (30 days)	327	138	8·6	-	-	1	-	1	-	1	
WELLINGTON (Urban Area).	121,324	Nov. 30 (30 days)	212	94	9·2	-	-	-	-	1	-	-	
CHRISTCHURCH (Urban Area).	118,408	Nov. 30 (30 days)	209	76	7·7	-	-	-	-	-	-	-	
CAPE TOWN	113,709	Jan. 8	54	22	10·1	1	-	-	-	-	-	-	
JOHANNESBURG	172,189	„ 8	103	40	12·1	-	-	-	-	-	-	-	
DURBAN	54,738	„ 8	23	9	8·6	-	-	-	-	-	-	-	
PARIS	2,871,429	Jan. 10 (10 days)	1278	1593	19·0	12	-	18	1	4	11	14	78
ANTWERP	300,183	Dec. 31 (6 days)	81	74	15·0	-	-	-	-	-	-	-	16
AMSTERDAM	726,531	Jan. 8	265	188	13·5	-	-	-	-	1	-	1	23
COPENHAGEN	592,000	„ 22	204	126	10·2	-	-	-	-	1	-	1	
STOCKHOLM	442,528	„ 15	105	103	12·1	-	-	-	-	-	1	-	
GOTHENBURG	231,624	„ 15											
OSLO (CHRISTIANIA) ..	255,724	„ 22	50	84	17·1	-	-	1	-	-	-	-	10
BERLIN	1,992,000	„ 15	386	611	15·9	-	?	-	5	4	7	1	41
BRESLAU	561,000	„ 15	153	204	18·9	-	?	1	-	1	-	-	35
COLOGNE	711,000	„ 15											
DRESDEN	624,000	„ 15	124	144	12·0	-	?	-	-	1	-	-	
FRANKFORT-ON-MAIN..	471,000	„ 15	105	99	10·9	-	?	-	-	-	-	-	
HAMBURG	1,111,000	„ 15	277	248	11·6	-	?	-	-	-	1	1	
LEIPZIG	685,000	„ 15	197	148	12·2	-	?	2	-	1	-	-	
MUNICH	685,000	Jan. 8	176	180	13·7	-	?	4	-	1	1	-	
VIENNA	1,871,607	June 30 (30 days)											
PRAGUE AND SUBURBS	725,196	Sept. 30 (30 days)	746	594	10·0	5	-	1	-	-	6	24	
BUDAPEST	971,169	Jan. 15	338	312	16·7	2	-	3	-	-	8	5	
WARSAW	1,015,426	„ 22	?	336	17·3	2	-	-	5	-	2	17	16
CAIRO	859,400	Oct. 21	893	386	23·4	4	-	-	-	?	6	53	
		„ 28	882	402	24·4	7	-	-	-	?	7	41	
ALEXANDRIA	492,100	„ 21	453	216	22·9	2	1	-	-	?	2	28	
		„ 28	442	209	22·1	1	-	-	-	?	3	23	
NEW YORK	5,924,018	Jan. 22	?	1612	14·2	2	-	-	2	3	8	13	25
CHICAGO	3,101,000	„ 14	1156	732	12·3	-	-	6	2	1	11	9	10

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under* *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 2 deaths from Cholera in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 5th February, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1912	137	59	59	42	60	63	122	196	273	420	481
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	
Measles	1	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever	5	1	-	1	1	-	-	-	-	2	-	-
Whooping cough	26	8	9	9	-	-	-	-	-	-	-	-
Diphtheria	12	-	-	7	4	1	-	-	-	-		
Influenza	215	3	7	5	3	11	12	27	26	32	40	49
Erysipelas	2	1	-	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-	1	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	1	-	-	1	-	-	-
Meningococcal meningitis	5	3	-	1	1	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	164	-	-	-	2	22	20	26	20	7	7	-
Nervous system	3	1	-	1	1	-	-	-	-	-	-	-
Intestines and peritoneum	3	1	-	-	-	1	-	-	1	-	-	-
Other forms	4	-	-	-	2	-	-	1	-	-	-	1
Venereal diseases	3	1	-	-	-	-	1	-	-	-	1	-
Cancer	135	-	-	-	1	1	1	6	25	40	40	21
Rheumatic fever	3	-	-	-	1	2	-	-	-	-	-	-
Diabetes	7	-	-	-	-	-	-	-	-	4	2	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	2	-	-	1	-	-	-	2	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	85	-	-	-	-	-	-	-	7	18	26	34
Epilepsy	5	-	-	-	1	1	1	-	1	-	-	1
"Convulsions" (not puerperal)	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	43	2	3	1	3	-	-	7	8	7	6	6
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	10	-	1	-	3	1	1	4	-	-	-	-
Other diseases of heart	261	-	-	-	-	2	4	7	22	48	95	83
Other diseases of circulatory system	82	-	-	-	-	-	-	-	3	7	35	37
Bronchitis	232	6	1	2	-	2	1	8	19	30	61	102
Broncho-pneumonia	173	52	29	23	4	-	1	5	8	10	21	20
Lobar-pneumonia	45	-	2	1	3	1	4	4	9	6	9	6
Pneumonia (type not distinguished)	33	3	1	1	1	2	-	4	4	5	8	4
Other diseases of respiratory system	41	-	1	-	-	-	1	2	7	12	5	13
Diarrhœa and enteritis	13	8	1	2	-	1	-	-	1	-	-	-
Appendicitis, Typhlitis	9	-	-	1	2	2	-	1	1	1	1	-
Hernia, Intestinal obstruction	18	-	-	1	-	-	2	3	2	3	5	2
Cirrhosis of liver	1	-	-	-	-	-	-	1	-	-	-	-
Other diseases of digestive system	26	-	2	-	-	-	1	4	4	6	5	4
Acute nephritis	3	-	-	-	-	-	-	-	1	1	-	1
Chronic Bright's disease	46	-	-	-	-	2	2	2	9	10	15	6
Other diseases of genito-urinary system.	24	-	-	-	-	1	1	1	1	4	11	5
Puerperal sepsis	4	-	-	-	-	-	2	2	-	-	-	-
Other causes incident to childbirth	3	-	-	-	-	-	3	-	-	-	-	-
Congenital malformations	9	7	-	1	-	-	1	-	-	-	-	-
Premature birth	14	14	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	5	5	-	-	-	-	-	-	-	-	-	-
Old age	85	-	-	-	-	-	-	-	-	-	9	76
Suicide	10	-	-	-	-	2	1	1	3	2	1	-
Burns and Scalds	2	-	1	-	-	-	-	-	-	-	-	1
Drowning	4	-	-	-	-	-	-	1	1	1	1	-
Suffocation in bed	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	17	-	-	1	4	-	1	-	2	3	4	2
Other deaths by violence	13	-	-	1	1	1	1	1	1	3	2	2
Other specified causes	54	13	1	-	2	2	1	4	6	11	10	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 5th February, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	177	245	2	423	C. 4 D. 5 E. 1 F. 2 G. 7 L. 1 M. 32 N. 30
†CITY OF LONDON	-	3	1	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	7	18	-	21	G. 2 M. 1
†BERMONDSEY ...	-	6	10	-	7	G. 1
†BETHNAL GREEN	-	8	16	-	20	D. 1
†CAMBERWELL ...	-	12	9	-	13	-
†CHELSEA	-	3	4	-	6	M. 1 N. 1
†DEPTFORD ...	-	4	8	-	13	C. 1
†FINSBURY ...	-	1	6	-	5	M. 3 N. 3
†FULHAM	-	6	4	-	15	L. 1 N. 2
†GREENWICH ...	-	8	10	-	7	-
†HACKNEY ...	-	9	15	-	8	G. 1 M. 4 N. 2
†HAMMERSMITH ...	-	4	6	-	18	M. 1 N. 1
†HAMPSTEAD ...	-	3	1	-	3	-
†HOLBORN... ...	-	1	1	-	1	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	10	8	-	16	M. 7 N. 4
†KENSINGTON ...	-	6	6	-	23	C. 1 D. 1 M. 1
†LAMBETH ...	-	6	12	-	34	M. 1 N. 2
†LEWISHAM ...	-	3	10	-	32	G. 1
†PADDINGTON ...	-	1	1	-	21	D. 1 F. 1 M. 2 N. 1
†POPLAR	-	17	9	-	22	M. 3
†ST. MARYLEBONE	-	5	2	-	5	G. 1 M. 1 N. 6
†ST. PANCRAS ...	-	5	6	-	22	C. 1 D. 1 E. 1 M. 1 N. 1
†SHOREDITCH ...	-	4	12	-	22	M. 3 N. 1
†SOUTHWARK ...	-	5	13	-	20	C. 1 F. 1 M. 1 N. 4
†STEPNEY	-	16	18	1	17	-
†STOKE NEWINGTON	-	3	2	-	2	-
†WANDSWORTH ...	-	11	20	-	26	D. 1 G. 1 M. 1 N. 1
†WESTMINSTER, CITY OF	-	1	1	1	11	M. 1 N. 1
†WOOLWICH ...	-	9	16	-	13	M. 1 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	3	–	27	G. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	2	1		8	–
DUNSTABLE ...	–	–	–	–	1	–
†LUTON	–		1	–	6	G. 1
Rural Districts:—						
AMPTHILL ...		–	1		–	–
BEDFORD ...	–	1	–	–	4	–
BIGGLESWADE ..	–	–	–	–	5	–
EATON SOCON ...	–	–	–	–	1	–
LUTON	–		–	–	2	–
BERKS	–	10	6	–	9	M. 1 N. 1
†READING C.B. ...	–	2	–	–	3	M. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	–	–	2	–
†MAIDENHEAD ...		–	–	–	2	
†NEWBURY ...	–	–	2	–	–	N. 1
†NEW WINDSOR ...		2	–		–	–
WOKINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
BRADFIELD ...	–	1	–	–	1	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
NEWBURY ...	–	–	–	–	1	–
WANTAGE ...	–	3		–	–	
WOKINGHAM ...		–	3	–	–	–
BUCKINGHAM ...	–	4	3	–	21	E. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	1	–	1	–
BLETCHLEY ...	–	–	1	–	–	–
†CHEPPING WYCOMBE	–		–	–	14	–
ETON	–	1	–	–		
†SLOUGH	–	–	–		2	E 1
†WOLVERTON ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...	–	1		–	–	–
WYCOMBE ...	–	1	1	–	3	–
CAMBRIDGE ..	–	2	3	–	8	N. 1
Borough:—						
†CAMBRIDGE ...	–	2	3	–	1	N. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	2	–
CHESTERTON ...	–	–	–	–	4	–
NEWMARKET ...	–	–	–	–	1	–
CHESTER	1	55	19	–	40	E. 1 G. 3 M. 3 N. 3
†BIRKENHEAD C.B.	–	2	3	–	15	M. 1 N. 1
†CHESTER C.B. ...	–	3	–	–	–	–
†STOCKPORT C.B.	1	18	2	–	1	E. 1
†WALLASEY C.B. ...	–	1	5		3	G. 2
Boroughs and Urban Districts:—						
BREDBURY AND ROMILEY	–	–	1	–	2	–
†CHEADLE AND GATLEY	–	4	–	–	–	–
†CONGLETON ...	–	1	1	–	1	–
†CREWE	–	2	–	–	1	–
†DUKINFIELD ...	–		–	–	–	N. 1
HALE	–	–	–	–	1	–
†HAZEL GROVE AND BRAMHALL	–	2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	3	–	5	–
†HYDE	–	–	1	–	–	

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
KNUTSFORD ...	–	1	–	–	–	–
LYMM	–	1	–	–	–	–
†MACCLESFIELD ...	–	–	1	–	1	–
MARPLE	–	1	–	–	–	–
†NORTHWICH ...	–	1	1	–	1	G. 1
†RUNCORN... ...	–	1	1	–	–	–
†SALE	*	*	*	*	*	*
†STALYBRIDGE ...	–	–	–	–	1	M. 1
WILMSLOW ...	–	–	–	–	1	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	2	–	–	–	–
CHESTER	–	3	–		–	–
CONGLETON ...	–	6	–	–	2	–
NANTWICH ...	–	–	–	–	–	M. 1
NORTHWICH ...	–	–	–	–	1	N. 1
RUNCORN ...	–	5	–	–	–	–
TARVIN	–	–	–	–	1	–
TINTWISTLE ...	–	1	–		–	–
WIRRAL	–	–	–	–	3	–
CORNWALL ...	–	4	2	–	4	C. 1 M. 1
Boroughs and Urban Districts:—						
LISKEARD ...	*	*	*	*	*	*
†PENZANCE ...	–	–		–	–	C. 1
ST. IVES	–	–	–	–	1	–
SALTASH... ...	–	1	–	–	–	–
WADEBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
CALSTOCK ...	–	–	1	–	–	–
ST. GERMANS ...	–	3	–	–	2	–
TRURO	–	–	1	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	5	6	–	–	G. 1 M. 1 N. 2
†CARLISLE C.B. ..	–	1	2	–	–	M. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
CLEATOR MOOR ..	–	–	1	–	–	–
EGREMONT ...	–	–	1	–		–
HOLME CULTRAM	–	2	–	–	–	–
†MARYPORT ...	–	–	1		–	N. 1
†WORKINGTON ...	–	–	–	–		N. 1
Rural Districts:—						
BOOTLE	–	–	–	–	–	G. 1
BRAMPTON ...		2	–		–	–
DERBY ...	20	32	20	1	83	M. 2 N. 2
†DERBY C.B. ..	2	6	7	–	16	N. 1
Boroughs and Urban Districts:—						
†ALFRETON ..		1	2			–
†BELPER	4	–	–	–	1	–
†BOLSOVER ..	–	1	–	–	–	M. 1
†CHESTERFIELD ...	–	3	1		8	–
CLAY CROSS ...	–	3	–	–	–	–
†GLOSSOP	–	1	1	–	1	–
HEAGE	3	–	–	–	–	–
†HEANOR	–	1	–	–	8	–
†LONG EATON ...	–	4	1	–	1	–
†RIPLEY	4	1			1	–
†SWADLINCOTE DISTRICT	–	2	1	–	19	–
†THE MATLOCKS...		2	–		–	N 1
Rural Districts:—						
BELPER	5	–	–	–	–	–
BLACKWELL ..	–	2	3	–	2	–
CHAPEL EN LE FRITH	–	3	–	–	–	M. 1
CHESTERFIELD ...	1	–	3	1	10	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CLOWNE	–	–	–	–	5	–
GLOSSOP DALE ...	–	1	1	–	–	–
HAYFIELD ..	–	–	–	–	1	–
REPTON	–	1	–	–	2	–
SHARDLOW ...	1	–	–	–	6	–
CODNOR PARK AND SHIPLEY (Parishes)	–	–	–	–	2	–
DEVON	–	31	15	1	24	M. 3 N. 1
†EXETER C.B. ...	–	8	1	–	1	–
†PLYMOUTH C.B. ...	–	18	10	–	6	M. 2
Boroughs and Urban Districts—						
ASHBURTON ...	–	–	–	–	1	–
†BARNSTAPLE ...	–	–	–	–	7	–
BIDEFORD ...	–	1	–	–	–	–
DAWLISH... ...	–	–	–	–	2	–
GREAT TORRINGTON	–	–	3	–	–	–
†ILFRACOMBE ...	–	–	1	–	–	–
†NEWTON ABBOT	–	–	–	–	–	N. 1
SALCOMBE ...	–	–	–	–	1	–
TIVERTON ...	–	–	–	–	1	–
†TORQUAY ...	–	–	–	–	2	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	2	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	1	–	1	–	M. 1
TORRINGTON ...	–	2	–	–	–	–
TOTNES	–	–	–	–	1	–
DORSET	–	7	1	–	32	M. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	–
DORCHESTER ...		–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
†POOLE	–	1	–	–	11	–
†PORTLAND ...	–	1	–	–	1	M. 1
SWANAGE ...	–	1	–	–	1	–
WAREHAM ...	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	9	–
Rural Districts:—						
BRIDPORT ...	–	2	–	–	–	–
CERNE	–	1	–	–	–	–
POOLE	–	–	–	–	1	–
WAREHAM AND PURBECK	–	1	–	–	2	–
WEYMOUTH ...	–	–	–	–	2	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM	340	47	30	–	197	C. 1 G. 2 M. 7 N. 6
†DARLINGTON C.B.	2	1	–	–	12	M. 1
†GATESHEAD C.B.	4	3	5	–	7	G. 1
†SOUTH SHIELDS C.B.	32	5	2	–	43	–
†SUNDERLAND C.B.	1	2	1	–	26	–
†WEST HARTLEPOOL C.B.	–	2	3	–	26	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	7	–	–	–	2	–
BENFIELDSIDE ...	–	–	1	–	–	N. 2
BILLINGHAM ...	–	1	–	–	2	N. 3
†BISHOP AUCKLAND	–	–	2	–	–	–
†BLAYDON... ...	–	1	–	–	1	–
†BRANDON AND BYSHOTTLES	25	–	1	–	–	–
†CHESTER LE STREET	3	–	–	–	4	–
†CROOK	13	–	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†DURHAM	4	–	–	–	1	–
†FELLING	–	–	–	–	1	
†HARTLEPOOL ...	–	2	–	–	17	–
†HEBBURN ...	1	2	–	–	2	–
†HETTON	24	–	–		3	–
†HOUGHTON LE SPRING	–	–	–	–	3	–
†JARROW	29	–	–	–	7	M. 1
LEADGATE ...	–	–	–	–	–	M. 1
†RYTON	–	5	–		–	M. 1
†SEAHAM HARBOUR	–	1		–	1	–
†SHILDON	21	–	–	–	–	–
†SOUTHWICK ON WEAR	–	2	1	–	–	–
†SPENNYMOOR ...	2	–	–	–	–	C. 1
†STANLEY	13	3	3	–	3	–
†STOCKTON ON TEES	–	2	2	–	–	–
TOW LAW ...	1	–	–	–	–	–
†WHICKHAM ...	–	–	1	–	2	
WILLINGTON ...	5	–	–		–	–
Rural Districts:—						
AUCKLAND ...	28	3	4	–		–
CHESTER LE STREET	37	2	1		3	
DARLINGTON ...	*	*	*	*	*	*
DURHAM	15	1	–	–	2	M. 1
EASINGTON .	31	2	1	–	9	M. 1
HARTLEPOOL ...		–	–	–	2	–
HOUGHTON LE SPRING	7	1	–		4	–
LANCHESTER ...	24	4	2	–	1	G. 1
SEDGEFIELD ..	9	–	–	–	2	–
SOUTH SHIELDS...	2	–	–	–	2	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND .	–	–	–	–	8	M. 1
WEARDALE ...	–	2		–	–	–
ELY, ISLE OF .	–	2	1	–	2	N. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	–	2	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Boroughs and Urban Districts—*cont.*						
MARCH	–		1	–	–	–
WHITTLESEY ...	–		–	–	1	–
†WISBECH	–	–	–	–	1	–
Rural Districts:—						
ELY	–		–	–	–	N. 1
ESSEX	–	108	50	1	150	C. 2 E. 1 M. 2 N. 6
†EAST HAM C.B. ...	–	8	6	–	13	–
†SOUTHEND-ON-SEA C.B.	–	4	3	–	21	M. 1 N. 2
†WEST HAM C.B. ...	–	36	15	1	28	N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	1	–	6	–
BRAINTREE ...	–	5	–	–	1	–
BRENTWOOD ...		1	–	–	–	–
BUCKHURST HILL		–	–	–	1	–
CANVEY ISLAND	–	1	1	–	–	–
†CHELMSFORD ...		1	–		1	–
CHINGFORD ...		1	–	–		–
†CLACTON	–	–		–	3	–
†COLCHESTER ...	–	–	1	–	12	–
DAGENHAM ...	–	2	2	–	4	–
EPPING	–	1	–	–	7	–
†GRAYS THURROCK	–	–	1		3	N. 1
†HORNCHURCH ...	–	6	–	–	–	–
†ILFORD	–	4	4	–	10	–
†LEYTON	–	3	7	–	9	C. 1 M. 1
LOUGHTON ...	–	1	–	–	–	–
†ROMFORD ...	–	1	–		1	–
TILBURY		4	–	–	–	–
†WALTHAMSTOW...	–	8	4		6	N. 1
WITHAM		–	–	–	2	–
†WOODFORD ...	–	2	4	–	5	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BELCHAMP ...	–	3	–	–	1	–
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	1	–	–	1	–
CHELMSFORD ...	–	–	–		–	E. 1
DUNMOW	–	–	–	–	4	–
EPPING	–	2	–		2	–
MALDON	–	2	–	–	3	N. 1
ORSETT	–	2	–	–	–	–
ROCHFORD ...	–	–	–	–	4	–
ROMFORD... ...	–	4	1	–	–	C. 1
SAFFRON WALDEN	–	–	–	–	1	–
STANSTED ...	–	1	–	–	–	–
TENDRING ...	–	–	–		1	–
GLOUCESTER ...	–	16	18	–	74	C. 1 G. 1 N. 3
†BRISTOL C.B. ...	–	10	10	–	51	C. 1 G. 1 N. 2
†GLOUCESTER C.B.	–	–	3	–	7	N. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	3	–	3	–
NEWNHAM ...	–	–	1	–	–	–
TETBURY... ...	–	–	–	–	1	–
TEWKESBURY ...	–	–	–	–	1	–
Rural Districts:—						
CIRENCESTER ...	–	–	–	–	1	–
DURSLEY... ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	1	–	–	–
STROUD	–	3	–	–	4	
THORNBURY ...	–	–	–	–	2	–
WARMLEY ...	–	–	–	–	2	–
WEST DEAN ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HEREFORD	–	–	–	–	6	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	2	
ROSS	–	–	–		– 1	–
Rural Districts:—						
BREDWARDINE ...	*	*	*	*	*	*
HEREFORD ...	–	–	–	–	2	–
ROSS	–	–	–	–	1	–
HERTFORD ...	–	3	2	–	21	–
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	1	–
†EAST BARNET VALLEY	–	–	–	–	1	–
†HERTFORD ...	–	1	–	–	–	–
†HITCHIN	–	–	–	–	2	–
ROYSTON	–	1	–	–	1	–
†ST. ALBANS ...	–	–	–	–	4	–
†WATFORD ...	–	–	–	–	4	–
Rural Districts:—						
HATFIELD ...	–	1	–	–	–	–
HITCHIN	–	–	1	–	3	–
WARE	–	–	1	–	–	–
WATFORD ...	–	–	–	–	5	–
HUNTINGDON ...	–	1	1	–	7	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	–	–	2	–
OLD FLETTON ...	–	–	–	–	3	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON—*cont.*						
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	2	–
ST. IVES	–	1	1	–	–	–
KENT	–	43	12	2	106	C. 2 D. 2 N. 2
†CANTERBURY C.B.	–	–	–	–	13	–
Boroughs and Urban Districts:—						
†ASHFORD	–	2	–	–	5	–
†BECKENHAM ...	–	–	–	–	5	–
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	5	–
†BROMLEY ...	–	–	–	–	2	–
†CHATHAM ...	–	1	1	1	–	–
CHISLEHURST ...	–	–	–	–	3	–
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ...	–	–	–	–	2	C. 1
†DOVER	–	–	2	–	–	–
†ERITH	–	4	2	–	4	–
†FAVERSHAM ...	–	5	–	–	–	–
†FOLKESTONE ...	–	–	–	–	4	–
†GILLINGHAM ...	–	5	1	–	8	N. 1
†GRAVESEND ...	–	2	–	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
†MAIDSTONE ...	–	4	–	–	6	–
†MARGATE ..	–	1	–	–	7	–
NEW ROMNEY ...	–	–	–	–	1	–
†NORTHFLEET ...	–	2	2	–	–	–
†PENGE	–	–	–	–	3	–
†RAMSGATE ...	–	–	–	–	3	–
†ROCHESTER ...	–	1	–	–	–	C. 1 D. 1
†ROYAL TUNBRIDGE WELLS	–	–	–	–	13	–
SANDWICH ...	–	1	–	–	–	–
†SHEERNESS ..	–	–	–	–	1	–
SITTINGBOURNE	–			–	1	–
SWANSCOMBE ...	*	*	*	*	*	*
†TONBRIDGE ...	–	–	–	–	2	–
WHITSTABLE ...	–	1		–	1	–
WROTHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BLEAN		–	1	–	1	N. 1
BRIDGE	–	–	–	–	2	–
BROMLEY ...	–	1	–	–		–
DARTFORD ...	–	2	2	–	–	D. 1
EAST ASHFORD ...	–	1	–	–	1	–
EASTRY	–	1	–	–	–	–
ELHAM	–	–	–	–	3	–
HOLLINGBOURNE	–	–	–	–	1	–
ISLE OF THANET	–	–	–	–	1	–
MAIDSTONE ...	–	2	–	–	1	–
MALLING	–	2	–	–	1	–
ROMNEY MARSH...	–	2	–	–	1	–
SEVENOAKS ...	–	1	–	1	2	–
SHEPPEY	–	–	–	–	1	–
TONBRIDGE ...	–	–	–	–	1	–
LANCASTER ..	4	140	124	6	281	C. 7 G. 8 L. 6 M. 27 N. 12
†BARROW IN FURNESS C.B.	–	1	1	–	1	–
†BLACKBURN C.B.	–	2	1	1	4	C. 2
†BLACKPOOL C.B.	–	–	–	–	6	–
†BOLTON C.B. ...	–	2	2	–	3	N. 2
†BOOTLE C.B. ..	–	–	1	–	4	–
†BURNLEY C.B. ..	–	–	3		4	–
†BURY C.B. ...	–	–	2	–	9	–
†LIVERPOOL C.B. ..	–	25	40	1	71	C. 1 G. 4 L. 1 M. 14 N. 4
†MANCHESTER C.B.	–	34	32	1	54	G. 1 M. 3 N. 1
†OLDHAM C.B. ...	–	1	2	1	2	L. 1 M. 1
†PRESTON C.B. ..	–	–	–	–	7	M. 2 N. 1
†ROCHDALE C.B. ...	–	–	3	–	2	–
†ST. HELENS C.B...	–	1	1	–	6	N. 1
†SALFORD C.B. ...	–	9	11	–	25	–
†SOUTHPORT C.B.	2	–	1	1	2	–
†WARRINGTON C.B.	–	–	2	–	6	N. 1
†WIGAN C.B. ..	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
ABRAM	–	–	–		2	–
†ACCRINGTON ...	–	1	–	–	–	–
ADLINGTON ...	–	1	–	–	1	–
†ASHTON UNDER LYNE	–	3	–	–	2	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	4	–	–	–	–
†BACUP	–	–	–	–	1	–
BRIERFIELD ...	–	–	–	–	2	–
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY	–	–	–	–	2	–
CHURCH	–	–	–	–	1	–
†COLNE	–	–	–	–	1	C. 1 N. 1
†CROMPTON ...	–	–	1	–	–	–
†DARWEN	–	4	–	–	–	C. 1
†DENTON	–	–	1	–	2	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	1	–	–	4	–
†FARNWORTH ...	–	2	–	–	–	M. 1
†FLEETWOOD ...	–	–	–	–	4	
FORMBY	2	–	–	–	–	–
FULWOOD ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	1	1	–	2	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	9	1	–	–	–
†HEYWOOD ...	–	2	–	–	–	–
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...	–	2	1	–	1	G. 1
HURST	–	–	–	–	1	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	2	–	–	4	–
IRLAM	–	–	–	–	1	
KEARSLEY ...	–	2	–	–	–	–
KIRKHAM ...	–	–	–	–	1	–
†LANCASTER ...	–	–	–	–	6	–
†LEIGH	–	–	3	–	–	C. 1
LEYLAND... ...	–	2	–	–	–	–
†LITHERLAND ...	–	–	2	–	–	–
†LITTLEBOROUGH		2	–	–		–
†LYTHAM ST. ANNE'S	–	–	2	–	–	–
†MIDDLETON ...	–	2	–	–	1	–
MILNROW... ...	–	–	–	–	1	–
†MORECAMBE ...	–	–	1	–	1	–
†NELSON	–	–	–	–	3	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OSWALDTWISTLE	–	–	–	–	2	M. 2
†PADIHAM ...	–	–		–	1	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	–	–	1	–
†RADCLIFFE ...	–	2	1	–	–	–
†RAMSBOTTOM ...	–	–	–	–	1	–
RISHTON	–	–	1	–	–	M. 1
†ROYTON	–	1	–	–	–	–
SKELMERSDALE...	–	–	–	1		–
†STRETFORD ...	–	1	1	–	4	G. 1
†SWINTON AND PENDLEBURY	–	2	–	–	5	M. 1 N. 1
TOTTINGTON ...	–	–	–	–	1	M. 1
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	2	1	–	–	–
ULVERSTON ...	–	2	–		–	–
UPHOLLAND ...	–	–	–	–	–	C. 1
†WALTON LE DALE	–	–	1	–	–	–
WARDLE	–	–	1	–	–	–
†WATERLOO WITH SEAFORTH	–	2	–	–	2	–
†WESTHOUGHTON	–	–	–	–	2	–
WHITEFIELD ...	–	1	–		–	–
†WIDNES	–	–	1	–	1	M. 1
†WORSLEY... ...	–	–	1	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	4	–	–		–
BURY	–	1	–	–	–	–
CHORLEY	–	–	–	–	2	–
CLITHEROE ..	–	–	–	–	–	L. 4
GARSTANG ...	–	1	–	–	–	–
SEFTON	–	1	–	–	–	–
ULVERSTON ...	–	–	–	–	1	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON... ...	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER	–	5	14	–	54	E. 2 N. 1
†LEICESTER C.B. ...	–	3	9	–	25	E. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	2	–
†COALVILLE ...	–	–	2		1	–
†LOUGHBOROUGH	–	1	1	–	–	–
MELTON MOWBRAY		1	–	–	8	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	5	–
BARROW UPON SOAR	–	–	–	–	5	–
BELVOIR	–	–	–	–	3	–
CASTLE DONINGTON	–	–	–	–	2	–
HINCKLEY ...	–	–	2	–	1	–
LUTTERWORTH ...	–	–	–	–	2	–
MARKET HARBOROUGH...	–	–	–	–	–	E. 1
LINCOLN (parts of Holland).	–	10	–	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	–	–
Rural Districts:—						
BOSTON	–	2	–	–	1	–
CROWLAND ...	–	3	–	–	–	–
SPALDING (part)..	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	4	–	–	9	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	4	–
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
BOURNE	–	4	–	–	–	–
CLAYPOLE ...	–	–	–	–	2	–
GRANTHAM ...	–	–	–	–	2	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	18	6	–	43	C. 1 D. 2 N. 1
†GRIMSBY C.B. ...	–	2	2	–	3	D. 1
†LINCOLN C.B. ...	–	7	1	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	3	–	–	2	C. 1
†GAINSBOROUGH...	–	–	–	–	7	–
HORNCASTLE ...	–	–	–	–	11	–
LOUTH	–	–	–	–	1	–
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	8	–
SKEGNESS ...	–	–	–	–	–	D. 1
WINTERTON ...	–	–	1	–	1	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	1	N. 1
GLANFORD BRIGG	–	2	1	–	1	–
HORNCASTLE ...	–	–	–	–	6	–
ISLE OF AXHOLME	–	–	–	–	2	–
LOUTH	–	2	–	–		–
SIBSEY		2	–	–	–	–
MIDDLESEX ..	–	58	27	–	125	C. 1 D. 1 G. 3 M. 4 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	4	G. 1
†BRENTFORD ...	–	–	2	–	7	N. 1
†CHISWICK ...	–	2	–	–	12	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EALING	–	2	3	–	5	–
†EDMONTON ...	–	–	5		5	–
†ENFIELD	–	5	–	–	6	G. 1 N. 1
†FINCHLEY ...	–	2	–	–	1	G. 1 M. 1
†FRIERN BARNET	–	2	–	–	3	–
†HAMPTON ...	–	–	–	–	1	–
HAMPTON WICK...	–	–		–	1	–
†HARROW ON THE HILL	–	4	–	–	1	–
HAYES	–	–	–	–	1	–
†HENDON	–	4	1	–	9	C. 1
†HESTON AND ISLEWORTH	–	–	–	–	8	M. 1
†HORNSEY... ...	–	5	1	–	6	N. 1
RUISLIP NORTHWOOD	–	–	–	–	2	–
†SOUTHALL NORWOOD	–	2	–	–	–	–
†SOUTHGATE ...	–	6	–	–	3	D. 1
STAINES	–	1	–		–	–
†TEDDINGTON ...	–	1	–	–	2	–
†TOTTENHAM ...	–	7	4	–	14	–
†TWICKENHAM ...	–	–	2	–	2	N. 1
†UXBRIDGE ...		3	–	–	3	–
†WEALDSTONE ...	–	–	–	–	1	–
†WEMBLEY ...	–	2	–	–	3	–
†WILLESDEN ...	–	1	7	–	20	M. 2 N. 2
†WOOD GREEN ...	–	3	2	–	–	–
YIEWSLEY ...	–	3	–	–	–	–
Rural Districts:—						
HENDON	–	2	–	–	2	–
UXBRIDGE ...	–	–	–	–	3	–
NORFOLK	–	11	5	1	13	M. 1
†GREAT YARMOUTH C.B	–	–	1	–	1	M. 1
†NORWICH C.B. ...	–	6	1	–	7	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	–	2	–	–	1	–
†KING'S LYNN ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORTH WALSHAM	*	*	*	*	*	*
WELLS	*	*	*	*	*	*
Rural Districts:—						
BLOFIELD ...	–	–	–	1	–	–
DEPWADE ...		1	–	–	1	–
DOCKING	–	2	–	–	–	–
DOWNHAM ...	–	–	–	–	1	–
EAST AND WEST FLEGG	–	–	1	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
MARSHLAND ...	–	–	–	–	1	–
WALSINGHAM ...	*	*	*	*	*	*
NORTHAMPTON ...	–	6	3	–	58	E. 1 N. 2
†NORTHAMPTON C.B.	–	1	2	–	36	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	–	–	1	–
DAVENTRY ..	–	–	1	–	–	–
IRTHLINGBOROUGH	–	–	–	–	3	–
†KETTERING ..	–	–	–	–	4	
RAUNDS	–	–	–	–	1	–
ROTHWELL ...	–	–	–	–	3	–
†RUSHDEN... ...	–	–	–	–	4	–
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	1	–
CRICK	–	1	–	–	–	–
NORTHAMPTON ...	–	–	–	–	2	N. 1
OXENDON... ...	–	–	–	–	–	N. 1
THRAPSTON (part)	–	1	–	–	1	E. 1
TOWCESTER ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	12	36	3	-	72	G. 4 N. 3
†NEWCASTLE UPON TYNE C.B.	1	14	-	-	30	G. 2 N. 1
†TYNEMOUTH C.B.	1	3	-	-	8	N. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	6	3	-	-	4	-
†BEDLINGTONSHIRE	-	-	-	-	2	-
†BERWICK UPON TWEED	-	1	-	-	-	-
†BLYTH	-	1	-	-	14	-
†EARSDON	-	1	-	-	-	-
†GOSFORTH ...	-	1	1	-	-	-
HEXHAM	-	1	-	-	-	-
†LONGBENTON ...	-	1	-	-	2	-
MORPETH ...	3	-	-	-	-	-
PRUDHOE... ...	-	-	1	-	1	-
ROTHBURY ...	-	1	-	-	-	-
SEATON DELAVAL	-	-	-	-	2	-
†WALLSEND ...	1	2	-	-	3	N. 1
WEETSLADE ...	-	-	-	-	1	-
†WHITLEY AND MONKSEATON	-	2	-	-	1	-
Rural Districts:—						
BELLINGHAM ...	-	-	-	-	1	-
CASTLE WARD ...	-	-	-	-	3	
HALTWHISTLE ...	-	1	-	-	-	G. 2
HEXHAM	-	1	1	-	-	-
MORPETH... ...	-	3	-	-	-	-
NOTTINGHAM ...	1	26	27	1	75	C. 1 G. 2 M. 4 N. 3
†NOTTINGHAM C.B	-	12	20	1	46	N. 1
Boroughs and Urban Districts:—						
†ARNOLD	-	-		-	3	-
†BEESTON... ...	-	-	1	-	-	-
†EAST RETFORD ...	-	-	-	-	2	-
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KIRKBY IN ASHFIELD	-	1	-	-	5	M. 1 N. 1
†MANSFIELD ...	-	2	3	-	3	G. 2
†MANSFIELD WOODHOUSE	-	-	1	-	-	-
†NEWARK	-	-	-	-	-	C. 1
†SUTTON IN ASHFIELD	1	2	-	-	4	-
†WEST BRIDGFORD	-	1	-	-	-	-
†WORKSOP... ...	-	-	-	-	-	M. 2
Rural Districts:—						
BASFORD	-	-	2	-	4	N. 1
BINGHAM... ...	-	-	-	-	1	-
EAST RETFORD ...	-	-	-	-	1	-
LEAKE	-	2	-	-	-	-
NEWARK	-	1	-	-	-	-
SKEGBY	-	-	-	-	6	-
SOUTHWELL ...	-	4	-	-	-	M. 1
WORKSOP... ...	-	1	-	-	-	-
OXFORD	-	1	3	-	10	G. 1 N. 1
†OXFORD C.B. ...	-	-	-	-	-	G. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	-		-	-	1	-
THAME	-	-	1	-	-	-
WHEATLEY ...	-	1	-	-	-	-
Rural Districts:—						
BANBURY ...	-	-	2	-	-	-
BICESTER... ...	-			-	-	N. 1
CHIPPING NORTON	-	-		-	1	-
HEADINGTON ...	-	-	-	-	6	-
WOODSTOCK ...	-	-	-	-	2	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	1	–	–	6	–
Borough :—						
†PETERBOROUGH...	–	1	–	–	6	–
SALOP	–	22	–	–	7	G. 1 M. 1 N. 1
Boroughs and Urban Districts :—						
ELLESMERE ...	–	1	–	–	–	–
†OAKENGATES ...	–	–	–	–	1	–
OSWESTRY ...	–	3	–	–	–	–
†SHREWSBURY ..	–	3	–	–	1	–
Rural Districts :—						
ATCHAM	–	3	–	–	3	–
BRIDGNORTH ...	–	–	–	–	1	–
CLEOBURY MORTIMER	–	–	–	–	1	–
ELLESMERE ...	–	6	–	–	–	–
OSWESTRY ...	–	–	–	–	–	M. 1 N. 1
WELLINGTON ...	–	–	–	–	–	G. 1
WEM	–	6	–	–	–	–
SOMERSET	–	11	4	2	42	C. 1 G. 1 L. 7 M. 1 N. 5
†BATH C.B. ..	–	3	–	–	3	–
Boroughs and Urban Districts :—						
†BRIDGWATER ...	–	1	–	–	1	N. 1
BURNHAM ON SEA	–	–	–	–	1	
CHARD	–	–	1	–	–	–
CLEVEDON ...	–	–	–	–	2	–
GLASTONBURY ...	–	–	–	–	–	L. 6
MIDSOMER NORTON	–	1	–	–	2	–
MINEHEAD ...	–	2	–	–	–	–
RADSTOCK ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHEPTON MALLET	–	–	–	–	4	G. 1
†TAUNTON ...	–	–	–	–	3	–
WATCHET ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	–	–	–	2	N. 1
†YEOVIL	–	–	–	–	1	–
Rural Districts :—						
AXBRIDGE ...	–	–	2		2	C. 1 N. 1
BATH	–	–	1	–	–	–
BRIDGWATER ...	–	–	–	–	1	–
CHARD	–	–	–	–	–	N. 1
CLUTTON	–	–	–	–	2	–
FROME	–	–	–	–	3	–
KEYNSHAM ...	–	–	–	–	1	–
LANGPORT ...	–	–	–	–	1	–
LONG ASHTON ...	–	2	–	–	1	M. 1
SHEPTON MALLET	–	–	–	–	–	N. 1
WELLS	–	2	–	2	8	L. 1
YEOVIL	–	–	–	–	2	–
SOUTHAMPTON	1	25	20	1	38	–
†BOURNEMOUTH C.B.	–	1	–	–	3	–
†PORTSMOUTH C.B.	1	8	9	–	4	–
†SOUTHAMPTON C.B	–	7	6	1	12	–
Boroughs and Urban Districts :—						
†ALDERSHOT ...	–	–	–	–	1	–
ANDOVER... ...	–	–	–	–	1	–
CHRISTCHURCH ...	–	–	–	–	3	–
†FAREHAM ...	–	1	–	–	–	–
†GOSPORT	–	–	–	–	2	–
HAVANT	–	–	1	–	–	–
LYMINGTON ...	–	2	1	–	–	–
PETERSFIELD ...	–	–	–	–	1	
†WINCHESTER ...	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
ALRESFORD ...	–	–	–		1	–
ALTON	–	–	1	–	–	–
BASINGSTOKE ...	–	–	–	–	1	–
DROXFORD ...	–	–	–	–	1	–
FORDINGBRIDGE ..	–	–	2	–	–	–
HARTLEY WINTNEY	–	2	–	–	–	–
KINGSCLERE ...	–	–	–	–	1	–
NEW FOREST ...	–	4	–		–	–
WINCHESTER ...	–	–	–	–	3	–
STAFFORD	–	58	34	4	148	C. 5 E. 2 G. 1 M 13 N. 6
†BURTON UPON TRENT C.B.	–	1	–	–	5	C. 2
†SMETHWICK C.B.	–	3	–	–	9	–
†STOKE ON TRENT C.B.	–	10	4	4	51	C. 2 G. 1 M. 7 N. 1
†WALSALL C.B. ...	–	4	2	–	3	M. 1 N. 2
†WEST BROMWICH C.B.	–	2	6	–	5	–
†WOLVERHAMPTON C.B.	–	5	2	–	6	E. 2 M. 2 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	3	–
BIDDULPH ...	–	–	1	–	6	N. 1
†BILSTON	–	1	–	–	3	C. 1
†BRIERLEY HILL...	–	1	1	–	2	–
†BROWNHILLS ...	–	–	1	–	5	–
†CANNOCK	–	3	1	–	3	–
†COSELEY	–	2	1	–	3	–
†DARLASTON ...	–	–	–	–	5	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	1	1	–	4	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LEEK	–	2	2	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS...	–	1	–	–	1	N. 1
†SEDGLEY		3	2	–	2	–
†STAFFORD ...	–	–	–	–	3	–
TAMWORTH ...	–	–	1	–	–	–
†TIPTON	–	1	1	–	3	–
†WEDNESBURY ...	–	4	1	–	5	–
†WILLENHALL ...	–	–	–	–		M. 1
†WOLSTANTON UNITED	–	1	–	–	3	–
Rural Districts:—						
CANNOCK	–	3	5	–	1	–
CHEADLE... ...	–	1	1	–	10	M. 1
LEEK	–	–	–	–	2	–
LICHFIELD ...	–	–	–	–	4	M. 1
MAYFIELD ...	–	–	1	–	–	–
SEISDON	–	–	–	–	1	–
STONE	–	3	–	–	–	–
WALSALL... ...	–	2	–	–		–
SUFFOLK, EAST ...	–	4	–	–	28	C. 2 E. 2 M. 2
†IPSWICH C.B. ...	–		–	–	17	E. 2 M. 1
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	2	–	–	3	M. 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	1	–
EAST STOW ...		1	–	–	–	–
HARTISMERE ...	–	–	–		1	–
HOXNE	–	–		–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
MUTFORD AND LOTHINGLAND	–	1	–	–	1	–
SAMFORD	–	–	–	–	2	–
WANGFORD ...	–	–	–	–	1	C. 1
WOODBRIDGE ...	–	–	–		1	–
SUFFOLK, WEST ...	–	1	–	–	7	M. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	2	–
HAVERHILL ...	–	–	–	–	1	–
NEWMARKET ...	–	–	–	–	3	–
Rural Districts:—						
COSFORD	–	1	–	–	–	–
MILDENHALL ...	–	–	–	–	1	M. 1
SURREY	–	27	12	1	63	D. 1 F. 1 G. 2 M. 5 N. 7
†CROYDON C.B. ...	–	8	6	–	11	D. 1 N. 2
Boroughs and Urban Districts:—						
†BARNES	–	–	–	–	4	M. 1
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	–	1	–	2	–
†COULSDON AND PURLEY	–	–	–	–	1	–
DORKING	–	–	–	–	–	M. 1
†EGHAM	–	1	1	–	4	–
†EPSOM	–	–	–	–	2	–
†ESHER AND THE DITTONS	–	1	–	–	2	–
†FARNHAM ...	–	–	–	–	3	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FRIMLEY	–	–		–	–	G. 1
†GUILDFORD ...	–	–	–	–	4	F. 1
†KINGSTON ON THAMES	–	1	–	–	2	G. 1
LEATHERHEAD ...	–	–	–		1	–
†MERTON AND MORDEN	–	–	–	–	1	N. 1
†MITCHAM... ...	–	3	–		–	M. 1
†REIGATE	–	–	–	–	2	–
†RICHMOND ...	–	–	–	–	1	N. 1
†SURBITON ...	–	1	–	–	6	–
†THE MALDENS AND COOMBE	–	–	1	–	2	N. 1
†WALTON UPON THAMES	–	2	–	–	2	–
WEYBRIDGE ...	–	–	–	–	1	–
†WIMBLEDON ...	–	2	1	–	1	M. 1
†WOKING	–	–		–	1	N. 1
Rural Districts:—						
CHERTSEY ...	–	1	2	–	1	–
EPSOM	–	1	–	–	1	–
FARNHAM ...	–	2	–	–	2	–
GODSTONE ...	–	2		–	2	–
GUILDFORD ...	–	–	–	–	1	
REIGATE	–	1	–	1	3	N. 1
SUSSEX, EAST ...	–	15	11	–	76	D. 1 M. 1 N. 2
†BRIGHTON C.B. ...	–	3	4	–	35	D. 1 M. 1 N. 2
†EASTBOURNE C.B.	–	1	–		5	–
†HASTINGS C.B. ..	–	4	–		18	–
Boroughs and Urban Districts—						
BURGESS HILL ...	–	–	–	–	2	–
EAST GRINSTEAD	–		–	–	1	–
†HOVE	–		–	–	5	–
PORTSLADE BY SEA	–		2	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CHAILEY	–	–	–	–	1	–
CUCKFIELD ...	–	–	–	–	1	–
EAST GRINSTEAD	–	2	–	–	2	–
NEWHAVEN ...	–	–	5	–	1	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	4	–	–	1	–
SUSSEX, WEST ..	–	4	1	–	12	G. 1 N. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	–	–	3	–
†LITTLEHAMPTON	–	–	1	–	–	–
SHOREHAM BY SEA	–	–	–	–	3	–
†WORTHING ...	–	2	–	–	4	–
Rural Districts:—						
HORSHAM ...	–	2	–	–	1	–
MIDHURST ...	–	–	–	–	1	G. 1
STEYNING WEST...	–	–	–	–	–	N. 1
WARWICK	–	26	60	–	111	C. 1 G. 2 M. 5 N. 3
†BIRMINGHAM C.B.	–	15	56	–	69	C. 1 G. 2 M. 4 N. 1
†COVENTRY C.B. ...	–	3	1	–	4	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	–	–	16	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†STRATFORD ON AVON	–	–	–	–	1	–
†WARWICK ...	–	1	1	–	2	–
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	N. 1
ATHERSTONE ...	–	1	–	–	2	–
FOLESHILL ...	–	–	–	–	6	M. 1
MERIDEN... ...	–	1	1	–	1	N. 1
RUGBY	–	1	–	–	2	–
SOLIHULL ...	–	–	–	–	3	–
SOUTHAM... ...	–	1	–	–	3	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	–	1	–	2	–
WESTMORLAND ...	–	2	–	–	5	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	–	3	–
KIRKBY LONSDALE	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	2	–	–	–	–
WIGHT, ISLE OF ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†COWES	–	–	1	–	1	–
SHANKLIN ...	*	*	*	*	*	*
WILTS	–	7	8	–	55	D. 1 L. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
CALNE	–	2	–	–	–	–
CHIPPENHAM ...	–	–	–	–	7	–
DEVIZES	–	1	–	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WILTS—*cont.*						
Boroughs and Urban Districts—*cont.*						
MELKSHAM ...	–	–		–	–	N. 1
†SALISBURY ...	–	–	–	–	1	–
†SWINDON ...	–	–	–	–	22	N. 1
†TROWBRIDGE ...	–	–		–	2	–
Rural Districts:—						
AMESBURY ..				–	3	–
CALNE	–	–	1		–	–
CHIPPENHAM ...	–	–		–	2	–
DEVIZES	–	1			–	L. 1
HIGHWORTH ...	–	1	4	–	8	N. 1
MERE	–	–	1	–	–	–
PEWSEY	–	–	–	–	3	M. 1
RAMSBURY ...	–		–		1	–
SALISBURY ...	–	–	–	–	1	D. 1
TISBURY	–	–	1	–	4	–
WARMINSTER ...	–	1	1	–	–	–
WILTON	–	–	–		1	
WORCESTER ...	–	3	6	–	50	C. 1 G. 1 N. 2
†DUDLEY C.B. ..	–	–	1	–	2	–
†WORCESTER C.B.	–	3	–	–	12	–
Boroughs and Urban Districts:—						
DROITWICH ...	–	–	2	–	–	–
†HALESOWEN ...	–	–	–	–	1	G. 1 N. 1
†KIDDERMINSTER	–	–	–	–	3	–
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†MALVERN ...	–		1	–	–	N. 1
†OLDBURY... ...	–	–	–	–	14	–
†REDDITCH ...	–	–	–	–	4	–
†STOURBRIDGE ...	–	–	–	–	3	–
STOURPORT ...	–	–	1	–	3	–
Rural Districts:—						
MARTLEY... ...	–		–	–	2	–
PERSHORE ...	*	*	*	*	*	*
TEWKESBURY (part)	–	–	–	–	1	–
UPTON ON SEVERN	–	–	–	–	5	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS ... ... (East Riding.)	–	15	12	–	18	N. 1
†KINGSTON UPON HULL C.B.	–	10	11	–	14	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	1	–
†BRIDLINGTON ...	–	1	–	–		N. 1
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
BRIDLINGTON ...	–	–	1	–	–	–
HOWDEN	–	–	–	–	1	–
NORTON		1	–	–	–	–
POCKLINGTON ...	–	1	–	–		–
SCULCOATES ...	–	1	–	–	1	–
YORKS ... ... (North Riding.)	–	18	11		47	G. 3 M. 1 N. 2
†MIDDLESBROUGH C.B.	–	5	5	–	19	M. 1 N. 2
Boroughs and Urban Districts:—						
†ESTON	–	6	–	–	3	–
†REDCAR	–	–	1	–	3	–
†SCARBOROUGH ...	–	–	2	–	10	G. 3
†SKELTON AND BROTTON	–			–	1	–
†THORNABY ON TEES	–	1	1	–	–	–
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
BEDALE	–	–	1	–	–	–
GUISBOROUGH ...	–	3	–	–	–	–
HELMSLEY ...	–	2	–	–	–	–
KIRKBY MOORSIDE	–	–	1		5	–
LEYBURN... ...	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	1	–
SCARBOROUGH ...			–		2	–
STOKESLEY ...	–	–	–	–	1	–
WATH	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	168	116	79	9	329	C. 2 D. 3 G. 3 L. 1 M. 10 N. 2
†BARNSLEY C.B. ..	–	5	5	–	–	D. 1 N. 1
†BRADFORD C.B. ..	–	4	11	–	32	–
†DEWSBURY C.B...	–	1	–	–	1	–
†HALIFAX C.B. ..	–	2	–	–	2	–
†HUDDERSFIELD C.B	–	16	5	2	5	M. 1
†LEEDS C.B. ..	–	9	6	–	30	C. 1 N. 1
†ROTHERHAM C.B.		2	–	–	27	–
†SHEFFIELD C.B...	64	35	20	1	126	M. 5
†WAKEFIELD C.B.	2	–	–	1	10	L. 1
Boroughs and Urban Districts:–						
†ADWICK LE STREET	1	–	–	–	1	–
†BARNOLDSWICK ...	–	–	1	–	–	–
†BATLEY	–	1	2	–	1	–
†BENTLEY WITH ARKSEY	1	–	1	–	–	–
†BINGLEY	–	–	–	–	3	–
BURLEY IN WHARFEDALE	–	–	–	–	4	–
†CONISBROUGH ...	3	–	1	–	3	–
DARFIELD ..	1		–	–	–	–
†DARTON	–	2	–	1	–	–
†DONCASTER ...	20	–	–	–	2	–
EARBY	–	1	–	–	–	–
†FEATHERSTONE ...	–	–	–	–	2	–
†GOOLE	–	4		–	6	–
GREETLAND ...	*	*	*	*	*	*
GUISELEY ..	–	–	1	–	1	–
†HARROGATE ...	–	2	6	–	3	M. 1
HAWORTH ...	–	–	1	–	–	–
†HEMSWORTH ...	–		–	–	2	–
†HOLMFIRTH ..	–	–	–	–	–	G. 1
HORSFORTH ...	–	1	–	–	2	–
†HOYLAND NETHER	–	–	–	–	1	–
†KEIGHLEY ...	4	–	1	–	2	M. 1
KIRKBURTON ...	–	–	–	–	1	
KNARESBOROUGH	–	–	–	–	1	–
KNOTTINGLEY ...	–	–	–	–	2	–
LEPTON	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
MALTBY	–	–			3	M. 1
MARSDEN... ...	–	1	1	–	–	–
MELTHAM ...	–	1		–	1	–
†MEXBOROUGH ..	41	–	–	–	1	–
†MIRFIELD ...	–	1	1	–	–	–
†MORLEY	–	–	–	–	2	–
NEW MILL ...	–	2	–	–	1	
†NORMANTON ...	–	–	1	–	5	–
†OSSETT	–	–	1	–	–	–
OTLEY	–	–		–	2	–
†PONTEFRACT ...	–	1	–	–	–	–
†RAWMARSH ...	1	–	–	–	2	C. 1
RIPON	–	1	–	–	–	–
†SADDLEWORTH ...	–	4	–	–	–	–
SHELLEY	–	1	–	–	2	–
†SHIPLEY	–	1	–	–	–	–
SKELMANTHORPE	–	–	–	1	1	
†SKIPTON	–	1	–	–	1	–
SLAITHWAITE ...	–	1	–	–	–	–
SOUTH CROSLAND	–	1	–		–	–
SOUTHOWRAM ...	–	–	–	–	1	–
†SPENBOROUGH ...	–	–	2		1	–
†STANLEY	*	*	*	*	*	*
STOCKSBRIDGE ...		–	1	–	–	–
†SWINTON... ...	20	2	–	–	2	M. 1
†TODMORDEN ...	–	–	2	–	–	–
†WOMBWELL ...	–	–	3	–	–	D. 1
†WORSBOROUGH ...	–	1	–		–	D. 1
Rural Districts:–						
BOWLAND ...	–	–	1	–	–	–
DONCASTER ...	1	–	2	–	3	–
GOOLE	–	–	–	–	3	G. 1
HALIFAX	–	–		–	1	–
HEMSWORTH ...	–	3	–	–	7	–
KEIGHLEY ...	3	–	–	–	–	–
KIVETON PARK ...	–	–	2	–	–	–
PONTEFRACT ...	–	1	–	–		–
ROTHERHAM ...	1	–	–	2	13	–
SELBY	–	1	–	–	–	–
SETTLE	–	1	–	–	–	–
SKIPTON	–	1	–	–	2	–
TADCASTER ...	–	1	1	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
Thorne	5	1	–	–	–	G. 1
Todmorden ...	–	–	–	–	1	–
Wakefield ...	*	*	*	*	*	*
Wetherby ...	–	–	–	1	–	–
Wharfedale (North)	–	–	–	–	1	–
§YORK, CITY OF	–	5	1	–	–	–
†York C.B. ...	–	5	1	–	–	–
WALES.						
ANGLESEY	–	1	–	–	1	N. 1
Boroughs and Urban Districts:—						
Amlwch	*	*	*	*	*	*
†Holyhead ...	–	–	–	–	–	N. 1
Rural Districts:—						
Twrcelyn ...	*	*	*	*	*	*
Valley	–	1	–	–	1	–
BRECKNOCK ...	–	1	1	–	9	–
Boroughs and Urban Districts:—						
Brecknock ...	–	–	1	–	1	–
Brynmawr ...	–	–	–	–	6	–
Hay	*	*	*	*	*	*
Rural Districts:—						
Brecknock (Merthyr Cynog)	*	*	*	*	*	*
Crickhowell ...	–	–	–	–	1	–
Hay	–	1	–	–	–	–
Ystradfellte (parish)	–	–	–	–	1	–
CAERNARVON ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†Bangor	–	2	–	–	–	–
Caernarvon ...	–	–	–	–	1	–
Rural Districts:—						
Gwyrfai	–	1	–	–	–	–
CARDIGAN ...	–	–	–	–	2	N. 1
Boroughs and Urban Districts:—						
†Aberystwyth ...	–	–	–	–	2	N. 1
CARMARTHEN ...	–	2	3	–	18	–
Boroughs and Urban Districts:—						
Cwmamman ...	–	–	–	–	1	–
Llandilo ...	–	–	–	–	1	–
†Llanelly ...	–	–	–	–	12	–
Rural Districts:—						
Llandilo Fawr	–	–	–	–	2	–
Llanelly ...	–	2	2	–	2	–
Llanybyther ...	–	–	1	–	–	–
DENBIGH	–	3	4	–	11	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†Colwyn Bay ...	–	–	–	–	4	–
Denbigh ...	–	–	–	–	2	C. 1
†Wrexham ...	–	–	–	–	1	–
Rural Districts:—						
Chirk	–	–	3	–	–	–
St. Asaph (Denbigh)	–	–	–	–	1	N. 1
Wrexham ...	–	3	1	–	3	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT ...	-	5	2	-	8	N. 1
Boroughs and Urban Districts:—						
BUCKLEY ...	-	-	-	-	2	-
HOLYWELL ...	-	-	1	-	-	-
Rural Districts:—						
HAWARDEN ..	-	2	-	-	-	-
HOLYWELL (HOLYWELL DIV.)	-	-	1	-	5	-
ST. ASAPH (FLINT)	-	3	-	-	1	N. 1
GLAMORGAN .	-	39	51	-	94	C. 1 D. 1 E. 2 G. 1 N. 4
†CARDIFF C.B. .	-	3	17	-	9	E. 2 N. 2
†MERTHYR TYDFIL C.B.	-	2	4	-	1	
†SWANSEA C.B. ..	-	6	8	-	23	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ..	-	5	-	-	2	-
†BARRY	-	3	1	-	2	-
†CAERPHILLY ..	-	1	1	-	6	-
†GELLIGAER ..	-	-	1	-	7	G. 1
†GLYNCORWG ...	-	3	-	-	3	
†MAESTEG ...	-	1	8	-	-	-
†MOUNTAIN ASH ...	-	1	-	-	2	D. 1
†NEATH	-	2	3	-	1	-
†OGMORE AND GARW	-	1	-	-	-	C. 1
†PENARTH ...	-	-	-	-	2	-
†PONTYPRIDD ...	-	-	-	-	2	-
†PORT TALBOT ...	-	2	-	-	-	-
†RHONDDA ...	-	5	2	-	18	N. 1
Rural Districts:—						
GOWER	-	-	-	-	1	-
LLANTRISANT AND LLANTWIT-FARDRE	-	1	2	-	1	-
NEATH	-	1	4	-	9	-
PENYBONT ...	-	1	-	-	1	-
SWANSEA... ...	-	1	-	-	4	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ..	-	2	7	-	-	-
Urban Districts:—						
FFESTINIOG ..	-	1	7	-	-	-
TOWYN	-	1	-	-	-	-
MONMOUTH ...	-	5	9	-	21	C. 1
†NEWPORT C.B. ...	-	1	-	-	11	-
Boroughs and Urban Districts:—						
†ABERCARN ...		-	2	-	-	-
ABERGAVENNY ...	-	-	1	-	-	-
†ABERSYCHAN ...	-	1	2	-	-	-
BEDWAS AND MACHEN	-	-	-	-	2	-
†BEDWELLTY ...	-	-	4	-	-	-
†BLAENAVON ...	-	-	-	-	2	-
CHEPSTOW ...	-	-	-	-	1	-
†EBBW VALE ...	-	-	-	-	2	-
†NANTYGLO AND BLAINA	-	-	-	-	3	-
†RHYMNEY ...	-	-	-	-	-	C. 1
Rural Districts:—						
ST. MELLONS ...	-	3	-	-	-	-
MONTGOMERY ...	-	-	-	-	9	-
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	-	-	-	-	8	-
WELSHPOOL ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	–	2	–	3	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	2	–
†PEMBROKE ...	–	–	–	–	1	–
Rural Districts:—						
HAVERFORDWEST.	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RADNOR	–	1	–	–	–	–
Rural Districts:—						
PRESTEIGNE ...	–	1	–	–	–	–
Rural Districts:—						
PAINSCASTLE ...	*	*	*	*	*	*
Total of Part II. ...	547	1110	743	30	2772	C. 32 D. 12 E. 12 F. 1 G. 42 L. 15 M. 99 N. 100

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
TEIGNMOUTH	–	–	–	–	2	–
WELLS (NORFOLK) ...	*	*	*	*	*	*

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
PORT OF LONDON ...	–	–	–	–	1	–
Total of Part III.... ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ below)
Total of Part I.—London	–	177	245	2	423	C. D. E. F. G. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	547	1110	743	30	2772	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	–	–	–	–	3	–
Total (*i.e.*, of returns received), England and Wales ...	547	1287	988	32	3198	C. D. E. F. G L. M N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the GREGATE. } { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.
ON :—													
HS—all ages	1,108	1,048	950	1,043	1,170	1,161	1,070	1,473	1,802	1,648	1,908	2,045	1,912
0 to 1 year ..	86	83	98	108	154	127	126	137	137	122	135	162	137
T TOWNS, aggre- (including Lon-):—													
IS	6,672	6,505	6,352	6,515	6,646	6,238	5,347	6,469	7,332	6,929	6,231	6,475	7,010
HS—all ages	4,665	4,527	4,193	4,498	4,919	4,797	4,556	5,898	5,883	5,917	6,427	7,320	7,302
0 to 1 year ..	488	499	481	518	643	574	563	690	675	656	630	731	716
RIC Fever—Cases	27	25	25	16	16	16	8	13	15	16	9	14	18
„ Deaths	3	1	4	3	2	4	5	2	1	1	2	2	2
L Pox—Cases ..	30	20	40	39	29	26	48	34	45	228	119	116	133
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
LET Fever—Cases	1,106	1,201	1,130	961	950	801	756	881	818	791	787	809	684
„ Deaths	5	3	4	7	8	5	9	2	4	6	4	6	11
THERIA—Cases ..	788	775	814	872	793	784	707	671	788	771	715	735	700
„ Deaths ..	33	32	46	39	47	40	36	51	48	38	39	43	51
LES—Deaths ..	17	6	8	18	15	28	14	36	28	34	43	50	43
ENZA—Deaths ..	100	78	52	68	52	60	69	86	173	326	470	725	818

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 5th February, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ON (GREENWICH).	50	27	46·7	33·3	25	HUDDERSFIELD	49	28	44·1	34·0	13
ITON ..	52	30	46·6	35·9	19	BRADFORD ..	47	30	43·3	32·4	12
MOUTH ..	52	29	48·0	35·8	24	SHEFFIELD ..	48	32	44.1	34·7	0·1
ICH (EATON).	48	28	45·0	32·9	9	YORK (MUSEUM)	50	30	45·6	34·3	8
OUTH ..	52	32	48·7	37·4	12	HULL (PEARSON PARK).	48	31	44·4	33·7	6
OL (CLIFTON).	48	30	45·1	34·1	42	TYNEMOUTH ..	53	29	45·4	36·0	3
NGHAM (DOGBASTON).	49	31	43·7	34·3	5	CARDIFF.. ..	50	31	45·7	33·0	38
NGHAM ..	49	27	44·4	33·0	3	EDINBURGH ..	51·0	26·0	44·1	34·3	7
NHEAD (BIDSTON).	50	32	44·1	36·1	8	GLASGOW ..	49·7	26·3	45·2	33·6	27
HESTER (WHITWORTH PARK).	48	29	44·7	34·0	14	DUBLIN (PHŒNIX PARK).	55·0	23·8	47·3	31·6	2
LEY	48	24	43·0	31·6	20	(FITZWILLIAM SQUARE†).	53·2	30·0	46·9	36·1	2
						BELFAST.. ..	54·0	24·0	46·1	30·2	5

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 5th February, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	30	..	29·190	46·7	36·4	10·3	40·7	+ 1·0	36·2	4·5	10·1	2·7	84	76·1	29·0	43·3	SSW	SSW : SW.	3·2	0·0	0·5	446	+ 100	0·05
MONDAY -	31	Greatest Declination S.	29·242	46·9	36·0	10·9	40·6	+ 0·9	32·9	7·7	13·7	3·6	74	82·3	28·9	43·4	SW	WSW : SW.	2·0	0·0	0·3	344	− 1	0·00
FEBRUARY. TUESDAY -	1	..	29·498	45·8	32·9	12·9	39·3	− 0·3	34·3	5·0	10·2	0·9	82	73·6	29·7	43·4	WSW	SW : E	1·2	0·0	0·1	259	− 81	0·51
WEDNESDAY	2	New	29·896	43·9	27·7	16·2	35·9	− 3·6	31·9	4·0	10·1	0·6	85	76·0	20·5	43·2	NE : NNE.	NNE	2·1	0·0	0·2	286	− 47	0·34
THURSDAY -	3	..	30·174	44·8	27·4	17·4	38·8	− 0·7	35·3	3·5	8·4	3·4	87	68·1	19·8	43·1	SSW	SSW	1·9	0·0	0·2	319	− 6	0·00
FRIDAY -	4	Perigee	30·234	50·3	35·3	15·0	43·2	+ 3·7	34·8	8·4	19·6	3·5	72	83·0	34·8	43·0	SSW : SW : W.	NW : SW.	1·3	0·0	0·2	299	− 19	0·00
SATURDAY -	5	..	30·176	47·5	28·1	19·4	39·7	+ 0·1	36·0	3·7	10·2	1·8	86	83·6	18·5	43·0	SW : SSW.	SSW : SW : W.	2·0	0·0	0·2	288	− 27	0·12
MEANS -		..	29·773	46·6	32·0	14·6	39·7	+ 0·2	34·5	5·3	11·8	2·4	81	77·5	25·9	43·2	SW		..	..	..	Sum 2241	Sum − 81	Sum 1·02
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	30	wP till 12h.; loss of register till 15h.; variably mN and mP till 17h.; mP till 19h.; then wP.	0·6	8·9	Nearly cloudless till 4¾h., becoming overcast by 6h. till 17¾h., then clearing to nearly cloudless by 18½h. Damping 7¾h.; and from 10¾h. till 11½h. Rain 14¾h. till 16¼h. Brisk wind generally from 10h. till 15h; and 20h. till 22h. Dew at night.
MONDAY ..	31	wP till 7½h.; mP till 15h.; variably mN and mP till 16h.; then mP.	4·9	9·0	Partially cloudly till 20½h., then becoming overcast by 21h. Dew and slight hoar frost in morning.
FEBRUARY. TUESDAY ..	1	mP till 1h.; mN till 2h.; mP till 19h.; then variably sN and sP.	4·0	9·1	Overcast till 4h.; variably cloudy till 13h., then overcast. Rain at 0½h, 1h., and from 18¾h. till 22h. Snow from 22¼h. Partial solar halo about 15h.
WEDNESDAY	2	Variably sN and mP till 5h.; then mP.	5·7	9·1	Overcast till 7h., then cloudless generally with partially cloudy interval between 13h. and 15h. Snow till 4h. Slight fog from 15h. Hoar frost at night.
THURSDAY	3	mP till 22h.; then wP.	0·4	9·2	Cloudless till 1h., then variably cloudy becoming overcast by 7h. Fog till 1h. Dew at night.
FRIDAY ..	4	wP till 8h.; then mP.	3·9	9·2	Overcast till 9h., then partially cloudy becoming cloudless by 17h. Slight fog from 18h. Damping 6½h. Hoar frost at night.
SATURDAY	5	mP till 15h.; wP till 18h.; variably wN and wP till 20h.; then wP.	2·3	9·3	Cloudless till 5h.; partially cloudy till 13¼h., then overcast till 21h., and clearing to partially cloudy by 23h. Hoar frost and haze in morning. Rain from 17¼h. till 21h.
			Sum 21·8	Sum 63·8	
No. of Col. ..	..	—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·31 ins. at the beginning of the week to 29·12 ins. by 18h. on January 30th; increased generally to 30·31 ins. by 9h. on February 5th; decreased and was 30·04 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION, LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

Austin CARS ARE AVAILABLE for all and every purpose.

Dignified in appearance—silent in running—comfortable to ride in—low to maintain, and in perfect keeping with a doctor's standing.

Prices from £145 to £775.

THE AUSTIN MOTOR CO. Ltd.
LONGBRIDGE, BIRMINGHAM.

20-H.P. CARLTON SALOON
£550.

THE **MEDICAL GENERAL INSURANCE** ASSN., LTD.

RECTORY HOUSE, 67, QUEEN ST., LONDON. E.C.4.
Telephone: CITY 1720. *Telegrams:* "RETROCEDE, CANNON, LONDON."
Dr. K. M. C. WOODRUFF *(Chairman).* H. G. C. JONES *(Managing Director).*

To secure **LOWEST CAR INSURANCE PREMIUMS** cut out this advertisement and send with the following information:

MAKERS OF CAR .....? H.P.....? YEAR BUILT.....?
Existing policy expires.....day of.....?

FREE ENGINEER'S ADVICE to clients buying new cars.

ALSO indicate for which of the following we may submit terms:
LIFE, SICKNESS & ACCIDENT, HOUSEHOLDERS COMPREHENSIVE, BAGGAGE, PERSONAL JEWELLERY AND FURS INSURANCES.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.

Telegrams:
"Clinician, Wesdo, London."

(61081) Wt. 64—16 1875 2/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 6.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 12TH FEBRUARY 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast,
or through any Bookseller.
1927.
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 12TH FEBRUARY, 1927.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the sixth week of the year numbered 6,293 and corresponded to an annual rate of 16·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 7,285 and corresponded to an annual rate of 19·5 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 17·2, 19·6 and 19·6. Infant mortality based on the average weekly number of births during the last 52 weeks, was 98 per 1,000 births against 92, 107 and 105 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,380 births, corresponding to a rate of 15·6 per 1,000, and 1,704 deaths of civilians, corresponding to an annual rate of 19·3, against 21·6, 23·2 and 21·7 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 21·5 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 65 as against 87, 104 and 88 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 7,302 to 7,285; the deaths from influenza which had been 470, 725 and 818 in the preceding three weeks, were 759 last week.

The increase of influenza in the different parts of the country was almost uniform until the week ended 5th February. It is now decreasing in the South and Midlands but still increasing in the North. The rates per million population in the Great Towns of the North, Midlands, South and Wales and in London are shown below.

—	North.	Midlands.	South (excluding London).	Wales.	London.
Week ended 8th Jan....	6·2	5·7	9·1	13·8	15·6
" " 29th Jan....	13·9	44·2	60·3	51·6	54·8
" " 5th Feb.	16·3	62·2	71·4	49·1	46·7
" " 12th Feb.	27·4	50·3	58·4	54·1	34·6

In the North the greatest numbers of deaths occurred in Liverpool, 25. In the Midlands, in Nottingham, 45; and Bristol, 36.

In London the number of deaths from all causes decreased from 1,912 to 1,704. Of these 1,704 deaths 804 or practically one-half of the total deaths were of persons aged 65 years and upwards, and of these 804 deaths 79 resulted from influenza, 250 from diseases of the circulatory system and 231 from diseases of the respiratory system; the deaths from whooping cough numbered 34 as against 32, 38 and 26 in the three weeks preceding; and the total deaths from influenza which had been 197, 252 and 215 in the preceding three weeks, further fell to 159 last week.

One death from small-pox belonging to South Shields C.B. was registered last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 12th February, 1927.

Towns.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	6,293	7,285†	670	1	47	6	129	46	28	759
London	4,602,000*	1,380	1,704	100	1	-	1	34	16	3	159
Towns in Outer Ring.											
Croydon C.B ..	199,300	72	65	3	-	-	-	1	-	-	7
Wimbledon ..	58,170	16	20	-	-	-	-	-	-	-	1
Ealing	91,000	26	30	1	-	-	-	-	-	-	6
Acton	63,110	13	24	4	-	-	-	1	-	1	2
Willesden ..	168,900	25	56	7	-	-	-	5	-	-	6
Hendon	59,150*	17	10	-	-	-	-	-	-	-	1
Hornsey	87,210	21	27	1	-	-	-	-	-	-	1
Wood Green ..	51,960	14	14	2	-	-	-	-	-	-	1
Tottenham ..	153,600	33	52	6	-	-	-	-	1	-	7
Edmonton ..	71,210	31	31	2	-	-	-	4	1	-	3
Enfield	63,740	12	14	-	-	-	-	1	-	-	2
West Ham C.B. ..	318,500	133	122	15	-	-	1	4	-	1	11
East Ham C.B. ..	147,200	29	52	2	-	-	-	3	-	-	6
Leyton	132,700	10	38	3	-	-	-	3	-	-	2
Walthamstow ..	130,800	30	46	3	-	-	-	-	-	-	6
Ilford	93,590	25	35	4	-	-	-	-	2	-	4
Gillingham	48,680*	16	17	-	-	-	-	-	1	-	1
Canterbury C.B ..	23,270*	11	9	3	-	-	-	-	-	-	1
Hastings C.B.	60,470	13	33	2	-	-	-	-	-	-	8
Eastbourne C.B. ..	55,060	7	26	4	-	-	-	-	-	-	8
Brighton C.B. ..	137,800*	40	62	5	-	-	-	-	-	-	11
Portsmouth C.B. ..	232,900*	81	101	12	-	-	-	1	1	-	13
Bournemouth C.B. ..	85,840	19	39	1	-	-	-	-	-	-	7
Southampton C.B. ..	168,600	47	60	7	-	4	-	2	1	2	4
Reading C.B.	93,670*	40	35	1	-	-	1	-	-	-	7
Oxford C.B.	57,090	16	29	3	-	-	-	-	-	-	5
Northampton C.B. ..	93,780*	29	60	5	-	-	-	-	-	1	8
Luton	59,230	17	31	3	-	-	-	-	-	-	3
Cambridge	59,020	17	29	1	-	-	-	1	-	-	6
Southend-on-Sea C.B.	98,060	20	42	1	-	-	1	1	-	-	5
Ipswich C.B.	83,120*	19	59	2	-	-	-	2	-	-	16
Great Yarmouth C.B.	57,890	21	28	2	-	-	-	1	-	-	5
Norwich C.B. ..	124,000*	39	40	2	-	-	-	-	-	1	4
Swindon	56,880	23	22	3	-	-	-	-	-	-	7
Exeter C.B.	59,820*	9	18	3	-	-	-	-	-	-	3
Plymouth C.B. ..	192,100*	62	58	3	-	-	-	-	-	-	1
Bath C.B.	69,050	14	57	1	-	-	-	-	-	-	11
Bristol C.B.	385,700*	136	189	17	-	-	-	1	1	-	36
Gloucester C.B. ..	53,060	16	23	1	-	-	-	-	-	-	6
Stoke-on-Trent C.B.	278,900	123	103	19	-	-	-	6	1	1	7
Burton-upon-Trent C.B.	49,530	18	26	2	-	-	-	-	-	-	1
Wolverhampton C.B.	108,800	42	31	6	-	-	-	3	1	-	4
Walsall C.B.	102,300	41	29	7	-	-	-	1	-	-	2
West Bromwich C.B	79,490	29	36	4	-	-	-	-	1	1	3
Dudley C.B.	58,810	32	29	3	-	-	-	-	-	-	3
Worcester C.B. ..	50,230	13	25	2	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	348	270	30	-	4	-	2	1	-	13
Smethwick C.B. ..	78,840	27	24	4	-	2	-	-	-	-	3
Coventry C.B. ..	129,100	31	46	4	-	-	-	1	-	1	6
Leicester C.B. ..	242,100	80	100	6	-	-	-	3	2	-	12
Lincoln C.B.	66,600*	21	24	1	-	-	-	1	-	-	2
Grimsby C.B.	87,190	31	28	-	-	-	-	-	-	-	1
Nottingham C.B. ..	279,600	113	193	11	-	-	-	-	1	-	45
Derby C.B.	134,400*	33	78	6	-	-	-	1	-	-	17
Chesterfield ..	65,800	20	24	5	-	-	-	-	-	1	3
Stockport C.B. ..	125,900	35	59	2	-	-	1	1	-	-	6
Chester C.B.	41,670	19	17	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	42	52	8	-	-	-	2	-	-	1
Wallasey C.B. ..	91,720	16	19	-	-	-	-	-	-	-	3
Liverpool C.B. ..	856,000	371	321	46	-	6	-	-	3	5	23
Bootle C.B.	83,260	29	18	1	-	-	-	1	1	-	-
St. Helens C.B. ..	109,600	50	23	3	-	-	-	-	-	-	1

* Population adjusted by the exclusion of non-civilians.
† Including 1 death from small-pox belonging to South Shields.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	15	32	1	-	-	-	-	-	-	2
WIGAN C.B.	91,010	28	17	2	-	-	-	-	-	-	-
WARRINGTON C.B. ..	77,970*	28	23	4	-	-	-	4	-	-	-
BOLTON C.B.	180,400	48	52	4	-	1	-	-	-	1	2
BURY C.B.	56,700*	17	16	-	-	-	-	-	-	-	1
MANCHESTER C.B. ..	755,800	283	234	20	-	-	-	5	3	-	13
SALFORD C.B.	244,700	69	92	4	-	-	-	2	2	-	7
OLDHAM C.B	146,200	35	46	3	-	-	-	-	-	-	1
ROCHDALE C.B... ..	92,190	20	39	-	-	-	-	1	1	-	1
BURNLEY C.B.	102,300	22	26	1	-	-	-	-	-	-	1
BLACKBURN C.B. ..	126,900	38	38	3	-	2	-	-	1	-	4
PRESTON C.B.	122,900	31	95	8	-	-	-	1	-	1	17
BLACKPOOL C.B. ..	80,750	17	32	1	-	-	-	-	-	-	6
BARROW-IN-FURNESS C.B.	73,470	20	18	-	-	-	-	-	-	-	2
HUDDERSFIELD C.B. ..	112,100	34	40	5	-	-	-	1	-	-	4
HALIFAX C.B.	97,860*	28	46	1	-	-	-	-	-	-	5
BRADFORD C.B. ..	290,200	79	138	12	-	3	-	-	-	-	17
LEEDS C.B.	472,900	152	172	18	-	10	-	6	-	1	8
DEWSBURY C.B ..	54,570	17	22	-	-	-	-	-	-	-	1
WAKEFIELD C.B. ..	53,980	21	16	3	-	-	-	-	-	1	1
BARNSLEY C.B. ..	71,170	41	32	9	-	1	-	2	-	-	2
SHEFFIELD C.B. ..	526,900*	180	161	25	-	-	1	6	-	-	9
ROTHERHAM C.B. ..	70,600	27	19	4	-	-	-	1	-	-	1
DONCASTER	55,610	19	11	2	-	-	-	-	-	-	3
YORK C.B.	84,630*	26	36	2	-	-	-	-	-	-	6
HULL C.B.	297,300	104	126	22	-	-	-	-	1	1	12
MIDDLESBROUGH C.B.	136,200	60	53	10	-	6	-	-	-	1	3
DARLINGTON C.B. ..	69,130	27	34	2	-	-	-	-	-	-	8
STOCKTON-ON-TEES ..	68,000	24	30	10	-	1	-	1	1	1	3
WEST HARTLEPOOL C.B.	71,590	33	35	5	-	-	-	2	-	-	7
SUNDERLAND C.B. ..	166,000	53	52	3	-	-	-	1	-	-	2
SOUTH SHIELDS C.B. ..	124,600	46	61§	6	-	-	-	1	1	-	4
GATESHEAD C.B. ..	129,000	51	27	4	-	1	-	-	-	-	1
NEWCASTLE-ON-TYNE C.B.	286,300*	120	96	19	-	-	-	2	-	1	1
TYNEMOUTH C.B. ..	66,180	21	32	6	-	-	-	-	-	-	2
CARLISLE C.B.	55,160*	16	10	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	96,420*	37	42	3	-	-	-	-	-	-	9
CARDIFF C.B.	227,100*	90	73	18	-	6	-	2	-	1	8
RHONDDA	167,570	49	62	10	-	-	-	3	-	-	9
MERTHYR TYDFIL C.B.	82,920	24	23	1	-	-	-	-	1	-	3
ABERDARE	57,700	17	22	3	-	-	-	-	-	-	5
SWANSEA C.B.	163,200	63	72	10	-	-	-	1	-	1	9
GREATER LONDON ..	7,742,212*	2,264	2,772	185	1	-	2	63	20	5	285
OUTER RING	3,140,212*	884	1,068	85	-	-	1	29	4	2	126
16 GREAT TOWNS IN OUTER RING	1,890,140*	507	636	53	-	-	1	22	4	2	66
REMAINDER OF OUTER RING	1,250,072*	377	432	32	-	-	-	7	-	-	60
EDINBURGH†	426,100‡	155	105	5	-	4	-	-	1	-	3
GLASGOW† ..	1,049,000‡	469	288	48	-	1	1	6	1	3	5
DUBLIN (REGISTRATION AREA)†	421,000	211	202	27	-	-	-	14	2	1	8
BELFAST†	416,000	‖	‖	‖	‖	‖	‖	‖	‖	‖	‖

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Revised provisional populations for 1927.

§ Including 1 death from Small-pox.

‖ Return not received.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available pe**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)
London‡	4,602,000	1927. Feb. 12	1380	1704	19·3	1	–	–	1	34	16	3
Calcutta and Suburbs	1,077,273	1926–27. Jan. 8	?	956‖	46·1	?	89	?	?	?	?	?
Bombay§	1,298,708	„ 8	448	509	20·4	1	5	–	–	2	–	22
Madras	528,791	„ 8	478	510‖	50·1	2	1	–	–	1	–	31
Sydney and Suburbs	1,038,950	Dec. 31 (31 days)	1787	857	9·9	1	–	8	5	13	2	55
Brisbane (Metropolitan Area).	263,711	Dec. 31 (31 days)										
Perth (Metropolitan Area).	179,388	Dec. 25 Jan. 1	62 57	24 44	7·0 12·8	– –	– –	– –	– –	– –	– –	1 2
Auckland (Urban Area).	192,176	Dec. 31 (31 days)										
Wellington (Urban Area).	121,324	Dec. 31 (31 days)										
Christchurch (Urban Area).	118,408	Dec. 31 (31 days)										
Cape Town	113,709	Jan. 15	49	22	9·1	–	–	–	–	2	–	–
Johannesburg	172,189	„ 15										
Durban	54,738	„ 15										
Paris	2,871,429	Jan. 20 (10 days)	1111	1443	18·3	8	1	23	5	2	9	33
Antwerp	300,183	Jan. 8	98	103	18·0	–	–	1	–	–	–	–
Amsterdam	726,531	„ 15	281	183	13·1	1	–	2	–	–	–	1
Copenhagen	592,000	„ 29	195	151	13·3	–	–	–	–	1	1	–
Stockholm	442,528	„ 22	92	116	13·6	–	–	–	–	–	–	–
Gothenburg	231,624	„ 15										
Oslo (Christiania) ..	255,724	„ 29	41	71	14·4	–	–	3	–	–	–	–
Berlin	1,993,000	„ 22	410	624	16·3	–	?	1	2	2	5	1
Breslau	561,000	„ 22	149	165	15·3	1	?	2	–	2	1	2
Cologne	711,000	„ 22	263	203	14·8	–	?	–	–	6	1	–
Dresden	624,000	„ 22	137	131	10·9	–	?	–	–	–	1	1
Frankfort-on-Main..	471,000	„ 22	109	108	11·9	–	?	–	–	–	–	–
Hamburg	1,111,000	„ 22	281	359	16·8	1	?	2	–	2	–	–
Leipzig	685,000	„ 22	179	144	10·9	–	?	–	–	–	–	1
Munich	685,000	„ 15 „ 22	163 150	160 157	12·1 11·9	– –	? ?	3 1	– 1	1 1	– –	3 8
Vienna	1,871,607	June 30 (30 days)										
Prague and Suburbs	725,196	Oct. 31 (31 days)										
Budapest	971,169	Jan. 15 „ 22	338 283	312 361	16·7 19·3	2 2	– –	3 2	– 4	– –	8 6	5 1
Warsaw	1,015,426	„ 22	?	336	17·3	2	–	–	5	–	2	17
Cairo	859,400	Nov. 4	894	425	25·8	3	–	1	–	?	8	39
Alexandria	492,100	„ 4	452	226	23·9	3	–	–	–	?	4	24
New York	5,924,018	Jan. 22	?	1612	14·2	2	–	–	2	3	8	13
Chicago	3,101,000	„ 21	1006	767	12·9	–	–	7	3	–	11	14

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria
‡ The estimated population and deaths refer to the civilian population only
§ The registration of Births in Bombay is incomplete.
‖ Including 54 deaths from Cholera in Calcutta and 6 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 12th February, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1704	100	62	70	33	53	66	92	171	253	368	436
Enteric fever	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	34	12	11	11	-	-	-	-	-	-	-	-
Diphtheria	16	1	3	7	5	-	-	-	-	-	-	-
Influenza	159	3	2	5	3	1	6	12	18	30	37	42
Erysipelas	2	-	-	-	-	-	-	-	1	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	4	-	-	-	-	2	-	-	-	1	-	1
Meningococcal meningitis	2	-	-	-	1	1	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	122	-	-	-	1	26	22	23	25	17	8	-
Nervous system	7	1	2	1	2	1	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	-	1	1	-	-	-	-	-
Other forms	4	1	-	-	-	1	1	-	-	1	-	-
Venereal diseases	1	-	-	-	-	1	-	-	-	-	-	-
Cancer	118	-	-	-	-	-	-	4	21	31	40	22
Rheumatic fever	5	-	-	-	1	1	2	-	1	-	-	-
Diabetes	13	-	-	-	-	-	-	1	2	4	4	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	2	2	-	-	-	1	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	59	-	-	-	-	1	1	2	8	9	16	22
Epilepsy	8	-	-	-	-	1	2	2	1	-	2	-
"Convulsions" (not puerperal) ..	1	-	-	1	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	23	1	-	-	2	1	2	2	7	3	3	2
Pericarditis	2	-	-	-	1	-	-	-	-	1	-	-
Acute endocarditis	10	-	-	-	3	1	2	1	1	1	1	-
Other diseases of heart	292	-	-	-	3	3	2	10	24	58	92	100
Other diseases of circulatory system	71	-	-	-	-	-	-	-	6	8	28	29
Bronchitis	225	7	-	-	2	-	-	8	13	28	64	103
Broncho-pneumonia	155	33	35	34	-	1	4	1	4	9	14	20
Lobar-pneumonia	45	1	2	3	-	2	3	7	7	9	7	4
Pneumonia (type not distinguished)	23	1	3	1	-	1	3	2	2	4	4	2
Other diseases of respiratory system	23	-	-	-	2	-	2	-	4	2	3	10
Diarrhœa and enteritis	6	3	-	-	-	-	1	1	-	-	1	-
Appendicitis, Typhlitis	2	-	-	-	1	1	-	-	-	-	-	-
Hernia, Intestinal obstruction	11	1	-	-	-	-	2	-	-	1	2	5
Cirrhosis of liver	8	-	-	-	-	-	-	2	1	2	3	-
Other diseases of digestive system ..	26	1	-	2	-	-	1	1	6	5	7	3
Acute nephritis	2	-	-	-	-	1	1	-	-	-	-	-
Chronic Bright's disease	43	-	-	-	-	1	2	1	9	14	7	9
Other diseases of genito-urinary system.	20	-	-	-	-	1	1	2	2	3	4	7
Puerperal sepsis	2	-	-	-	-	1	-	1	-	-		-
Other causes incident to childbirth ..	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	4	3	-	-	-	-	-	-	1	-	-	-
Premature birth	17	17	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	2	2	-	-	-	-	-	-	-	-	-	-
Old age	47	-	-	-	-	-	-	-		-	5	42
Suicide	11	-	-	-	-	-	1	5	3	-	1	1
Burns and Scalds	6	2	1	1	-	-	-	-	-	-	-	2
Drowning	1	-	-	-	-	-	1	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14	-	1	-	4	1	-	1	-	2	2	3
Other deaths by violence	10	1	-	-	1	-	-	2	-	1	3	2
Other specified causes	37	7	-	4	-	1	-	1	3	8	10	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 12th February, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	170	232	3	266	C. 8 D. 5 E. 2 G. 3 M. 28 N. 30
†CITY OF LONDON	-	-	2	-	2	-
Metropolitan Boroughs :—						
†BATTERSEA ..	-	8	19	-	16	E. 1 M. 1 N. 1
†BERMONDSEY ..	-	8	5	-	8	M. 2 N. 1
†BETHNAL GREEN	-	10	9	-	9	D. 1 M. 1
†CAMBERWELL ...	-	9	14	-	12	N. 1
†CHELSEA	-	1	1	-	2	N. 1
†DEPTFORD ..	-	3	11	-	6	-
†FINSBURY ...	-	8	2	-	2	M. 2
†FULHAM	-	3	5	-	11	N. 1
†GREENWICH ..	-	6	9	-	8	M. 1 N. 1
†HACKNEY ...	-	8	7	-	6	G. 1 N. 1
†HAMMERSMITH ...	-	6	4	-	4	C. 1 M. 1
†HAMPSTEAD ...	-	2	2	-	4	D. 2
†HOLBORN... ..		1	-	-	3	-

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont*						
†ISLINGTON ..	-	14	17	-	12	M. 8 N. 5
†KENSINGTON ..	-	5	18	-	11	N. 1
†LAMBETH ..	-	11	13	1	14	E. 1 N. 3
†LEWISHAM ..	-	6	9	1	16	N. 2
†PADDINGTON ..	-	3	10	1	13	-
†POPLAR	-	13	6	-	23	C. 1 M. 3
†ST. MARYLEBONE	-	4	9	-	1	D. 1 M. 2 N. 8
†ST. PANCRAS ..	-	3	7	-	16	C. 2 M. 2 N. 1
†SHOREDITCH ...	-	4	10	-	6	C. 1 M. 2
†SOUTHWARK ...	-	7	12	-	14	G. 1 N. 1
†STEPNEY	-	7	10	-	13	C. 1 N. 1
†STOKE NEWINGTON	-	2	-	-	1	G. 1 M. 1
†WANDSWORTH ...	-	14	11	-	12	C. 2 M. 1 N. 1
†WESTMINSTER, CITY OF	-	-	2	-	8	D. 1 M. 1
†WOOLWICH ...	-	4	8	-	13	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	2	–	10	D. 1 M. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	1	–	–	–	–
†BEDFORD... ..	–	1	–	–	5	–
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	1	2	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	M 1
BIGGLESWADE ..	–	–	–	–	1	D. 1
EATON BRAY ...	–	–	–	–	1	–
LUTON	–	–	–	–	1	–
BERKS	–	7	11	–	11	E. 1
†READING C.B. ...	–	2	–	–	1	E. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	–	–	6	–
WOKINGHAM ...	–	–	9	–	–	–
Rural Districts:—						
BRADFIELD ...	–	–	–	–	1	–
COOKHAM ...	–	–	–	–	1	–
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ...	–	–	–	–	1	–
WANTAGE ...	–	3	–	–	–	–
WINDSOR... ...	–	1	–	–	1	–
WOKINGHAM ...	–	–	2	–	–	–
BUCKINGHAM ...	–	6	–	–	25	M. 1 N. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	–	–	3	–
BLETCHLEY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–		–	–	10	–
MARLOW	*	*	*	*	*	*
NEWPORT PAGNELL ...	–	1	–	–	–	–
†SLOUGH	–	–	–	–	–	N. 1
†WOLVERTON ...	–	1	–	–	7	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AYLESBURY ...	–	–	–	–	1	–
BUCKINGHAM ...	–	–	–	–	1	M. 1
NEWPORT PAGNELL	–	1	–	–	–	–
WING	–	2	–	–	–	–
WYCOMBE ...	–	–	–	–	3	–
CAMBRIDGE ..	–	4	2	–	4	N. 2
Borough:—						
†CAMBRIDGE ..	–	2	2	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	–	–	–	1	N. 1
MELBOURN ...	–	–	–	–	1	N. 1
NEWMARKET ...	–	–	–	–	1	–
SWAVESEY ...	–	2	–	–	–	–
CHESTER	2	51	30		56	C. 1 D. 1 G. 1 M. 1 N. 5
†BIRKENHEAD C.B.	–	5	4	–	12	–
†CHESTER C.B. ..	–		–	–	3	N. 1
†STOCKPORT C.B.	2	9	4	–	7	C. 1
†WALLASEY C.B. ...	–	2	3	–	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	5	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	2	–
BREDBURY AND ROMILEY	–	–	1	–	–	–
†CHEADLE AND GATLEY	–	3	–	–	–	–
†CONGLETON ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CREWE	–	1	–	–	1	–
†DUKINFIELD ...	–	–	–	–	4	M. 1
†HAZEL GROVE AND BRAMHALL	–	3	–		1	–
†HOYLAKE AND WEST KIRBY	–	1	5	–	–	–
†HYDE	–	1	1	–	2	–
KNUTSFORD ...	–	–	–	–	1	–
LYMM	–	–	–	–	3	–
†MACCLESFIELD ...	–	–	3	–	3	–
MIDDLEWICH ...	–	–	–	–	1	–
NANTWICH ...	–	–	1		–	–
†NORTHWICH ...	–	1	–	–	2	–
†RUNCORN... ...	–	1	1	–	4	–
†SALE	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	1	–	–	–
WILMSLOW ...	–	4	–	–	–	–
†WINSFORD ...		1	1	–	1	–
Rural Districts:—						
BUCKLOW ...	–	3		–	–	–
CHESTER	–	1	1	–	1	–
CONGLETON ...	–	1	1	–	–	N. 1
NANTWICH ...	–	1	–	–	3	
NORTHWICH ...	–	–	–	–	1	N. 2
RUNCORN ...	–	4	–	–	–	G. 1 N. 1
TARVIN	–	–	–	–	–	D. 1
WIRRAL	–	2	–	–	2	–
CORNWALL ...	–	6	3	–	3	E. 2 N. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	1	–	–	–
LAUNCESTON ...	–	2	–		–	N. 1
PADSTOW... ...	–	–	–	–	1	–
SALTASH... ...	–	1	–	–	–	–
CORNWALL—*cont.*						
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
HELSTON	–	–	–	–		E. 1
REDRUTH ...	–		1	–	1	–
ST. COLUMB MAJOR	–	–	–	–	–	E. 1
ST. GERMANS ...	–	2	–	–	1	–
TRURO	–	–	1	–	–	–
CUMBERLAND ...	–	15	8	–	7	D. 1 M. 1 N. 2
†CARLISLE C.B. ...	–	7	1	–	2	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
CLEATOR MOOR ...	–	–	2		–	–
COCKERMOUTH ...	–	–	–	–	–	D. 1
HOLME CULTRAM	–	2	–	–	1	–
KESWICK	–	1	–	–	–	–
†MARYPORT ...	–	–	1	–	–	M. 1
MILLOM		2	–		–	–
†WHITEHAVEN ...	–	1	–	–	–	N. 1
†WORKINGTON ...	–	–	–		–	N. 1
Rural Districts:—						
ALSTON WITH GARRIGILL	*	*	*	*	*	*
BRAMPTON ...	–	–	1			–
CARLISLE ...		2	–	–	–	–
COCKERMOUTH ...	–	–	2	–	–	–
LONGTOWN ...	–	–	–	–	4	–
DERBY	23	23	10	–	137	G. 1 M. 1 N. 2
†DERBY C.B. ...	16	3	3	–	62	N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
ASHBOURNE ...	–	–	–	–	1	–
†BELPER	1	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLSOVER ...	–	3	–	–	10	M. 1
†CHESTERFIELD ...	–	9	1	–	5	–
†GLOSSOP	–	–	–	–	2	–
HEAGE	1	–	–	–	–	–
†HEANOR	–	–	–	–	5	N. 1
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	–	–		–	1	–
NORTH DARLEY...	*	*	*	*	*	*
†RIPLEY	2	–	–	–	2	–
†SWADLINCOTE DISTRICT	–	1	–	–	14	–
WIRKSWORTH ...	–	–	–		2	–
Rural Districts:—						
BAKEWELL ...	–	–	1	–	–	–
BELPER	–	–	–	–	1	–
BLACKWELL ...	–	1	1	–	10	G. 1
CHAPEL EN LE FRITH	–	1	–	–	1	–
CHESTERFIELD ...	–	3	3	–	5	–
CLOWNE	–	–	1	–	–	–
HARTSHORN AND SEAL	*	*	*	*	*	*
NORTON	*	*	*	*	*	*
REPTON	–	2	–	–	1	–
SHARDLOW ..	2	–	–	–	13	–
CODNOR PARK AND SHIPLEY (Parishes)	1	–	–	–	–	–
DEVON	–	26	9	2	21	C. 1 D. 1 G. 3 N. 3
†EXETER C.B. ...	–	6	–	1	4	N. 1
†PLYMOUTH C.B....	–	12	7	–	1	C. 1
Boroughs and Urban Districts:—						
BAMPTON ...	–	–	–	1	–	–
†BARNSTAPLE ...	–	–	–	–	2	–
BRIXHAM... ...	–	–	–	–	3	–
DAWLISH... ...	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
OKEHAMPTON ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	–	–	–	–	G. 1 N. 1
†TORQUAY ...	–	2	1	–	5	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	1	–
CREDITON ...	–	2	–	–	–	G. 1
KINGSBRIDGE ...	–	–	–	–	1	
PLYMPTON ST. MARY	–	1	1	–	–	D. 1 N. 1
TAVISTOCK ...	–	–	–	–	1	–
TORRINGTON ...	–	1	–	–	–	–
TOTNES	–	–	–	–	–	G. 1
DORSET	–	3	2	–	12	M. 2 N. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	2	–
BRIDPORT ...	–	–	1	–	–	–
DORCHESTER ...	–	–	–	–	2	–
†POOLE	–	1	–	–	3	–
SWANAGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
BRIDPORT ...	–	1	–	–	–	–
DORCHESTER ...	–	–	–	–	–	N. 1
POOLE	–	–	–	–	–	M. 1
STURMINSTER ...	–	–		–	1	–
WAREHAM AND PURBECK	–	–	1	–	2	–
WIMBORNE AND CRANBORNE	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM	289	49	27	3	202	G. 1 M. 1 N. 6
†DARLINGTON C.B.	1	2	1	-	27	-
†GATESHEAD C.B.	6	8	2	-	1	-
†SOUTH SHIELDS C.B.	21	3	2	-	30	-
†SUNDERLAND C.B.	-	4	-	1	23	N. 1
†WEST HARTLEPOOL C.B.	-	3	-	-	23	G. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	5	1	1	-	1	M. 1 N. 1
BENFIELDSIDE ...	-	3	-	-	2	-
BILLINGHAM ...	-	1	-	-	1	-
†BISHOP AUCKLAND	1	1	-	1	-	-
†BLAYDON... ...	-	1	-	-	-	-
†BRANDON AND BYSHOTTLES	13	-	2	-	-	-
†CHESTER LE STREET	6	-	1	-	2	-
†CONSETT	-	4	2	-	-	-
†CROOK	14	-	-	-	-	-
†DURHAM	1	-	-	-	1	-
†FELLING	6	1	-		2	-
†HARTLEPOOL ...	-	-	-	-	30	-
†HEBBURN ...	-	1	-	-	7	-
†HETTON	22	-	-	-	6	-
†HOUGHTON LE SPRING	6	-	-	-	-	-
†JARROW	18	2	-	-	9	-
†SHILDON	24	-	2	-	-	-
†SOUTHWICK ON WEAR	-	1	2	-	-	-
†SPENNYMOOR ...	-	-	1	-	-	-
†STANLEY	9	5	-	-	-	N. 1
†STOCKTON ON TEES	-	-	5	-	4	N. 1
†TANFIELD ...	2	-	-	-		-
†WHICKHAM ...	-	-	-	-	1	-
WILLINGTON ...	5	-	1	-	-	-
Rural Districts:—						
AUCKLAND ..	34	1	1	-	1	-
CHESTER LE STREET	40	2	1	1	2	-
DARLINGTON ...	1	-	-	-	-	-
DURHAM—*cont.*						
Rural Districts—*cont.*						
DURHAM	16	-	-	-	1	-
EASINGTON ...	16	-	2	-	10	N. 1
HARTLEPOOL ...	-	-	-	-	2	-
HOUGHTON LE SPRING	4	1	-	-	4	-
LANCHESTER ...	14	1	-	-	2	-
SEDGEFIELD ...	3		1	-	5	-
SOUTH SHIELDS...	1	3	-	-	1	-
STOCKTON ...	-	-	-	-	1	N. 1
SUNDERLAND ...	-	-	-	-	3	-
ELY, ISLE OF ...	-	-	1	-	5	-
Boroughs and Urban Districts:—						
WHITTLESEY ...	-	-	1	-	2	-
Rural Districts:—						
ELY	-	-	-	-	3	-
ESSEX	-	89	47	-	106	C. 2 D. 1 G. 2 M. 3 N. 2
†EAST HAM C.B. ...	-	10	8	-	4	-
†SOUTHEND-ON-SEA C.B.	-	2	1	-	11	-
†WEST HAM C.B. ...	-	32	10	-	22	D. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	15	3	-	2	C. 2 M. 1
BRAINTREE ...	-	1	-	-	-	-
BRENTWOOD ...	-	-	-	-	2	-
BRIGHTLINGSEA	-	-	-	-	3	-
BUCKHURST HILL	-	-	1	-	-	-
CHINGFORD ...		2	-	-	-	-
†COLCHESTER ...		-	-	-	28	-
DAGENHAM ...	-	-	4	-	-	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†GRAYS THURROCK	–	1	1	–	1	–
†HORNCHURCH ...	–	1	–	–	1	–
†ILFORD	–	2	4	–	6	–
†LEYTON	–	6	2	–	5	–
LOUGHTON ...	–	–	–	–	2	–
†ROMFORD ...	–	2	–	–	2	–
TILBURY	–	1	–	–	–	–
†WALTHAMSTOW ...	–	4	7	–	–	–
†WANSTEAD ...	–	1	–	–	1	–
†WOODFORD ...	–	1	4	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	1	–	1	G. 1
BRAINTREE ...	–	1	–	–	1	–
BUMPSTEAD ...	–	–	–	–	3	–
CHELMSFORD ...	–	–	–	–	1	–
DUNMOW	–	–	–	–	1	–
EPPING	–	1	–	–	2	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON	–	1	–	–	2	–
ORSETT	–	1	1	–	–	–
ROCHFORD ...	–	–	–	–	2	–
ROMFORD... ...	–	1	–	–	1	–
STANSTED ...	–	1	–	–	–	–
TENDRING ...	–	–	–	–	2	–
GLOUCESTER ...	–	19	18	–	116	C. 1 G. 1 M. 1 N. 2
†BRISTOL C.B. ...	–	8	14	–	72	C. 1 M. 1 N. 1
†GLOUCESTER C.B.	–	–	2	–	16	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	–	–	3	–
CIRENCESTER ...	–	1	–	–	–	–
STROUD	–	–	–	–	2	–
TETBURY	–	1	–	–	6	–
TEWKESBURY ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CAMPDEN... ...	–	–	–	–	3	–
CHIPPING SODBURY	–	1	–	–	1	–
CIRENCESTER ...	–	–	–	–	1	–
DURSLEY... ...	–	1	–	–	3	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	1	G. 1
LYDNEY	–	1	–	–	–	–
NORTHLEACH ...	–	–	1	–	–	–
STROUD	–	2	–	–	2	N. 1
TETBURY (part)	–	–	1	–	–	–
THORNBURY ...	–	–	–	–	3	–
WARMLEY ...	–	–	–		2	–
WEST DEAN ...	–	1	–	–	–	–
HEREFORD ...	–	4	–	–	11	N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	2	–	–	5	N. 1
Rural Districts:—						
DORE	–	1	–	–	–	–
KINGTON	–	–	–	–	1	–
LEDBURY... ...	–	–	–	–	4	–
ROSS	–	1	–	–	1	–
WHITCHURCH ...	*	*	*	*	*	*
HERTFORD ...	–	2	1	–	25	–
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	3	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
HODDESDON ...	–	–	1	–	–	–
†ST. ALBANS ...	–	1	–	–	9	–
†WATFORD ...	–	–	–	–	2	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	–	–	–	–	2	–
ST. ALBANS ...	–	–	–	–	1	–
WATFORD ...	–	–	–	–	8	–
HUNTINGDON ..	–	–	3	–	2	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
OLD FLETTON ...	–	–	1	–	1	–
Rural Districts:—						
ST. IVES	–	–	2	–	–	–
KENT	–	44	23	–	81	C. 2 E. 1 M. 5 N. 5
†CANTERBURY C.B.	–	1	1	–	5	–
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	2	–
†BECKENHAM ...	–	–	–	–	2	N. 1
†BEXLEY	–	–	–	–	2	–
†BROADSTAIRS AND ST. PETER'S	–	1	1	–	1	–
†BROMLEY ...	–	2	–	–	1	–
†CHATHAM ...	–	1	1	–	3	M. 1
CHISLEHURST ...	–	2	–	–	–	–
†CRAYFORD ...	–	–	3	–	–	–
†DARTFORD ...	–	1	–	–	4	–
†DOVER	–	1	–	–	2	–
†ERITH	–	4	1	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†FAVERSHAM ...	–	1	–	–	1	–
†FOLKESTONE ...	–	2	2	–	4	M. 3
†GILLINGHAM ...	–	6	–	–	–	C. 1
†GRAVESEND ...	*	*	*	*	*	*
HYTHE	–	–	–	–	1	–
†MAIDSTONE ...	–	3	1	–	–	–
†MARGATE ...	–	2	3	–	5	–
MILTON REGIS ...	–	1	–	–	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	1	1	–	–	C. 1
†RAMSGATE ...	–	–	1	–	5	M. 1 N. 1
†ROCHESTER ...	–	2	–	–	9	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	11	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	–	–	1	–
SIDCUP	–	–	–	–	1	–
SITTINGBOURNE	–	–	–	–	1	–
SOUTHBOROUGH	–	–	–	–	–	N. 1
SWANSCOMBE ...	–	–	2	–	–	–
†TONBRIDGE ...	–	1	–	–	1	N. 1
WALMER	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BLEAN	–	–	–	–	–	E. 1
BRIDGE	*	*	*	*	*	*
BROMLEY ...	–	–	–	–	1	–
DARTFORD ...	–	–	2	–	–	–
DOVER	*	*	*	*	*	*
EASTRY	*	*	*	*	*	*
ELHAM	–	–	–	–	3	–
FAVERSHAM ...	–	–	1	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	–	–	–	–	N. 1
MAIDSTONE ...	–	–	–	–	2	–
MALLING	–	4	–	–	3	–
MILTON	–	1	1	–	–	–
ROMNEY MARSH...	–	–	–	–	1	–
SEVENOAKS ...	–	1	–	–	–	–
STROOD	–	1	1	–	1	–
TONBRIDGE ...	–	–	–	–	3	–
WEST ASHFORD...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	3	184	124	3	416	C. 9 D. 1 E. 1 G. 9 L. 1 M. 24 N. 13
†BARROW IN FURNESS C.B.	–	2	–	–	7	–
†BLACKBURN C.B.	–	4	2	–	3	N. 3
†BLACKPOOL C.B.	–	2	–	–	–	–
†BOLTON C.B. ...	–	9	2	–	4	–
†BOOTLE C.B. ...	–	2	3	–	5	–
†BURNLEY C.B. ...	–	1	3	–	5	–
†BURY C.B. ...	–	1	1	–	10	–
†LIVERPOOL C.B. ..	–	33	38	–	114	C. 3 D. 1 G. 2 M. 14 N. 2
†MANCHESTER C.B.	–	33	26	1	77	C. 4 G. 1 M. 3 N. 2
†OLDHAM C.B. ...	–	4	7	–	4	–
†PRESTON C.B. ...	–	–	2	–	10	G. 1 M. 1 N. 1
†ROCHDALE C.B. ...	–	1	2	–	3	G. 2
†ST. HELENS C.B. ...	–	1	–	–	11	M. 1
†SALFORD C.B. ...	–	14	7	–	21	E. 1 G. 1 M. 3
†SOUTHPORT C.B.	3	1	–	–	1	–
†WARRINGTON C.B.	–	–	3	–	7	G. 1
†WIGAN C.B. ...	–	1	–	–	5	–
Boroughs and Urban Districts:—						
ABRAM	–	–	1	–	1	–
†ACCRINGTON ..	–	2	–	1	2	C. 1
ADLINGTON ...	–	–	–	–	2	–
†ASHTON IN MAKERFIELD	–	3	–	–	2	–
†ASHTON UNDER LYNE	–	1	–	–	4	M. 1 N. 1
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	–	–	–	–
AUDENSHAW ..	–	1	–			–
BRIERFIELD ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
CARNFORTH ...	–	1	–	–	–	–
†CHADDERTON ...	–	–	–	–	1	–
†CHORLEY	–	–	–	–	6	G. 1
CHURCH	–	–	–	–	1	–
†COLNE	–	–	–	–	7	–
†CROMPTON ...	–	1	–	–	–	–
†DALTON IN FURNESS	–	1	4	–	–	–
†DARWEN	–	2	–	–	2	–
†DENTON	–	–	–	–	2	–
†ECCLES	–	2	–	–	4	–
†FAILSWORTH ...	–	–	–	–	2	–
†FARNWORTH ...	–	2	–	–	1	–
†FLEETWOOD ...	–	1	–	–	1	–
FULWOOD ...	–	–	1	–	2	–
GOLBORNE ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	1	1	–	1	–
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	9	1	–	–	–
HEYSHAM ...	–	–	1	–	–	–
†HEYWOOD ...	–	2	–	–	4	–
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
KEARSLEY ...	–	4	–	–	–	–
KIRKHAM ...		2	–	–	–	–
†LANCASTER ...	–	–	–	–	6	N. 1
LATHOM AND BURSCOUGH	–	–	1	–	1	–
LEES	–	–	–	–	1	–
†LEIGH	–	–	2	–	4	–
LEYLAND... ...	–	–	–	–	6	–
†LITHERLAND ...	–	1	–	–	–	–
†LITTLEBOROUGH	–	–	1	–	–	–
†MIDDLETON ...	–	–	–	–	4	–
†MORECAMBE ...	–	–	2	–	1	–
†NEWTON IN MAKERFIELD	–	–	–	–	1	–
ORMSKIRK ...	–	3	–	–	2	–
†OSWALDTWISTLE	–	–	–	–	1	–
PRESCOT	–	–	–	–	–	N. 1
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	3	1	–	–	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	–	1	–	–	–
RISHTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
SKELMERSDALE ...	–	–	1	–	–	–
STANDISH WITH LANGTREE	–	–	–		1	–
†STRETFORD ...	–	6	1	–	6	M. 1
†SWINTON AND PENDLEBURY	–	5	–	–	5	–
THORNTON ...	–	–	–	–	1	–
TOTTINGTON ...	–	–	2	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
WARDLE	–	–	1	–	–	–
†WATERLOO WITH SEAFORTH	–	2	2	–	2	–
†WESTHOUGHTON	–	2	–	–	2	–
WHITWORTH ...	–	–	–	–	2	–
†WIDNES	–		1	–	19	N. 1
†WORSLEY... ...	–	1		–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	3	–	–	1	–
BLACKBURN ...	–	1		–	–	–
BURY	–	1	–	–	–	–
CHORLEY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	1	–
FYLDE	–	1	–	–	–	–
LEIGH	–	–	1	1	1	–
PRESTON	–	–		–	2	C. 1 N. 1
ULVERSTON ...	–	1	–		–	–
WARRINGTON ...	–	–	–	–	2	L. 1
WEST LANCASHIRE	–	3	–	–	4	–
WHISTON... ...	–	1	1		1	–
LEICESTER... ...	–	7	10	–	32	C. 1
†LEICESTER C.B. ...	–	5	7	–	6	–
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	–	–	–	–	C. 1
MARKET HARBOROUGH	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MELTON MOWBRAY	–	–	–	–	6	–
SHEPSHED ...	–	–	1	–	–	–
THURMASTON ...	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	2	–
BARROW UPON SOAR	–	1	–	–	6	–
CASTLE DONINGTON	–	–	–	–	1	–
HALLATON ...	–	–	–	–	2	–
HINCKLEY ...	–	–	1	–	4	–
LUTTERWORTH ...	–	1	–	–	–	–
MARKET BOSWORTH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	–	–	2	–
LINCOLN (parts of Holland).	–	2	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	13	C. 1
Boroughs and Urban Districts:—						
BOURNE	–	–	–	–	1	–
†GRANTHAM ...	–	–	–	–	2	–
SLEAFORD ...	–	–	–	–	4	–
Rural Districts:—						
BOURNE		1	–	–	–	C. 1
GRANTHAM ...		–	–	–	5	–
SLEAFORD ...	–		1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	13	5	–	35	C. 2 D. 1 M. 1
†GRIMSBY C.B. ...	–	4	–	–	3	C. 1
†LINCOLN C.B. ...	–	4	3	–	2	D. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	4	–
†GAINSBOROUGH ...	–	–	–	–	11	–
HORNCASTLE ...	–	–	–	–	7	–
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	4	M. 1
Rural Districts:—						
GAINSBOROUGH ...	–	2	1	–	2	–
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY	–	–	–	–	–	C. 1
HORNCASTLE ...	–	–	–	–	1	–
ISLE OF AXHOLME	–	1	–	–	–	–
MIDDLESEX ...	–	42	19	–	90	D. 1 G. 1 M. 2 N. 3
Boroughs and Urban Districts:—						
†ACTON	–	3	2	–	2	–
†BRENTFORD ...	–	–	1	–	4	–
†CHISWICK ...	–	1	–	–	7	–
†EALING	–	2	–	–	3	–
†EDMONTON ...	–	2	1	–	4	M. 1
†ENFIELD	–	3	2	–	1	N. 1
FELTHAM ...	–	–	–	–	2	–
†FINCHLEY ...	–	5	1	–	1	–
†FRIERN BARNET	–	–	–	–	6	–
†HENDON	–	3	3	–	1	–
†HESTON AND ISLEWORTH	–	–	–	–	9	–
†HORNSEY... ...	–	4	1	–	3	–
RUISLIP NORTHWOOD	–	–	–		3	–
†SOUTHGATE ...	–	–	1	–	3	–
STAINES	–	1	–		–	–
†TEDDINGTON ...	–	1	–	–	–	D. 1
†TOTTENHAM ...	–	5	6		8	M. 1 N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TWICKENHAM ...	–	2	1	–	1	–
†WEALDSTONE ...	–	2	–	–	–	–
†WEMBLEY ...		1	–	–	6	–
†WILLESDEN ...	–	4	–	–	18	G. 1
†WOOD GREEN ...	–	2	–	–	1	–
Rural Districts:—						
HENDON	–	–	–	–	5	–
SOUTH MIMMS ...	–	–	–	–	1	–
STAINES	–	–	–	–	1	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK	–	13	3	–	26	C. 1 M. 1 N. 1
†GREAT YARMOUTH C.B.	–	6	–	–	1	–
†NORWICH C.B. ...	–	2	–	–	6	C. 1 M. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	2	–	2	–
WALSOKEN ...	–	–	–	–	1	–
WELLS	*	*	*	*	*	*
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	–	–	–	3	–
DOCKING ...	–	–	–	–	3	–
DOWNHAM ...	–	–	–	–	1	–
ERPINGHAM ...	–	–	–	–	1	–
FOREHOE ...	–	–	–	–	2	–
HENSTEAD ...	–	1	–	–	–	–
KING'S LYNN ...	*	*	*	*	*	*
LODDON AND CLAVERING	–	–	1	–	–	–
MARSHLAND ...	–	3	–	–	–	–
MITFORD AND LAUNDITCH	–	–	–	–	1	N. 1
THETFORD ...	–	–	–	–	1	–
WALSINGHAM ...	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	3	2	–	42	C. 1 G. 1 M. 2
†NORTHAMPTON C.B.	–	–	1	–	14	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	–	–	–	1	–
FINEDON	–	–		–	1	–
IRTHLINGBOROUGH	–	1	–	–	2	–
†KETTERING ..	–	–	–	–	4	C. 1
RAUNDS	–	2	–		2	–
ROTHWELL ...	–	–	1	–	1	–
†RUSHDEN... ...	–	–	–	–	2	G. 1
†WELLINGBOROUGH	–	–	–	–	–	M. 1
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	1	–
DAVENTRY ..	–	–	–	–	5	–
HARDINGSTONE ...	–	–	–	–	1	–
KETTERING ...	–	–	–	–	2	–
NORTHAMPTON ...	–	–	–	–	2	–
OXENDON... ...	–	–	–	–	1	–
WELLINGBOROUGH	–	–	–	–	3	M. 1
NORTHUMBERLAND	11	27	7	–	84	C 3 M. 3 N. 1
†NEWCASTLE UPON TYNE C.B.	3	7	3	–	30	C. 2 M. 3
†TYNEMOUTH C.B.	–	3	2	–	16	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	4	2	–	–	2	N. 1
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	–	–	–	12	–
CRAMLINGTON ...	–	–	–	–	1	C. 1
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EARSDON	1	1	–	–	–	–
†GOSFORTH ...	–	1	–	–	1	–
HEXHAM	–	1	1	–	–	–
†LONGBENTON ...	–	–	–	–	1	–
MORPETH ...	2	–	–	–	–	–
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	–	–	–	2	–
SEATON DELAVAL	–	–	–	–	7	–
†WALLSEND ...		2	–	–	4	–
WEETSLADE ...	*	*	*	*	*	*
†WHITLEY AND MONKSEATON	–	2	–	–	3	–
Rural Districts:—						
CASTLE WARD ...	–	–	–	–	3	–
HEXHAM	–	2	1	–	1	–
MORPETH... ...	1	–	–	–	–	–
ROTHBURY ...	–	1	–	–	–	–
NOTTINGHAM ...	6	14	21	–	92	M. 2 N. 1
†NOTTINGHAM C.B	–	9	18	–	39	M. 2 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	2	–
†BEESTON... ...	*	*	*	*	*	*
†CARLTON	–	1	–	–	5	–
†EAST RETFORD ...	–	–	2	–	3	–
EASTWOOD ...	–	–	–	–	1	–
†HUCKNALL ...	–	–	–	–	9	–
HUTHWAITE ...	1	–	–	–	–	–
†KIRKBY IN ASHFIELD	–	–	–	–	5	–
†MANSFIELD ...	–	–	–	–	1	–
†MANSFIELD WOODHOUSE	–	–	–	–	1	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	4	–	–	–	2	–
†WORKSOP... ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
BASFORD	1	–	–	–	1	–
BINGHAM... ...	–	–	1	–	8	–
EAST RETFORD ...	–	–		–	2	–
SKEGBY	–	–	–	–	8	–
SOUTHWELL ...	–	–	–	–	2	–
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	–	1	–	–	1	–
OXFORD	–	3	1	1	13	N. 3
†OXFORD C.B. ...	–	1	–	–	2	N. 1
Rural Districts:—						
BANBURY ...	–	–	1	–	–	–
BICESTER... ...	–	–	–	–	1	N. 1
CROWMARSH ...	–	1	–	–	–	–
HEADINGTON ...	–	–	–	1	–	N. 1
THAME	–	1	–	–	1	–
WITNEY	–	–	–	–	7	–
WOODSTOCK ...	–	–	–	–	2	–
PETERBOROUGH (Soke of)	–	–	–	–	7	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	5	–
Rural Districts:—						
PETERBOROUGH...	–	–	–	–	2	–
RUTLAND	–	–	–	–	5	–
Urban District:—						
OAKHAM	–	–	–	–	1	–
Rural Districts:—						
UPPINGHAM ...	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	23	2	–	12	–
Boroughs and Urban Districts:—						
DAWLEY	–	–	–	–	2	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	3	–	–	–	–
†SHREWSBURY ...	–	3	–	–	1	–
†WENLOCK ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	1	–	–	4	–
DRAYTON... ...	–	1	–	–	–	–
ELLESMERE ...	–	11	–	–	–	–
NEWPORT ...	–	–	–	–	1	–
OSWESTRY ...	–	2	–	–	–	–
WELLINGTON ...	–	–	1	–	1	–
WEM	–	1	–	–	3	–
SOMERSET	–	7	4	–	54	G. 1 L. 1 M. 1 N. 2
†BATH C.B. ...	–	3	–	–	5	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	5	–
CHARD	–	–	2	–	–	–
CLEVEDON ...	–	–	–	–	1	L. 1
MIDSOMER NORTON	–	–	1	–	4	–
†TAUNTON ...	–	–	–	–	9	N. 1
WELLINGTON ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	–	–	–	2	–
WIVELISCOMBE ...	–	–	–	–	2	–
†YEOVIL	–	–	–	–	1	N. 1
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	5	–
BATH	–	2	–	–	–	–
BRIDGWATER ...	–	–	–	–	1	–
CLUTTON... ...	–	–	–	–	3	–
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	–	–	–	2	–
LONG ASHTON ...	–	–	–	–	6	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON... ...	–	–	–	–	2	–
WELLS	–	2	–	–	1	–
WILLITON ...	–	–	–	–	–	G. 1
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	–	–	–	1	M. 1
SOUTHAMPTON ...	–	36	17	2	37	C. 1 M. 4 N. 4
†BOURNEMOUTH C.B.	–	–	–	–	3	M. 1 N. 1
†PORTSMOUTH C.B.	–	16	14	–	5	–
†SOUTHAMPTON C.B.	–	3	2	–	3	M. 2 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	1	–
ALTON	–	2	–	–	–	–
ANDOVER... ...	–	–	–	–	2	N. 1
†FAREHAM ...	–	3	–	–	–	–
†FARNBOROUGH ...	–	1	–	–	–	–
†GOSPORT	–	1	–	–	3	–
WARBLINGTON ...	–	–	1	–	–	–
†WINCHESTER ...	–	1	–	2	4	–
Rural Districts:—						
ANDOVER... ...	–	–	–	–	3	–
DROXFORD ...	–	1	–	–	2	–
FAREHAM ...	–	–	–	–	2	–
FORDINGBRIDGE..	–	–	–	–	1	–
HARTLEY WINTNEY	–	–	–	–	–	N. 1
HURSLEY... ...	–	–	–	–	2	–
KINGSCLERE ...	–	6	–	–	–	C. 1 M. 1
NEW FOREST ...	–	–	–	–	2	–
ROMSEY	–	1	–	–	–	–
SOUTH STONEHAM	–	–	–	–	3	–
WINCHESTER ...	–	–	–	–	1	–
STAFFORD	–	53	25	1	149	L. 2 M. 9 N. 6
†BURTON UPON TRENT C.B.	–	1	1	1	2	–
†SMETHWICK C.B.	–	1	2	–	8	M. 1
†STOKE ON TRENT C.B.	–	15	3	–	63	M. 2
†WALSALL C.B. ...	–	2	2	–	17	N. 2
†WEST BROMWICH C.B.	–	3	1	–	9	–
†WOLVERHAMPTON C.B.	–	2	–	–	4	M. 2 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	2	–	–	–
BIDDULPH ...	–	–	–	–	6	–
†BILSTON	–	1	1	–	2	–
†BRIERLEY HILL...	–	1	1	–	1	N. 1
†BROWNHILLS ...	–	–	–	–	3	–
†CANNOCK	–	2	1	–	1	–
†COSELEY	–	1	–	–	2	–
†DARLASTON ...	–	–	–	–	4	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	3	–	–	4	–
KIDSGROVE ...	–	–	1	–	–	N. 1
†LEEK	–	1	1	–	–	–
LICHFIELD ...	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	–	3	1	–	–	–
†ROWLEY REGIS ...	–	3	2	–	3	–
RUGELEY... ...	–	1	–	–	1	–
†SEDGLEY	–	1	–	–	–	–
†STAFFORD ...	–	–	–	–	–	N. 1
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	–	–	–	2	M. 1
†WEDNESBURY ...	–	2	–	–	7	M. 1
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	3	1	–	1	–
Rural Districts:—						
BLORE HEATH ...	–	1	–	–	–	–
CANNOCK	–	–	4		–	–
CHEADLE... ...	–	–	1	–	3	L. 2 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
KINGSWINFORD ...	–	1	–	–	–	–
LICHFIELD ...	–	–	–	–	4	M. 1
TAMWORTH (part)	–	1	–	–	–	–
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST ..	–	11	1	–	22	C. 1 N. 1
†IPSWICH C.B. ..	–	4	–	–	14	–
Boroughs and Urban Districts:—						
BUNGAY	–	–	–		3	–
†FELIXSTOWE ...	–	2	–	–	–	–
†LOWESTOFT ...	–	4	–	–	–	C. 1 N. 1
STOWMARKET ...	–	–	–	–	2	–
Rural Districts:—						
BLYTHING ...	–	–	–		1	–
MUTFORD AND LOTHINGLAND	–	1	1	–	1	–
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST ...		6	–	–	5	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
HAVERHILL ...	–	–	–	–	1	–
Rural Districts:—						
COSFORD	–	–	–	–	2	–
MILDENHALL ...	–	–	–	–	1	–
MOULTON ...	–	6	–	–	–	–
SURREY	–	33	11	2	47	C. 2 D. 2 G. 2 M. 1 N. 4
†CROYDON C.B. ...	–	16	1	–	3	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	2	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CHERTSEY ...	–	–	–	–	3	–
†COULSDON AND PURLEY	–	–	–	1	1	G. 1
EAST AND WEST MOLESEY	–	–	–	–	2	–
†EGHAM	–	–	–	–	1	–
†EPSOM	–	–	–	–	2	–
†FARNHAM ...	–	–	–	–	2	–
†GUILDFORD ...	–	–	–	–	3	–
†KINGSTON ON THAMES	–	1	–	–	1	–
LEATHERHEAD ...	–	–		–	–	G. 1
†MERTON AND MORDEN	–	3	–	–	–	–
†MITCHAM... ...	–	3	–		1	C. 1 D. 1
†REIGATE	–	–	3		4	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	–	–	–	3	–
†SUTTON	–	–	1	–	1	N. 2
†THE MALDENS AND COOMBE	–	–	1	–	–	–
†WALTON UPON THAMES	–	–	–	–	1	N. 1
†WIMBLEDON ...	–	4	1	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	5	–
EPSOM	–	1	–	1	2	–
GODSTONE ...	–	–	–	–	1	–
GUILDFORD ...	–	–	–	–	1	–
HAMBLEDON ...	–	–	–	–	6	–
REIGATE	–	–	3	–	1	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	7	4	–	31	C. 1 G. 1 M. 1 N. 4
†BRIGHTON C.B. ...	–	1	2	–	5	C. 1 M. 1 N. 1
†EASTBOURNE C.B.	–	1	–	–	12	–
†HASTINGS C.B. ...	–	3	1	–	1	G. 1
Boroughs and Urban Districts—						
†BEXHILL	–	–	–	–	–	N. 1
BURGESS HILL ...	–	–	–	–	2	–
EAST GRINSTEAD	–	1	–		–	
†HOVE	–	–	–	–	3	N. 1
NEWHAVEN ...	–	–	–	–	1	–
PORTSLADE BY SEA		–	–	–	1	–
UCKFIELD ...	–	–	–	–	–	N. 1
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	1	–
EASTBOURNE ...	–	–	–	–	2	–
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	–	–	–	1	–
UCKFIELD ...	–	1	–	–	2	–
SUSSEX, WEST ...	–	4	5	–	14	D. 1 E. 1 N. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	1	–	–	–
†HORSHAM ...		–	1	–	1	–
†LITTLEHAMPTON	–	–	2	–	–	–
SHOREHAM BY SEA	–	–	–	–	4	–
SOUTHWICK ...	–	–	–	–	2	–
†WORTHING ...	–	–	–	–	2	–
Rural Districts:—						
EAST PRESTON ...	–	1	1	–	2	–
HORSHAM ...	–	1	–	–	2	E. 1
MIDHURST ...	–	2	–	–	–	–
STEYNING WEST...	–	–	–	–	1	–
THAKEHAM ...		–	–	–	–	N. 1
WESTHAMPNETT ..	–	–	–	–	–	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	32	51	1	117	C. 2 G. 1 M. 14 N. 4
†BIRMINGHAM C.B.	–	21	46	–	77	C. 2 M. 11 N. 4
†COVENTRY C.B. ...	–	4	3	1	10	G. 1 M. 3
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	–	–	9	–
†ROYAL LEAMINGTON SPA	–	–		–	4	–
†RUGBY	–	–	–		1	–
†SUTTON COLDFIELD	–	–	–	–	1	–
†WARWICK ...	–	–	–	–	3	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	2	1	–	3	–
BRAILES	–	–	–	–	1	–
FOLESHILL ...	–	2	–	–	1	–
NUNEATON ...	–	–	–	–	2	–
RUGBY	–	1	1	–	1	–
SOLIHULL ...	–	1	–	–	–	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	–	–	–	2	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND ...	–	6	–	–	12	–
Boroughs and Urban Districts:—						
†KENDAL	–	3	–	–	2	–
KIRKBY LONSDALE	–	–	–	–	1	–
WINDERMERE ...	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	2		–	4	–
SOUTH WESTMORLAND	–	–	–	–	4	–
WEST WARD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WIGHT, ISLE OF ...	–	1	1	–	7	N. 1
Boroughs and Urban Districts:—						
†COWES	–	–	1	–	2	–
SANDOWN ...	–	–	–	–	1	–
VENTNOR... ...	–	1	–	–	2	–
Rural Districts:—						
ISLE OF WIGHT	–	–	–	–	2	N. 1
WILTS	–	2	2	–	39	G. 1 M. 3 N. 3
Boroughs and Urban Districts:—						
CALNE	–	–	1	–	–	–
CHIPPENHAM ...	–	–		–	2	–
†SALISBURY ...	–	1	–	–	3	M. 1 N. 1
†SWINDON... ...	–	–	1	–	12	–
†TROWBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
AMESBURY ...	–	–	–		1	–
CHIPPENHAM ...	–	–	–	–	1	G. 1 N. 1
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES	–	–	–		1	M. 1
HIGHWORTH ...	–	–	–	–	11	M. 1
PEWSEY	–	–	–	–	2	–
SALISBURY ...	–	–	–	–	1	–
TISBURY	–	–	–	–	1	–
WESTBURY AND WHORWELLSDOWN	–	–	–	–	1	–
WILTON	–	–	–	–	2	N. 1
WORCESTER ...	–	3	1	–	69	C. 1 M. 2 N. 1
†DUDLEY C.B. ...	–	1	–	–	3	M 1
†WORCESTER C.B.	–	1	–		19	M. 1
WORCESTER—*cont.*						
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	–	–	–	1	N. 1
†KIDDERMINSTER	–	–	–	–	4	–
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†OLDBURY... ...	–	1	–	–	15	–
†REDDITCH ...	–	–	–	–	3	–
†STOURBRIDGE ...	–	–	–	–	6	C. 1
STOURPORT ...	–	–	–	–	1	–
Rural Districts:—						
KIDDERMINSTER		–	–	–	5	–
MARTLEY... ...	–	–	–	–	2	–
PERSHORE ...	–	–	–	–	6	–
ROCK	–	–	–	–	1	–
SHIPSTON ON STOUR	–	–	–	–	1	–
TEWKESBURY (part)	–	–	–	–	2	–
YORKS ... ... (East Riding.)	–	14	14	–	14	M. 1
†KINGSTON UPON HULL C.B.	–	8	13	–	8	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	1	–
†BRIDLINGTON ...		1		–	–	–
WITHERNSEA ...	–	1	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	1	1	–	–	–
HOWDEN			–		4	–
NORTON	*	*	*	*	*	*
RICCALL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding.)	1	11	2	1	52	E. 1 G. 1 M. 2 N. 1
†MIDDLESBROUGH C.B.	1	4	1	–	9	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	1	–
GUISBOROUGH ...	–	–	–	–	4	E. 1
LOFTUS	–	–	–	–	2	–
MALTON	*	*	*	*	*	*
PICKERING ...	–	–	–	–	–	G. 1
†REDCAR	–	–	–	–	9	–
†SCARBOROUGH ...	–	–	–	–	10	–
†SKELTON AND BROTTON	–		–	–	2	–
†THORNABY ON TEES	–	1	1	1		N. 1
†WHITBY	–	2	–	–	7	–
Rural Districts:—						
FLAXTON ...	–	1	–	–	–	–
GUISBOROUGH ...	–	–	–		1	–
KIRKBY MOORSIDE	–	1	–	–	1	–
MALTON	*	*	*	*	*	*
NORTHALLERTON	–	–	–	–	1	–
PICKERING ...	–	–	–	–	–	M. 1
RICHMOND ...	–	–	–	–	5	–
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding.)	144	143	69	1	355	C. 4 D. 1 E. 1 G. 2 M. 6 N. 11
†BARNSLEY C.B. ..	–	–	2	–	7	–
†BRADFORD C.B. ..	–	6	2	–	65	D. 1 M. 1 N. 3
†DEWSBURY C.B...	–	2	3	–	2	–
†HALIFAX C.B. ...	–	3	1	–	7	–
†HUDDERSFIELD C.B	–	14	5	–	5	–
†LEEDS C.B. ..	–	21	9	–	44	C. 3 M. 3 N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†ROTHERHAM C.B.	2	1	–	–	32	N. 1
†SHEFFIELD C.B....	36	31	20	1	103	C. 1 E. 1 G. 2 M. 1 N. 1
†WAKEFIELD C.B.	–	1	1	–	5	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–	–	–	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BARNOLDSWICK ...	–	–	1	–	1	–
†BATLEY	–	2	1	–	–	–
†BENTLEY WITH ARKSEY	3	2	3	–	–	–
†BINGLEY	1	1	–	–	2	–
BIRSTAL	–	–	1	–	–	–
†BOLTON UPON DEARNE	1	2	–	–	–	–
†CASTLEFORD ...	–	–	–	–	1	–
CLAYTON	–	–	–	–	1	–
†CONISBROUGH ...	29	2	–	–	–	–
CUDWORTH ...	–	–	–	–	1	–
DARFIELD ...	–	1	–	–	–	–
†DARTON	–	1	–	–	1	–
†DONCASTER ...	15	2	1	–	4	–
DRIGHLINGTON ...	–	–	–	–	1	–
†ELLAND	–	–	1	–	1	–
†GOLCAR	–	1	1	–	1	–
†GOOLE	1	–	–	–	2	–
GREETLAND ...	–	–	1	–	2	–
†HARROGATE ...	–	2	1	–	1	–
HEBDEN BRIDGE	–	–	1	–	–	–
†HEMSWORTH ...	2	–	–	–	1	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	2	–	–	1	–
HORSFORTH ...	–	–	–	–	1	–
†HOYLAND NETHER	–	2	–	–	4	–
ILKLEY	–	–	–	–	2	–
†KEIGHLEY ...	4	–	1	–	–	–
KIRKHEATON ...	–	1	–	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
KNOTTINGLEY ...	–	–	1	–	1	–
LEPTON	–	3	–	–	–	–
LUDDENDEN FOOT	–	–	–	–	2	–
MELTHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MEXBOROUGH ...	24	–	–	–	–	–
†MORLEY	–	–	–	–	1	
MYTHOLMROYD ...		–		–	1	–
NEW MILL ...	–			–	1	–
†NORMANTON	–	–	1	–	4	
†OSSETT	*	*	*	*	*	*
OTLEY	–	–	–		2	–
†PONTEFRACT ...	1	1	–	–	–	
QUEENSBURY ...			–	–	2	–
†RAWMARSH ...	–	–	1	–	2	
†ROTHWELL ...	–			–	1	–
†SADDLEWORTH ...	–	3	–	–	–	–
SHELF	–	–		–	1	–
†SHIPLEY		–	1	–		N. 2
SILSDEN	1	–	–	–	–	–
SKELMANTHORPE	–	–		–	1	–
†SKIPTON	–	2	1	–	–	–
SLAITHWAITE ...		–	–	–	1	
SPRINGHEAD ...		4	–	–	–	–
†STANLEY		2	–	–	3	–
STOCKSBRIDGE ...	–		–	–	4	–
†SWINTON	12	–	–	–	1	–
THURLSTONE ...	–		1	–	–	–
†TODMORDEN ...	–	–			3	–
†WATH UPON DEARNE	1	–	–	–	–	–
†WOMBWELL ...	–	3	–	–	2	
†WORSBOROUGH ...	–	1	–	–	–	–
Rural Districts:—						
DONCASTER ...	1	2	2	–	4	–
HEMSWORTH ...		5	1	–	4	–
KEIGHLEY ...	1		1	–		–
KIVETON PARK ...	–	2	1	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	–	–	–	1	–
ROTHERHAM ..	1	2	–	–	9	–
SEDBERGH ...	–	1	–	–	–	–
SETTLE		–	–	–	–	N. 2
SKIPTON	1	–	–	–	1	–
TADCASTER ...	–	2	–	–	–	–
THORNE	7	2	–	–	–	M. 1
WETHERBY ...	–	1	1	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	3	–
WORTLEY ...	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK, CITY OF	–	3	1	–	10	N. 3
†YORK C.B.	–	3	1	–	10	N. 3
WALES.						
ANGLESEY ...	–		2		1	
Boroughs and Urban Districts:—						
†HOLYHEAD ...		–	1	–	–	
LLANGEFNI ...			1	–	–	
Rural Districts:—						
AETHWY	–			–	1	–
BRECKNOCK ..			–	–	9	C. 1
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–		–	4	–
BRYNMAWR ...	–		–	–	2	–
HAY	*	*	*	*	*	*
Rural Districts:—						
BUILTH		–		–		C. 1
CRICKHOWELL ...	–	–	–	–	3	–
CAERNARVON ...	–	1		–		–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
CARDIGAN ...	–	–	–	–	1	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN	–	2	2	–	13	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	1	–	–	–
LLANDILO ...	–	–	–	–	1	–
†LLANELLY ...	–	1	1	–	10	–
Rural Districts:—						
LLANDILO FAWR	–		–		1	–
LLANELLY ...	–		–		1	
DENBIGH	–	5	4		6	–
Boroughs and Urban Districts:—						
DENBIGH ...	–			–	2	–
†WREXHAM ...	–		1	–	–	
Rural Districts:—						
CHIRK	–	–	1		–	–
LLANGOLLEN ...	–	1	–		–	
LLANSILIN ...	–	–	1	–	–	–
RUTHIN	–	1	–	–	1	
ST. ASAPH (DENBIGH)	–	1	–		–	–
WREXHAM ...	–	2	1	–	3	–
FLINT	–	9	–		9	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	6	–
CONNAH'S QUAY...	–	1	–	–	–	–
†RHYL	–	1	–	–	–	
Rural Districts:—						
HAWARDEN ...	–	3	–	–	–	–
HOLYWELL ...	–	1	–	–	3	–
ST. ASAPH (FLINT)	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN	–	23	38	2	88	C. 3 G. 1 M. 1 N. 4
†CARDIFF C.B. ..	–	1	5	–	13	G. 1 M. 1 N. 2
†MERTHYR TYDFIL C.B.	–		3	–	1	
†SWANSEA C.B. ..	–	3	4	1	23	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ..	–	1	–	–	2	–
†BARRY	–	1	–	–	1	–
†CAERPHILLY ..	–	2	2	–	–	–
†GELLIGAER ..	–	–	–	–	6	–
†MAESTEG ...	–	1	10	–	–	–
†MOUNTAIN ASH ..	–	–	–	–	5	C. 1
†NEATH		1	5	–	2	–
†OGMORE AND GARW		3	1	–	5	C. 1
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	3	–	–	5	–
PORTHCAWL ...		–	–	–	1	–
†PORT TALBOT ...	–		2	–	–	N. 1
†RHONDDA ..	–	2	5	1	14	–
Rural Districts:—						
LLANTRISANT AND LLANTWIT FARDRE	–	1	1		3	N. 1
NEATH	–	2	–	–	5	–
SWANSEA... ...		1	–	–	2	–
MERIONETH ..		4	13	–		–
Urban Districts:—						
FFESTINIOG ..		–	12	–	–	–
MALLWYD ...	–	–	1	–	–	–
TOWYN	–	4	–	–	–	–
MONMOUTH	–	9	7	–	36	C. 1
†NEWPORT C.B. ..	–	3		–	18	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	*	*	*	*	*	*
†ABERSYCHAN ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
BEDWAS AND MACHEN	–	–	–	–	4	–
†BEDWELLTY ..	–	–	3	–	–	–
†BLAENAVON ..	–	–	–	–	1	–
CHEPSTOW ..	–	–	–	–	3	–
†EBBW VALE .	–	–	–	–	7	–
MONMOUTH ..	*	*	*	*	*	*
†MYNYDDISLWYN	–	–	2	–	–	–
†TREDEGAR ...	–	2	1	–	1	C. 1
Rural Districts:—						
CHEPSTOW ...		–	–	–	1	–
MONMOUTH ...	*	*	*	*	*	*
ST. MELLONS ..	–	4	–	–	–	–
MONTGOMERY .	–	1	–	–	11	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	–	–	–	3	–
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	8	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
PEMBROKE	–	2	1	–	7	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
MILFORD HAVEN	–	–	–	–	4	–
TENBY	–	–	–	–	2	–
Rural Districts:—						
HAVERFORDWEST.	–	1	1	–	–	C. 1 M. 1 N. 1
PEMBROKE ...	–	1	–	–	1	–
RADNOR	–	–	–	–	2	–
Urban District:—						
LLANDRINDOD WELLS	–	–	–	–	1	–
Rural Districts:—						
RHAYADER ...	–	–	–	–	1	–
Total of Part II. ..	479	1111	667	19	2918	C. 43 D. 12 E. 8 G. 30 L. 4 M. 98 N. 106

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
Liverpool	–	–	–	–	3	–	Wells (Norfolk) ...	*	*	*	*	*
Plymouth	–	–	–	–	1	–	Port of London ..	–		1	–	1
Southampton ...	–	–	–	–	3	–						
							Total of Part III.... ...	–	–	1	–	8

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Pol encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrex

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London ...	–	170	232	3	266	C. 8 D. 5 E. 2 G. 3 M. 28 N. 30
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	479	1111	667	19	2918	C. 43 D. 12 E. 8 G. 30 L. 4 M. 98 N. 106
Total of Part III.—Port Sanitary Districts	–	–	1	–	8	–
Total (*i.e.*, of returns received), England and Wales ...	479	1281	900	22	3192	C. 51 D. 17 E. 10 G. 33 L. 4 M. 126 N. 136

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poliomyelitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Fe 12
LONDON :—													
DEATHS—all ages	1,048	950	1,043	1,170	1,161	1,070	1,473	1,602	1,648	1,908	2,045	1,912	1,7
" 0 to 1 year ..	83	98	108	154	127	126	137	137	122	135	162	137	1
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,505	6,352	6,515	6,646	6,238	5,347	6,469	7 332	6,929	6,231	6,475	7,(20	6,2
DEATHS—all ages	4,527	4,193	4,498	4,919	4,797	4,556	5,898	5 883	5,917	6,427	7,320	7 302	7,2
" 0 to 1 year ..	499	481	518	643	574	563	690	675	656	630	731	716	6
ENTERIC FEVER—Cases	25	25	16	16	16	8	13	15	16	9	14	18	
" Deaths	1	4	3	2	4	5	2	1	1	2	2	3	
SMALL POX—Cases ..	20	40	39	29	26	48	34	45	228	119	116	133	1
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	
SCARLET FEVER—Cases	1,201	1,130	961	950	801	756	881	818	791	787	809	684	7
" Deaths	3	4	7	8	5	9	2	4	6	4	6	11	
DIPHTHERIA—Cases ..	775	814	872	793	784	707	671	788	771	715	735	700	6
" Deaths ..	32	46	39	47	40	36	51	48	38	39	43	51	
MEASLES—Deaths ..	6	8	18	15	28	14	36	28	34	43	50	43	
INFLUENZA—Deaths ..	78	52	68	52	60	69	86	173	326	470	725	818	7

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 12th February, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	47	25	38·1	30·3	8	HUDDERSFIELD	48	20	39·0	28·3	7
BRIGHTON ..	47	28	41·4	31·7	7	BRADFORD ..	47	21	37·4	29·0	3
PORTSMOUTH ..	49	26	41·1	31·8	8	SHEFFIELD ..	48	25	39·7	31·7	4
NORWICH (EATON).	45	24	38·4	30·4	4	YORK (MUSEUM)	49	23	40·6	32·1	7
PLYMOUTH ..	49	30	44·0	33·7	1	HULL (PEARSON PARK).	49	27	41·1	31·3	8
BRISTOL (CLIFTON).	48	23	39·1	30·4	2	TYNEMOUTH ..	49	25	40·6	34·1	7
BIRMINGHAM (EDGBASTON).	47	25	37·3	31·1	5	CARDIFF.. ..	50	27	40·0	31·9	1
NOTTINGHAM ..	49	25	38·0	29·3	7	EDINBURGH ..	47·0	25·0	40·6	31·7	2
BIRKENHEAD (BIDSTON).	45	27	37·7	33·4	2	GLASGOW ..	50·4	27·6	40·9	33·3	1
MANCHESTER (WHITWORTH PARK).	48	23	40·1	31·4	2	DUBLIN (PHŒNIX PARK).	49·6	22·2	44·1	29·6	1
BURNLEY	47	19	38·0	29·1	2	(FITZWILLIAM SQUARE†).	47·4	26·9	43·2	34·4	2
						BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 12th February, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	6	In Equator	30·245	47·0	38·9	8·1	43·6	+ 4·0	35·7	7·9	10·1	2·7	74	62·9	32·2	43·0	W: NW: NNW.	N	4·0	0·0	0·4	412	+ 94	0·00
MONDAY -	7	..	30·278	38·9	33·1	5·8	35·5	− 4·0	35·2	0·3	4·0	0·8	99	41·0	28·0	42·8	Calm: WSW.	Calm: E	1·0	0·0	0·0	156	− 167	0·32
TUESDAY -	8	First Quarter.	30·300	36·0	32·7	3·3	34·3	− 5·0	25·7	8·6	12·3	4·0	71	48·3	27·9	42·6	E: ENE.	E: NE.	2·7	0·0	0·3	349	+ 20	0·00
WEDNESDAY	9	..	30·288	35·0	32·2	2·8	33·4	− 5·7	27·8	5·6	11·8	1·9	80	46·0	28·6	42·6	NNE: NE.	NE: E.	1·9	0·0	0·2	289	− 43	0·00
THURSDAY -	10	..	30·135	40·4	25·7	14·7	33·0	− 5·9	28·6	4·4	10·9	1·0	84	74·1	13·9	42·5	Calm	Calm	0·0	0·0	0·0	122	− 211	0·00
FRIDAY -	11	..	30·259	32·8	25·0	7·8	29·7	− 9·1	29·7	0·0	2·2	0·0	100	32·0	16·5	42·5	Calm	Calm	0·0	0·0	0·0	64	− 268	0·00
SATURDAY -	12	..	30·151	37·5	28·0	9·5	32·5	− 6·3	31·8	0·7	3·6	0·0	97	48·6	28·9	42·2	Calm	Calm	0·2	0·0	0·0	112	− 217	0·00
MEANS -		..	30·237	38·2	30·8	7·4	34·6	− 4·6	30·6	3·9	7·8	1·5	86	50·4	25·1	42·6	Calm		..	..	..	Sum 1504	Sum − 792	Sum 0·32
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	6	mP till 3h.; wP till 11h.; then mP.	0·1	9·4	Partially cloudy, becoming overcast by 7h.
MONDAY ..	7	mP till 12h.; variably wN and wP till 20h.; then wP.	0·0	9·4	Overcast. Fog 7h. till 16h. Gloom between 12h. and 15h. Rain 10h. till 19¼h.
TUESDAY ..	8	wP till 8h.; mP till 11½h.; wP till 18h.; then mP.	0·1	9·5	Nearly overcast generally.
WEDNESDAY	9	wP.	0·0	9·5	Overcast. Slight snow 11¾h. till 12h.
THURSDAY	10	wP till 8h.; then mP.	4·7	9·6	Overcast till 3h.; partially cloudy till 9h., then cloudless. Hoar frost in morning and at night. Haze 8h. till 17½h., then fog.
FRIDAY ..	11	mP.	0·0	9·6	Cloudless till 4h., then becoming overcast by 6h. Fog and hoar frost throughout.
SATURDAY	12	mP.	0·0	9·7	Overcast. Mist till 15h., then fog. Hoar frost in morning.
			Sum 4·9	Sum 66·7	
No. of Col. ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·04 ins. at the beginning of the week to 30·37 ins. by 2h. on 7th; decreased to 30·21 ins. by 17h. on 7th; increased generally to 30·38 ins. by 10h. on 10th; decreased to 30·12 ins. by 15h. on 12th; increased and was 30·16 ins. by midnight on the same day.

FOR OFFICIAL USE

1927. No. 7.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 19TH FEBRUARY 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast,
or through any Bookseller.
1927.

Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 19TH FEBRUARY, 1927.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the seventh week of the year numbered 7,015 and corresponded to an annual rate of 18·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 8,411 and corresponded to an annual rate of 22·6 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 19·6, 19·6 and 19·5. Infant mortality based on the average weekly number of births during the last 52 weeks, was 125 per 1,000 births against 107, 105 and 98 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,641 births, corresponding to a rate of 18·6 per 1,000, and 1,652 deaths of civilians, corresponding to an annual rate of 18·7, against 23·2, 21·7 and 19·3 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 20·7 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 79 as against 104, 88 and 65 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 7,286 to 8,411; the deaths from influenza which had been 725, 818 and 759 in the preceding three weeks, rose to 987 last week.

The increase of influenza in the different parts of the country was almost uniform until the week ended 5th February. It is now decreasing in the South but still increasing in the North and Wales and has again increased in the Midlands. The rates per million population in the Great Towns of the North, Midlands, South and Wales and in London are shown below.

—	North.	Midlands.	South (excluding London).	Wales.	London.
Week ended 8th Jan....	6·2	5·7	9·1	13·8	15·6
" " 29th Jan....	13·9	44·2	60·3	51·6	54·8
" " 5th Feb.	16·3	62·2	71·4	49·1	46·7
" " 12th Feb.	27·4	50·3	58·4	54·1	34·6
" " 19th Feb.	55·0	61·8	52·5	66·7	27·8

In the North the greatest numbers of deaths occurred in Liverpool, 42, and Manchester 36. In the Midlands, in Birmingham, 38; Nottingham, 37; and Bristol, 37.

In London the number of deaths from all causes decreased from 1,704 to 1,654. Of the 1,654 deaths 747 were of persons aged 65 years and upwards, and of these 747 deaths 68 resulted from influenza, 233 from diseases of the circulatory system and 194 from diseases of the respiratory system; the deaths from whooping cough numbered 26 as against 38, 26 and 34 in the three weeks preceding; and the total deaths from influenza which had been 252, 215 and 159 in the preceding three weeks, further fell to 128 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 19th February, 1927.

Towns.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	7,015	8,411	857	2	73	4	110	29	51	987
London	4,602,000*	1,641	1,652	122	-	1	1	26	7	12	128
Towns in Outer Ring.											
Croydon C.B ..	199,300	78	59	4	-	-	-	-	-	-	9
Wimbledon ..	58,170	17	16	3	-	-	-	1	-	-	1
Ealing	91,000	34	23	3	-	-	-	1	-	-	3
Acton	63,110	12	19	1	-	-	-	1	-	-	2
Willesden ..	168,900	51	66	7	-	-	-	2	-	-	8
Hendon	59,150*	16	14	1	-	-	-	-	-	-	4
Hornsey	87,210	22	29	1	-	-	-	-	-	-	4
Wood Green ..	51,960	6	9	1	-	-	-	-	-	-	1
Tottenham ..	153,600	32	49	2	-	-	-	1	-	-	3
Edmonton ..	71,210	33	25	5	-	-	-	-	-	-	4
Enfield	63,740	22	27	1	-	-	-	-	-	-	1
West Ham C.B. ..	318,500	150	109	10	1	-	-	3	2	1	6
East Ham C.B. ..	147,200	45	39	5	-	-	-	-	-	-	5
Leyton	132,700	29	49	4	-	1	-	-	1	-	4
Walthamstow ..	130,800	41	58	5	-	-	-	1	-	-	3
Ilford	93,590	33	22	1	-	-	-	-	-	-	4
Gillingham	48,680*	22	22	2	-	-	-	-	-	-	3
Canterbury C.B ..	23,270*	8	14	1	-	-	-	-	-	-	2
Hastings C.B.	60,470	16	27	4	-	-	-	-	-	1	2
Eastbourne C.B. ..	55,060	12	19	2	-	-	-	2	-	-	2
Brighton C.B. ..	137,800*	34	54	1	-	-	-	-	-	-	3
Portsmouth C.B. ..	232,900*	92	110	19	-	-	-	2	1	2	11
Bournemouth C.B. ..	85,840	23	48	3	-	-	-	-	-	-	9
Southampton C.B. ..	168,600	66	80	4	-	4	-	1	-	-	7
Reading C.B.	93,670*	40	55	2	-	3	-	-	-	-	11
Oxford C.B.	57,090	28	35	-	-	-	-	-	-	-	3
Northampton C.B. ..	93,780*	27	32	1	-	-	-	3	-	-	7
Luton	59,230	19	22	2	-	-	-	-	-	-	2
Cambridge	59,020	20	26	4	-	-	-	1	-	-	5
Southend-on-Sea C.B.	98,060	26	47	3	-	-		-	-	-	5
Ipswich C.B.	83,120*	31	36	6	-	-	-	1	-	-	10
Great Yarmouth C.B.	57,890	28	25	1	-	-	-	2	-	-	2
Norwich C.B. ..	124,000*	44	69	5	-	-	-	5	-	-	6
Swindon	56,880	20	18	3	-	-	-	-	-	-	3
Exeter C.B.	59,820*	24	24	2	-	-	-	-	-	-	3
Plymouth C.B. ..	192,100*	75	62	6	-	-	-	1	1	-	3
Bath C.B.	69,050	19	48	-	-	-	-	-	-	-	13
Bristol C.B.	385,700*	135	179	15	-	-	-	-	2	-	37
Gloucester C.B. ..	53,060	22	32	5	-	-	-	1	-	-	16
Stoke-on-Trent C.B.	278,900	123	117	22	-	-	-	4	-	1	1
Burton-upon-Trent C.B.	49,530	16	29	-	-	-	-	-	-	-	
Wolverhampton C.B.	108,800	38	84	9	-	-	-	8	-	-	10
Walsall C.B.	102,300	32	48	11	-	-	-	1	-	-	1
West Bromwich C.B	79,490	24	51	11	-	-	-	1	-	-	13
Dudley C.B.	58,810	21	46	7	-	-	-	-	-	1	10
Worcester C.B. ..	50,230	26	28	3	-	-	-	-	-	-	3
Birmingham C.B. ..	945,900	363	381	37	-	5	-	4	-	5	31
Smethwick C.B. ..	78,840	23	37	7	-	2	-	3	-	-	1
Coventry C.B. ..	129,100	39	44	3	-	-	-	1	-	1	1
Leicester C.B. ..	242,100	88	102	17	-	3	-	-	1	-	1
Lincoln C.B.	66,600*	17	24	4	-	-	-	2	-	-	-
Grimsby C.B.	87,190	33	34	9	-	-	-	-	-	-	-
Nottingham C.B. ..	270,600	101	180	12	-	-	-	1	-	1	3
Derby C.B.	134,400*	49	104	4	-	-	-	1	-	-	3
Chesterfield ..	65,800	24	32	5	-	-	-	-	-	1	
Stockport C.B. ..	125,900	43	54	9	-	-	-	1	-	-	1
Chester C.B.	41,670	12	13	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	52	60	9	-	-	1	1	-	-	
Wallasey C.B. ..	91,720	29	35	4	-	-	-	1	-	-	
Liverpool C.B. ..	856,000	341	444	69	1	10	1	3	3	2	4
Bootle C.B.	83,260	48	20	2	-	2	-	-	-	-	
St. Helens C.B. ..	109,600	49	27	2	-	-	-	1	-	-	

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	24	37	2	-	-	-	1	-	-	10
Wigan C.B.	91,010	33	24	4	-	-	-	-	-	1	3
Warrington C.B. ..	77,970*	30	23	2	-	-	-	-	-	-	5
Bolton C.B.	180,400	57	68	4	-	3	-	-	-	-	5
Bury C.B.	56,700*	15	38	2	-	1	-	-	-	-	4
Manchester C.B. ..	755,800	278	367	36	-	-	-	3	1	8	36
Salford C.B.	244,700	79	137	9	-	-	-	-	1	-	23
Oldham C.B	146,200	43	39	2	-	-	-	-	-	-	2
Rochdale C.B... ..	92,190	15	76	7	-	-	-	1	1	-	15
Burnley C.B.	102,300	35	48	5	-	3	-	-	-	1	4
Blackburn C.B. ..	126,900	37	86	6	-	6	-	-	1	-	4
Preston C.B.	122,900	44	113	14	-	1	-	-	-	-	22
Blackpool C.B. ..	80,750	18	48	5	-	1	-	1	1	-	8
Barrow-in-Furness C.B.	73,470	15	43	3	-	-	-	-	-	-	4
Huddersfield C.B. ..	112,100	33	62	4	-	-	-	-	1	-	11
Halifax C.B.	97,860*	25	73	7	-	-	-	-	1	-	13
Bradford C.B. ..	290,200	112	185	25	-	3	-	-	1	3	27
Leeds C.B.	472,900	167	204	14	-	15	-	2	-	1	7
Dewsbury C.B ..	54,570	16	24	-	-	-	-	-	-	-	5
Wakefield C.B. ..	53,980	24	25	2	-	-	-	-	-	1	1
Barnsley C.B. ..	71,170	39	34	6	-	1	-	4	-	-	1
Sheffield C.B. ..	526,900*	172	221	32	-	-	-	4	1	2	19
Rotherham C.B. ..	70,600	34	34	9	-	-	-	1	-	-	8
Doncaster	55,610	27	17	2	-	-	-	-	-	-	1
York C.B.	84,630*	23	58	6	-	-	-	-	-	-	9
Hull C.B.	297,300	116	156	25	-	2	-	1	1	1	20
Middlesbrough C.B.	136,200	77	56	8	-	1	-	-	-	1	6
Darlington C.B. ..	69,130	28	46	1	-	-	-	-	-	-	9
Stockton-on-Tees ..	68,000	26	32	8	-	-	-	-	-	1	2
West Hartlepool C.B.	71,590	34	30	3	-	-	-	-	-	-	6
Sunderland C.B. ..	166,000	66	62	6	-	1	-	-	-	-	10
South Shields C.B. ..	124,600	66	66	11	-	-	-	1	-	-	9
Gateshead C.B. ..	129,000	53	35	4	-	-	-	-	-	-	1
Newcastle-on-Tyne C.B.	286,300*	117	92	13	-	2	1	2	-	1	8
Tynemouth C.B. ..	66,180	26	34	3	-	-	-	-	-	-	1
Carlisle C.B.	55,160*	19	9	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,420*	45	53	4	-	-	-	1	-	1	14
Cardiff C.B.	227,100*	81	111	17	-	2	-	-	-	-	8
Rhondda	167,570	68	55	6	-	-	-	-	-	-	7
Merthyr Tydfil C.B.	82,920	26	35	6	-	-	-	-	-	1	5
Aberdare	57,700	25	25	1	-	-	-	-	-	-	4
Swansea C.B.	163,200	63	87	8	-	1	-	-	1	-	15
Greater London ..	7,742,212*	2,698	2,676	209	1	2	2	38	12	16	240
Outer Ring	3,140,212*	1,057	1,024	87	1	1	1	12	5	4	112
16 Great Towns in Outer Ring	1,890,140*	621	613	54	1	1	-	10	3	1	62
Remainder of Outer Ring	1,250,072*	436	411	33	-	-	1	2	2	3	50
Edinburgh†	426,100‡	148	128	14	-	3	-	-	2	-	4
Glasgow† ..	1,049,000‡	451	338	59	-	-	1	11	1	4	4
Dublin (Registration Area)†	421,000	185	238	44	-	-	1	21	1	2	17
Belfast†	416,000	224	128	28	-	-	1	7	1	1	6

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Revised provisional populations for 1927.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
LONDON‡	4,602,000	1927. Feb. 19	1641	1652	18·7	–	–	1	1	26	7	12
CALCUTTA AND SUBURBS	1,077,273	1926-27. Jan. 15	?	889‖	42·9	?	87	?	?	?	?	?
BOMBAY§	1,298,708	„ 15	431	572‖	22·9	2	15	1	–	–	–	22
MADRAS	528,791	„ 15	351	372	36·6	3	1	–	–	–	–	21
SYDNEY AND SUBURBS	1,038,950	Jan. 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	Dec. 31 (31 days)										
PERTH (Metropolitan Area).	179,388	Jan. 8	83	35	10·2	–	–	–	–	1	–	4
AUCKLAND (Urban Area).	192,176	Dec. 31 (31 days)										
WELLINGTON (Urban Area).	121,324	Dec. 31 (31 days)										
CHRISTCHURCH (Urban Area).	118,408	Dec. 31 (31 days)										
CAPE TOWN	113,709	Jan. 22	42	19	8·6	–	–	–	–	–	–	–
JOHANNESBURG	172,189	„ 15	71	35	10·6	–	–	–	–	1	–	6
DURBAN	54,738	„ 15	25	12	11·4	1	–	–	–	–	–	–
PARIS	2,871,429	Jan. 31 (11 days)	1433	1404	16·2	7	1	30	3	2	10	24
ANTWERP	300,183	Jan. 15	82	84	14·6	–	–	1	–	–	–	–
AMSTERDAM	726,531	„ 22	254	188	13·6	–	–	3	–	1	1	–
COPENHAGEN	592,000	Feb. 5	213	181	16·0	–	–	–	–	–	1	–
STOCKHOLM	442,528	Jan. 29	125	148	17·4	–	–	–	–	–	2	–
GOTHENBURG	231,624	„ 22	?	37	8·3	–	–	–	–	–	–	–
OSLO (CHRISTIANIA) ..	255,724	Feb. 5	87	73	14·8	–	–	1	1	–	–	–
BERLIN	1,993,000	Jan. 29	409	578	15·1	–	?	2	1	3	9	2
BRESLAU	561,000	„ 29	138	125	11·6	1	?	1	1	1	–	1
COLOGNE	711,000	„ 29	211	183	13·4	–	?	1	–	4	2	1
DRESDEN	624,000	„ 29	148	129	10·7	–	?	3	–	–	–	1
FRANKFORT-ON-MAIN ..	471,000	„ 29	104	110	12·1	–	?	–	–	–	–	–
HAMBURG	1,111,000	„ 29	233	327	15·3	–	?	–	–	–	–	2
LEIPZIG	685,000	„ 29	161	144	10·9	–	?	1	–	2	1	–
MUNICH	685,000	„ 29	152	204	15·5	–	?	2	–	2	–	–
VIENNA	1,871,607	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	Oct. 31 (31 days)										
BUDAPEST	971,169	Jan. 29	276	376	20·1	–	–	4	2	1	8	6
WARSAW	1,015,426	„ 29	?	292	15·0	2	–	4	6	2	–	11
CAIRO	859,400	Nov. 11	966	392	23·8	8	–	1	–	?	10	47
ALEXANDRIA	492,100	„ 11	510	247	26·2	5	–	–	–	?	1	36
NEW YORK	5,924,018	Jan. 29	?	1389	12·2	1	–	–	–	2	17	8
CHICAGO	3,101,000	„ 28	1161	719	12·1	–	–	3	3	3	5	9

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 65 deaths from Cholera in Calcutta and 1 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 19th February, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1652	122	56	36	42	52	58	85	201	253	343	404
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	26	7	10	8	1	-	-	-	-	-	-	-
Diphtheria	7	-	3	2	2	-	-	-	-	-	-	-
Influenza	128	1	2	1	3	2	4	7	17	23	36	32
Erysipelas	4	-	-	-	-	-	-	1	1	-	1	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	96	-	-	1	1	18	17	24	23	8	3	1
Nervous system	7	-	1	1	3	-	1	-	1	-	-	-
Intestines and peritoneum	4	-	1	-	-	1	1	-	1	-	-	-
Other forms	6	1	1	-	-	1	-	-	1	-	-	2
Venereal diseases	2	1	-	-	-	-	-	-	1	-	-	-
Cancer	125	-	-	-	1	1	1	7	29	41	30	15
Rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	7	-	-	-	-	-	-	-	1	2	3	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	1	-	-	3	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	55	-	-	-	-	-	-	2	4	12	12	25
Epilepsy	7	-	-	-	-	-	2	-	-	3	2	-
"Convulsions" (not puerperal) ..	5	4	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	36	-	1	-	4	2	3	6	7	2	8	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	8	-	-	-	1	2	1	2	1	-	1	-
Other diseases of heart	275	-	-	-	3	7	10	10	26	45	83	91
Other diseases of circulatory system	74	-	-	-	-	-	-	-	3	13	25	33
Bronchitis	199	4	3	3	-	-	2	2	16	35	51	83
Broncho-pneumonia	141	35	24	10	4	2	1	2	11	17	19	16
Lobar-pneumonia	39	-	1	1	1	1	4	9	6	8	6	2
Pneumonia (type not distinguished)	19	-	2	2	1	1	-	1	3	3	1	5
Other diseases of respiratory system	28	-	-	-	-	2	-	1	7	7	3	8
Diarrhœa and enteritis	14	12	-	-	-	-	-	-	-	-	2	-
Appendicitis, Typhlitis	7	-	-	-	1	1	2	-	2	-	1	-
Hernia, Intestinal obstruction.. ..	13	-	-	-	1	-	-	-	3	3	3	3
Cirrhosis of liver	7	-	-	-	1	-	-	-	2	3	-	1
Other diseases of digestive system ..	27	1	1	2	-	1	2	1	9	4	3	3
Acute nephritis	4	-	-	1	-	1	-	1	1	-	-	-
Chronic Bright's disease..	47	-	-	-	1	2	1	2	8	10	15	8
Other diseases of genito-urinary system.	19	-	-	1	-	-	-	1	3	3	7	4
Puerperal sepsis	2	-	-	-	-	1	1	-	-	-	-	-
Other causes incident to childbirth..	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	5	3	-	-	1	1	-	-	-	-	-	-
Premature birth	28	28	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	7	7	-	-	-	-	-	-	-	-	-	-
Old age	58	-	-	-	-	-	-	-	-	1	11	46
Suicide	6	-	-	-	-	1	-	-	5	-	-	-
Burns and Scalds	8	-	4	2	1	-	-	-	-	-	-	1
Drowning	3	-	-	-	-	-	1	-	2	-	-	-
Suffocation in bed	4	4	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	9	-	-	-	2	1	-	-	1	2	1	2
Other deaths by violence	20	2	-	-	-	-	-	2	2	3	3	8
Other specified causes	56	11	-	1	4	2	3	3	4	5	13	10
Ill-defined causes	2	-	-	-	-	-	1	1	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 19th February, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	195	256	–	205	C. 2 D. 2 E. 2 G. 3 M. 20 N. 24
†CITY OF LONDON	–	2	2	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	20	–	11	M. 1
†BERMONDSEY ...	–	13	16	–	2	–
†BETHNAL GREEN	–	12	17	–	5	–
†CAMBERWELL ...	–	9	7	–	6	–
†CHELSEA	–	1	3	–	7	–
†DEPTFORD ...	–	5	7	–	7	E. 1
†FINSBURY ...	–	8	3	–	–	N. 1
†FULHAM	–	3	10	–	9	D. 1 G. 1 M. 1
†GREENWICH ...	–	11	7	–	3	–
†HACKNEY ...	–	5	11	–	–	M. 1 N. 3
†HAMMERSMITH ...	–	5	6	–	3	M. 1
†HAMPSTEAD ...	–	2	–	–	2	M. 1
†HOLBORN... ..	–	3	1	–	1	N. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	9	15	–	13	M. 3 N. 2
†KENSINGTON ...	–	4	15	–	14	M. 2 N. 1
†LAMBETH ...	–	6	19	–	17	C. 1 D. 1 M. 1 N. 3
†LEWISHAM ...	–	9	3	–	6	–
†PADDINGTON ...	–	5	4	–	7	N. 1
†POPLAR	–	19	2	–	21	M. 3 N. 2
†ST. MARYLEBONE	–	–	8	–	–	C. 1 M. 1 N. 4
†ST. PANCRAS ...	–	5	5	–	7	N. 1
†SHOREDITCH ...	–	1	17	–	9	M. 3 N. 1
†SOUTHWARK ...	–	8	12	–	8	G. 1 N. 3
†STEPNEY	–	16	15	–	11	M. 1
†STOKE NEWINGTON	–	4	–	–	2	
†WANDSWORTH ...	–	15	16	–	22	E. 1 G. 1
†WESTMINSTER, CITY OF	–	1	3	–	3	N. 1
†WOOLWICH ...	–	6	12	–	9	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	–	5	–	18	C. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	–	1	–	–	C. 1
BIGGLESWADE ...	–	–	–	–	2	–
KEMPSTON ...	–	–	–	–	1	–
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	–	4	–	1	M. 1
Rural Districts:—						
AMPTHILL ...	–	–	–	–	2	–
BEDFORD ...	–	–	–	–	2	
BIGGLESWADE ...	–	–	–		6	N. 1
EATON BRAY ...	–	–	–	–	3	–
EATON SOCON ...	–	–	–	–	–	N. 1
BERKS	–	14	–	–	6	M 3 N. 2
†READING C.B. ...	–	4	–	–	–	M. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	–	–	2	M. 1
†NEW WINDSOR ...	–	1	–	–	–	N. 1
WALLINGFORD ...	–	–	–	–	–	N. 1
WANTAGE .	–	1	–	–	–	–
Rural Districts:—						
EASTHAMPSTEAD	–	1	–	–	–	–
FARINGDON (part)	–	–	–		–	M. 1
NEWBURY ...	–	1	–	–	3	–
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	4	–	–	–	–
WINDSOR... ...	–	–	–	–	1	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	5	–	2	8	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	2	–	–	–	–
†CHEPPING WYCOMBE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
ETON	–	–	–	1	–	–
MARLOW	–	1	–	–	–	–
†SLOUGH	–	–	–	–	1	–
†WOLVERTON ...	–	–	–	1	–	–
Rural Districts:—						
AMERSHAM ...	–	–	–	–	2	–
AYLESBURY ...	–	–	–	–	3	–
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	–	–	–	1	–
WING	–	1	–	–	–	–
WYCOMBE ...	*	*	*	*	*	*
CAMBRIDGE ...	–	6	4	–	3	M. 1
Borough:—						
†CAMBRIDGE ...	–	5	4	–	2	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	M. 1
NEWMARKET ...	–	1	–	–	–	–
CHESTER	1	42	20	2	75	C. 2 D. 2 E. 1 G. 2 L. 1 M. 2 N. 2
†BIRKENHEAD C.B.	–	1	–	–	9	D. 1 L. 1
†CHESTER C.B. ...	–	–	–	–	8	–
†STOCKPORT C.B.	1	11	3	–	8	C. 1 G. 1 N. 1
†WALLASEY C.B. ...	–	4	2	–	2	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	*	*	*	*	*	*
†ALTRINCHAM ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
ASHTON UPON MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	1	–	2	–
BOLLINGTON ...	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	1	–	–	1	–
†CHEADLE AND GATLEY	–	2	–	–	–	–
†CONGLETON ...	–	–	1	–	2	–
†CREWE	–	–	1	–	3	D. 1 N. 1
†DUKINFIELD ...	–	–	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HALE	–	–	–		1	E. 1 M. 1
†HAZEL GROVE AND BRAMHALL	–	2	–	–	–	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	–	4	–	–	–
†HYDE	–	1	1	–	3	C. 1
LYMM	–	–	–	–	1	–
†MACCLESFIELD ...	–	1	1	1	2	–
MARPLE	–	–	–	–	1	–
MIDDLEWICH ...	–	–	–	–	1	–
†NORTHWICH ...	–	–	–	–	2	–
†RUNCORN... ...	–	1	–	–	1	M. 1
†STALYBRIDGE ...	–	1	3	–	–	–
WILMSLOW ...	–	–	1	–	1	–
†WINSFORD ...	–	1	–	–	4	–
YEARDSLEY CUM WHALEY	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	3	–	–	3	–
CHESTER	–	–	–	1	–	–
CONGLETON ...	–	1	–	–	3	–
MACCLESFIELD ...	–	–	–	–	1	–
NANTWICH ...	–	5	1	–	5	–
NORTHWICH ...	–	–	–	–	3	G. 1
RUNCORN ...	–	2	–	–	2	–
TARVIN	–	–	–	–	1	–
WIRRAL	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	5	–	1	14	C. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	3	–	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
LISKEARD ...	*	*	*	*	*	*
LOOE	*	*	*	*	*	*
LUDGVAN ...	–	–	–	–	1	–
PADSTOW... ...	*	*	*	*	*	*
PAUL	–	–	–	–	1	–
REDRUTH ...	–	–	–	–	6	–
ST. AUSTELL ...	*	*	*	*	*	*
ST. IVES	–	–	–	1	1	–
ST. JUST	–	1	–	–	2	–
Rural Districts:—						
CAMELFORD ...	–	–	–	–	–	C. 1
EAST KERRIER ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
ST. COLUMB MAJOR	–	–	–	–	1	–
CUMBERLAND ...	–	9	4	–	5	N. 1
†CARLISLE C.B. ...	–	4	–	–	3	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	1	2	–	–	–
HOLME CULTRAM	–	1	–	–	–	–
PENRITH	–	–	–	–	1	–
WIGTON	–	1	–	–	–	–
†WORKINGTON ...	–	–	1	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	–	1	–	–	N. 1
LONGTOWN ...	–	–	–	–	1	–
WIGTON	–	2	–	–	–	–
DERBY	6	25	21	–	136	C. 1 G. 1 M. 1 N. 1
†DERBY C.B. ...	5	5	4	–	55	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†Alfreton ...	–	2	–	–	7	–
Alvaston and Boulton	–	–	–	–	1	–
Ashbourne ...	–	–	–	–	3	–
Bakewell ...	–	–	–		1	
†Belper	–	1	–	–	1	–
†Bolsover ...	–	–		–	4	–
Brampton and Walton	*	*	*	*	*	*
†Buxton	–	–	–	–		G. 1
†Chesterfield ...	–	5	3	–	10	–
Clay Cross ...	*	*	*	*	*	*
Dronfield ...	–		1	–	3	–
†Heanor	–	–	1	–	4	
†Ilkeston ...	–	1	–	–	–	M. 1
†Long Eaton ...	–	–	1	–	4	–
New Mills ...	–	–	1	–	–	–
†Ripley	1	–	–	–	3	–
Wirksworth ...	–	1	–		1	–
Rural Districts:—						
Bakewell ...	–	–	–	–	2	–
Blackwell ...	–	1	2	–	6	–
Chesterfield ...	–	5	5	–	9	N. 1
Clowne	–	1	3	–	–	–
Glossop Dale ...	–	–	–	–	1	–
Hartshorn and Seals	–	1	–	–	4	–
Hayfield ..	–	1	–	–	–	–
Repton	–	–	–	–	6	–
Shardlow ...	–	1	–	–	11	–
DEVON	–	20	19	–	26	G. 1 M. 2 N. 3
†Exeter C.B. ...	–	5	–	–	3	M. 1
†Plymouth C.B....	–	13	15	–	3	M. 1 N. 1
Boroughs and Urban Districts:—						
†Barnstaple ...	–	–	–	–	5	–
Brixham... ...	–	–	–	–	1	–
Crediton ...	*	*	*	*	*	*
†Exmouth ...	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
Great Torrington	*	*	*	*	*	*
†Newton Abbot	–	–	1	–	–	–
Okehampton ...	–	–	–	–	1	–
Ottery St. Mary	–	1	–	–	–	G. 1
†Paignton ...	–	–	–	–	1	–
Salcombe ...	–	–	–	–	–	N. 1
Sidmouth ...	–	–	–	–	1	–
Tavistock ...	–	–	–	–	1	–
†Torquay ...	–	–		–	2	–
Totnes	–	–	1	–	–	–
Rural Districts:—						
Barnstaple ...	–	–	–	–	3	–
Newton Abbot...	–	–	1	–	–	–
Okehampton ...	–	–	–	–	–	N. 1
Plympton St. Mary	–	–	–	–	1	
St. Thomas ...	–	–		–	1	–
Torrington ...	*	*	*	*	*	*
Totnes	–	–	1	–	1	–
DORSET	–	3	3	–	27	G. 1
Boroughs and Urban Districts:—						
Blandford Forum	–	–	–	–	2	–
Bridport ...	–	1	–	–	1	–
Dorchester ...	–	–	2	–	–	–
†Poole	–	–	–	–	6	–
Wareham ...	–	–	–	–	1	–
†Weymouth and Melcombe Regis	–	–	1	–	3	–
Rural Districts:—						
Beaminster ...	–	1	–	–	1	–
Blandford ...	–	–	–	–	3	–
Bridport ...	–	–	–	–	3	–
Shaftesbury ...	–	1	–		1	–
Wareham and Purbeck	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts—*cont.*						
WEYMOUTH ...	-	-	-	-	2	–
WIMBORNE AND CRANBORNE	–	–	–	–	2	G. 1
DURHAM	217	54	20	3	213	G. 5 M. 5 N. 8
†DARLINGTON C.B.	1	5	-	1	20	G. 1 M. 1
†GATESHEAD C.B.	4	4	5	–	6	–
†SOUTH SHIELDS C.B.	25	1	–	–	53	G. 2 M. 1 N. 1
†SUNDERLAND C.B.	–	2	1	1	26	G. 1 N. 4
†WEST HARTLEPOOL C.B.	–	3	2	–	6	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	2	-	–	–	–
BENFIELDSIDE ...	–	2	–	–	–	–
†BRANDON AND BYSHOTTLES	16	2	–	-	-	–
†CHESTER LE STREET	3	–	-	–	1	N. 1
†CONSETT	–	–	–	–	1	–
†CROOK	17	1	–	–	–	–
†DURHAM	*	*	*	*	*	*
†FELLING	–	1	–	–	4	–
†HARTLEPOOL ...	–	–	–	-	5	–
†HEBBURN ...	–	3	–	–	6	
†HETTON	4	–	–	–	5	–
†HOUGHTON LE SPRING	2	–	–	–	5	–
†JARROW	17	–	1	–	21	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	2	–
†SHILDON	14	-	–	–	–	G. 1
†SOUTHWICK ON WEAR	–	–	1	–	1	–
†SPENNYMOOR ...	1	–	–	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†STANLEY	5	5	–	–	1	–
†STOCKTON ON TEES	–	2	2	–	8	N. 1
†TANFIELD ...	2	–	–	–	–	–
TOW LAW ...	–	–	–	–	2	N. 1
†WASHINGTON ...	–	2	–	–	1	–
†WHICKHAM ...	–	4	–	–	–	–
WILLINGTON ...	5	1	-	–	–	–
Rural Districts:—						
AUCKLAND ...	14	3	1	–	–	M. 1
BARNARD CASTLE	1	–	–	–	–	–
CHESTER LE STREET	38	1	2	–	3	–
DURHAM	7	1	–	–	3	–
EASINGTON ...	17	2	1	–	19	–
HARTLEPOOL ...	–	–	–	–	1	–
HOUGHTON LE SPRING	3	–	–	–	4	–
LANCHESTER ...	11	2	2	–	–	–
SEDGEFIELD ...	5	–	1	–	4	M. 1
SOUTH SHIELDS...	3	1	1	-	–	–
STOCKTON ...	–	1	–	–	1	–
SUNDERLAND ...	–	–	–	–	4	M. 1
WEARDALE ...	–	1	-	1	–	–
ELY, ISLE OF ...	–	-	–	–	14	E. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	–	–	4	–
ELY	–	-	–	–	1	–
WHITTLESEY ...	–	–	–	–	1	–
†WISBECH	-	–	–	–	2	–
Rural Districts:—						
ELY	-	–	–	–	6	–
NORTH WITCHFORD	–	–	–	–	–	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	102	43	2	95	C. 1 L. 2 M. 2 N. 2
†EAST HAM C.B. ...	–	6	7	1	1	M. 1
†SOUTHEND-ON-SEA C.B.	–	6	1	–	8	–
†WEST HAM C.B. ...	–	27	8	1	18	C. 1 L. 1 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	1	–	2	M. 1
BRENTWOOD ...	–	1	1	–	–	–
BRIGHTLINGSEA	–	–	–	–	8	–
BUCKHURST HILL	–	–	1	–	–	–
CANVEY ISLAND	–	1	–	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
†CLACTON	–	4	–	–	–	–
†COLCHESTER ...		–	–	–	15	–
DAGENHAM ...	–	6	2	–	–	–
EPPING	–	–	–	–	6	–
FRINTON ON SEA	–	–	–	–	1	–
†GRAYS THURROCK	–	3	2	–	–	–
†HARWICH ...	–	–	–	–	1	–
†HORNCHURCH ...	–	2	1	–	–	–
†ILFORD	–	3	2	–	4	L. 1
†LEYTON	–	2	5	–	3	–
†ROMFORD ...	–	2	1	–	–	–
SHOEBURYNESS ...	–	–	–	–	1	–
TILBURY	–	3	–	–	–	–
†WALTHAMSTOW...	–	24	7	–	10	–
†WANSTEAD ...	–	–	–	–	2	–
WITHAM	–	–	–	–	2	–
†WOODFORD ...	–	1	2	–	2	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–		–
BRAINTREE ...	–	1	–	–	1	–
CHELMSFORD ...	–	–	–	–	1	–
DUNMOW	–	–	–	–	4	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	–		1	–
MALDON	–	1	–	–	–	–
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	1	–		2	–
ROMFORD... ...	–	2	–	–	–	–
TENDRING ...	–	1	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	37	23	1	70	C. 1 E. 1 M. 3 N. 4
†BRISTOL C.B. ...	–	20	18	–	37	E. 1 M. 3 N. 2
†GLOUCESTER C.B.	–	4	2	–	13	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	–	–	–	–
NAILSWORTH ...	–	–	–	–	1	–
NEWNHAM ...	–	–	1	–	–	–
STROUD	–	1	1	–	2	–
TETBURY	–	–	–	–	2	C. 1
Rural Districts:—						
CIRENCESTER ...	–	–	–	–	–	N. 1
DURSLEY	–	–	–	1	1	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	2	–
GLOUCESTER ...	–	–	1	–	–	–
MARSTON SICCA...	–	1	–	–	–	–
PEBWORTH ...	*	*	*	*	*	*
STROUD	–	5	–	–	2	–
TETBURY (part)	–	–	–	–	1	–
THORNBURY ...	–	–	–	–	9	–
WARMLEY ...	–	1	–	–	–	–
WINCHCOMB(part)	–	1	–	–	–	N. 1
HEREFORD ...	–	1	–	–	8	N. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	–	–	–	3	–
ROSS	–	–	–	–	1	N. 1
Rural Districts:—						
DORE	–	–	–	–	1	–
HEREFORD ...	–	–	–	–	1	–
ROSS	–	1	–	–	1	–

* Returns not received † Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
HERTFORD	–	3	9	–	9	C. 1 L. 1
Boroughs and Urban Districts:—						
†BARNET	–	–		–	1	–
BUSHEY	–	–	–	–	1	*
†HERTFORD ...	–	1	3	–	–	–
†LETCHWORTH ...	–	–	–	–	1	–
ROYSTON	–	–	–	–	2	–
†ST. ALBANS ...	–	–	–	–	1	–
†WATFORD ...	–	1	–	–	2	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	–	C. 1
BERKHAMPSTEAD	–	1	–	–	–	–
WATFORD ...	–	–	–	–	1	L. 1
WELWYN	–	–	6	–	–	–
HUNTINGDON	–	1	–	–	4	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	3	–
KENT ...	–	68	33	–	35	C. 1 G. 1 M. 1 N. 1
†CANTERBURY C.B.	–	1	1	–	2	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	3	–
†BEXLEY	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BROMLEY ...	–	4	1	–	4	–
†CHATHAM ...	–	1	2	–	1	–
CHERITON ...	–	5	–	–	–	–
CHISLEHURST ...	–	–	1	–	1	–
†CRAYFORD ...	–	3	–	–	–	–
†DARTFORD ...	–	1	1		3	–
†DOVER	–	1	–	–	–	–
†ERITH	–	7	1	–	–	M. 1
†FOLKESTONE ...	–	2	–	–	–	–
†GILLINGHAM ...	–	12	2	–	–	–
†GRAVESEND ...		2	2	–	–	–
†MAIDSTONE ...	–	4	–	–	–	–
†MARGATE ...	–	–	3	–	3	–
MILTON REGIS ...	–	–	1	–	–	–
†NORTHFLEET ...	–	2	–	–	–	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	1	1	–	2	–
†ROCHESTER ...	–	–	–	–	4	–
SANDGATE ...	–	1	–	–	–	–
SANDWICH ...	*	*	*	*	*	*
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	1	–	3	–
SOUTHBOROUGH	–	–	–	–	–	N. 1
SWANSCOMBE ...	–	–	7	–	–	–
†TONBRIDGE ...	–	–	–	–	1	–
WHITSTABLE ...	–	–	–	–	1	–
WROTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BRIDGE	–	–	4	–	–	–
BROMLEY ...	–	3	–	–	1	–
DARTFORD ...	–	5	–	–	–	–
DOVER	–	1	–		–	G. 1
FAVERSHAM ...	–	–	–	–	1	–
HOLLINGBOURNE	–	1	–	–	1	–
ISLE OF THANET	–	–	1	–	–	–
MALLING	–	1	–	–	–	–
MILTON	–	2	–	–	–	–
ROMNEY MARSH...	–	2	–	–	–	–
SEVENOAKS ...	–	4	–	–	2	–
SHEPPEY	–	–	–	–	1	C. 1
STROOD	–	1	1	–	–	–
WEST ASHFORD...	–	–		–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	5	141	108	3	613	C. 3 D. 2 E. 2 G. 7 M. 19 N. 16
†BARROW IN FURNESS C.B.	–	2	1	–	3	–
†BLACKBURN C.B.	–	1	6	–	16	M. 1
†BLACKPOOL C.B.	–	1	1	–	7	M. 2
†BOLTON C.B. ...	–	4	3	–	6	E. 1 N. 1
†BOOTLE C.B. ...	–	3	2	–	2	N. 2
†BURNLEY C.B. ...	–	–	4	–	9	–
†BURY C.B. ...	–	4	1	–	11	D. 1
†LIVERPOOL C.B. ...	–	24	22	–	182	C. 1 D. 1 M. 9 N. 4
†MANCHESTER C.B.	–	27	17	2	125	C. 1 G. 2 M. 2 N. 5
†OLDHAM C.B. ...	–	1	2	–	6	M. 1
†PRESTON C.B. ...	–	2	1	–	19	G. 1
†ROCHDALE C.B. ...	–	5	2	–	4	–
†ST. HELENS C.B. ...	–	3	3	–	8	–
†SALFORD C.B. ...	–	11	17	–	38	G. 2
†SOUTHPORT C.B.	5	–	1	–	2	–
†WARRINGTON C.B.	–	–	2	–	5	–
†WIGAN C.B. ...	–	–	–	–	7	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–	–	4	–
†ASHTON IN MAKERFIELD	–	1	–	–	–	N. 1
†ASHTON UNDER LYNE	–	1	–	–	4	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	–	–	–	1	C. 1 G. 1
†BACUP	–	–	–	–	3	–
BRIERFIELD ...	–	–	–	–	1	–
CARNFORTH ...	–	2	–	–	–	–
†CHADDERTON ...	–	–	1	–	1	–
†CHORLEY	–	–	1	–	14	–
CHURCH	–	–	–	–	2	–
†COLNE	–	1	–	–	7	–
†DALTON IN FURNESS	–	1	7	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARWEN	–	–	–	–	2	N. 1
†DENTON	–	1	1	–	–	–
†DROYLSDEN ...	–	1	–	–	2	–
†ECCLES	–	–	–	–	3	N. 1
†FAILSWORTH ...	–	–	–	–	4	–
†FARNWORTH ...	–	–	–	–	4	–
†FLEETWOOD ...	–	2	–	–	2	–
FULWOOD ...	–	–	–	–	3	–
†GREAT CROSBY ...	–	1	–	–	1	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK ...	–	1	–	–	2	–
†HEYWOOD ...	–	1	–	–	1	–
†HINDLEY... ...	–	–	–	–	2	–
†HORWICH ...	–	3	1	–	4	–
HUYTON WITH ROBY	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
KEARSLEY ...	–	2	–	–	–	–
†LANCASTER ...	–	2	–	–	5	–
†LEIGH	–	1	4	–	5	M. 3
LEYLAND	–	1	–	–	–	–
†LITHERLAND ...	–	1	1	–	–	–
†LITTLEBOROUGH	–	1	1	–	–	–
LONGRIDGE ...	–	2	–	–	–	–
†LYTHAM ST. ANNE'S	–	–	–	1	–	–
†MIDDLETON ...	–	–	1	–	2	–
†MORECAMBE ...	–	–	–	–	1	–
†NELSON	–	–	1	–	2	–
†NEWTON IN MAKERFIELD	–	–	–	–	2	–
NORDEN	–	–	–	–	1	–
ORMSKIRK ...	–	–	1	–	1	–
†OSWALDTWISTLE	–	–	–	–	1	–
†PADIHAM ...	–	–	–	–	1	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	1	–	–	–
†RADCLIFFE ...	–	3	–	–	5	–
†RAMSBOTTOM ...	–	2	–	–	2	–
RISHTON	–	1	–	–	1	–
†ROYTON	–	–	–	–	1	–
SKELMERSDALE ...	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	4	1	–	1	–
†SWINTON AND PENDLEBURY	–	4	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M. Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
THORNTON ...	–	–	–	–	2	–
TOTTINGTON ...	–	2	–	–	–	N. 1
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	2	–
†WALTON LE DALE	–	–	–	–	4	–
†WATERLOO WITH SEAFORTH	–	1	–	–	1	E. 1
†WESTHOUGHTON	–	1	–	–	2	
WHITWORTH ...	–	–	–	–	–	M. 1
†WIDNES	–	–	–	–	27	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	3	–
BLACKBURN ...	–	–	–	–	1	–
BURNLEY	–	1	–	–	–	–
BURY	–	–	–	–	1	–
CHORLEY	–	–	1	–	–	–
CLITHEROE ...	–	–	–	–	2	–
LEIGH	–	–	–	–	1	–
PRESTON	–	–	–	–	1	–
WARRINGTON ...	–	–	–	–	1	G. 1
WEST LANCASHIRE	–	–	–	–	7	–
WHISTON... ...	–	2	–	–	–	–
WIGAN	–		–	–	2	–
LEICESTER... ...	–	9	9	–	23	D. 3 N. 2
†LEICESTER C.B. ...	–	4	4	–	5	D. 1 N. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS...	–	–	1	–	6	–
†COALVILLE ...	–	–	1		2	–
†HINCKLEY ...	–	1	–	–	–	–
MARKET HARBOROUGH	–	–	–	–	3	–
MELTON MOWBRAY	–	–	–	–	1	D. 1
WIGSTON MAGNA	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	4	D. 1
BARROW UPON SOAR	–	–	–	–	1	–
HALLATON ...	–	–	–	–	1	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	2	1	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	5	–	–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	–	N. 1
SUTTON BRIDGE	–	–	–	–	–	G. 1
Rural Districts:—						
CROWLAND ...	–	4	–	–	–	–
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	1	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	1	19	5	–	30	C. 1 M. 2 N. 1
†GRIMSBY C.B. ...	–	1	3	–	4	–
†LINCOLN C.B. ...	–	2	1	–	1	N. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	3	–	–	4	M. 1
†GAINSBOROUGH ...	1	–	–	–	5	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
HORNCASTLE ...	–	–	–	–	1	–
LOUTH	–	–	–	–	1	–
MARKET RASEN...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	2	–
SKEGNESS ...	–	1	–	–	–	–
WINTERTON ...	–	1	–	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	2	M. 1
GLANFORD BRIGG	–	4	–	–	3	C. 1
HORNCASTLE ...	–	–	–	–	6	–
ISLE OF AXHOLME	–	–	–	–	1	–
LOUTH	–	2	–	–	–	–
SIBSEY	–	1	–	–	–	–
MIDDLESEX ...	–	49	40	1	69	D. 1 G. 3 M. 4 N. 7
Boroughs and Urban Districts:—						
†ACTON	–	–	–	–	2	–
†BRENTFORD ...	–	–	4	–	1	–
†CHISWICK ...	–	2	1	–	4	–
†EALING	–	2	–	1	4	N. 2
†EDMONTON ...	–	1	1	–	2	G. 1 M. 1 N. 1
†ENFIELD	–	2	8	–	2	M. 1
†FINCHLEY ...	–	1	–	–	–	–
†FRIERN BARNET	–	1	–	–	5	–
†HAMPTON ...	–	1	1	–	1	–
†HARROW ON THE HILL	–	2	–	–	–	–
HAYES	–	–	–	–	1	–
†HENDON	–	–	1	–	3	–
†HESTON AND ISLEWORTH	–	1	1	–	9	–
†HORNSEY... ...	–	6	1	–	6	–
KINGSBURY ...	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	6	–	–	–	N. 2
†SOUTHGATE ...	–	3	–	–	1	M. 1
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
STAINES	–	–	–	–	–	N. 1
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	8	11	–	1	D. 1 G. 1
†TWICKENHAM ...	–	1	1	–	–	N. 1
†UXBRIDGE ...	–	–	–	–	1	–
†WEALDSTONE ...	–	–	1	–	1	–
†WEMBLEY ...	–	2	–	–	3	–
†WILLESDEN ...	–	4	7	–	20	G. 1 M. 1
†WOOD GREEN ...	–	1	1	–	–	–
Rural Districts:—						
HENDON	–	–	–	–	2	–
STAINES	–	3	–	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK	–	17	4	1	23	M. 1
†GREAT YARMOUTH C.B.	–	7	–	–	3	–
†NORWICH C.B. ...	–	3	–	–	7	–
Boroughs and Urban Districts:—						
DOWNHAM MARKET	–	–	–	–	1	M. 1
EAST DEREHAM ...	–	–	–	–	1	–
†KING'S LYNN ...	–	–	2	–	1	–
Rural Districts:—						
DEPWADE ...	–	1	–	–	–	–
DOCKING	–	1	1	–	–	–
DOWNHAM ...	–	–	–	–	1	–
FOREHOE ...	–	–	–	1	2	–
FREEBRIDGE LYNN	–	1	–	–	1	–
HENSTEAD ...	–	1	–	–	–	–
MARSHLAND ...	–	1	–	–	4	–
MITFORD AND LAUNDITCH	–	1	–	–	1	–
ST. FAITH'S ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	5	2	–	38	M. 1 N. 1
†NORTHAMPTON C.B	–	1	1	–	17	N. 1
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	–	1	–	3	–
†KETTERING ..	–	1	–	–	2	–
RAUNDS	–	–	–	–	1	–
ROTHWELL ...	–	1	–	–	2	–
†RUSHDEN... ...	–	–	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	2	–
CRICK	–	–	–	–	1	–
DAVENTRY ..	–	–	–	–	1	–
HARDINGSTONE ...	–	–	–	–	2	–
KETTERING ...	–	–	–	–	2	–
NORTHAMPTON ...	–	–	–	–	2	M. 1
OUNDLE (part) ...	–	2	–	–	–	–
THRAPSTON (part)	–	–	–	–	2	–
NORTHUMBERLAND	11	53	5	–	117	M. 2 N. 2
†NEWCASTLE UPON TYNE C.B.	1	18	3	–	52	–
†TYNEMOUTH C.B.	1	8	1	–	9	–
Boroughs and Urban Districts:—						
ALNWICK ...	1	–	–	–	–	–
†ASHINGTON ...	8	4	–	–	1	N. 1
†BEDLINGTONSHIRE	–	1	1	–	6	–
†BLYTH	–	1	–	–	16	M. 1
CRAMLINGTON ...	–	–	–	–	2	–
†EARSDON	–	–	–	–	1	–
†GOSFORTH ...		2	–	–	–	–
†LONGBENTON ...	–	–	–	–	3	–
MORPETH ...	–	2	–	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	1	–
SEATON DELAVAL	–	2	–	–	5	–
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALLSEND ...	–	4	–	–	10	M. 1 N. 1
WEETSLADE ...	–	–	–	–	4	–
†WHITLEY AND MONKSEATON	–	–	–	–	2	–
Rural Districts:—						
BELFORD	–	–	–	–	1	–
GLENDALE ...	–	–	–	–	2	–
HEXHAM	–	3	–	–	–	–
MORPETH... ...	–	3	–	–	–	–
NORHAM AND ISLANDSHIRES	–	2	–	–	–	–
ROTHBURY ...	–	1	–	–	2	–
NOTTINGHAM ...	4	19	28	–	63	D. 1 M. 1 N. 1
†NOTTINGHAM C.B	–	12	23	–	24	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†BEESTON... ...	–	2	3	–	–	–
†CARLTON	–	–	–	–	2	–
†EAST RETFORD ...	–	–	–	–	1	–
EASTWOOD ...	–	–	–	–	1	–
†HUCKNALL ...	–	–	–	–	8	–
†KIRKBY IN ASHFIELD	–	2	–	–	2	D. 1
†MANSFIELD ...	–	2	–	–	4	–
†SUTTON IN ASHFIELD	4	–	–	–	1	–
†WORKSOP... ...	–	–	–	–	2	–
Rural Districts:—						
BASFORD	–	–	–	–	8	–
BINGHAM... ...	–	–	1	–	4	N. 1
NEWARK	–	–	1	–	–	–
SOUTHWELL ..	–	–	–	–	2	–
STAPLEFORD ...	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	1	1	–	6	N. 2
†OXFORD C.B. ..	–	1	1	–	2	–
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	–	–	–	1	–
Rural Districts:—						
HEADINGTON ...	–	–	–	–	–	N. 1
WITNEY	–	–	–	–	2	N. 1
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	–	–	–	5	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	3	–
Rural Districts:—						
PETERBOROUGH..	–	–	–	–	2	–
RUTLAND	–	–	–	–	5	–
Rural Districts:—						
OAKHAM	–	–	–	–	4	–
UPPINGHAM ...	–	–	–	–	1	–
SALOP	–	15	1	–	17	M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	–	–	3	–
†OAKENGATES ...	–	1	–	–	1	–
†SHREWSBURY ..	–	2	–	–	2	–
WELLINGTON ...	–	–	–	–	5	–
Rural Districts:—						
ELLESMERE ...	–	9	–	–	–	–
LUDLOW	–	–	–	–	1	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	1	–	5	M. 1
WEM	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	9	5	–	60	C. 1 D. 1 L. 2 M. 1 N. 2
†BATH C.B. ..	–	8	2	–	5	N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	1	–
CHARD	–	–	–	–	1	–
MIDSOMER NORTON	–	–	–	–	6	–
STREET	–	–	–	–	–	L
†TAUNTON ...	–	–	–	–	8	–
WELLINGTON ...	–	–	–	–	2	–
WELLS	–	–	–	–	4	–
†WESTON SUPER MARE	–	–	3	–	–	M. 1
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	3	–
CLUTTON... ...	–	–	–	–	–	C. 1
DULVERTON ...	–	–	–	–	1	–
FROME	–	–	–	–	3	–
KEYNSHAM ...	–	–	–	–	2	–
LANGPORT ...	–	–	–	–	4	N. 1
LONG ASHTON ...	–	–	–	–	2	–
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON... ...	–	–	–	–	13	–
WELLS	–	–	–	–	3	D. 1
YEOVIL	–	–	–	–	2	–
SOUTHAMPTON ..	–	27	22	–	46	G. 1 M. 5 N. 3
†BOURNEMOUTH C.B.	–	–	–	–	3	M. 1
†PORTSMOUTH C.B.	–	8	12	–	1	M. 2 N. 1
†SOUTHAMPTON C.B.	–	8	8	–	14	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	–	–	2	–
†FARNBOROUGH ...	–	1	–	–	–	–
FLEET	–	–	–	–	1	–
†GOSPORT	–	1	–	–	3	–
HAVANT	–	–	1	–	–	–
†WINCHESTER ...	–	1	–	–	9	M. 2
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	N. 1
ANDOVER... ...	–	–	–	–	2	–
DROXFORD ...	–	–	–	–	1	–
FAREHAM ...	–	1	–	–	1	–
FORDINGBRIDGE ..	–	–	1	–	1	–
HARTLEY WINTNEY	–	3	–	–	–	–
HURSLEY... ...	–	–	–	–	5	–
KINGSCLERE ...	–	1	–	–	–	–
NEW FOREST ...	–	–	–	–	2	–
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	–	–	N. 1
WINCHESTER ...	–	–	–	–	1	–
STAFFORD	–	22	31	1	255	C. 6 E. 2 F. 1 G. 2 L. 2 M 3 N. 1
†BURTON UPON TRENT C.B.	–	–	4	–	5	–
†SMETHWICK C.B.	–	3	2	–	9	–
†STOKE ON TRENT C.B.	–	6	5	–	57	C. 2 E. 1 G. 1 M. 3
†WALSALL C.B. ...	–	2	1	–	13	M. 1
†WEST BROMWICH C.B.	–	–	1	–	31	–
†WOLVERHAMPTON C.B.	–	2	2	–	8	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	–	1	–	3	C. 2
BIDDULPH ...	–	–	–	–	3	–
†BILSTON	–	1	2	–	5	M. 1
†BRIERLEY HILL...	–	–	2	–	5	–
†BROWNHILLS ...	–	–	–	–	8	–
†CANNOCK	–	1	–	–	4	–
†COSELEY	–	–	1	–	2	G. 1
†DARLASTON ...	–	–	–	–	3	–
KIDSGROVE ...	–	–	2	–	3	F. 1
†LEEK	–	–	2	–	–	M. 1
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	1	2	–
QUARRY BANK	–	–	–	–	6	–
†ROWLEY REGIS ...	–	–	–	–	9	N. 1
RUGELEY... ...	–	–	–	–	1	–
†SEDGLEY	–	1	–	–	–	–
†STAFFORD ...	–	–	–		5	–
STONE	–	–	–	–	2	–
TETTENHALL ...	–	–	–	–	3	–
†TIPTON	–	–	1	–	19	M. 1
†WEDNESBURY ...	–	–	–	–	16	–
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	–	–	–	4	–
Rural Districts:—						
CANNOCK	*	*	*	*	*	*
CHEADLE... ...	–	–	4	–	13	L. 2 M. 1
LEEK	–	–	–	–	–	E. 1
LICHFIELD ...	–	1	1	–	1	C. 1
SEISDON	–	3	–	–	2	–
STAFFORD ...	–	–	–	–	1	–
STONE	–	–	–	–	2	–
TAMWORTH (part)	–	–	–	–	2	–
TUTBURY... ...	–	–	–	–	2	–
UTTOXETER ...	–	–	–	–	1	–
WALSALL... ...		–	–	–	4	–
SUFFOLK, EAST ...	–	12	1	–	34	C. 2 N. 1
†IPSWICH C.B. ...	–	1	–	–	9	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
ALDEBURGH ...	-	-	-	-	3	-
BUNGAY	-	-	-	-	2	-
†LOWESTOFT ...	-	8	-	-	5	C. 2
SAXMUNDHAM ...	-	-	-	-	5	-
STOWMARKET ...	-	1	-	-	1	-
Rural Districts:—						
BLYTHING ...	-	-	-	-	2	-
BOSMERE AND CLAYDON	-	-	-	-	2	-
EAST STOW ...	-	-	-	-	1	-
HOXNE	-	-	1	-	1	-
MUTFORD AND LOTHINGLAND	-	1	-	-	-	-
SAMFORD... ...	-	1	-	-	2	-
WANGFORD ...	-	-	-	-	1	N. 1
SUFFOLK, WEST ...	-	3	-	-	1	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	1	-	-	-	-
Rural Districts:—						
MOULTON ...	-	2	-	-	-	-
THINGOE	-	-	-	-	1	-
SURREY	-	23	12	2	36	G. 1 M. 1 N. 2
†CROYDON C.B. ...	-	6	2	1	5	G. 1
Boroughs and Urban Districts:—						
†BARNES	-	-	-	-	1	M. 1
†BEDDINGTON AND WALLINGTON	-	-	1	-	-	-
†CARSHALTON ...	-	1	-	-	-	-
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHERTSEY ...	-	-	-	-	1	-
†COULSDON AND PURLEY	-	3	1	1	3	-
†EGHAM	-	-	-	-	2	N. 1
†EPSOM	-	-	-	-	1	-
†ESHER AND THE DITTONS	-	1	-	-	-	-
GODALMING ...	-	1	-	-	-	-
†GUILDFORD ...	-	-	-	-	1	-
†MERTON AND MORDEN	-	1	1	-	-	-
†MITCHAM... ...	-	2	3	-	-	-
†REIGATE	-	-	-	-	2	N. 1
†RICHMOND ...	-	1	-	-	1	-
†SURBITON ...	-	-	-	-	1	-
†SUTTON	-	1	3	-	-	-
†THE MALDENS AND COOMBE	-	-	-	-	2	-
†WALTON UPON THAMES	-	-	-	-	1	-
WEYBRIDGE ...	-	-	-	-	2	-
†WIMBLEDON ...	-	2	1	-	-	-
†WOKING	-	-	-	-	1	-
Rural Districts:—						
CHERTSEY ...	-	1	-	-	1	-
DORKING	-	-	-	-	3	-
EPSOM	-	-	-	-	1	-
FARNHAM ...	-	2	-	-	2	-
GODSTONE ...	-	1	-	-	1	-
HAMBLEDON ...	-	-	-	-	2	-
REIGATE	-	-	-	-	2	-
SUSSEX, EAST ...	-	13	12	-	36	D. 1 N. 4
†BRIGHTON C.B. ...	-	4	4	-	6	D. 1
†EASTBOURNE C.B.	-	5	-	-	9	N. 2
†HASTINGS C.B. ...	-	1	-	-	10	-
Boroughs and Urban Districts—						
EAST GRINSTEAD	-	-	-	-	1	-
†HOVE	-	-	1	-	2	-
†LEWES	-	-	-	-	2	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
NEWHAVEN ...	-	-	-	-	1	-
PORTSLADE BY SEA	-	-		-	2	-
Rural Districts:—						
CHAILEY	-	3	-	-	-	-
EASTBOURNE ...	-	-	-	-	-	N. 1
EAST GRINSTEAD	-	-	-	-	1	
HAILSHAM ...	-	-	1	-	-	N. 1
NEWHAVEN ...	-	-	6	-	-	-
UCKFIELD ...		-	-	-	2	-
SUSSEX, WEST ...	-	4	1	-	8	M. 1 N. 2
Boroughs and Urban Districts:—						
†HORSHAM ...	-	-	1	-	-	N. 1
SHOREHAM BY SEA	-	-	-	-	1	-
†WORTHING ...	-	-	-	-	1	-
Rural Districts:—						
EAST PRESTON ...	-	-	-	-	1	-
HORSHAM ...	-		-	-	3	-
MIDHURST ...	-	2	-	-	-	-
THAKEHAM ...	-	-	-	-	1	M. 1 N. 1
WESTBOURNE ...	-	2	-	-	-	-
WESTHAMPNETT ..	-	-	-	-	1	-
WARWICK	-	42	53	-	220	E. 1 M. 7 N. 1
†BIRMINGHAM C.B.	-	26	47	-	149	M. 6 N. 1
†COVENTRY C.B. ...	-	2	1	-	8	-
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
BULKINGTON ...	-	-	-	-	2	-
†NUNEATON ...	-	-	-	-	16	-
†ROYAL LEAMINGTON SPA	-	4		-	6	-
†RUGBY	-	5	-	-	-	-
†STRATFORD ON AVON	-	-	-	-	1	-
†SUTTON COLDFIELD	-	-	-	-	3	-
†WARWICK ...	-	1	-	-	2	-
Rural Districts:—						
ALCESTER ...	-	1	-	-	3	-
ATHERSTONE ...	-	1	-	-	7	-
COVENTRY ...	-	1	-	-	1	-
FOLESHILL ...	-	-	2	-	4	E. 1 M. 1
MERIDEN... ...	-	-	-	-	5	-
NUNEATON ...	-	-	-	-	5	-
RUGBY	-	1	2	-	1	-
SOLIHULL ...	-	-	1	-	2	-
SOUTHAM... ...	-	-	-	-	1	-
STRATFORD ON AVON	-	-	-	-	2	-
TAMWORTH (part)	-	-	-	-	2	-
WESTMORLAND ...	-	6	-	-	6	N. 1
Boroughs and Urban Districts:—						
†KENDAL	-	-	-	-	-	N. 1
KIRKBY LONSDALE	-	1	-	-	1	-
WINDERMERE ...	-	-	-	-	1	-
Rural Districts:—						
EAST WESTMORLAND	-	2	-	-	2	-
SOUTH WESTMORLAND	-	2	-	-	2	-
WEST WARD ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WIGHT, ISLE OF ...	–	3	–	–	6	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
EAST COWES ...	–	2	–	–	–	–
†NEWPORT... ...	–	–	–	–	2	–
VENTNOR... ...	–	–	–		1	–
Rural Districts:—						
ISLE OF WIGHT	–	–	–	–	3	–
WILTS	–	6	3	–	24	F. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	–	–	–	1	–
CALNE	–	1	1	–	–	–
CHIPPENHAM ...	–	–	–	–	6	–
MALMESBURY ...	–	–	–	–	1	–
†SALISBURY ...	–	1	–	–	2	–
†SWINDON... ...	–	–	–	–	6	–
WARMINSTER ...	*	*	*	*	*	*
Rural Districts:—						
CALNE	–	1	–	–	–	–
CHIPPENHAM ...	–	–	–	–	4	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
HIGHWORTH ...	–	–	2	–	1	F. 1
MELKSHAM ...	–	1	–	–	–	–
PEWSEY	–	–	–	–	2	–
RAMSBURY ...	–	1	–	–	–	–
TISBURY	–	–	–	–	1	–
WARMINSTER ...	*	*	*	*	*	*
WORCESTER ...	–	10	2	–	71	C. 1 G. 2 N. 2
†DUDLEY C.B. ...	–	–	–	–	4	–
†WORCESTER C.B.	–	1	–	–	22	–
WORCESTER—*cont.*						
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	–	–	–	8	–
†KIDDERMINSTER	–	–	–	–	2	N. 1
†LYE AND WOLLESCOTE	–	1	1	–	15	N. 1
†MALVERN ...	–	–	–	–	2	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	3	1	–	5	–
†REDDITCH ...	–	2	–	–	2	G. 2
†STOURBRIDGE ...	–	–	–	–	6	C. 1
Rural Districts:—						
DROITWICH ...	–	–	–	–	1	–
FECKENHAM ...	*	*	*	*	*	*
KIDDERMINSTER	–	1	–	–	–	–
PERSHORE ...	*	*	*	*	*	*
SHIPSTON ON STOUR	–	–	–	–	1	–
UPTON ON SEVERN	–	1	–	–	3	–
YORKS ... ... (East Riding.)	–	18	20	–	20	G. 1 M. 1
†KINGSTON UPON HULL C.B.	–	14	18	–	13	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	2	–	–	4	–
FILEY	–	–	–	–	1	–
HESSLE	–	–	–	–	1	–
POCKLINGTON ...	–	1	–	–	–	–
WITHERNSEA ...	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
DRIFFIELD ...	–	1	2	–	–	–
HOWDEN	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding.)	–	13	3	1	50	D. 2 M. 1 N. 1
†MIDDLESBROUGH C.B	–	2	–	–	16	D. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
LOFTUS	–	–	–	–	2	–
†REDCAR	–	–	–	–	3	–
†SCARBOROUGH ...	–	1	1	–	15	D. 1
†SKELTON AND BROTTON	–	–	1	–	1	–
†THORNABY ON TEES	–	–	–	–	–	N. 1
†WHITBY	–	–	–	–	3	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
KIRKBY MOORSIDE	–	2	1	–	1	–
NORTHALLERTON	–	2	–	–	2	–
RICHMOND ...	–	–	–	–	2	–
SCARBOROUGH ...	–	–	–	–	2	–
STOKESLEY ...	–	1	–	1	1	–
THIRSK	–	1	–	–	–	–
WATH	–	1	–	–	1	–
YORKS ... ... (West Riding.)	99	125	76	2	446	C. 2 E. 1 G. 4 L. 1 M. 6 N. 10
†BARNSLEY C.B. ...	–	4	1	–	4	–
†BRADFORD C.B. ...	–	4	21	–	60	G. 2 M. 1 N. 1
†DEWSBURY C.B....	–	–	–	–	6	–
†HALIFAX C.B. ...	–	2	4	–	11	–
†HUDDERSFIELD C.B	–	8	3	–	15	M. 1
†LEEDS C.B. ..	–	17	9	–	38	C. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†ROTHERHAM C.B.	–	1	–	–	35	N. 1
†SHEFFIELD C.B....	24	34	20	–	155	M. 1 N. 4
†WAKEFIELD C.B.	–	–	1	–	1	N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–	–	1	N. 1
†BARNOLDSWICK ...	–	–	2	–	–	–
†BENTLEY WITH ARKSEY	1	–	2	–	–	–
†BINGLEY	–	–	–	–	4	–
†BOLTON UPON DEARNE	–	2	–	–	1	–
†BRIGHOUSE ...	–	–	–	–	1	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...		–	1	–	1	–
†CONISBROUGH ...	23	–	–	–	–	–
†DARTON	–	–	–	–	–	E. 1
DENHOLME ...	–	1	–	–	–	–
DODWORTH ...	–	2	–	–	–	–
†DONCASTER ...	13	1	1	–	1	–
DRIGHLINGTON ...	–		–	–	10	–
EARBY	–	–	1	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
GILDERSOME ...	–	–	–	–	1	–
†GOOLE	–	3	–	–	1	–
†HARROGATE ...	–	4	–	–	–	–
HEBDEN BRIDGE	–	–	–	–	1	–
†HEMSWORTH ...	–	–	–	–	1	–
HIPPERHOLME ...	–	–	–	–	2	–
†HOLMFIRTH ...	–	2	–	–	5	G. 1
HONLEY	–	–	–	–	1	–
HORBURY ...	–	2	–	–	–	–
†HOYLAND NETHER	–	–	–	–	2	–
†KEIGHLEY ...	10	–	1	–	1	–
KIRKBURTON ...	–	1	–	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
KNOTTINGLEY ...	–	–	–	–	5	–
LEPTON	–	1	–	–	–	–
LINTHWAITE ...	–	3	–	–	–	–
MALTBY	–	–	1	–	1	–
MELTHAM ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MEXBOROUGH ...	15	1	–	–	1	–
†MORLEY	–	1	–	1	1	–
NEW MILL ...	–	–	–	–	2	–
†NORMANTON ...	–	1	2	–	8	–
†PONTEFRACT ...	–	–	–	–	2	–
†PUDSEY	–	1		–	2	
RAWDON	*	*	*	*	*	*
†RAWMARSH ...	–	2	–	–	2	M. 1
†ROTHWELL ...	–	–		–	1	–
SELBY	–		1	–	–	–
SHEPLEY	–	–	–	–	1	–
†SHIPLEY	–			–	1	–
SKELMANTHORPE	–	–		–	1	–
†SKIPTON		–	1	–	–	N. 1
SLAITHWAITE ...	–	1	–	–	–	–
SOUTHOWRAM ...	–	2	–	–	–	–
†SPENBOROUGH ...	–	1			7	–
SPRINGHEAD ...	–			–	1	–
STAINLAND ...	–	1	–	–	1	–
†STANLEY			–	–	5	–
STOCKSBRIDGE ...	–	3	–	1	3	–
†SWINTON... ...	12	3			1	–
THURNSCOE ...	–	1	–	–	–	–
THURSTONLAND AND FARNLEY TYAS	–	–	–	–	–	L. 1
†TODMORDEN ...	–	1	–	–	4	
†WOMBWELL ...	–		2	–	2	–
†WORSBOROUGH ...		2		–	–	–
Rural Districts:—						
BOWLAND ...	–		–	–	–	G. 1
DONCASTER ...		–	–	–	3	M. 1
HEMSWORTH ...	–	2			6	M. 1
KEIGHLEY ...		1		–		–
KIVETON PARK ...		2	–		2	–
PONTEFRACT ...	–		1	–	1	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	1	–	–	–	8	–
SETTLE	–	–		–	4	–
SKIPTON	–			–	1	–
TADCASTER ...	–	2	–	–	1	C. 1
WAKEFIELD ...	–	–	–	–	1	–
WETHERBY ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ..	–	2	1	–	1	–
§YORK, CITY OF	–	4	–	–	12	C. 1 M. 1
†YORK C.B. ...	–	4		–	12	C. 1 M. 1
WALES.						
ANGLESEY	–	1	1	–	–	–
Rural Districts:—						
VALLEY	–	1	1	–	–	–
BRECKNOCK ...	–	–	–	–	4	M. 1
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	–	–	1	–
BRYNMAWR ...	–	–	–	–	2	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–		1	M. 1
CAERNARVON ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	1	–		3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	1	–
CARMARTHEN ..	–	7	5	–	10	–
Boroughs and Urban Districts:						
AMMANFORD ...	–		1			–
CWMAMMAN ...	–	–	3	–	6	–
KIDWELLY ...	–	1	–	–	1	–
LLANDILO ...	–				1	–
LLANDOVERY ...	*	*	*	*	*	*
†LLANELLY ...					1	
Rural Districts:—						
CARMARTHEN ...	–	5		–	–	–
LLANDILO FAWR	–		1	–	–	
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ..	–	1		–	1	–
WHITLAND ...	*	*	*	*	*	*
DENBIGH ...	–	9	2	–	5	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	1	–	–	3	
DENBIGH ...	–	1	–	–		C. 1
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–					G. 1
Rural Districts:—						
LLANGOLLEN ..	*	*	*	*	*	*
LLANSILIN ...		–	1			–
RUTHIN		1	–		1	M. 1
WREXHAM ...			1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	3	3	–	13	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	4	–
CONNAH'S QUAY...	–	1	–	–	–	–
FLINT	–	–	–	–	4	–
†RHYL	–	–	1	–	1	–
Rural Districts:—						
HAWARDEN ...	–	–	1		–	–
HOLYWELL (HOLYWELL DIV.)	–	1	1	–	3	–
ST. ASAPH (FLINT)	–	1	–		1	–
GLAMORGAN ...	1	24	27		132	C. 1 G. 1 M 3 N. 2
†CARDIFF C.B. ..	1	2	8	–	20	N. 1
†MERTHYR TYDFIL C.B.		1	1	–	1	
†SWANSEA C.B. ...		1	5	–	6	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	2	–	10	–
†BARRY		–	2	–	5	–
†CAERPHILLY ...		2	1	–	3	C. 1 N. 1
†GELLIGAER ...		1	–	–	8	–
†GLYNCORWG ...	–			–	5	–
†MAESTEG ...	–	1	2	–	5	–
†MOUNTAIN ASH ...	–	1	1	–	7	–
†NEATH	–	2	1	–	5	–
†OGMORE AND GARW		3	1	–	4	–
†PONTYPRIDD ...	–	–	–	–	8	–
†PORT TALBOT ...	–	2	–	–	5	M. 1
†RHONDDA ...	–	5	3	–	25	G. 1 M. 1
Rural Districts:—						
CARDIFF	–	1	–	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
NEATH		–	–	–	9	–
PONTARDAWE ...	–	1	–	–	2	–
SWANSEA... ...	–	1	–	–	3	–
MERIONETH ...	–	4	7	–	–	–
Urban Districts:—						
FFESTINIOG ..	–	–	6	–	–	–
TOWYN	–	3	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	–	1	–	–	–
DOLGELLEY ...	–	1	–	–	–	–
MONMOUTH ...	1	5	3	–	27	G. 1 M. 1
†NEWPORT C.B. ...	–	1	–	–	4	G. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	–	1	–	–	–
†ABERTILLERY ...	1	–	1	–	–	M. 1
BEDWAS AND MACHEN	–	–	–	–	2	–
†BEDWELLTY ...	–	–	–	–	5	–
CHEPSTOW ...	–	–	–	–	1	–
†EBBW VALE ...	–	–	–	–	10	–
LLANTARNAM ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	2	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	1	–	–	–	–
†TREDEGAR ...	–	1	–	–	3	–
Rural Districts:—						
ST. MELLONS ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	1	1	–	8	N. 2
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
LLANIDLOES ...	–	–	–	–	2	–
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	2	–
Rural Districts:—						
FORDEN	–	–	–	–	–	N. 1
LLANFYLLIN ...	–	–	1	–	–	–
MACHYNLLETH ...	–	–	–	–	2	–
NEWTOWN AND LLANIDLOES	–	–	–	–	2	N. 1
PEMBROKE	–	–	1	–	4	M. 1
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	–	–	–	M. 1
MILFORD HAVEN	–	–	–	–	2	–
TENBY	–	–	–	–	1	–
Rural Districts:—						
NARBERTH ...	*	*	*	*	*	*
PEMBROKE ...	–	–	–	–	1	–
ST. DOGMELLS ...	–	–	1	–	–	–
RADNOR	–	–	–	–	1	–
Urban District:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Rural Districts:—						
RHAYADER ...	–	–	–	–	1	–
Total of Part II. ...	346	1124	698	22	3316	C. 28 D. 13 E. 9 F. 2 G. 36 L. 9 M. 91 N. 94

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
CAERNARVON	*	*	*	*	*	*	PLYMOUTH	–		–	1	
LIVERPOOL	–	–	–	–	1	–	SANDWICH	*	*	*	*	*
LOWESTOFT	–	1	–	–	–	–	SOUTHAMPTON ...	–	–	1	–	–
MANCHESTER	–	–		1	–	–	PORT OF LONDON ...	–	–	–	–	1
PENZANCE	*	*	*	*	*	*						
							Total of Part III.... ..	–	1	1	2	2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyre

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	195	256	–	205	C. 2 D. 2 E. 2 G. 3 M. 20 N. 24
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	346	1124	698	22	3316	C. 28 D. 13 E. 9 F. 2 G. 36 L. 9 M. 91 N. 94
Total of Part III.—Port Sanitary Districts	–	1	1	2	2	L. 1
Total (*i.e.*, of returns received), England and Wales ...	346	1320	955	24	3523	C. 30 D. 15 E. 11 F. 2 G. 39 L. 10 M. 111 N. 118

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poliocephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate. } { Births, Deaths (distinguishing certain Ca and Deaths of Infants under 1 Yea Age) and Notified Cases of certain fectious Diseases in the last Thir Weeks.

Week ended :—	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8	Jan. 15	Jan. 22	Jan. 29.	Feb. 5	Feb. 12.	I
LONDON :—													
Deaths—all ages	950	1,043	1,170	1,161	1,070	1,473	1,602	1,648	1,908	2,045	1,912	1,704	1
" 0 to 1 year ..	98	108	154	127	126	137	137	122	135	162	137	100	
GREAT TOWNS, aggregate (including London):—													
Births	6,352	6,515	6,646	6,238	5,347	6,469	7,332	6,929	6,231	6,475	7,020	6,293	7
Deaths—all ages	4,193	4,498	4,919	4,797	4,556	5,898	5 883	5,917	6,427	7,320	7 302	7,286	8
" 0 to 1 year ..	481	518	643	574	563	690	675	656	630	731	716	670	
Enteric Fever—Cases	25	16	16	16	8	13	15	16	9	14	18	11	
" Deaths	4	3	2	4	5	2	1	1	2	2	3	1	
Small Pox—Cases ..	40	39	29	26	48	34	45	228	119	116	133	106	
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	1	
Scarlet Fever—Cases	1,130	961	950	801	756	881	818	791	787	809	684	705	
" Deaths	4	7	8	5	9	2	4	6	4	6	11	6	
Diphtheria—Cases ..	814	872	793	784	707	671	788	771	715	735	700	619	
" Deaths ..	46	39	47	40	36	51	48	38	39	43	51	45	
Measles—Deaths ..	8	18	15	28	14	36	28	34	43	50	43	47	
Influenza—Deaths ..	52	68	52	60	69	86	173	326	470	725	818	769	

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 19th February, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainf in Mill metre
	°	°	°	°			°	°	°	°	
London (Greenwich).	53	29	46·0	34·3	4	Huddersfield	53	22	45·9	33·7	0
Brighton ..	49	27	44·9	35·9	4	Bradford ..	50	25	46·0	33·9	1
Portsmouth ..	48	29	44·5	35·3	7	Sheffield ..	56	22	48·3	35·1	2
Norwich (Eaton).	50	28	44·7	34·1	3	York (Museum)	61	25	47·4	34·6	1
Plymouth ..	53	35	49·6	38·3	6	Hull (Pearson Park).	56	25	47·3	34·9	1
Bristol (Clifton).	48	27	44·6	32·7	7	Tynemouth ..	57	25	48·4	36·3	0
Birmingham (Edgbaston).	54	25	45·0	34·6	5	Cardiff.. ..	50	32	45·0	35·3	8
Nottingham ..	49	25	45·7	32·9	4	Edinburgh ..	51·0	26·0	47·0	35·3	2
Birkenhead (Bidston).	51	24	44·7	34·6	1	Glasgow ..	47·8	25·0	45·5	34·5	9
Manchester (Whitworth Park).	50	24	46·7	34·9	7	Dublin (Phœnix Park).	61·7	19·5	51·7	31·7	12
						(Fitzwilliam Square†).	53·1	26·0	49·5	35·9	11
Burnley.. ..	48	20	45·0	31·0	6	Belfast.. ..	57·0	29·5	51·4	35·1	2

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 19th February, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	13	Greatest Declination N.	30·249	38·7	28·9	9·8	32·3	− 6·7	32·3	0·0	2·4	0·0	100	56·8	22·1	42·0	Calm	Calm	0·0	0·0	0·0	39	− 288	0·00
MONDAY -	14	..	30·382	46·5	29·1	17·4	36·9	− 2·4	35·8	1·1	7·6	0·0	96	59·6	29·7	42·0	Calm	SW: Calm.	0·2	0·0	0·0	124	− 202	0·00
TUESDAY -	15	..	30·362	40·7	35·6	5·1	37·8	− 1·6	37·3	0·5	2·3	0·0	98	52·0	36·0	41·9	Calm	Calm: S.	0·0	0·0	0·0	91	− 236	0·00
WEDNESDAY	16	Full	30·226	45·3	37·0	8·3	41·5	+ 2·0	40·6	0·9	2·1	0·8	97	49·3	36·4	41·9	Calm: SW.	Calm	0·0	0·0	0·0	143	− 186	0·00
THURSDAY -	17	..	30·124	52·8	44·0	8·8	47·4	+ 7·8	44·1	3·3	10·5	1·0	88	55·9	39·6	42·0	Calm: SW.	WSW: NW.	1·0	0·0	0·0	191	− 140	0·00
FRIDAY -	18	..	30·036	47·6	41·0	6·6	43·7	+ 4·2	37·6	6·1	9·1	3·7	79	79·6	35·5	42·0	NNW	NNW: N.	0·8	0·0	0·1	232	− 100	0·00
SATURDAY -	19	Apogee	30·124	47·1	34·0	13·1	39·2	− 0·3	35·5	3·7	13·0	0·3	86	94·7	26·8	42·0	N: Calm.	Calm: S.	0·5	0·0	0·0	146	− 186	0·00
MEANS -		..	30·215	45·5	35·7	9·9	39·8	+ 0·4	37·6	2·2	6·7	0·8	92	64·0	32·3	42·0	Calm		..	..	..	Sum 966	Sum −1338	Sum 0·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	13	mP till 11h.; wP till 13h.; mP. till 21h.; then wP.	0·0	9·8	Overcast and fog throughout. Hoar frost in morning and at night.
MONDAY ..	14	Variably mP and wP till 8h.; wP till 14h.; then mP.	0·6	9·8	Overcast till 10h.; nearly cloudless till 15h., then becoming overcast by 16½h. Fog till 22h.
TUESDAY ..	15	mP.	0·0	9·9	Overcast. Fog till 12h., then mist. Slight damping 21½h. till 23h.
WEDNESDAY	16	mP till 2h.; wP till 11h.; then mP.	0·0	10·0	Overcast. Slight damping 8h. till 9h. Slight fog from 8h.
THURSDAY	17	mP till 2½h.: wP till 6h.; then mP.	0·0	10·0	Overcast. Fog till 1h. Mist 7h. till 15½h.
FRIDAY ..	18	mP till 22h.; then wP.	0·1	10·1	Overcast generally.
SATURDAY	19	wP till 9½h.; mP. till 13h.; then wP.	0·8	10·1	Nearly overcast generally. Mist 7h. till 10h.
			Sum 1·5	Sum 69·7	
No. of Col. ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate: s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 30·16 ins. at the beginning of the week to 30·39 ins. by 21h. on 14th; decreased to 30·02 ins. by 15h. on 18th; increased to 30·16 ins. by 10h. on 19th; decreased and was 30·06 ins. by midnight on the same day.

FOR OFFICIAL USE

1927. No. 8.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 26TH FEBRUARY 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast,
or through any Bookseller.
1927.
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 26TH FEBRUARY, 1927.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eighth week of the year numbered 6,490 and corresponded to an annual rate of 17·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 7,827 and corresponded to an annual rate of 21·0 per 1,000 of their aggregate civilian population, which is estimated at 19,411,253 in the year 1926. In the preceding three weeks the rates had been 19·6, 19·6 and 22·6. Infant mortality based on the average weekly number of births during the last 52 weeks, was 118 per 1,000 births against 105, 98 and 125 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,458 births, corresponding to a rate of 16·5 per 1,000, and 1,278 deaths of civilians, corresponding to an annual rate of 14·5, against 21·6, 19·3 and 18·7 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 18·5 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 65 as against 88, 65 and 79 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 8,411 to 7,827; the deaths from influenza which had been 818, 759 and 987 in the preceding three weeks, rose to 1,023 last week.

The increase of influenza in the different parts of the country was almost uniform until the week ended 5th February. It is now decreasing in the Midlands, South and Wales but has again increased in the North. The rates per million population in the Great Towns of the North, Midlands, South and Wales and in London are shown below.

—	North.	Midlands.	South (excluding London).	Wales.	London.
Week ended 8th Jan....	6·2	5·7	9·1	13·8	15·6
" " 29th Jan....	13·9	44·2	60·3	51·6	54·8
" " 5th Feb.	16·3	62·2	71·4	49·1	46·7
" " 12th Feb.	27·4	50·3	58·4	54·1	34·6
" " 19th Feb.	55·0	62·4	52·5	66·7	27·8
" " 26th Feb.	82·6	50·8	39·4	30·6	17·6

In the North the greatest numbers of deaths occurred in Manchester, 88; Liverpool, 47, and Sheffield, 44. In the Midlands, in Birmingham, 55.

In London the number of deaths from all causes decreased from 1,652 to 1,278. Of the 1,278 deaths 549 were of persons aged 65 years and upwards, and of these 549 deaths 34 resulted from influenza, 152 from diseases of the circulatory system and 151 from diseases of the respiratory system; the deaths from whooping cough numbered 26 as against 26, 34 and 26 in the three weeks preceding; and the total deaths from influenza which had been 215, 159 and 128 in the preceding three weeks, further fell to 81 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 26th February, 1927.

Towns.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,411,253*	6,490	7,827	802	4	59	8	137	41	31	1023
London	4,605,400*	1,458	1,278	101	1	1	1	26	11	3	81
Towns in Outer Ring.											
Croydon C.B ..	205,900	85	67	7	-	-	-	2	-	1	7
Wimbledon ..	58,030	12	10	1	-	-	-	-	-	-	1
Ealing	91,783	31	22	3	-	-	-	-	-	-	2
Acton	63,040	8	15	1	-	-	-	-	-	-	1
Willesden ..	165,270	61	48	6	-	-	-	2	-	-	2
Hendon	62,670*	20	12	1	-	-	-	-	-	-	-
Hornsey	87,220	17	17	1	-	-	-	-	-	-	1
Wood Green ..	51,940	10	14	-	-	-	-	-	-	-	1
Tottenham ..	151,520	40	33	2	-	-	-	-	-	-	2
Edmonton ..	71,700	53	17	3	-	-	-	3	-	1	-
Enfield	63,640	12	20	4	-	-	-	-	1	-	2
West Ham C.B. ..	315,900	131	87	11	1	-	-	5	-	-	4
East Ham C.B. ..	146,600	41	39	4	-	-	-	-	1	1	1
Leyton	130,000	23	35	-	-	-	1	-	-	-	2
Walthamstow ..	125,500	30	41	4	-	-	1	1	1	-	2
Ilford	100,500	45	20	4	-	-	-	-	-	-	2
Gillingham	47,820*	22	9	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	6	4	-	-	-	-	-	-	-	-
Hastings C.B.	61,340	11	21	3	-	-	-	-	-	-	2
Eastbourne C.B. ..	56,060	13	11	1	-	-	-	1	-	-	1
Brighton C.B. ..	139,500*	49	44	5	-	-	-	-	2	-	6
Portsmouth C.B. ..	231,500*	66	84	2	-	-	-	-	-	-	11
Bournemouth C.B. ..	90,100	24	47	2	-	-	-	-	-	-	3
Southampton C.B. ..	169,300	58	76	5	-	3	-	-	-	-	9
Reading C.B.	93,090*	25	37	3	-	1	-	-	-	-	5
Oxford C.B.	56,800	16	28	1	-	-	-	-	-	-	5
Northampton C.B. ..	93,530*	26	34	2	-	-	-	-	-	-	6
Luton	59,240	15	10	1	-	-	-	-	-	-	2
Cambridge	58,820	19	18	3	-	-	-	-	-	-	1
Southend-on-Sea C.B.	104,300	21	39	4	-	-	-	-	-	-	7
Ipswich C.B.	84,140	23	27	3	-	-	-	2	-	-	5
Great Yarmouth C.B.	57,760	19	28	4	-	-	-	4	-	-	1
Norwich C.B. ..	123,500*	46	53	6	-	-	-	-	-	-	8
Swindon	57,320	16	17	-	-	-	-	-	-	-	2
Exeter C.B.	60,340*	21	26	1	-	-	-	-	-	-	2
Plymouth C.B. ..	187,300*	78	84	3	-	-	1	-	-	-	4
Bath C.B.	69,000	17	36	-	-	-	-	-	-	-	8
Bristol C.B.	383,300*	137	123	17	-	-	-	1	1	-	14
Gloucester C.B. ..	59,050	13	23	3	-	-	-	-	1	-	5
Stoke-on-Trent C.B.	275,600	111	139	26	-	-	-	6	-	-	14
Burton-upon-Trent C.B.	48,660	14	32	6	-	-	-	3	1	-	7
Wolverhampton C.B.	110,000	37	88	8	-	-	-	10	1	-	9
Walsall C.B.	102,100	34	69	9	-	-	-	-	-	-	19
West Bromwich C.B	79,920	33	51	8	-	-	-	2	-	2	13
Dudley C.B.	58,930	20	31	5	-	-	-	-	-	-	4
Worcester C.B. ..	50,660	20	17	2	-	-	-	-	-	-	1
Birmingham C.B. ..	934,300*	322	401	47	-	10	-	6	2	8	55
Smethwick C.B. ..	76,940	22	40	8	-	1	-	-	-	-	10
Coventry C.B. ..	127,800	41	58	2	-	-	1	-	-	-	8
Leicester C.B. ..	241,700	66	72	9	-	-	-	1	-	1	6
Lincoln C.B.	65,760*	31	21	3	-	-	-	-	-	-	-
Grimsby C.B.	88,580	29	32	9	-	-	-	-	1	-	2
Nottingham C.B. ..	268,000	90	159	12	-	-	2	1	2	-	24
Derby C.B.	136,600*	47	77	11	-	-	-	4	-	-	20
Chesterfield ..	66,650	23	36	5	-	-	-	-	-	-	8
Stockport C.B. ..	125,400	30	47	4	-	-	-	1	-	1	5
Chester C.B.	41,710	13	17	2	-	-	-	1	-	-	4
Birkenhead C.B. ..	158,000	57	75	9	-	-	-	-	-	-	11
Wallasey C.B. ..	93,050	18	39	1	-	-	-	-	-	-	3
Liverpool C.B. ..	862,600	346	458	44	-	8	-	5	1	5	47
Bootle C.B.	84,580	36	31	2	-	1	-	-	-	-	4
St. Helens C.B. ..	110,000	52	35	6	-	-	-	-	-	-	2

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1926.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from						
					Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	77,970	17	48	2	-	-	-	-	-	-	8
WIGAN C.B.	88,620	31	38	4	-	-	-	-	-	-	4
WARRINGTON C.B. ..	76,940*	29	24	5	-	-	-	1	-	-	8
BOLTON C.B.	177,000	49	99	8	-	-	-	-	2	-	30
BURY C.B.	56,840*	12	55	4	-	-	-	-	-	-	15
MANCHESTER C.B. ..	752,000	281	436	34	-	-	-	11	1	1	88
SALFORD C.B.	247,400	69	151	12	-	1	-	1	1	1	29
OLDHAM C.B	143,000	39	57	1	-	-	-	1	1	-	13
ROCHDALE C.B... ..	91,510	19	68	7	-	-	-	1	-	-	16
BURNLEY C.B.	99,600	26	86	13	-	3	-	1	-	-	33
BLACKBURN C.B. ..	124,400	40	117	7	-	6	-	-	1	-	28
PRESTON C.B.	124,200	44	78	6	-	-	-	1	-	-	14
BLACKPOOL C.B. ..	88,640	23	61	4	-	-	-	-	-	-	21
BARROW-IN-FURNESS C.B.	70,420	22	32	1	-	-	-	-	-	-	6
HUDDERSFIELD C.B. ..	111,900	29	71	4	-	-	-	-	1	-	15
HALIFAX C.B.	96,130*	29	88	7	-	-	-	2	-	-	15
BRADFORD C.B. ..	288,700	73	162	19	-	7	-	1	1	-	28
LEEDS C.B.	473,400	169	177	23	1	7	-	3	2	2	14
DEWSBURY C.B ..	53,630	19	32	1	-	-	-	-	-	-	5
WAKEFIELD C.B. ..	53,830	17	20	3	-	1	-	-	-	-	1
BARNSLEY C.B. ..	70,760	28	32	6	-	1	-	3	-	-	2
SHEFFIELD C.B. ..	523,300*	140	237	31	-	-	1	14	1	-	44
ROTHERHAM C.B. ..	70,080	38	42	8	-	-	-	2	-	-	7
DONCASTER	55,700	22	20	-	-	-	-	-	-	-	1
YORK C.B.	84,430*	24	35	7	-	-	-	1	-	-	10
HULL C.B.	294,600	102	142	20	-	1	-	2	1	-	14
MIDDLESBROUGH C.B.	133,600	64	49	6	1	-	-	-	-	-	4
DARLINGTON C.B. ..	70,700	29	38	4	-	-	-	2	-	-	3
STOCKTON-ON-TEES ..	67,910	30	35	3	-	1	-	-	-	-	6
WEST HARTLEPOOL C.B.	71,060	38	35	8	-	-	-	1	-	-	4
SUNDERLAND C.B. ..	163,800	85	76	6	-	-	-	-	-	-	6
SOUTH SHIELDS C.B. ..	123,900	59	54	7	-	-	-	1	-	-	8
GATESHEAD C.B. ..	127,700	52	38	7	-	1	-	-	-	1	2
NEWCASTLE-ON-TYNE C.B.	284,700*	130	94	15	-	-	-	-	-	-	2
TYNEMOUTH C.B. ..	66,560	21	24	2	-	1	-	-	-	-	-
CARLISLE C.B.	56,140*	16	22	4	-	-	-	-	-	-	1
NEWPORT (MON.) C.B.	96,620	34	31	8	-	1	-	-	-	1	3
CARDIFF C.B.	225,600*	74	86	20	-	1	-	-	2	1	1
RHONDDA	162,500	55	47	5	-	-	-	1	1	-	7
MERTHYR TYDFIL C.B.	80,690	25	25	-	-	-	-	-	-	-	3
ABERDARE	56,930	15	21	2	-	-	-	-	-	-	5
SWANSEA C.B.	163,200	62	65	8	-	2	-	-	-	1	5
GREATER LONDON ..	7,791,310*	2,448	2,120	178	2	1	3	41	17	11	148
OUTER RING	3,185,910*	990	842	77	1	-	2	15	6	8	67
16 GREAT TOWNS IN OUTER RING	1,891,123*	619	497	52	1	-	2	13	3	3	30
REMAINDER OF OUTER RING	1,294,787*	371	345	25	-	-	-	2	3	5	37
EDINBURGH†	426,100‡	160	152	14	-	3	-	-	1	1	11
GLASGOW† ..	1,049,000‡	473	334	49	-	1	3	11	1	5	19
DUBLIN (REGISTRATION AREA)†	421,000	220	267	36	-	1	1	19	-	2	30
BELFAST†	416,000	164	129	23	-	-	1	7	1	2	3

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Revised provisional populations for 1927.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peric

Cities	Population (enumerated or estimated)	Date of Return. Week ended	Births. Exclusive of Still	Deaths. Exclusive of born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza
		1927.											
London‡	4,605,400	Feb. 26	1458	1278	14·5	1	-	1	1	26	11	3	8
		1926–27.											
Calcutta and Suburbs	1,077,273	Jan. 22											
Bombay§	1,298,708	" 22	386	544‖	21·8	-	15	2	-	-	-	20	
		" 29	434	507	20·3	2	10	2	-	-	-	12	
Madras	528,791	" 22	556	429	42·1	6	1	-	-	1	-	24	-
Sydney and Suburbs	1,038,950	Jan. 31 (31 days)											
Brisbane (Metropolitan Area).	263,711	Dec. 31 (31 days)											
Perth (Metropolitan Area).	179,388	Jan. 15											
Auckland (Urban Area).	192,176	Dec. 31 (31 days)	311	165	10·3	-	-	-	-	-	-	2	-
Wellington (Urban Area).	121,324	Dec. 31 (31 days)	210	96	9·6	-	-	-	-	-	-	2	-
Christchurch (Urban Area).	118,408	Dec. 31 (31 days)	188	91	9·2	-	-	-	-	1	1	-	2
Cape Town	113,709	Jan. 29	50	22	9·9	1	-	-	-	-	-	-	-
Johannesburg	172,189	" 22	88	47	14·2	2	-	-	-	1	1	-	-
Durban	54,738	" 22	17	9	8·6	-	-	-	-	-	-	1	-
Paris	2,871,429	Feb. 10 (10 days)	1305	1277	16·2	5	1	33	7	5	4	33	7
Antwerp	300,183	Jan. 22	83	69	11·8	-	-	2	-	-	1	-	3
		" 29	86	68	11·8	-	-	1	-	1	-	2	3
Amsterdam	726,531	Feb. 5	267	145	10·4	-	-	1	-	3	1	2	13
Copenhagen	592,000	" 12	169	161	14·2	-	-	-	-	-	-	-	23
Stockholm	442,528	" 5	105	182	21·4	-	-	-	-	-	1	-	46
Gothenburg	231,624	Jan. 29	?	52	11·7	-	-	-	-	-	2	-	6
Oslo (Christiania) ..	255,724	Feb. 12	44	62	12·6	-	-	1	-	-	-	-	2
Berlin	1,992,000	" 5	419	613	16·0	-	?	2	2	3	10	2	42
Breslau	561,000	" 5	177	145	13·4	-	?	2	1	1	-	2	7
Cologne	711,000	" 5	247	194	14·2	1	?	2	-	3	-	2	31
Dresden	624,000	" 5	144	146	12·2	-	?	2	-	2	-	-	3
Frankfort-on-Main ..	471,000	" 5	105	110	12·1	-	?	-	2	-	-	-	17
Hamburg	1,111,000	" 5	277	383	17·9	-	?	-	2	1	-	-	32
Leipzig	685,000	" 5	195	175	13·3	-	?	-	-	-	1	-	11
Munich	685,000	" 5	173	226	17·2	-	?	2	-	1	-	-	20
Vienna	1,871,607	June 30 (30 days)											
Prague and Suburbs	725,196	Oct. 31 (31 days)											
Budapest	971,169	Feb. 5	285	331	17·7	1	-	4	4	1	6	2	26
Warsaw	1,015,426	" 5	401	292	15·0	2	-	4	6	2	-	11	8
Cairo	859,400	Nov. 18	950	388	23·5	5	1	-	-	?	6	33	?
Alexandria	492,100	" 18	488	202	21·4	2	-	-	-	?	1	16	?
New York	5,924,018	Feb. 5	?	1573	13·9	2	-	-	2	3	12	13	20
Chicago	3,101,000	" 4	1173	775	13·0	-	-	5	2	1	10	11	17

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 2 deaths from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 26th February, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1278	101	43	30	16	50	63	75	144	207	249	300
Enteric fever..	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-		-	-	-	-	-
Scarlet fever	1	1	-	-	-	-	-	-	-	-	-	-
Whooping cough	26	11	9	5	1	-	-	-	-	-	-	-
Diphtheria	11	-	2	6	3	-	-	-	-	-	-	-
Influenza	81	1	2	2	-	4	4	8	9	17	14	20
Erysipelas	3	-	-	-	-	-	1	-	-	1	1	-
Acute Poliomyelitis, Polioencephalitis	1	1	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	3	1	-	-	-	-	-	-	1	1	-	-
Meningococcal meningitis	2	-	1	-	1	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	87	-	-	-	-	18	27	14	13	9	5	1
Nervous system	6	2	3	-	1	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	5	1	-	-	-	-	-	-	1	1	2	-
Venereal diseases	1	-	-	-	-	1	-	-	-	-	-	-
Cancer	115	-	-	-	-	1	2	5	22	33	32	20
Rheumatic fever	4	-	-	-	1	1	1	-	1	-	-	-
Diabetes	10	-	-	-	-	-	-	1	1	3	4	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	-	-	1	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	47	-	-	-	-	-	1	1	8	6	14	17
Epilepsy	4		-	-	-	3	1	-	-	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	34	-	1	2	2	3	1	2	8	8	6	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	1	1	1	1	-	-	-	-
Other diseases of heart	183	-	-	-	-	3	6	6	15	42	50	61
Other diseases of circulatory system	62	-	-	-	-	-	-	-	7	14	19	22
Bronchitis	156	2	1	1	-	2	-	7	15	22	39	67
Broncho-pneumonia	89	24	14	9	-	1	1	3	5	11	9	12
Lobar-pneumonia	30	4	2	1	2	1	1	3	7	6	2	1
Pneumonia (type not distinguished)	17	1	1	1	-	-	1	1	4	1	5	2
Other diseases of respiratory system	26	-	-	-	-	1	1	1	1	8	3	11
Diarrhœa and enteritis	6	3	-	-	-	-	-	1	1	-	-	1
Appendicitis, Typhlitis	6	-	-	-	-	2	-	2	-	2	-	-
Hernia, Intestinal obstruction.. ..	17	-	-	-	1	-	-	1	3	3	4	5
Cirrhosis of liver	3	-	-	-	-	-	-	-	2	1	-	-
Other diseases of digestive system ..	36	1	-	-	-	1	4	4	7	4	8	7
Acute nephritis	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Bright's disease..	28	-	-	-	-	1	1	2	4	7	8	5
Other diseases of genito-urinary system.	13	-	-	-	-	-	-	2	-	2	7	2
Puerperal sepsis	4	-	-	-	-	-	-	4	-	-	-	-
Other causes incident to childbirth..	2	-			-	1	1	-	-	-	-	-
Congenital malformations	5	4	1	-	-	-	-	-	-	-	-	-
Premature birth	24	24			-	-	-		-	-	-	-
Debility, atrophy (congenital) ..	6	6	-		-				-	-		
Old age	41	-	-		-	-	-	-		-	6	35
Suicide	10	-			-	-	5	1	2	1	-	1
Burns and Scalds	9	1	2	2	-	-	-	-	-	-	4	-
Drowning	1	-	-	-	-	-	-	-	1	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	5	-	-	1	1	-	-	-	1	1	1	-
Other deaths by violence	9	-	-	-	-	-	1	1	2	1	1	3
Other specified causes	35	9	3	-	1	3	2	4	1	2	5	5
Ill-defined causes	1	-	-	-	-	-	-	-	1	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 26th February, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	197	269	4	188	C. 8 D. 2 E. 1 G. 2 L. 1 M. 21 N. 17
†CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	9	8	–	11	M. 2
†BERMONDSEY ...	–	10	10	–	1	D. 1
†BETHNAL GREEN	–	7	18	–	6	M. 1 N. 1
†CAMBERWELL ...	–	12	8	–	7	M. 1 N. 1
†CHELSEA	–	3	4	–	5	–
†DEPTFORD ...	–	6	10	1	5	L. 1 M. 1 N. 1
†FINSBURY ...	–	3	2	–	3	M. 3
†FULHAM	–	2	8	–	6	C. 2 M. 1 N. 1
†GREENWICH ...	–	7	8	–	5	E. 1
†HACKNEY ...	–	9	12	–	3	G. 1 N. 3
†HAMMERSMITH ...	–	5	13	–	2	–
†HAMPSTEAD ...	–	1	2	–	–	–
†HOLBORN... ...	–	3	–	–	2	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	14	19	–	8	M. 2
†KENSINGTON ...	–	1	15	–	5	N. 1
†LAMBETH ...	–	5	18	–	26	C. 1 D. 1 M. 1 N. 1
†LEWISHAM ...	–	4	7	–	8	C. 1
†PADDINGTON ...	–	5	7	1	8	M. 1
†POPLAR	–	24	12	–	14	M. 2 N. 1
†ST. MARYLEBONE	–	5	11	–	2	N. 1
†ST. PANCRAS ...	–	5	4	1	10	C. 2 G. 1 M. 1 N. 1
†SHOREDITCH ...	–	4	6	–	5	M. 3 N. 1
†SOUTHWARK ...	–	10	22	1	6	M. 1 N. 1
†STEPNEY	–	24	17	–	6	C. 1 M. 1
†STOKE NEWINGTON	–	1	4	–	–	–
†WANDSWORTH ...	–	10	13	–	24	N. 2
†WESTMINSTER, CITY OF	–	2	7	–	2	N. 1
†WOOLWICH ...	–	5	3	–	8	C. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	4	5	–	12	M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	2	–	–	–	–
BIGGLESWADE ...	–	–	–	–	2	–
KEMPSTON ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	1	3	–	–	M. 1
Rural Districts:—						
AMPTHILL ...	–	–	2	–	4	–
BIGGLESWADE ...	–	–	–	–	5	–
BERKS	–	3	3	–	3	G. 1 M. 1
†READING C.B. ...	–	1	–	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
WOKINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
BRADFIELD ...	–	–	–	–	2	–
COOKHAM ...	–	1	–	–	–	–
HUNGERFORD ...	–	–	1	–	–	–
WINDSOR... ...	–	–	–	–	1	–
WOKINGHAM ...	–	1	1	–	–	–
BUCKINGHAM ...	–	7	–	–	3	C. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BEACONSFIELD ...	–	–	–		–	C. 1
†CHEPPING WYCOMBE	–	3	–	–	1	–
†WOLVERTON ...	–	1	–	–	–	
Rural Districts:—						
LONG CRENDON...	–	1	–	–	–	–
NEWPORT PAGNELL ...	–	1	–	–	–	–
WINSLOW... ...	–	–	–	–	1	–
WYCOMBE ...	–		–	–	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ..	–	2	–	–	3	–
Borough:—						
†CAMBRIDGE ...	–	2	–	–	1	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
MELBOURN ...	–	–	–	–	1	–
CHESTER	–	43	28	–	109	C. 2 E. 2 M. 4 N. 2
†BIRKENHEAD C.B.	–	1	5	–	28	M. 2 N. 1
†CHESTER C.B. ..	–	1	–	–	9	E. 2
†STOCKPORT C.B.	–	9	4	–	9	–
†WALLASEY C.B. ...	–	9	1	–	6	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	–	–	1	–
ASHTON UPON MERSEY			–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	1	–	–	2	–
†CONGLETON ...	–	1	–	–	2	–
†CREWE	–	1	–		6	N. 1
†DUKINFIELD ...	–	–	1	–	7	C. 1
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	–	6	–	2	–
†HYDE	–	1	2	–	2	–
†MACCLESFIELD ...	–	–	1	–	3	–
MIDDLEWICH ...	–	–	–	–	1	–
MOTTRAM IN LONGDENDALE	–	–	–	–	1	–
NANTWICH ...	–	–	–	–	2	–
†NORTHWICH ...	–	–	2	–	4	–
†RUNCORN... ...	–	3	–	–	–	–
SANDBACH ...	–	–	–	–	1	–
†STALYBRIDGE ...	–	–	2	–	1	–
WILMSLOW ...	–	–	–		2	–
†WINSFORD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
I, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
CHESTER	–	1	1	–	1	–
CONGLETON ...	–	–	–	–	4	–
DISLEY	–	1	–	–	1	–
MACCLESFIELD ...	–	1	1	–	1	–
NANTWICH ...	–	5	–	–	–	C. 1 M. 1
NORTHWICH ...		3	–	–	3	–
RUNCORN ...	–	2	1	–	4	–
TARVIN	–	1	1	–	1	–
WIRRAL	–	–	–		2	M. 1
CORNWALL ..	–	7	2	10	23	L. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–	2	–
†FALMOUTH ...	–	1	–		–	L. 1
HELSTON		–	–	–	1	–
LISKEARD ...	–	–	–	10	–	–
LOOE	–	–	–	–	1	–
MADRON	–	–		–	2	–
PADSTOW... ...	*	*	*	*	*	*
REDRUTH ...	–	–	–	–	11	–
ST. IVES	–	3	–	–	–	–
ST. JUST	–	1	–	–	–	–
SALTASH... ...	–	–	–		1	–
Rural Districts:—						
EAST KERRIER ...	–	1	–	–	–	–
HELSTON	–	–	–	–	2	–
LISKEARD ...	–	–	–		2	–
REDRUTH ...	–	–	1	–	1	–
ST. COLUMB MAJOR	*	*	*	*	*	*
TRURO	–	–	1	–	–	–
CUMBERLAND ...	–	12	5	–	7	N. 1
†CARLISLE C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
CLEATOR MOOR ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
HOLME CULTRAM	–	5	–	–	–	–
KESWICK	–	1	–	–	–	–
MILLOM	–	–	–	–	1	–
PENRITH	–	–	1	–	–	–
†WHITEHAVEN ...	–	–	–	–	2	–
Rural Districts:—						
BRAMPTON ...	–	–	2	–	–	–
CARLISLE ...	–	4	–	–	2	–
WHITEHAVEN ...	–	–	1		–	N. 1
WIGTON		1	–	–	–	–
DERBY	13	14	10	–	130	C. 1 M. 1
†DERBY C.B. ...	6	3	4	–	36	–
Boroughs and Urban Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	–	–	–	1	–
†BELPER	2	–	–	–		–
†BOLSOVER ...	–	–	–	–	6	–
†BUXTON	–	–	–	–	3	–
†CHESTERFIELD ...	–	3	–	–	8	C. 1
†GLOSSOP	–	1	–		3	–
†HEANOR	–	1	–	–	7	–
†ILKESTON ...	–	–	–	–	3	–
†LONG EATON ...	–	3	–	–	1	–
NEW MILLS ...	–	–	–		1	–
NORTH DARLEY...	*	*	*	*	*	*
†RIPLEY	–	–	–	–	7	–
†SWADLINCOTE DISTRICT	–	–	–	–	6	M. 1
WIRKSWORTH ...	–	–	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	3	–
BELPER	5	–	1	–	2	–
BLACKWELL ...	–	–	2	–	12	–
CHESTERFIELD ...	–	1	3	–	15	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CLOWNE	–	–	–	–	3	–
REPTON	–	–	–	–	1	–
SHARDLOW ...	–	2	–	–	10	–
DEVON	–	24	6	–	36	C. 1 D. 1 G. 1 M. 1 N. 1
†EXETER C.B. ...	–	2	–	–	4	C. 1
†PLYMOUTH C.B...	–	10	6	–	7	D. 1 M. 1
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	–		2	–
†BARNSTAPLE ...	–	–	–	–	3	N. 1
BIDEFORD ...	*	*	*	*	*	*
BRIXHAM... ...	–	2	–	–	1	–
BUCKFASTLEIGH	*	*	*	*	*	*
DAWLISH... ...	–	–	–	–	1	–
†EXMOUTH ...	–	–		–	1	–
GREAT TORRINGTON	–	1	–	–	2	–
HONITON... ...	–	–	–	–	1	–
KINGSBRIDGE ...	–	–	–	–	1	–
†NEWTON ABBOT	–	1	–	–	–	–
NORTHAM ...	–	–	–	–	1	–
†PAIGNTON ...	–	–	–	–	1	–
†TORQUAY ...	–	1	–	–	3	–
Rural Districts:—						
BIDEFORD ...	–	1	–	–	–	–
CREDITON ...	–	–	–	–	1	–
HONITON ...	–	–	–		3	–
KINGSBRIDGE ...	–	2	–	–	–	–
NEWTON ABBOT...		–	–	–	2	–
OKEHAMPTON ...	–	–	–	–	1	
PLYMPTON ST. MARY	–	4	–	–	–	–
ST. THOMAS ...		–		–	1	–
SOUTH MOLTON...	–	–	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	7	3	–	9	F. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	2	–	–	–	–
†POOLE	–	1	–	–	6	–
Rural Districts:—						
BEAMINSTER ...		–	–		2	–
BRIDPORT ...	–	3	–	–	–	–
CERNE	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	3	–	1	F. 1
DURHAM	216	54	36	–	144	G. 3 M. 6 N. 2
†DARLINGTON C.B.	2	1	2	–	12	M. 1
†GATESHEAD C.B.	1	11	5	–	3	G. 1
†SOUTH SHIELDS C.B.	27	1	2	–	7	–
†SUNDERLAND C.B.	–	5	–	–	19	–
†WEST HARTLEPOOL C.B.	–	–	3	–	6	M. 2
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	5	1	1	–	–	–
BENFIELDSIDE ...	–	–	1	–	–	–
†BLAYDON... ...	–	2			1	–
†BRANDON AND BYSHOTTLES	11	1	1		–	–
†CHESTER LE STREET	13	1	–	–	1	–
†CONSETT	4	–	–	–	–	–
†CROOK	6	–	–	–	–	–
†DURHAM	1	1	–	–		–
†FELLING	1	1	–	–	4	–
†HARTLEPOOL ...	–	–	3	–	3	–
†HEBBURN ...	2	1	–	–	7	–
†HETTON	10	1	–	–	3	–
†HOUGHTON LE SPRING	1	–		–	4	–
†JARROW	12	3	–	–	23	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Leadgate ...	–	3	–	–	1	–
†Ryton	–	1	–	–		–
†Shildon	12		1	–	–	–
†Southwick on Wear	–	–	–		1	–
†Stanley	3	3	2	–	–	–
†Stockton on Tees	–	4	2	–	4	M. 1 N. 1
†Tanfield ...	1	1	1	–	–	–
Tow Law ...	–	–	–	–	3	–
†Washington ...		–	–	–	1	–
†Whickham ...	–	–	2	–		–
Willington ...	4	–	1	–	–	–
Rural Districts:—						
Auckland .	20	1	1		–	N. 1
Barnard Castle	2		–	–	–	–
Chester le Street	30	–	–	–	2	M. 2
Darlington ...	1	1	–	–	–	–
Durham	4	1	–		3	
Easington ..	22	6	3	–	19	G. 1
Houghton le Spring	2	–		–	1	–
Lanchester ...	10	3	2	–	8	G. 1
Sedgefield ...	9	–	2		–	–
Sunderland ..		–	1	–	6	–
Weardale ...		–	–	–	2	–
ELY, ISLE OF ...	–	–	1	–	9	–
Boroughs and Urban Districts:—						
March	–	–	1	–		–
Whittlesey ...	–	–	–	–	4	–
†Wisbech	–		–	–	1	–
Rural Districts:—						
Ely	–	–	–	–	3	–
Wisbech	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	91	54	–	50	C. 2 G. 1 M. 2 N. 3
†East Ham C.B. ...	–	6	7	–	–	–
†Southend-on-Sea C.B.	–	8	3	–	4	–
†West Ham C.B. ...	–	21	14	–	12	N. 1
Boroughs and Urban Districts:—						
†Barking Town ...	–	1	1	–	3	–
Brentwood ...	–		1	–	–	–
Brightlingsea	–		–	–	1	–
Buckhurst Hill	–	2	–	–	–	–
†Chelmsford ...	–		1	–	–	M. 1
†Clacton		1	–	–	–	–
†Colchester ...	–		–	–	4	–
Dagenham ...	–	7	–	–		M. 1
†Grays Thurrock	–	1	–	–	–	–
Halstead ...	–	–	–		1	–
†Ilford		7	2	–	1	C. 1
†Leyton	–	8	5	–	1	–
Maldon	–	–	–	–	3	–
Shoeburyness ...	–	–	–		1	–
Tilbury	–	–	4	–	–	–
†Walthamstow ...	–	11	9	–	2	C. 1
†Wanstead ...	–	2	–	–	1	–
Wivenhoe ...			–		1	–
†Woodford ...	–	1	–	–	–	–
Rural Districts:—						
Billericay ...	–	1	3	–	2	–
Braintree ...	–	1	–	–	–	–
Dunmow	–	–	1	–	3	–
Epping	–	3	–	–	–	–
Halstead ...	–	2	–	–	–	–
Maldon	–	–	1	–	2	N. 2
Rochford ...		3	1	–	3	–
Romford... ..	–	3	–		1	–
Saffron Walden	–	2	–	–	–	G. 1
Tendring ...	–	–	1	–	4	–
GLOUCESTER	–	35	19	–	44	D. 1 G. 1 N. 1
†Bristol C.B. ..	–	16	14	–	24	D. 1
†Gloucester C.B	–	3	–		10	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	2	3	–	1	–
CIRENCESTER ...	–	1	–	–	–	–
COLEFORD ...	–	–	–	–	–	G. 1
†KINGSWOOD ...	–	–	1	–	–	–
STROUD	–	1	–	–	–	–
Rural Districts:—						
CAMPDEN... ...	–	–	–	–	3	–
CHELTENHAM ...	–	2	–	–	–	–
CHIPPING SODBURY	–	–	–	–	1	
DURSLEY... ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	2	–
NEWENT		1	–	–	–	–
STROUD	–	6	–	–	–	–
THORNBURY ...	–	–	–	–	2	–
WARMLEY ...	–	1	–	–	–	–
WHEATENHURST	–	–	–	–	1	–
WINCHCOMB(part)		–	–	–	–	N. 1
HEREFORD ..	–	1	–	–	7	N. 2
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	1	–
ROSS	–	–	–	–	–	N. 1
Rural Districts:—						
BROMYARD ...	–	–	–	–	3	–
DORE	–	–	–	–	–	N. 1
HEREFORD ...			–	–	1	–
ROSS	–	1	–		2	–
HERTFORD ...	–	5	7	–	12	C. 1 N. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	–	1	–	–	–
BUSHEY	–	1	–	–		–
†CHESHUNT ...	–	–	–	–	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
CHORLEYWOOD ...	–	2	–	–	–	–
†LETCHWORTH ...	–	–	–	–	3	–
ROYSTON	–	–		–	–	C. 1
†ST. ALBANS ...	–	–	3	–	–	–
SAWBRIDGEWORTH	–	1	–	–	1	–
STEVENAGE ...	–	–	–	–	2	–
TRING	–	–	1	–	–	–
WARE		–	1	–	–	–
†WATFORD ...	–	–	–	–	1	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
HITCHIN	–	–	–	–	1	–
WARE	–	1	–	–	1	–
WATFORD ...		–	–	–	1	–
WELWYN	–	–	1	–	–	–
HUNTINGDON ...	–	1	3		5	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	3	–
OLD FLETTON ...	–	–	–	–	1	–
ST. IVES	–	–	3	–		–
Rural Districts:—						
ST. IVES	–	–	–	–	1	–
KENT	–	62	43		47	G. 1 M. 4 N. 3
†CANTERBURY C.B.	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	1	–	–	3	–
†BECKENHAM ...	–	–	2	–	1	–
†BEXLEY	–	1		–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY ...	–	1		–	5	–
†CHATHAM ...		3	2	–	1	–
CHERITON ...	–	2	–		–	–
†CRAYFORD ..	–	–	1		–	–
†DARTFORD ...	–	1	2	–	1	M. 1
†DEAL	–	1	–	–	–	
†DOVER	–	1	–	–	1	M. 1
†ERITH	–	3	2		3	M. 1
†FAVERSHAM ...	–	1	1	–	–	–
†FOLKESTONE ...	–	–	–	–	3	N. 2
†GILLINGHAM ...	–	8	4	–	–	–
†GRAVESEND ...	–	2	1	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
†MAIDSTONE ...	–	10	–	–		–
†MARGATE .	–	–	1	–	–	–
MILTON REGIS ...	–	–	5	–	–	–
NEW ROMNEY ...	–		–	–	1	–
†NORTHFLEET ...	–		1	–	1	–
†PENGE	–	1	2	–	1	–
QUEENBOROUGH	–	–	–	–	1	–
†RAMSGATE ...	–	2	–		1	G. 1
†ROCHESTER ...	–	–	1	–	2	–
†ROYAL TUNBRIDGE WELLS	–	2	–	–	2	–
†SHEERNESS ..	–	–	–	–	1	–
SITTINGBOURNE	–	1	–		–	–
SWANSCOMBE ...	–	1	3	–	–	–
†TONBRIDGE ...	–	1	–		–	
WALMER	*	*	*	*	*	*
WHITSTABLE ...	–	3	–	–	1	–
Rural Districts:—						
BLEAN	–	–	1	–	1	–
BRIDGE	–	1	1		1	–
BROMLEY ...	–	–	1	–	–	–
CRANBROOK ...		–	–	–	–	N. 1
DARTFORD ...	–	–	4	–	1	–
EAST ASHFORD ...	–	1	1	–	–	–
EASTRY	–	–	–	–	4	–
FAVERSHAM ..	–	1	–	–	–	–
HOLLINGBOURNE	–	–	–	–	2	–
ISLE OF THANET			3	–	–	–
MAIDSTONE ...	–	1	1	–	–	
MALLING... ...	–	3	–	–	–	M. 1
KENT—*cont.*						
Rural Districts—*cont.*						
MILTON	–	3	–		–	–
ROMNEY MARSH...	–	1	–	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
SHEPPEY	–	–	–	–	2	–
STROOD	–	1	2	–	4	–
TENTERDEN ...	–	1	–	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD...	–	–	–	–	1	–
LANCASTER ..	–	133	122	6	946	C. 5 D. 1 E. 2 G. 10 L. 3 M. 30 N. 17
†BARROW IN FURNESS C.B	–	1	–	–	10	–
†BLACKBURN C.B.	–	2	2	–	39	N. 2
†BLACKPOOL C.B.	–	–	3	–	3	M. 1
†BOLTON C.B. ...	–	4	–	–	21	C. 1 D. 1 N. 2
†BOOTLE C.B. ...	–	1	–	–	9	M. 2
†BURNLEY C.B. ...	–	3	3	–	16	–
†BURY C.B. ...	–		1	–	31	N. 1
†LIVERPOOL C.B. ..	–	21	23	1	207	C. 2 G. 2 M. 14
†MANCHESTER C.B	–	28	18	2	250	C. 2 G. 4 M. 3 N. 2
†OLDHAM C.B. ...	–	6	5	–	10	N. 1
†PRESTON C.B. ...	–	1	3	–	11	N. 1
†ROCHDALE C.B. ...	–	3	3	–	2	E. 1
†ST. HELENS C.B....	–	2	11	–	9	G. 1 M. 2 N. 1
†SALFORD C.B. ...	–	8	14	–	50	G. 1 M. 1 N. 2
†SOUTHPORT C.B.	–	–	1		3	–
†WARRINGTON C.B.	–	–	3	–	23	–
†WIGAN C.B. ..	–	2	1	–	11	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
†ACCRINGTON ...	-	-	1	-	5	G. 1
ADLINGTON ...	-	-	-	-	1	-
†ASHTON IN MAKERFIELD	-	1	-	-	-	-
†ASHTON UNDER LYNE	-	1	-	-	2	-
†ATHERTON ...	-	1	1	-	2	-
AUDENSHAW ...	-	-	2	-	2	-
†BACUP	-	-	-	-	1	-
CARNFORTH ...	-	1	-	-	-	-
†CHORLEY... ...	-	-	1	-	8	E. 1 M. 1
CHURCH	-	1	-	-	2	-
†CLITHEROE ...	-	-	-	-	-	N. 1
†COLNE	-	-	-	-	17	-
†CROMPTON ...	-	-	-	-	3	-
†DALTON IN FURNESS	-	2	-	-	-	-
†DARWEN	-	-	-	-	5	M. 1
†DENTON	-	-	-	-	-	N. 1
†DROYLSDEN ...	-	1	-	-	2	-
†ECCLES	-	-	-	-	7	-
†FAILSWORTH ...	-	-	-	-	4	N. 1
†FARNWORTH ...	-	4	2	-	4	-
†FLEETWOOD ...	-	-	-	-	9	N. 1
FULWOOD ...	-	-	-	-	8	-
†HASLINGDEN ...	-	5	-	-	-	-
†HAYDOCK ...	-	1	-	-	2	-
HEYSHAM ...	-	-	1	-	-	-
†HEYWOOD ...	-	3	1	-	1	-
†HINDLEY... ...	-	1	-	-	2	-
†HORWICH ...	-	1	-	-	5	-
†INCE IN MAKERFIELD	-	-	2	-	3	-
IRLAM	-	1	-	-	-	-
KEARSLEY ...	-	2	-	-	-	-
†LANCASTER ...	-	1	-	-	3	-
LATHOM AND BURSCOUGH	-	-	1	-	2	-
†LEIGH	-	-	2	-	7	-
LEYLAND... ...	-	1	-	-	-	-
†LITHERLAND ...	-	2	-	-	-	-
†LITTLEBOROUGH	-	3	-	-	-	-
LITTLE LEVER ...	-	-	-	-	2	-
†LYTHAM ST. ANNE'S	-	-	1	-	3	-
†MIDDLETON ...	-	-	3	-	5	-
MILNROW... ...	-	-	-	-	2	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MORECAMBE ...	-	-	-	-	3	-
†MOSSLEY	-	1	-	-	-	-
†NELSON	-	-	1	-	4	-
†NEWTON IN MAKERFIELD	-	-	1	-	2	-
NORDEN	-	-	-	-	1	-
ORMSKIRK ...	-	-	-	-	2	-
†OSWALDTWISTLE	-	-	-	-	1	-
†PADIHAM ...	-	-	-	-	5	-
PREESALL ...	-	-		-	2	-
†PRESTWICH ...	-	1	-	-	1	-
†RADCLIFFE ...	-	1	1	-	4	-
RAINFORD ...	-	-	-	-	1	-
†RAMSBOTTOM ...	-	-	-	-	2	-
†RAWTENSTALL ...	-	1	-	-	-	-
RISHTON	-	-	-	-	5	-
STANDISH WITH LANGTREE	-	-	-	-	5	-
†STRETFORD ...	-	-	-	-	4	-
†SWINTON AND PENDLEBURY	-	3	1	-	7	-
TOTTINGTON ...	-	1	-	-	4	-
†TURTON	-	2	-	-	2	-
†TYLDESLEY WITH SHAKERLEY	-	-	-	-	1	-
†ULVERSTON ...	-	-	-	1	-	-
UPHOLLAND ...	-	1	-	-	1	-
†WALTON LE DALE	-	1	-	-	4	-
†WATERLOO WITH SEAFORTH	-	-	-	-	4	M. 1
†WESTHOUGHTON	-	-	-	1	-	-
WHITEFIELD ...	-	-	-	-	1	-
WHITWORTH ...	-	1	-	-	1	-
†WIDNES	-	-	3	-	29	M. 2 N. 1
WITHNELL ...	-	-	-	-	1	-
Rural Districts:—						
BARTON UPON IRWELL	-	2	-	-	-	-
BLACKBURN ...	-	-	-	-	1	-
BURNLEY... ...	-	-	1	-	1	-
BURY	-	-	-	-	2	M. 2
CHORLEY... ...	-	-	-	-	2	-
CLITHEROE ...	-	-	-	-	3	L. 3

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
Fylde	–	–	–	1	2	–
Garstang ...	–	–	–	–	1	–
Leigh	–	–	1	–	–	–
Preston	–	1	–	–	–	–
Sefton	–	–	1	–	–	–
Warrington ...	–	1	–	–	3	–
West Lancashire	–	1	2	–	8	–
Whiston... ...	–	–	1	–	–	–
Wigan	–	–	–	–	2	G. 1
LEICESTER... ...	–	8	14	–	31	D. 1 M. 1
†Leicester C.B. ...	–	4	5	–	11	M. 1
Boroughs and Urban Districts:—						
†Coalville ...	–	–	–	–	1	–
†Loughborough	–	1	1	–	4	–
Market Harborough	–	–	–	–	1	–
Melton Mowbray	–	–	1	–	1	–
Oadby	–	–	–	–	–	D. 1
Quorndon ...	–	–	–	–	1	–
Rural Districts:—						
Ashby de la Zouch	–	–	–	–	1	–
Barrow upon Soar	–	1	–	–	3	–
Blaby	–	–	–	–	2	–
Castle Donington	–	–	–	–	1	–
Loughborough	–	–	–	–	1	–
Lutterworth ...	–	–	–	–	1	–
Market Bosworth	–	2	7	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	2	–	–	4	–
Boroughs and Urban Districts:—						
†Boston	–	–	–	–	1	–
Holbeach ...	–	1	–	–	–	–
Rural Districts:—						
Spalding (part)..	–	1	–	–	3	–
LINCOLN (parts of Kesteven).	–	1	1	–	7	M. 1
Boroughs and Urban Districts:—						
†Grantham ...	–	–	–	–	1	–
Sleaford ...	–	1	–	–	1	–
Stamford ...	–	–	–	–	1	M. 1
Rural Districts:—						
Bourne	–	–	1	–	–	–
Branston ...	–	–	–	–	1	–
Grantham ...	–	–	–	–	1	–
Sleaford ...	–	–	–	–	2	–
LINCOLN (parts of Lindsey).	–	14	5	–	42	C. 1 M. 1
†Grimsby C.B. ...	–	2	3	–	3	–
†Lincoln C.B. ...	–	3	–	–	5	M. 1
Boroughs and Urban Districts:—						
Barton upon Humber	–	2	–	–	–	–
Brigg	–	–	–	–	3	–
†Cleethorpes ...	–	–	–	–	4	–
†Gainsborough...	–	–	–	–	9	–
Horncastle ...	–	–	–	–	4	–
Market Rasen...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SCUNTHORPE AND FRODINGHAM	–	3	1	–	3	–
SKEGNESS ...	*	*	*	*	*	*
WINTERTON ...	–	1	–	–	–	–
Rural Districts:—						
CAISTOR		–		–	1	–
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	–	–	–	–	4	C. 1
GRIMSBY	–	1	1	–	2	–
HORNCASTLE ...	–	–	–	–	4	–
SPILSBY	–	1	–	–	–	–
MIDDLESEX ...	–	44	49	2	54	D. 2 G. 1 M. 5 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	–	2	–	3	–
†BRENTFORD ...	–	1	2	–	–	–
†CHISWICK ...	–	1	1	–	2	–
†EALING	–	–	3	–	5	–
†EDMONTON ...	–	1	6	–	–	N. 1
†ENFIELD	–	3	8	1	1	–
†FINCHLEY ...	–	2	2	–	–	–
†FRIERN BARNET	–	–	–	–	14	–
†HAMPTON ...	–	1	1	–	–	–
†HENDON	–	4	1	1	2	M. 1
†HESTON AND ISLEWORTH	–	1	1	–	–	–
†HORNSEY	–	2	2	–	2	–
RUISLIP NORTHWOOD	–	–	1	–	–	–
†SOUTHALL NORWOOD	–	3	–	–	1	
†SOUTHGATE ...	–	–	–	–	–	G. 1
STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	1	–	–	1	–
†TOTTENHAM ...	–	7	8	–	4	N. 1
†TWICKENHAM ...	–	–	2	–	1	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEALDSTONE ...	–	2	2	–	–	M. 1
†WEMBLEY ...	–	3	–	–	6	–
†WILLESDEN ...	–	6	6	–	10	D. 2 M. 2 N. 2
†WOOD GREEN ...	–	4	–	–	–	–
Rural Districts:—						
HENDON	–	1	1		–	
STAINES	–	–	–	–	1	M. 1
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK	–	10	7	–	37	C. 2 E. 1
†GREAT YARMOUTH C.B.	–	5	–	–	7	–
†NORWICH C.B. ...	–	3	6	–	11	C. 1
Boroughs and Urban Districts:—						
DISS	–	–	–	–	1	–
†KING'S LYNN ...	–	–	1	–	–	–
†NEW HUNSTANTON	–	–	–	–	1	–
SHERINGHAM ...	–	–	–	–	2	–
Rural Districts:—						
DEPWADE ...	–	–	–	–	3	–
DOCKING	–	–	–	–	–	C. 1
DOWNHAM ...	–	–	–	–	1	–
FOREHOE ...	–	–	–	–	2	–
LODDON AND CLAVERING	–	–	–	–	2	E. 1
MARSHLAND ...	–	2	–	–	–	–
MITFORD AND LAUNDITCH	–	–	–	–	1	–
WALSINGHAM ...	–	–	–		5	–
WAYLAND ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	4	3	–	21	E. 1 N. 1
†NORTHAMPTON C.B	–	1	3	–	7	N 1
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	–	–	–	1	–
†KETTERING ..	–	–	–	–	2	–
ROTHWELL ...	–	–	–	–	1	–
Rural Districts:—						
DAVENTRY ..	–	1	–	–	–	–
HARDINGSTONE ...	–	–	–	–	5	–
KETTERING ...	–	–	–	–	2	–
OUNDLE (part) ...	–	1	–	–	–	–
OXENDON... ...	–	1	–	–	1	–
THRAPSTON (part)	–	–	–	–	1	–
TOWCESTER ...	–	–	–	–	1	E. 1
NORTHUMBERLAND	26	38	6	2	132	C. 2 M. 4 N. 2
†NEWCASTLE UPON TYNE C.B.	2	15	2	–	76	C. 2 M. 2
†TYNEMOUTH C.B	–	2	2	1	3	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	15	6	–	1	1	M. 1 N. 1
†BEDLINGTONSHIRE	–	–	–	–	17	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	–	–	–	6	–
CRAMLINGTON ...	–	–	–	–	2	–
†EARSDON... ...	–	1	–	–	2	–
†GOSFORTH ...	–	2	–	–	–	–
HEXHAM		–	1	–	–	–
MORPETH ...	7	–	–	–	–	–
†NEWBURN ...	–	1	–	–	–	N. 1
SEATON DELAVAL	–	–	–	–	3	–
†WALLSEND ...	1	2	–	–	13	–
WEETSLADE ...	–	–	1	–	1	–
†WHITLEY AND MONKSEATON	1	1	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
ALNWICK ...	–	2	–	–	–	–
CASTLE WARD ...	–	2	–	–	5	–
HEXHAM	–	2	–	–	–	–
MORPETH... ...	–	1	–	–	–	–
NOTTINGHAM ...	3	19	32	–	42	C. 1 D. 2 G. 1 M. 2 N. 3
†NOTTINGHAM C.B	–	10	29	–	16	C. 1 D. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†BEESTON... ...	–	–	2	–	1	–
†CARLTON	–	–	–	–	1	–
†EAST RETFORD ...	–	1	–	–	2	–
EASTWOOD ...	–	–	–	–	–	D. 1
†KIRKBY IN ASHFIELD	–	1	–	–	1	–
†MANSFIELD ...	–	2	–	–	1	M. 1
†MANSFIELD WOODHOUSE	–	–		–	2	–
†SUTTON IN ASHFIELD	3	–	–	–		–
WARSOP	–	1	–	–	–	–
†WORKSOP... ...	–	1	–	–	–	M. 1
Rural Districts:—						
BASFORD	–	1	–	–	5	N. 1
BINGHAM... ...	–	–	1	–	–	–
EAST RETFORD ...	–	–	–	–	3	–
LEAKE	–	1	–	–	–	–
SKEGBY	–	–	–	–	1	–
SOUTHWELL ...	–	1	–	–	1	–
STAPLEFORD ...	–	–	–	–	5	N. 1
WORKSOP... ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	–	–	–	7	N. 2
†OXFORD C.B. ..	–	–		–		N. 2
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	2	–
Rural Districts:—						
BICESTER... ...	–	–		–	3	–
WITNEY	–	–	–	–	1	–
WOODSTOCK ...	–	–		–	1	–
PETERBOROUGH (Soke of)	–	–	–	–	3	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	–
Rural Districts:—						
PETERBOROUGH..	–	–	–	–	2	–
SALOP	–	6	–	–	12	G. 1 M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	–	–	2	–
†OAKENGATES ..	–	1	–	–	–	G. 1
†SHREWSBURY ..	–	–	–	–	2	–
Rural Districts:—						
ATCHAM	–	–	–	–	3	–
CLEOBURY MORTIMER	–	–	–	–	5	M. 1
ELLESMERE ...	–	2	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WEM	–	2	–	–	–	–
SOMERSET	–	17	4	–	39	D 1 E. 1 G. 3 M. 1 N. 2
†BATH C.B. ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
BURNHAM ON SEA	–	–	–	–	1	E. 1
CLEVEDON ...	–	2	–	–	–	–
†FROME		–	–	–	1	–
ILMINSTER ...	–	2	–	–	2	–
MIDSOMER NORTON	–			–	1	–
MINEHEAD ...	–	1	–	–	–	–
PORTISHEAD ...	–	–	–	–	1	–
SHEPTON MALLET	–	–	–		6	G. 1
STREET	–	–		–	2	–
†TAUNTON ...	–		–	–	3	–
WATCHET ...	*	*	*	*	*	*
WELLINGTON ...	–	–	1		3	–
WELLS	–	1	2	–	1	–
†WESTON SUPER MARE	–	1	–	–	2	–
†YEOVIL	–	–	–	–	1	G. 1 N. 1
Rural Districts:—						
AXBRIDGE ...	–	–	–		3	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON... ...	–	1	–	–	5	–
FROME	–	1	–	–	–	G. 1 N. 1
LANGPORT ...	–	–	–	–	2	–
SHEPTON MALLET	–	–	–	–	2	–
WELLINGTON ...	–	–	–	–	–	D. 1
WELLS	–	2	–	–	2	–
WINCANTON ...	–	–	1	–	–	M. 1
SOUTHAMPTON ..	–	30	36	1	30	G. 1 M. 5 N. 4
†BOURNEMOUTH C.B.	–	–	–	–	3	–
†PORTSMOUTH C.B.	–	12	15	1	2	M. 3
†SOUTHAMPTON C.B.	–	7	20		9	N. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
ANDOVER... ...	–	–	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	1	M. 1
†FAREHAM ...	–	–	–	–	1	–
†FARNBOROUGH ...	–	1	–	–	–	–
FLEET	–	–	–	–	2	–
†GOSPORT		–	1	–	1	–
ROMSEY	–	–	–	–	1	–
†WINCHESTER ...	–	2	–	–	3	–
Rural Districts:—						
ALRESFORD ...	–	–	–	–	1	–
ANDOVER... ...	–	1	–	–	1	–
BASINGSTOKE ...	–	1	–	–	–	–
FAREHAM ...	–	1	–	–	–	–
FORDINGBRIDGE..	–	–	–	–	–	N. 1
HARTLEY WINTNEY	–	1	–	–	–	–
HAVANT	–	–	–	–	–	G. 1
KINGSCLERE ...	–	1	–	–	–	–
NEW FOREST ...	–	–	–	–	–	N. 1
PETERSFIELD ...	–	–	–	–	1	M. 1
SOUTH STONEHAM	–	1	–	–	1	–
WINCHESTER ...	–	–	–	–	2	–
STAFFORD	–	37	34	1	257	C. 2 G. 1 L. 3 M 11 N. 7
†BURTON UPON TRENT C.B.	–	–	2	–	9	M. 1
†SMETHWICK C.B.	–	–	–	–	16	C. 1
†STOKE ON TRENT C.B.	–	13	7	–	66	M. 6 N. 2
†WALSALL C.B. ...	–	–	2	–	22	N. 2
†WEST BROMWICH C.B.	–	–	–	–	13	–
†WOLVERHAMPTON C.B.	–	1	4	–	9	L. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	8	–
BIDDULPH ...	–	1	–	–	3	–
†BILSTON	–	1	3	–	5	M. 1
†BRIERLEY HILL...	–	–	–	–	2	–
†BROWNHILLS ...	–	1	–	–	13	C. 1
†CANNOCK	–	–	–	–	1	–
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	–	–	–	7	N. 1
KIDSGROVE ...	–	–	1	–	3	G. 1
†LEEK	–	–	5	–	–	–
†NEWCASTLE UNDER LYME	–	4	–	–	4	–
QUARRY BANK	–	–	–	–	5	–
†ROWLEY REGIS ...	–	1	–	–	11	–
RUGELEY... ...	–	–	–	–	1	–
†SEDGLEY	–	–	–	–	1	–
†STAFFORD ...	–	–	–		7	–
TAMWORTH ...	–	1	–	–	–	–
TETTENHALL ...	–	–	–	–	2	–
†TIPTON	–	–	1	–	9	–
†WEDNESBURY ...	–	3	–	–	7	–
†WILLENHALL ...	–	1	–	–	2	–
†WOLSTANTON UNITED	–	1	–	–	1	–
Rural Districts:—						
CANNOCK	–	3	6	1	–	–
CHEADLE... ...	–	3	–	–	5	L. 2
GNOSALL	–	–	–	–	1	–
KINGSWINFORD ...	–	1	1	–	–	–
LEEK	–	–	–	–	2	–
LICHFIELD ...	–	–	–	–	11	M. 1
SEISDON	–	–	2	–	4	M. 1 N. 1
STONE	–	1	–	–	1	–
WALSALL... ...	–	–	–	–	5	M. 1
SUFFOLK, EAST ...	–	10	–	–	36	M. 1 N. 1
†IPSWICH C.B. ...	–	–	–	–	9	M. 1 N
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	3	–
BECCLES	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
BUNGAY	–	–	–	–	3	–
†FELIXSTOWE ...	–	1	–	–	–	–
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	7	–	–	5	–
Rural Districts:—						
BLYTHING ...	–	–	–	–	2	–
BOSMERE AND CLAYDON	–	–	–		3	–
EAST STOW ...	–	2	–	–	–	–
HARTISMERE ...	–	–	–	–	1	–
HOXNE	–	–	–	–	1	–
PLOMESGATE ...	–	–	–	–	6	–
WANGFORD ...	–	–	–	–	2	–
SUFFOLK, WEST ...	–	–	–	–	3	E. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	E. 1
Rural Districts:—						
COSFORD	–	–	–	–	2	–
SURREY	–	26	30	3	35	C. 1 M. 1 N. 4
†CROYDON C.B. ...	–	4	3	1	1	N. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	7	–	1	–
†CARSHALTON ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	1	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
EAST AND WEST MOLESEY	–	–	–	–	1	–
†EGHAM	–	2	1	–	2	–
†EPSOM	–	–	–	–	3	–
†ESHER AND THE DITTONS	–	–	–	–	1	–
†FARNHAM ...	–	2	–	–	2	N. 1
†FRIMLEY		–	–	–	3	–
†GUILDFORD ...	–	–	–	–	1	N. 1
†KINGSTON ON THAMES	–		–	–	1	–
†MERTON AND MORDEN		4	1	–	1	–
†MITCHAM... ...	–	2	2	–	–	N. 1
†REIGATE	–	–	3	–	–	–
†RICHMOND ...	–	1	–		–	–
†SURBITON ...	–	1	–	–	1	–
†SUTTON	–	2	2		–	–
†THE MALDENS AND COOMBE	–	–	–	–	4	–
WEYBRIDGE ...	–	–	–	–	1	–
†WIMBLEDON ...	–	3	2	1	–	C. 1 M. 1
†WOKING	–	–	1	–	1	–
Rural Districts:—						
CHERTSEY ...	–	1	4	–	–	–
DORKING	–	–	–	–	2	–
EPSOM	–	1	1	–	6	–
FARNHAM ...	–	2		–	–	–
GUILDFORD ...	–	–	–	–	1	–
REIGATE	–	–	2	–	1	–
SUSSEX, EAST ..	–	11	5	1	33	–
†BRIGHTON C.B. ...	–	2	5	–	6	–
†EASTBOURNE C.B.	–	3	–		10	–
†HASTINGS C.B. ...	–	2	–	–	5	–
Boroughs and Urban Districts—						
EAST GRINSTEAD	–	–	–		1	–
†HOVE	–	–	–	–	3	–
†LEWES	–	1	–	–	2	–
NEWHAVEN ...	–	–	–	–	1	–
SEAFORD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CHAILEY	-	1	-	-	1	-
EASTBOURNE ...	-	1	-	-	-	-
EAST GRINSTEAD	-	-	-	-	2	-
HAILSHAM ...	-	-	-	1	1	-
NEWHAVEN ...	-	-	-	-	1	-
SUSSEX, WEST ...	-	13	5	1	8	G. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	-	-	-	1	-	-
†BOGNOR	-		3	-	-	-
†CHICHESTER ...	-	2	-	-	-	-
†HORSHAM ...	-	1	1	-	-	-
†LITTLEHAMPTON	-	3		-	-	-
†WORTHING ...	-	1	1	-	3	G. 1
Rural Districts:—						
EAST PRESTON ...	-	-	-	-	1	-
HORSHAM ...	-	1	-	-	3	-
MIDHURST ...	-	1	-	-	-	-
THAKEHAM ...	-	2	-	-	1	-
WESTBOURNE ...	-	1	-	-	-	-
WESTHAMPNETT ..	-	1	-	-	-	-
WARWICK	-	37	35	-	224	C. 4 D. 1 G. 3 M. 10 N. 10
†BIRMINGHAM C.B.	-	25	30	-	169	C. 3 D. 1 G. 1 M. 8 N. 10
†COVENTRY C.B. ...	-	1	2	-	6	G. 1 M. 2
Boroughs and Urban Districts:—						
†NUNEATON ...	-	-	-	-	9	G. 1
†ROYAL LEAMINGTON SPA	-	-	-	-	10	-
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUGBY	-	1	1	-	-	-
†SUTTON COLDFIELD	-	1	-	-	2	
†WARWICK ...	-	2	-	-	-	-
Rural Districts:—						
ALCESTER ...	-	-	-	-	3	-
ATHERSTONE ...	-	-	-	-	3	-
FOLESHILL ...	-	1	1	-	-	-
MERIDEN... ...	-	-	-	-	7	-
NUNEATON ...	-	-	-	-	3	-
RUGBY	-	-	1	-	4	-
SOLIHULL ...		-	-	-	1	-
SOUTHAM... ...	-	-	-	-	2	-
STRATFORD ON AVON	-	1	-	-		-
TAMWORTH (part)	-	-	-	-	4	C. 1
WARWICK ...	-	5	-	-	1	-
WESTMORLAND ...	-	1	-	-	4	M. 1 N. 1
Boroughs and Urban Districts:—						
AMBLESIDE ...	-	-	-		1	-
Rural Districts:—						
EAST WESTMORLAND	-	-	-	-	1	N. 1
SOUTH WESTMORLAND	-	1	-	-	2	-
WEST WARD ...	-	-	-	-	-	M. 1
WIGHT, ISLE OF ...	-	-	-	-	8	N. 1
Boroughs and Urban Districts:—						
†NEWPORT... ...	-	-	-	-	2	-
Rural Districts:—						
ISLE OF WIGHT	-	-	-	-	6	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WILTS	–	2	5	–	31	G. 1 L. 2 M. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
DEVIZES	–		–	–	1	–
MARLBOROUGH ...	–	1	–	–	–	–
MELKSHAM ...	–	–	1		1	–
†SALISBURY ...	–	–	–	–	1	–
†SWINDON... ...	–	–	–	–	4	G. 1
WILTON	–	–	–	–	1	–
Rural Districts:—						
AMESBURY ...	–	–	1	–	–	–
CALNE	–	–	–	–	1	–
CHIPPENHAM ...	–	–	1	–	9	
DEVIZES	–		–	–	–	L. 2 M. 1
HIGHWORTH ...	–	–	1	–	5	
MALMESBURY ...	–	–	–	–	3	
MARLBOROUGH ...	–	–	–	–	1	–
PEWSEY	–	–	–	–	3	–
WARMINSTER ...	–	–	1	–	–	–
WILTON	–	–		–	1	–
WORCESTER ...	–	12	2	1	57	C. 1 M. 1 N. 1
†DUDLEY C.B. ...	–	–	–	–	1	
†WORCESTER C.B.	–	1	1	–	5	–
Boroughs and Urban Districts:—						
DROITWICH ...	–	1	–	–	–	–
†HALESOWEN ...	–	–	–	–	11	C. 1
†KIDDERMINSTER	–	–	–	–	1	–
†LYE AND WOLLESCOTE	–	–	1	–	5	N. 1
†MALVERN ...	–	1	–	–	4	–
NORTH BROMSGROVE	–	–	–	–	1	–
†OLDBURY... ...	–	2	–	–	5	–
†REDDITCH ...	–	4	–	–	–	–
†STOURBRIDGE ...	–	–			14	–
STOURPORT ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
DROITWICH ...	–	1	–	–	1	M. 1
EVESHAM... ...	–	1	–	–	–	–
MARTLEY... ...	–	–	–	–	1	–
PERSHORE ...	–	1	–	–	4	–
ROCK	–	–	–	–	1	–
TENBURY... ...	–	–	–	–	2	–
UPTON ON SEVERN	–	–	–	1	1	–
YORKS ... ... (East Riding.)	–	17	16	1	20	C. 1 D. 1 M. 2 N. 1
†KINGSTON UPON HULL C.B.	–	8	14	–	8	C. 1 D. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	3	–	–	1	–
†BRIDLINGTON ...	–	2	–	1	–	–
GREAT DRIFFIELD	–	1	–	–	–	–
HESSLE	–	–	–	–	1	
HORNSEA... ...	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	6	–
BRIDLINGTON ...	–	–	–	–	–	N. 1
DRIFFIELD ...	–	2	–	–	–	–
HOWDEN	–	–	1	–	3	–
SKIRLAUGH ...	–	–	–	–	1	–
YORKS ... ... (North Riding.)	1	13	3	–	33	G. 1 N. 1
†MIDDLESBROUGH C.B.	1	4	2	–	15	N. 1
Boroughs and Urban Districts:—						
HINDERWELL ...	*	*	*	*	*	*
MASHAM		1		–	–	–
†REDCAR	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding) *cont.*						
Boroughs and Urban Districts—*cont.*						
†Scarborough ...	–	1	1	–	2	–
†Thornaby on Tees	–	2	–	–	–	–
†Whitby	–	1	–	–	3	–
Rural Districts:—						
Flaxton	–	1	–	–	1	–
Kirkby Moorside	–		–	–	1	–
Richmond ...	–	–	–		1	–
Scarborough ...	–	–	–	–	–	G. 1
Stokesley ...		–	–	–	6	–
Thirsk		1	–	–	–	–
Wath	–	–	–	–	1	–
Whitby	–	2	–	–	2	–
YORKS ... ... (West Riding.)	144	120	68	–	613	C. 4 D. 2 G. 4 M. 14 N. 18
†Barnsley C.B. ...	–	3	–	–	1	N. 1
†Bradford C.B. ..	–	4	5	–	49	M. 1 N. 2
†Dewsbury C.B. ...	–	1	2	–	8	N. 1
†Halifax C.B. ...	–	4	–	–	13	G. 1 N. 1
†Huddersfield C.B	1	9	6	–	24	M. 1
†Leeds C.B. ..	–	26	12	–	56	C. 1 M. 1 N. 6
†Rotherham C.B.	–	2	1	–	47	–
†Sheffield C.B....	35	21	20	–	208	D. 2 G. 1 M. 4 N. 1
†Wakefield C.B.	–	–	2	–	–	M. 1 N. 1
Boroughs and Urban Districts:—						
†Adwick le Street	–	2	–	–	–	M. 1
Altofts			–	–	6	–
Baildon	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Barnoldswick ...	–	2	1	–	–	–
†Batley	–	–	1	–	–	–
†Bentley with Arksey	5		–	–	5	–
†Bingley	–	–	1	–	6	–
†Bolton upon Dearne	1	–	2	–	–	–
†Brighouse ...	–	–	–	–	3	–
Burley in Wharfedale	–	–	–	–	1	–
†Castleford ...	–	–	–	–		N. 1
†Conisbrough ...	40	1	–	–	1	M. 1
Cudworth ...	–	1	–	–	3	–
†Darton	–	4	–	–	1	–
†Doncaster ...	20	3	1	–	6	N. 1
Drighlington ...	–		–	–	14	–
†Elland	–	–	–	–	1	–
†Featherstone ...	–	–	–	–	2	–
†Golcar	–	1	–	–	4	–
†Goole	1	1	–	–	1	–
Greasbrough ...	–	–	–	–	1	–
†Harrogate ...	–	–	3	–	3	–
Hebden Bridge	–	–	–	–	1	M. 1
†Hemsworth ...	1	–	–	–	2	–
Hipperholme ...	–	1	–	–	–	–
†Holmfirth ...	–	2	–	–	8	C. 1
Honley	–	1	–	–	3	–
Horbury ...	–	2	–	–		–
†Hoyland Nether	–	2	–	–	1	N. 1
†Keighley ...	1	–	1	–	2	M. 1
Kirkburton ...	–	–	–	–	2	–
Knaresborough	–	1	–	–	–	–
Knottingley ...	–	–	–	–	2	–
Lepton	–	1	–	–	1	–
Maltby	–	1	–	–	1	–
Methley ...	–	–	–	–	1	–
†Mexborough ...	10	–	–	–	1	–
Mirfield ...	–	–	2	–	3	–
†Morley	–	1	–	–	–	–
New Mill ...	–	–	–	–	2	–
†Normanton	–	–	–	–	19	–
Oakworth ...	1	–	–	–	–	–
Penistone ...		1	–	–	–	–
†Pontefract ...	–	–	–	–	1	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PUDSEY	–	1	–	–	1	–
QUEENSBURY ...	–	–	–	–	2	–
†RAWMARSH ...	–	–	1	–	2	
RIPON	–	1	–	–	–	–
†ROTHWELL ...	–	–	–	–	3	–
†SADDLEWORTH ...	–	1	–	–	–	–
SHELLEY	–	–	–	–	2	–
†SHIPLEY	–	2	–	–	2	–
†SKIPTON	–	1	–	–	2	–
SLAITHWAITE ...	–			–	1	–
SOUTH CROSLAND	–	–	–	–	1	–
†SPENBOROUGH ...		–	–	–	8	–
†STANLEY	–	1	–	–	2	
STOCKSBRIDGE ...	–	–			2	–
†SWINTON	14	–	–		2	–
THURSTONLAND AND FARNLEY TYAS	–	–	–	–	2	–
†TODMORDEN ...		1	–	–	5	–
†WATH UPON DEARNE	1	–	–	–		N. 1
†WOMBWELL ...	–	1	1	–	6	C. 1
†WORSBOROUGH ...	–	–	–	–	–	G. 1 N. 1
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	–	–	1	–	2	–
GOOLE	–	1	–	–	1	–
GREAT OUSEBURN	–	3	–	–	–	–
HALIFAX ...	–	–	–	–	1	–
HEMSWORTH ...		2	1	–	14	–
HUNSLET	1	–	–	–	–	–
KEIGHLEY ...	1	–	–	–	–	–
KIVETON PARK ...	–	1	1	–	–	–
KNARESBOROUGH	–	–	–	–	–	M. 1
PONTEFRACT ...	–	–	–	–	1	–
ROTHERHAM ...	1	1	–		10	M. 1
SETTLE		1	–	–	1	–
SKIPTON	–	–	–	–	1	–
THORNE	10	–	–		2	–
WAKEFIELD ...	–	–	–	–	5	C. 1
WETHERBY ...	–	–	1	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
WHARFEDALE (SOUTH)	–	–	–	–	5	–
WORTLEY ...	–	3	–	–	8	–
§YORK, CITY OF	–	3	–	–	3	–
†YORK C.B. ...	–	3	–	–	3	–
WALES.						
ANGLESEY	–	–	1	–	1	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	–
MENAI BRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	–	–	1	–	–	–
BRECKNOCK ...	–	–	–	–	7	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	2	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	4	–
YSTRADFELLTE (parish)	–	–	–	–	1	–
CAERNARVON ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†BANGOR	–	–	1	–	–	–
CONWAY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	1	1	–	7	–
Boroughs and Urban Districts:—						
ABERAYRON ...	–	–	–	–	1	–
†ABERYSTWYTH ...		1	–	–	1	–
Rural Districts:—						
CARDIGAN ...	–		1	–	–	–
LAMPETER ...	–		–	–	1	–
TREGARON ...	–	–	–	–	4	–
CARMARTHEN ...	–	1	1	–	14	N. 2
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	1	–	3	–
KIDWELLY ...	–	1	–	–	–	–
LLANDILO ...	–	–	–	–	1	
†LLANELLY ...	–	–	–	–	3	N. 1
Rural Districts:—						
LLANDILO FAWR	–	–	–	–	6	–
LLANELLY ...	–	–		–	1	N. 1
WHITLAND ...	*	*	*	*	*	*
DENBIGH ...	–	3	1	–	8	–
Boroughs and Urban Districts:—						
†WREXHAM ...	–	–	–	–	1	–
Rural Districts:—						
CHIRK ...	–	–	–	–	2	–
LLANGOLLEN ...	–	2	–	–	–	–
RUTHIN ...	–	1	–	–	–	–
WREXHAM ...	–	–	1	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which hey are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT ...	–	1	4	–	20	–
Boroughs and Urban Districts:—						
BUCKLEY ...	–	–	–	–	2	–
FLINT ...	–	–	–	–	3	–
HOLYWELL ...	–	–	–	–	2	–
†RHYL ...	–	1	–	–	1	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL ...	–	–	3	–	12	–
GLAMORGAN ...	–	24	42	–	107	C. 1 E. 1 M. 6 N. 5
†CARDIFF C.B. ...	–	2	8	–	13	E. 1 M. 1 N. 1
†MERTHYR TYDFIL C.B.	–	–	–	–	2	N. 2
†SWANSEA C.B. ...	–	–	5	–	3	–
Boroughs and Urban Districts:—						
†ABERDARE ...		–	3	–	5	M. 1
†BARRY ...		–	2	–	3	–
†CAERPHILLY ...		1	6	–	–	C. 1
†GELLIGAER ...	–	2	3	–	14	–
†GLYNCORWG ...		1	–	–	8	–
†MAESTEG ...	–	2	4	–	5	–
†MOUNTAIN ASH ...	–	1	–	–	10	–
†NEATH ...		4	1	–	2	N. 1
†OGMORE AND GARW	–	3	2	–	3	–
†PENARTH ...	–		–	–	1	–
†PONTYPRIDD ...	–	1	1	–	4	–
PORTHCAWL ...				–	1	–
†PORT TALBOT ...	–	3	2	–	2	–
†RHONDDA ...	–	2	3		24	M. 4 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LAMORGAN—*cont.*						
Rural Districts:—						
CARDIFF	–	–	1	–	–	–
COWBRIDGE ...	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	–	–	3	–
NEATH	–	2	–	–	4	–
PONTARDAWE ...	*	*	*	*	*	*
SWANSEA... ...	–	–	1	–	–	–
ERIONETH ...	–	2	4	–	–	–
Urban Districts:—						
FFESTINIOG ..	–	–	4	–	–	–
TOWYN	–	1	–	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	1	–	–	–	–
ONMOUTH ...	35	3	6	–	33	M. 1
†NEWPORT C.B. ...	2	–	1	–	6	M. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	1	–	–	–	–	–
†ABERSYCHAN ...	21	–	–	–	–	–
†ABERTILLERY ...	1	–	1	–	–	–
BEDWAS AND MACHEN	–	–	1	–	3	–
†BEDWELLTY ...	–	–	–	–	2	–
†BLAENAVON ...	3	–	–	–	2	–
CAERLEON ...	2	–	–	–	–	–
†EBBW VALE ...	–	–	–	–	8	–
†NANTYGLO AND BLAINA	–	–	–	–	3	–
PONTYPOOL ...	2	1	–	–	–	–
†RISCA	1	–	1	–	–	–
†TREDEGAR ...	–	1	2	–	9	–
Rural Districts:—						
MAGOR	2	–	–	–	–	–
ST. MELLONS ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ..	–	2	–	–	9	D. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
LLANIDLOES ...	–	–	–	–	2	–
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	2	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–
LLANFYLLIN ...	–	1	–	–	–	D. 1
MACHYNLLETH ...	–	–	–	–	2	–
NEWTOWN AND LLANIDLOES	–	–	–	–	2	–
PEMBROKE	–	3	2	–	3	–
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	–	–	1	–
MILFORD HAVEN	–	–	–	–	2	–
†PEMBROKE ...	–	2	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	1	1	–	–	–
PEMBROKE ...	–	–	1	–	–	–
RADNOR	–	1	–	–	3	–
Rural Districts:—						
RHAYADER ...	–	1	–	–	3	–
Total of Part II. ...	438	1041	770	29	3638	C. 33 D. 14 E. 9 F. 1 G. 36 L. 9 M.120 N.103

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
DOVER	–	–	–	–	1	–	SOUTHAMPTON ...	–	–	–	–	1	
LIVERPOOL	–	–	–	2	–	–							
PLYMOUTH	–	–	–	–	–	L. 1	**Total of Part III....** ..	–	–	–	2	2	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	197	269	4	188	C. 8 D. 2 E. 1 G. 2 L. 1 M. 21 N. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	438	1041	770	29	3638	C. 33 D. 14 E. 9 F. 1 G. 36 L. 9 M. 120 N. 103
Total of Part III.—Port Sanitary Districts	–	–	–	2	2	L. 1
Total (*i.e.*, of returns received), England and Wales ...	438	1238	1039	35	3828	C. 41 D. 16 E. 10 F. 1 G. 38 L. 11 M. 141 N. 120

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poliomyelitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain and DEATHS of INFANTS under 1 Y AGE) and NOTIFIED CASES of cert FECTIOUS DISEASES in the last TH WEEKS.

Week ended :—	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.
LONDON:—												
DEATHS—all ages	1,043	1,170	1,161	1,070	1,473	1,602	1,648	1,908	2,045	1,912	1,704	1,652
„ 0 to 1 year ..	108	154	127	126	137	137	122	135	162	137	100	122
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,515	6,646	6,238	5,347	6,469	7,332	6,929	6,231	6,475	7,020	6,293	7,015
DEATHS—all ages	4,498	4,919	4,797	4,556	5,898	5,883	5,917	6,427	7,320	7 302	7,286	8,411
„ 0 to 1 year ..	518	643	574	563	690	675	656	630	731	716	670	857
ENTERIC FEVER—Cases	16	16	16	8	13	15	16	9	14	18	11	7
„ Deaths	3	2	4	5	2	1	1	2	2	3	1	2
SMALL POX—Cases ..	39	29	26	48	34	45	228	119	116	133	106	81
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	1	—
SCARLET FEVER—Cases	961	950	801	756	881	818	791	787	809	684	705	729
„ Deaths	7	8	5	9	2	4	6	4	6	11	6	4
DIPHTHERIA—Cases ..	872	793	784	707	671	788	771	715	735	700	619	695
„ Deaths ..	39	47	40	36	51	48	38	39	43	51	45	29
MEASLES—Deaths ..	18	15	28	14	36	28	34	43	50	43	47	73
INFLUENZA—Deaths ..	68	52	60	69	86	173	326	470	725	818	759	987

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 26th February, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	R m
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	56	33	51·9	39·3	35	HUDDERSFIELD	53	24	48·1	35·4	
BRIGHTON ..	49	35	47·3	41·4	47	BRADFORD ..	51	29	47·1	36·4	
PORTSMOUTH ..	52	37	48·8	40·1	58	SHEFFIELD ..	55	29	47·0	37·4	
NORWICH (EATON).	53	31	49·3	37·7	22	YORK (MUSEUM)	52	27	47·7	36·7	
PLYMOUTH ..	52	37	50·3	43·4	59	HULL (PEARSON PARK).	51	30	48·3	37·6	
BRISTOL (CLIFTON).	52	32	48·6	39·4	40	TYNEMOUTH ..	52	30	48·0	38·7	
BIRMINGHAM (EDGBASTON).	51	32	47·0	38·1	45	CARDIFF.. ..	52	33	49·0	38·6	
NOTTINGHAM ..	53	29	48·0	36·4	18	EDINBURGH ..	52·0	36·0	47·4	39·4	
BIRKENHEAD (BIDSTON).	51	32	47·6	39·1	11	GLASGOW ..	49·5	35·2	47·0	39·1	
MANCHESTER (WHITWORTH PARK).	53	30	48·4	39·1	11	DUBLIN (PHŒNIX PARK).	54·2	26·0	51·6	37·7	
BURNLEY.. ..	51	27	47·0	35·1	20	(FITZWILLIAM SQUARE†).	52·2	33·8	50·4	41·1	
						BELFAST.. ..	50·5	28·0	48·7	36·9	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 26th February, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	20	In Equator	29·660	48·3	38·3	10·0	44·0	+ 4·5	43·2	0·8	6·1	1·2	97	51·2	34·3	42·1	SSW.	SW: WSW.	1·7	0·0	0·1	288	− 41	0·20
MONDAY -	21	..	29·425	56·3	44·0	12·3	48·6	+ 9·0	44·0	4·6	13·4	0·4	83	95·0	41·1	42·4	NW: WSW: SW.	SW: S.	0·5	0·0	0·1	241	− 84	0·11
TUESDAY -	22	..	29·113	56·0	42·9	13·1	48·7	+ 9·0	43·8	4·9	14·2	1·8	83	95·9	38·1	42·6	S.	S: SSE.	2·0	0·0	0·2	332	+ 10	0·09
WEDNESDAY	23	..	29·132	50·4	38·7	11·7	43·6	+ 3·8	38·3	5·3	10·2	3·1	82	105·0	33·0	42·7	S.	S: SSE.	4·5	0·0	0·4	387	+ 67	0·09
THURSDAY -	24	Last Quarter.	29·078	48·9	33·1	15·8	40·8	+ 0·8	39·3	1·5	6·7	1·6	94	65·8	27·3	42·9	SSE: ESE.	SSW: W: SW.	3·3	0·0	0·2	290	− 29	0·39
FRIDAY -	25	..	29·182	47·5	33·0	14·5	42·2	+ 2·1	41·9	0·3	3·2	0·0	99	58·0	27·2	43·0	S: SSE.	Calm: SW.	1·3	0·0	0·0	213	− 110	0·36
SATURDAY -	26	..	29·317	54·1	39·6	14·5	47·5	+ 7·3	43·6	3·9	8·6	2·1	86	97·9	30·8	43·0	SSW.	SSW: S.	7·6	0·0	0·4	385	+ 55	0·26
MEANS -		..	29·272	51·6	38·5	13·1	45·1	+ 5·2	42·0	3·0	8·9	1·5	89	81·3	33·1	42·7	S		..	..	..	Sum 2136	Sum − 132	Sum 1·50
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	20	wP till 4½h.; wN till 8½h.; then wP.	0·0	10·2	Overcast throughout. Damping at 1h. and 10¼h. Rain 5h. till 8½h.; and frequently between 12½h. and 23h.
MONDAY ..	21	wP till 4h.; wN till 6½h.; wP till 9h.; mP till 20h.; then variably wP and wN.	2·5	10·3	Overcast with partially cloudy interval between 12h. and 15h. Rain 4h. till 8½h.; slight rain from 17h. to 18h.; and from 19¾h.
TUESDAY ..	22	Variably wP and wN till 1h.; wP till 14h.; mP till 19h.; then wP.	1·5	10·3	Nearly overcast generally. Occasional damping between 1h. and 12h. Rain 20½h. till 21½h. Solar halo 13¼h.
WEDNESDAY	23	wP till 14h.; mP till 16h.; then loss of register.	4·7	10·4	Variably cloudy. Rain 11h. till 11½h.; and 16¾h. till 17h. Showers at 14h. and 20¾h.
THURSDAY	24	Loss of register till 16h.; then mP.	0·0	10·5	Overcast till 19h.; then partially cloudy becoming nearly cloudless by 21½h. Rain 0¼h. till 9½h.; and from 14h. till 17¼h. Gloom about 15¼h.
FRIDAY ..	25	mP till 11h.; variably mP and mN till 16h.; then mP.	0·0	10·5	Cloudless till 2h.; partially cloudy till 4h.; overcast till 21h., then clearing to cloudless by 22h. Rain 11h. to 15h.; and 16¼h. till 17½h.
SATURDAY	26	wP till 16h.; variably wP and mN till 17h.; then wP.	2·7	10·6	Cloudless till 4h.; then partially cloudy becoming nearly overcast by 11h. Rain 12h. till 12½h.; and from 16½h. till 18½h. Brisk wind 16h. till 21h.
			Sum 11·4	Sum 72·8	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative: w. weak: m. moderate: s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·06 ins. at the beginning of the week to 29·02 ins. by 3h. on 23rd; increased to 29·20 ins. by 21h. on 23rd; decreased to 29·00 ins. by 12h. on 24th; increased to 29·30 ins. by 1h. on 25th; decreased to 29·08 ins. by 14h. on 25th; increased to 29·43 ins. by 10h. on 26th; decreased and was 29·12 ins. by midnight on the same day.

FOR OFFICIAL USE

1927. No. 9.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 5TH MARCH 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast,
or through any Bookseller.
1927.
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 5TH MARCH, 1927.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the ninth week of the year numbered 6,760 and corresponded to an annual rate of 18·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 7,080 and corresponded to an annual rate of 19·0 per 1,000 of their aggregate civilian population, which is estimated at 19,411,253 in the year 1926. In the preceding three weeks the rates had been 19·6, 22·6 and 21·0. Infant mortality based on the average weekly number of births during the last 52 weeks, was 102 per 1,000 births against 98, 125 and 118 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,577 births, corresponding to a rate of 17·8 per 1,000, and 1,240 deaths of civilians, corresponding to an annual rate of 14·0, against 19·3, 18·7 and 14·5 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 16·6 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 59 as against 65, 79 and 65 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 7,825 to 7,080; the deaths from influenza which had been 759, 987 and 1,023 in the preceding three weeks, fell to 898 last week.

The increase of influenza in the different parts of the country was almost uniform until the week ended 5th February. It is now decreasing generally apart from the very small rise in Wales, and it would appear that even in the North the worst phase has been passed. The rates per million population in the Great Towns of the North, Midlands, South and Wales and in London are shown below.

—	North.	Midlands.	South (excluding London).	Wales.	London.
Week ended 8th Jan....	6·2	5·7	9·1	13·8	15·6
" " 29th Jan....	13·9	44·2	60·3	51·6	54·8
" " 5th Feb.	16·3	62·2	71·4	49·1	46·7
" " 12th Feb.	27·4	50·3	58·4	54·1	34·6
" " 19th Feb.	55·0	62·4	52·5	66·7	27·8
" " 26th Feb.	82·6	50·8	39·4	30·6	17·6
" " 5th Mar.	76·3	42·7	22·6	31·8	15·0

In the North the greatest numbers of deaths occurred in Manchester, 70; Liverpool, 46, Sheffield, 36, Bolton, 35, and Blackburn, 35. In the Midlands, in Birmingham, 51.

In London the number of deaths from all causes decreased from 1,278 to 1,240. Of the 1,240 deaths 549 were of persons aged 65 years and upwards, and of these 549 deaths 34 resulted from influenza, 165 from diseases of the circulatory system and 124 from diseases of the respiratory system; the deaths from whooping cough numbered 28 as against 34, 26 and 26 in the three weeks preceding; and the total deaths from influenza which had been 159, 128 and 81 in the preceding three weeks, further fell to 69 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in th week ended 5th March, 1927.

TOWNS.	ESTIMATED POPULATION, Mid. 1926.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 GREAT TOWNS ..	19,411,253*	6,760	7,080	696	2	73	5	116	62	53
LONDON	4,605,400*	1,577	1,240	91	-	-	1	28	16	9
TOWNS IN OUTER RING.										
CROYDON C.B ..	205,900	81	43	4	-	-	-	1	-	-
WIMBLEDON ..	58,030	5	12	2	-	-	-	-	-	-
EALING	91,783	29	18	2	-	-	-		-	-
ACTON	63,040	12	12	4	-	-	-	-	1	-
WILLESDEN ..	165,270	43	37	5	-	-	-	1	1	1
HENDON	62 670*	15	8	1	-	-	-	1	-	-
HORNSEY	87,230	16	23	1	-	-	-	-	-	
WOOD GREEN ..	51,940	14	11	-	-	-	-	-	-	1
TOTTENHAM ..	151,520	45	38	2	-	-	-	2	1	-
EDMONTON ..	71,700	33	29	8	-	-	-	2	-	2
ENFIELD	63,640	24	15	2	-	-	-	1	1	-
WEST HAM C.B. ..	315,900	129	73	8	-	-	-	4	1	2
EAST HAM C.B. ..	146,600	43	34	3	-	-	-	-	-	-
LEYTON	130,000	31	39	2	-	-	1	2	-	-
WALTHAMSTOW ..	125,500	38	29	1	-	-	-	-	-	-
ILFORD	100,500	32	21	-	-	-	-	1	-	-
GILLINGHAM	47,820*	25	14	-	-	-	-	-	-	-
CANTERBURY C.B ..	23,470*	6	7	2	-	-	-	-	-	-
HASTINGS C.B.	61,340	14	20	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	56,060	11	12	1	-	-	-	1	-	-
BRIGHTON C.B. ..	139,500*	39	43	3	-	-	-	-	-	1
PORTSMOUTH C.B. ..	231,500*	103	70	5	-	-	-	-	-	-
BOURNEMOUTH C.B. ..	90,100	35	41	-	-	-	-	1	-	-
SOUTHAMPTON C.B. ..	163,300	66	71	6	-	12	-	-	2	1
READING C.B.	93,090*	37	29	-	-	-	-	-	-	-
OXFORD C.B.	56,800	27	18	3	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,530*	22	18	1	-	-	-	1	1	-
LUTON	59,240	11	16	-	-	-	-	-	-	-
CAMBRIDGE	58,820	19	22	2	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	104,300	32	28	1	-	-	-	-	-	-
IPSWICH C.B.	84,140	40	12	4	-	-	-	1	-	-
GREAT YARMOUTH C.B.	57,760	23	33	5	-	-	-	-	-	-
NORWICH C.B. ..	123,500*	28	48	4	-	-	-	3	-	-
SWINDON	57,320	25	17	2	-	-	-	-	-	1
EXETER C.B.	60,340*	17	27	1	-	-	-	-	-	-
PLYMOUTH C.B. ..	187,300*	72	71	5	-	-	-	-	1	1
BATH C.B.	69,000	16	16	1	-	-	-	-	-	-
BRISTOL C.B.	383,300*	125	108	5	-	-	-	-	1	1
GLOUCESTER C.B. ..	53,050	19	22	2	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	275,600	135	160	33	-	1	-	2	-	3
BURTON-UPON-TRENT C.B.	48,660	19	20	3	-	-	-	2	-	-
WOLVERHAMPTON C.B.	110,000	41	86	13	-	1	-	5	-	1
WALSALL C.B.	102,100	45	58	8	-	-	-	2	-	-
WEST BROMWICH C.B	79,920	31	46	5	-	-	-	-	-	1
DUDLEY C.B.	58,930	22	26	4	-	-	-	-	-	-
WORCESTER C.B. ..	50,660	24	20	2	-	-	-	-	-	-
BIRMINGHAM C.B. ..	934,300*	314	376	41	-	9	-	4	3	5
SMETHWICK C.B. ..	76,940	18	27	4	-	1	-	-	-	-
COVENTRY C.B. ..	127,800	37	42	2	-	-	-	-	-	-
LEICESTER C.B. ..	241,700	76	49	3	-	1	-	2	1	-
LINCOLN C.B.	65,760*	16	35	5	-	-	-	3	1	-
GRIMSBY C.B.	88,580	33	34	6	-	-	-	-	-	-
NOTTINGHAM C.B. ..	268,000	96	82	5	-	-	-	-	-	-
DERBY C.B.	136,600*	56	55	6	-	-	-	1	-	1
CHESTERFIELD ..	66,650	22	34	6	-	-	-	-	-	2
STOCKPORT C.B. ..	125,400	29	46	6	-	-	-	-	-	-
CHESTER C.B.	41,710	14	17	2	-	-	-	1	-	-
BIRKENHEAD C.B. ..	158,000	56	68	15	-	-	-	1	2	2
WALLASEY C.B. ..	93,050	26	29	3	-	-	-	-	-	-
LIVERPOOL C.B. ..	862,600	395	380	56	1	4	-	-	2	2
BOOTLE C.B.	84,580	34	37	6	-	4	-	1	-	-
ST. HELENS C.B. ..	110,000	45	34	5	-	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
OUTHPORT C.B ..	77,970	25	47	1	-	-	-	-	-	-	16
IGAN C.B.	88,620	35	34	4	-	3	-	-	-	-	3
ARRINGTON C.B. ..	76,940*	29	28	8	-	-	-	2	-	-	6
OLTON C.B.	177,000	55	113	2	-	-	-	-	1	-	35
URY C.B.	56,840*	18	34	1	-	-	-	-	-	-	9
ANCHESTER C.B. ..	752,000	268	408	42	-	1	1	6	3	4	70
ALFORD C.B.	247,400	76	103	9	-	1	-	2	1	-	21
LDHAM C.B	143,000	35	66	6	-	-	-	1	-	2	12
OCHDALE C.B... ..	91,510	21	61	3	-	-	-	1	-	-	18
URNLEY C.B.	99,600	27	91	8	-	2	-	-	2	-	29
LACKBURN C.B. ..	124,400	38	110	2	-	4	-	1	1	-	35
RESTON C.B.	124,200	46	54	4	-	-	-	1	-	-	11
LACKPOOL C.B. ..	88,640	12	55	2	-	-	-	-	1	-	15
ARROW-IN-FURNESS C.B.	70,420	26	34	1	-	-	-	-	-	-	5
UDDERSFIELD C.B. ..	111,900	29	57	-	-	-	-	1	1	-	9
ALIFAX C.B.	96,130*	29	67	3	-	-	-	1	-	1	14
RADFORD C.B. ..	288,700	73	122	11	-	4	-	2	2	-	13
EEDS C.B.	473,400	160	202	14	-	17	-	6	3	2	15
EWSBURY C.B ..	53,630	19	20	1	-	-	-	-	-	-	8
AKEFIELD C.B. ..	53,830	25	25	4	-	1	-	1	-	1	-
ARNSLEY C.B. ..	70,760	32	32	7	-	1	-	2	-	-	1
HEFFIELD C.B. ..	523,300*	182	220	21	-	-	1	6	1	-	36
OTHERHAM C.B. ..	70,080	26	47	9	-	-	-	3	1	-	8
ONCASTER	55,700	25	31	2	-	-	-	-	-	-	7
ORK C.B.	84,430*	27	45	1	-	-	-	-	-	-	8
ULL C.B.	294 600	106	124	16	-	-	-	1	2	-	11
IDDLESBROUGH C.B.	133,600	56	45	14	-	2	-	-	-	1	1
ARLINGTON C.B. ..	70,700	21	23	-	-	-	-	-	-	-	2
TOCKTON-ON-TEES ..	67,910	26	31	4	-	-	-	-	-	-	5
EST HARTLEPOOL C.B.	71,060	39	32	6	-	-	-	1	1	-	3
UNDERLAND C.B. ..	163,800	65	59	4	-	2	-	-	1	-	7
OUTH SHIELDS C.B. ..	123,900	47	42	9	-	-	-	1	1	-	3
ATESHEAD C.B. ..	127,700	40	36	4	-	1	-	1	2	-	5
EWCASTLE-ON-TYNE C.B.	284,700*	129	94	8	-	-	1	2	-	1	10
YNEMOUTH C.B. ..	66,560	22	21	5	1	-	-	-	1	-	2
ARLISLE C.B.	56,140*	21	27	4	-	-	-	-	1	-	1
EWPORT (MON.) C.B.	96,620	31	27	2	-	-	-	-	-	1	1
ARDIFF C.B.	225,600*	77	84	11	-	1	-	-	-	1	4
HONDDA	162,500	66	44	5	-	-	-	-	-	-	9
ERTHYR TYDFIL C.B.	80,690	23	36	6	-	-	-	-	-	2	3
ERDARE	56,930	24	14	2	-	-	-	-	-	-	3
WANSEA C.B.	163,200	66	49	2	-	-	-	-	-	-	5
REATER LONDON ..	7,791,310*	2,581	1,980	162	-	-	2	47	25	17	113
UTER RING	3,185,910*	1,004	740	71	-	-	1	19	9	8	44
8 GREAT TOWNS IN OUTER RING	1,891,123*	590	442	45	-	-	1	15	5	6	28
EMAINDER OF OUTER RING	1,294,787*	414	298	26	-	-	-	4	4	2	16
DINBURGH†	426,100‡	170	175	15	-	-	-	1	1	-	27
LASGOW† ..	1,049,000‡	468	298	48	-	1	-	13	4	5	6
UBLIN (REGISTRATION AREA)†	421,000	180	244	41	-	2	-	19	1	5	16
ELFAST†	416,000	190	148	29	-	-	-	10	1	2	3

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Revised provisional populations for 1927.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated)	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa†
LONDON‡	4,605,400	1927. Mar. 5	1577	1240	14·0	-	-	-	1	28	16	-
CALCUTTA AND SUBURBS	1,077,273	1926–27. Jan. 22	?	979‖	56·1	?	82	?	?	?	?	
BOMBAY§	1,298,708	Feb. 5	444	566	22·7	-	11	1	-	-	-	
MADRAS	528,791	Jan. 29	399	459	45·1	3	1	-	-	2	-	
SYDNEY AND SUBURBS	1,038,950	Jan. 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	Dec. 31 (31 days)										
PERTH (Metropolitan Area).	179,388	Jan. 15										
AUCKLAND (Urban Area).	192,176	Jan. 31 (31 days)										
WELLINGTON (Urban Area).	121,324	Jan. 31 (31 days)										
CHRISTCHURCH (Urban Area).	118,408	Jan. 31 (31 days)										
CAPE TOWN	113,709	Feb. 5	45	32	14·4	1	-	-	-	-	-	
JOHANNESBURG	172,189	„ 5	77	33	10·0	-	-	-	-	-	-	
DURBAN	54,738	„ 5	42	11	10·4	1	-	-	-	-	-	
PARIS	2,871,429	Feb. 20 (10 days)										
ANTWERP	300,183	Feb. 5										
AMSTERDAM	726,531	„ 12	278	145	10·4	-	-	3	-	2	1	
COPENHAGEN	592,000	„ 19	189	167	14·7	-	-	-	-	3	-	
STOCKHOLM	442,528	„ 12	120	166	19·5	-	-	-	-	-	1	
GOTHENBURG	231,624	„ 5										
OSLO (CHRISTIANIA) ..	255,724	„ 19	42	53	10·8	-	-	1	-	-	-	
BERLIN	1,992,000	„ 12	442	540	14·1	-	?	1	1	-	7	
BRESLAU	561,000	„ 12	150	127	11·8	-	?	1	-	-	-	
COLOGNE	711,000	„ 12	243	202	14·8	-	?	1	-	4	2	
DRESDEN	624,000	„ 12	138	176	14·7	-	?	-	-	-	1	
FRANKFORT-ON-MAIN ..	471,000	„ 12	107	102	11·3	-	?	-	2	-	-	
HAMBURG	1,111,000	„ 12	305	325	15·2	-	?	3	-	4	1	
LEIPZIG	685,000	„ 12	155	184	14·0	-	?	-	1	-	-	
MUNICH	685,000	„ 12	196	256	19·4	-	?	5	-	3	-	
VIENNA	1,871,607	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	Oct. 31 (31 days)										
BUDAPEST	971,169	Feb. 12	367	274	14·6	-	-	2	-	1	2	
WARSAW	1,015,426	„ 12	?	294	15·1	1	-	-	4	1	4	
CAIRO	859,400	Nov. 25	931	448	27·2	4	1	-	-	?	4	
ALEXANDRIA	492,100	„ 25	477	195	20·7	2	-	-	-	?	1	1
NEW YORK	5,924,018	Feb. 12	?	1485	13·0	1	-	-	1	4	18	1
CHICAGO	3,101,000	„ 11	1089	739	12·4	-	-	2	1	4	8	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 58 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 5th March, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1240	91	36	35	35	40	52	83	142	177	257	292
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	28	7	11	10	-	-	-	-	-	-	-	-
Diphtheria	16	-	5	3	7	1	-	-	-	-	-	-
Influenza	69	2	-	2	-	-	5	9	12	5	16	18
Erysipelas	3	-	-	-	-	-	-	-	1	2	-	-
Acute Poliomyelitis, Poliioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	1	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	95	-	-	-	3	16	21	17	21	11	5	1
Nervous system	5	-	1	1	2	1	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	-	1	-	-	-	-
Other forms	4	2	-	-	-	-	-	1	1	-	-	-
Venereal diseases	2	1	-	-	-	-	-	-	1	-	-	-
Cancer	123	-	-	1	-	2	2	10	22	31	38	17
Rheumatic fever	4	-	-	-	-	2	-	-	2	-	-	-
Diabetes	10	-	-	-	-	-	-	2	1	5	1	1
Alcoholism	1	-	-	-	-	-	-	-	-	1	-	-
Simple meningitis	10	-	2	1	-	1	4	2	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	58	-	-	-	-	-	-	-	7	11	17	23
Epilepsy	7		-	-	1	1	-	2	1	1	1	-
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	40	-	-	2	6	2	-	6	12	5	4	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	2	-	-	-	1	-	-	1	-	-	-	-
Other diseases of heart	189	-	-	-	1	4	4	9	15	36	56	64
Other diseases of circulatory system	63	-	-	-	-	-	1	1	8	8	22	23
Bronchitis	116	2	1	-	-	-	1	-	8	19	34	51
Broncho-pneumonia	66	15	11	8	2	-	1	3	1	7	7	11
Lobar-pneumonia	21	1	-	-	1	3	-	2	5	2	4	3
Pneumonia (type not distinguished)	13	-	1	-	1	1	-	-	2	2	3	3
Other diseases of respiratory system	18	-	-	1	1	-	2	-	2	4	4	4
Diarrhœa and enteritis	11	8	1	-	-	-	-	-	-	1	1	-
Appendicitis, Typhlitis	8	-	1	-	2		1	1	1	-	2	-
Hernia, Intestinal obstruction.. ..	10	-	-	1	-	-	1	-	1	1	1	5
Cirrhosis of liver	5	-	-	-	-	-	-	-	1	4	-	-
Other diseases of digestive system ..	20	1	-	-	2	-	-	3	4	3	3	4
Acute nephritis	4	-	-	1	-	-	-	-	1	1	-	1
Chronic Bright's disease..	25	-	-	-	-	1	2	2	6	2	9	3
Other diseases of genito-urinary system.	17	-	-	-	-	-	-	3	1	1	7	5
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-		-
Other causes incident to childbirth..	2	-	-	-	-	1	1	-	-	-	-	-
Congenital malformations	3	3	-	-	-	-	-	-	-	-	-	-
Premature birth	34	34	-	-	-	-	-	-	-	-		-
Debility, atrophy (congenital) ..	4	4	-	-	-		-	-	-	-		-
Old age	56	-	-			-	-	-		1	12	43
Suicide	18	-	-	-	-	-	4	5	1	7	-	1
Burns and Scalds	4	-	1	2	-	-	-	-	-	-	-	1
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	-	3	1	1	-	1	1	3	2
Other deaths by violence	6	-	-	-	-	-	-	-	1	2	-	3
Other specified causes	35	11	1	1	2	3	-	3	2	3	7	2
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 5th March, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	186	251	3	155	C. 5 D. 5 E. 3 G. 4 J. 1 M. 12 N. 22
†CITY OF LONDON	–	1	–	–	1	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	7	8	–	10	D. 3 N. 1
†BERMONDSEY ...	–	6	13	–	–	–
†BETHNAL GREEN	–	3	16	–	2	–
†CAMBERWELL ...	–	15	18	–	11	N. 2
†CHELSEA	–	2	1	–	–	–
†DEPTFORD ...	–	11	10	–	8	D. 1
†FINSBURY ...	–	–	3	–	3	G. 1 N. 2
†FULHAM	–	4	8	–	6	M. 1
†GREENWICH ...	–	12	8	–	3	–
†HACKNEY ...	–	3	8	–	1	M. 1 N. 1
†HAMMERSMITH ...	–	6	10	1	5	–
†HAMPSTEAD ...	–	1	4	–	2	J. 1
†HOLBORN... ...	–	2	–	–	1	N. 1
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	14	17	1	6	M. 3 N. 2
†KENSINGTON ...	–	4	14	–	3	D. 1 N. 1
†LAMBETH ...	–	12	13	–	16	M. 1 N. 2
†LEWISHAM ...	–	5	10	–	8	M. 1
†PADDINGTON ...	–	4	1	–	10	N. 2
†POPLAR	–	10	6	–	11	G. 1 N. 1
†ST. MARYLEBONE	–	3	5	–	–	N. 1
†ST. PANCRAS ...	–	4	4	–	5	G. 1 M. 2 N. 1
†SHOREDITCH ...	–	8	11	–	8	E. 1 M. 2 N. 2
†SOUTHWARK ...	–	12	24	–	5	C. 2
†STEPNEY	–	11	14	1	8	C. 2 E. 2 N. 1
†STOKE NEWINGTON	–	2	1	–	1	–
†WANDSWORTH ...	–	18	16	–	15	G. 1 M. 1
†WESTMINSTER, CITY OF	–	2	4	–	1	C. 1 N. 2
†WOOLWICH ...	–	4	4	–	5	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	5	9	–	18	D. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	2	–	–	–	–
DUNSTABLE ...	–	–	1	–	–	–
†LUTON	–	–	6	–	4	–
Rural Districts:—						
BEDFORD ...	–	2	–	–	2	–
BIGGLESWADE ...	–	–	–	–	9	–
LUTON	–	1	2	–	3	D. 1
BERKS	–	13	1	–	3	–
†READING C.B. ...	–	7	–	–	1	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	1	–
WOKINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
EASTHAMPSTEAD	–	–	–	–	1	–
WALLINGFORD ...	–	3	–	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM ...	–	2	1	–	9	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	1	–	–	–	–
MARLOW	–	–	–	–	1	–
†WOLVERTON ...	–	–	–	–	2	–
Rural Districts:—						
AYLESBURY ...	–	1	–	–	1	–
BUCKINGHAM ...	–	–	–	–	4	–
NEWPORT PAGNELL ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAMBRIDGE ...	–	1	1	–	4	G. 1 M. 1
Borough:—						
†CAMBRIDGE ...	–	1	1	–	2	M. 1
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
NEWMARKET ...	–	–	–	–	1	G. 1
CHESTER	–	39	31	3	145	D. 1 E. 3 G. 2 M. 3 N. 1
†BIRKENHEAD C.B.	–	4	5	2	30	D. 1 M. 1
†CHESTER C.B. ...	–	2	–	–	6	–
†STOCKPORT C.B.	–	6	4	–	16	G. 1
†WALLASEY C.B. ...	–	7	3	–	6	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	1	–	–	2	–
BOWDON	–	2	–	–	–	–
BREDBURY AND ROMILEY	–	–	1	–	4	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	–	1	1	2	–
†CREWE	–	2	–	–	10	M. 1
†DUKINFIELD ...	–	–	1	–	5	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	–	–	–	–	E. 1
†HOYLAKE AND WEST KIRBY	–	1	4	–	1	–
†HYDE	–	–	1	–	5	–
KNUTSFORD ...	–	–	–	–	1	–
LYMM	–	–	–	–	2	–
†MACCLESFIELD ...	–	–	–	–	–	E. 1
MARPLE	–		–	–	1	–
MIDDLEWICH ...	–	–	–	–	2	G. 1
MOTTRAM IN LONGDENDALE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
NANTWICH ...	–	1	–		2	N. 1
NESTON AND PARKGATE	–	–	–	–	–	E. 1
†NORTHWICH ...	–	–	–	–	4	–
†RUNCORN... ...	–	1	–	–	1	–
†SALE	–	–	1	–	–	–
SANDBACH ...	–	–	–	–	9	–
†STALYBRIDGE ...	–	–	–	–	2	–
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	–	–	–	–	7	–
YEARDSLEY CUM WHALEY	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	3	–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	1	–	–	3	–
DISLEY	–	–	–	–	2	–
NANTWICH ...	–	–	1	–	5	–
NORTHWICH ...	–	–	–	–	4	–
RUNCORN ...	–	5	–	–	2	–
TARVIN	–	1	–	–	2	–
WIRRAL	–	1	7	–	2	M. 1
CORNWALL ...	–	4	1	–	10	N. 2
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	1	–	–	–
HELSTON	–	–	–	–	1	–
LAUNCESTON ...	–	–	–	–	1	–
§LISKEARD ...	–	–	–	–	2	–
REDRUTH ...	–	–	–	–	1	–
ST. IVES	–	1	–	–	–	–
SALTASH... ...	–	–	–	–	1	N. 2
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	2	–
ST. COLUMB MAJOR	–	1	–	–	1	–
ST. GERMANS ...	–	–	–	–	1	–
CUMBERLAND ...	–	12	2	–	8	C. 1 G. 1
†CARLISLE C.B. ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	2	1	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
†WHITEHAVEN ...	–	–	–	–	2	–
†WORKINGTON ...	–	–	–	–	1	–
Rural Districts:—						
ALSTON WITH GARRIGILL	*	*	*	*	*	*
BOOTLE	–	1	–	–	–	G. 1
BRAMPTON ...	–	2	–	–	–	–
CARLISLE ...	–	1	–	–	–	–
COCKERMOUTH ...	–	1	–	–	1	C. 1
LONGTOWN ...	–	1	–	–	2	–
DERBY	12	16	16	–	79	C. 1 M. 4 N. 2
†DERBY C.B. ...	7	6	4	–	24	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	2	–
ALVASTON AND BOULTON	–	–	–	–	1	–
†BELPER	2	–	–	–	–	N. 1
BONSALL	–	1	–	–	–	–
BRAMPTON AND WALTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	3	1	–	2	M. 1
†GLOSSOP	–	1	–	–	1	–
†HEANOR	–	1	2	–	7	–
†ILKESTON ...	–	–	–	–	3	M. 1
†LONG EATON ...	–	–	–	–	2	–
NEW MILLS ...	–	–	–	–	2	–
†RIPLEY	2	–	–	–	3	–
†SWADLINCOTE DISTRICT	–	–	–	–	1	–
†THE MATLOCKS...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H Typhus Fever ; I. Relapsing Fever ; N, Puerperal Pyrexia. § The figures for Liskeard M.B.. for the week ended 26th

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	–	N. 1
BAKEWELL ...	–	–	–	–	1	–
BELPER	1	1	–	–	–	–
BLACKWELL ...	–	–	3	–	5	C. 1
CHESTERFIELD ...	–	1	4	–	13	–
GLOSSOP DALE ...	–	–	–	–	3	–
HARTSHORN AND SEALS	–	–	–	–	1	–
HAYFIELD ..		–	–	–	2	–
REPTON	–	–	–	–	1	–
SHARDLOW ...	–	–	1	–	3	–
DEVON	–	23	10	1	20	C. 2 M. 5 N. 3
†EXETER C.B. ...	–	7	–	1	3	M. 1
†PLYMOUTH C.B....	–	5	7	–	2	C. 2 M. 2 N. 3
Boroughs and Urban Districts:—						
BIDEFORD ...	–	–	–	–	1	–
†EXMOUTH ...	–	2	–		3	–
†NEWTON ABBOT	–	1	–	–	–	–
OKEHAMPTON ...	–	–	–	–	1	–
SIDMOUTH ...	–	–	–	–	1	–
SOUTH MOLTON ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	3	–	–	–	–
TIVERTON ...		–	1	–	–	–
†TORQUAY ...	–	1	–	–	–	M. 1
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
HONITON	–	–	–	–	1	–
KINGSBRIDGE ...		–	–	–	2	–
NEWTON ABBOT...	–	1	1	–	–	M. 1
PLYMPTON ST. MARY	–	–	1	–	2	–
ST. THOMAS ...	–	3	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	9	1	–	12	G. 2
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	
BRIDPORT ...	–	–	–	–	1	–
†POOLE	–	3	–	–	4	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	1	–
WIMBORNE MINSTER	–	–	–	–	–	G. 1
Rural Districts:—						
BRIDPORT ...	–	3	–	–	–	–
DORCHESTER ...	–	–	–	–	1	
POOLE		–	–	–	2	–
SHAFTESBURY ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	2	–	–	2	G. 1
DURHAM	269	52	21	2	180	G. 1 M. 3 N. 4
†DARLINGTON C.B.	6	2	1	2	4	–
†GATESHEAD C.B.	4	15	6	–	6	N. 1
†SOUTH SHIELDS C.B.	27	4	1	–	14	N. 1
†SUNDERLAND C.B.	2	5	2	–	24	G. 1
†WEST HARTLEPOOL C.B.	–	–	3	–	13	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	4	–	–	–	2	–
BARNARD CASTLE	–	1	–	–	1	–
BENFIELDSIDE ...	–	1	–	–	–	
BILLINGHAM ...		–	–	–	1	
†BLAYDON... ...	–	1	–	–	1	–
†BRANDON AND BYSHOTTLES	17	–	–	–	–	–
†CHESTER LE STREET	8	3	–	–	3	–
†CONSETT	–	1	–	–		–
†CROOK	7	–	–	–	–	–
†DURHAM	2	–	–	–	1	–
†FELLING	3	–	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J. Continued Fever; K. Trench Fever: L. Dysentery; M. Ophthalmia Neonatorum;
February, should have been :—Enteric Fever, nil; Pneumonia, 10.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Hartlepool ...	–	1	1	–	2	–
†Hebburn ...	2	1	1	–	2	–
†Hetton	10	–	–	–	8	–
†Houghton le Spring	3	–	–	–	1	–
†Jarrow	24	–	–	–	18	N. 1
Leadgate ...	–	1	–	–	3	–
†Seaham Harbour	–	–	–	–	7	–
†Shildon	13	–	1	–	–	–
†Southwick on Wear	–	1	–	–	2	M. 1
†Spennymoor ...	1	–	–	–	–	–
Stanhope ...	*	*	*	*	*	*
†Stanley	9	2	–	–	1	–
†Stockton on Tees	1	3	–	–	8	N. 1
†Tanfield ...	2	1	2	–	–	–
†Washington ...	–	–	–	–	1	–
†Whickham ...	3	1	–	–	3	–
Willington ...	3	–	–	–	–	–
Rural Districts:—						
Auckland ...	26	–	–	–	–	–
Barnard Castle	2	–	–	–	–	–
Chester le Street	36	–	–	–	2	–
Darlington ...	1	–	–	–	–	–
Durham	6	1	1	–	1	M. 1
Easington ...	30	3	–	–	30	–
Houghton le Spring	4	1	–	–	9	M. 1
Lanchester ...	4	2	–	–	–	–
Sedgefield ...	3	–	2	–	4	–
South Shields...	3	–	–	–	1	–
Sunderland ...	–	–	–	–	3	–
Weardale ...	3	1	–	–	–	–
ELY, ISLE OF ...	–	5	1	–	2	–
Boroughs and Urban Districts:—						
Ely	–	–	–	–	1	–
Whittlesey ...	–	–	1	–	1	–
†Wisbech	–	2	–	–	–	–
ELY, ISLE OF—*cont.*						
Rural Districts:—						
Ely	–	3	–	–	–	–
ESSEX	–	100	45	1	65	G. 1 M. 4 N. 4
†East Ham C.B. ...	–	4	4	–	2	M. 1 N. 1
†Southend-on-Sea C.B.	–	10	2	–	7	M. 1
†West Ham C.B. ...	–	23	14	–	22	G. 1 M. 2
Boroughs and Urban Districts:—						
†Barking Town...	–	3	–	–	5	N. 1
Braintree ...	–	1	–	–	–	–
Brentwood ...	–	2	3	–	–	–
Brightlingsea	–	–	–	–	4	–
Canvey Island	–	1	–	–	–	–
Chingford ...	–	–	1	–	–	–
†Colchester ...	–	–	–	–	5	–
Dagenham ...	–	2	2	–	2	–
Epping	–	–	–	–	2	–
†Grays Thurrock	–	2	–	–	–	–
Halstead ...	–	2	–	–	–	–
†Harwich ...	–	1	–	–	–	–
Hornchurch ...	–	1	–	–	–	–
†Ilford	–	1	2	–	6	–
†Leyton	–	12	1	–	3	–
Tilbury	–	2	3	–	–	–
†Walthamstow...	–	21	3	–	2	–
Walton on the Naze	–	–	–	–	1	–
†Wanstead ...	–	2	–	–	1	–
Witham	–	1	–	–	–	–
Rural Districts:—						
Billericay ...	–	–	3	1	–	–
Braintree ...	–	–	1	–	–	–
Bumpstead ...	–	–	–	–	1	–
Chelmsford ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
DUNMOW	–	1	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	2	–	–	–	–
MALDON	–	–	–	–	2	N. 1
ORSETT	–	–	4	–	–	–
ROCHFORD ...	–	3	–	–	–	N. 1
ROMFORD... ...	–	2	1	–	–	–
GLOUCESTER ...	–	28	18	–	27	C. 1 F. 1 G. 2 M. 1 N. 3
†BRISTOL C.B. ...	–	15	14	–	11	F. 1 G. 1 M. 1 N. 2
†GLOUCESTER C.B.	–	–	1	–	6	–
Boroughs and Urban Districts:—						
AWRE	–	–	–	–	–	G. 1
CHARLTON KINGS	–	–	–	–	–	C. 1
†CHELTENHAM ...	–	6	1	–	–	–
NAILSWORTH ...	–	–	–	–	2	–
Rural Districts:—						
DURSLEY... ...	–	–	–	–	2	–
EAST DEAN AND UNITED PARISHES		1	1	–	–	–
LYDNEY	–	2	–	–	–	–
NEWENT	–	2		–	–	
STROUD	–	–	–	–	1	–
TETBURY (part)	–	–	–	–	2	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	–	1	–	–	N. 1
WEST DEAN ...	–	–	–	–	3	–
WINCHCOMB(part)	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HEREFORD ...	–	2	1	–	4	M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	–	M. 1
LEDBURY... ...	–	–	–	–	1	–
Rural Districts:—						
DORE	–	1	–	–	–	–
KINGTON... ...	–	–	–	–	2	–
LEDBURY... ...	–	–	1	–	–	–
ROSS	–	1	–	–	–	–
WIGMORE ...	–	–	–		1	–
HERTFORD ...	–	7	3	–	7	E. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	1	–
BISHOP'S STORTFORD	–	–	1	–	–	–
†CHESHUNT ...	–	–	–	–	–	E. 1
†EAST BARNET VALLEY	–	–			1	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	G. 1
HARPENDEN ...	–	–	1	–	–	–
†HEMEL HEMPSTEAD		1	–	–	–	–
†ST. ALBANS ...	–	–	–	–	1	
TRING	–	1	–	–	–	–
†WATFORD ...	–	1	–	–	1	–
Rural Districts:—						
BARNET	–	1	–	–	1	–
BUNTINGFORD ...	–	–	–	–	–	M. 1
HATFIELD ...	–	2	–	–	–	–
HERTFORD ...	–	–	1	–	–	–
HITCHIN		–		–	1	–
WATFORD ...	–	–	–	–	1	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	2	1	–	5	G. 1
Boroughs and Urban Districts:—						
Godmanchester	–	–	–	–	1	–
Huntingdon ...	–	–	–	–	3	–
St. Ives	–	–	1	–	–	–
Rural Districts:—						
Huntingdon ...	–	–		–	1	–
Norman Cross ...		1	–		–	G. 1
St. Ives	–	1	–		–	–
KENT	–	52	36	1	38	C. 1 E. 1 G 1 M. 4 N. 2
†Canterbury C.B.	–	–	3	–	4	–
Boroughs and Urban Districts:—						
†Ashford	–		–	–	2	
†Beckenham ...	–	4				N. 2
†Bexley	–	1	1	–		–
†Broadstairs and St. Peter's	–	–		–	1	–
†Bromley ..		–	1	–	3	–
†Chatham ...	–	–	4		1	–
Cheriton ...	–	2			–	–
Chislehurst ...	–	–	1	–	1	
†Crayford ...	–	2		–	–	–
†Dartford ...	–	2	3	–	1	–
†Dover	–	1		–	1	M. 2
†Erith	–	7	1	–	2	
†Folkestone ...	–	5	1		5	M. 1
†Gillingham ...	–	1	2	–	2	–
†Gravesend ...	–	5	3	–		–
†Maidstone ...	–	1	–			–
†Margate ...	–	–	1	–	–	–
Milton Regis ...	–	1	2			–
†Northfleet ...	–	1	–		–	
†Penge	–		1	–	–	–
†Ramsgate ..	–	3	–	–	1	
†Rochester ...	–			–		E 1
†Royal Tunbridge Wells	–	1	1	–	1	–
Sevenoaks ...	–	1	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†Sheerness ...	–	–	–	–	1	–
Sidcup	–	–	2	–	1	–
Sittingbourne	–	–	–	–	–	G. 1
Swanscombe ...	–		1	–	–	–
Whitstable ...	–	–	–	–	2	–
Rural Districts:—						
Blean	–	–	1	–	2	–
Bridge	–	–	–	–	1	–
Bromley ...	–	–	1	–	–	–
Dartford ...	–	1	–	–	1	–
East Ashford ...	–	2	–	–	–	–
Elham	–	–	1	–	–	–
Faversham ...	–	7	–	–	–	M. 1
Hoo	*	*	*	*	*	*
Isle of Thanet	–	1	–	–	–	C. 1
Maidstone ...	–	1	–	–	–	–
Milton	–	–	3	1	–	–
Romney Marsh...	–	–	–	–	1	–
Sevenoaks ...	–	2		–	2	–
Strood	–	–	2	–	–	–
Tenterden ...	–	–	–	–	1	–
Tonbridge ...	–	–	–	–	1	–
LANCASTER ...	–	113	130	2	807	C. 7 D. 2 E. 2 F. 1 G. 7 L. 1 M. 27 N. 13
†Barrow in Furness C.B.	–	–	–	–	2	–
†Blackburn C.B.	–	3	3	–	32	C. 1 N. 1
†Blackpool C.B.	–	–	3	–	11	–
†Bolton C.B. ...	–	3	4	–	25	G. 1 N. 4
†Bootle C.B. ...	–	–	2	–	9	M. 1 N. 1
†Burnley C.B. ...	–	1	7	–	18	L. 1
†Bury C.B. ...	–	4	2	–	15	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†LIVERPOOL C.B. ...	–	23	30	1	137	C. 1 G. 1 M. 18 N. 1
†MANCHESTER C.B.	–	19	23	1	208	C. 2 D. 1 E. 1 M. 3 N. 2
†OLDHAM C.B. ...	–	5	5	–	14	G. 1
†PRESTON C.B. ...	–	1	6	–	5	–
†ROCHDALE C.B. ...	–	1	2	–	5	–
†ST. HELENS C.B. ...	–	2	4	–	6	M. 2
†SALFORD C.B. ...	–	7	7	–	40	E. 1 G. 1
†SOUTHPORT C.B.	–	–	1	–	13	–
†WARRINGTON C.B.	–	–	1	–	16	G. 1
†WIGAN C.B. ...		–	1	–	22	N. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	2	–
†ACCRINGTON ...	–	–	–	–	7	–
ADLINGTON ...	–	–	–	–	2	–
†ASHTON IN MAKERFIELD	–	2	–	–	1	–
†ASHTON UNDER LYNE	–	1	–	–	1	C. 1
ASPULL	–	–	–	–	6	–
†ATHERTON ...	–	2	–	–	7	–
AUDENSHAW ...	–	1	–	–	3	–
†BACUP	–	–	1	–	4	–
BARROWFORD ...	*	*	*	*	*	*
BRIERFIELD ...	–	–	–	–	2	–
†CHADDERTON ...	–	1	–	–	1	–
†CHORLEY	–	–	–	–	6	–
CLAYTON LE MOORS	*	*	*	*	*	*
†COLNE	–	1	–	–	10	N. 1
†CROMPTON ...	–	–	–	–	–	D. 1
†DALTON IN FURNESS	–	–	1	–	–	–
†DARWEN	–	–	–	–	7	C. 1 N. 1
†DENTON	–	1	1	–	4	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	–	–	–	5	M. 1
†FAILSWORTH ...	–	–	–	–	1	–
†FARNWORTH ...	–	2	3	–	8	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FLEETWOOD ...	–	–	–	–	5	–
FULWOOD ...	–	–	–	–	–	C. 1
†GREAT CROSBY ...	–	–	–	–	4	–
†GREAT HARWOOD	–	–	–	–	1	–
†HASLINGDEN ...	–	6	–	–	3	–
†HEYWOOD ...	–	2	–	–	11	F. 1
†HINDLEY	–	–	–	–	4	–
†HORWICH ...	–	2	1	–	4	–
HURST	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	1	–	5	–
IRLAM	–	–	1	–	2	–
KEARSLEY ...	–	–	–	–	1	–
KIRKHAM ...	–	–	–	–	1	–
†LANCASTER ...	–	2	–	–	2	–
LATHOM AND BURSCOUGH	–	–	–	–	2	–
†LEIGH	–	–	4	–	3	–
†LITHERLAND ...	–	–	2	–	–	–
LITTLE LEVER ...	*	*	*	*	*	*
†LYTHAM ST. ANNE'S	–	–	–	–	5	–
†MIDDLETON ...	–	–	3	–	3	–
MILNROW	–	–	–	–	1	
†MORECAMBE ...	–	–	1	–	2	–
†NELSON	*	*	*	*	*	*
†NEWTON IN MAKERFIELD	–	–	–	–	3	N. 1
NORDEN	–	–	–	–	1	–
ORMSKIRK ...	–	–	–	–	3	–
†OSWALDTWISTLE	–	–	–	–	1	M. 1
†PADIHAM ...	–	–	–	–	1	–
POULTON LE FYLDE	–	–	–	–	2	–
†RADCLIFFE ...	–	3	–	–	5	–
†RAMSBOTTOM ...	–	–	–	–	2	M. 1
RISHTON	–	–	–	–	1	–
SKELMERSDALE ...	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	1	–	7	–
†STRETFORD ...	–	2	–	–	3	G. 1
†SWINTON AND PENDLEBURY	–	–	–	–	5	–
THORNTON ...	–	–	–	–	1	–
TOTTINGTON ...	–	–	1	–	5	–
†TURTON	–	6	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever: L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
WARDLE	–	–	3	–	–	–
†WATERLOO WITH SEAFORTH	–	2	1	–	4	–
†WESTHOUGHTON	–	–	–	–	7	–
WHITEFIELD ...	–	–	–	–	3	–
WHITWORTH ...	–	–	–	–	4	–
†WIDNES	–	–	–	–	7	–
WITHNELL ...	–	–	–	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BLACKBURN ...	–	1	–	–	1	–
BURNLEY... ...	–	3	–	–	1	–
BURY	–	–	–	–	1	–
CLITHEROE ...	–	–	–	–	1	–
LEIGH	–	–	1	–	1	–
LIMEHURST ...	–	2	–	–	–	–
PRESTON	–	–	–	–	3	–
SEFTON	–	–	–	–	2	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	–	–	–	7	–
WHISTON... ...	–	–	3	–	1	–
WIGAN	–	–	–	–	3	–
LEICESTER... ...	–	14	14	–	21	E. 1 G. 1 N. 2
†LEICESTER C.B. ...	–	5	9	–	9	–
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	–	–	–	–	E. 1
‡LOUGHBOROUGH	–	4	1	–	–	N. 1
MELTON MOWBRAY	–	1	–	–	3	G. 1
SHEPSHED ...	–	–	–	–	1	–
THURMASTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	1	–
BARROW UPON SOAR	–	1	1	–	2	N. 1
LOUGHBOROUGH	–	2	–	–	–	–
MARKET BOSWORTH	–	–	2	–	2	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	8	2	–	2	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	–	–	2	–
Rural Districts:—						
CROWLAND ...	–	7	–	–	–	–
EAST ELLOE ...	–	1	–	–	–	–
SPALDING (part)..	–	–	2	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	7	F. 1
Rural Districts:—						
BOURNE	–	1	–	–	–	F. 1
BRANSTON ...	–		–	–	3	–
GRANTHAM ...	–	–	–	–	4	–
LINCOLN (parts of Lindsey).	2	5	11	–	23	G. 1 N. 2
†GRIMSBY C.B. ...	–	1	3	–	5	G. 1 N. 1
†LINCOLN C.B. ...	–	2	6	–	6	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	–	–	–	2	–
†GAINSBOROUGH ...	1	–	–	–	2	–
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	3	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	1	–
GLANFORD BRIGG	–	–	–	–	3	N. 1
GRIMSBY	–	–	1	–	–	–
ISLE OF AXHOLME	1	–	–	–	–	–
SPILSBY	–	–	–	–	1	–
MIDDLESEX ..	–	43	63	3	44	C. 1 E. 1 G. 1 M. 4 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	1	2	–	3	M. 1 N. 1
†BRENTFORD ...	–	1	–	–	–	–
†CHISWICK ...	–	2	–	1	–	–
†EALING	–	–	7	–	4	M. 1
†EDMONTON ...	–	1	9	–	–	G. 1
†ENFIELD	–	4	11	–	2	–
†FINCHLEY ...	–	–	–		1	–
†FRIERN BARNET	–	–	–	–	6	–
†HARROW ON THE HILL	–	3	1	–	2	–
†HENDON	–	2	–	–	1	–
†HESTON AND ISLEWORTH	–	1	1	–	–	N. 1
†HORNSEY	–	7	–	–	–	M. 1
†SOUTHALL NORWOOD	–	1	1	–	3	–
†SOUTHGATE ...	–	1	–	–	1	–
STAINES	–	1	–	–	–	C. 1
†TEDDINGTON ...	–	–	–	–	2	–
†TOTTENHAM ...	–	5	11	–	3	E. 1
†TWICKENHAM ...	–	1	1	1	1	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEALDSTONE ...	–	1	7	–	–	–
†WEMBLEY ...	–	3	–	–	1	–
†WILLESDEN ...	–	2	10	1	12	M. 1 N. 2
†WOOD GREEN ...	–	4	1	–	–	–
Rural Districts:—						
HENDON	–	1	1	–	2	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK	–	12	9	–	14	C. 2 F. 1 N. 2
†GREAT YARMOUTH C.B.	–	1	1	–	3	C. 1
†NORWICH C.B. ...	–	4	2	–	4	C. 1 N. 2
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1	–	3	–
WELLS	*	*	*	*	*	*
Rural Districts:—						
BLOFIELD ...	–	2	–	–	–	–
DEPWADE ...	–	–	1	–	1	–
FOREHOE ...	–	–	–	–	1	F. 1
HENSTEAD ...	–	1	1	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...		2	1	–	1	–
MITFORD AND LAUNDITCH	–	–	1	–	–	–
SMALLBURGH ...	–	–	1	–	–	–
SWAFFHAM ...	–	2	–	–	–	–
WALSINGHAM ...	–	–	–	–	1	–
NORTHAMPTON ...	–	5	3	–	16	N. 1
†NORTHAMPTON C.B.	–	2	2	–	5	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
Irthling-borough	-	-	-	-	4	-
†Kettering ...	-	1	-	-	-	-
†Rushden... ...	-	-	-	-	3	-
†Welling-borough	-	1	-	-	-	-
Rural Districts:—						
Brixworth ...	-	-	1	-	-	-
Hardingstone ...	-	1	-	-	1	-
Kettering ...	-	-	-	-	2	N 1
Welling-borough	-	-	-	-	1	-
NORTHUMBERLAND	12	40	12	1	117	C. 1 G. 1 M. 2 N. 1
†Newcastle upon Tyne C.B.	-	13	6	-	63	C. 1 G. 1 M. 1
†Tynemouth C.B.	-	5	5	-	4	-
Boroughs and Urban Districts:—						
Amble	-	1	-	-	-	-
†Ashington ...	9	4	-	-	4	-
†Bedlingtonshire	1	-	-	-	10	-
†Berwick upon Tweed	-	1	1	-	-	-
†Blyth	-	-	-	-	16	M. 1
Cramlington ...	-	-	-	-	1	N. 1
†Earsdon... ...	-	1	-	-	2	-
†Gosforth ...	-	4	-	-	-	-
†Longbenton ...	-	1	-	-	2	-
Morpeth ...	1	-	-	-	-	-
Newbiggin by the Sea	-	1	-	-	-	-
†Newburn ...	-	1	-	-	-	-
Seaton Delaval		-	-	-	1	-
Seghill	-	-	-	-	2	-
†Wallsend ...	-	2	-	-	7	-
†Whitley and Monkseaton	-	2	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
Alnwick ...	-	1	-	-	-	-
Bellingham ...	-	-	-	-	1	-
Castle Ward ...	-		-	-	2	-
Haltwhistle ...	*	*	*	*	*	*
Hexham	-	3	-	-	-	-
Morpeth... ...	1	-	-	-	1	-
Rothbury ...	-	-	-	1	-	-
NOTTINGHAM ...	5	6	24	-	36	D. 1 G. 2 M. 2 N. 3
†Nottingham C.B.	-	3	17	-	13	D. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†Arnold	-	-	-	-	1	-
†Beeston... ...	-	1	2	-	-	-
†Carlton	-	-	-	-	2	-
†East Retford ...	-	-	-	-	2	-
†Hucknall ...	-	-	-	-	1	-
†Kirkby in Ashfield	-	-	-	-	1	N. 1
†Mansfield ...	-	-	-	-	-	N. 1
†Sutton in Ashfield	1	-	-	-	1	-
†West Bridgford	-	-	1	-	1	-
†Worksop... ...	-	-	-	-	2	-
Rural Districts:—						
Basford	-	2	4	-	2	G. 1 N. 1
Bingham... ...	-	-	-	-	-	M. 1
East Retford ...	-	-	-	-	2	-
Misterton ...	-	-	-	-	4	-
Skegby	3	-	-	-		-
Stapleford ...	-	-		-	2	-
Worksop... ...	1	-	-	-	2	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	–	–	1	6	G. 2 M. 1 N. 1
†OXFORD C.B. ...	–	–	–	1	–	G. 2 M. 1 N. 1
Rural Districts:—						
BICESTER... ...	–	–	–	–	3	–
GORING	–	–	–	–	1	–
HEADINGTON ...	–	–	–	–	1	–
THAME	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	1	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	–
Rural Districts:—						
PETERBOROUGH...	–	1	–	–	–	–
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM	–	1	–	–	–	–
SALOP	–	11	1	–	8	–
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
†OAKENGATES ...	–	1	–		–	–
†SHREWSBURY ...	–	1	–	–	–	–
WELLINGTON ...	–	–			1	–
†WENLOCK ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	1	–
CLUN	–	–	–	–	1	–
ELLESMERE ...	–	3	–	–		–
OSWESTRY ...	–	1	–	–	–	–
SHIFNAL	–	1		–	–	–
WELLINGTON ...	–	–	–	–	2	–
WEM	–	2	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	6	5	–	32	C. 1 G. 1 M. 2 N. 2
†BATH C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	1	–
BURNHAM ON SEA	–	–	–	–	1	–
CHARD	–	–	2	–	1	–
HIGHBRIDGE ...	–	–	–	–	–	M. 1
MIDSOMER NORTON	–	–	–	–	3	–
SHEPTON MALLET	–	–	–	–	1	–
STREET	–	–	–	–	2	–
†TAUNTON ...	–	–	–	–	2	N. 1
WELLS	–	–	–	–	2	N. 1
†WESTON SUPER MARE	–	–	–	–	3	–
†YEOVIL	–	–	–	–	–	C. 1
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	–	1		–	G
CHARD	–	1	–	–	1	–
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	1	–	–	2	–
LONG ASHTON ...	–	–	–	–	4	–
TAUNTON... ...	–	–	–	–	1	–
WELLINGTON ...	–	–	–	–	2	–
WELLS	–	1	–	–	1	–
WILLITON ...		–	2	–	–	–
WINCANTON ...	–	–	–	–	3	M.
SOUTHAMPTON ..	–	34	31	3	23	E. M. N.
†BOURNEMOUTH C.B.	–	1	1	–	3	–
†PORTSMOUTH C.B	–	13	17	1	3	M
†SOUTHAMPTON C.B	–	4	7	1	9	–
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	–	–	–	N
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
Fleet	–	–	–	–	2	–
Warblington ...	–	–	1	–	1	–
†Winchester ...	–	–	–	–	2	–
Rural Districts:—						
Alresford ...	–	1	–	–	1	–
Basingstoke ...	–	1	–	–	–	–
Christchurch ...	–	–	1	–	–	–
Fareham ...	–	3	–	–	–	–
Fordingbridge ..	–	–	–	–	–	E. 1
						N. 1
Hartley Wintney	–	4	1	–	–	–
Havant	–	–	2	–	–	–
Hursley	–	–	–	–	2	N. 1
Kingsclere ...	–	1	–	–	–	–
New Forest ...	–	4	–	–	–	–
Ringwood ...	–	–	1	–	–	–
Stockbridge ...	–	–	–	1	–	–
Winchester ...	–	2	–	–	–	–
STAFFORD	–	31	26	–	288	C. 1
						D. 1
						L. 3
						M 9
						N. 3
†Burton upon Trent C.B.	–	1	–	–	10	D. 1
						M. 1
†Smethwick C.B.	–	–	–	–	16	–
†Stoke on Trent C.B.	–	7	6	–	118	M. 4
†Walsall C.B. ...	–	1	2	–	27	M. 2
†West Bromwich C.B.	–	–	2	–	14	N. 1
†Wolverhampton C.B.	–	–	3	–	8	N. 2
Boroughs and Urban Districts:—						
†Audley	–	–	–	–	5	–
Biddulph ..	–	–	–	–	6	–
†Bilston	–	3	–	–	2	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Brierley Hill...	–	–	1	–	1	–
†Brownhills ...	–	–	1	–	7	–
†Cannock	–	1	–	–	1	–
†Coseley	–	–	1	–	2	–
†Darlaston ...	–	–	–	–	1	–
Kidsgrove ...	–	1	2	–	5	–
†Newcastle under Lyme	–	–	–	–	1	–
Quarry Bank	–	–	–	–	3	–
†Rowley Regis ...	–	2	–	–	4	–
†Sedgley	–	–	1	–		–
†Stafford ...	–	–	1	–	3	–
Tettenhall ...	–	–	–	–	1	–
†Tipton	–	–	1	–	8	–
†Wednesbury ...	–	–	–	–	12	–
Wednesfield ...	–	–	–	–	–	M. 1
†Willenhall ...	–	2	–	–	1	–
†Wolstanton United	–	1	–	–	7	–
Rural Districts:—						
Cannock	–	3	2	–	–	–
Cheadle... ...	–		–	–	11	L. 3
Kingswinford ...	–	3	3	–	–	–
Lichfield ...	–	1	–	–	6	M. 1
Newcastle under Lyme	–		–	–	1	–
Seisdon	–	1	–	–	1	C. 1
Stafford ...	–	1	–	–	–	–
Stone	–	1	–	–	1	–
Uttoxeter ...	–	2	–	–	–	–
Walsall... ...	–	–	–	–	4	–
Blymhill and Weston under Lizard (parishes)	–	–	–	–	1	–
SUFFOLK, EAST ...	–	7	–	–	22	M. 1
						N. 3
†Ipswich C.B. ...	–	2	–	–	6	–
Boroughs and Urban Districts:—						
Leiston cum Sizewell	–	–	–	–	1	–
†Lowestoft ...	–	–	–	–	6	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	–	–	–	–	3	–
BOSMERE AND CLAYDON	–	2	–	–	–	N. 1
HARTISMERE ...	–	–	–	–	–	N. 2
HOXNE	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	–	–	–	4	–
WOODBRIDGE ...	–	3	–	–	1	–
SUFFOLK, WEST ...	–	–	–	–	2	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	–	N. 1
SUDBURY... ...	–	–	–	–	1	–
Rural Districts:—						
CLARE	–	–	–	–	1	–
SURREY	–	27	33	4	29	G. 1 L. 1 M. 1 N. 3
†CROYDON C.B. ...	–	10	6	2	1	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	3	–	–	–	N. 1
†BEDDINGTON AND WALLINGTON	–	1	6	–	–	–
†CARSHALTON ...	–	–	1	–	1	–
†CHERTSEY ...	–	1	–	–	3	G. 1
†EGHAM	–	2	–	–	–	–
†EPSOM	–	–	–	2	1	–
†ESHER AND THE DITTONS	–	–	–	–	–	N. 1
†FARNHAM ...	–	1	–		–	–
†FRIMLEY	–	–	2	–	1	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	–	–	–	3	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
HAM	–	–	–	–	1	–
†KINGSTON ON THAMES	–	3	3	–	–	–
LEATHERHEAD ...	–	1	–	–	1	–
†MERTON AND MORDEN	–	1	–	–	1	–
†MITCHAM... ...	–	–	5	–	–	N. 1
†REIGATE	–	–	3	–	–	–
†RICHMOND ...	–	–	1	–	–	–
†SURBITON ...	–	1	1	–	4	–
†SUTTON	–	–	3	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WALTON UPON THAMES	–	–	–	–	1	–
†WOKING	–	1	–	–	1	L. 1
Rural Districts:—						
CHERTSEY ...	–	–	2	–	–	–
EPSOM	–	1	–	–	5	–
GODSTONE ...	–	–	–	–	2	–
GUILDFORD ...	–	–	–	–	1	–
HAMBLEDON ...	–	–	–	–	1	–
SUSSEX, EAST ...	–	5	4	–	9	N. 4
†BRIGHTON C.B. ...	–	1	2	–	3	N. 3
†EASTBOURNE C.B.	–	–	–	–	1	N. 1
†HASTINGS C.B. ...	–	3	–	–	2	–
Boroughs and Urban Districts—						
†BEXHILL... ...	–	1	–	–	–	–
†HOVE	–	–	–	–	2	–
PORTSLADE BY SEA	–	–	–	–	1	–
Rural Districts:—						
STEYNING EAST...	–	–	1	–	–	–
UCKFIELD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ..	–	6	5	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	–	1	–	–	–
†HORSHAM ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
SOUTHWICK ...	–	–	–	–	–	M. 1
†WORTHING ...	–	1	4	–	1	–
Rural Districts:—						
HORSHAM ...	–	2	–	–	1	C. 1
WESTBOURNE ...	–	1	–	–	–	–
WARWICK	–	27	44	–	232	C. 1 G. 4 M. 4 N. 3
†BIRMINGHAM C.B.	–	17	37	–	159	C. 1 G. 3 M. 3 N. 3
†COVENTRY C.B. ...	–	1	1	–	22	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	2	–	9	–
†ROYAL LEAMINGTON SPA	–	–	–	–	4	–
†RUGBY	–	–	–		1	–
†STRATFORD ON AVON	–	1	–	–	2	
†SUTTON COLDFIELD	–	1	–	–	6	–
†WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	8	–
ATHERSTONE ...	–	2	–	–	2	–
FOLESHILL ...	–	2	1	–	4	G. 1 M. 1
MERIDEN... ...	–	1	–	–	4	
NUNEATON ...	–	1	–	–	1	–
RUGBY	–	–	2	–	1	–
SOLIHULL ...	–	–	1	–	5	–
WARWICK—*cont.*						
Rural Districts—*cont.*						
SOUTHAM... ...	–	–	–	–	1	–
STRATFORD ON AVON	–	–	–	–	1	–
TAMWORTH (part)	–	–	–	–	1	–
WARWICK ...	*	*	*	*	*	*
WESTMORLAND ...	–	1	–	–	6	N. 1
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	1	–
SOUTH WESTMORLAND	–	–	–	–	5	–
WEST WARD ...	–	–	–	–	–	N. 1
WIGHT, ISLE OF ...	–	4	–	–	10	–
Boroughs and Urban Districts:—						
†COWES	–	3	–	–	1	–
†NEWPORT... ...	–	–	–	–	3	–
†RYDE	–	–	–	–	3	–
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	3	–
WILTS	–	8	7	–	9	N. 1
Boroughs and Urban Districts:—						
CALNE	–	–	3	–	–	–
DEVIZES	–	1	–	–	–	–
MELKSHAM ...	–	–	2	–	1	–
†SALISBURY ...	–		–	–	–	N. 1
†SWINDON... ...	–	2	1	–	5	–
†TROWBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
Amesbury ...	–	1	–	–	–	–
Bradford-on-Avon	–	2	–	–	–	–
Chippenham ...	–	1	–	–	1	–
Highworth ...	*	*	*	*	*	*
Melksham ...	–	–	1	–	–	–
Pewsey	–	–	–	–	2	–
Tetbury (part)...	*	*	*	*	*	*
WORCESTER ...	–	2	–	–	62	G. 1 N. 2
†Dudley C.B. ...	–	–	–	–	4	–
†Worcester C.B.	–	1	–	–	9	–
Boroughs and Urban Districts:—						
†Halesowen ...	–	–	–	–	10	G. 1
†Kidderminster	–	–	–	–	1	–
†Lye and Wollescote	–	–	–	–	10	–
†Malvern ...	–	–	–	–	–	N. 1
North Bromsgrove	–	–	–	–	1	–
†Oldbury... ...	–	–	–	–	6	–
†Redditch ...	*	*	*	*	*	*
†Stourbridge ...	–	–	–	–	5	–
Rural Districts:—						
Bromsgrove ...	–	–	–	–	1	–
Feckenham ...	–	–	–	–	–	N. 1
Martley... ...	–	–	–	–	2	–
Pershore ...	–	–	–	–	4	–
Upton on Severn	–	–	–	–	9	–
Redmarley d'Abitôt and Staunton (parishes)	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS ... ... **(East Riding.)**	–	17	13	–	12	C. 1 E. 1 M. 2
†Kingston upon Hull C.B.	–	11	12	–	5	C. 1 E. 1 M. 2
Boroughs and Urban Districts:—						
†Beverley ...	–	2	–	–	2	–
†Bridlington ...	–	1	–	–	–	–
Hornsea... ...	–	1	–	–	–	–
Rural Districts:—						
Beverley ...	–	–	–	–	4	–
Bridlington ...	–	1	–	–	–	–
Escrick	–	1	–	–	–	–
Howden	–	–	–		1	–
Norton	*	*	*	*	*	*
Sculcoates ...	–	–	1	–	–	–
YORKS ... ... **(North Riding.)**	5	10	3	–	30	E. 1 N. 1
†Middlesbrough C.B.	4	3	1	–	6	N. 1
Boroughs and Urban Districts:—						
†Eston	–	2	–	–	–	–
Hinderwell ...	–	–	–	–	–	E. 1
Loftus	–	1	–	–	6	–
Malton	*	*	*	*	*	*
†Redcar	–	–	–	–	1	–
Richmond ...	–	–	1	–	1	–
Scalby	–	–	–	–	1	–
†Scarborough ...	–	–	–	–	4	–
†Skelton and Brotton	–	1	1	–	1	–
†Thornaby on Tees	–	3	–	–	–	–
†Whitby	–		–	–	1	–
Rural Districts:—						
Croft	1	–	–	–	–	–
Easingwold ...	–		–	–	1	–
Helmsley ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding) *cont.*						
Rural Districts—*cont.*						
KIRKBY MOORSIDE	–	–	–		1	
MALTON	*	*	*	*	*	*
RICHMOND ...	–	–	–	–	1	–
SCARBOROUGH ...	–	–	–	–	3	–
STOKESLEY ...	–	–	–	–	2	–
WHITBY	–	–	–		1	–
YORKS ... ... (West Riding.)	128	114	68	4	538	C. 6 E. 1 G. 3 L. 1 M. 7 N. 7
†BARNSLEY C.B. ...	–	2	–	–	2	–
†BRADFORD C.B. ...	–	8	8	1	48	C. 5 N. 1
†DEWSBURY C.B....	–	–	–	–	1	–
†HALIFAX C.B. ...	–	2	1	1	8	–
†HUDDERSFIELD C.B.	2	5	2	–	30	N. 1
†LEEDS C.B. ...	1	22	10	–	40	E. 1 M. 1 N. 2
†ROTHERHAM C.B.	–	–	1	–	48	N. 1
†SHEFFIELD C.B....	28	27	23	1	201	G. 1 M. 3 N. 1
†WAKEFIELD C.B.	–	–	1	–	2	L. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	–	–	–	–
†BARNOLDSWICK ...	–	–	1	–	1	–
†BATLEY	–	–	1	–	–	–
†BENTLEY WITH ARKSEY	8		–	–	–	–
†BINGLEY	2	–	–	–	4	
BIRSTAL	–	–	–	–	–	N. 1
†BRIGHOUSE ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CASTLEFORD ...	–	–	1	–	2	–
†CONISBROUGH ...	28	–	–	–	2	M. 1
CUDWORTH ...	–	–	–	–	1	–
†DARTON	–	–	–	–	3	–
†DONCASTER ...	9	3	5	–	8	–
DRIGHLINGTON ...	–	–	–	–	2	–
†ELLAND	–	–	–	–	3	–
EMLEY	–	1	–	–	–	–
†HEATHERSTONE ...	–	–	–	–	1	–
†GOLCAR	–	3	–	–	7	–
GREETLAND ...	–	–	–	–	1	–
†HARROGATE ...	–	–	1	–	6	–
HAWORTH ...	1	–	–		–	–
HECKMONDWIKE	–	–	–	–	2	–
†HEMSWORTH ...	1	–	–	–	2	M. 1
†HOLMFIRTH ...	–	1	–	–	7	C. 1
HONLEY	–	–	–	–	1	–
HORBURY ...	–	–	–	–	3	–
†HOYLAND NETHER	*	*	*	*	*	*
†KEIGHLEY ...	7	–	–	–	1	–
KIRKHEATON ...	–	–	2	–	–	–
KNOTTINGLEY ...	–	–	1	–	1	–
LEPTON	–	1	–	–	1	–
MALTBY	–	1	–	–	–	–
METHLEY ...	–	–	–	–	2	–
†MEXBOROUGH ...	11	–	–	–	5	–
MIRFIELD ...	–	–	–	–	2	–
†MORLEY	–	–	–	–	2	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ..	–	3	–	–	7	–
OAKWORTH ...	–	–	–	–	2	–
†RAWMARSH ...	–	1	1	–	–	–
†ROTHWELL ...	–	–	–	–	1	–
†SADDLEWORTH ...	–	2	–	–	–	–
SHEPLEY	–	–	1	–	1	–
†SHIPLEY	–	1	–	–	2	–
†SKIPTON	–	1	2	–	–	–
SOUTH CROSLAND	–	–	–	–	1	–
SOUTHOWRAM ...	–	–	–	–	1	–
†SPENBOROUGH ...	–	–	1	–	7	–
SPRINGHEAD ...	–	–	–	–	1	–
STOCKSBRIDGE ...	–	1	–	–	3	–
†SWINTON	14		–	–	1	–
TICKHILL ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TODMORDEN ...	-	1	3	-	2	G. 1
†WATH UPON DEARNE	4	2	-	-	-	-
†WOMBWELL ...	-	7	-	-	5	-
†WORSBOROUGH ...	-	-	-	-	2	G. 1
YEADON	-	-	-	-	1	-
Rural Districts:—						
BISHOPTHORPE ...	-	-		1	-	-
DONCASTER ...	1	1	1	-	6	-
GOOLE	-	-		-	4	-
GREAT OUSEBURN	-	1	-	-	-	-
HEMSWORTH ...	-	2	1	-	18	-
KEIGHLEY ...	-	-	-	-	1	-
KIVETON PARK ...	-	2	-	-	4	-
PENISTONE ...	-	2	-	-	-	-
ROTHERHAM ...	2	2	-	-	4	M. 1
SEDBERGH ...	-	-	-	-	4	-
SETTLE	-	-	-	-	3	-
SKIPTON	-	1	-	-	1	-
THORNE	8	3	-	-	-	-
WAKEFIELD ...	-	2	-	-	-	-
WETHERBY ...	-	-	-	-	1	-
WORTLEY ...	-	3	-	-	2	-
§YORK, CITY OF	-	8	1	-	9	E. 1 G. 2 N. 1
†YORK C.B ...	-	8	1	-	9	E. 1 G. 2 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	-	-	-	-	7	G. 1
Boroughs and Urban Districts:—						
AMLWCH	-	-	-	-	1	-
†HOLYHEAD ...	-	-	-	-	-	G. 1
Rural Districts:—						
TWRCELYN ...	-	-	-	-	3	-
VALLEY	-	-	-	-	3	-
BRECKNOCK ...	-	-	-	-	9	-
Boroughs and Urban Districts:—						
BRYNMAWR ...	-	-	-	-	5	-
Rural Districts:—						
HAY	-	-	-	-	2	-
VAYNOR AND PENDERYN	-	-	-	-	1	-
YSTRADGYNLAIS	-		-	-	1	-
CAERNARVON ...	-	2	-	-	3	-
Boroughs and Urban Districts:—						
†BANGOR	-	1	-	-	1	-
PWLLHELI ...	-	-	-	-	2	-
Rural Districts:—						
CONWAY	-	1	-	-	-	-
CARDIGAN ...	-	-	-	-	2	-
Rural Districts:—						
ABERAYRON ...	-	-	-	-	1	-
ABERYSTWYTH (NORTH)	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN ...	–	2	2	–	8	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	–	–	1	–
KIDWELLY ...	–		–	–	5	–
†LLANELLY ...	–	–	–	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANELLY ...		2	1	–	–	–
WHITLAND ...	–	–	–	–	1	–
DENBIGH	–	4	1	–	2	D. 1, G. 1
Boroughs and Urban Districts:—						
DENBIGH ...	–	–		–	–	D. 1
LLANGOLLEN ...	–	1		–	–	–
†WREXHAM ...	–	1	1	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	–	–	–	–	G. 1
WREXHAM ...	–	2	–	–	2	–
FLINT	–	3	4	–	7	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	1	–
†RHYL	–	1	2	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	4	–
HOLYWELL ...	–		2	–	2	
OVERTON ..	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ..	1	31	32	1	98	C. 2, G. 1, M. 6, N. 6
†CARDIFF C.B. ..	–	1	11	–	9	G. 1, M. 4
†MERTHYR TYDFIL C.B.	–	–	–	–	6	–
†SWANSEA C.B. ...		7	3	–	3	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	1	3	–	1	11	–
†BARRY	–	2	2		1	N. 1
†CAERPHILLY ...	–	1	1	–		
COWBRIDGE ...	–		–	–	1	–
†GELLIGAER ...	–	–	–	–	10	–
†MAESTEG ...	–	–	2	–	–	–
†MOUNTAIN ASH ...	–	5	1	–	7	–
†NEATH	–	–	–	–	2	–
†OGMORE AND GARW	–	2	1	–	4	–
†PONTYPRIDD ...		1	–	–	6	–
†PORT TALBOT ...	–	–	3	–	–	–
†RHONDDA ...		4	3	–	32	C. 1, M. 2, N. 3
Rural Districts:—						
CARDIFF	–	–	1	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	–	2	–	–	–
NEATH	–	2	–		5	C. 1
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA... ...	–	2	1	–	–	N. 1
MERIONETH ...		1	6	–	–	–
Urban Districts:—						
FFESTINIOG ...	–	–	4	–	–	–
MALLWYD ...	–	–	1	–	–	–
TOWYN		1	–	–	–	–
Rural Districts:—						
EDEIRNION ...	*	*	*	*	*	*
PENLLYN	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below).
NMOUTH ...	95	2	–	1	16	G. 2 N. 1
NEWPORT C.B. ...	1	1	–	–	4	N. 1
oroughs and Urban Districts:—						
ABERCARN ...	8	–	–	–	–	–
ABERSYCHAN ...	73	–	–	–	–	–
ABERTILLERY ...	2	–	–	–	–	–
BEDWAS AND MACHEN	–	–	–	–	4	–
BEDWELLTY ...	–	–	–	–	1	–
BLAENAVON ...	6	–	–	–	2	G. 1
CHEPSTOW ...	–	–	–	–	1	–
EBBW VALE ...	–	–	–	–	3	–
MYNYDDISLWYN	1	–	–	–	–	–
NANTYGLO AND BLAINA	–		–	1	–	–
PANTEG	1	–	–	–	–	–
PONTYPOOL ...	2	–	–	–	–	–
RHYMNEY ...	–	–	–	–	–	G. 1
RISCA	1	1	–	–	1	–
ONTGOMERY ...	–	1	–	–	4	–
oroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	1	–	–	2	–
WELSHPOOL ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY—*cont.*						
Rural Districts:—						
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE	–	5	1	–	9	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	4	–
†PEMBROKE ...	–	–	1	–	–	–
TENBY	–	–	–	–	1	–
Rural Districts:—						
HAVERFORDWEST.	–	–	–	–	1	–
NARBERTH ...	–	5	–	–	2	–
PEMBROKE ...	–	–	–	–	1	–
Total of Part II. ...	529	990	754	28	3218	C. 30 D. 7 E. 14 F. 4 G. 45 L. 6 M. 97 N. 93

* Returns not received. † Population over 10,000.

C Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
LIVERPOOL	–	2		–		–	PORT OF LONDON ...	–	–	1	–	–
SOUTHAMPTON ...	–	–	–	–	2	–						
WELLS (NORFOLK) ...	*	*	*	*	*	*	**Total of Part III....** ...	–	2	1	–	2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Pla C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute E encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Conti Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Py

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	186	251	3	155	C. 5 D. 5 E. 3 G. 4 J. 1 M. 12 N. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	529	990	754	28	3218	C. 30 D. 7 E. 14 F. 4 G. 45 L. 6 M. 97 N. 93
Total of Part III.—Port Sanitary Districts	–	2	1	–	2	–
Total (*i.e.*, of returns received), England and Wales ...	529	1178	1006	31	3375	C. 35 D. 12 E. 17 F. 4 G. 49 J. 1 L. 6 M. 109 N. 115

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	M
LONDON:—													
DEATHS—all ages	1,170	1,161	1,070	1,473	1,602	1,648	1,908	2,045	1,912	1,704	1,652	1,278	1,
" 0 to 1 year ..	154	127	126	137	137	122	135	162	137	100	122	101	
GREAT TOWNS, aggregate (including London):— BIRTHS	6,646	6,238	5,347	6,469	7,332	6,929	6,231	6,475	7,020	6,293	7,015	6,490	6
DEATHS—all ages	4,919	4,797	4,556	5,898	5,883	5,917	6,427	7,320	7,302	7,285	8,411	7,825	7
" 0 to 1 year ..	643	574	563	690	675	656	630	731	716	670	857	802	
ENTERIC FEVER—Cases	16	16	8	13	15	16	9	14	18	11	7	13	
" Deaths	2	4	5	2	1	1	2	2	3	1	2	4	
SMALL POX—Cases ..	29	26	48	34	45	228	119	116	133	106	81	97	
" Deaths ..	—	—	—	—	—	—	—	—	—	1	—	—	
SCARLET FEVER—Cases	950	801	756	881	818	791	787	809	684	705	729	675	
" Deaths	8	5	9	2	4	6	4	6	11	6	4	8	
DIPHTHERIA—Cases ..	793	784	707	671	788	771	715	735	700	619	695	720	
" Deaths ..	47	40	36	51	48	38	39	43	51	45	29	41	
MEASLES—Deaths ..	15	28	14	36	28	34	43	50	43	47	73	59	
INFLUENZA—Deaths ..	52	60	69	86	173	326	470	725	818	759	987	1,023	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 5th March, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rain in Mil metr
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	56	42	53·6	43·3	23	HUDDERSFIELD	53	40	50·7	41·7	2
						BRADFORD ..	53	39	49·3	40·7	3
BRIGHTON ..	53	43	49·7	44·4	13	SHEFFIELD ..	53	40	49·9	42·0	2
PORTSMOUTH ..	53	43	51·8	45·1	19	YORK (MUSEUM)	53	38	50·6	41·6	1
NORWICH (EATON).	54	39	51·9	41·9	26	HULL (PEARSON PARK).	54	36	52·0	41·7	1
PLYMOUTH ..	55	44	52·1	45·6	18	TYNEMOUTH ..	52	40	48·4	42·7	1
BRISTOL (CLIFTON).	52	42	50·6	43·3	21	CARDIFF.. ..	51	41	49·6	42·4	3
BIRMINGHAM (EDGBASTON).	51	39	49·0	41·7	27	EDINBURGH** ..	—	—	—	—	–
NOTTINGHAM ..	53	40	51·4	42·0	24	GLASGOW ..	50·5	41·2	47·1	42·2	2
BIRKENHEAD (BIDSTON).	51	41	48·7	42·9	25	DUBLIN (PHŒNIX PARK).	53·0	37·0	51·4	40·6	2
MANCHESTER (WHITWORTH PARK).	54	42	50·6	43·6	32	(FITZWILLIAM SQUARE†).	53·1	40·0	51·2	43·1	2
BURNLEY	52	40	48·6	41·9	46	BELFAST.. ..	54·0	37·0	51·7	40·3	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
** Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 5th March, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	27	Greatest Declination S.	29·219	52·6	42·0	10·6	47·2	+ 6·9	40·5	6·7	10·8	2·6	77	73·5	34·1	43·1	SSW: SW.	SW: SSW.	9·0	0·0	1·3	592	+ 258	0·05
MONDAY -	28	..	29·177	54·9	41·8	13·1	48·6	+ 8·3	44·9	3·7	9·0	1·4	87	105·0	33·9	43·2	SSE: S: SSW.	S: SSW.	11·8	0·0	1·5	552	+ 215	0·58
MARCH. TUESDAY -	1	..	29·295	54·6	44·8	9·8	48·5	+ 8·1	43·5	5·0	11·3	1·9	82	108·0	38·7	43·3	SSW: S: SW.	SW: WSW.	5·1	0·0	0·6	419	+ 78	0·00
WEDNESDAY	2	..	29·530	55·8	41·7	14·1	48·3	+ 7·9	41·3	7·0	17·8	1·6	77	113·9	36·1	43·5	WSW: SW.	SW: SSW: WSW.	6·4	0·0	0·5	484	+ 142	0·05
THURSDAY -	3	New	29·690	53·0	41·9	11·1	46·9	+ 6·4	36·5	10·4	19·4	4·5	67	101·2	32·9	43·6	WSW	W: WSW: SSW.	8·5	0·0	1·2	599	+ 257	0·01
FRIDAY -	4	Perigee	29·341	53·1	44·9	8·2	48·0	+ 7·3	44·3	3·7	9·1	2·3	87	77·2	39·1	43·8	SSW	SSW	4·1	0·0	0·7	429	+ 85	0·01
SATURDAY -	5	..	29·066	50·0	42·0	8·0	45·5	+ 4·6	41·4	4·1	7·8	2·6	86	72·7	35·0	43·9	SSW	SSW: SW.	6·0	0·0	0·7	477	+ 128	0·25
MEANS -		..	29·331	53·4	42·7	10·7	47·6	+ 7·1	41·8	5·8	12·2	2·4	80	93·1	35·7	43·5	SSW		..	..	..	Sum 3552	Sum +1163	Sum 0·95
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	27	wP till 17h.; then mP.	0·1	10·7	Variably cloudy till 7½h.; overcast till 19h., then becoming cloudless by 19¾h. Showers 0½h. and 6h. Rain 8¼h. till 10¼h. Brisk wind 9h. till 20h., becoming high wind from 15h. till 18h.
MONDAY ..	28	mP till 2½h.; wP till 14h.; wN till 16h.; then wP.	1·0	10·7	Partially cloudy becoming overcast by 1h. till 11½h.; partially cloudy till 13h., then nearly overcast. Rain 2h. till 10¾h.; and 14h. till 15h. Damping 18h. till 20h. Brisk wind 11h. till 16h. and from 21h. High wind 16h. till 21h.
MARCH. TUESDAY ..	1	wP till 16h.; mP till 23h.; then wP.	5·5	10·8	Variably cloudy. Brisk wind till 4h. Slight shower 12½h. Dew at night.
WEDNESDAY	2	wP till 8h.; mP till 17h.; wP till 20¾h.; then variably wN and wP.	5·7	10·9	Variably cloudy becoming overcast generally by 14h. Slight rain 16¾h. till 19h.; and 20¾h. till 21h. Partial solar halo 14h. Brisk wind 15h. till 23h.; then high wind.
THURSDAY	3	wP till 0¾h.; loss of register till 12h.; mP till 21h.; then wP.	4·8	10·9	Cloudless till 2h.; then partially cloudy becoming overcast generally by 15h. High wind till 13h., then brisk wind till 16h. Rain 21¼h. till 22h.
FRIDAY .	4	wP	0·1	11·0	Overcast, with slight breaks 14h. till 15h. Damping 3h. Frequent slight rain between 8½h. and 12h. Brisk wind 9h. till 14h.
SATURDAY	5	wP till 15h.; variably wN and wP till 20h.; then wP.	0·1	11·1	Overcast with few slight breaks between 1h. and 3h.; and 7½h. and 9h. Brisk wind 5h. till 16h. Damping between 10½h. and 13½h. Rain between 15¾h. and 17½h. Slight showers at 21h. and 23¼h.
			Sum 17·3	Sum 76·1	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative: w. weak: m. moderate: s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·12 ins. at the beginning of the week to 29·07 ins. by 6h. on February 27th; increased to 29·43 ins. by 23h. on February 27th; decreased to 29·10 ins. by 18h. on February 28th; increased generally to 29·61 ins. by 11h. on March 2nd; decreased to 29·40 ins. by 20h. on March 2nd; increased to 29·73 ins. by 19h. on March 3rd; decreased to 29·01 ins. by 18h. on March 5th; increased and was 29·05 ins. by midnight on the same day.

FOR OFFICIAL USE

1927. No. 10.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 12TH MARCH, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast,
or through any Bookseller.
1927.
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 12TH MARCH, 1927.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the tenth week of the year numbered 6,834 and corresponded to an annual rate of 18·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,980 and corresponded to an annual rate of 16·1 per 1,000 of their aggregate civilian population, which is estimated at 19,411,253 in the year 1926. In the preceding three weeks the rates had been 22·6, 21·0 and 19·0. Infant mortality based on the average weekly number of births during the last 52 weeks, was 90 per 1,000 births against 125, 118 and 102 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,577 births, corresponding to a rate of 17·8 per 1,000, and 1,114 deaths of civilians, corresponding to an annual rate of 12·6, against 18·7, 14·5 and 14·0 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 15·0 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 63 as against 79, 65 and 59 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 7,080 to 5,980; the deaths from influenza which had been 987, 1,023 and 898 in the preceding three weeks, fell to 572 last week.

The increase of influenza in the different parts of the country was almost uniform until the week ended 5th February. It is now decreasing generally except in Wales, and it would appear that the worst phase has been passed. The rates per million population in the Great Towns of the North, Midlands, South and Wales and in London are shown below.

—	North.	Midlands.	South (excluding London).	Wales.	London.
Week ended 8th Jan....	6·2	5·7	9·1	13·8	15·6
" " 29th Jan....	13·9	44·2	60·3	51·6	54·8
" " 5th Feb.	16·3	62·2	71·4	49·1	46·7
" " 12th Feb.	27·4	50·3	58·4	54·1	34·6
" " 19th Feb.	55·0	62·4	52·5	66·7	27·8
" " 26th Feb.	82·6	50·8	39·4	30·6	17·6
" " 5th Mar.	76·3	42·7	22·6	31·8	15·0
" " 12th Mar.	48·5	24·7	13·5	34·4	10·6

In the North the greatest numbers of deaths occurred in Manchester, 58; Sheffield, 28, Liverpool, 22, and Bolton, 22. In the Midlands, in Birmingham, 33, and Stoke-on-Trent, 21.

In London the number of deaths from all causes decreased from 1,240 to 1,114. Of the 1,114 deaths 491 were of persons aged 65 years and upwards, and of these 491 deaths 21 resulted from influenza, 173 from diseases of the circulatory system and 83 from diseases of the respiratory system; the deaths from whooping cough numbered 14 as against 26, 26 and 28 in the three weeks preceding; and the total deaths from influenza which had been 128, 81 and 69 in the preceding three weeks, further fell to 49 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 12th March, 1927.**

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,411,253*	6,834	5,980	612	1	72	8	81	43	34	572
London	4,605,400*	1,577	1,114	97	-	1	1	14	10	10	49
Towns in Outer Ring.											
Croydon C.B ..	205,900	58	44	2	-	-	-	1	-	-	4
Wimbledon ..	58,030	9	15	2	-	-	-	-	-	-	-
Ealing	91,783	25	19	1	-	-	-	-	1	-	-
Acton	63,040	19	9	-	-	-	-	-	-	-	1
Willesden ..	165,270	53	32	1	-	-	-	-	-	-	-
Hendon	62 570*	8	9	-	-	-	-	-	-	-	1
Hornsey	87,230	21	21	1	-	-	-	-	-	-	1
Wood Green ..	51,940	11	10	-	-	-	-	-	-	-	-
Tottenham ..	151,520	30	24	2	-	-	1	1	1	-	-
Edmonton ..	71,700	40	10	-	-	-	-	-	-	-	-
Enfield	63,640	20	12	3	-	-	-	-	-	1	-
West Ham C.B. ..	315,900	149	70	13	-	-	1	1	-	-	2
East Ham C.B. ..	146,600	38	26	3	-	-	-	2	-	-	1
Leyton	130,000	24	18	-	-	-	-	-	-	-	2
Walthamstow ..	125,500	40	27	3	-	-	-	1	-	-	-
Ilford	100,500	24	19	3	-	-	-	1	-	1	1
Gillingham	47,820*	16	16	2	-	-	-	-	-	-	2
Canterbury C.B ..	23,470*	4	3	-	-	-	-	-	-	-	-
Hastings C.B.	61,340	26	21	2	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	14	16	-	-	-	-	1	-	-	1
Brighton C.B. ..	139,500*	38	46	1	-	-	-	-	-	-	1
Portsmouth C.B. ..	231,500*	89	55	3	-	-	-	1	2	-	1
Bournemouth C.B. ..	90,100	22	22	2	-	-	-	-	1	-	1
Southampton C.B. ..	169,300	66	52	8	-	3	-	2	-	1	4
Reading C.B.	93,090*	29	19	-	-	-	-	-	-	-	-
Oxford C.B.	56,800	21	17	-	-	-	-	1	-	-	1
Northampton C.B. ..	93,530*	20	24	1	-	-	-	1	1	-	1
Luton	59,240	19	13	1	-	-	-	-	-	-	2
Cambridge	58,820	17	17	1	-	-	-	-	-	-	1
Southend-on-Sea C.B.	104,300	20	19	1	-	-	-	-	-	-	1
Ipswich C.B.	84,140	27	25	6	-	-	-	1	1	-	1
Great Yarmouth C.B.	57,760	21	27	3	-	-	-	-	-	-	4
Norwich C.B. ..	123,500*	38	42	2	-	-	-	-	-	-	3
Swindon	57,320	17	9	-	-	-	-	-	-	-	-
Exeter C.B.	60,340*	25	21	3	-	-	-	-	-	-	4
Plymouth C.B. ..	187,300*	55	53	3	-	-	1	1	-	-	2
Bath C.B.	69,000	25	11	-	-	-	-	-	-	-	1
Bristol C.B.	383,300*	138	84	10	-	-	-	-	1	-	6
Gloucester C.B. ..	53,050	14	14	-	-	-	-	-	-	-	3
Stoke-on-Trent C.B.	275,600	104	133	21	-	2	-	2	1	1	21
Burton-upon-Trent C.B.	48,660	26	20	2	-	-	-	-	-	-	1
Wolverhampton C.B.	110,000	35	35	3	-	-	-	4	-	-	4
Walsall C.B.	102,100	46	34	5	-	-	-	-	1	-	6
West Bromwich C.B	79,920	39	30	6	-	-	-	1	1	-	3
Dudley C.B.	58,930	22	17	1	-	-	-	-	-	-	4
Worcester C.B. ..	50,660	18	17	1	-	-	-	-	-	-	2
Birmingham C.B. ..	934,300*	372	329	27	1	5	-	6	3	1	33
Smethwick C.B. ..	76,940	25	16	1	-	1	1	-	-	-	3
Coventry C.B. ..	127,800	42	46	5	-	-	-	-	-	-	7
Leicester C.B. ..	241,700	90	50	9	-	-	-	1	-	-	2
Lincoln C.B.	65,760*	22	14	-	-	-	-	-	-	-	1
Grimsby C.B.	88,580	36	32	3	-	-	-	-	-	-	2
Nottingham C.B. ..	268,000	96	87	7	-	1	-	-	-	-	5
Derby C.B.	136,600*	49	33	5	-	-	-	-	1	1	7
Chesterfield ..	66,650	27	17	1	-	-	-	-	-	-	1
Stockport C.B. ..	125,400	40	33	1	-	-	-	-	-	-	8
Chester C.B.	41,710	16	15	1	-	-	-	-	-	-	4
Birkenhead C.B. ..	158,000	67	60	4	-	-	-	-	1	-	7
Wallasey C.B. ..	93,050	29	31	2	-	-	-	-	-	-	3
Liverpool C.B. ..	862,600	384	310	39	-	10	1	2	2	4	22
Bootle C.B.	84,580	47	20	2	-	2	-	-	-	-	-
St. Helens C.B. ..	110,000	46	26	3	-	-	-	-	-	-	4

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ESTIMATED POPULATION. Mid. 1926.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B ..	77,970	24	36	-	-	-	-	-	-	-	9
IGAN C.B.	88,620	34	60	6	-	2	-	-	-	-	12
ARRINGTON C.B. ..	76,940*	40	23	2	-	-	-	1	-	-	3
OLTON C.B.	177,000	50	104	7	-	2	-	-	-	-	22
URY C.B.	56,840*	11	20	2	-	1	-	-	1	-	3
ANCHESTER C.B. ..	752,000	274	378	53	-	1	-	8	4	4	58
ALFORD C.B.	247,400	78	89	8	-	2	-	-	1	2	5
LDHAM C.B	143,000	42	51	4	-	-	-	-	-	-	6
OCHDALE C.B... ..	91,510	26	39	2	-	-	-	1	1	-	8
URNLEY C.B.	99,600	35	49	6	-	2	-	-	1	-	14
LACKBURN C.B. ..	124,400	38	78	4	-	4	-	-	-	-	14
RESTON C.B.	124,200	31	37	7	-	-	-	-	-	-	3
LACKPOOL C.B. ..	88,640	17	41	2	-	-	-	-	1	-	7
ARROW-IN-FURNESS C.B.	70,420	27	21	3	-	1	-	-	-	-	1
UDDERSFIELD C.B. ..	111,900	36	43	2	-	-	-	1	-	-	9
ALIFAX C.B.	96,130*	19	52	-	-	1	-	-	-	-	4
RADFORD C.B. ..	288,700	88	103	7	-	4	-	1	1	-	8
EEDS C.B.	473,400	158	189	24	-	6	-	2	1	-	18
EWSBURY C.B ..	53,630	13	28	1	-	-	-	-	-	1	3
AKEFIELD C.B. ..	53,830	17	23	2	-	2	-	-	-	-	2
ARNSLEY C.B. ..	70,760	34	38	12	-	-	-	2	-	-	5
HEFFIELD C.B. ..	523,300*	173	199	23	-	-	-	11	1	-	28
OTHERHAM C.B. ..	70,080	29	30	4	-	-	-	-	-	-	6
ONCASTER	55,700	28	17	1	-	-	-	-	-	-	6
ORK C.B.	84,430*	32	27	2	-	-	-	-	-	-	3
ULL C.B.	294 600	133	100	12	-	1	-	1	-	1	7
IDDLESBROUGH C.B.	133,600	74	36	4	-	4	-	-	-	2	2
ARLINGTON C.B. ..	70,700	28	15	-	-	-	-	1	-	-	2
OCKTON-ON-TEES ..	67,910	29	29	4	-	2	-	1	-	-	3
EST HARTLEPOOL C.B.	71,060	35	28	7	-	-	-	1	-	1	2
NDERLAND C.B. ..	163,800	78	57	6	-	4	1	-	-	-	5
OUTH SHIELDS C.B. ..	123,900	44	31	5	-	-	-	1	1	1	-
ATESHEAD C.B. ..	127,700	50	35	2	-	1	1	-	-	-	2
EWCASTLE-ON-TYNE C.B.	284,700*	103	104	12	-	1	-	3	1	1	10
ENEMOUTH C.B. ..	66,560	17	16	2	-	1	-	-	-	-	1
ARLISLE C.B.	56,140*	23	18	2	-	-	-	-	-	-	2
EWPORT (MON.) C.B.	96,620	39	23	2	-	1	-	1	-	-	-
ARDIFF C.B.	225,600*	87	57	12	-	3	-	-	-	1	1
HONDDA	162,500	49	48	9	-	1	-	-	-	-	6
ERTHYR TYDFIL C.B.	80,690	21	29	10	-	-	-	-	-	-	8
BERDARE	56,930	14	28	3	-	-	-	-	1	-	8
WANSEA C.B.	163,200	71	41	7	-	-	-	-	-	-	4
REATER LONDON ..	7,791,310*	2,566	1,750	155	-	1	6	26	13	14	73
UTER RING	3,185,910*	989	636	58	-	-	5	12	3	4	24
GREAT TOWNS IN OUTER RING	1,891,123*	569	365	34	-	-	2	7	2	2	13
EMAINDER OF OUTER RING	1,294,787*	420	271	24	-	-	3	5	1	2	11
DINBURGH†	426,100‡	157	156	18	-	6	-	-	2	-	21
LASGOW† ..	1,049,000‡	452	268	34	-	1	1	9	4	4	2
UBLIN (REGISTRATION AREA)†	421,000	201	231	41	-	-	1	8	-	3	26
ELFAST†	416,000	196	137	35	-	-	-	3	1	5	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and asgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and 7 the addition of deaths of residents reported from elsewhere in Scotland during the week; those in ublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into ublic institutions from without the respective areas.

‡ Revised provisional populations for 1927.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available p**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
		1927.										
London‡	4,605,400	Mar. 12	1577	1114	12·6	-	-	1	1	14	10	10
		1926–27.										
Calcutta and suburbs	1,077,264	Jan. 29	?	816‖	45·3	?	98	?	?	?	?	9
Bombay§	1,298,708	Feb. 12	375	566‖	22·7	3	18	1	-	-	-	17
		„ 19	378	589‖	23·6	1	19	3	-	-	-	27
Madras	528,791	„ 5	355	396	39·0	-	2	1	-	2	-	22
		„ 12	390	382	37·6	4	-	-	-	1	-	19
Sydney and suburbs	1,038,950	Jan. 31 (31 days)										
Brisbane (Metropolitan Area).	263,711	Dec. 31 (31 days)										
Perth (Metropolitan Area).	179,388	Jan. 15										
Auckland (Urban Area).	192,176	Jan. 31 (31 days)										
Wellington (Urban Area).	121,324	Jan. 31 (31 days)										
Christchurch (Urban Area).	118,408	Jan. 31 (31 days)										
Cape Town	113,709	Feb. 12	65	18	8·1	-	-	-	-	-	-	-
Johannesburg	172,189	„ 12	74	39	11·8	-	-	-	-	-	-	5
Durban	54,738	„ 12	34	10	9·5	-	-	-	-	-	-	-
Paris	2,871,429	Feb. 28 (8 days)										
Antwerp	300,183	Feb. 5	103	68	11·8	-	-	-	-	-	-	2
		„ 12	106	73	12·6	-	-	1	-	2	1	4
Amsterdam	726,531	„ 19	259	165	11·8	-	-	-	-	6	-	2
		„ 26	259	154	11·0	-	-	-	-	4	-	-
Copenhagen	592,000	„ 26	205	160	14·1	-	-	-	-	1	-	-
Stockholm	442,528	„ 12	120	166	19·5	-	-	-	-	-	1	-
		„ 19	91	131	15·4	-	-	-	-	1	-	-
Gothenburg	231,624	„ 5	?	92	20·7	-	-	-	-	1	2	1
Oslo (Christiania) ..	255,724	„ 26	84	59	12·0	-	-	1	-	-	-	-
		Mar. 5	71	59	12·0	-	-	-	-	-	-	1
Berlin	1,993,000	Feb. 19	428	548	14·3	-	?	-	-	3	4	4
Breslau	561,000	„ 19	144	128	11·9	-	?	-	-	2	-	-
Cologne	711,000	„ 19	224	163	11·9	-	?	2	-	3	1	1
Dresden	624,000	„ 19	148	199	16·6	-	?	-	-	-	1	-
Frankfort-on-Main ..	471,000	„ 19	102	81	8·9	-	?	-	-	1	-	-
Hamburg	1,111,000	„ 19	287	316	14·8	-	?	7	2	1	-	1
Leipzig	685,000	„ 19	185	200	15·2	-	?	-	-	-	-	-
Munich	685,000	„ 19	175	227	17·2	-	?	1	-	2	-	-
Vienna	1,871,607	June 30 (30 days)										
Prague and suburbs	725,196	Oct. 31 (31 days)										
Budapest	971,169	Feb. 19	266	281	15·0	-	-	-	2	1	3	1
		„ 26	313	298	15·9	2	-	2	2	1	5	3
Warsaw	1,015,426	„ 19	?	286	14·7	1	-	3	4	4	-	12
		„ 26	?	330	17·0	2	-	1	5	1	6	10
Cairo	859,400	Dec. 2	872	430	26·1	5	-	-	-	?	8	34
		„ 9	900	458	27·8	1	-	-	-	?	3	38
Alexandria	492,100	„ 2	501	241	25·5	2	-	-	-	?	2	20
		„ 9	511	204	21·6	2	-	-	-	?	2	20
New York	5,924,018	Feb. 19	?	1507	13·3	1	-	-	2	2	11	11
		„ 26	?	1565	13·8	-	-	1	1	4	15	11
Chicago	3,101,000	„ 18	1177	690	11·6	2	-	6	-	1	5	13
		„ 25	1371	766	12·9	-	-	5	5	4	6	11

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

§ The registration of Births in Bombay is incomplete.

‖ Including 38 deaths from Cholera in Calcutta and 4 deaths from Plague and 1 from Cholera in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 12th March, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1114	97	22	18	32	36	47	72	126	173	227	264
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	14	6	4	4	-	-	-	-	-	-	-	-
Diphtheria	10	-	1	3	6	-	-	-	-	-	-	-
Influenza	49	1	2	-	3	-	4	3	7	8	12	9
Erysipelas	4	-	-	-	-	-	-	1	-	2	1	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	1	-	-	-	-	-	-	-
Encephalitis lethargica	3	-	-	-	-	-	-	-	2	1	-	-
Meningococcal meningitis	4	2	1	1	-	-	-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	82	-	-	-	1	17	17	17	16	10	3	1
Nervous system	7	-	-	2	4	-	-	1	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	4	1	-	-	-	-	1	-	1	-	1	-
Venereal diseases	2	-	-	-	-	-	-	-	-	1	1	-
Cancer	114	-	-	-	-	-	2	10	21	31	30	20
Rheumatic fever	6	-	-	-	4	-	1	1	-	-	-	-
Diabetes	7	-	-	-	-	-	-	-	-	3	2	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	2	1	1	1	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	45	-	-	-	-	-	1	1	-	9	14	20
Epilepsy	4	-	-	-	1	-	-	2	-	-	-	1
"Convulsions" (not puerperal)	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	29	1	-	1	-	3	3	5	5	2	6	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	8	-	-	-	2	2	1	2	-	-	1	-
Other diseases of heart	199	-	-	-	1	1	2	7	26	39	63	60
Other diseases of circulatory system	63	-	-	-	-	-	-	1	2	11	19	30
Bronchitis	78	4	-	1	-	1	2	2	8	5	23	32
Broncho-pneumonia	48	14	10	3	-	-	-	1	2	6	7	5
Lobar-pneumonia	24	1	-	1	-	1	3	3	4	3	4	4
Pneumonia (type not distinguished)	4	1	-	-	-	-	-	-	2	-	1	-
Other diseases of respiratory system	12	-	-	1	-	-	-	1	1	2	3	4
Diarrhœa and enteritis	11	9	1	-	-	-	-	-	-	-	-	1
Appendicitis, Typhlitis	4	-	-	-	1	1	1	-	-	1	-	-
Hernia, Intestinal obstruction	15	3	-	-	1	1	-	-	3	2	5	-
Cirrhosis of liver	6	-	-	-	-	-	-	1	3	-	2	-
Other diseases of digestive system	28	1	-	-	2	-	1	3	3	9	5	4
Acute nephritis	2	-	-	-	-	-	-	-	1	-	1	-
Chronic Bright's disease	27	-	-	-	-	-	1	2	7	5	7	5
Other diseases of genito-urinary system.	16	-	-	-	-	1	1	2	1	4	5	2
Puerperal sepsis	3	-	-	-	-	1	1	1	-	-	-	-
Other causes incident to childbirth	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	4	4	-	-	-	-	-	-	-	-	-	-
Premature birth	26	26	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	2	2	-	-	-	-	-	-	-	-	-	-
Old age	44	-	-	-	-	-	-	-		-	5	39
Suicide	10	-	-	-	-	-	-	1	4	3	1	1
Burns and Scalds	4	1	-	-	1	-	-	-	-	1	-	1
Drowning	2	-	-	-	-	-	1	-	1	-	-	-
Suffocation in bed	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	7	-	-	-	-	4	-	-	-	1	1	1
Other deaths by violence	22	-	-	-	1	1	3	2	3	6	-	6
Other specified causes	45	13	1	-	1	1	-	1	3	3	4	13
Ill-defined causes	21	1	1	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectiou Diseases notified in the week ended 12th March, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	181	247	4	132	C. 9 D. 2 G. 6 M. 28 N. 22
†CITY OF LONDON	-	-	1	-	-	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	7	10	-	12	C. 1 G. 1 M. 1
†BERMONDSEY ...	-	4	11	-	5	N. 2
†BETHNAL GREEN	-	12	11	-	5	G. 1 M. 2
†CAMBERWELL ...	-	7	14	-	5	G. 1 M. 1 N. 1
†CHELSEA	-	1	3	-	5	M. 2
†DEPTFORD ...	-	10	13	-	3	M. 1 N. 2
†FINSBURY ...	-	-	2	-	-	C. 1 N. 2
†FULHAM	-	8	20	-	6	G. 1 N. 1
†GREENWICH ...	-	10	8	-	3	M. 1
†HACKNEY ...	-	9	12	1	2	M. 1 N. 2
†HAMMERSMITH ...	-	4	9	-	4	M. 1 N. 1
†HAMPSTEAD ...	-	1	2	-	2	M. 1
†HOLBORN... ...	-	1	1	-	-	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	14	13	-	10	C. 1 D. 1 M. 7 N. 3
†KENSINGTON ...	-	5	4	1	1	N. 1
†LAMBETH ...	-	11	11	-	16	C. 1 D. 1 M. 1 N. 2
†LEWISHAM ...	-	9	4	-	2	C. 1
†PADDINGTON ...	-	7	5	-	3	C. 2 N. 3
†POPLAR	-	12	6	-	11	M. 2
†ST. MARYLEBONE	-	4	9	-	-	M. 1 N. 1
†ST. PANCRAS ...	-	6	4	1	2	M. 1 N. 1
†SHOREDITCH ...	-	2	9	-	1	M. 1
†SOUTHWARK ...	-	8	23	-	6	-
†STEPNEY	-	14	15	-	4	M. 1
†STOKE NEWINGTON	-	-	1	-	1	-
†WANDSWORTH ...	-	7	11	-	12	C. 1
†WESTMINSTER, CITY OF	-	1	6	-	5	G. 1 M. 1
†WOOLWICH ...	-	7	9	1	6	C. 1 G. 1 M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	1	6	–	2	M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ..	–	–	2	–	1	M. 1
LEIGHTON BUZZARD	–	–	1	–	–	–
†LUTON	–	–	2	–	1	–
Rural Districts:—						
BEDFORD ...	–	1	–	–	–	–
EATON SOCON ...	–	–	1		–	–
BERKS	–	9	1	–	1	–
†READING C.B. ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
WALLINGFORD ...	–	1		–	–	–
Rural Districts:—						
NEWBURY ...	–	–	–	–	1	–
WANTAGE ...	–	3	–	–		–
WINDSOR... ...		2	–	–	–	–
WOKINGHAM ...	*	*	*	*	*	*
BUCKINGHAM ..		2	–	–	5	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	–	–	2	–
BLETCHLEY ...		–	–	–	1	–
BUCKINGHAM ...	*	*	*	*	*	*
CHESHAM... ...	–	1	–	–	–	–
MARLOW		–	–	–	1	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
BUCKINGHAM ...	–	–	–	–	1	–
WYCOMBE ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAMBRIDGE	–	7	1	–	4	–
Borough:—						
†CAMBRIDGE ..	–	6	1	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
NEWMARKET ...	–	–		–	4	–
CHESTER	–	30	19	2	115	E. 2 M. 1 N. 1
†BIRKENHEAD C.B.	–	3	1		31	–
†CHESTER C.B. ..	–	–	2		5	M. 1
†STOCKPORT C.B.	–	13	–		6	N. 1
†WALLASEY C.B. ...	–	3	1	1	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	–	–	–	2	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	3	–
BREDBURY AND ROMILEY	–	–	1	–	2	–
BUGLAWTON ...	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	1	1	–	3	–
†CONGLETON ...	–	–	–	–	6	–
†CREWE	–	–	–	–	7	E. 1
†DUKINFIELD ...	–		–	–	3	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	2		–	–	–
HOOLE	–	–	–	–	2	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	1	E. 1
†HYDE	–	–	3	–	5	–
KNUTSFORD ...	–	–	–	–	2	–
MIDDLEWICH ...	–	1	–	–	2	–
NANTWICH ...	–	1	–	–	1	–
†NORTHWICH ...	–	1	–	–	3	–
†RUNCORN... ...	–	1	–	–	1	–
†SALE	–	–	2	–	–	–
†STALYBRIDGE ...	–	–	1	–	1	–
†WINSFORD ...	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	–	–	–	3	–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	–	–	–	13	–
NANTWICH ...	–	1	–	–	1	–
NORTHWICH ...	–	–	1	–	–	–
RUNCORN ...	–	1	–	–	1	–
TARVIN	–	–	–	–	1	–
WIRRAL	–	–	5	–	4	–
CORNWALL ...	–	6	3	–	17	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	1	–	2	–
FOWEY	*	*	*	*	*	*
LISKEARD ...	–	–	–	–	2	–
LUDGVAN ...	*	*	*	*	*	*
MADRON	*	*	*	*	*	*
PAUL	*	*	*	*	*	*
REDRUTH ...	–	–	–	–	3	–
ST. IVES	–	2	–	–	–	–
TORPOINT ...	–	1	–		1	–
†TRURO	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	–	1	–	–	–
HELSTON	–	–	1	–	1	–
LISKEARD ...	–	–	–	–	6	–
REDRUTH ...	–	–	–	–	1	–
ST. AUSTELL ...	–	–	–	–	1	M. 1
ST. GERMANS ...	–	1	–	–	–	–
WEST PENWITH...	*	*	*	*	*	*
CUMBERLAND ...	–	10	3	–	13	N. 2
†CARLISLE C.B. ...	–	–	1	–	5	N. 2
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–		–	2	–
CLEATOR MOOR ...	–	1	–	–	–	–
HARRINGTON ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
HOLME CULTRAM	–	–	–	–	1	–
KESWICK	–	–	–	–	1	–
MILLOM	–	–	–	–	1	–
PENRITH	–	1	–	–	–	–
WIGTON	–	–	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
COCKERMOUTH ...	–	1	–	–	2	–
PENRITH	–	–	–	–	1	–
WHITEHAVEN ...	–	4	–	–	–	–
WIGTON	–	2	–	–	–	–
DERBY	10	17	25	1	50	M. 2 N. 2
†DERBY C.B. ...	8	1	11	–	13	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	–	–
ALVASTON AND BOULTON	–	–	–	–	1	–
ASHBOURNE ...	–	–	–	–	1	–
†BELPER	1	–	–	–	–	–
†BOLSOVER ..	–	1	–	–	1	N. 1
†BUXTON		1	–	–	–	–
†CHESTERFIELD ...	–	4	3	–	1	–
†GLOSSOP	–	–	–	–	1	–
†HEANOR	–	–		–	1	N. 1
†ILKESTON ...	–	–	1	–	3	–
†LONG EATON ...	–	1	1	–	–	–
NEW MILLS ...	–	1	–	–	–	–
†RIPLEY	–	–	–	–	2	–
†SWADLINCOTE DISTRICT	–	1	–	–	3	–
Rural Districts:—						
BAKEWELL ...	–	3	–	–	2	–
BELPER	1	–			–	M. 1
BLACKWELL ...	–	–	2	–	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
Chapel en le Frith	–	–	–	–	4	–
Chesterfield ..	–	2	4	–	12	–
Clowne	–	1	1	–	–	–
Glossop Dale ...	–	–	–	–	2	–
Norton	–	–	1	1	–	–
Repton	*	*	*	*	*	*
Shardlow ...	–	1	–	–	–	–
Codnor Park and Shipley (Parishes)	–	–	–	–	1	–
DEVON	–	28	11	–	15	C. 1 D. 1 E. 1 G. 2 N. 3
†Exeter C.B. ...	–	7	–	–	2	E. 1
†Plymouth C.B...	–	7	11	–	3	N. 1
Boroughs and Urban Districts:—						
†Barnstaple ...	–	2	–	–	–	–
Bideford ...	–	–	–	–	1	N. 1
Budleigh Salterton	–	–	–	–	1	–
Great Torrington	–	1	–	–	–	–
Honiton	–	–	–	–	1	–
†Ilfracombe ...	–	1	–	–	–	–
Okehampton ...	–	–	–	–	1	–
Sidmouth ...	–	–	–	–	–	D. 1
†Teignmouth ...	–	–	–	–	1	–
Tiverton ...	–	–	–	–	–	N. 1
†Torquay ...	–	1		–	–	–
Rural Districts:—						
Barnstaple ...	–	2			3	–
Broadwood Widger	–	–	–	–	–	G. 1
Okehampton ...	–	–	–	–	–	C. 1
Plympton St. Mary	–	5	–	–	–	–
St. Thomas ...	–	1	–	–	2	–
Tavistock ...	–	–	–	–		G. 1
Torrington ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	3	1	–	11	D. 1 M. 1
Boroughs and Urban Districts:—						
Dorchester ...	–	–	1	–	–	–
†Poole	–	–	–	–	2	–
†Weymouth and Melcombe Regis	–	–	–	–	–	M. 1
Rural Districts:—						
Beaminster ...	–	1	–	–	–	–
Poole	–	–	–	–	3	–
Shaftesbury ...	–	1	–	–	–	–
Wareham and Purbeck	–	–	–	–	1	–
Weymouth ...	–	–		–	2	–
Wimborne and Cranborne	–	1	–	–	3	D. 1
DURHAM	176	49	25	–	111	C. 1 D. 1 L. 1 M. 6 N. 3
†Darlington C.B.	6	3	1	–	3	–
†Gateshead C.B.	4	3	11		11	–
†South Shields C.B.	19	5	–	–	5	–
†Sunderland C.B.	2	4	–	–	21	L. 1 M. 2
†West Hartlepool C.B.	–	4	1	–	7	–
Boroughs and Urban Districts:—						
†Annfield Plain	6	3	1	–		–
Benfieldside ...	–	1	–	–	–	–
Billingham ...	–	1	–	–	–	–
†Blaydon... ..	–	1	–	–	2	–
†Brandon and Byshottles	4	1	1	–	–	–
†Chester le Street	4	–	1	–	–	–
†Consett	–	2		–	–	–
†Crook	1	–	–	–	–	–
†Durham	3	2	–	–	4	–
†Felling	2		–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†HARTLEPOOL ...	1	–	–	–	2	–
†HEBBURN ..	–	–	–	–	1	–
†HETTON	9	–	–	–	1	–
†HOUGHTON LE SPRING	1	–	–	–	–	–
†JARROW	11	1	1	–	8	D. 1
LEADGATE ...	–	3	–	–	–	–
†RYTON	–	3	–	–	–	–
†SEAHAM HARBOUR	–	–	1	–	3	–
†SHILDON	10	–	–	–	1	–
†SOUTHWICK ON WEAR	–	–	–	–	6	–
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	3	1	–	–	2	–
†STOCKTON ON TEES	–	2	1	–	3	–
TOW LAW ...	2	1	–	–	–	–
†WASHINGTON ...	–	1	–	–	3	–
†WHICKHAM ...	1	1	1	–	2	M. 1
WILLINGTON ...	6	–	–	–		–
Rural Districts:—						
AUCKLAND .	19	1	1	–	–	N. 1
BARNARD CASTLE	2	–	–	–	–	–
CHESTER LE STREET	27	1	1	–	4	–
DURHAM	4	–	–	–	1	C. 1
EASINGTON ...	14	2	–	–	10	M. 1 N. 1
HOUGHTON LE SPRING	2	–	–	–	3	–
LANCHESTER ...	1	2	–	–	1	M. 1
SEDGEFIELD ..	6	–	2		–	M. 1
SOUTH SHIELDS...	5	–	–	–	2	–
STOCKTON ...	–	–	1	–	–	–
SUNDERLAND ...	–	–	–	–	4	–
WEARDALE ...	–	–	–	–	1	–
ELY, ISLE OF ..	–	–	–	–	3	–
Boroughs and Urban Districts:—						
ELY	–	–	–	–	1	–
WHITTLESEY ...	–	–	–	–	1	–
†WISBECH	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Rural Districts:—						
NORTH WITCHFORD	*	*	*	*	*	*
ESSEX	–	112	41	3	35	C. 1 E. 1 M. 2 N. 6
†EAST HAM C.B. ...	–	11	6	–	–	–
†SOUTHEND-ON-SEA C.B.	–	6	3	–	8	N. 1
†WEST HAM C.B. ...	–	27	14	–	11	C. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	1	–	2	M. 1 N. 1
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	1	–	–	–	–
BUCKHURST HILL	–	1	–		–	–
†CHELMSFORD ...	–	1	–	–	–	–
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	1	–	2	–	–
DAGENHAM ...	–	3	1	–	2	N. 1
†GRAYS THURROCK	–	2	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	3	4	–	2	–
†LEYTON	–	11	8	–	5	–
SAFFRON WALDEN	–	1	–	–	–	–
TILBURY	–	2	–	–	1	–
†WALTHAMSTOW...	–	19	1	–	3	E. 1
†WANSTEAD ...	–	1	–	1	–	–
Rural Districts:—						
CHELMSFORD ...	–	2	1	–	–	–
DUNMOW	–	1	–	–	–	–
HALSTEAD ...	–	2	–	–	–	–
LEXDEN AND WINSTREE	–	3	–	–	–	–
ORSETT	–	2	1	–	–	–
ROCHFORD ...	–	1	–		1	–
ROMFORD... ...	–	2	–	–	–	–
TENDRING ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ..	–	32	19	–	15	C. 1 M. 1 N. 6
†BRISTOL C.B. ...	–	18	15	–	11	C. 1 M. 1 N. 5
†GLOUCESTER C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2		–	–	–
†KINGSWOOD ...	–	–	2	–	–	–
STROUD	–	1	2	–		–
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
LYDNEY	–	3	–		–	–
NEWENT	–	1	–	–	–	–
STROUD	–	1	–	–	1	
THORNBURY ...	–	1	–	–	1	N. 1
WARMLEY ...	–	3	–		–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ..	–	3	–	–	9	–
Boroughs and Urban Districts:—						
LEOMINSTER ...	–	–	–	–	1	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	2	–
HEREFORD ...	–	–	–	–	1	–
LEDBURY... ...	–	1	–		–	–
ROSS	–	2	–	–	1	–
WEOBLEY... ...	–	–			4	–
HERTFORD ..	–	12	3	–	5	D. 1
Boroughs and Urban Districts:—						
†BARNET		1	–	–	–	–
BUSHEY	–	–	–	–	–	D. 1
†CHESHUNT ...	–	3	–	–	–	–
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
CHORLEYWOOD ...	–	1	–	–	–	–
HARPENDEN ...	–	–	2	–	1	–
†LETCHWORTH ...	–	–	–	–	1	–
†ST. ALBANS ...	–	1	–	–	–	–
SAWBRIDGEWORTH	–	1	–		–	–
WARE	–	3	–	–	–	–
†WATFORD ...	–	–	1	–	–	–
Rural Districts:—						
HATFIELD ...	–	1	–	–	–	–
HITCHIN	–	1	–	–	3	–
HUNTINGDON ..	–	–	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–		–	1	–
KENT	–	50	23	–	25	C. 1 M. 4 N. 6
†CANTERBURY C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	1	–	–	3	N. 1
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	–	2	–	–	–
†CHATHAM ...	–	1	2	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ..	–	3	–	–	–	–
†DOVER	–	2	2	–	2	–
†ERITH	–	4		–	–	M. 1
†FAVERSHAM ...		–	1	–	–	–
†FOLKESTONE ...	–	1	–	–	1	N. 1
†GILLINGHAM ...		4	1	–	1	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†GRAVESEND ...	–	4	–	–	–	–
†MAIDSTONE ...	–	2	–	–	–	C. 1
†MARGATE ...	–	–	–	–	1	–
MILTON REGIS ...	–	–	2	–	–	–
NEW ROMNEY ...	–	–	–	–	1	–
†NORTHFLEET ...	–	3	–	–	–	
†PENGE	–	2	–	–	–	M. 1 N. 1
†RAMSGATE ...	–	2	–	–	–	–
†ROCHESTER ...	–	1	1	–	3	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	M. 1 N. 1
SANDWICH ...	*	*	*	*	*	*
SIDCUP	–	–	1	–	–	N. 1
SITTINGBOURNE	–	–	1	–	–	–
SWANSCOMBE ...	–	2	5	–	–	–
WHITSTABLE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BLEAN	–	–	3	–	1	–
BROMLEY ...	–	–	–	–	1	–
DARTFORD ...	–	1	–	–	1	–
DOVER	–	1	–	–	–	–
EAST ASHFORD ...	–	1	–	–	–	–
EASTRY	–	–	–	–	–	N. 1
FAVERSHAM ...	–	3	–	–	1	–
HOLLINGBOURNE	–	–	–	–	1	–
MAIDSTONE ...	–	–	–	–	1	–
MALLING	–	1	–	–	4	–
MILTON	–	1	1	–	1	–
SEVENOAKS ...	–	1	–	–	–	–
STROOD	–	1	–	–	–	–
TENTERDEN ...		3	–	–	–	–
TONBRIDGE ...	–	2		–	–	–
LANCASTER ..	7	115	136	4	595	C. 4 D. 3 E. 2 G. 12 L. 3 M. 38 N. 17
†BARROW IN FURNESS C.B.	–	2	1	–	1	–
†BLACKBURN C.B.	–	3	5	–	26	–
LANCASTER—*cont.*						
†BLACKPOOL C.B.	–	2	–	–	6	G. 1
†BOLTON C.B. ...	–	3	1	–	21	E. 1
†BOOTLE C.B. ...	–	4	–	–	5	M. 1 N. 1
†BURNLEY C.B. ..	–		3	1	16	G. 1
†BURY C.B. ...	–	4	1	–	8	M. 1
†LIVERPOOL C.B. .	–	20	43	–	91	C. 1 G. 2 M. 26
†MANCHESTER C.B.	–	25	26	–	143	C. 3 E. 1 M. 3 N. 5
†OLDHAM C.B. ...	–	3	4	–	10	M. 2
†PRESTON C.B. ..	–	2	5	–	2	N. 1
†ROCHDALE C.B. ...	–	–	4	–	–	–
†ST. HELENS C.B. ...	–	–	4	–	8	–
†SALFORD C.B. ..	–	6	9	–	8	D. 1 G. 1
†SOUTHPORT C.B.	7	–	2	1	5	N. 1
†WARRINGTON C.B		–	2	–	17	M. 1
†WIGAN C.B. . ..	–	3	–	–	26	M. 2
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	3	–
†ACCRINGTON ..	–	–	2	–	8	–
†ASHTON IN MAKERFIELD	–	1	–	–	2	D. 1
†ASHTON UNDER LYNE	–	–	–	–	1	–
ASPULL		–	–	–	6	–
†ATHERTON ...	–	1	–	–	9	N. 1
†BACUP	–	–	–	–	6	–
BILLINGE... ...	–	–	–	–	–	G. 1
BRIERFIELD ...	–	1	–	–	2	–
†CHADDERTON ...	–	2	1	–	2	–
†CHORLEY... ...	–	–	–	–	1	–
†CLITHEROE ...	–	–	–	–	6	–
†COLNE	–	–	–	–	4	–
†DALTON IN FURNESS	–	–	3	–	–	–
†DARWEN	–	1	–	–	3	–
†DENTON	–	–	2	–	2	–
†DROYLSDEN ..	–		–	–	–	D. 1
†ECCLES	–	1	–	–	1	
†FAILSWORTH ...	–	–	–	–	2	–
†FARNWORTH ...	–	1	2	–	8	–
†FLEETWOOD ...	–		1	–	3	–
FULWOOD ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
GOLBORNE ...	–	–	–	–	1	–
†GREAT CROSBY ...	–	–	–	–	2	–
†HASLINGDEN ...	–	2	–	–	–	–
†HAYDOCK ...	–	1	–	–	5	N. 1
†HEYWOOD ...	–	2	–	–	5	–
†HINDLEY... ...	–	–	–	–	6	–
†HORWICH ...	–	–	–	–	6	G. 1
HUYTON WITH ROBY	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	1	–	–	6	–
IRLAM	–	–	–	–	1	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	1	–	–	5	–
LATHOM AND BURSCOUGH	–	–	–	–	2	–
†LEIGH	–	–	–	–	9	–
†LITHERLAND ...	–	3	–	–	–	–
LITTLE CROSBY...	–	1	–	–	–	–
LITTLE LEVER ...	–	–	–	–	2	N. 1
†LYTHAM ST. ANNE'S	–	–	–	–	5	–
†MIDDLETON ...	–	–	3	–	4	–
†MORECAMBE ...	–	–	2	–	–	–
†MOSSLEY	–	–	–	–	1	–
†NELSON	–	–	–	–	1	N. 1
†NEWTON IN MAKERFIELD	–	–	–	–	6	–
ORMSKIRK ...	–	–	–	–	2	–
ORRELL	–	–	–	–	1	–
†OSWALDTWISTLE	–	–	–	–	1	N. 1
†PADIHAM ...	–	1	1	–	2	–
POULTON LE FYLDE	–	–	–	–	1	–
†PRESTWICH ...	–	–	–	–	1	–
†RADCLIFFE ...	–		1	–	1	–
†RAMSBOTTOM ...	–	–	–	–	8	N. 1
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON	–	–	–	–	1	–
†ROYTON		–	–	–	1	–
†STRETFORD ...	–	–	–	–	–	G. 1
†SWINTON AND PENDLEBURY	–	3	1	–	3	G. 1
TOTTINGTON ...	–	–	1	–	4	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	3	N. 1
URMSTON... ...	–	2	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON LE DALE	–	–	–	–	4	–
WARDLE	–	–	3	–	–	N. 1
†WATERLOO WITH SEAFORTH	–	1	–	–	3	–
†WESTHOUGHTON	–	2	–	–	4	G. 1
WHITEFIELD ...	–	–	–	–	1	–
†WIDNES	–	–	–	–	7	M. 1 N. 1
WITHNELL ...	–	–	–	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY... ...	–	–	–	–	6	–
CHORLEY... ...	–	–	1	–	–	–
CLITHEROE ...	–	1	–	–	–	L. 3
LANCASTER ...	–	–	–	–	1	–
LEIGH	–	1	–	–	5	G. 1 M. 1
PRESTON	–	1	–	–	–	–
SEFTON	–	1	–	–	–	–
ULVERSTON ...	–	1	–	2	–	–
WEST LANCASHIRE	–	2	–	–	1	G. 1
WHISTON... ...	–	–	2	–	–	–
WIGAN	–	–	–	–	1	–
LEICESTER... ...	–	9	9	–	12	C. 2 E. 1 N. 1
†LEICESTER C.B. ...	–	3	4	–	3	C. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	2	2	–	–	–
†LOUGHBOROUGH		–	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
SHEPSHED ...	–	–	1	–	–	–
THURMASTON ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L. Dysentery; M. Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
BARROW UPON SOAR	–	–	–	–	2	–
BELVOIR	–	–	–	–	1	C. 1
BILLESDON ...	–	1	–	–	–	–
CASTLE DONINGTON	–	–	1	–	1	–
HINCKLEY ...	–	–	–	–	–	E. 1
LOUGHBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	7	–	–	2	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	1	–
SUTTON BRIDGE	–	–	–	–	1	–
Rural Districts:—						
BOSTON	–	2	–	–	–	–
CROWLAND ...	–	5		–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	7	–
Boroughs and Urban Districts:—						
BOURNE	–	1	–	–	–	–
STAMFORD ...	–		–	–	1	–
Rural Districts:—						
BOURNE	–	1	–	–	1	–
BRANSTON ...	–	–	–	–	2	–
GRANTHAM ...	–	–	–	–	2	–
SLEAFORD ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	18	10	–	15	C. 1 M. 1 N. 1
†GRIMSBY C.B. ...	–	3	3	–	4	C. 1 N. 1
†LINCOLN C.B. ...	–	3	5	–	3	–
Boroughs and Urban Districts:—						
BRIGG	–	–	–	–	1	–
†CLEETHORPES ...	–	2	–	–	1	–
HORNCASTLE ...	–	7	–	–	–	–
LOUTH	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	2	–
Rural Districts:—						
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	–	–	–	–	3	–
GRIMSBY	–	2	1	–	–	M. 1
HORNCASTLE ...	–	–	–	–	1	–
MIDDLESEX .	–	44	38	2	24	D. 2 E. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
†ACTON	–	2	1		–	M. 1
†BRENTFORD ..	–	1	–		–	–
†CHISWICK ...	–	–	1	–	–	–
†EALING		2	4	–	4	–
†EDMONTON ...	–	1	7	–	1	–
†ENFIELD	–	4	4	–	–	–
†FINCHLEY ...	–	1	1	–	1	–
†FRIERN BARNET	–	1	–	1	3	–
†HARROW ON THE HILL	–		–	–	1	–
HAYES	–	2	–	–	2	–
†HENDON	–	3	1		1	D. 1
†HESTON AND ISLEWORTH	–	3	1	–	–	–
†HORNSEY... ..	–	–	–	–	3	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHALL NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	3	1	–	–	–
†TEDDINGTON ...	–	1	–		–	–
†TOTTENHAM ...	–	8	9	–	2	–
†TWICKENHAM ...	–	2	–	–	1	–
†UXBRIDGE ...	–	–	–	–	–	M. 1
†WEMBLEY ...	–	1	–	–	–	N. 1
†WILLESDEN ...	–	2	4	1	4	N. 1
†WOOD GREEN ...	–	6	2	–	–	D. 1
Rural Districts:—						
HENDON	–	1	–	–	1	–
STAINES	–	–	1	–	–	–
NORFOLK	–	11	2	2	16	C. 1 D. 1 G. 1 M. 1 N. 1
†GREAT YARMOUTH C.B	–	1	–	1	1	M. 1
†NORWICH C.B. ...	–	7	–	–	3	D. 1
Boroughs and Urban Districts:—						
CROMER	–	–	–	1	–	–
EAST DEREHAM ...	–	–	–	–	1	–
†KING'S LYNN ...	–	–	2	–	–	–
WALSOKEN ...	–	–	–	–	1	–
WELLS	–	–	–	–	1	N. 1
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	–	–	–	–	G. 1
DOCKING	–	–	–	–	1	–
DOWNHAM ...	–	–	–	–	7	–
EAST AND WEST FLEGG	–	–	–	–	–	C. 1
FOREHOE ...	–	1	–	–	1	–
SMALLBURGH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ..	–	9	4	–	6	D. 2
†NORTHAMPTON C.B.	–	2	4	–	3	D. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	1	–	–	–	–
OUNDLE	–	1	–	–	–	–
ROTHWELL ...	*	*	*	*	*	*
†RUSHDEN... ...		–	–	–	1	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BRIXWORTH ...		–	–	–	1	–
CRICK	–	2	–	–	–	–
DAVENTRY	–	–	–	–	1	–
EASTON-ON-THE-HILL	–	2	–	–	–	–
NORTHAMPTON ...	–	–	–	–	–	D. 1
NORTHUMBERLAND	11	32	9	–	119	M. 3 N. 2
†NEWCASTLE UPON TYNE C.B.	1	21	7	–	71	–
†TYNEMOUTH C.B	–	1	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	9	1	1	–	–	–
†BEDLINGTONSHIRE	–	1	–	–	16	–
†BERWICK UPON TWEED	–	–	–	–	1	–
†BLYTH	–	1	1	–	4	–
CRAMLINGTON ...	–	–	–	–	3	–
†GOSFORTH ...	–	2	–	–	2	–
NEWBIGGIN BY THE SEA	–	2	–	–	4	–
†NEWBURN ...	–	–	–	–	1	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	1	–	–	–	8	N. 2
WEETSLADE ...	–	–	–	–	2	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	1	–	–	3	–
HEXHAM	–	–	–	–	–	M. 1
MORPETH... ...	–	1		–	–	–
NOTTINGHAM ..	7	23	19	–	16	M. 4 N. 1
†NOTTINGHAM C.B	1	5	16	–	7	M. 2 N. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	1	–	–	–	–
†CARLTON... ...	–	–	–	–	–	M. 1
†EAST RETFORD ...	–	–	1	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	6	1	–	–	–
†MANSFIELD ...	–	1	–	–	1	–
†MANSFIELD WOODHOUSE	–	–	–	–	1	–
†SUTTON IN ASHFIELD	4	3	–	–		–
†WORKSOP... ...	–	4	–	–	–	–
Rural Districts:—						
BASFORD	1	1	1	–	–	–
EAST RETFORD ...	–	1	–	–	2	–
NEWARK	–	–		–	–	M. 1
SKEGBY	1	–	–	–	1	–
SOUTHWELL ...	–	–		–	1	–
WORKSOP... ...	–	1		–	2	–
OXFORD	–	1	–	2	4	–
†OXFORD C.B. ...	–	–	–	1	–	–
Boroughs and Urban Districts:—						
WHEATLEY ...	–	–	–	1	–	–
WOODSTOCK ...	–	–	–	–	1	–
OXFORD—*cont.*						
Rural Districts:—						
BICESTER... ...	–	–	–	–	1	–
GORING	–	–	–	–	1	–
HENLEY	–	1	–	–	–	–
WOODSTOCK ...	–	–		–	1	–
PETERBOROUGH (Soke of)	–	–	1	–	–	–
Rural Districts:—						
BARNACK... ...	–	–	1	–	–	–
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM	–	1	–	–	–	–
SALOP	–	5	3	–	10	D. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	2	–	–	–
MARKET DRAYTON	–	1	–	–	–	–
†SHREWSBURY ...	–	1	–	–	2	–
WELLINGTON ...	–	–	–		–	D. 1
WEM	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	7	–
CHIRBURY ...	–	–	–	–	1	–
NEWPORT ...	–	–	1	–	–	–
OSWESTRY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	15	2	–	14	–
†Bath C.B.	–	9	–	–	1	–
Boroughs and Urban Districts:—						
†Bridgwater	–	–		–	3	–
Shepton Mallet	–	–	–	–	1	–
Wellington	–	–	–	–	2	–
Wells	–	–	–	–	1	–
Rural Districts:—						
Axbridge	–	1	1	–	–	–
Bath	–	–	1	–	–	–
Bridgwater	–	–	–	–	1	–
Clutton	–	1	–	–	–	–
Frome	–	4	–	–	1	–
Long Ashton	–	–	–	–	1	–
Wells	–	–	–	–	2	–
Yeovil	–	–	–	–	1	–
SOUTHAMPTON	–	30	26	–	16	C. 1 G. 1 M. 3 N. 6
†Bournemouth C.B	–	3	3	–	2	–
†Portsmouth C.B	–	9	18	–	2	G. 1 N. 1
†Southampton C.B	–	2	4	–	8	C. 1 M. 2 N. 5
Boroughs and Urban Districts:—						
Christchurch	–	2	–	–	–	–
†Eastleigh and Bishopstoke	–	–		–	–	M. 1
†Winchester	–	–	–	–	1	–
Rural Districts:—						
Alresford	–	1	–		–	–
Alton	–	1	–	–	–	–
Andover	–	–	–		1	–
Basingstoke		1	–	–	–	–
Fareham	–	2	1	–	1	–
Hartley Wintney	–	5	–	–	–	–
New Forest	–	1	–	–	–	–
South Stoneham	–	3	–	–	1	–
STAFFORD ...	–	27	27	2	170	C. 1 E. 1 M. 6 N. 7
†Burton upon Trent C.B.	–	–	1	–	3	–
†Smethwick C.B.	–	–	1	–	11	N. 1
†Stoke on Trent C.B	–	9	7	1	90	C. 1 M. 3 N. 1
†Walsall C.B.	–	2	3	–	10	M. 1 N. 1
†West Bromwich C.B.	–	1	2	–	6	–
†Wolverhampton C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†Audley	–	1	–	–	–	–
Biddulph	–	–	1	–	1	–
†Bilston	–	1	–	–	5	–
†Brierley Hill	–	1	–	–	–	–
†Cannock	–	1	1	1	1	M. 1
†Coseley	–	–	–	–	–	N. 1
†Darlaston	–	–	–	–	2	–
Kidsgrove	–	1	2	–	7	N. 1
†Leek	–	–	2	–	–	–
Lichfield	–	–	–	–	1	–
†Newcastle under Lyme	–	–	–	–	3	–
Quarry Bank	–	–	–	–	1	E. 1
†Rowley Regis	–	1	–	–	7	N. 1
†Stafford	–	–	–	–	1	–
Tamworth	–	–	1	–	–	–
Tettenhall	–	1	–	–	–	–
†Tipton	–	1	2	–	3	–
†Wednesbury	–	–	–	–	1	–
†Wolstanton United	–	3	–	–	1	–
Rural Districts:—						
Cannock	–	1	1	–	4	M. 1
Cheadle	–	1	–	–	8	N. 1
Kingswinford	–	1	2	–	–	–
Lichfield	–	1	–	–	1	–
Stone	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
TAMWORTH (part)	–	–	1	–	–	–
TUTBURY... ...	*	*	*	*	*	*
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST ...	–	14	1	–	14	N. 2
†IPSWICH C.B. ...	–	–	1	–	7	–
Boroughs and Urban Districts:—						
BECCLES	–	4	–	–	–	–
BUNGAY	–	–	–	–	1	–
EYE	–	–	–	–	–	N. 1
†LOWESTOFT ...	–	5	–	–	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	1	–
EAST STOW ...	–	–	–	–	–	N. 1
HOXNE	–	–	–	–	2	–
PLOMESGATE ...	–	–	–	–	1	–
WANGFORD ...	–	–	–	–	1	–
WOODBRIDGE ...	–	5	–	–	–	–
SUFFOLK, WEST ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	–	–	–	1	–
SURREY	–	37	33	–	21	G. 1 M. 1 N. 4
†CROYDON C.B. ...	–	12	7	–	1	–
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	7	–	1	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CARSHALTON ...	–	1	–	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†EGHAM	–	1	1	–	2	–
†ESHER AND THE DITTONS	–	–	–	–	–	N. 1
†FARNHAM ...		1	1		–	–
†FRIMLEY	–	–	1	–	–	–
†GUILDFORD ...	–		–	–	1	–
†KINGSTON ON THAMES	–	–	3	–	1	–
LEATHERHEAD ...	–	1	–		–	–
†MERTON AND MORDEN	–	7	–	–	–	–
†MITCHAM... ...	–	1	1		3	–
†REIGATE	–	–		–	–	N. 1
†RICHMOND ...	–	–	–	–	2	G. 1
†SURBITON ...	–	1	2	–		–
†SUTTON	–	2	6	–	–	N. 1
†THE MALDENS AND COOMBE	–	1	–	–	2	–
†WALTON UPON THAMES	–		–	–	1	–
†WIMBLEDON ...		3	1		–	–
Rural Districts:—						
CHERTSEY ...	–	2		–	–	–
DORKING	–	–	–	–	–	N. 1
EPSOM	–	–	1	–	3	–
FARNHAM ...	–	1	–	–	1	–
GUILDFORD ...	–	1	–	–	–	M. 1
HAMBLEDON ...	–	–	–		1	–
REIGATE	–	–	–	–	2	–
SUSSEX, EAST ..		6	7	2	13	N. 1
†BRIGHTON C.B. ...		3	2		2	N. 1
†EASTBOURNE C.B.		1	–	–	2	–
†HASTINGS C.B. ..	–	2	–	–	4	–
Boroughs and Urban Districts—						
BATTLE	*	*	*	*	*	*
BURGESS HILL ...	–	–	–	–	3	–
PORTSLADE BY SEA	–		–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	1	–
HAILSHAM ...	–	–	1	–	–	–
NEWHAVEN ...	–	–	1	–	–	–
TICEHURST ...	–	–	1	–	–	–
UCKFIELD ...	–	–	2	2	–	–
SUSSEX, WEST ...	–	5	2	–	1	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	1	–	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	–	–		1	–
MIDHURST ...	–	1	–	–	–	–
WESTBOURNE ...	–	1	–	–	–	–
WESTHAMPNETT	–	1	2	–	–	–
WARWICK	–	39	65	1	126	C. 4 D. 1 E. 2 G. 1 M. 7 N. 5
†BIRMINGHAM C.B.	–	25	63	1	100	C. 4 E. 2 M. 5 N. 2
†COVENTRY C.B. ...	–	3	–	–	7	D. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	–	–	–	N. 1
KENILWORTH ...	–	1	–	–	–	–
†NUNEATON ...	*	*	*	*	*	*
†ROYAL LEAMINGTON SPA	–	2	–	–	1	–
†RUGBY	–	–	–	–	–	N. 1
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
†WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	2	–	–	4	–
ATHERSTONE ...	–	–	1	–	1	–
COVENTRY ...	–	2	–	–	–	–
FOLESHILL ...	–	1	1	–	4	–
MERIDEN... ...	–	–	–	–	2	–
NUNEATON ...	–	1	–	–	1	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	–	–	–	3	M. 1 N. 1
TAMWORTH (part)	–	–	–	–	1	–
WESTMORLAND ..	–	2	–	–	7	G. 1
Boroughs and Urban Districts:—						
APPLEBY	–	–	–	–	1	–
†KENDAL	–	1	–	–	–	–
KIRKBY LONSDALE	–	–	–	–	2	–
WINDERMERE ...	–	–	–	–	2	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–		G. 1
WEST WARD ...	–	–	–	–	2	–
WIGHT, ISLE OF ..	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	–	–	–	1	–
†RYDE	*	*	*	*	*	*
ST. HELENS ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF—*cont.*						
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	16	3	–	6	G. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
CALNE	–	–	1	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
MELKSHAM ...	–	1	–	–	–	–
†SALISBURY ...	–	1	1	–	–	–
†SWINDON... ...	–	6	–	–	1	–
Rural Districts:—						
CALNE	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–		–	–	2	N. 1
HIGHWORTH ..	–	1	–	–	–	G. 1 M. 1
MARLBOROUGH ...	–	1	–	–	–	–
MELKSHAM ...	–	–	1	–	–	–
PEWSEY	–	–	–	–	1	M. 1
RAMSBURY ...	–	–	–	–	1	–
SALISBURY ..	–	2	–	–	–	–
TETBURY (part)...	*	*	*	*	*	*
WILTON	–	–	–	–	1	–
WORCESTER ...	–	5	7	–	21	G 3 M. 1 N. 4
†DUDLEY C.B. ..	–	2	4	–	1	M. 1
†WORCESTER C.B.	–	–	1	–	5	N. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
†HALESOWEN ..	–	–	2	–	–	–
†KIDDERMINSTER	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LYE AND WOLLESCOTE	–	–	–	–	2	–
†MALVERN ...	–	–	–	–	–	G. 2
NORTH BROMSGROVE	*	*	*	*	*	*
†OLDBURY... ...	–	–	–	–	1	–
†REDDITCH ...	–	–	–	–	1	G. 1
†STOURBRIDGE ...	–	–	–	–	3	N. 2
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	2	–
DROITWICH ...	–	1	–	–	–	–
FECKENHAM ...	–	–	–	–	1	–
KIDDERMINSTER	–	–	–	–	1	N. 1
MARTLEY... ...	–	–	–	–	1	–
UPTON ON SEVERN	–	–	–	–	3	–
YORKS ... ... (East Riding.)	–	12	24	–	10	C. 1 M. 5
†KINGSTON UPON HULL C.B	–	9	21	–	10	C. 1 M. 5
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1		–	–	–
HORNSEA... ...	–	1		–	–	–
Rural Districts:—						
DRIFFIELD ...	–	–	1	–	–	–
ESCRICK	–	1	–	–		–
NORTON	*	*	*	*	*	*
SCULCOATES ...	–	–	2	–	–	–
YORKS ... ... (North Riding.)	1	11	2	–	20	D. 1 M. 1 N. 2
†MIDDLESBROUGH C.B.	1	2	–	–	8	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (North Riding) *cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	–	–
MALTON	*	*	*	*	*	*
MASHAM	–	1	–	–	–	–
†REDCAR	–	–	1	–	3	–
SALTBURN BY THE SEA	–	–	–	–	1	–
†SCARBOROUGH ...	–	–	–	–	1	M. 1 N. 1
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
EASINGWOLD ..	–	1	–	–	–	–
GUISBOROUGH ...	–	–	1	–	–	–
HELMSLEY ...	–	–	–	–	1	–
LEYBURN... ...	–	–	–	–		D. 1
MALTON	*	*	*	*	*	*
NORTHALLERTON	–	–	–	–	2	–
RICHMOND ...	–	–	–	–	2	–
STOKESLEY ...	–	1	–	–	1	–
WATH	–	1	–	–	–	–
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding.)	89	108	52	7	396	C. 8 L. 2 M. 20 N. 9
†BARNSLEY C.B. ...	–	2	–	–	3	M. 1 N. 1
†BRADFORD C.B. ...	–	2	3	–	27	M. 5 N. 1
†DEWSBURY C.B....	–	2	–	–	2	C. 1
†HALIFAX C.B. ...	–	–	–	–	5	–
†HUDDERSFIELD C.B	1	4	3	1	5	–
†LEEDS C.B. ..	–	11	10	–	44	M. 2 N. 2
†ROTHERHAM C.B.	–	4	–	–	38	–
†SHEFFIELD C.B...	21	37	17	–	115	C. 4 M. 7 N. 3
†WAKEFIELD C.B.	–	–	–	1	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–	–	1	–
ALTOFTS	–	–	–	–	2	–
BAILDON	–	–	1	–	–	–
†BARNOLDSWICK ...	–	1	–	–	1	–
†BATLEY		–	1	–	–	–
†BENTLEY WITH ARKSEY	4	3	1	–	–	M. 1
†BINGLEY	1		1	–	–	–
†BOLTON UPON DEARNE	1	–	–		–	–
†CONISBROUGH ...	19	–	–	–	3	–
CUDWORTH ...	–	–	–	–	1	–
DARFIELD ...	–	–	–	–	1	–
†DARTON	–	3	–	1	3	M. 1
†DONCASTER ...	8		3	–	10	–
DRIGHLINGTON ...	–	–	–		2	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	2	–	–	2	–
GREASBROUGH ...	–		–	–	2	–
GUISELEY ...	–	1	–	–	–	–
†HARROGATE ...	–	–	–	–	6	–
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	–	–	1	M. 1
†HOLMFIRTH ...	–	–	–	–	10	–
HORBURY ...	–	–	–	–	1	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	4	–
†KEIGHLEY ...	6	–	–	–	2	–
KNARESBOROUGH	*	*	*	*	*	*
LEPTON	–	1	–	–	1	–
MALTBY	–	–	–	–	1	–
MARSDEN... ...	–	2	1	–	–	–
METHLEY ...	–	–	–	–	1	–
†MEXBOROUGH ...	9		–	–	2	–
MIRFIELD ...	–	–	1	–	3	–
†MORLEY	–	–	–	–	1	–
MYTHOLMROYD ...	–	1	–		–	–
NEW MILL ...	–	1	–	1	7	–
†NORMANTON ...		–	2	–	6	M. 1 C. 1
†PONTEFRACT ...	–	–	–	–	–	
†PUDSEY	–	–	–	–	2	–
QUEENSBURY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAWMARSH ...	–	–	2	1	5	–
†ROTHWELL ...	–	–		–	1	–
†SADDLEWORTH ...	–	1	–	–	–	–
SHELLEY	–	–		–	2	–
SHEPLEY	–	1	–	–	1	–
†SKIPTON	–	1	–	–	–	–
SOUTH CROSLAND	–	–	–	–	1	–
†STANLEY	–	–	1	–	5	–
STOCKSBRIDGE ...	–	–	–	–	3	–
†SWINTON	12	2	–	–		–
†TODMORDEN ...	–	2	–		1	–
†WOMBWELL ...	–	1		–	3	–
†WORSBOROUGH ...	–	1	–	–	2	–
YEADON	–	–	–	–	1	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
BOWLAND ...	–	–	1	–	–	–
DONCASTER ...	3	1	1	–	6	M. 1
HEMSWORTH ...	–	1	–	–	8	N. 1
KIVETON PARK ...	–	1	–	–	6	–
PENISTONE ...	–	–	–	–	–	C. 1
RIPON	–	1	–	–	–	–
ROTHERHAM ...	3	1	–	–	15	N. 1
SETTLE	–	2	–	–	1	–
SKIPTON	–	1	1	–	–	–
TADCASTER ...	–	2	–	–	1	–
THORNE	1	1		–	3	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	4	–	–	2	C. 1
WETHERBY ...	–	–	1	–	6	–
WHARFEDALE (SOUTH)	–	–	–	2	2	L. 2
WORTLEY ...	–	2	–	–	2	–
§YORK, CITY OF	–	–	1	–	1	–
†YORK C.B ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	–	3	–	2	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–		1	–
†HOLYHEAD ...	–	–	3	–	–	–
Rural Districts:—						
TWRCELYN ...	–	–	–	–	1	–
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	–	–	–	–	5	G. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	2	–
LLANWRTYD ...	–	–	–	–	1	–
Rural Districts:—						
CRICKHOWELL ...	–	–	–	–	–	G. 1
HAY	–	–	–	–	1	–
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON ...	–	4	–	–	–	N. 1
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	–	–	–	–	N. 1
Rural Districts:—						
CONWAY	–	1	–	–	–	–
LLEYN	–	1	–	–	–	–
OGWEN	–	2	–	–	–	–
CARDIGAN ...	–	1	–	–	–	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	1	–	–	–	–
ABERYSTWYTH (SOUTH)	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RMARTHEN ..	–	1	3	–	1	–
oroughs and Urban Districts:—						
WMAMMAN ...	–	–	1	–	1	–
LLANELLY ...	–	–	2	–	–	–
ural Districts:—						
LLANELLY ...	–	1	–	–	–	–
NBIGH	–	4	4	–	5	–
oroughs and Urban Districts:—						
OLWYN BAY ...	–	–	–	–	1	–
LLANGOLLEN ...	*	*	*	*	*	*
LLANRWST ...	–	–	1	–	–	–
WREXHAM ...	–	3	–	–	–	–
ural Districts:—						
HIRK	–	–	3	–	–	–
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN	–	1	–	–	3	–
WREXHAM ...	–	–	–	–	1	–
INT	–	2	1	–	7	–
oroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	1	–
FLINT	–	2	–	–	–	–
RHYL	–	–	1	–	–	–
ural Districts:—						
HOLYWELL ...	–	–	–	–	6	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	1	23	34	–	88	D. 1 M. 3 N. 6
†Cardiff C.B. ...	–	6	7	–	7	M. 1 N. 3
†Merthyr Tydfil C.B.	–	–	1	–	17	N. 1
†Swansea C.B. ...	–	3	3	–	–	M. 1
Boroughs and Urban Districts:—						
†Aberdare ...	1	1	2	–	11	–
†Barry	–	1	1	–	2	–
†Caerphilly ...	–	–	5	–	–	–
†Gelligaer ...	–	–	–	–	5	–
†Glyncorwg ...	–	–	–	–	2	–
†Maesteg ...	–	2	3	–	5	–
†Mountain Ash ...	–	1	1	–	5	–
†Neath	–	2	–	–	4	D. 1
†Ogmore and Garw	–	3	–	–	3	–
†Penarth ...	–	–	–	–	1	–
†Pontypridd ...	–	1	–	–	5	N. 1
†Port Talbot ...	–	1	5	–	1	–
†Rhondda ...	–	2	3	–	14	M. 1
Rural Districts:—						
Cowbridge ...	–	–	–	–	1	–
Llantrisant and Llantwit-Fardre	–	–	1	–	1	–
Neath	–	–	–	–	3	–
Penybont ...	–	–	1	–	–	N. 1
Pontardawe ...	–	–	–	–	1	–
Swansea... ...	–	–	1	–	–	–
MERIONETH ...	–	2	5	–	7	–
Urban Districts:—						
Ffestiniog ..	–	–	4	–	–	–
Towyn	–	–	1	–	–	–
Rural Districts:—						
Deudraeth ...	–	–	–	–	7	–
Dolgelley ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	109	5	4	1	15	G. 2 M. 2 N. 1
†NEWPORT C.B. ...	1	–	2	–	6	–
Boroughs and Urban Districts:—						
†ABERCARN ...	14	–	–	–	–	–
†ABERSYCHAN ...	76	2	–	–	–	–
†ABERTILLERY ...	5	–	1	–	–	M. 1
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	–	1	–	–	–
†BLAENAVON ...	8	–	–	–	–	G. 1
CHEPSTOW ...	–	1	–	–	–	G. 1
LLANTARNAM ...	–	–	–	–	–	N. 1
†MYNYDDISLWYN	1	–	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	1	6	M. 1
†PANTEG	1	–	–	–	–	–
PONTYPOOL ...	2	1	–	–	–	–
†TREDEGAR ...	–	–	–	–	1	–
Rural Districts:—						
ABERGAVENNY ...	1	–	–	–	–	–
CHEPSTOW ...	–	–	–	–	1	–
MONTGOMERY ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	*	*	*	*	*	*
MONTGOMERY—*cont.*						
Rural Districts:—						
FORDEN	–	–	–	–	1	
LLANFYLLIN ...	–	–	–	–	1	
NEWTOWN AND LLANIDLOES	–	–	–	–	1	
PEMBROKE	–	4	1	–	5	
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	
†PEMBROKE ...	–	1	–	–	–	
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	
NARBERTH ...	–	–	–	–	5	
PEMBROKE ...	–	1	–	–	–	
ST. DOGMELLS ...	–	1	1	–	–	
RADNOR	–	1	–	–	4	
Rural Districts:—						
PAINSCASTLE ...	–	–	–	–	4	
RHAYADER ...	–	1	–	–	–	
Total of Part II. ..	411	1023	719	29	2245	C 2 D 1 E 1 G 2 L M 1 N

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fev N. Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
VERPOOL	–	1	–	2	1	–	WISBECH	–	–	–	–	1	–
LYMOUTH	–	–		–	–	L. 1	PORT OF LONDON ...	1	–	–	–	–	–
ANDWICH	*	*	*	*	*	*							
EYMOUTH	–	–	–	1	–	–	**Total of Part III....** ...	1	1	–	3	2	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
Total of Part I.—London	–	181	247	4	132	C. D. G. M. 2 N. 2
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	411	1023	719	29	2245	C. 1 D. 1 E. 1 G. 2 L. M. 11 N. 10
Total of Part III.—Port Sanitary Districts	1	1	–	3	2	L.
Total (*i.e.*, of returns received), England and Wales ...	412	1205	966	36	2379	C. 3 D. 1 E. 1 G. 3 L. M. 14 N. 12

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

e 5.—London and Great Towns in the GREGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.
DON:—													
THS—all ages	1,161	1,070	1,473	1,602	1,648	1,908	2,045	1,912	1,704	1,652	1,278	1,240	1,114
0 to 1 year ..	127	126	137	137	122	135	162	137	100	122	101	91	97
AT TOWNS, aggregate (including London):—													
THS	6,238	5,347	6,469	7,332	6,929	6,231	6,475	7,020	6,293	7,015	6,490	6,760	6,834
THS—all ages	4,797	4,556	5,898	5,883	5,917	6,427	7,320	7,302	7,285	8,411	7,825	7,080	5,980
0 to 1 year ..	574	563	690	675	656	630	731	716	670	857	802	696	612
ERIC FEVER—Cases	16	8	13	15	16	9	14	18	11	7	13	21	14
" Deaths	4	5	2	1	1	2	2	3	1	2	4	2	1
LL POX—Cases ..	26	48	34	45	228	119	116	133	106	81	97	93	81
" Deaths ..	—	—	—	—	—	—	—	—	1	—	—	—	—
RLET FEVER—Cases	801	756	881	818	791	787	809	684	705	729	675	677	676
" Deaths	5	9	2	4	6	4	6	11	6	4	8	5	8
HTHERIA—Cases ..	784	707	671	788	771	715	735	700	619	695	720	712	723
" Deaths ..	40	36	51	48	38	39	43	51	45	29	41	62	43
ASLES—Deaths ..	28	14	36	28	34	43	50	43	47	73	59	73	72
LUENZA—Deaths ..	60	69	86	173	326	470	725	818	759	987	1,023	898	572

Table 6.—Meteorology in certain Towns during the Week ended Saturday 12th March, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON (GREENWICH).	54	33	50·6	37·7	11	HUDDERSFIELD	47	30	45·3	35·3	13
IGHTON ..	51	34	49·4	39·3	12	BRADFORD ..	48	33	45·3	35·6	15
RTSMOUTH ..	53	33	49·8	39·2	14	SHEFFIELD ..	50	35	46·9	36·3	10
RWICH (EATON).	50	32	48·0	36·3	9	YORK (MUSEUM)	50	34	47·3	35·9	6
MOUTH ..	52	34	50·0	39·3	13	HULL (PEARSON PARK).	50	33	47·0	35·7	7
STOL (CLIFTON).	51	37	48·1	39·3	8	TYNEMOUTH ..	50	34	45·6	36·1	8
RMINGHAM (EDGBASTON).	49	34	47·1	36·1	8	CARDIFF.. ..	49	35	47·7	37·6	18
TTINGHAM ..	49	33	47·1	36·9	10	EDINBURGH ..	48·0	32·0	45·0	35·4	6
EKENHEAD (BIDSTON).	46	34	45·0	37·7	6	GLASGOW ..	47·3	32·0	46·4	34·9	4
NCHESTER (WHITWORTH PARK).	47	32	46·7	36·7	13	DUBLIN (PHŒNIX PARK).	53·2	28·0	49·3	34·1	8
RNLEY	48	29	45·4	34·6	11	(FITZWILLIAM SQUARE†).	51·3	33·9	48·1	37·9	9
						BELFAST.. ..	53·5	29·0	50·6	34·4	8

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 12th March, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	6	..	29·257	51·0	41·8	9·2	45·7	+ 4·7	35·2	10·5	17·9	3·4	66	85·9	37·2	44·0	WSW: W.	WSW: SW: SSW.	2·0	0·0	0·2	391	+ 40	0·01
MONDAY -	7	..	29·073	49·0	39·5	9·5	43·8	+ 2·8	41·1	2·7	7·2	0·8	90	63·0	31·5	44·0	W: Calm: WSW.	W: WNW: SW.	5·7	0·0	0·1	254	- 98	0·25
TUESDAY -	8	..	29·187	53·1	38·0	15·1	45·0	+ 3·9	35·3	9·7	19·4	2·1	69	104·4	30·1	44·1	SW: WSW.	WSW: NW: W.	4·7	0·0	0·4	443	+ 90	0·14
WEDNESDAY	9	..	29·363	53·8	33·1	20·7	43·6	+ 2·6	33·8	9·8	20·9	3·6	68	106·1	25·0	44·1	WSW: SW.	SSW: SW: WSW.	1·0	0·0	0·0	217	- 130	0·00
THURSDAY -	10	First Quarter.	29·483	50·9	36·0	14·9	41·6	+ 0·7	37·4	4·2	15·4	2·1	85	94·9	26·2	44·1	WSW: SW.	Var: Calm.	0·4	0·0	0·0	158	- 179	0·01
FRIDAY -	11	..	29·761	48·5	34·7	13·8	40·8	- 0·2	34·7	6·1	15·6	2·1	78	89·5	27·0	44·0	Calm: N.	N: NNE	0·5	0·0	0·0	179	- 147	0·00
SATURDAY -	12	Greatest Declination N.	29·972	46·7	35·4	11·3	40·9	- 0·2	33·2	7·7	13·7	2·6	74	97·2	27·9	44·0	N: NNE.	NNE: ENE.	2·7	0·0	0·1	253	- 64	0·03
MEANS -		..	29·442	50·4	36·9	13·5	43·1	+ 2·1	35·8	7·2	15·7	2·4	76	91·6	29·3	44·0	WSW		..	..	..	Sum 1895	Sum - 488	Sum 0·44
No of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	6	wP till 18h.; then mP.	2·6	11·1	Nearly overcast with few slight exceptions. Showers 1h., 5½h., and about 15h.
MONDAY ..	7	Variably wP and wN till 7h.; mP till 14h.; variably mP and mN till 18h.; then mP.	0·0	11·2	Overcast till 15h.; then clearing gradually to nearly cloudless by 20½h. Rain generally 0h. till 11¾h.; and 16¾h. till 17½h.
TUESDAY ..	8	wP till 10h.; mP till 14½h.; variably sP and sN till 14h.; then mP.	7·8	11·2	Nearly cloudless till 9h.: variably cloudy till 14¾h., then partially cloudy. Brisk wind 10h. till 16h. Shower 14¾h. Rain with occasional hail 17h. till 17½h.
WEDNESDAY	9	mP till 3h.; wP till 7h.; mP till 11h.; wP till 16h.; then mP.	3·5	11·3	Cloudless till 5h.; then variably cloudy becoming nearly overcast by 13h. Damping 22½h. Dew at night.
THURSDAY	10	Variably mP and wP till 13h,; variably mP and wN till 15h.; then mP.	0·5	11·4	Nearly overcast generally till 17¾h., clearing to nearly cloudless by 18½h. till 21h., then becoming overcast by 21½h. Showers 1h. and 14h. Slight gloom 10½h. Haze from 14h.
FRIDAY ..	11	wP till 8h.; then mP.	1·5	11·4	Overcast with few breaks. Mist 6h. till 10h.
SATURDAY	12	mP till 16h.; Variably sP and sW till 17½h.; mP till 21h., then wP.	1·9	11·5	Variably cloudy till 9h.; nearly overcast till 19½h., then variably cloudy. Rain and hail at 16½h
			Sum 17·8	Sum 79·1	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

Average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·05 ins. at the beginning of the week to 29·29 ins. by 19h. on 6th; decreased to 29·20 ins. by 8h. on 7th; increased generally to 29·98 ins. by 21h. on 12th; decreased and was 29·96 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION,
LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

SHAW & SONS,
LIMITED.

The recognised Publishers of the prescribed and other necessary Forms and Records for

PUBLIC HEALTH AUTHORITIES.

All Notices and Registers under

NOTIFICATION OF INFECTIOUS DISEASES ACTS.
NOTIFICATION OF BIRTHS ACT.
MILK AND DAIRIES ORDER, 1926.
OPHTHALMIA NEONATORUM, PUERPERAL FEVER AND PUERPERAL PYREXIA REGULATIONS, 1926.

Complete Lists on Application to

SHAW & SONS
LIMITED.

Local Government Printers and Publishers,

FETTER LANE, LONDON, E.C.4.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—

THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.

Telegrams:
"Clinician, Wesdo, London."

(61614) Wt. 64—16 1875 3/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 11.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 19TH MARCH, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast,
or through any Bookseller.
1927.
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 19TH MARCH, 1927.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eleventh week of the year numbered 7,047 and corresponded to an annual rate of 18·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,327 and corresponded to an annual rate of 14·3 per 1,000 of their aggregate civilian population, which is estimated at 19,411,253 in the year 1926. In the preceding three weeks the rates had been 21·0, 19·0 and 16·1. Infant mortality based on the average weekly number of births during the last 52 weeks, was 86 per 1,000 births against 118, 102 and 90 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,634 births, corresponding to a rate of 18·5 per 1,000, and 1,114 deaths of civilians, corresponding to an annual rate of 12·6, against 14·5, 14·0 and 12·6 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 13·4 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 65 as against 65, 59 and 63 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 5,980 to 5,327; the deaths from influenza which had been 1,023, 898 and 572 in the preceding three weeks, fell to 342 last week.

Deaths from influenza have now decreased to approximately the normal level for this time of year except in the North, where, however, they are decreasing rapidly. The progress of the epidemic is shown in the following table of rates per million population in the principal sections of the country. Starting in London during the week ended 8th January, a maximum fatality was reached in the respective areas in the weeks ended as follows:—London, 29th January; South, 5th February; Midlands and Wales, 19th February; and North, 26th February.

If the low level now attained is continued, this table will be discontinued after this week.

—	North.	Midlands.	South (excluding London).	Wales.	London.
Week ended 8th Jan....	6·2	5·7	9·1	13·8	15·6
" " 29th Jan....	13·9	44·2	60·3	51·6	54·8
" " 5th Feb.	16·3	62·2	71·4	49·1	46·7
" " 12th Feb.	27·4	50·3	58·4	54·1	34·6
" " 19th Feb.	55·0	62·4	52·5	66·7	27·8
" " 26th Feb.	82·6	50·8	39·4	30·6	17·6
" " 5th Mar.	76·3	42·7	22·6	31·8	15·0
" " 12th Mar.	48·5	24·7	13·5	34·4	10·6
" " 17th Mar.	26·9	15·3	17·4	12·7	7·2

In London the number of deaths from all causes was the same as last week. The deaths from whooping cough numbered 16 as against 26, 28 and 14 in the three weeks preceding; and the deaths from influenza which had been 81, 69 and 49 in the preceding three weeks, further fell to 33 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in t week ended 19th March, 1927.**

Towns.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 3 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,411,253*	7,047	5,327	588	4	52	2	86	30	44
London	4,605,400*	1,634	1,114	100	-	-	-	16	10	15
Towns in Outer Ring.										
Croydon C.B ..	205,900	70	52	4	-	-	-	2	-	1
Wimbledon ..	58,030	12	8	-	-	-	-	-	-	-
Ealing	91,783	27	24	4	-	-	-	-	-	-
Acton	63,040	16	15	-	-	-	-	-	-	-
Willesden ..	165,270	59	26	3	-	-	-	-	-	1
Hendon	62,570*	17	16	1	-	-	-	-	-	-
Hornsey	87,230	16	22	2	-	-	-	-	-	1
Wood Green ..	51,940	10	9	-	-	-	-	-	-	-
Tottenham ..	151,520	36	37	5	-	-	-	-	-	-
Edmonton ..	71,700	45	22	3	-	-	-	2	-	-
Enfield	63,640	20	11	1	-	-	-	-	-	-
West Ham C.B. ..	315,900	136	83	13	-	-	-	4	-	1
East Ham C.B. ..	146,600	37	35	8	-	-	-	-	1	-
Leyton	130,000	34	28	2	-	-	-	-	1	-
Walthamstow ..	125,500	37	20	2	-	-	-	-	-	-
Ilford	100,500	30	17	-	-	-	-	-	-	-
Gillingham	47,820*	21	2	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	10	5	-	-	-	-	-	-	-
Hastings C.B.	61,340	14	19	2	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	14	14	1	-	-	-	-	-	-
Brighton C.B. ..	139,500*	48	35	3	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	106	62	4	-	-	-	1	-	-
Bournemouth C.B ..	90,100	21	18	1	-	-	-	-	-	-
Southampton C.B. ..	169,300	64	59	7	-	1	-	1	-	-
Reading C.B.	93,090*	27	20	-	-	-	-	-	-	-
Oxford C.B.	56,800	22	12	1	-	-	-	-	-	-
Northampton C.B ..	93,530*	28	22	3	-	1	-	1	1	-
Luton	59,240	21	17	2	-	-	-	-	-	-
Cambridge	58,820	17	17	1	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	28	32	1	-	-	-	-	-	1
Ipswich C.B.	84,140	22	27	4	-	-	-	3	-	-
Great Yarmouth C.B.	57,760	34	22	1	1	-	-	1	-	-
Norwich C.B. ..	123,500*	36	30	3	-	-	-	3	1	-
Swindon	57,320	15	6	3	-	-	-	-	-	-
Exeter C.B.	60,340*	22	21	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	60	75	9	-	-	-	2	1	1
Bath C.B.	69,000	14	13	-	-	-	-	-	-	-
Bristol C.B.	383,300*	124	80	10	-	-	-	1	-	-
Gloucester C.B. ..	53,050	21	11	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	129	112	20	-	1	-	2	-	-
Burton-upon-Trent C.B.	48,660	22	10	1	-	-	-	1	-	-
Wolverhampton C.B.	110,000	45	42	5	-	-	-	2	-	-
Walsall C.B.	102,100	49	19	3	-	-	-	1	-	-
West Bromwich C.B	79,920	32	20	6	-	1	-	-	-	-
Dudley C.B.	58,930	40	16	3	-	-	-	-	-	-
Worcester C.B. ..	50,660	15	11	-	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	347	270	39	-	2	-	1	1	5
Smethwick C.B. ..	76,940	19	14	-	-	1	-	-	-	-
Coventry C.B. ..	127,800	40	32	2	-	1	-	-	-	-
Leicester C.B. ..	241,700	95	57	6	-	1	-	1	-	1
Lincoln C.B.	65,760*	24	19	1	-	-	-	1	-	-
Grimsby C.B.	88,580	32	25	2	-	-	-	-	-	-
Nottingham C.B. ..	268,000	111	63	1	-	-	-	-	1	-
Derby C.B.	136,600*	57	32	2	-	-	-	1	-	-
Chesterfield ..	66,650	21	14	1	-	-	-	-	-	-
Stockport C.B. ..	125,400	27	37	2	-	-	1	-	-	-
Chester C.B.	41,710	12	11	2	-	-	-	1	-	-
Birkenhead C.B. ..	168,000	58	42	6	-	-	-	-	-	-
Wallasey C.B. ..	93,050	25	25	1	1	-	-	-	-	-
Liverpool C.B. ..	862,600	406	280	31	-	15	-	1	5	-
Bootle C.B.	84,580	42	20	2	-	1	-	-	-	-
St. Helens C.B. ..	110,000	48	16	4	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	77,970	15	21	1	-	-	-	-	-	-	2
WIGAN C.B.	88,620	41	56	6	-	4	-	2	-	-	13
WARRINGTON C.B. ..	76,940*	31	25	4	-	-	-	-	-	-	4
BOLTON C.B.	177,000	53	73	6	-	-	-	-	1	-	10
BURY C.B.	56,840*	18	18	-	-	-	-	-	-	-	2
MANCHESTER C.B. ..	752,000	299	245	30	-	-	1	3	3	2	27
SALFORD C.B.	247,400	74	69	5	-	-	-	1	-	-	3
OLDHAM C.B	143,000	34	59	4	-	-	-	-	-	1	5
ROCHDALE C.B... ..	91,510	17	26	6	-	-	-	-	-	-	7
BURNLEY C.B.	99,600	30	27	3	-	-	-	-	-	-	5
BLACKBURN C.B. ..	124,400	41	39	5	1	1	-	-	-	-	3
PRESTON C.B.	124,200	30	38	2	-	1	-	1	1	-	1
BLACKPOOL C.B. ..	88,640	29	27	-	-	-	-	-	-	-	2
BARROW-IN-FURNESS C.B.	70,420	17	20	1	-	-	-	-	-	-	1
HUDDERSFIELD C.B. ..	111,900	25	35	2	-	-	-	-	-	-	4
HALIFAX C.B.	96,130*	38	43	1	-	-	-	-	-	-	3
BRADFORD C.B. ..	288,700	90	90	7	-	5	-	-	-	-	3
LEEDS C.B.	473,400	164	131	17	-	2	-	2	1	2	8
DEWSBURY C.B ..	53,630	16	17	4	-	-	-	-	-	-	3
WAKEFIELD C.B. ..	53,830	31	21	4	1	4	-	-	-	-	2
BARNSLEY C.B. ..	70,760	28	24	2	-	-	-	2	-	-	2
SHEFFIELD C.B. ..	523,300*	189	169	36	-	-	-	17	-	4	10
ROTHERHAM C.B. ..	70,080	33	21	4	-	-	-	-	-	1	2
DONCASTER	55,700	24	12	2	-	-	-	-	-	-	1
YORK C.B.	84,430*	31	24	2	-	-	-	-	-	1	4
HULL C.B.	294,600	141	107	10	-	2	-	2	1	-	7
MIDDLESBROUGH C.B.	133,600	63	36	5	-	4	-	-	-	-	1
DARLINGTON C.B. ..	70,700	32	10	-	-	-	-	-	-	1	-
STOCKTON-ON-TEES ..	67,910	26	22	1	-	1	-	-	-	-	2
WEST HARTLEPOOL C.B.	71,060	25	22	3	-	-	-	-	-	-	2
SUNDERLAND C.B. ..	163,800	91	43	9	-	1	-	-	-	1	2
SOUTH SHIELDS C.B. ..	123,900	49	35	5	-	-	-	-	-	-	1
GATESHEAD C.B. ..	127,700	57	40	6	-	-	-	1	-	-	4
NEWCASTLE-ON-TYNE C.B.	284,700*	126	105	16	-	-	-	3	-	1	15
TYNEMOUTH C.B. ..	66,560	22	13	1	-	-	-	-	-	-	-
CARLISLE C.B.	56,140*	18	19	2	-	-	-	-	-	-	1
NEWPORT (MON.) C.B.	96,620	32	13	4	-	1	-	1	-	1	-
CARDIFF C.B.	225,600*	98	58	8	-	1	-	-	-	2	1
RHONDDA	162,500	55	45	9	-	-	-	1	-	-	6
MERTHYR TYDFIL C.B.	80,690	21	35	8	-	-	-	1	1	-	2
ABERDARE	56,930	24	10	1	-	-	-	-	-	-	-
SWANSEA C.B.	163,200	48	22	2	-	-	-	-	-	-	1
GREATER LONDON ..	7,791,310*	2,637	1,826	172	-	-	1	26	13	19	62
OUTER RING	3,185,910*	1,003	706	72	-	-	1	10	3	4	29
18 GREAT TOWNS IN OUTER RING	1,891,123*	602	425	48	-	-	-	8	2	4	14
REMAINDER OF OUTER RING	1,294,787*	401	281	24	-	-	1	2	1	-	15
EDINBURGH†	426,100	183	142	9	-	4	-	-	-	-	14
GLASGOW† ..	1,049,000	492	292	48	-	-	-	9	1	6	8
DUBLIN (REGISTRATION AREA)†	421,000	161	157	22	-	-	1	19	1	1	11
BELFAST†	416,000	188	123	20	-	-	-	5	1	9	5

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
LONDON‡	4,605,400	1927. Mar. 19	1634	1114	12·6	-	-	-	-	16	10	15
CALCUTTA AND SUBURBS	1,077,264	1926-27. Feb. 5	?	816‖	39·4	?	66	?	?	?	?	?
BOMBAY§	1,298,708	" 26	412	560‖	22·4	1	25	-	-	1	-	21
MADRAS	528,791	" 19	341	374	36·8	2	-	-	-	1	-	20
SYDNEY AND SUBURBS	1,038,950	Jan. 31 (31 days)	1740	821	9·5	5	-	-	5	16	6	35
BRISBANE (Metropolitan Area).	263,711	Dec. 31 (31 days)	420	232	10·6	-	-	1	1	1	1	8
PERTH (Metropolitan Area).	179,388	Jan. 15	67	39	11·3	-	-	-	-	1	-	4
		" 22	58	27	7·8	-	-	-	-	-	-	1
		" 29	74	31	9·0	-	-	-	-	-	-	2
AUCKLAND (Urban Area).	192,176	Jan. 31 (31 days)										
WELLINGTON (Urban Area).	121,324	Jan. 31 (31 days)										
CHRISTCHURCH (Urban Area).	118,408	Jan. 31 (31 days)										
CAPE TOWN	115,348	Feb. 19	34	27	12·2	-	-	-	-	-	-	-
		" 26	60	23	10·4	-	-	-	-	-	-	-
JOHANNESBURG	172,189	" 20	75	39	11·8	2	-	-	-	-	-	11
		" 27	61	34	10·3	3	-	-	-	-	-	4
DURBAN	54,738	" 19	12	12	11·4	-	-	-	-	-	-	-
		" 26	33	10	9·5	-	-	-	-	-	-	-
PARIS	2,871,429	Feb. 28 (8 days)										
ANTWERP	300,086	Feb. 19	95	81	14·0	-	-	1	-	-	-	2
		" 26	90	71	12·3	-	-	2	-	-	1	1
AMSTERDAM	727,259	Mar. 5	273	157	11·3	-	-	1	-	-	-	1
COPENHAGEN	592,000	" 5	208	165	14·5	-	-	1	-	2	1	-
		" 12	208	157	13·9	-	-	-	-	2	1	-
STOCKHOLM	442,528	Feb. 26	82	113	13·3	-	-	-	-	-	1	-
		Mar. 5	110	104	12·2	-	-	-	-	-	-	-
GOTHENBURG	231,624	Feb. 12										
OSLO (CHRISTIANIA) ..	255,724	Mar. 12	60	68	13·8	-	-	1	-	-	-	1
BERLIN	1,993,000	Feb. 26	434	538	14·0	1	?	3	1	1	7	2
BRESLAU	561,000	" 26	168	132	12·2	-	?	1	-	-	1	1
COLOGNE	711,000	" 26	270	160	11·7	-	?	3	-	2	-	2
DRESDEN	624,000	" 26	143	198	16·5	-	?	1	-	1	-	-
FRANKFORT-ON-MAIN ..	471,000	" 26	115	112	12·4	1	?	-	1	-	-	1
HAMBURG	1,111,000	" 26	248	223	10·4	-	?	-	3	-	1	-
LEIPZIG	685,000	" 26	176	187	14·2	-	?	-	-	-	-	-
MUNICH	685,000	" 26	157	191	14·5	-	?	-	2	1	-	2
VIENNA	1,871,607	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	Oct. 31 (31 days)										
BUDAPEST	971,169	Mar. 5	361	306	16·4	1	-	4	1	1	6	2
WARSAW	1,015,426	" 5	?	288	14·8	2	-	-	3	3	1	7
CAIRO	859,400	Dec. 16	892	481	29·2	4	-	1	-	?	3	37
		" 23	970	490	29·7	5	-	1	-	?	8	28
ALEXANDRIA	492,100	" 16	462	256	27·1	1	-	-	-	?	2	24
		" 23	529	254	26·9	2	-	-	-	?	2	12
NEW YORK	5,924,018	Mar. 5	?	1517	13·4	-	-	-	2	1	14	13
CHICAGO	3,101,000	" 4	1238	750	12·6	1	-	7	3	-	6	11

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 29 deaths from Cholera in Calcutta and 2 deaths from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 19th March, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1114	100	21	25	26	53	46	79	131	198	222	213
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	16	7	5	3	1	-	-	-	-	-	-	-
Diphtheria	10	-	1	5	4	-	-	-	-	-	-	-
Influenza	33	1	-	-	1	-	2	4	5	3	13	4
Erysipelas	2	1	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Poliocencephalitis	1	-	-	-	-	1	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	1	-	-	1	-
Meningococcal meningitis	4	2	1	-	1	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	106	-	-	-	1	25	20	24	24	9	2	1
Nervous system	14	1	1	3	5	3	-	1	-	-	-	-
Intestines and peritoneum	2	-	-	-	-	2	-	-	-	-	-	-
Other forms	3	-	-	1	1	-	-	-	1	-	-	-
Venereal diseases	5	1	-	-	-	-	-	2	-	1	1	-
Cancer	129	-	-	-	-	1	4	8	20	45	26	25
Rheumatic fever	2	-	-	-	1	-	1	-	-	-	-	-
Diabetes	15	-	-	-	-	-	1	1	1	6	4	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	-	1	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	59	-	-	-	-	-	2	1	7	17	15	17
Epilepsy	3	-	-	-	-	-	-	1	1	1	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	20	1	-	1	1	1	2	4	3	5	1	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	6	-	-	-	1	1	1	1	1	-	1	-
Other diseases of heart	161	-	-	-	1	2	4	7	15	31	52	49
Other diseases of circulatory system	66	-	-	-	-	-	-	1	4	13	26	22
Bronchitis	93	7	1	-	-	-	1	4	12	14	24	30
Broncho-pneumonia	40	12	8	3	-	1	-	-	1	7	3	5
Lobar-pneumonia	18	-	1	2	-	1	-	3	5	2	4	-
Pneumonia (type not distinguished)	14	-	-	-	-	1	1	2	3	3	3	1
Other diseases of respiratory system	12	1	-	1	2	1	-	-	2	2	-	3
Diarrhœa and enteritis	16	14	1	-	-	1	-	-	-	-	-	-
Appendicitis, Typhlitis	8	-	-	1	1	2	-	-	2	1	1	-
Hernia, Intestinal obstruction.. ..	9	1	-	-	-	-	1	1	1	1	1	3
Cirrhosis of liver	6	-	-	-	-	-	-	-	1	3	1	1
Other diseases of digestive system ..	15	-	-	-	1	1	-	-	4	5	4	-
Acute nephritis	4	-	-	-	-	-	-	1	1	1	1	-
Chronic Bright's disease..	30	-	-	-	-	-	-	2	6	7	11	4
Other diseases of genito-urinary system.	13	1	-	-	-	-	-	2	1	4	3	2
Puerperal sepsis	1	-	-	-	-		1	-	-	-	-	-
Other causes incident to childbirth..	10	-	-	-	-	3	3	4	-	-	-	-
Congenital malformations	10	8	-	1	-	1	-	-	-	-	-	-
Premature birth	22	22	-		-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-		-		-	-		-
Old age	36	-	-			-	-	-		-	5	31
Suicide	14	-	-		-	1	1	2	2	5	2	1
Burns and Scalds	4	2	1	-	-	-	-	-	-	-	-	1
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	-	-	1	3	1	-	-	1	2	3	-
Other deaths by violence	10	1	-	-	-	-	-	1	1	1	2	4
Other specified causes	50	10	1	2	1	3	1	1	6	8	11	6
Ill-defined causes	1	-	-	-	-	-	-	-	-	-	1	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 19th March, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	184	239	2	101	C. 8 D. 4 E. 2 F. 1 G. 2 M. 20 N. 27
†CITY OF LONDON	-	-	2	-	-	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	5	15	-	10	D. 1 E. 1 M. 1 N. 1
†BERMONDSEY ...	-	7	10	-	4	N. 1
†BETHNAL GREEN	-	16	14	-	-	G. 1 M. 2 N. 1
†CAMBERWELL ...	-	15	12	-	2	-
†CHELSEA	-	3	5	-	5	C. 1 M. 1
†DEPTFORD ..	-	9	9	-	5	-
†FINSBURY ...	-	1	5	-	1	C. 1 N. 2
†FULHAM		2	17	-	3	D. 1 M. 1
†GREENWICH ..	-	9	11	-	2	-
†HACKNEY ..	-	5	11	-	-	M. 1 N. 5
†HAMMERSMITH ..	-	-	13	-	1	-
†HAMPSTEAD ..	-	-	2	-	1	-
†HOLBORN... .	-	-	1	-	-	C. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	13	14	-	3	C. 1 M. 7 N. 4
†KENSINGTON ...	-	4	5	-	3	M. 2
†LAMBETH ...	-	7	12	-	8	M. 1
†LEWISHAM ...	-	10	3	-	3	N. 1
†PADDINGTON ...	-	3	10	-	1	C. 2
†POPLAR	-	20	5	-	16	M. 1
†ST. MARYLEBONE	-	2	1	-	1	N. 2
†ST. PANCRAS ...	-	9	3	-	5	C. 1 E. 1 N. 1
†SHOREDITCH ...	-	-	9	-	1	D. 1 N. 2
†SOUTHWARK ...	-	8	12	1	8	C. 1 F. 1 N. 2
†STEPNEY	-	15	20	-	5	M. 1 N. 1
†STOKE NEWINGTON	-	1	1	-	1	M. 1 N. 1
†WANDSWORTH ...	-	12	8	1	10	D. 1 N. 1
†WESTMINSTER, CITY OF	-	2	3	-	-	M. 1
†WOOLWICH ...	-	6	6	-	2	G. 1 N. 2

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	8	4	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	5	3	–	–	N. 1
†LUTON	–	3	1	–	–	N. 1
Rural Districts:—						
LUTON	–	–	–	–	–	M. 1
BERKS	–	9	3	–	–	G. 1 N. 1
†READING C.B. ...	–	2	–	–	–	G. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	N. 1
†NEW WINDSOR ...	–	1	1	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
HUNGERFORD ...	–	2	–	–	–	–
WALLINGFORD ...	–	2		–		–
WANTAGE ...	–	1	–	–	–	–
WINDSOR... ...	–	–	1	–	–	–
BUCKINGHAM ...	–	8	2	5	9	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	1	–
BEACONSFIELD ...	–	1	–	–	–	–
BLETCHLEY ...	–	–	1	–	–	–
†CHEPPING WYCOMBE		1	1	5	–	–
ETON	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	3	–	–	6	–
NEWPORT PAGNELL ...	–	–	–	–	1	–
WYCOMBE ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	1	2	–	–	–
Borough:—						
†CAMBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
MELBOURN ...	–	–	1	–	–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	42	16	1	62	C. 3 D. 1 G. 1 M. 2 N. 1
†BIRKENHEAD C.B.	–	8	2	–	15	C. 1 D. 1
†CHESTER C.B. ...	–	–	–	–	3	–
†STOCKPORT C.B.	–	10	4	–	3	M. 1
†WALLASEY C.B. ...	–	4	2	1	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	–	–	–	1	M. 1
†BEBINGTON AND BROMBOROUGH	–	–	–	–	5	–
BOWDON	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	3	–	–	1	–
†CONGLETON ...	–	–	–	–	1	C. 1
†CREWE	–	2	–	–	2	–
†DUKINFIELD ...	–	–	–	–	2	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	–	1	–	2	–
†MACCLESFIELD ...	–	–	2	–	5	–
MARPLE	–		2	–	–	–
NESTON AND PARKGATE	–	–	–	–	1	–
†NORTHWICH ...	–	2	–		1	N. 1
†RUNCORN... ...	–	1	–	–	2	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	–	1	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
†WINSFORD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polic-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	2		–	2	–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	–	–	–	1	–
NANTWICH ...	–	1	–		–	–
NORTHWICH ...	–	–	–	–	–	G. 1
RUNCORN ...	–	1	–	–	2	C. 1
TARVIN	–	–	–	–	1	–
WIRRAL	–	5	1	–	6	–
CORNWALL ...	–	8	1		26	M. 1 N. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	4	1	–	1	–
LISKEARD ...	–	–	–	–	2	–
REDRUTH ...	–	–	–	–	11	–
ST. JUST	–	1	–	–	–	–
SALTASH... ...	–		–	–	1	–
TORPOINT ...	–	–	–	–	3	–
Rural Districts:—						
LISKEARD ...	–	1	–		2	–
REDRUTH ...	–	–	–	–	2	–
ST. AUSTELL ...	–	–	–	–	1	–
ST. COLUMB MAJOR	–	–	–	–	1	–
ST. GERMANS ...	–	2	–	–	2	–
STRATTON ...	–	–	–	–	–	M. 1 N. 1
CUMBERLAND ...		10	3		21	M. 1 N. 1
†CARLISLE C.B. ..	–	5	–	–	4	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
CLEATOR MOOR ...	–	1	–	–	–	–
KESWICK	–	–			3	–
MILLOM	–	1	–	–	–	–
PENRITH	–	–	1		1	–
WIGTON	–		–	–	–	N. 1
†WORKINGTON ...	–	–	1	–	6	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BOOTLE	–	–	–		–	M. 1
BRAMPTON ...		1	–	–	–	–
CARLISLE ...			–		–	–
COCKERMOUTH ...	–	–	1	–	2	–
LONGTOWN ...	–	2	–	–	2	–
PENRITH	–	–	–	–	1	–
DERBY	9	26	18	6	35	C. 2 G. 1 M. 2 N. 2
†DERBY C.B. ...	1	4	10	–	11	–
Boroughs and Urban Districts:—						
†BELPER	2	–	–	–	–	–
†BOLSOVER ...	–	–	–	–	–	C. 1
†CHESTERFIELD ...	–	5	3	–	6	M. 2
†GLOSSOP	–	–		–	2	C. 1
†HEANOR	–	1	–	–	–	–
†ILKESTON ...	–	–	–	–	1	N. 2
†LONG EATON ...	–	5	–	–	–	–
NEW MILLS ...	–	1	–	–	–	G. 1
†RIPLEY	4	–		–	–	–
†SWADLINCOTE DISTRICT	–	–	–	6	5	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	2	–
BELPER	2	–			–	–
BLACKWELL ...	–	1	1	–	–	–
CHESTERFIELD ...	–	3	3	–	3	–
CLOWNE	–	1		–	1	–
HARTSHORN AND SEALS	*	*	*	*	*	*
NORTON	–	–	–		1	–
REPTON	*	*	*	*	*	*
SHARDLOW ...	–	5	1	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	33	6	–	11	M. 1 N. 4
†EXETER C.B. ...	–	2	–	–	–	–
†PLYMOUTH C.B...	–	16	3	–	–	M. 1 N. 4
Boroughs and Urban Districts:—						
CREDITON ...	–	1	–	–	–	–
†EXMOUTH ...	–	–	–	–	1	–
TIVERTON ...	–	–	–	–	2	–
†TORQUAY ...	–	–	–	–	1	–
Rural Districts:—						
AXMINSTER ...	–	1	–	–	3	–
BARNSTAPLE ...	–	–	–		4	–
KINGSBRIDGE ...	–	2		–	–	–
NEWTON ABBOT...	–	1	2	–	–	–
OKEHAMPTON ...	–	–	1	–	–	–
PLYMPTON ST. MARY		3		–	–	–
ST. THOMAS ...	–	4	–	–	–	–
TORRINGTON ...	–	3	–	–	–	–
DORSET	–	5	–	–	5	N. 1
Boroughs and Urban Districts:—						
†POOLE	–	1	–		–	N. 1
†PORTLAND ..	–	–	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	2	–
BLANDFORD ...	–	–	–	–	1	–
BRIDPORT ...	–	2	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	1	–
DURHAM	209	52	25	–	95	G. 1 L. 1 M. 7 N. 7
†DARLINGTON C.B.	12	4	2	–	1	M. 1
†GATESHEAD C.B.	2	8	5	–	7	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†SOUTH SHIELDS C.B.	21	2	1	–	7	M. 2
†SUNDERLAND C.B.	–	2	1	–	10	L. 1 N. 2
†WEST HARTLEPOOL C.B.	–	1	2	–	9	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	3	2	–	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
BENFIELDSIDE ...	–	2	–	–	1	–
BILLINGHAM ...	–	–	–	–	–	N. 2
†BISHOP AUCKLAND	1	–	–	–	–	–
†BLAYDON... ...	–	1	–	–	2	N. 1
†BRANDON AND BYSHOTTLES	7	–	–	–	–	G. 1
†CHESTER LE STREET	6	–	–	–	1	–
†CONSETT	2	4			1	–
†CROOK	1	1	–	–	–	–
†DURHAM	2	1	–	–	2	–
†FELLING	9	1	–	–	3	M. 1 N. 1
†HEBBURN ...	3	1	1	–	3	–
†HETTON	8	1	–	–	5	–
†HOUGHTON LE SPRING	4	–	–	–	–	–
†JARROW	22	1	–	–	7	M. 1
LEADGATE ...	1	1	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	5	–
†SHILDON	5	–	1	–		–
†SPENNYMOOR ...	2		–	–	–	–
STANHOPE ...	–	–	2	–	–	–
†STANLEY	2	–	1	–	2	M. 1
†STOCKTON ON TEES	–	4	1	–	6	–
†TANFIELD ...	–	–	–	–	1	–
TOW LAW ...	1	5	–	–	–	–
†WASHINGTON ...	–	–	–	–	1	–
WILLINGTON ...	8	–	–	–	–	–
Rural Districts:—						
AUCKLAND ...	14	3	1	–	1	–
CHESTER LE STREET	28	1	1	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
DARLINGTON ...	–		1	–	–	–
DURHAM	15	1	–	–	2	–
EASINGTON ...	21	3	–	–	4	–
HOUGHTON LE SPRING	2	–	–	–	3	–
LANCHESTER ...	4	–	4	–	2	–
SEDGEFIELD ...	1	1	1	–	–	M. 1
SOUTH SHIELDS...	2	–	–	–	–	–
SUNDERLAND ...	–		–	–	5	–
WEARDALE ...	–	–	–		1	–
ELY, ISLE OF ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	1		–	–
WHITTLESEY ...	–	–	1			–
Rural Districts:—						
WISBECH	–	2	–	–		–
ESSEX	–	93	43	6	27	D. 1 E. 1 F. 1 M. 4 N. 6
†EAST HAM C.B. ..	–	12	6	–	–	E. 1
†SOUTHEND-ON-SEA C.B	–	8	2		3	M. 1
†WEST HAM C.B. ..	–	35	13	–	11	D. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	1	2	6	1	M. 1
BRAINTREE ...		1		–	–	–
BURNHAM ON CROUCH	–	–	–	–	–	N. 1
CANVEY ISLAND	–		–	–	1	–
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	1	–	–	–	–
†CLACTON	–	2		–		–
†COLCHESTER ...	–		1	–	3	–
†GRAYS THURROCK	–		1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ILFORD	–	3	1	–	1	F. 1
†LEYTON	–	5	4	–	2	–
SHOEBURYNESS ...	–	–	–	–	1	–
TILBURY	–	2	1	–	–	–
†WALTHAMSTOW...	–	13	6	–	3	–
WITHAM	–	1	–	–	–	–
†WOODFORD ...	–	1	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–		1	–	–	–
ORSETT	–	1	3	–	–	N. 1
ROCHFORD ...	–	3	–	–	–	–
ROMFORD... ...	–	1	–	–	–	–
SAFFRON WALDEN	–	–	–	–	–	N. 1
TENDRING ...	–	2	1	–	1	N. 1
GLOUCESTER ..	–	52	20	3	16	N. 2
†BRISTOL C.B. ...	–	33	19	–	7	N. 2
†GLOUCESTER C.B.	–	1	1	3	3	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	6	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	1	–	–	–	
STROUD	–	1	–	–	–	–
TETBURY... ...	–	–	–	–	3	–
Rural Districts:—						
CAMPDEN ...	–	–	–	–	1	–
CHELTENHAM ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	3	–	–	–	–
GLOUCESTER ...	–	1	–		–	–
NEWENT	–	1	–	–	–	
STROUD	–	2	–	–	–	–
TETBURY (part)		–	–	–	2	–
WARMLEY ...	–	1		–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HEREFORD ..	–	3	–	–	5	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
Rural Districts:—						
DORE	–	1	–	–	2	–
KINGTON	–	–	–	–	1	–
LEDBURY... ...	–	–	–	–	1	–
ROSS	–	1	–	–	1	–
HERTFORD ..	–	12	4	–	4	E. 1 L. 4
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	–
BISHOP'S STORTFORD	–	–	1	–	–	–
†CHESHUNT ...	–	–	–	–	1	–
†EAST BARNET VALLEY	–	–	–	–	1	–
HARPENDEN ...	–	–	1	–	–	–
†HERTFORD ...	–	–	1	–	–	–
HODDESDON ...	*	*	*	*	*	*
†ST. ALBANS ...	–	2	–	–	–	–
WARE	–	3	–	–	–	–
†WATFORD ...	–	2	1	–	1	E. 1
Rural Districts:—						
HEMEL HEMPSTEAD	–	1	–		–	–
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	–	1	L. 4
WARE	–	1	–	–	–	–
WATFORD ...	–	1	–	–	–	
WELWYN	*	*	*	*	*	*
HUNTINGDON ..	–	5	–	–	1	–
Boroughs and Urban Districts:—						
RAMSEY	–	–	–	–	1	–
ST. IVES	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HUNTINGDON—*cont.*						
Rural Districts:—						
ST. NEOTS ...	–	1	–	–	–	–
SIBSON CUM STIBBINGTON (parish).	–	1	–	–	–	–
KENT	–	67	25	1	19	C. 1 L. N. 3
†CANTERBURY C.B.	–	2	1	–	–	N. 1
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	–	–
†BECKENHAM ...	–	2	–	–	3	–
†BEXLEY	–	–	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY ...	–	4	2	–	1	–
†CHATHAM ...	–	1	3	–	–	N. 1
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	3	–	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	3	3	–	–	–
†DOVER	–	3	–	–	1	–
†ERITH	–	6	–	–	1	–
†FOLKESTONE ...	–	7		–	1	C. 1
†GILLINGHAM ...	–	3	2	–	–	–
†GRAVESEND ...	–	4	5	–	1	–
†MAIDSTONE ...	–	–	–	–	2	–
MILTON REGIS ...	–		1	–	–	–
†NORTHFLEET ...	–	1	–	1	–	–
†PENGE	–	2	–	–	1	–
†RAMSGATE ...	–	3	–		2	–
†ROCHESTER ...	–	1	–	–	1	–
†SHEERNESS ...	–	2	–	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
SWANSCOMBE ...	–	–	3	–	–	–
†TONBRIDGE ...	–	–	–	–	2	N. 1
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
CRANBROOK ...	–	–	1	–	–	–
DARTFORD ...	–	4	1	–	–	–
DOVER	–	1	–	–	–	–
EASTRY	–	–	–	–	–	L. 4

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
FAVERSHAM ...	–	1	–	–	–	–
MALLING	–	4	–	–	–	–
MILTON	–	–	1	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
SHEPPEY	–	–	–	–	1	–
STROOD	–	1	–	–	–	–
TENTERDEN ...	–	2	–	–	–	–
TONBRIDGE ...	–	1	–	–	1	–
WEST ASHFORD...	–	1	–	–	–	–
LANCASTER ...	3	157	131	1	312	C. 7 E. 2 G. 9 L. 1 M. 34 N. 15
†BARROW IN FURNESS C.B.	–	–	2	–	–	–
†BLACKBURN C.B.	–	3	–	–	7	–
†BLACKPOOL C.B.	–	3	–	–	–	–
†BOLTON C.B. ...	–	5	4	–	10	G. 1 M. 2
†BOOTLE C.B. ...	–	3	7	–	4	M. 1
†BURNLEY C.B. ...	–	–	5	–	5	M. 2
†BURY C.B. ...	–	7	1	–	2	–
†LIVERPOOL C.B. ..	–	25	29	–	49	M. 19 N. 1
†MANCHESTER C.B.	–	37	30	–	67	C. 4 G. 5 M. 4 N. 3
†OLDHAM C.B. ...	–	5	3	–	4	–
†PRESTON C.B. ...	–	–	1	–	2	M. 2
†ROCHDALE C.B. ...	–	2	6	–	2	–
†ST. HELENS C.B....	–	–	1	–	–	–
†SALFORD C.B. ...	–	7	2	–	12	N. 1
†SOUTHPORT C.B.	1	4	1	–	5	–
†WARRINGTON C.B.	–	–	1	–	9	G. 1 N. 1
†WIGAN C.B. ..	–	1	1	–	18	–
Boroughs and Urban Districts:—						
†ACCRINGTON ..	–	1	–	–	1	–
ADLINGTON ..		–	–	–	2	–
†ASHTON IN MAKERFIELD		–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON UNDER LYNE	–	1	1	–	1	–
ASPULL	–	–	–	–	2	–
†ATHERTON ...	–	–	–	–	2	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	–	–	–	6	E. 1
BLACKROD ...	–	1	–	–	–	–
BRIERFIELD ...	–	–	–	–	4	–
†CHADDERTON ...	–	1	–	–	2	N. 1
†CHORLEY... ...	–	–	1	–	–	G. 1
CHURCH	–	–	–	–	1	–
†CLITHEROE ...	–	–	–	–	1	–
†COLNE	–	–	–	–	1	–
†CROMPTON ...	–	–	–	–	1	–
†DALTON IN FURNESS	–	3	–	–	–	–
†DARWEN	–	2	1	–	5	C. 1 N. 1
†DENTON	–	–	–	–	3	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	1	2	–	–	N. 1
†FAILSWORTH ...	–	1	–	–	1	
†FARNWORTH ...	–	–		–	4	–
†FLEETWOOD ...	–	–	2	–	1	–
FULWOOD ...	–	–	–	–	2	–
GOLBORNE ...	–	–	–	–	–	N. 1
†GREAT CROSBY ...	–	–	–	–	1	–
†HASLINGDEN ...	–	2	1	–	–	–
†HAYDOCK ...	–	1	–	–	2	M. 1
†HEYWOOD ...	–	3	–	–	1	–
†HINDLEY... ...	–	1	–	–	2	–
†HORWICH ...	–	1	–	–	2	–
†INCE IN MAKERFIELD	–	2	–	–	3	–
IRLAM	–	–	–	–	2	–
KEARSLEY ...	–	1	–	–	1	–
†LANCASTER ...	–	–		1	2	–
LATHOM AND BURSCOUGH	–		–	–	1	–
†LEIGH	–	–	5	–	5	N. 1
LEYLAND... ...		–	–	–	–	M. 1
†LITHERLAND ...	–	1	1	–	–	–
†LITTLEBOROUGH	–	1	1	–	–	–
LITTLE CROSBY...	–	5	–	–	–	–
LITTLE HULTON..	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever : N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MIDDLETON ...	–	4	2		1	–
†MORECAMBE ...	–	–	1	–	–	M. 1
†MOSSLEY	–	1	–	–	3	–
†NELSON	–		1	–	–	–
†NEWTON IN MAKERFIELD	–	–		–	1	–
ORMSKIRK ...		–	–	–	1	–
†OSWALDTWISTLE	–	–	2	–	1	M. 1
†PADIHAM ...	–	–	3	–	–	–
†PRESTWICH ...		–	–	–	4	–
†RADCLIFFE ...	–	2	1		7	–
RAINFORD ...	–	–	–		1	–
†RAMSBOTTOM ...	–	–	–		4	–
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON	–	–	1	–	–	–
STANDISH WITH LANGTREE	–	1	–	–	–	–
†STRETFORD ..	–	–	1	–	5	N. 1
†SWINTON AND PENDLEBURY	–	3	1	–	2	–
†TURTON		1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–		–	–	2	–
URMSTON... ...	–	2	–	–	–	–
†WALTON LE DALE	–	–	–	–	–	G. 1
WARDLE	–	–	1	–	–	–
†WATERLOO WITH SEAFORTH	–	5	2	–	3	–
WHITWORTH ...	–	1	–	–	–	–
†WIDNES	–	–	3	–	8	N. 1
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURY	–	2	–	–	–	–
CLITHEROE ..	–	–	–	–	–	L. 1
LANCASTER ...	–	–		–	–	E. 1
LEIGH	–		–		2	–
LUNESDALE ...	–	–	–			C. 1 N. 1
PRESTON	–	–	–	–	–	N. 1
WEST LANCASHIRE	2	1	–	–	3	–
WHISTON... ...	–	1	2	–	–	–
WIGAN	–	–	–	–		C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER... ...	–	10	5	1	10	G. 1 M. 2 N. 1
†LEICESTER C.B. ...	–	7	3	–	2	M. 2 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	–	G. 1
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	–	2	–	1	–
†HINCKLEY ...	–	–	–	–	1	–
†LOUGHBOROUGH	–	2	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
BARROW UPON SOAR	–	1	–	–	–	–
LUTTERWORTH ...	–	–	–	–	3	–
MELTON MOWBRAY	–	–	–	1	1	–
LINCOLN (parts of Holland).	–	5	–	–	–	G. 1
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	G 1
CROWLAND ...	–	2	–	–	–	–
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	4	N. 2
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	–	N. 1
SLEAFORD ...	–	2	–	–	–	–
STAMFORD ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
BOURNE	–	–	–	–	1	–
GRANTHAM ...		–	–	–	–	N. 1
UFFINGTON ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	22	12	–	17	C. 1 M. 1
†GRIMSBY C.B. ...	–	4	2		1	–
†LINCOLN C.B. ...	–	3	6	–	2	M. 1
Boroughs and Urban Districts:—						
BRIGG	–	2	–	–	–	–
†CLEETHORPES ...	–	3	2	–	1	–
†GAINSBOROUGH ...		–	–	–	4	–
HORNCASTLE ...	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	3	C. 1
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GRIMSBY	–	3	2	–	–	–
HORNCASTLE ...	–	2	–	–	6	–
LOUTH	–	2	–	–	–	–
MIDDLESEX ...	–	69	47	–	23	C. 1 D. 1 G. 1 M. 2 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	3	–	–	2	–
†CHISWICK ...	–	4	–	–	–	–
†EALING	–	1	2	–	5	D. 1 N. 1
†EDMONTON ...	–	–	4	–		
†ENFIELD	–	1	7	–	–	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	7	–	–	1	N. 2
†FRIERN BARNET	–	–	1	–	1	–
†HARROW ON THE HILL	–	2	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HENDON		6	2	–	2	–
†HESTON AND ISLEWORTH	–	–	2	–	–	M. 1
†HORNSEY	–	2	3	–	–	–
KINGSBURY ...	–	–	1	–	–	–
RUISLIP NORTHWOOD	–	–	1		1	–
†SOUTHALL NORWOOD	–	3	1	–	–	–
†SOUTHGATE ...	–	2	2	–	2	–
STAINES		1	–	–	–	N. 1
†TEDDINGTON ...	–	4	–	–	1	–
†TOTTENHAM ...	–	11	7	–	2	C. 1
†TWICKENHAM ...	–	1	4	–	1	–
†WEALDSTONE ...	–	2	–		1	–
†WEMBLEY ...	–	7	–	–	1	–
†WILLESDEN ...	–	5	9	–	1	G. 1 M. 1
†WOOD GREEN ...	–	3	1	–	1	–
YIEWSLEY ...	–	2	–	–	–	–
Rural Districts:—						
HENDON	–	1	–	–	–	–
UXBRIDGE ...	–	–	–		1	–
NORFOLK	–	6	3	1	8	G. 2 N. 2
†GREAT YARMOUTH C.B.	–	1	–	–	2	–
†NORWICH C.B. ...	–	3	2	–	3	G. 1 N. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	–	–	1	–	–
DEPWADE ...	–	–	–		3	–
DOCKING	–	–	–	–	–	G. 1
FOREHOE... ...	–	–	–		–	N. 1
HENSTEAD ...		1	–	–	–	–
WAYLAND ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	4	5	1	8	–
†NORTHAMPTON C.B	–	–	5	–	3	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	2	–	–	–	–
†RUSHDEN... ...	–	1	–	–	1	–
†WELLINGBOROUGH	–	–	–	–	1	–
Rural Districts:—						
CRICK	–	1	–	–	–	–
GRETTON	–	–	–		2	–
HARDINGSTONE ...	–	–	–	1	–	
WELLINGBOROUGH	–	–	–	–	1	–
NORTHUMBERLAND	25	26	8	1	76	E. 1 G. 2 M. 6 N. 2
†NEWCASTLE UPON TYNE C.B.	–	14	6	–	49	E. 1 M. 2
†TYNEMOUTH C.B	8	1	1	–	–	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	16	2	–	–	–	–
†BEDLINGTONSHIRE	–	–	–	1	5	–
†BERWICK UPON TWEED	–	–	–	–	1	–
†BLYTH	–	1	–		5	M. 1
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON... ...	–	1	–	–	1	–
†LONGBENTON ...	–	–	1	–	2	–
†NEWBURN ...	–	1	–		–	G. 1
PRUDHOE... ...	–	–	–	–	1	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	4	–	–	4	
WEETSLADE ...	–	–	–	–	–	M. 2 N. 1
†WHITLEY AND MONKSEATON	–	1	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
CASTLE WARD ...	–	–	–	–	1	M. 1 N. 1
GLENDALE ...	–	–		–	1	–
MORPETH... ...	1	–	–	–	1	G. 1
ROTHBURY ...	–	1	–	–	–	–
NOTTINGHAM ...	3	25	12	–	30	G. 1 M. 3 N. 1
†NOTTINGHAM C.B	–	7	7	–	9	G. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	3	–	–	–	–
†CARLTON... ...	–	–	–	–		M. 1
†EAST RETFORD ...	–	–	1	–	1	–
†KIRKBY IN ASHFIELD	–	3	–	–	2	–
†MANSFIELD ...		3	2	–	3	N. 1
†MANSFIELD WOODHOUSE	–	–	–	–	1	–
†SUTTON IN ASHFIELD	–	–	1	–	–	–
WARSOP	–		–	–	2	
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP... ...	–	3	–	–	–	–
Rural Districts:—						
BASFORD	–	2		–	9	M. 2
EAST RETFORD ...	–	1	–	–	–	–
LEAKE	–	1	–	–	–	–
SKEGBY	1	–	–	–	–	–
SOUTHWELL ...	–	2	1	–	2	–
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	2	–	–	–	–	–
OXFORD	–	2	1	–	3	C. 1 M. 1 N. 2
†OXFORD C.B. ...	–	–	–	–	–	C. 1 N. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Rural Districts:—						
BICESTER... ...	-	1	-		-	-
GORING	-	-		-	1	-
HEADINGTON ...	-	1		-	-	M. 1
THAME	-	-	1	-	-	-
WITNEY	-	-	-	-	1	-
WOODSTOCK ...	-	-	-	-	1	-
PETERBOROUGH (Soke of)	-	-	-	-	4	-
Borough:—						
†PETERBOROUGH...	-		-	-	3	-
Rural Districts:—						
PETERBOROUGH...	-	-		-	1	-
RUTLAND	-	-	-	-	1	-
Rural Districts:—						
UPPINGHAM ...	-	-	-	-	1	-
SALOP	-	10	9	-	8	N. 2
Boroughs and Urban Districts:—						
DAWLEY		-	7		-	-
NEWPORT ...	-	-	-	-	1	-
†SHREWSBURY ...	-	4	-	-		-
WELLINGTON ...	-	1	-			-
Rural Districts:—						
ATCHAM	-	-		-	1	-
CHURCH STRETTON	-	-	-	-	-	N. 1
CLEOBURY MORTIMER	-	-	-	-	2	-
ELLESMERE ...	-	3	-		-	-
NEWPORT ...	-	-		-	2	-
SHIFNAL	-	1	-		-	-
WELLINGTON ...	-	-	1	-	2	N. 1
WEM	-	1	1		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	-	21	5	-	9	N. 2
†BATH C.B. ...	-	10	2	-	-	-
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	-	-	-	1	-
CREWKERNE ...	-	-	-	-	-	N 1
†FROME	-	-	2	-	-	-
MIDSOMER NORTON	-	-	-	-	1	
MINEHEAD ...	-	2	-	-	-	-
†TAUNTON... ...	-	2	-	-	1	-
WELLS	-	-	-	-	1	N. 1
†YEOVIL	-	1	-	-	-	-
Rural Districts:—						
AXBRIDGE ...	-	1	-	-	2	-
CHARD		3	-	-		-
CLUTTON... ...	-	1	-	-	-	-
FROME	-	-	-	-	1	-
SHEPTON MALLET	-	-	-	-	1	-
TAUNTON ...	-	1	-		-	-
WELLS	-	-	1	-	-	-
WINCANTON ...	-		-	-	1	-
SOUTHAMPTON ..	-	37	16	1	15	M. 3 N. 6
†PORTSMOUTH C.B.	-	18	14		1	N. 1
†SOUTHAMPTON C.B	-	3	-	-	9	M. 3 N. 3
Boroughs and Urban Districts:—						
ANDOVER... ...	-	-	-	-	-	N. 1
†EASTLEIGH AND BISHOPSTOKE	-	2	-	-	1	-
†FAREHAM ...	-	2	-	-	-	-
FLEET	-	1	-	-	-	-
HAVANT	-	-	1	-	-	-
MILTON	-	1	-	-	-	-
†WINCHESTER ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
ALRESFORD ...	–	2	–	–		–
BASINGSTOKE ...	–	1	–	–	1	–
CHRISTCHURCH ...	–	1	–	–	–	–
FAREHAM ...	–	–	–	–	–	N. 1
FORDINGBRIDGE ..	–	–	1	–	–	–
HARTLEY WINTNEY	–	2	–	–	–	–
KINGSCLERE ...	–	1	–	–	–	–
NEW FOREST ...	–	2	–	1	1	–
ROMSEY	–	–	–	–	1	–
WINCHESTER ...	–	1	–		–	–
STAFFORD	–	24	31	1	72	G. 2 M. 6 N. 4
†BURTON UPON TRENT C.B.	–	–	2	–	3	–
†SMETHWICK C.B.	–	2	1	–	4	–
†STOKE ON TRENT C.B.	–	3	13	1	34	M. 2
†WALSALL C.B. ...	–	4	2	–	2	M. 1
†WEST BROMWICH C.B.	–	1	1	–	4	–
†WOLVERHAMPTON C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	1	–
BIDDULPH ...	–	–	–	–	2	–
†BRIERLEY HILL...	–	–	2	–	–	–
†BROWNHILLS ...	–	1	–	–	–	–
†CANNOCK	–	1	1	–	–	M. 1
†COSELEY	–	–	–	–	3	–
†DARLASTON ...	–	1	1	–	–	N. 1
KIDSGROVE ...	–	–	2	–	2	–
†LEEK	–	2	–	–	–	–
LICHFIELD ...	–	–	–	–	–	N 1
†NEWCASTLE UNDER LYME	–		–	–	1	–
PERRY BARR ...	–	2	–	–	–	–
QUARRY BANK	–	1	–	–	–	N 1
†ROWLEY REGIS ...	–	–	–		3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SEDGLEY	–	–	–	–	–	M. 1
SHORT HEATH ...	–	–	–	–	–	N. 1
TAMWORTH ...	–	–	–	–	1	–
†TIPTON	–	–	–	–	4	–
†WEDNESBURY ...	–	3	1	–	2	M. 1
†WOLSTANTON UNITED	–	–	–	–	3	G. 1
Rural Districts:—						
CANNOCK	–	2	3	–	–	–
CHEADLE	–	–	–	–	1	–
GNOSALL	–	–	–	–	–	G. 1
KINGSWINFORD ...	–	–	2	–	–	–
SEISDON	–	1	–	–	1	–
SUFFOLK, EAST ...	–	7	1	–	4	G. 1
†IPSWICH C.B. ...	–	2	–	–	2	G. 1
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	3	–	–	2	–
Rural Districts:—						
PLOMESGATE ...	–	–	1	–	–	–
WOODBRIDGE ...	–	2	–	–	–	–
SUFFOLK, WEST ...	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
Rural Districts:—						
COSFORD	–	1	–	–	–	–
THINGOE	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	-	38	21	1	18	C. 2 N. 2
†CROYDON C.B. ...	-	7	7	-	1	C. 2
Boroughs and Urban Districts:—						
†BARNES	-	2	-	-	-	-
†BEDDINGTON AND WALLINGTON	-	1	2	-	-	-
†CARSHALTON ...	-	2	-	-	-	N. 1
†CHERTSEY ...	-	-	-	-	1	-
DORKING	-	1	-	-	-	-
†EGHAM		1	-	-	-	-
†EPSOM	-	2	-		-	-
†ESHER AND THE DITTONS	-	1		-	-	-
†FRIMLEY	*	*	*	*	*	*
†GUILDFORD ...	-	-	-	-	1	-
†KINGSTON ON THAMES		-	-	-	1	N. 1
LEATHERHEAD ...	-	-	1	-	1	-
†MERTON AND MORDEN	-	2	-	-	-	-
†MITCHAM... ...	-	9	3	-	1	-
†REIGATE	-	1	-	-	-	-
†RICHMOND ...	-	-	-	-	1	-
†SURBITON ...		-	3	-	2	-
†SUTTON	-	-	4	-	2	-
†THE MALDENS AND COOMBE	-	-	-	-	2	-
†WALTON UPON THAMES	-	2	-	-	2	-
†WIMBLEDON ...	-	2	1	-	1	-
Rural Districts:—						
GODSTONE ...	-	-	-	-	1	-
GUILDFORD ...	-	4	-	1	-	-
REIGATE		1	-	-	1	-
SUSSEX, EAST ..		10	5	-	3	N. 2
†BRIGHTON C.B. ..	-	3	2	-	1	N. 1
†EASTBOURNE C.B.	-	2	1	-	1	-
†HASTINGS C.B. ...		-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—						
†BEXHILL	-	1	-		-	-
EAST GRINSTEAD	-	1	-	-	-	-
†HOVE	-	1	-	-	-	-
†LEWES	-	2	-	-	-	N. 1
Rural Districts:—						
HASTINGS ...	-	-	2	-	-	-
SUSSEX, WEST ...	-	10	3	-	4	M. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	-	1	-			-
†HORSHAM ...	-	-	1	-	1	-
SHOREHAM-BY-SEA	-	1	-	-	-	-
SOUTHWICK ...	-	1		-	-	-
†WORTHING ...	-	2	1	-	-	M. 1
Rural Districts:—						
PETWORTH ...	-	-	-		1	-
THAKEHAM ...	-	1	-	-	-	-
WESTHAMPNETT	-	4	1	-	2	-
WARWICK	-	45	56	7	88	C. G. M. 1 N.
†BIRMINGHAM C.B.	-	29	50	5	69	C. G. M. 1 N.
†COVENTRY C.B. ...	-	-	-	-	5	G.
Boroughs and Urban Districts:—						
BULKINGTON ...	-	-	-	-	1	-
†NUNEATON ...	-	-	2	-	-	-
†ROYAL LEAMINGTON SPA	-	2	-	-	1	G. 1
†RUGBY	-	2	-	-	-	-
†SUTTON COLDFIELD	-	2	-		-	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	-	-	-	-	3	-
ATHERSTONE ...	-	3	-	-	1	-
FOLESHILL ...	-	2	3	-	-	N. 1
MERIDEN... ...	-	1	1	-	-	-
RUGBY	-	1	-	-	3	-
SOLIHULL ...	-	-	-	1	4	-
STRATFORD ON AVON	-	-	-	1		-
TAMWORTH (part)	-	2	-	-	1	-
WARWICK ..	-	1	-	-	-	-
WESTMORLAND .	-	1	-		3	-
Boroughs and Urban Districts:—						
†KENDAL	-	1	-	-	-	-
Rural Districts:—						
EAST WESTMORLAND	-	-	-	-	2	-
WEST WARD ...	-	-	-	-	1	-
WIGHT, ISLE OF	-	4	-	-	4	-
Boroughs and Urban Districts:—						
†COWES		1	-	-	-	-
EAST COWES ...	-		-	-	1	-
ST. HELENS ...	-	-	-	-	1	-
VENTNOR... ...	-	-	-	-	1	-
Rural Districts:—						
ISLE OF WIGHT	-	3	-	-	1	-
WILTS	-	8	4	-	10	M. 3 N. 2
Boroughs and Urban Districts:—						
MARLBOROUGH ...	-	1	-	-		-
MELKSHAM ..	-	1	1	-	1	-
†SALISBURY ...	-	1	-	-	-	-
†SWINDON... ...	-	1	-	-	2	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
BRADFORD ON AVON	-	1	3	-	1	-
CHIPPENHAM ...	-		-	-	-	N. 1
DEVIZES	-	1	-	-	-	-
HIGHWORTH ...	-	1	-	-	3	-
PEWSEY	-	-	-	-	1	M. 3
RAMSBURY ...	-	-	-	-	1	-
SALISBURY ...	-	1	-	-	-	-
TISBURY	-	-	-	-	1	-
WORCESTER ...	-	8	2	1	14	F. 1 N. 1
†DUDLEY C.B. ...	-	1	1	-	1	-
†WORCESTER C.B.	-	2	-	1	4	-
Boroughs and Urban Districts:—						
†KIDDERMINSTER	-		-	-	-	N. 1
†LYE AND WOLLESCOTE	-	-	1	-	1	-
†MALVERN ...	-	-	-	-	1	-
NORTH BROMSGROVE	-	1	-	-	-	-
†OLDBURY... ...	-	2	-	-	2	-
†REDDITCH ...	-	-	-	-	1	-
†STOURBRIDGE ...	-	1	-	-	1	-
Rural Districts:—						
BROMSGROVE ...	-	1	-	-	-	-
MARTLEY... ...	-	-	-		3	-
UPTON ON SEVERN	-	-	-		-	F. 1
YORKS ... ... (East Riding.)	-	18	16	-	10	G. 1 M. 2 N. 1
†KINGSTON UPON HULL C.B.	-	15	16	-	1	G. 1 M. 1

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) —*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...		2	-	-	6	-
COTTINGHAM ...	-	-	-	-	-	M. 1 N. 1
Rural Districts:—						
BEVERLEY ...	-	1	-	-	-	-
HOWDEN	-	-	-	-	3	-
YORKS ... ... **(North Riding.)**	3	17	3	-	12	M. 1 N. 1
†MIDDLESBROUGH C.B.	3	3	1	-	10	-
Boroughs and Urban Districts:—						
†ESTON	-	3	-		1	-
GUISBOROUGH ...	-	-	-	-	1	-
SALTBURN BY THE SEA	-		1	-	-	-
†SCARBOROUGH ...	-	-	-	-	-	M. 1 N. 1
†SKELTON AND BROTTON	-	1	-	-	-	-
†THORNABY ON TEES	-	3	-	-	-	-
Rural Districts:—						
BEDALE	-	-	1	-	-	-
CROFT	-	2	-	-	-	-
FLAXTON ...	-	1	-	-	-	-
LEYBURN... ...	*	*	*	*	*	*
NORTHALLERTON	-	1	-	-	-	-
SCARBOROUGH ...	-	1	-	-	-	-
THIRSK	-	1	-	-	-	-
WHITBY	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... **(West Riding.)**	92	136	78	24	240	C. 8 D. 2 F. 1 G. 5 M. 11 N. 9
†BARNSLEY C.B. ...	-	1	-	-	1	M. 1
†BRADFORD C.B. ...	-	8	14	-	8	C. 2 F. 1 G. 1 M. 1
†DEWSBURY C.B....	-	1		-	-	-
†HALIFAX C.B. ...	-	2	-	-	2	-
†HUDDERSFIELD C.B.	1	7	13	-	4	M. 1 N. 2
†LEEDS C.B. ...	-	18	11	-	28	C. 1
†ROTHERHAM C.B.	-	5	-	-	13	-
†SHEFFIELD C.B....	18	39	22	-	93	C. 2 D. 1 G. 1 M. 3 N. 4
†WAKEFIELD C.B.	-	-	1	1	5	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	-	1	-	-	-
ALTOFTS	-	-	-	1	1	-
†BARNOLDSWICK ...	-	-	1	-	-	-
†BATLEY	-	1	-	-	2	-
†BENTLEY WITH ARKSEY	8	-	-	-	-	-
†BINGLEY	-		1	-	1	C. 1
BURLEY IN WHARFEDALE	-	-	-	-	-	N. 1
†CONISBROUGH ...	17	2	-	1	1	C. 1
CUDWORTH ...	-	-	-	-	3	-
DARFIELD ..	-	-	-	-	1	-
†DARTON	-	2	-	-	1	-
DENBY AND CUMBERWORTH	*	*	*	*	*	*
DODWORTH ...	-	1		-	-	-
†DONCASTER ...	13		1	-	10	-
†ELLAND	-	-		-	-	N. 1
EMLEY	-	1	-	-		-
†FEATHERSTONE ...	-	-	-	-	1	-
FLOCKTON ...	-	1	-	-	-	-
GILDERSOME ...	-	-	-	-	1	-
†GOLCAR	-	1	-	-	1	-
†GOOLE	-	3	-	-	1	-
GREASBROUGH ...	1	-	-		-	-
†HARROGATE ...	-	-	1	-	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
HEBDEN BRIDGE	-	-	1	-	-	-
HECKMONDWIKE	-	-	-		1	-
†HEMSWORTH ...	1	-	-	-	1	-
HIPPERHOLME ...	-	-	-	-	1	-
†HOLMFIRTH ...	-	-	-	6	2	-
HONLEY	-	1	1	-	-	-
HORBURY ...	-	-	-	-	1	-
HORSFORTH ...	-	1	-	-	-	-
†HOYLAND NETHER	-	2	1	-	-	-
ILKLEY		-	-	-	1	-
†KEIGHLEY ...	4	-	-	-	2	-
KIRKBURTON ...	-	-	-	-	1	
KNARESBOROUGH	-	2	-	-	-	-
KNOTTINGLEY ...	-	-	1	-	-	-
LEPTON	-	1	-	-	-	-
METHLEY ...	-	-	-	-	1	D. 1
†MEXBOROUGH ...	6	-	-	-	2	-
†MORLEY	-	-	-	-	4	-
NEW MILL ...		-	-	13	1	-
OAKWORTH ...	1	-	-	-	-	-
OTLEY	-	-	-	-	1	-
†PONTEFRACT ...	-	1	1	-	-	-
QUEENSBURY ...	-	-	1	-	-	-
RAWDON	-	1	-	-	-	-
†RAWMARSH ...	-	2	-	-	-	M. 1
RISHWORTH ...	-	-	-	-	1	-
†ROTHWELL ...	-	-	-	-	2	-
†SADDLEWORTH ...	-	2			-	-
SELBY	-	-	1	-	-	-
SHELLEY	-	1	-	-	-	-
†SHIPLEY	-	1	-	-	-	M. 1
SKELMANTHORPE	-	-	1	-	-	
†SKIPTON		2	-	-	-	-
SLAITHWAITE ...	-	-	-	-	1	-
SOUTHOWRAM ...	*	*	*	*	*	*
SOYLAND	-	-		-	2	-
†SPENBOROUGH ...	-	-	-	-	1	-
SPRINGHEAD ...	-	-	-	-	1	-
STOCKSBRIDGE ...	-	1	1	-	2	-
†SWINTON... ...	11	-	-	-	-	-
THURSTONLAND AND FARNLEY TYAS	-	1	-	-	-	-
†TODMORDEN ...	1	3	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATH UPON DEARNE	2	-	-	-	-	G. 1
†WOMBWELL ...	-	-	-	-	3	-
†WORSBOROUGH ...	-	5	-	-	1	-
YEADON	-	-	-	-	1	-
Rural Districts:—						
DONCASTER ...	1	1	1	-	3	G. 1 N. 1
HEMSWORTH ...	-	1	1	-	9	G. 1 M. 1
HUNSLET	-	1	-	-	-	-
KIVETON PARK ...	-	1	1	1	3	-
PENISTONE ...	-	1	-	-	-	-
PONTEFRACT ...	-	-	-	-	1	-
ROTHERHAM ...	-	1	-	-	4	C. 1
SEDBERGH ...	-	-	-	-	2	-
THORNE	7	3	-	-	1	M. 1
WAKEFIELD ...	-	3	-	-	-	-
WHARFEDALE (SOUTH)	-	1	-	1	3	-
WORTLEY ...	-	3	-	-	-	-
§YORK, CITY OF	-	2	-	-	-	G. 1 M. 1
†YORK C.B ...	-	2	-	-	-	G. 1 M. 1
WALES.						
ANGLESEY	-	1	3	-	2	C. 1
Boroughs and Urban Districts:—						
AMLWCH	-	-	-	-	1	-
†HOLYHEAD ...	-	1	3	-	-	-
Rural Districts:—						
TWRCELYN ...	-	-	-		1	-
VALLEY	-	-	-	-	-	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	-	-	1	-	8	-
Boroughs and Urban Districts:—						
BRECKNOCK ...	-	-	1	-	-	-
BRYNMAWR ...	-	-			2	-
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	-	-	-	-	3	-
HAY	-	-	-	-	2	-
YSTRADGYNLAIS	-	-	-	-	1	-
CAERNARVON ...	-	2	3	-		-
Boroughs and Urban Districts:—						
†LLANDUDNO ...		2	-	-		-
Rural Districts:—						
GEIRIONYDD ...	-	-	3	-	-	-
CARDIGAN ...		-	-	-	1	-
Boroughs and Urban Districts:—						
LAMPETER ...	-	-	-	-	1	-
CARMARTHEN ...	-	2	-	-	17	M. 2 N 1
Boroughs and Urban Districts:—						
AMMANFORD ...	-	-	-	-	2	-
CWMAMMAN ...	-	-	-	-	2	
†LLANELLY ...		-		-	2	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN— *cont.*						
Rural Districts:—						
CARMARTHEN ...	-	1	-	-	-	M. 1
LLANDILO FAWR	-	-	-	-	11	-
LLANELLY ...	-	1	-	-	-	M. 1
DENBIGH	-	5	5	-	1	M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	-	1	-	-	1	-
DENBIGH ...	-	-	1	-	-	-
†WREXHAM ...	-	2	-		-	-
Rural Districts:—						
CHIRK	-	-	3	-	-	-
WREXHAM ...	-	2	1	-	-	M. 1
FLINT	-	2	1	-	14	-
Boroughs and Urban Districts:—						
BUCKLEY	-	-	-	-	2	-
FLINT	-	2	-	-	-	-
HOLYWELL ...	-	-	-	-	2	-
Rural Districts:—						
HOLYWELL ...	-		1	-	10	-
GLAMORGAN ..	1	35	32	-	74	E. 2 G. 1 M. 4 N. 6
†CARDIFF C.B. ..		4	3	-	3	G. 1 M. 1 N. 1
†MERTHYR TYDFIL C.B.	-	-	1	-	2	N. 1
†SWANSEA C.B. ..		10	2	-	1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

able 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

oroughs, Urban d Rural Districts, d the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
AMORGAN—*cont.*						
oroughs and Urban Districts:—						
ABERDARE ...	–	1	3	–	19	–
BARRY	–	1		–	2	–
CAERPHILLY ...	–	2	2	–	1	–
†FELLIGAER ...	1	–	3	–	2	–
†GLYNCORWG ...	–	1	–	–	3	–
MAESTEG ...	–	1	4	–	4	–
MOUNTAIN ASH ...	–	4	1	–	1	M. 1 N. 1
NEATH	–	3	–	–	–	N. 1
OGMORE AND GARW	–	–	–	–	2	M. 1 N. 1
PENARTH ...	–	–	–	–	3	–
PONTYPRIDD ...	–	–	–	–	1	–
PORT TALBOT ...	–	–	6		3	–
RHONDDA ...	–	3	3	–	23	E. 2
tural Districts:—						
COWBRIDGE ...	–	–	–	–	1	M. 1
LLANTRISANT AND LLANTWIT-FARDRE	–	–	3	–	–	–
NEATH	–	2	–	–	3	–
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA... ...	–	2	–	–	–	–
ERIONETH ...	–	–	5	–	1	–
Urban Districts:—						
FFESTINIOG ..	–	–	5	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	1	–
ONMOUTH ...	97	6	5	–	11	G. 1 M. 1
†NEWPORT C.B. ...	–	1	–	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	2	–	–	–	–	–
ABERGAVENNY ...	1	–	–	–	–	–
†ABERSYCHAN ...	89	1	2	–	–	–
†ABERTILLERY ...	2	1	1	–	–	–
BEDWAS AND MACHEN	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†BLAENAVON ...	2	–	–	–	1	G. 1
CHEPSTOW ...	–	1	–	–	–	–
†EBBW VALE ...	–	–	2	–	–	–
LLANFRECHFA UPPER	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	5	–
PONTYPOOL ...	1	–	–	–	–	–
†TREDEGAR ...	–	–	–	–	2	–
MONTGOMERY ..	–	–	–	–	2	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
PEMBROKE	–	1	–	–	1	C. 1
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	–	–	–	C. 1
MILFORD HAVEN	–	1	–	–	1	–
Rural Districts:—						
ST. DOGMELLS ...	*	*	*	*	*	*
Total of Part II. ...	442	1216	703	62	1478	C. 31 D. 5 E. 7 F. 3 G. 37 L. 10 M.115 N.102

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIFF	–	–	–	–	1	–	PENZANCE	*	*	*	*	*	
LITTLEHAMPTON ...	*	*	*	*	*	*							
LIVERPOOL	–	–	–	1	–	–	Total of Part III.... ...	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrex

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	184	239	2	101	C. 8 D. 4 E. 2 F. 1 G. 2 M. 20 N. 27
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	442	1216	703	62	1478	C. 31 D. 5 E. 7 F. 3 G. 37 L. 10 M. 115 N. 102
Total of Part III.—Port Sanitary Districts	–	–	–	1	1	–
Total (*i.e.*, of returns received), England and Wales ...	442	1400	942	65	1580	C. 39 D. 9 E. 9 F. 4 G. 39 L. 10 M. 135 N. 129

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	M 1
LONDON:—													
DEATHS—all ages	1,070	1,473	1,602	1,648	1,908	2,045	1,912	1,704	1,652	1,278	1,240	1,114	1,
" 0 to 1 year ..	126	137	137	122	135	162	137	100	122	101	91	97	
GREAT TOWNS, aggregate (including London):—													
BIRTHS	5,347	6,469	7,332	6,929	6,231	6,475	7,020	6,293	7,015	6,490	6,760	6,834	7,
DEATHS—all ages	4,556	5,898	5,883	5,917	6,427	7,320	7 302	7,285	8,411	7,825	7,080	5,980	5,
" 0 to 1 year ..	563	690	675	656	630	731	716	670	857	802	696	612	
ENTERIC FEVER—Cases	8	13	15	16	9	14	18	11	7	13	21	14	
" Deaths	5	2	1	1	2	2	3	1	3	4	2	1	
SMALL POX—Cases ..	48	34	45	228	119	116	133	106	81	97	93	81	
" Deaths ..	—	—	—	—	—	—	—	1	—	—	—	—	
SCARLET FEVER—Cases	756	881	818	791	787	809	684	705	729	675	677	676	
" Deaths	9	2	4	6	4	6	11	6	4	8	5	8	
DIPHTHERIA—Cases ..	707	671	788	771	715	735	700	619	695	720	712	723	
" Deaths ..	36	51	48	38	39	43	51	45	29	41	62	43	
MEASLES—Deaths ..	14	36	28	34	43	50	43	47	73	59	73	72	
INFLUENZA—Deaths ..	69	86	173	326	470	725	818	759	987	1,023	898	572	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday 19th March, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetre
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	62	30	54·1	38·0	0	HUDDERSFIELD	62	34	52·1	37·3	1
						BRADFORD ..	59	35	49·6	37·0	0·2
BRIGHTON ..	52	35	48·7	40·7	2	SHEFFIELD ..	63	34	51·6	38·0	0·3
PORTSMOUTH ..	57	35	51·2	41·3	3	YORK (MUSEUM)	63	34	53·1	38·0	0·3
NORWICH (EATON).	63	33	51·4	37·3	1	HULL (PEARSON PARK).	65	34	52·0	38·1	0
PLYMOUTH ..	57	36	51·1	42·4	5	TYNEMOUTH ..	61	37	50·7	40·3	0·3
BRISTOL (CLIFTON).	60	35	51·9	39·9	4	CARDIFF.. ..	60	33	51·4	39·0	3
BIRMINGHAM (EDGBASTON).	62	33	51·6	37·4	1						
						EDINBURGH ..	57·0	31·0	50·1	38·7	1
NOTTINGHAM ..	62	36	52·1	38·9	0	GLASGOW ..	54·6	31·1	50·0	37·1	7
BIRKENHEAD (BIDSTON).	57	33	50·3	38·6	0	DUBLIN (PHŒNIX PARK).	60·4	29·0	51·3	40·7	0·3
MANCHESTER (WHITWORTH PARK).	62	33	53·4	40·7	1	(FITZWILLIAM SQUARE†).	60·9	35·1	51·3	42·7	2
BURNLEY	58	32	50·4	37·0	1	BELFAST.. ..	56·0	30·0	50·9	37·2	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 19th March, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	13	..	29·863	46·1	36·8	9·3	41·0	− 0·3	34·7	6·3	11·0	2·1	78	76·9	28·7	43·9	ENE: NE.	ENE: NE.	5·0	0·0	0·6	454	+ 144	0·02
MONDAY -	14	..	29·996	41·9	37·6	4·3	39·5	− 2·0	29·6	9·9	12·5	6·9	67	51·7	35·0	43·9	NNE	NNE: Calm.	1·4	0·0	0·1	255	− 52	0·00
TUESDAY -	15	..	30·188	50·0	33·8	16·2	41·8	+ 0·1	33·3	8·5	15·1	2·1	72	92·3	21·1	43·9	Calm: SSE.	SSE: Calm.	0·6	0·0	0·0	143	− 167	0·00
WEDNESDAY	16	..	30·103	56·1	29·9	26·2	44·0	+ 2·1	35·3	8·7	23·4	2·1	71	111·3	18·3	43·9	Calm: ESE.	ESE: ENE.	2·9	0·0	0·3	250	− 63	0·00
THURSDAY -	17	..	29·973	61·2	35·9	25·3	48·7	+ 6·7	38·8	9·9	21·7	2·1	69	117·4	22·3	43·9	ESE: SE.	S: SSW.	1·2	0·0	0·1	209	− 108	0·00
FRIDAY -	18	Full. Apogee.	30·111	58·9	43·0	15·9	48·8	+ 6·8	45·3	3·5	12·0	2·1	88	120·3	29·0	43·8	SSW	SSW	0·8	0·0	0·1	197	− 123	0·00
SATURDAY -	19	In Equator	30·231	62·2	46·2	16·0	51·8	+ 9·9	47·0	4·8	12·2	1·8	84	111·9	39·8	43·9	SSW: SW.	SW	1·4	0·0	0·1	276	− 45	0·00
MEANS -		..	30·066	53·8	37·6	16·2	45·1	+ 3·3	37·7	7·4	15·4	2·7	76	97·4	27·7	43·9	Variable		..	..	..	Sum 1784	Sum − 414	Sum 0·02
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	13	wP till 2½h.; variably sN and sP till 3½h.; then wP.	0·7	11·6	Overcast with slight breaks between 13¾h. and 19h. Rain 3h. till 4h. Brisk wind 11h. till 20h.
MONDAY ..	14	wP till 6h.; mP till 20h.; then wP.	0·0	11·6	Overcast throughout.
TUESDAY ..	15	wP.	2·8	11·7	Overcast till 7h.; partially cloudy till 9h.; then overcast clearing from 16½h. to cloudless by 19h. Hoar frost at night.
WEDNESDAY	16	wP.	7·7	11·8	Variably cloudy becoming nearly cloudless by 21h. Hoar frost in morning. Mist 6h. till 8h. Partial solar halo 16½h. Dew in morning and at night.
THURSDAY	17	wP.	9·8	11·9	Nearly cloudless till 9h.; partially cloudy till 19½h., becoming overcast by 19¾h. Hoar frost in morning. Slight damping about 21½h. and at 22h.
FRIDAY ..	18	wP till 15h.; mP till 21h., then wP.	1·1	11·9	Overcast generally till 19h., then variably cloudy. Lunar halo 0h. Damping at 4h.; and from 11¾h. till 12h.
SATURDAY	19	wP.	2·1	12·0	Overcast with occasional breaks. Damping 2¾h. Lunar halo 20½h. till 21h. Dew in evening.
			Sum 24·2	Sum 82·5	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·96 ins. at the beginning of the week to 29·83 ins. by 16h. on 13th; increased generally to 30·23 ins. by 23h. on 15th; decreased to 29·90 ins. by 5h. on 17th; increased generally and was 30·25 ins. by midnight on the 19th

FOR OFFICIAL USE

1927. No. 12.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 26TH MARCH, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 26TH MARCH, 1927.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twelfth week of the year numbered 6,248 and corresponded to an annual rate of 16·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,990 and corresponded to an annual rate of 13·4 per 1,000 of their aggregate civilian population, which is estimated at 19,411,253 in the year 1926. In the preceding three weeks the rates had been 19·0, 16·1 and 14·3. Infant mortality based on the average weekly number of births during the last 52 weeks, was 82 per 1,000 births against 102, 90 and 86 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,419 births, corresponding to a rate of 16·0 per 1,000, and 1,068 deaths of civilians, corresponding to an annual rate of 12·1, against 14·0, 12·6 and 12·6 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·8 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 68 as against 59, 63 and 65 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 5,327 to 4,990; the deaths from influenza which had been 898, 572 and 342 in the preceding three weeks, fell to 224 last week.

In London the number of deaths from all causes decreased from 1,114 to 1,068. The deaths from whooping cough numbered 22 as against 28, 14 and 16 in the three weeks preceding; and the deaths from influenza which had been 69, 49 and 33 in the preceding three weeks, were again 33 last week.

One death from small-pox belonging to Sheffield C.B. was registered last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 26th March, 1927.**

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,411,253*	6,248	4,990†	561	1	71	6	89	35	51
London	4,605,400*	1,419	1,068	105	-	2	2	22	11	16
Town in Outer Ring. Croyden C.B. ..	205,800	51	45	4	-	-	-	-	-	-
Wimbledon ..	58,030	7	12	1	-	-	-	-	-	-
Ealing ..	91,783	28	18	-	-	-	-	-	-	-
Acton	63,040	18	14	1	-	-	-	-	-	-
Willesden ..	165,270	44	32	-	-	-	-	1	-	-
Hendon	62 670*	16	16	-	-	-	-	-	-	-
Hornsey	87,230	29	21	-	-	-	-	-	-	-
Wood Green ..	51,940	10	7	-	-	-	-	-	-	-
Tottenham ..	151,520	19	34	4	-	-	-	-	1	-
Edmonton	71,700	31	19	2	-	-	-	-	2	-
Enfield	63,640	10	9	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	103	73	15	-	-	-	7	-	1
East Ham C.B. ..	146,600	27	25	2	-	-	-	1	1	-
Leyton	130,000	21	25	2	-	-	-	1	-	-
Walthamstow ..	125,500	31	23	3	-	-	-	-	-	1
Ilford	100,500	29	19	3	-	-	-	-	-	1
Gillingham	47,820*	17	7		-	-	-	-	-	-
Canterbury C.B ..	23,470*	3	9	1	-	-	-	-	-	-
Hastings C.B.	61,340	14	19	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	10	13	1	-	-	-	-	-	-
Brighton C.B.	139,500*	37	36	3	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	84	56	4	-	-	-	1	1	-
Bournemouth C.B. ..	90,100	8	15	1	-	-	-	-	-	-
Southampton C.B. ..	163,300	56	48	7	-	5	-	1	-	-
Reading C.B	93,090*	24	20	1	-	-	-	-	-	-
Oxford C.B.	56,800	29	19	1	-	-	-	-	-	-
Northampton C.B. ..	93,530*	21	24	-	-	-	-	2	-	-
Luton	59,240	13	19	2	-	1	-	-	-	-
Cambridge	58,820	23	10	-	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	21	21	1	-	-	-	1	-	-
Ipswich C.B.	84,140	31	12	1	-	-	-	1	-	-
Great Yarmouth C.B.	57,760	16	26	-	-	-	-	-	-	-
Norwich C.B.	123,500*	45	35	2	-	-	-	1	-	-
Swindon	57,320	13	11	1	-	-	-	-	-	-
Exeter C.B.	60.340*	27	18	2	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	78	58	8	-	-	-	-	-	-
Bath C.B.	69,000	10	22	-	-	-	-	-	-	-
Bristol C.B.	383,300*	130	78	3	-	-	-	1	-	-
Gloucester C.B. ..	53,050	19	9	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	97	84	11	1	1	1	1	-	4
Burton-upon-Trent C.B.	48,660	18	10	1	-	-	-	1	-	-
Wolverhampton C.B.	110,000	49	32	5	-	-	-	2	-	-
Walsall C.B.	102,100	34	26	2	-	-	-	1	-	-
West Bromwich C.B.	79,920	38	21	7	-	-	-	3	-	1
Dudley C.B.	58,930	25	20	1	-	-	-	-	-	-
Worcester C.B. ..	50,660	18	16	2	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	329	263	34	-	8	-	2	3	5
Smethwick C.B. ..	76,940	18	18	-	-	1	-	1	-	-
Coventry C.B. ..	127,800	37	27	3	-	-	-	-	1	1
Leicester C.B. ..	241,700	84	54	6	-	1	-	-	1	2
Lincoln C.B.	65,760*	18	22	2	-	-	-	-	-	-
Grimsby C.B.	88,580	24	18	1	-	-	-	-	-	-
Nottingham C.B. ..	268,000	81	71	7	-	-	-	1	-	-
Derby C.B.	136,600*	44	32	2	-	-	-	2	-	-
Chesterfield ..	66,650	31	16	2	-	-	-	1	-	-
Stockport C.B. ..	125,400	33	34	4	-	-	-	-	1	-
Chester C.B.	41,710	13	10	1	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	40	38	6	-	-	-	-	-	2
Wallasey C.B. ..	93,050	28	20	1	-	-	-	1	-	-
Liverpool C.B. ..	862,600	345	275	42	-	21	1	4	1	4
Bootle C.B.	84,580	29	19	2	-	1	-	-	-	-
St. Helens C.B. ..	110,000	42	29	6	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† Including 1 death from small-pox at Sheffield.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B. ..	77,970	13	22	3	-	1	-	-	-	-	2
GAN C.B.	88,620	39	36	5	-	8	-	-	-	-	4
ARRINGTON C.B. ..	76,940*	24	18	2	-	-	-	-	-	-	1
LTON C.B.	177,000	47	60	3	-	-	-	-	1	-	5
RY C.B.	56,840*	15	20	1	-	-	-	-	-	-	2
NCHESTER C.B. ..	752,000	270	231	37	-	-	-	13	4	4	9
LFORD C.B.	247,400	82	58	7	-	-	-	-	-	-	-
DHAM C.B.	143,000	41	48	7	-	-	-	-	-	1	1
CHDALE C.B.	91,510	23	27	2	-	-	-	-	1	-	2
RNLEY C.B	99,600	34	25	5	-	-	-	-	-	-	5
ACKBURN C.B. ..	124,400	31	37	3	-	1	-	-	-	-	7
ESTON C.B.	124,200	31	44	8	-	1	-	1	-	-	-
ACKPOOL C.B. ..	88,640	16	26	3	-	-	-	-	-	1	1
ARROW-IN-FURNESS C.B.	70,420	18	15	2	-	1	-	-	-	-	-
UDDERSFIELD C.B. ..	111,900	31	39	3	-	-	-	-	-	-	5
ALIFAX C.B.	96,130*	31	34	-	-	-	-	-	1	-	-
RADFORD C.B. ..	288,700	68	76	3	-	-	-	-	2	1	6
EEDS C.B.	473,400	153	130	17	-	4	-	2	2	-	5
EWSBURY C.B. ..	53,630	16	20	3	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,830	21	18	5	-	-	-	-	-	-	-
ARNSLEY C.B. ..	70,760	31	28	3	-	-	-	3	-	-	4
HEFFIELD C.B. ..	523,300*	198	140‡	20	-	1	1	6	-	2	12
OTHERHAM C.B. ..	70,080	28	18	5	-	-	-	2	-	-	1
ONCASTER	55,700	22	12	1	-	1	-	-	-	-	2
ORK C.B.	84,430*	30	19	4	-	2	-	-	-	-	1
ULL C.B.	294,600	108	76	5	-	2	-	-	-	-	2
IDDLESBROUGH C.B.	133,600	64	45	6	-	3	-	-	-	-	-
ARLINGTON C.B. ..	70,700	18	16	3	-	-	-	-	-	-	1
OCKTON-ON-TEES ..	67,910	34	13	4	-	1	-	-	-	1	-
EST HARTLEPOOL C.B.	71,060	29	21	5	-	-	-	-	-	-	-
UNDERLAND C.B. ..	163,800	65	54	5	-	-	-	-	-	-	3
OUTH SHIELDS C.B. ..	123,900	52	21	2	-	-	-	-	-	-	-
ATESHEAD C.B. ..	127,700	50	34	7	-	3	-	-	-	-	3
EWCASTLE-ON-TYNE C.B.	284,700*	98	91	14	-	1	1	-	-	-	6
YNEMOUTH C.B .	66,560	24	16	1	-	-	-	-	-	-	-
ARLISLE C.B.	56,140*	18	14	1		-	-	-	-	-	3
EWPORT (MON.) C.B.	96,620	42	23	4	-	-	-	1	-	2	2
ARDIFF C.B.	225,600*	72	51	7	-	-	-	-	-	1	-
HONDDA	162,500	44	42	3	-	-	-	-	-	-	5
MERTHYR TYDFIL C.B.	80,690	35	17	3	-	-	-	-	1	-	-
ABERDARE	56,930	19	16	5	-	-	-	-	-	-	2
WANSEA C.B.	163,200	66	39	5	-	-	-	1	-	-	2
GREATER LONDON ..	7,791,310*	2,258	1,727	167	-	2	3	33	15	20	54
OUTER RING	3,185,910*	839	659	62	-	-	1	11	4	4	21
6 GREAT TOWNS IN OUTER RING	1,891,123*	474	392	37	-	-	-	10	4	3	10
REMAINDER OF OUTER RING	1,294,787*	365	267	25	-	-	1	1	-	1	11
EDINBURGH†	426,100	144	146	11	-	4	-	-	1	1	11
GLASGOW†	1,049,000	508	307	62	-	2	2	20	1	5	10
DUBLIN (REGISTRATION AREA)†	421,000	208	188	23	-	-	-	5	2	1	13
BELFAST†	416,000	205	145	29	-	-	-	4	-	2	7

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Including 1 death from small-pox.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths. born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever	Small-pox.	Measles	Scarlet Fever	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,605,400	1927. Mar. 26	1419	1068	12·1	-	-	2	2	22	11	
Calcutta and Suburbs	1,077,264	1926–27. Feb. 12	?	908‖	43·8	?	162	?	?	?	?	
Bombay§	1,298,708	Mar. 5	415	591‖	23·7	1	37	3	-	-	-	
Madras	528,791	Feb. 26	347	356	35·0	-	-	-	-	2	1	
Sydney and Suburbs	1,038,950	„ 28 (28 days)										
Brisbane (Metropolitan Area).	262,711	Jan. 31 (31 days)										
Perth (Metropolitan Area).	179,388	Feb. 5	64	38	11·0	-	-	-	-	-	-	
Auckland (Urban Area).	192,176	Jan. 31 (31 days)										
Wellington (Urban Area).	121,324	Jan. 31 (31 days)										
Christchurch (Urban Area).	118,408	Jan. 31 (31 days)										
Cape Town	115,348	Mar. 5										
Johannesburg	172,189	„ 4										
Durban	54,738	Mar. 5										
Paris	2,871,429	Feb. 28 (8 days)										
Antwerp	300,086	Mar. 5										
Amsterdam	727,259	Mar. 12	244	128	9·2	-	-	1	-	1	1	
Copenhagen	592,000	„ 19	188	148	13·0	-	-	-	-	-	-	
Stockholm	442,528	Mar. 12	112	117	13·7	-	-	-	-	-	1	
Gothenburg	231,624	Feb. 12	?	69	15·5	-	-	-	-	1	-	
Oslo (Christiania) ..	255,724	Mar. 19	59	62	12·6	-	-	-	-	1	-	
Berlin	1,993,000	Mar. 5	376	532	13·9	-	?	3	1	4	2	
Breslau	561,000	„ 5	161	146	13·5	-	?	-	1	1	-	
Cologne	711,000	„ 5	255	178	13·0	-	?	1	1	4	1	
Dresden	624,000	„ 5	139	185	15·4	-	?	-	-	-	-	
Frankfort-on-Main..	471,000	„ 5	111	57	6·3	-	?	-	1	1	-	
Hamburg	1,111,000	„ 5	363	261	12·2	-	?	1	-	1	-	
Leipzig	685,000	„ 5	186	190	14·4	-	?	-	-	-	1	
Munich	685,000	„ 5	162	153	11·6	-	?	1	-	1	-	
Vienna	1,871,607	June 30 (30 days)										
Prague and Suburbs	725,196	Oct. 31 (31 days)										
Budapest	971,169	Mar. 12	375	289	15·5	-	-	4	2	1	4	
Warsaw	1,015,426	„ 12	?	310	16·0	3	1	2	7	2	4	
		„ 19	?	284	14·6	2	-	1	7	4	4	
Cairo	859,400	Dec. 31	966	569	30·2	4	-	1	-	?	5	
Alexandria	492,100	„ 31	559	257	23·8	3	-	-	-	?	1	
New York	5,924,018	Mar. 12	?	1705	15·0	1	-	-	2	8	20	
Chicago	3,101,000	„ 11	1069	759	12·8	1	-	6	4	-	5	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 27 deaths from Cholera in Calcutta and 4 deaths from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 26th March, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS at the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1068	105	35	30	27	32	33	65	98	181	241	221
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	-	1	1	-	-	-	-	-	-	-	-
Scarlet fever	2	-	-	-	2	-	-	-	-	-	-	-
Whooping cough	22	6	11	4	1	-	-		-		-	-
Diphtheria	11	2	2	3	4	-	-	-	-			-
Influenza	33	-	-	3	1	-	2	5	1	6	9	6
Erysipelas	4	-	-	-		-	-	-	-	2	1	1
Acute Poliomyelitis, Polioencephalitis	1	-	-	1	-		-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	63	-	-	-	1	13	11	13	10	9	5	1
Nervous system	12	1	6	3	2	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-		-	-	1	-	-	-	-
Other forms	4	-	1	-	1	-	-	-	2	-	-	-
Venereal diseases	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	124	-	-	-		-	1	10	21	40	33	19
Rheumatic fever	2	-	-	-	1	-	-	-	1	-	-	-
Diabetes	6	-	-	-	-	-	-	-	1	-	4	1
Alcoholism	-	-	-	-			-	-	-	-	-	-
Simple meningitis	2	-	-	-	1	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	63	-	-	-	1	1	-	1	5	15	27	13
Epilepsy	3	-	-	-	-	1	-	-	-	2	-	-
"Convulsions" (not puerperal)	6	5	-	1	-	-	-	-	-	-	-	-
Other diseases of nervous system	31	-	1	-	2	2	-	3	5	8	5	5
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	2	-	-	2	1	-	-
Other diseases of heart	173	-	-	-	-	1	4	6	10	32	64	56
Other diseases of circulatory system	65	-		-	-	-	-	1	3	12	26	23
Bronchitis	69	5	-	-	-	-	1	3	5	14	13	28
Broncho-pneumonia	47	13	8	3	3	-	-	1	3	3	6	7
Lobar-pneumonia	20	1	-	2	-	1	3	1	2	1	9	-
Pneumonia (type not distinguished)	14	1	2	2	-	-	-	-	2	2	1	4
Other diseases of respiratory system	13	1	1	-	1	-	-	1	2	-	2	5
Diarrhœa and enteritis	20	15	1	1	-	-	1	-	-	2	-	-
Appendicitis, Typhlitis	5	-	-	1	1	1	-	1	-	-	1	-
Hernia, Intestinal obstruction	13	-	-	-	-	-	-	1	-	2	5	5
Cirrhosis of liver	5	-	-	-	-	-	-	-	1	2	1	1
Other diseases of digestive system	14	1	-	-	1	-	1	1	5	4	-	1
Acute nephritis	8	-	-	-	1	-	-	1	2	2	2	-
Chronic Bright's disease	27	-	-	-	-	3	2	4	1	7	6	4
Other diseases of genito-urinary system.	12	-	-	-	-	-	-	2	1	4	4	1
Puerperal sepsis	2	-	-	-	-	1		-	1	-		-
Other causes incident to childbirth	2	-			-	1	1	-	-	-		-
Congenital malformations	8	8	-	-	-	-	-	-	-	-	-	-
Premature birth	27	27			-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	7	7	-	-	-				-			-
Old age	33	-	-				-	-		-	5	28
Suicide	9	-	-			1	2	1	3	2	-	-
Burns and Scalds	3	-	-	2	-	-	-	-	-	-	-	1
Drowning	1	1	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	-	1	1		2	1	1	2	-
Other deaths by violence	18	1	-	1	1	2	1	1	4	1	3	3
Other specified causes	45	8	1	2	1	-	2	5	4	7	7	8
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 26th March, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	201	237	2	117	C. 3 D. 6 M. 17 N. 20
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	7	15	–	5	M. 3
†BERMONDSEY ...	–	8	5	–	3	M. 2
†BETHNAL GREEN	–	7	13	–	5	D. 1
†CAMBERWELL ...	–	9	12	–	2	–
†CHELSEA	–	4	3	–	3	–
†DEPTFORD ...	–	9	13	–	5	–
†FINSBURY ...	–	2	2	–	3	M. 1
†FULHAM	–	8	8	–	4	M. 1 N. 1
†GREENWICH ...	–	13	8	–	4	N. 1
†HACKNEY ...	–	11	6	–	1	–
†HAMMERSMITH ...	–	5	8	–	–	N. 2
†HAMPSTEAD ...	–	–	2	–	2	–
†HOLBORN... ...	–	5	3	–	2	D. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	20	11	1	5	C. 1 D. 2 M. 5 N. 1
†KENSINGTON ...	–	5	6	–	–	D 1 M. 1
†LAMBETH ...	–	10	11	–	13	C. 1 D. 1 M. 2 N. 1
†LEWISHAM ...	–	8	9	–	2	–
†PADDINGTON ...	–	1	7	–	6	N. 1
†POPLAR	–	19	16	–	14	–
†ST. MARYLEBONE	–	–	10	–	–	N. 2
†ST. PANCRAS ...	–	7	4	–	6	N. 3
†SHOREDITCH ...	–	5	8	–	2	N. 1
†SOUTHWARK ...	–	3	15	–	6	N. 4
†STEPNEY	–	13	20	–	7	N. 1
†STOKE NEWINGTON	–	2	2	–	–	–
†WANDSWORTH ...	–	10	14	1	11	M. 1 N. 1
†WESTMINSTER, CITY OF	–	2	3	–	1	C. 1 M. 1 N. 1
†WOOLWICH ...	–	8	2	–	5	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	8	–	3	M. 1
Boroughs and Urban Districts:—						
†Bedford... ...	–	–	1	–	–	–
†Luton	–	–	5	–	1	M. 1
Rural Districts:—						
Ampthill ...	–	1	–	–	–	–
Bedford ...	–	2	2	–	–	–
Biggleswade ...	–	–	–	–	2	–
Luton	*	*	*	*	*	*
BERKS	–	3	4	–	–	C. 1
†Reading C.B. ..	–	1	1	–	–	C. 1
Boroughs and Urban Districts:—						
Wokingham ...	–	–	2	–	–	–
Rural Districts:—						
Bradfield ...	–	1	–	–	–	–
Wallingford ...	–	1	–	–	–	–
Wokingham ...	–	–	1	–	–	–
BUCKINGHAM ...	–	7	1	–	9	M. 1
Boroughs and Urban Districts:—						
†Aylesbury ...	–	1	–	–	–	–
Beaconsfield ...	–	1	–	–	–	–
Buckingham ...	–	–	–	–	1	–
†Chepping Wycombe	–	2	–	–	–	–
†Slough	–	2	–	–	–	–
†Wolverton ...	–	–	–	–	2	–
Rural Districts:—						
Amersham ...	–	–	–	–	1	–
Aylesbury ...	–	–	–	–	–	M. 1
Buckingham ...	–	–	–	–	3	–
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
Newport Pagnell ...		1	1	–		–
Winslow... ...	–	–	–	–	1	–
Wycombe ...		–	–	–	1	–
CAMBRIDGE ...	–	6	2	–	1	–
Borough:—						
†Cambridge ..	–	2	2	–	–	–
Rural Districts:—						
Newmarket ..		4	–	–	1	–
CHESTER ...	1	43	23	–	43	C. 1 M. 3 N. 1
†Birkenhead C.B.	–	4	–	–	5	–
†Chester C.B. ...	–	–	1	–	2	–
†Stockport C.B.		7	4	–	6	C. 1
†Wallasey C.B. ...	–	3	7	–	1	–
Boroughs and Urban Districts:—						
†Altrincham ...	–	3	–	–	–	–
Ashton upon Mersey	–	–	1	–	–	–
†Bebington and Bromborough	–	–	–	–	4	–
Bowdon	–	1	–	–		–
†Cheadle and Gatley	–	1	1	–	1	–
†Congleton ...	–	1	–	–	3	M. 1
†Crewe	–	–	1	–	–	–
†Dukinfield ...	–	–	–	–	1	–
Hale	–	1	–	–	–	–
†Hazel Grove and Bramhall	–	3	–	–	–	–
†Hyde	–	–	2	–	2	M. 1
†Macclesfield ...	–	–	–	–	5	M. 1
Marple	1	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
NANTWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	–	–		–	N. 1
†RUNCORN... ...	–	–	–	–	4	–
†SALE	–	–	1	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	–
†WINSFORD ...	–	2	–	–	–	–
Rural Districts:—						
CONGLETON ...	–	1	–	–	1	–
NANTWICH ...	–	1	2	–	1	–
NORTHWICH ...	–	1	3	–	2	–
RUNCORN ...	–	7	–	–	2	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	3	–	–	3	–
CORNWALL ...	–	3	2	–	4	N. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	1	–	–	–	–
LISKEARD ...	–	–	1	–	–	–
LUDGVAN ...	*	*	*	*	*	*
MADRON	*	*	*	*	*	*
PAUL	*	*	*	*	*	*
STRATTON AND BUDE	–	1	–	–	–	–
Rural Districts:—						
LAUNCESTON ..	–	–	–	–	1	–
LISKEARD ...	–	–	1	–	–	–
REDRUTH ...	–	1	–	–	–	–
ST. GERMANS ...	–	–	–	–	2	–
TRURO	–	–	–	–	1	N. 1
WEST PENWITH...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	5	2	1	8	N. 3
†CARLISLE C.B. ..	–	3	–	–	2	N. 1
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	–
KESWICK	–	–	–	–	1	–
MILLOM	–	1	–	–	–	–
PENRITH	–	–	1	–	–	–
WHITEHAVEN ...	–	1	–	1	–	–
†WORKINGTON ...	–	–	–	–	3	N. 1
Rural Districts:—						
CARLISLE ...	–	–	–	–	1	–
PENRITH	–	–	–	–	1	N. 1
DERBY	9	24	13	12	40	M. 2 N. 1
†DERBY C.B. ...	1	2	1	–	16	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	2	–	1	–
ALVASTON AND BOULTON	–	–	–	–	1	–
ASHBOURNE ...	–	–	–	–	1	–
†BELPER	4	–	–	–	–	–
†BUXTON	–	1	–	–	1	–
†CHESTERFIELD ...	–	4	–	–	2	–
†GLOSSOP	–	–	–	–	1	N. 1
†HEANOR	–	2	–	–	–	–
†LONG EATON ...	–	3	–	–	2	–
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY	4	–	–	–	2	–
SOUTH DARLEY...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	–	–	12	1	–
†THE MATLOCKS...	–	–	–	–	–	M. 1
WIRKSWORTH ...	–	1	–	–	–	M. 1
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	2	–	–	–	–
BELPER	–	2	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
BLACKWELL ...	–	5	–	–	1	–
CHAPEL EN LE FRITH	–	–	1	–	–	–
CHESTERFIELD ...	–	1	7	–	4	–
CLOWNE	–	–	1		1	–
HARTSHORN AND SEALS	–	1	–		2	–
REPTON	*	*	*	*	*	*
SHARDLOW ...	–	–	–		1	–
DEVON	–	18	7	–	11	C. 1 G. 2 M. 4 N. 2
†EXETER C.B. ...	–	3	–	–	–	–
†PLYMOUTH C.B.	–	8	4	–	2	C. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	–	–	2	–
KINGSBRIDGE ...	–	–	1	–	–	–
†NEWTON ABBOT	–	–	–	–	–	G. 1
OKEHAMPTON ...	–	1		–	–	–
†TEIGNMOUTH ...	–	–	–	–	1	–
TIVERTON ...	–	–	–	–	1	–
†TORQUAY ...	–	–	–	–	2	–
Rural Districts:—						
AXMINSTER ...	–	1	–	–	–	–
BARNSTAPLE ...	–	–	–	–	1	–
KINGSBRIDGE ...	–	1	–		1	–
OKEHAMPTON ...	–		–	–	–	N. 1
PLYMPTON ST. MARY	–	3	2	–	1	M. 1
TORRINGTON ...	–	–	–	–	–	N. 1
DORSET	–	6	–	–	1	M. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	1	–	–	–	–
LYME REGIS ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts:—						
BEAMINSTER ...	–	2	–	–	–	–
BRIDPORT ...	–	1	–	–	–	–
CERNE	–	1	–	–	–	–
WEYMOUTH ...	–	–	–	–	–	M. 1
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM ...	193	41	22	–	76	C. 1 D. 1 E. 1 G. 1 M. 8 N. 3
†DARLINGTON C.B.	20	–	1	–	1	C. 1 M. 1
†GATESHEAD C.B.	8	2	6	–	8	M. 1
†SOUTH SHIELDS C.B.	29	7	–	–	6	E. 1
†SUNDERLAND C.B.	1	4	4	–	15	D. 1 M. 2 N. 1
†WEST HARTLEPOOL C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	4	–	–	–	1	–
BARNARD CASTLE	–	1	–	–	–	–
BENFIELDSIDE ...	2	–	–	–	1	–
BILLINGHAM ...	–	–	–	–	3	–
†BISHOP AUCKLAND	–	–	–	–	–	G. 1
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	11	–	1	–	–	–
†CHESTER LE STREET	7	2	–	–	–	–
†CONSETT	–	1	–	–	–	–
†CROOK	2	–	1	–	–	–
†DURHAM	1	2	–	–	–	–
†FELLING	7	–	1	–	–	–
†HARTLEPOOL ...	1	–	1	–	–	–
†HEBBURN ...	1	2	–	–	4	–
†HETTON	6	–	–	–	1	–
†HOUGHTON LE SPRING	8	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Jarrow	16	1	1	–	8	–
†Ryton	–	4	–	–	–	–
†Seaham Harbour	–	–	–	–	3	–
†Shildon	1	–	–	–	–	–
†Southwick on Wear	–	1	1	–	–	–
†Spennymoor ...	1	–	–	–	–	–
Stanhope ...	*	*	*	*	*	*
†Stanley	4	1	–	–	–	–
†Stockton on Tees	–	2	–	–	–	M. 1 N. 1
†Tanfield ...	1	–	–	–	–	–
Tow Law ...	1	–	–	–	–	–
†Washington ...	–	–	–	–	2	–
†Whickham ...	–	1	–	–	1	–
Willington ...	1	–	–	–	–	–
Rural Districts:—						
Auckland ..	13	2	2	–	–	–
Chester le Street	10	3	–	–	3	N. 1
Darlington ...	1	1	1	–	–	–
Durham	4	1	–	–	2	–
Easington ..	16	–	–	–	5	–
Houghton le Spring	6	–	–	–	–	M. 1
Lanchester ...	3	–	2	–	1	–
Sedgefield ..	3	–	–	–	2	–
South Shields..	4	1	–	–	1	–
Sunderland ...	–	–	–	–	4	M. 2
ELY, ISLE OF ...	–	2	3	–	1	G. 1
Boroughs and Urban Districts:—						
Chatteris ...	–	–	–	–	1	–
Whittlesey ...	–	–	2	–	–	–
†Wisbech	–	–	–	–	–	G. 1
Rural Districts:—						
North Witchford	–	1	–	–	–	–
Wisbech	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX	–	94	60	3	33	C. 1 G. 2 M. 4 N. 8
†East Ham C.B. ...	–	11	12	–	3	N. 2
†Southend-on-Sea C.B.	–	4	2	–	6	–
†West Ham C.B. ...	–	29	23	–	11	M. 1 N. 1
Boroughs and Urban Districts:—						
†Barking Town...	–	6	–	–	2	M. 1
Burnham on Crouch	–	–	–	–	1	–
Chingford ...	–	1	–	–	–	–
†Colchester ...	–	1	–	1	2	N. 1
Dagenham ...	–	4	2	–	–	–
Epping	–	–	–	–	1	–
†Grays Thurrock	–	–	1		–	–
†Hornchurch ...	–	1	1	–	–	–
†Ilford	–	3	1	1	–	N. 1
†Leyton	–	5	8	–	–	G. 1
Loughton ...	–	1	–	–	–	–
Maldon			–	–	–	G. 1
†Romford ...	–	1	–	–	–	–
Tilbury	–	2	1	–	–	–
Waltham Holy Cross	–	1	–	–	–	–
†Walthamstow...	–	13	6	–	1	M. 1 N. 1
†Woodford ...	–	–	2	–	1	–
Rural Districts:—						
Billericay ...	–	–	–	–	–	N. 1
Bumpstead ...	–	–	–	–	1	–
Chelmsford ...	–	6	–	–	1	–
Dunmow	–	1	–	–	–	–
Epping	–	1	–	–	–	N. 1
Lexden and Winstree	–	–	–	–	–	C. 1 M. 1
Orsett	–	2	1	–	3	–
Romford... ...	–	–	–	1	–	–
Tendring ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	30	23	–	6	C. 5 M. 2 N. 2
†BRISTOL C.B. ...	–	18	17	–	3	C. 3 N. 1
†GLOUCESTER C.B.	–	–	1	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	1	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
TETBURY	–	–	–	–	1	–
Rural Districts:—						
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	M. 1
GLOUCESTER ...	–	–	3	–	–	C. 1
STROUD	–	3	–	–	–	–
TEWKESBURY (part)	–	–	–	–	–	N. 1
WARMLEY ...	–	3	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
WINCHCOMB (part)	–	–	1	–	–	–
HEREFORD ...	–	2	1	–	5	–
Boroughs and Urban Districts:—						
ROSS	–	1	–	–	1	–
Rural Districts:—						
BREDWARDINE ...	–	–	–	–	1	–
BROMYARD ...	–	–	–	–	1	
DORE	–	–	–	–	1	–
LEDBURY	–	–	1	–	1	–
ROSS	–	1	–	–	–	–
HERTFORD ...	–	8	6	–	4	C. 1 L. 3 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	–	N. 1
†EAST BARNET VALLEY	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	–	1	–	–	–
†HERTFORD ...	–	1	1	–	–	–
†HITCHIN	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	1	C. 1
†ST. ALBANS ...	–	–	–	–	1	–
SAWBRIDGEWORTH	–	3	–	–	–	–
WARE	–	–	1	–	–	–
†WATFORD ...	–	1	–	–	1	–
Rural Districts:—						
HADHAM	–	–	–	–	1	
HATFIELD ...	–	–	1	–	–	
HERTFORD ...	–	–	1	–	–	–
ST. ALBANS ...	–	–	–	–	–	L. 3
WARE	–	1	1	–	–	–
HUNTINGDON ...	–	1	4	–	–	–
Boroughs and Urban Districts:—						
ST. IVES	–	1	–	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	–	1	–	–	–
ST. IVES	–	–	3	–	–	–
KENT	–	58	20	–	16	C. 1 N. 3
†CANTERBURY C.B.	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	3	–
†BECKENHAM ...	–	1	–	–	2	–
†BEXLEY	–	4	1	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Opbthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROMLEY ...	–	4	–	–	–	–
†CHATHAM ...	–	–	1	–	–	–
CHISLEHURST ...	–	3	–	–	–	–
†DOVER	–	3	–	–	1	–
†ERITH	–	5	–	–	2	–
†FAVERSHAM ...	–	1	–	–	1	–
†FOLKESTONE ...	–	4	2	–	2	–
†GILLINGHAM ...	–	2	4	–	–	–
†GRAVESEND ...	–	2	5	–	–	–
†MAIDSTONE ...	–	4	–	–	–	–
†MARGATE ...	–	–	1	–	–	–
†NORTHFLEET ...	–	4	–	–	–	–
†RAMSGATE ...	–	–	–	–	1	–
†ROCHESTER ...	–	1	1	–	1	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	–	N. 2
SIDCUP	–	–	1	–	1	–
SOUTHBOROUGH	–	1	–	–	–	–
SWANSCOMBE ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
DARTFORD ...	–	7	–	–	–	C. 1
DOVER	–	–	1	–	–	–
EASTRY	–	1	–	–	–	–
FAVERSHAM ...	–	–	–	–	1	–
HOLLINGBOURNE	–	2	–	–	–	–
ISLE OF THANET	–	–	1	–	–	–
MALLING	–	1	–	–	–	–
MILTON	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
WEST ASHFORD...	–	2	–	–	–	N. 1
LANCASTER ...	–	140	136	–	266	C. 6 D. 3 E. 1 G. 11 L. 1 M. 34 N. 9
†BARROW IN FURNESS C.B.	–	5	1	–	2	–
†BLACKBURN C.B.	–	1	1	–	8	–
†BLACKPOOL C.B.	–	3	4	–	3	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BOLTON C.B. ...	–	8	6	–	6	D. 1 G. 2 N. 1
†BOOTLE C.B. ...	–	2	5	–	1	M. 1 N. 1
†BURNLEY C.B. ...	–	2	1	–	4	M. 1
†BURY C.B. ...	–	4	–	–	1	C. 1
†LIVERPOOL C.B. ..	–	33	27	–	41	C. 1 D. 2 G. 2 M. 18
†MANCHESTER C.B	–	22	23	–	62	C. 2 G. 3 M. 7 N. 1
†OLDHAM C.B. ...	–	2	4	–	10	–
†PRESTON C.B. ..	–	1	7	–	5	–
†ROCHDALE C.B. ...	–	–	4	–	1	–
†ST. HELENS C.B....	–	4	2	–	3	–
†SALFORD C.B. ...	–	5	12	–	7	C. 1 M. 1 N. 1
†SOUTHPORT C.B.	–	1	1	–	2	–
†WARRINGTON C.B.	–	–	2	–	5	C. 1
†WIGAN C.B. ..	–	–	2	–	9	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	2	M. 1
†ACCRINGTON ...	–	–	2	–	1	–
†ASHTON IN MAKERFIELD	–	–	–	–	2	–
†ASHTON UNDER LYNE	–	2	–	–	4	–
ASPULL	–	–	–	–	3	–
†ATHERTON ...	–	1	–	–	3	–
AUDENSHAW ...	–	1	–	–	–	–
†BACUP	–	3	–	–	4	
BARROWFORD ...	–	1	–	–	–	–
BLACKROD ...		–	–	–	–	M. 1
†CHORLEY... ...	–	1	–	–	1	M. 1
CHURCH	–	–	1	–	–	–
†CLITHEROE ...	–	–	3	–	–	–
†COLNE	–	–	–	–	1	–
†DALTON IN FURNESS	–	5	–	–	–	–
†DARWEN	–	4	–	–	–	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FAILSWORTH ...	–	–	–	–	3	M. 1
†FARNWORTH ...	–	2	–	–	–	–
†FLEETWOOD ...	–	–	1	–	1	–
GOLBORNE ...	–	1	–	–	–	–
†GREAT CROSBY ...	–	–	–	–	2	–
†HAYDOCK ...	–	–	–	–	2	–
†HEYWOOD ...	–	2	–	–	–	M. 2
†HINDLEY... ...	–	1	–	–	3	–
†HORWICH ...	–	–	1	–	4	E. 1
†INCE IN MAKERFIELD	–	1	–	–	9	G. 1
IRLAM	–	–	–	–	1	–
†LANCASTER ...	–	1	4	–	1	–
†LEIGH	–	1	4	–	4	G. 1
†LITTLEBOROUGH	–		1	–	–	–
LITTLE HULTON..	–	1	–	–	–	–
LITTLE LEVER ...	*	*	*	*	*	*
†LYTHAM ST. ANNE'S	–	–	2	–	2	N. 1
†MIDDLETON ...	–	–	2	–	2	–
MILNROW... ...	–	–	1	–	–	–
†NELSON	–	1	–	–	2	–
†NEWTON IN MAKERFIELD	–	–	–	–	1	N. 1
ORMSKIRK ...	–	1	–	–	1	–
ORRELL	–	–	–	–	2	–
†PADIHAM ...	–	1	–	–	–	–
†PRESTWICH ...	–	2	–	–	2	–
†RADCLIFFE ...	–	2	–	–	–	–
†RAMSBOTTOM ...	–	–	–	–	5	–
†RAWTENSTALL ...	–	–	2	–	1	–
RISHTON	–	–	1	–	1	–
†ROYTON	–	–	–	–	1	–
SKELMERSDALE...	–	–	–	–	1	G. 1
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	–	–	–	3	N. 1
†SWINTON AND PENDLEBURY	–	2	–	–	–	–
TOTTINGTON ...	–	–	–	–	4	–
†TURTON	–	2	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	2	–	–	1	–
UPHOLLAND ...	–	2	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	–	
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WESTHOUGHTON	–	–	1	–	1	–
WHITEFIELD ...	–	–	1	–	–	–
†WIDNES	–	–	1	–	7	–
Rural Districts:—						
BLACKBURN ...	–	–	–	–	1	–
BURNLEY... ...	–	–	–	–	1	–
BURY	–	–	–	–	1	–
CLITHEROE ...	–	–	–	–	–	L. 1
LEIGH	–	–	1	–	–	–
LIMEHURST ...	–	–	1	–	1	–
PRESTON	–	–	1	–	–	–
SEFTON	–	–	1	–	–	–
WEST LANCASHIRE	–	1	–	–	–	G. 1
WHISTON... ...	–	2	–	–	1	N. 1
WIGAN	–	–	–	–	1	–
LEICESTER ...	–	14	8	–	10	E. 1 M. 2 N. 2
†LEICESTER C.B. ...	–	6	4	–	1	E. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	2	–
†COALVILLE ...	–	–	1	–	–	M. 1
†LOUGHBOROUGH	–	3	1	–	–	–
THURMASTON ...	–	3	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	3	–
BARROW UPON SOAR	–	1	–	–	2	–
BLABY	–	–	1	–	–	–
HINCKLEY ...	–	–	–	–	2	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	4	–	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	1	–	–	–	–
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	1	–	3	–	3	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	1	–	1	–
Rural Districts:—						
BOURNE	–	–	–	–	1	–
BRANSTON ...	1	–	–	–	–	–
GRANTHAM ...	–	–	1	–	1	–
SLEAFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	21	–	–	23	C. 1 G. 1 M. 2 N. 1
†GRIMSBY C.B. ...	–	2	–	–	4	–
†LINCOLN C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
BRIGG	–	–	–	–	2	–
†CLEETHORPES ...	–	2	–	–	–	M. 1
†GAINSBOROUGH ...	–	1	–	–	3	–
HORNCASTLE ...	–	7	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	6	C. 1 N. 1
WOODHALL SPA...	–	1	–	–	–	–
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR	–	1	–	–	–	–
GAINSBOROUGH ...	–	–	–	–	1	G. 1
GLANFORD BRIGG	–	–	–	–	3	–
GRIMSBY	–	1	–	–	–	–
HORNCASTLE ...	–	–	–	–	2	–
SPILSBY	–	–	–	–	–	M. 1
MIDDLESEX ...	–	52	42	–	32	G. 2 M. 1 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	2	1	–	1	–
†EALING	–	2	–	–	5	G. 1 N. 2
†EDMONTON ...	–	2	4	–	2	N. 1
†ENFIELD		6	6	–	2	–
†FINCHLEY ...	–	2	1	–	1	–
†FRIERN BARNET	–	–	–	–	2	–
†HAMPTON ...	–	–	1	–	1	–
†HARROW ON THE HILL	–	2	–	–	–	–
HAYES	–	1	–	–	–	–
†HENDON	–	2	1	–	2	–
†HESTON AND ISLEWORTH	–	1	1	–	1	–
†HORNSEY... ...	–	6	2	–	–	–
†SOUTHALL NORWOOD	–	–	–	–	1	–
†SOUTHGATE ...	–	–	2	–	–	–
†TEDDINGTON ...	–	2	1	–	1	–
†TOTTENHAM ...	–	10	10	–	–	G. 1
†TWICKENHAM ...	–	4	–	–	–	M. 1
†UXBRIDGE ...	–	1	1	–	–	–
†WEALDSTONE ...	–	–	–	–	–	N. 2
†WEMBLEY ...	–	3	–	–	1	–
†WILLESDEN ...	–	2	7		9	N. 1
†WOOD GREEN ...	–	3	–	–	1	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
HENDON	–	1	–	–	1	–
STAINES	–	–	3	–	–	–
UXBRIDGE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
NORFOLK ...	–	11	3	–	15	G. 2 N. 6
†GREAT YARMOUTH C.B.	–	3	–	–	1	G. 1
†NORWICH C.B. ...	–	4	2	–	–	N. 3
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	–	N. 1
Rural Districts:—						
BLOFIELD ...	–	–	–	–	6	N. 1
DEPWADE ...	–	–	–	–	2	–
DOWNHAM ...	–	–	1	–	1	–
EAST AND WEST FLEGG	–	1	–	–	–	–
ERPINGHAM ...	–	–	–	–	2	–
FREEBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING	–	–	–	–	–	N. 1
MARSHLAND ...	–	2	–	–	–	–
MITFORD AND LAUNDITCH	–	–	–		1	–
SMALLBURGH ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	–	–		G. 1
WAYLAND ...	–	–	–	–	1	–
NORTHAMPTON	–	4	3	1	11	N. 1
†NORTHAMPTON C.B	–	1	1	–	2	N. 1
Boroughs and Urban Districts:—						
DAVENTRY ...	–	1	–	–	–	–
IRTHLINGBOROUGH	–	–	–	–	1	–
†KETTERING ...	–	–	–	–	1	–
OUNDLE	–	–	1	–	–	–
†RUSHDEN... ...	–	–	–	–	2	–
†WELLINGBOROUGH	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which hey are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHAMPTON —*cont.*						
Rural Districts:—						
BRIXWORTH ...	–	–	–	1	–	–
DAVENTRY ..	–	–	1	–	1	–
NORTHAMPTON ...	–	–	–	–	3	–
POTTERSPURY ...	*	*	*	*	*	*
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND.	23	30	10	–	69	C. 3 N. 2
†NEWCASTLE UPON TYNE C.B.	–	13	9	–	47	C. 3
†TYNEMOUTH C.B.	1	2	1	–	–	N. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	19	1	–	–	–	N. 1
†BEDLINGTONSHIRE	–	1	–	–	8	–
†BLYTH	–	–	–	–	1	–
CRAMLINGTON ...	–	–	–	–	1	–
†GOSFORTH ...	–	2	–	–	–	–
MORPETH ...	1	–	–	–	–	–
NEWBIGGIN BY THE SEA	1	–	–	–	–	–
†NEWBURN ...	–	2	–	–	–	–
PRUDHOE... ...	–	–	–	–	3	–
ROTHBURY ...	–	–	–	–	1	–
SEATON DELAVAL	–	–		–	1	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	4	–	–	1	–
†WHITLEY AND MONKSEATON	–	1	–		–	–
Rural Districts:—						
BELFORD	–	–			2	–
CASTLE WARD ...	–	1	–	–	–	–
GLENDALE ...	–		–	–	2	–
HEXHAM	–	3	–	–	1	–
MORPETH... ...	1	–	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	4	24	28	–	19	G. 2 M. 2 N. 2
†NOTTINGHAM C.B.	–	9	26	–	9	G. 1 N. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	1	–	–	–	–
†CARLTON	–	–	1	–	1	M. 1
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
HUTHWAITE ...	–	–	–	–	–	G. 1
†KIRKBY IN ASHFIELD	–	6	–	–	–	M. 1
†MANSFIELD ...	1	1	–	–	–	–
†SUTTON IN ASHFIELD	2	2	–	–	2	–
WARSOP	–	1	–	–	–	–
†WEST BRIDGFORD	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	2	1	–	–	N. 1
BINGHAM... ...	–	1	–	–	–	–
EAST RETFORD ...	–	–	–	–	2	–
SOUTHWELL ...	–	–	–	–	2	–
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	1	–	–	–	–	–
OXFORD	–	3	2	–	2	N. 1
Boroughs and Urban Districts:—						
CHIPPING NORTON	–	–	–	–	–	N. 1
Rural Districts:—						
BICESTER... ...	–	–	–	–	1	–
CHIPPING NORTON	–	–	–	–	1	–
HEADINGTON ...	–	–	1	–	–	–
HENLEY	–	1	–	–	–	–
WITNEY	–	1	–	–	–	–
WOODSTOCK ...	–	1	1	–	–	–
PETERBOROUGH (Soke of).	–	2	1	–	–	–
Borough:—						
†PETERBOROUGH...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	5	–	–	4	M. 2
Boroughs and Urban Districts:—						
DAWLEY	–	–	–	–	1	–
MARKET DRAYTON	–	1	–	–	–	–
†OAKENGATES ...	–	–	–	–	1	–
†SHREWSBURY ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	–	M. 1
BRIDGNORTH ...	–	–	–	–	1	–
OSWESTRY ...	–	2	–	–	–	–
SHIFNAL	–	–	–	–	–	M. 1
TEME	–	–	–	–	1	–
WELLINGTON ...	–	1	–	–	–	–
SOMERSET ...	–	10	11	–	11	N. 1
†BATH C.B. ...	–	5	3	–	–	–
Boroughs and Urban Districts:—						
BURNHAM ON SEA	*	*	*	*	*	*
CHARD	–	–	3	–	–	–
MIDSOMER NORTON	–	–	1	–	–	–
†TAUNTON... ...	–	–	–	–	–	N. 1
†WESTON SUPER MARE	–	–	3	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	2	–
BATH	–	–	1	–	–	–
CLUTTON... ...	–	1	–	–	1	–
KEYNSHAM ...	–	3	–	–	–	–
LANGPORT ...	–	–	–	–	1	–
TAUNTON ...	–	–	–	–	1	–
WELLS	–	–	–	–	4	–
WINCANTON ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON	–	22	25	2	12	C. 3 D. 1 M. 5 N. 4
†BOURNEMOUTH C.B.	–	1	–	–	2	–
†PORTSMOUTH C.B.	–	6	20	–	–	C. 1 M. 1
†SOUTHAMPTON C.B	–	3	2	1	5	C. 1 N. 3
Boroughs and Urban Districts:—						
†BASINGSTOKE	–	–	–	–	2	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	–	M. 1
FLEET	–	–	–	–	1	–
MILTON	–	–	–	–	–	C. 1
ROMSEY	–	–	–	–	1	–
†WINCHESTER	–	–	–	–	1	D. 1
Rural Districts:—						
ALRESFORD	–	2	–	–	–	–
ALTON	–	1	2	–	–	–
CATHERINGTON	–	–	–	–	–	M. 1
DROXFORD	–	1	–	–	–	N. 1
FORDINGBRIDGE	–	–	1	–	–	–
HARTLEY WINTNEY	–	–	–	1	–	–
HAVANT	–	1	–	–	–	–
KINGSCLERE	–	5	–	–	–	M. 1
NEW FOREST	–	2	–	–		–
PETERSFIELD	–	–	–	–	–	M. 1
STAFFORD	–	42	30	1	82	C. 1 L. 7 M. 15 N. 5
†BURTON UPON TRENT C.B.	–	1	2	–	–	–
†SMETHWICK C.B.	–	1	3	–	3	–
†STOKE ON TRENT C.B	–	9	6	–	34	C. 1 M. 5 N. 1
†WALSALL C.B.	–	–	1	–	–	M. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†WEST BROMWICH C.B.	–	–	2	–	5	–
†WOLVERHAMPTON C.B.	–	2	1	–	3	M. 3
Boroughs and Urban Districts:—						
†AUDLEY	–	–	2	–	3	–
BIDDULPH	–	–	–	–	1	–
†BILSTON	–	–	–	–	1	–
†BRIERLEY HILL	–	1	3	–	–	–
†BROWNHILLS	–	1	–	–	2	–
†CANNOCK	–	1	–	–	–	–
†COSELEY	–	–	1	–	–	–
†DARLASTON	–	1	1	–	2	–
KIDSGROVE	–	1	2	–	1	M. 1 N. 1
†LEEK	–	3	1	–	–	M. 1
LICHFIELD	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–		1	–
PERRY BARR	*	*	*	*	*	*
QUARRY BANK	–	–	–	–	1	–
†ROWLEY REGIS	–	1	–	–	3	M. 1 N. 1
RUGELEY	–	–	–	–	2	–
†SEDGLEY	–	–	2	–	–	–
SHORT HEATH	–	1	–	1	–	–
STONE	–	–	–	–	–	N. 1
TAMWORTH	–	1	–	–	–	–
†TIPTON	–	–	1	–	6	M. 1
†WEDNESBURY	–	1	–	–	2	–
†WILLENHALL	–	1	–	–	–	M. 1
†WOLSTANTON UNITED	–	1	–	–	5	–
Rural Districts:—						
BLORE HEATH	–	1	–	–	–	–
CANNOCK	–	5	1	–	–	–
CHEADLE	–	1	–	–	1	L. 7
LEEK	–	–	–	–	2	–
LICHFIELD	–	2	–	–	2	M. 1
STONE	–	3	–	–	1	–
TAMWORTH (part)	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	–	8	–	–	8	–
†IPSWICH C.B. ...	–	4	–	–	4	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	2	–	–	2	–
Rural Districts:—						
MUTFORD AND LOTHINGLAND	–	1	–	–	1	–
SAMFORD... ...	–	1	–	–	1	–
SUFFOLK, WEST	–	–	–	–	2	–
Boroughs and Urban Districts:—						
HADLEIGH ...	–	–	–	–	1	–
Rural Districts:—						
THEDWASTRE ...	–	–	–	–	1	–
SURREY	–	56	20	–	8	C. 1 D. 1 M. 3 N. 1
†CROYDON C.B. ...	–	20	4	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNES	–	3	–	–	–	M. 2
†BEDDINGTON AND WALLINGTON		1	–	–	–	–
†CARSHALTON ...	–	–	2	–	–	–
†CHERTSEY ...	–	3	–	–	–	–
†COULSDON AND PURLEY	–	2	–	–	–	–
DORKING	–	2	–	–	–	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	–	–	–	1	–
GODALMING ...	–	1	–	–	–	C. 1
†GUILDFORD ...	–	–	3	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSTON ON THAMES	–	–	1	–	–	D. 1
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	–	3	–	–	–
†REIGATE	–	2	–	–	–	–
†SURBITON ...	–	1	–	–	2	–
†SUTTON	–	3	3	–	1	–
†WIMBLEDON ...	–	4	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	2	3	–	–	–
DORKING	–	1	–	–	–	–
EPSOM	–	4	–	–	–	–
FARNHAM ...	–	2	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	2	1	–	–	–
REIGATE	–	–	–	–	1	–
SUSSEX, EAST ...	–	16	15	–	12	M. 3
†BRIGHTON C.B. ...	–	6	13	–	5	M. 1
†EASTBOURNE C.B.	–	2	–	–	1	M. 1
†HASTINGS C.B. ...	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
†BEXHILL		1	–	–	–	–
BURGESS HILL ...	–	–	–	–	1	–
EAST GRINSTEAD	–	–	–	–	1	–
†HOVE	–	–	–	–	2	–
NEWHAVEN ...	–	–	1	–	–	–
Rural Districts:—						
CHAILEY	–	3	–	–	1	–
EAST GRINSTEAD	–	–	–	–	1	–
HAILSHAM ...	–	1	–	–	–	–
NEWHAVEN ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, WEST...	–	12	7	–	3	–
Boroughs and Urban Districts:—						
†Chichester ...	–	5	-	–	–	–
†Horsham ...	–	–	1	–	–	–
†Littlehampton	–	2	–	–	–	–
Shoreham-by-Sea	–	3	–	–	1	–
Southwick ...	–	–	–		1	–
†Worthing ..	–	1	3	–	–	–
Rural Districts:—						
Horsham ...	–	1	3	–	–	–
Westhampnett	–	–	–	–	1	–
WARWICK ...	–	46	66	1	62	C. 4 E. 2 F. 1 G. 1 L. 1 M. 6 N. 6
†Birmingham C.B.	–	31	63	1	42	C. 4 E. 2 F. 1 G. 1 L. 1 M. 6 N. 4
†Coventry C.B. ..	–	3	3	–	3	–
Boroughs and Urban Districts:—						
†Nuneaton ...	–	3	–	–	6	N. 1
†Royal Leamington Spa	–	2	–	–	1	N. 1
†Rugby	–	1	–	–	–	–
†Sutton Coldfield	–	–	–	–	1	–
Rural Districts:—						
Alcester ...	–	–	–	–	1	–
Atherstone ...	–	2	–	–	1	–
Foleshill ...	–	1	–	–	1	–
Meriden... ...	–	–	–	–	1	–
Rugby	–	–	–	–	3	–
Solihull ...	–	2	–	–	1	–
Tamworth (part)	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WESTMORLAND	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†Kendal	–	1	–	–	–	–
Kirkby Lonsdale	–	2	–	–	–	–
Rural Districts:—						
South Westmorland	–	1	–	–	1	–
West Ward ...	–	–	–	–	1	–
WIGHT, ISLE OF	–	3	–	–	2	–
Boroughs and Urban Districts:—						
†Cowes	–	2	–	–	2	–
Rural Districts:—						
Isle of Wight	–	1	–	–	–	–
WILTS	–	8	2	–	7	M. 1 N. 2
Boroughs and Urban Districts:—						
Marlborough ...	–	1	–	–	–	–
Melksham ...	–	1	1	–	–	–
†Salisbury ...	–	3	–	–	–	N. 2
†Swindon... ...	–	1	–	–	3	M. 1
Rural Districts:—						
Amesbury ...	–	–	–	–	1	–
Bradford on Avon	–	1	–	–	–	–
Calne	–	–	1	–	–	–
Malmesbury ...	–	–	–	–	1	–
Marlborough ...	–	–	–	–	1	–
Melksham ...	–	1	–	–	–	–
Pewsey	–	–	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	10	6	–	11	G. 2 M. 1
†DUDLEY C.B. ...	–	1	2	–	3	–
†WORCESTER C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	4	–	–	–	G. 1
†LYE AND WOLLESCOTE	–	1	2	–	3	–
†OLDBURY... ...	–	1	–	–	1	G. 1
†REDDITCH ...	–	–	–	–	1	–
†STOURBRIDGE ...	–	1	–	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	–	2	–	1	–
PERSHORE ...	*	*	*	*	*	*
UPTON ON SEVERN	–	1	–	–	2	–
YORKS ... ... (East Riding).	–	11	10	–	4	D. 1 M. 4 N. 2
†KINGSTON UPON HULL C.B.	–	10	8	–	3	D. 1 M. 3 N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
†BRIDLINGTON ...	–	–	–	–	–	M. 1
COTTINGHAM ...	–	–	1	–	–	–
HORNSEA... ...	–	–	–	–	–	N. 1
Rural Districts:—						
BEVERLEY ...	–	–	1	–	–	–
SCULCOATES ...	–	–	–	–	1	–
YORKS ... ... (North Riding).	7	9	7	–	6	M. 1
†MIDDLESBROUGH C.B.	7	3	2	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	1	–
†REDCAR	–	–	1	–	–	–
†SCARBOROUGH ...	–	–	3	–	–	–
†THORNABY ON TEES	–	1	–	–	–	–
Rural Districts:—						
CROFT	–	1	–	–	–	–
KIRBY MOORSIDE	–	–	–	–	1	–
RICHMOND ...	–	–	–	–	–	M. 1
STOKESLEY ...		–	1	–	–	–
YORKS ... ... (West Riding).	78	119	41	26	206	C. 5 G. 5 M. 11 N. 7
†BARNSLEY C.B. ...	–	3	1	–	–	M. 1
†BRADFORD C.B. ...	2	7	8	–	15	M. 1
†HALIFAX C.B. ...	–	1	–	–	6	N. 1
†HUDDERSFIELD C.B	1	10	1	–	5	M. 3
†LEEDS C.B. ..	–	15	7	1	23	C. 1 G. 1 M. 1 N. 3
†ROTHERHAM C.B.	–	1	–	–	10	–
†SHEFFIELD C.B....	10	36	14	–	66	C. 3 G. 1 M. 1 N. 1
†WAKEFIELD C.B.	–	–	–	1	4	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–	–	8	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BATLEY	–	2	1	1	–	–
†BENTLEY WITH ARKSEY	1	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BINGLEY	–	–	–	1	2	–
†BOLTON UPON DEARNE	2	–	–	–	1	–
†BRIGHOUSE ...	–	–	–	–	2	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	17	–	–	–	1	–
CUDWORTH ...	–	–	–	–	3	–
DARFIELD ...	–	–	–	–	1	–
†DARTON	–	–	–	–	2	–
†DONCASTER ...	1	2	1	–	6	G. 1
DRIGHLINGTON ...	–	–	–	–	1	–
EARBY	–	2	–	–	–	–
FARSLEY	–	1	–	–	–	–
†GOLCAR	–	2	–	–	–	–
†GOOLE	–	1	–	–	1	–
GREASBROUGH ...	–	1	–	–	–	–
†HARROGATE ...	–	–	–	–	2	–
HAWORTH ...	1	–	–	–	–	–
HEBDEN BRIDGE	–	–	–	–	1	–
HECKMONDWIKE	–	2	–	–	1	–
†HEMSWORTH ...	1	–	–	–	–	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	–	–	8	–	–
HONLEY	–	3	–	–	–	–
HORBURY ...	–	–	–	–	1	–
HORSFORTH ...	–	–	–	–	1	–
†KEIGHLEY ...	9	–	–	–	–	–
KIRKBURTON ...	–	1	–	–	2	–
LEPTON	–	1	–	–	3	–
MALTBY	–	1	–	–	–	–
MARSDEN... ...	–	1	–	–	–	–
MELTHAM ...	–	1	–	–	–	–
†MEXBOROUGH ...	7	–	–	–	1	–
†MORLEY	1	–	–	–	–	–
MYTHOLMROYD ...	–	1	–	–	–	–
NEW MILL ...	–	–	–	13	–	–
†NORMANTON ...	–	–	–	–	2	M. 1
†PONTEFRACT ...	–	1	1	–	–	–
QUEENSBURY ...	–	1	–	–	–	–
†RAWMARSH ...	–	1	1	–	–	–
†ROTHWELL ...	–	2	–	–	1	–
SELBY	–	1	–	–	–	–
SHELF	–	2	–	–	–	–
SHELLEY... ...	–	–	–	–	–	G. 1
†SHIPLEY	–	1	–	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
SOUTH CROSLAND	–	–	–	–	1	–
†SPENBOROUGH ...	–	1	–	–	–	–
SPRINGHEAD ...	–	–	–	–	1	–
STOCKSBRIDGE ...	–	–	–	–	2	–
†SWINTON... ...	8	–	–	–	2	C. 1 N. 1 M. 1
THURNSCOE ...	–	1	–	–	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE	3	1	–	–	1	–
†WOMBWELL ...	–	–	1	–	3	–
Rural Districts:—						
BISHOPTHORPE ...	–	–	–	1	–	–
DONCASTER ...	8	1	1	–	8	–
GREAT OUSEBURN	–	–	–	–	–	G. 1
HEMSWORTH ...	–	–	2	–	2	M. 1
KEIGHLEY ...	2	–	–	–	–	–
KIVETON PARK ...	–	–	–	–	4	–
RIPON	–	1	–	–	–	–
ROTHERHAM ...	3	2	1	–	4	N. 1
THORNE	1	–	–	–	–	M. 1
WAKEFIELD ...	–	3	–	–	–	–
WETHERBY ...	–	1	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	2	–
WORTLEY ...	–	2	–	–	–	–
§YORK, CITY OF...	–	4	1	–	–	M. 1 N. 1
†YORK C.B ...	–	4	1	–	–	M. 1 N. 1
WALES.						
ANGLESEY ...	–	–	1	–	5	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	3	–
Rural Districts:—						
TWRCELYN ...	–	–	–	–	2	–
VALLEY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	–	–	–	4	N. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	3	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	1	N. 1
CAERNARVON ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	1	–
Rural Districts:—						
LLEYN	–	–	–	–	1	–
CARDIGAN ...	–	–	–	–	3	–
Rural Districts:—						
ABERYSTWYTH (SOUTH)	–	–	–	–	3	–
CARDIGAN ...	*	*	*	*	*	*
CARMARTHEN ...	–	1	1	–	11	N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	2	–
†CARMARTHEN ...	–	1	–	–	–	–
†LLANELLY ...	–	–	1	–	5	–
Rural Districts:—						
LLANDILO FAWR	–	–	–	–	3	–
LLANELLY ...	–	–	–	–	1	N. 1
DENBIGH ...	–	3	2	–	4	G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	–	G. 1
†WREXHAM ...	–	–	–	–	–	M. 1
Rural Districts:—						
CHIRK	–	–	1	–	–	–
LLANSILIN ...	–	–	–	–	1	–
RUTHIN	–	–	–	–	3	–
WREXHAM ...	–	3	1	–	–	N. 1
FLINT	–	1	3	–	8	G. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	5	–
HOLYWELL ...	–	–	1	–	1	–
†RHYL	–	1	1		–	–
Rural Districts:—						
HAWARDEN ...	*	*	*	*	*	*
HOLYWELL ...	–	–	1	–	2	G. 1
OVERTON ...	*	*	*	*	*	*
GLAMORGAN ...	–	24	38	1	43	G. 1 M. 6 N. 1
†CARDIFF C.B. ...	–	3	12	–	3	M. 3
†MERTHYR TYDFIL C.B.	–	1	2	–	1	–
†SWANSEA C.B. ...	–	2	4	1	2	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	1	–	2	–
†BARRY	–	2	–	–	3	–
†CAERPHILLY ...	–	–	2	–	1	–
†GELLIGAER ...	–	–	2	–	3	G. 1 M. 1
†GLYNCORWG ...	–	–	–	–	1	–
†MAESTEG ...	–	–	1	–	9	–
†MOUNTAIN ASH ...	–	5	1	–	3	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	4	2		–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

able 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

oroughs, Urban l Rural Districts, l the Counties in vhich they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
AMORGAN—*cont.*						
oroughs and Urban Districts—*cont.*						
ENARTH ...	–	1	–	–	1	
ONTYPRIDD ...	–	–	1		–	M. 1
ORTHCAWL ...	–	–	1	–		–
ORT TALBOT ...	–	2	3	–	–	N. 1
THONDDA ...	–	1	2		12	M. 1
ural Districts:—						
ARDIFF	–	–	1	–		–
OWBRIDGE ...		–	1	–	1	–
LANTRISANT AND LLANTWIT-FARDRE			1		–	–
EATH		1			1	–
WANSEA... ...	–	1	–	–		–
ERIONETH ...	–	2	4	–	–	–
rban Districts:—						
FFESTINIOG ..	–	–	3	–	–	–
MALLWYD ...	–	–	1		–	–
TOWYN	*	*	*	*	*	*
ural Districts:—						
DOLGELLEY ...	–	2	–	–	–	–
ONMOUTH ...	88	10	4		11	G. 2 M. 2
NEWPORT C.B. ...	1	3	–	–	4	
Boroughs and Urban Districts:—						
ABERCARN ...	5	–	–	–	–	–
ABERGAVENNY ...	*	*	*	*	*	*
ABERSYCHAN ...	73	–	1	–	–	
ABERTILLERY ...	–	–	–	–	–	M. 2
BEDWELLTY ...	2	1	–	–	–	
BLAENAVON ...	2	–		–	–	G. 2
EBBW VALE ...	–	–	2	–	3	–
LLANTARNAM ...	–	–	–	–	1	–
MONMOUTH ...	–	3	–	–	–	–
MYNYDDISLWYN	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NANTYGLO AND BLAINA	–	–	–	–	2	–
PONTYPOOL ...	5	–	–	–	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	2	–	–	1	–
MONTGOMERY...	–	1	1	–	7	N. 1
Rural Districts:—						
FORDEN	–	–	–	–	6	N. 1
LLANFYLLIN ...	–	1	1	–	–	–
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE ...	–	3	3	–	2	–
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	2	–	–	–
MILFORD HAVEN	–	–	–	–	1	–
TENBY	–	2	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	1	–
PEMBROKE ...	–	–	1	–	–	–
ST. DOGMELLS ...	*	*	*	*	*	*
RADNOR	–	–	–	–	2	–
Rural Districts:—						
KNIGHTON ...	–	–	–	–	1	–
PAINSCASTLE ...	–	–	–	–	1	–
Total of Part II. ...	404	1090	735	48	1255	C. 36 D. 7 E. 5 F. 1 G. 37 L. 12 M.129 N. 89

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
CARDIFF	–	–	2	–	–	–	TEES (RIVER) ...	–	–	–	2	–
LIVERPOOL	–	1	–	–	–	L. 1	PORT OF LONDON ...	–	–	–	1	–
PLYMOUTH	–		–	1	1	L. 1						
							Total of Part III.... ...	–	1	2	4	1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyre

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	201	237	2	117	C. 3 D. 6 M. 17 N. 20
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	404	1090	735	48	1255	C. 36 D. 7 E. 5 F. 1 G. 37 L. 12 M. 129 N. 89
Total of Part III.—Port Sanitary Districts	–	1	2	4	1	L. 3
Total (*i.e.*, of returns received), England and Wales ...	404	1292	974	54	1373	C. 39 D. 13 E. 5 F. 1 G. 37 L. 15 M. 146 N. 109

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YE AGE) and NOTIFIED CASES of certa FECTIOUS DISEASES in the last THI WEEKS.

Week ended :—	Jan. 1.	Jan. 8.	Jan. 15	Jan. 22	Jan. 29.	Feb. 5	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5	Mar. 12	Mar. 19
LONDON :—												
DEATHS—all ages	1,473	1,602	1,648	1,908	2,045	1,912	1,704	1,652	1,278	1,240	1,114	1,114
" 0 to 1 year ..	137	137	122	135	162	137	100	122	101	91	97	100
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,469	7.332	6,929	6,231	6,475	7.020	6.293	7,015	6,490	6.760	6,834	7,047
DEATHS—all ages	5,898	5.883	5,917	6,427	7.320	7 302	7,285	8,411	7,825	7,080	5,980	5.327
" 0 to 1 year ..	690	675	656	630	731	716	670	857	802	696	612	588
ENTERIC FEVER—Cases	13	15	16	9	14	18	11	7	13	21	14	14
" Deaths	2	1	1	2	2	3	1	3	4	2	1	4
SMALL POX—Cases ..	34	45	228	119	116	133	106	81	97	93	81	80
" Deaths ..	—	—	—	—	—	—	1	—	—	—	—	—
SCARLET FEVER—Cases	881	818	791	787	809	684	705	729	675	677	676	763
" Deaths	2	4	6	4	6	11	6	4	8	5	8	2
DIPHTHERIA—Cases ..	671	788	771	715	735	700	619	695	720	712	723	681
" Deaths ..	51	48	38	39	43	51	45	29	41	62	43	30
MEASLES—Deaths ..	36	28	34	43	50	43	47	73	59	73	72	52
INFLUENZA—Deaths ..	86	173	326	470	725	818	759	987	1,023	898	572	342

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday 26th March, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	R
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	68	39	57·7	43·0	26	HUDDERSFIELD	66	36	53·9	40·4	
BRIGHTON ..	56	42	50·7	44·7	39	BRADFORD ..	64	36	52·9	41·6	
PORTSMOUTH ..	57	39	53·2	44·3	24	SHEFFIELD ..	64	36	54·4	41·4	
NORWICH (EATON).	65	38	56·7	42·9	17	YORK (MUSEUM)	65	36	54·6	41·9	
PLYMOUTH ..	59	41	53·6	43·9	42	HULL (PEARSON PARK).	66	37	56·1	42·4	
BRISTOL (CLIFTON).	62	40	55·0	43·6	24	TYNEMOUTH ..	57	36	50·6	42·7	
BIRMINGHAM (EDGBASTON).	65	36	54·6	41·7	22	CARDIFF.. ..	60	37	54·9	40·1	
NOTTINGHAM ..	67	37	56·4	42·6	17	EDINBURGH ..	61·0	36·0	50·7	41·4	
BIRKENHEAD (BIDSTON).	60	36	52·6	42·7	25	GLASGOW ..	61·7	37·8	51·0	42·9	
MANCHESTER (WHITWORTH PARK).	65	33	54·4	41·7	37	DUBLIN (PHŒNIX PARK).	57·8	32·5	54·1	39·0	
BURNLEY	63	35	51·6	41·0	45	(FITZWILLIAM SQUARE†).	58·0	36·0	53·3	42·3	
						BELFAST.. ..	61·5	31·0	55·9	40·1	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 26th March, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	20	..	30·168	63·4	40·5	22·9	51·8	+ 9·9	44·0	7·8	16·6	1·3	74	122·6	25·7	44·0	SW: SSW.	SSW: S: Calm.	1·5	0·0	0·1	210	− 109	0·00
MONDAY	21	..	29·853	68·1	40·0	28·1	55·8	+13·9	41·5	13·3	28·1	0·5	58	128·7	25·0	44·1	Calm: SSE.	SSE	2·2	0·0	0·1	235	− 82	0·00
TUESDAY	22	..	29·694	59·4	48·0	11·4	52·5	+10·5	46·5	6·0	13·1	1·4	80	101·8	43·1	44·2	S: SSW.	SW: S	3·1	0·0	0·4	396	+ 78	0·09
WEDNESDAY	23	..	29·146	55·6	40·9	14·7	47·9	+ 5·7	44·4	3·5	8·8	1·9	88	71·5	33·1	44·3	S	SSW: SW.	5·0	0·0	0·8	514	+ 196	0·18
THURSDAY	24	..	29·061	53·8	39·9	13·9	45·0	+ 2·6	40·9	4·1	13·3	2·9	85	112·2	31·6	44·7	SSW	SSW: S	3·5	0·0	0·5	417	+ 97	0·10
FRIDAY	25	..	28·699	53·0	38·7	14·3	43·4	+ 0·7	38·3	5·1	23·9	2·1	83	112·0	31·6	44·9	SSE: SW.	SW: SSW.	6·6	0·0	0·6	431	+ 105	0·51
SATURDAY	26	Last Quarter. Greatest Declination S.	29·032	55·0	42·8	12·2	45·6	+ 2·6	38·7	6·9	16·4	4·1	77	108·6	35·5	44·9	SW	SW	10·0	0·0	1·6	646	+ 317	0·13
MEANS		..	29·379	58·3	41·5	16·8	48·9	+ 6·6	42·0	6·7	17·2	2·0	78	108·2	32·2	44·4	SSW		..	..	..	Sum 2849	Sum + 602	Sum 1·01
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	20	wP.	9·0	12·0	Overcast till 4h., then clearing to partially cloudy by 7h. Dew in morning and at night.
MONDAY ..	21	wP.	7·6	12·1	Variably cloudy till 13h.; then partially cloudy till 15¼h. and becoming overcast by 15¾h. Solar halo 15½h.
TUESDAY ..	22	wP.	2·4	12·2	Overcast till 8¼h.; very cloudy till 10h., then overcast. Slight damping at 13½h., and about 15h. Rain from 17¾h. Brisk wind 13h till 17h.
WEDNESDAY	23	wP till 10h.; wN till 12h., then wP.	0·1	12·3	Overcast till 19h., then clearing to nearly cloudless by 20¼h. Brisk wind 1h. till 4h.; 8h. till 14h.; and from 21h. Rain till 3h.; at 5h.; and from 9h. till 16¼h. Haze and dew in evening. Lightning 4¾h.
THURSDAY	24	wP till 4½h.; variably wN and wP till 14h.; wN till 22h., then wP.	1·4	12·3	Partially cloudy becoming overcast by 5h. Rain 4¼h. till 8½h.; and occasionally between 12h. and 21h.
FRIDAY ..	25	wP till 9h.; variably sN and sP till 19½h.; mP till 20½h., then wP.	3·4	12·4	Nearly overcast generally with slight exceptions. Damping 1h. till 2h. and at 4h. Rain 8½h. till 10¾h.; and from 23¼h Showers between 13h. and 18h. Thunder and lightning about 15h. till 15½h. Hail 16½h. Brisk wind from 20h.
SATURDAY	26	Variably wP and wN till 2h.; wP till 11½h.; variably sP and sN till 17½h.; then wP.	5·7	12·4	Overcast till 5h.; then variably cloudy, clearing to nearly cloudless by 19h. Rain till 1h. Occasional showers throughout. Brisk wind till 21h. High wind 13h. till 14h. Hail and thunder about 12¼h.
			Sum 29·6	Sum 85·7	
No. of Col		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30·25 ins. at the beginning of the week to 28·65 ins. by 22h. on 25th; increased and was 29·17 ins. by midnight on the 26th

FOR OFFICIAL USE

1927. No. 13.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 2ND APRIL, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 2ND APRIL, 1927.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirteenth week of the year numbered 6,935 and corresponded to an annual rate of 18·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,656 and corresponded to an annual rate of 12·5 per 1,000 of their aggregate civilian population, which is estimated at 19,411,253 in the year 1926. In the preceding three weeks the rates had been 16·1, 14·3 and 13·4. Infant mortality based on the average weekly number of births during the last 52 weeks, was 71 per 1,000 births against 90, 86 and 82 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,565 births, corresponding to a rate of 17·7 per 1,000, and 959 deaths of civilians, corresponding to an annual rate of 10·9, against 12·6, 12·6 and 12·1 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·1 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 56 as against 63, 65 and 68 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,990 to 4,656; the deaths from influenza which had been 572, 342 and 224 in the preceding three weeks, fell to 160 last week.

In London the number of deaths from all causes decreased from 1,068 to 959. The deaths from whooping cough numbered 22 as against 14, 16 and 22 in the three weeks preceding; and the deaths from influenza which had been 49, 33 and 33 in the preceding three weeks, were 25 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in th week ended 2nd April, 1927.

TOWNS.	ESTIMATED POPULATION, Mid. 1926.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa, and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 GREAT TOWNS ..	19,411,253*	6,935	4,656	486	2	79	5	70	25	40
LONDON	4,605,400*	1,565	959	87	-	3	1	22	5	9
TOWNS IN OUTER RING.										
CROYDON C.B. ..	205,900	70	54	3	-	-	-	-	1	-
WIMBLEDON ..	58,030	18	15	2	-	-	-	-	-	-
EALING ..	91,783	26	16	-	-	-	-	-	-	-
ACTON	63,040	17	17	3	-	-	-	-	-	-
WILLESDEN ..	165,270	58	27	3	-	-	-	-	1	-
HENDON	62,570*	13	8	1	-	-	-	1	-	-
HORNSEY	87,230	21	13	-	-	-	-	-	-	-
WOOD GREEN ..	51,940	10	9	1	-	-	-	-	-	-
TOTTENHAM ..	151,520	39	29	3	-	-	-	1	-	-
EDMONTON	71,700	42	16	-	-	-	-	1	-	-
ENFIELD	63,640	16	17	1	-	-	-	-	-	-
WEST HAM C.B. ..	315,900	131	66	11	1	-	-	5	2	-
EAST HAM C.B. ..	146,600	41	19	1	-	1	-	1	-	-
LEYTON	130,000	21	25	-	-	-	-	-	-	-
WALTHAMSTOW ..	125,500	35	27	4	-	-	-	-	-	1
ILFORD	100,500	29	25	2	-	-	-	-	1	-
GILLINGHAM	47,820*	12	6	1	-	-	-	-	-	1
CANTERBURY C.B ..	23,470*	7	3	-	-	-	-	-	-	-
HASTINGS C.B.	61,340	11	18	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	56,060	10	6	-	-	-	-	-	-	-
BRIGHTON C.B.	139,500*	43	38	1	-	-	-	-	-	-
PORTSMOUTH C.B. ..	231,500*	74	59	2	-	1	-	-	-	-
BOURNEMOUTH C.B. ..	90,100	15	22	1	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	169,300	48	50	4	-	7	-	-	-	-
READING C.B	93,090*	25	19	1	-	-	-	-	-	-
OXFORD C.B.	56,800	21	16	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,530*	27	17	3	-	-	-	3	-	-
LUTON	59,240	12	10	1	-	-	-	-	-	-
CAMBRIDGE	58,820	15	20	-	-	-	-	-	1	-
SOUTHEND-ON-SEA C.B.	104,300	26	18	3	-	-	-	1	-	1
IPSWICH C.B.	84,140	25	26	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,760	26	10	-	-	-	-	-	-	-
NORWICH C.B.	123,500*	56	34	3	-	-	-	1	-	-
SWINDON	57,320	20	17	3	-	-	-	1	-	-
EXETER C.B.	60,340*	18	15	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	187,300*	69	58	6	-	-	-	-	1	-
BATH C.B.	69,000	22	16	2	-	-	-	-	-	-
BRISTOL C.B.	383,300*	140	75	12	-	-	-	-	-	-
GLOUCESTER C.B. ..	53,050	14	8	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	275,600	133	89	15	-	1	1	2	-	1
BURTON-UPON-TRENT C.B.	48,660	15	13	1	-	-	-	-	1	-
WOLVERHAMPTON C.B.	110,000	37	28	5	-	-	-	3	-	1
WALSALL C.B.	102,100	38	17	3	-	-	-	-	1	-
WEST BROMWICH C.B.	79,920	27	16	-	-	-	-	-	-	-
DUDLEY C.B.	58,930	27	14	2	-	-	-	-	-	-
WORCESTER C.B. ..	50,660	11	13	1	1	-	-	-	-	-
BIRMINGHAM C.B. ..	934,300*	309	225	29	-	6	-	3	1	9
SMETHWICK C.B. ..	76,940	26	15	1	-	-	-	-	-	-
COVENTRY C.B. ..	127,800	50	35	3	-	1	-	-	-	-
LEICESTER C.B. ..	241,700	78	37	3	-	1	-	1	-	2
LINCOLN C.B.	65,760*	33	19	2	-	-	-	-	-	-
GRIMSBY C.B.	88,580	45	21	2	-	-	-	-	-	-
NOTTINGHAM C.B. ..	268,000	97	59	9	-	-	-	-	1	-
DERBY C.B.	136,600*	52	37	2	-	-	-	-	-	-
CHESTERFIELD ..	66,650	27	14	4	-	-	-	-	-	-
STOCKPORT C.B. ..	125,400	38	35	4	-	-	-	-	-	1
CHESTER C.B.	41,710	11	11	1	-	-	-	1	-	-
BIRKENHEAD C.B. ..	158,000	51	29	2	-	-	-	-	-	1
WALLASEY C.B. ..	93,050	23	23	2	-	-	1	1	-	-
LIVERPOOL C.B. ..	862,600	414	248	46	-	22	-	1	1	5
BOOTLE C.B.	84,580	47	30	4	-	1	-	-	-	-
ST. HELENS C.B. ..	110,000	54	17	2	-	-	1	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B. ..	77,970	23	10	1	-	-	-	-	-	-	-
IGAN C.B.	88,620	34	30	5	-	5	-	1	-	-	1
ARRINGTON C.B. ..	76,940*	48	21	1	-	-	-	-	-	-	2
OLTON C.B.	177,000	72	46	11	-	-	-	-	-	-	3
URY C.B.	56,840*	29	19	-	-	-	-	-	-	-	-
ANCHESTER C.B. ..	752,000	277	196	15	-	-	-	2	1	3	11
ALFORD C.B.	247,400	90	57	1	-	2	-	-	3	-	2
LDHAM C.B.	143,000	46	44	3	-	-	-	1	-	-	1
OCHDALE C.B.	91,510	31	28	1	-	-	-	-	-	-	5
URNLEY C.B.	99,600	39	40	4	-	1	-	-	-	-	2
LACKBURN C.B. ..	124,400	42	38	4	-	-	-	-	-	1	2
RESTON C.B.	124,200	35	32	5	-	4	-	2	-	-	1
LACKPOOL C.B. ..	88,640	32	29	3	-	-	-	1	-	-	3
ARROW-IN-FURNESS C.B.	70,420	15	13	-	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	111,900	20	36	2	-	-	-	-	-	-	1
ALIFAX C.B.	96,130*	39	24	1	-	1	-	-	-	-	-
RADFORD C.B. ..	288,700	106	96	6	-	2	-	1	-	-	4
EEDS C.B.	473,400	176	127	11	-	4	-	2	1	-	3
EWSBURY C.B. ..	53,630	15	16	2	-	-	-	1	-	-	-
AKEFIELD C.B. ..	53,830	25	18	-	-	3	-	-	-	-	1
ARNSLEY C.B. ..	70,760	35	16	3	-	-	-	-	1	-	3
HEFFIELD C.B. ..	523,300*	168	130	21	-	-	-	5	1	-	8
OTHERHAM C.B. ..	70,080	41	22	4	-	-	-	2	-	-	-
ONCASTER C.B.‡ ..	55,700	28	15	2	-	-	-	-	-	-	1
ORK C.B.	84,430*	32	19	2	-	2	-	-	-	-	1
ULL C.B.	294,600	124	80	12	-	-	-	1	-	-	1
IDDLESBROUGH C.B.	133,600	68	33	7	-	4	-	-	-	-	-
ARLINGTON C.B. ..	70,700	23	10	3	-	-	-	-	-	-	-
TOCKTON-ON-TEES ..	67,910	29	14	2	-	1	-	-	-	-	-
EST HARTLEPOOL C.B.	71,060	17	31	2	-	-	-	-	-	-	3
UNDERLAND C.B. ..	163,800	84	44	4	-	-	-	-	-	-	5
OUTH SHIELDS C.B. ..	123,900	68	27	2	-	-	-	-	-	-	-
ATESHEAD C.B. .	127,700	45	43	3	-	1	-	-	-	-	4
EWCASTLE-ON-TYNE C.B.	284,700*	127	71	8	-	1	1	1	-	-	5
YNEMOUTH C.B ..	66,560	33	12	2	-	-	-	-	-	-	-
ARLISLE C.B.	56,140*	17	16	2	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,620	32	32	3	-	2	-	-	-	-	3
ARDIFF C.B.	225,600*	69	45	5	-	-	-	-	-	2	2
HONDDA	162,500	67	39	6	-	1	-	-	-	1	1
IERTHYR TYDFIL C.B.	80,690	28	30	3	-	-	-	-	-	-	1
BERDARE	56,930	12	13	2	-	-	-	-	-	-	1
WANSEA C.B.	163,200	63	46	4	-	1	-	1	1	1	2
REATER LONDON ..	7,791,310*	2,525	1,613	144	2	4	2	33	12	10	38
UTER RING	3,185,910*	960	654	57	2	1	1	11	7	1	13
6 GREAT TOWNS IN OUTER RING	1,891,123*	587	383	35	1	1	-	9	5	1	5
EMAINDER OF OUTER RING	1,294,787*	373	271	22	1	-	1	2	2	-	8
DINBURGH†	426,100	149	129	12	-	3	-	-	-	-	8
LASGOW†	1,049,000	488	342	69	-	2	3	14	2	2	11
UBLIN (REGISTRATION AREA)†	421,000	219	131	21	-	1	2	7	3	-	3
ELFAST†	416,000	237	147	22	-	-	-	5	2	3	9

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Created County Borough 1st April, 1927.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,605,400	1927. April 2	1565	959	10·9	-	-	3	1	22	5	
Calcutta and Suburbs	1,077,264	1926–27. Feb. 19	?	909‖	43·9	?	162	?	?	?	?	
		„ 26	?	859	41·5	?	105	?	?	?	?	
Bombay§	1,298,708	Mar. 12	339	622‖	24·9	-	31	4	-	1	-	
Madras	528,791	„ 5	282	325	32·0	1	-	-	-	1	-	
Sydney and Suburbs	1,038,950	„ 28 (28 days)										
Brisbane (Metropolitan Area).	263,711	Jan. 31 (31 days)										
Perth (Metropolitan Area).	179,388	Feb. 12	81	44	12·8	-	-	-	-	1	-	
		„ 19	94	40	11·6	-	-	-	-	-	-	
Auckland (Urban Area).	192,176	Jan. 31 (31 days)	344	104	6·5	1	-	-	-	-	-	
Wellington (Urban Area).	121,324	Jan. 31 (31 days)	225	82	8·2	-	-	-	-	1	1	
Christchurch (Urban Area).	118,408	Jan. 31 (31 days)	178	73	7·3	-	-	-	-	1	-	
Cape Town	115,348	Mar. 5	41	32	14·4	-	-	-	-	1	-	
		„ 12	38	27	12·2	1	-	1	-	-	-	
Johannesburg	172,189	„ 5	77	36	10·9	2	-	-	-	-	1	
Durban	54,738	Mar. 5	21	9	8·6	-	-	-	-	-	-	
Paris	2,871,429	Feb. 28 (8 days)	1078	1142	18·0	4	3	20	10	10	17	
Antwerp	300,086	Mar. 5										
Amsterdam	727,259	Mar. 12	244	128	9·2	-	-	1	-	1	1	
Copenhagen	592,000	„ 19	188	148	13·0	-	-	-	-	-	-	
Stockholm	453,332	Mar. 19	122	120	13·8	-	-	-	-	-	-	
Gothenburg	231,624	Feb. 19	?	52	11·7	-	-	-	-	1	1	
Oslo (Christiania) ..	255,724	Mar. 26	71	59	11·9	-	-	-	-	1	-	
Berlin	1,993,000	Mar. 12	414	503	13·1	1	?	-	1	2	5	
Breslau	561,000	„ 12	151	135	12·5	-	?	5	-	1	-	
Cologne	711,000	„ 12	204	154	11·3	-	?	2	-	3	1	
Dresden	624,000	„ 12	138	139	11·6	-	?	2	1	1	1	
Frankfort-on-Main..	471,000	„ 12	107	79	8·7	-	?	-	-	1	-	
Hamburg	1,111,000	„ 12	283	252	11·8	-	?	-	1	1	-	
Leipzig	685,000	„ 12	171	144	10·9	-	?	2	-	-	-	
Munich	685,000	„ 12	218	163	12·4	-	?	-	-	-	-	
Vienna	1,871,607	June 30 (30 days)										
Prague and Suburbs	725,196	Oct. 31 (31 days)										
Budapest	971,169	Mar. 19	291	256	13·7	-	-	-	1	-	3	
Warsaw	1,015,426	„ 26										
Cairo	859,400	Jan. 7										
Alexandria	492,100	„ 7										
New York	5,924,018	Mar. 19	?	1621	14·3	1	-	-	3	4	12	
Chicago	3,101,000	„ 18	1070	734	12·3	-	-	6	4	2	5	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *childre year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 36 and 43 deaths from Cholera in Calcutta and 2 deaths from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 2nd April, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	959	87	21	22	22	47	34	72	110	158	195	191
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	2	1	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough	22	5	8	8	1	-	-	-	-	-	-	-
Diphtheria	5	2	1	1	1	-	-	-	-	-	-	-
Influenza	25	-	1	-	2	2	-	3	5	4	3	5
Erysipelas	4	1	-	-	-	-	-	-	2	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	1	-	1	-	-	-
Meningococcal meningitis	2	1	-	-	1	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	80	1	-	-	-	16	16	15	15	11	3	3
Nervous system	5	-	-	3	1	1	-	-	-	-	-	-
Intestines and peritoneum	1	1	-	-	-	-	-	-	-	-	-	-
Other forms	5	1	-	-	-	2	-	1	-	-	1	-
Venereal diseases	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	114	-	-	-	-	1	1	6	21	33	39	13
Rheumatic fever	4	-	-	-	1	3	-	-	-	-	-	-
Diabetes	8	-	-	-	-	-	-	-	-	4	3	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	2	1	-	-	-	-	1	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	52	-	-	-	-	-	1	1	2	9	20	19
Epilepsy	6	-	-	-	-	-	1	1	-	1	3	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	18	-	-	-	3	1	-	2	6	3	-	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	-	1	1	1	1	-	-
Other diseases of heart	136	-	-	-	3	2	1	4	14	26	40	46
Other diseases of circulatory system	56	-	-	-	-	-	-	-	2	12	22	20
Bronchitis	64	4	2	-	-	-	-	2	3	12	17	24
Broncho-pneumonia	42	15	4	3	2	1	-	4	4	3	2	4
Lobar-pneumonia	25	-	-	2	-	1	2	3	4	6	5	2
Pneumonia (type not distinguished)	9	1	-	-	-	1	-	1	1	1	2	2
Other diseases of respiratory system	15	-	1	1	-	2	-	1	3	2	3	2
Diarrhœa and enteritis	12	9	-	-	-	1	-	-	-	1	-	1
Appendicitis, Typhlitis	6	-	-	1	1	2	-	-	2	-	-	-
Hernia, Intestinal obstruction	5	-	-	-	1	-	-	-	1	1	-	2
Cirrhosis of liver	6	-	-	-	-	1	-	1	2	2	-	-
Other diseases of digestive system ..	22	-	1	1	-	1	1	7	5	3	1	2
Acute nephritis	3	-	-	-	-	1	-	-	-	2	-	-
Chronic Bright's disease	24	-	-	-	1	1	1	3	3	5	9	1
Other diseases of genito-urinary system.	22	2	-	-	1	1	-	1	1	4	8	4
Puerperal sepsis	3	-	-	-	-	-	3	-	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	-	-	2	-	-	-	-
Congenital malformations	6	6	-	-	-	-	-	-	-	-	-	-
Premature birth	20	20	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	34	-	-	-	-	-	-	-	-	-	5	29
Suicide	14	-	-	-	-	2	1	6	2	1	2	-
Burns and Scalds	1	-	-	1	-	-	-	-	-	-	-	-
Drowning	1	-	-	-	-	1	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	-	2	2	1	1	1	4	1	-
Other deaths by violence	8	-	-	-	-	-	3	-	2	-	2	1
Other specified causes	35	6	-	1	1	1	-	5	5	5	4	7
Ill-defined causes	3	1	-	-	-	-	-	-	1	1	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 2nd April, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	230	252	9	124	C. 8 D. 1 E. 1 G. 1 M. 15 N. 21
†CITY OF LONDON	-	-	1	-	-	N. 1
Metropolitan Boroughs:—						
†BATTERSEA ...	-	5	8	-	3	M. 1 N. 1
†BERMONDSEY ...		8	13	-	4	C. 1
†BETHNAL GREEN	-	13	11	-	6	M. 2
†CAMBERWELL ...	-	4	15	2	4	N. 3
†CHELSEA	-	1	-	-	4	C. 1
†DEPTFORD ...	-	12	8	-	2	N. 1
†FINSBURY ...	-	5	6	-	1	C. 1
†FULHAM	-	9	6	-	4	N. 1
†GREENWICH ...	-	10	9	-	3	M. 1
†HACKNEY ...	-	13	8	-	-	C. 1 E. 1 M. 1 N. 2
†HAMMERSMITH ...	-	4	6	-	1	-
†HAMPSTEAD ...	-	2	-	-	1	-
†HOLBORN... ...	-	2	3	-	1	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	10	21	-	3	C. 2 M. 1 N. 1
†KENSINGTON ...	-	5	10	-	3	N. 2
†LAMBETH ...	-	6	23	-	17	C. 1 M. 2 N. 1
†LEWISHAM ...	-	9	6	-	4	N. 1
†PADDINGTON ...	-	1	9	1	6	N. 2
†POPLAR	-	18	5	-	10	M. 1 N. 2
†ST. MARYLEBONE	-	5	-	1	1	N. 1
†ST. PANCRAS ...	-	10	14	-	4	N. 2
†SHOREDITCH ...	-	10	9	2	2	M. 3
†SOUTHWARK ...	-	14	21	1	5	G. 1
†STEPNEY	-	26	15	-	10	M. 1
†STOKE NEWINGTON	-	6	8	-	4	-
†WANDSWORTH ...	-	10	10	2	12	D. 1
†WESTMINSTER, CITY OF	-	3	3	-	-	C. 1 M. 1
†WOOLWICH ...	-	9	4	-	9	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	7	5	–	2	G. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	*	*	*	*	*	*
†BEDFORD... ...	–	5	1	–	–	–
†LUTON	–	–	3	–	1	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	1	G. 1
BIGGLESWADE ...	–	1	1	–	–	–
BERKS	–	8	3	–	–	M. 1
†READING C.B.	–	1	1	–	–	M. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	3	–	–	–	–
WANTAGE .	–	1				–
WINDSOR... ...	–	–	1	–	–	–
WOKINGHAM ...		–	1	–	–	–
BUCKINGHAM ...	–	7	5	–	3	C. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...		1	–	–		–
BUCKINGHAM ...	–	–		–		C. 1
†CHEPPING WYCOMBE	–	2	–	–	–	–
ETON	–	1	–	–	–	–
MARLOW		–	1	–	–	–
†SLOUGH	–	3	1	–	1	–
†WOLVERTON ...	–	–	–	–	1	–
Rural Districts:—						
ETON	–	–	3	–	–	–
WYCOMBE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	8	4	–	2	–
Borough:—						
†CAMBRIDGE ..	–	5	4	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
LINTON	–	2	–	–	–	–
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER ...	–	35	17	1	31	G. 4 M. 2 N. 2
†BIRKENHEAD C.B.	–	5	5	–	13	–
†CHESTER C.B. ...	–	–	–		2	G. 1
†STOCKPORT C.B.		11	2	–	2	G. 2
†WALLASEY C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
†CONGLETON ...	–	–	1	–	1	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ..	–	–	–	–	1	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	3	–	–	1	N. 1
†HYDE		–	1	–	2	M. 1
LYMM	–	–	–	–	1	–
†MACCLESFIELD ...	–	–	–	–	2	–
MIDDLEWICH ...	–	–	–	–	1	–
NANTWICH ...	–	–	–	–	1	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN... ..	–	–		–	1	–
†SALE	–	–	1	–	–	–
†STALYBRIDGE ...	–	1	1	–	–	M. 1
†WINSFORD ...	–	1	1	–	–	–
YEARDSLEY CUM WHALEY	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	–
CONGLETON ...	–	–	1	–	1	–
NANTWICH ...		1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NORTHWICH ...	–	–	–	–	–	N. 1
RUNCORN ...	–	5	–		–	–
WIRRAL	–	–	–	1	1	G. 1
CORNWALL ...	–	8	–	–	4	–
Boroughs and Urban Districts:—						
LAUNCESTON ...	–	–	–	–	1	–
LOOE			–	–	–	
REDRUTH ...	*	*	*	*		*
ST. IVES		2	–	–		–
ST. JUST	–	1	–	–	–	–
STRATTON AND BUDE	–	1			–	–
Rural Districts:—						
BODMIN			–	–	1	–
CALSTOCK ...	–	2	–		–	–
EAST KERRIER ...		1	–	–	–	
ST. COLUMB MAJOR	–	–	–	–	1	–
TRURO		–	–	–	1	
CUMBERLAND...		10	–	–	8	N. 1
†CARLISLE C.B.		1	–		3	–
Boroughs and Urban Districts:—						
HOLME CULTRAM	–	2	–		–	–
KESWICK			–	–	1	
PENRITH	–	2	–		2	N. 1
†WORKINGTON ...	–	1	–		–	–
Rural Districts:—						
COCKERMOUTH ...	–	2	–	–	1	–
LONGTOWN ...	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	9	30	11	3	32	N. 3
†DERBY C.B.	2	4	5		7	–
Boroughs and Urban Districts:—						
†ALFRETON	*	*	*	*	*	*
BAKEWELL ...	–	–	–	–	1	
†BELPER	5	–			–	–
†BOLSOVER ...	–	2	–		–	
†CHESTERFIELD ..	–	5	1		6	–
†GLOSSOP	–	–		–	–	N. 1
†HEANOR ...	–		–	–	3	
†ILKESTON ...	–	1		–	3	N. 1
†LONG EATON ...	–	3		–	–	–
NEW MILLS ...		1		–	–	–
†SWADLINCOTE DISTRICT	–			2	–	–
†THE MATLOCKS...	–	1	–	–		–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BELPER	2	–	–	–	–	–
BLACKWELL ...		2	3	–	3	–
CHESTERFIELD ..	–	3	1	1	5	–
CLOWNE	–	3	1	–	–	–
HARTSHORN AND SEALE	–	1	–		2	–
HAYFIELD ..	–	–	–		1	–
REPTON	–	3	–	–	–	–
SHARDLOW ..	–	1		–	–	–
CODNOR PARK AND SHIPLEY (Parishes)	–	–	–		–	N. 1
DEVON	–	12	6	–	7	C. 1 E. 1 G. 1 M. 1 N. 4
†EXETER C.B. ...	–	3	1		–	N. 2
†PLYMOUTH C.B...		6	3	–	3	C. 1 E. 1 G. 1
Boroughs and Urban Districts:—						
ASHBURTON ...	*	*	*	*	*	*
†BARNSTAPLE ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
HOLSWORTHY ...				–	–	N. 1
HONITON	*	*	*	*	*	*
†ILFRACOMBE ...	–	1	1	–	–	
†TORQUAY ...	–	–	–	–	–	M. 1
Rural Districts:—						
BARNSTAPLE ...		–	–		1	–
BIDEFORD ...	–	–			–	N. 1
HONITON	*	*	*	*	*	*
NEWTON ABBOT...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	1	–	–	–
DORSET	–	7	–		3	N. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
LYME REGIS ...	–	1		–	–	–
Rural Districts:—						
BLANDFORD ...	–	1	–	–	2	N. 1
BRIDPORT ...	*	*	*	*	*	*
DORCHESTER ...	–	1	–	–	–	
STURMINSTER ...		1	–	–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	–	1	–		1	–
DURHAM ...	188	61	23	2	85	E. 1 G. 3 M. 13 N. 1
†DARLINGTON C.B.	5	2	3	1	5	–
†GATESHEAD C.B.	8	9	1	–	7	M. 1
†SOUTH SHIELDS C.B.	30	3	–	–	5	M. 2
†SUNDERLAND C.B.	2	1	1	–	12	G. 1 M. 1
DURHAM—*cont.*						
†WEST HARTLEPOOL C.B.	–	3	–	–	7	G. 1 N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	6	5	1	–	–	–
BENFIELDSIDE ...	–	3	1	–	–	–
†BISHOP AUCKLAND	2	1	–	–	–	–
†BLAYDON... ...		2	–	–	–	–
†BRANDON AND BYSHOTTLES	14	–	–	–		–
†CHESTER LE STREET	1	–	–	–	–	–
†CONSETT	5	4	1	–	4	–
†CROOK	1		–			–
†DURHAM	1	–	1	–	–	M. 1
†FELLING	3	–	–	–	–	–
†HEBBURN ...	4	1	–	–	2	M. 1
†HETTON	6	–	–	–	5	–
†HOUGHTON LE SPRING	1	–	–		1	–
†JARROW	10	1	–	–	8	E. 1 M. 1
LEADGATE ...	–	–	–	–	2	–
†SEAHAM HARBOUR		1			1	–
†SHILDON	3	1	–		–	–
†SOUTHWICK ON WEAR	–	–	–	–	2	–
†SPENNYMOOR ...		1	–	–	–	–
†STANLEY	2	3	1	–	1	–
†STOCKTON ON TEES	–	2	–	–	3	–
†TANFIELD ...	1	1	1	–	–	–
TOW LAW ...	1	2	–	–	–	–
†WASHINGTON ...	–	1	1	–	1	–
†WHICKHAM ...	–	–	–	–	3	–
WILLINGTON ...	1		–	–	–	–
Rural Districts:—						
AUCKLAND ...	15	3	2		–	M. 1
CHESTER LE STREET	19	1	1	–	1	M. 1
DURHAM	9	2			3	–
EASINGTON ...	12	4	1	–	2	M. 2
HOUGHTON LE SPRING	–	–	–		3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
LANCHESTER ...	3	3	4	1	1	–
SEDGEFIELD ...	4	–	–	–	–	M. 1
SOUTH SHIELDS...	19	–	2	–	1	M. 1
SUNDERLAND ..	–	1	1	–	4	G. 1
WEARDALE ...	–	–	–	–	1	–
ELY, ISLE OF ...	–	–	4	–	–	M. 1
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	1	–	–	–
Rural Districts:—						
ELY	–	–	3	–	–	–
WISBECH	–	–	–	–		M. 1
ESSEX ...	–	90	52	1	41	C. 2 E. 1 M. 3 N. 4
†EAST HAM C.B. ..	–	10	8	–	1	M. 1
†SOUTHEND-ON-SEA C.B.	–	1	1	–	4	–
†WEST HAM C.B. ..	–	27	16	1	12	N. 3
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	7	3	–	7	E. 1 M. 2
†COLCHESTER ...	–	1	–	–	1	–
DAGENHAM ...	–	7	–	–	2	–
HALSTEAD ...	–	–	–	–	1	–
†HORNCHURCH ...	–	2	–	–		–
†ILFORD	–	3	3	–	4	C. 1 N. 1
†LEYTON	–	7	2	–	–	C. 1
†ROMFORD ...	–	–	2	–	–	–
†WALTHAMSTOW ...	–	17	10	–	3	–
†WANSTEAD ...	–	1	–	–	–	–
†WOODFORD ...	–	–	2	–	1	–
ESSEX—*cont.*						
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
EPPING	–	2	–	–	–	–
MALDON	–	1	–	–	3	–
ORSETT	–	1	4	–	–	–
ROCHFORD ...	–	1	–	–	–	–
TENDRING ...	–	2	–	–	2	–
GLOUCESTER ...	–	53	30	1	15	D. 2 G. 2 M. 2 N. 1
†BRISTOL C.B. ..	–	28	26	–	6	D. 1 G. 2 M. 1 N. 1
†GLOUCESTER C.B.	–	4	1	–	3	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...		7	1	–	–	–
†KINGSWOOD ...	–	2	–		–	–
STOW ON THE WOLD	*	*	*	*	*	*
STROUD	–	–	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
DURSLEY... ...		–	–	–	1	–
GLOUCESTER ...	–	4	1	1	–	–
LYDNEY	–	1	–	–	–	–
STROUD	–	4	–	–	1	D. 1
THORNBURY ...	–	–	–	–	2	M. 1
WARMLEY ...	–	2	–	–	2	–
HEREFORD ...	–	1	–	–	3	G. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
HEREFORD—*cont.*						
Rural Districts:—						
KINGTON	–	–	–	–	–	G. 1
WEOBLEY... ...	–	1		–	–	–
WHITCHURCH ...	*	*	*	*	*	*
WIGMORE ...	–	–	–	–	1	–
HERTFORD ...	–	13	3	–	2	E. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	1	–
†CHESHUNT ...	–	–	1	–	–	
†HERTFORD ...	–	1	–		–	–
†LETCHWORTH ...	–	–	–	–	1	–
SAWBRIDGEWORTH	–	2	–	–	–	–
TRING	–	–	–	–	–	E. 1
WARE	–	1	–	–	–	–
†WATFORD ...	–	2	1	–	–	–
Rural Districts:—						
HADHAM	–	1	–	–		–
HATFIELD ...	–	1	–	–	–	–
HEMEL HEMPSTEAD	–	1		–	–	–
WELWYN	–	3	1	–	–	–
HUNTINGDON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	1	–	–	–	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT	1	37	27	–	21	M. 4 N. 5
†CANTERBURY C.B.	–	3	1	–	2	N. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	–	2	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	N. 1
†BROMLEY ...	–	–	–	–	–	N. 1
†CHATHAM ...	–	2	3	–	–	M. 2
CHERITON ...	–	1	–	–	–	–
†CRAYFORD ...	–	1	2	–	–	–
†DARTFORD ...	–	1	1	–	1	–
†DOVER	–	1	2	–	–	–
†ERITH	–	4	1	–	2	–
†FAVERSHAM ...	–		–	–	1	–
†FOLKESTONE ...	–	1	–	–	5	–
†GILLINGHAM ...	–	1	5	–	–	
†GRAVESEND ...	1	2	1	–	–	–
†MAIDSTONE ...	–	1	–	–	1	M. 1
†MARGATE ...	–	2	–	–	1	–
MILTON REGIS ...	–	1	2	–	1	–
†NORTHFLEET ...	–	2	–	–	–	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ..	–	–	–	–	1	–
†ROCHESTER ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	2	1	–	–	M. 1
SIDCUP	–	–	2	–	–	–
SWANSCOMBE ...	–	–	1	–	–	–
WHITSTABLE ...	–	–	2	–	–	–
Rural Districts:—						
BROMLEY ...	–	–	–	–	1	–
DARTFORD ...	–	3	1	–	–	–
EAST ASHFORD ...	–	1	–	–	–	–
ELHAM	–	1	–	–	–	N. 1
FAVERSHAM ..	–	–	–		2	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	1	1	–	–	–
SHEPPEY	–	–	–	–	–	N. 1
STROOD	–	2	–	–	–	–
TENTERDEN ...	–	1	–	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	3	140	116	3	233	C. 6 D. 3 E. 1 G. 4 M. 21 N. 7
†BARROW IN FURNESS C.B.		2	-	-	1	M. 1
†BLACKBURN C.B.	-	3	-	-	8	M. 2 N. 2
†BLACKPOOL C.B.	-	3	3	-	2	M. 1
†BOLTON C.B. ...	-	5	3	-	5	N. 1
†BOOTLE C.B. ..	-	2	2	-	2	C. 1 M. 1
†BURNLEY C.B. ..	-	2	-	-	3	N. 1
†BURY C.B. ...	-	1	-	-	2	-
†LIVERPOOL C.B. ..	-	26	41	1	30	C. 2 D. 2 M. 9
†MANCHESTER C.B.	-	33	18	-	47	C. 1 E. 1 G. 2 M. 2
†OLDHAM C.B. ..	-	2	-	-	10	C. 1
†PRESTON C.B. ..	-	-	4	-	3	M. 2
†ROCHDALE C.B. ...	-		6	-	1	-
†ST. HELENS C.B. ...	-	6	2	-	5	M. 2
†SALFORD C.B. ...	-	8	7	-	13	-
†SOUTHPORT C.B.	3	-	1	-	2	-
†WARRINGTON C.B.		-	-	-	7	-
†WIGAN C.B. ...	-	2	-	-	11	N. 1
Boroughs and Urban Districts:—						
ABRAM	-	-	-	-	5	-
†ACCRINGTON ..	-	-	-	-	2	-
†ASHTON IN MAKERFIELD	-	2	-	-	-	-
†ASHTON UNDER LYNE	-	1	1	-	2	-
ASPULL	-		-	-	5	-
†ATHERTON ...	-	1	-	-	-	-
AUDENSHAW ..	-	1	1		2	-
†CHADDERTON ...	-	-		-	3	-
†CHORLEY		1	-	-	2	
†CLITHEROE ...	-	-	2	-	-	G. 1
†COLNE	-	2	-	-	1	-
†CROMPTON ...	-	-	-	-	1	D. 1
†DALTON IN FURNESS	-	2	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†DARWEN	-	3	-	-	-	-
†DENTON	-	-	-	-	1	-
†ECCLES		2	1	-	-	-
†FAILSWORTH ...		2	-	-	1	-
†FARNWORTH ...	-	2	1	-	2	-
†FLEETWOOD ...	-	1	-	-	-	-
†HASLINGDEN ...	-	-	-	-	4	-
†HAYDOCK ...	-	-	-	-	3	-
†HEYWOOD ...	-	1	-	-	1	-
†HINDLEY... ...	-	-	-	-	3	-
†HORWICH ...	-	1	-	-	1	
HURST		-	-	-	-	G. 1
†INCE IN MAKERFIELD		-	-	-	10	-
IRLAM	-	1	-	-	-	-
KEARSLEY ...	-	2		-	1	-
†LANCASTER ...	-	2	1	-	2	-
LATHOM AND BURSCOUGH	-		1	-		-
†LEIGH	-	-	-	-	2	-
†LITTLEBOROUGH	-	1	-	-	-	-
LITTLE HULTON ..	-	1			-	-
†MIDDLETON ...	-	-	3	-	2	-
MILNROW... ...	-	-	1	-	-	-
†MOSSLEY	-	1	-	-	-	-
†NEWTON IN MAKERFIELD		-	-	-	1	M. 1
NORDEN	-	-	-	-	-	C. 1
ORMSKIRK ...	-	1	1	-		-
†OSWALDTWISTLE	-	-	-	-	1	-
PRESCOT	-	1	-	-	-	-
†PRESTWICH ...	-	-	1	-	1	-
†RADCLIFFE ...	-	1	-	-	1	-
†RAWTENSTALL ...	-	-	2	-	2	-
†ROYTON	-	-	-	-	1	-
†STRETFORD ...	-	1	-	-	2	-
†SWINTON AND PENDLEBURY	-	1	-	-	1	-
TOTTINGTON ...	-	-	1		-	-
†TURTON	-	1	-			-
UPHOLLAND ...	-	1	-	-	-	-
†WATERLOO WITH SEAFORTH	-	-	-	-	2	-
†WESTHOUGHTON	-	1	1	1	-	
†WIDNES	-	2	5		6	-
†WORSLEY... ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURY	–	2	–	–	1	–
FYLDE		–	1	–	–	–
LEIGH	–	–	–	–	3	N. 1
ULVERSTON ...		2	2	1	1	–
WHISTON... ...	–	–	2	–	–	–
WIGAN	–	–	–	–	1	N. 1
LEICESTER ...	–	5	6	–	6	G. 1 M. 2 N. 2
†LEICESTER C.B. ...	–	4	4	–	–	M. 2 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	–	1	–		–
†HINCKLEY ...	–	–	–	–	1	–
MARKET HARBOROUGH	*	*	*	*	*	*
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	2	G. 1
BILLESDON ...	–	1	–	–	–	–
LUTTERWORTH ...	–	–			–	N. 1
MARKET BOSWORTH	–		–	–	1	–
MARKET HARBOROUGH...	–		–		1	–
LINCOLN (parts of Holland).	–	3	1	–	–	N. 1
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	–	1		–	–
Rural Districts:—						
BOSTON	–	–	–	–	–	N. 1
SPALDING (part)..	–	2	–	–	–	–
LINCOLN (parts of Kesteven).		1	–	1	–	M. 1 N. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...		–	–	1	–	M. 1
SLEAFORD ...	–	1	–	–	–	–
STAMFORD ...		–	–	–	–	N. 1
LINCOLN (parts of Lindsey).	–	9	5	–	16	M. 2 N. 1
†GRIMSBY C.B. ...	–	2	1	–	3	–
†LINCOLN C.B. ...		1	1	–	1	M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER		1	2	–		–
†CLEETHORPES ..	–	–	–		1	M. 1
†GAINSBOROUGH ...	–	1	–	–	3	–
HORNCASTLE ...		2		–	–	–
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–		1		6	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG		1	–	–	–	–
GRIMSBY	–	–	–	–	1	N. 1
HORNCASTLE ...	–	–	–	–	1	–
MIDDLESEX ...		62	49	–	21	G. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†ACTON		2	–	–		–
†CHISWICK ...		2		–		G. 1
†EALING		2	3		–	
†EDMONTON ...			3		–	–
†ENFIELD	–	6	2		1	–
†FINCHLEY ...	–	1	1	–	2	–
†FRIERN BARNET		1			1	–
†HAMPTON ...	–		–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HARROW ON THE HILL	-	3	-	-	1	-
HAYES	-	-	-		1	-
†HENDON	-	4	1	-	-	-
†HESTON AND ISLEWORTH			3	-	1	-
†HORNSEY... ...	-	8	1	-	1	-
†SOUTHALL NORWOOD	-	1	-	-	-	-
†SOUTHGATE ...		-	-	-	1	-
STAINES	-	-	1	-	-	-
†TOTTENHAM ..		11	15	-	4	-
†TWICKENHAM ...	-	3	-	-	-	-
†WEMBLEY ...		6	-		-	N. 1
†WILLESDEN ..		4	15	-	4	M. 2
†WOOD GREEN ..	-	5	2	-	1	-
Rural Districts:—						
HENDON	-	2	-	-	-	-
SOUTH MIMMS ...	-	-		-	2	-
STAINES	-	1	1	-	-	
UXBRIDGE ...	-	-	1	-	-	-
NORFOLK ...		16	6	1	10	M. 2
†GREAT YARMOUTH C.B	-	2	-	-	1	M. 1
†NORWICH C.B. ..		8	4	1	3	-
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	-		-	2	-
NORTH WALSHAM	-	1	-	-	-	-
Rural Districts:—						
BLOFIELD ...	-	1	-	-	2	-
DEPWADE ..	-	1	-	-	1	-
DOCKING	-	-	1	-	-	M. 1
DOWNHAM ...	-	-	-	-	1	-
ERPINGHAM ...	-	-	1	-	-	-
LODDON AND CLAVERING	*	*	*	*	*	*
MITFORD AND LAUNDITCH	-	3	-	-	-	-
SMALLBURGH ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	-	5	5	-	8	M. 1
†NORTHAMPTON C.B		1	4	-	5	-
Boroughs and Urban Districts:—						
†KETTERING		1	-	-	1	M. 1
†RUSHDEN... ..		-	-	-	1	-
†WELLINGBOROUGH	-	1	-	-	-	-
Rural Districts:—						
DAVENTRY ..	-	2	-	-	-	-
HARDINGSTONE ...		-	1		-	-
KETTERING ...		-	-	-	1	-
OXENDON... ...	*	*	*	*	*	*
NORTHUMBERLAND.	21	26	7	1	67	M. 3 N. 3
†NEWCASTLE UPON TYNE C.B.	2	14	4	1	40	M. 2 N. 1
†TYNEMOUTH C.B	7	2	1	-	3	-
Boroughs and Urban Districts:—						
ALNWICK... ...	*	*	*	*	*	*
AMBLE	-	-	-	-	1	-
†ASHINGTON ...	8	2	-	-	-	-
†BEDLINGTONSHIRE	-	-		-	6	N. 1
†BERWICK UPON TWEED	-	-	-	-	1	-
†BLYTH	-	-	-	-	-	N. 1
CRAMLINGTON ...	-	-	-	-	2	-
†EARSDON	2	-	-	-	-	-
MORPETH ...	1	-	-		-	-
†NEWBURN ...	-	-	1	-	1	-
PRUDHOE... ...	-	1	-		-	M. 1
†WALLSEND ...	-	2	-	-	4	-
†WHITLEY AND MONKSEATON	-	2	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
BELLINGHAM ...	–	–	.	–	1	–
CASTLE WARD ..	–	–	–	–	4	.
HEXHAM	–	2	1	–		–
MORPETH... ..	1	1	.	–	–	–
NORHAM AND ISLANDSHIRE	–	–	–		3	–
NOTTINGHAM ...	2	27	20	1	19	M. 3 N. 1
†NOTTINGHAM C.B	–	11	17		10	M. 3 N. 1
Boroughs and Urban Districts:—						
†CARLTON	-		1		2	-
†EAST RETFORD ...	-	–	–	–	1	–
†HUCKNALL ..		-		-	1	–
†KIRKBY IN ASHFIELD	–	4	–	–	1	–
†MANSFIELD ...	–	3	-	–	2	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	1	–	–	1	–	–
†WEST BRIDGFORD	-	1	–	–	-	–
†WORKSOP...	-	1	-			–
Rural Districts:—						
BASFORD	–	2	1	–	-	–
BINGHAM... ..	–	1	–	–	–	–
EAST RETFORD ..	-	–	–	–	2	–
SKEGBY	1	–	–	–	–	–
SOUTHWELL ..	–	3	–	–		–
OXFORD	–	1	3	–	1	–
†OXFORD C.B. ...	–	-		–	1	–
Rural Districts:—						
CROWMARSH ...	–	–	3	–	-	–
HEADINGTON ...	-	1	–	–	–	–
PETERBOROUGH (Soke of).	–	2	–	–	–	-
Borough:—						
PETERBOROUGH..	–	2	–		–	–
RUTLAND ...	–	2	–	–	1	–
Urban District:—						
OAKHAM		1	–	–	–	–
Rural Districts:—						
OAKHAM ...		1	–	–	–	–
UPPINGHAM ...	–	-	–		1	–
SALOP	–	14	2	–	1	M. 2
Boroughs and Urban Districts:—						
ELLESMERE ...	-	–	1		–	–
†OAKENGATES ..	–	2	–	–	–	–
OSWESTRY ...	–	–	–	–	–	M. 1
†SHREWSBURY ..	–	3	–	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	1	–
DRAYTON... ...		-	1	–	–	–
OSWESTRY ...	–	3	–	–	–	M. 1
WELLINGTON ...	–	6	–	–	–	–
SOMERSET ...	–	12	2	1	7	N. 4
†BATH C.B. ...	–	10	-	-	–	N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	-	–	–	–	N. 1
CLEVEDON ...	–	–	–	1	–	-
†TAUNTON... ...	–	–	–	-	–	N. 1
†WESTON SUPER MARE	–	–		–	1	–
†YEOVIL		–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	-	1	2			-
LONG ASHTON ...	-	-	-	-	1	-
WINCANTON ...	-	1	-	-	3	-
YEOVIL	-	-	-	-	1	N. 1
SOUTHAMPTON..	-	15	13	2	11	C. 1 D. 1 M. 3 N. 2
†BOURNEMOUTH C.B.		-	1	-	1	-
†PORTSMOUTH C.B.		3	10		3	C. 1
†SOUTHAMPTON C.B.	-	3	1	2	3	M. 1 N. 1
Boroughs and Urban Districts:—						
†FAREHAM ..		1	-	-	-	-
LYMINGTON ...	-	-	-	-		N. 1
MILTON	-	-	-	-	1	-
†WINCHESTER ..	-	1	-		1	-
Rural Districts:—						
ANDOVER... ...	-	1	-	-	-	-
BASINGSTOKE ...	-	1	-			-
CHRISTCHURCH ...	-	-	-	-	-	D. 1
FAREHAM ...		1	-	-	-	
FORDINGBRIDGE ..	-	1	-	-	-	M. 1
HAVANT	-	2	1	-		-
PETERSFIELD ...	-	-	-	-	-	M. 1
SOUTH STONEHAM	-	-		-	1	-
WINCHESTER ...	-	1	-	-	1	-
STAFFORD ...	-	33	26	-	54	G. 1 M. 10 N. 4
†BURTON UPON TRENT C.B.	-	-	2	-	2	N. 1
†SMETHWICK C.B.	-	-	2	-	4	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†STOKE ON TRENT C.B.		6	4	-	20	M. 6 N. 1
†WALSALL C.B. ...	-	1	1	-	1	M. 2 N 1
†WEST BROMWICH C.B.	-	-	4	-	3	-
†WOLVERHAMPTON C.B.	-	4	1	-	1	-
Boroughs and Urban Districts:—						
AMBLECOTE ...	*	*	*	*	*	*
†AUDLEY	-	2	-	-	-	-
†BILSTON	-	2	2	-	1	-
†BRIERLEY HILL...	-	1	1		-	-
†BROWNHILLS ..			-		2	-
†CANNOCK		3	1	-	2	-
†COSELEY	-	1	1	-	1	N. 1
†DARLASTON ..	-	-	-	-	3	M. 1
†HEATH TOWN OF WEDNESFIELD HEATH	*	*	*	*	*	*
KIDSGROVE ..	-	-	-	-	3	-
†LEEK	-	1	1	-		-
LICHFIELD ...	-	2	-	-	-	-
QUARRY BANK	-			-	1	-
†ROWLEY REGIS ...	-		1	-	2	-
STONE	-	1	-	-	-	-
TETTENHALL ..	-	2	-	-	-	-
†TIPTON	-	1	-		4	-
†WEDNESBURY ...	-	-	1	-	1	-
†WILLENHALL ..	-	1		-	-	-
†WOLSTANTON UNITED	-	3	-	-	3	-
Rural Districts:—						
CANNOCK	-		1		-	-
KINGSWINFORD ...	-	-	1	-	-	-
LEEK	-	1	-	-	-	G. 1
STONE	-	1	-	-	-	-
TAMWORTH (part)	-	-	2	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, EAST	–	9	–	–	12	G. 3 M. 1 N. 1
†IPSWICH C.B.	–	4	–	–	7	G. 1 M. 1
Boroughs and Urban Districts:—						
BUNGAY	–	1	–	–	1	–
LEISTON CUM SIZEWELL	–	–	–		1	–
†LOWESTOFT ..	–	3	–	–		N. 1
STOWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	–	G. 1
HOXNE	–	–	–	–	1	
MUTFORD AND LOTHINGLAND	–	1	–		–	–
WANGFORD ...	–	–	–	–	1	
WOODBRIDGE ...		–	–	–		G. 1
SUFFOLK, WEST		–	1	1	4	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	1	1	–
HAVERHILL ...	–	–	1	–	–	–
NEWMARKET ...	–	–	–	–	2	–
Rural Districts:—						
MELFORD... ...	–	–		–	1	N. 1
SURREY	1	29	16	1	19	F. 1 G. 4 M. 1 N. 3
†CROYDON C.B. ..	–	12	5	–	1	G. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CARSHALTON ...	–	1			–	N. 1
†COULSDON AND PURLEY	–	–	–	–	1	–
DORKING	–	2		–	–	–
EAST AND WEST MOLESEY	–		–	–	2	–
†EPSOM	–	1	–	–		–
†ESHER AND THE DITTONS	–	–			2	–
†FARNHAM ...	–	–	1	–	–	M. 1
GODALMING ...	–	–	–	–	–	F. 1
†GUILDFORD ...	–	–	–	–	2	[illegible]. 2 N. 1
†KINGSTON ON THAMES	–	–	1	–	2	–
†MERTON AND MORDEN	–	–	1	–	–	–
†MITCHAM... ...		2	5	–	2	–
†SURBITON ...	–	1	–		2	–
†SUTTON		2	–		–	–
†THE MALDENS AND COOMBE	–	–		–	1	–
†WIMBLEDON ...	1	5	–	1	–	–
†WOKING	–	–	–	–	1	–
Rural Districts:—						
CHERTSEY ...	–	–		–	2	–
FARNHAM ...		–	1		–	N. 1
GODSTONE ...		1	–		–	–
GUILDFORD ...	–	–	1	–	–	–
HAMBLEDON ...	–	–			–	G. 1
SUSSEX, EAST ...	–	20	7	–	8	C. 1 N. 2
†BRIGHTON C.B. ...	–	4	5	–	1	C. 1 N. 1
†EASTBOURNE C.B.	–	8	–	–	2	–
†HASTINGS C.B. ..	–	2	–	–	2	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	1	–
†HOVE	–	1	1	–	–	N. 1
†LEWES	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery : M, Ophthalmia Neonatorum ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
EAST GRINSTEAD	–	–	–	–	1	–
HAILSHAM ...	–	2	–		–	–
NEWHAVEN ...	–	–	–	–	1	–
RYE	–	2	–	–	–	–
SUSSEX, WEST...	–	5	3	–	–	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	2	–	–	–	–
†HORSHAM ...	–	–	1	–	–	–
SHOREHAM-BY-SEA	–	1	–	–	–	–
†WORTHING ...	–		2	–	–	–
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
WARWICK ...	–	44	49	–	60	C. 2 G. 2 M. 15 N. 3
†BIRMINGHAM C.B.	–	23	44	–	47	C. 2 G. 1 M. 15 N. 1
†COVENTRY C.B. ..	–	3	–	–	3	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	1	–	3	–
†ROYAL LEAMINGTON SPA	–	5	–	–	1	–
†RUGBY	–	1	–	–	2	G. 1
†SUTTON COLDFIELD	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	5	1	–	–	–
FOLESHILL ...	–	2	1	–	–	–
MERIDEN... ...	–	–	1	–	1	–
NUNEATON ...		1	1	–	–	–
RUGBY ...	–	–	–	–	2	N. 1
SOLIHULL ...	–	1	–	–	–	N. 1
SOUTHAM... ...	–	1	–	–	–	–
WARWICK .	–	–	–	–	1	–
WESTMORLAND	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†KENDAL	–	2	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	2	–
WEST WARD ...	–	–	–	–	1	–
WILTS	–	7	5	–	11	M. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
MELKSHAM ..	–	4	–	–	–	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ..	–	1	–	–	6	–
Rural Districts:—						
BRADFORD ON AVON	–	–	–	–	–	M. 1
HIGHWORTH ...	–	–	4	–	3	–
MALMESBURY ...	–	–	–	–	1	–
MELKSHAM ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	5	4	–	19	D. 1 G. 1 M. 1 N. 3
†DUDLEY C.B. ..	–	–	2	–	–	–
†WORCESTER C.B.	–	–	–	–	9	N. 2
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	–	–	1	G. 1
†KIDDERMINSTER	–	–	–	–	1	–
†LYE AND WOLLESCOTE	–		–	–	3	–
†MALVERN ...	–	–	–	–	1	–
NORTH BROMSGROVE	–	–	1	–		–
†OLDBURY... ...	–	1	1	–	1	D. 1 N. 1
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	1	–
DROITWICH ...	–	1	–	–	–	–
PERSHORE ...	–	–	–	–	2	–
YORKS ... ... (East Riding).	–	14	20	–	7	C. 1 G. 1 M. 3
†KINGSTON UPON HULL C.B.	–	12	17	–	5	C. 1 M. 3
Boroughs and Urban Districts:—						
HORNSEA	–	–	–	–	–	G. 1
Rural Districts:—						
BEVERLEY ...	–	1	2	–	–	–
HOWDEN	–	–	1	–	–	–
PATRINGTON ...	–	–	–	–	1	–
RICCALL	–	–	–	–	1	–
SCULCOATES ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	3	11	3	1	6	E. 1 G. 1 N. 2
†MIDDLESBROUGH C.B	3	1	1	1	1	E. 1
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	–	–
GUISBOROUGH ...	–	–	1	–	2	–
†REDCAR	–	–	1	–	–	–
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
AYSGARTH ...	–	–	–	–	–	G. 1
EASINGWOLD ..		–	–	–	1	–
FLAXTON ...	–	2	–	–	–	N. 1
KIRBY MOORSIDE		–	–		1	–
STOKESLEY ...		2	–	–	–	
WATH	–	–	–	–	1	–
WHITBY	–	–	–	–	–	N. 1
YORKS ... ... (West Riding).	90	117	48	6	180	C. 3 L. 1 M. 6 N. 9
†BARNSLEY C.B. ..	–	1	1	1	2	M. 1 N. 1
†BRADFORD C.B. ..	5	7	4	–	16	–
†DEWSBURY C.B....	–	1	–	–	–	M. 1
†HALIFAX C.B. ...	–	7	1	–	1	–
†HUDDERSFIELD C.B	–	6	4	1	–	–
†LEEDS C.B. ...	1	10	7	–	17	C. 1 M. 1
†ROTHERHAM C.B.	1	2	1	–	6	–
†SHEFFIELD C.B...	10	34	12	1	65	C. 1 M. 1 N. 2
†WAKEFIELD C.B.	–	–	1	–	2	N. 2
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	3	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	1	–
†BATLEY	–	1	2	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BENTLEY WITH ARKSEY	1	2	1	–	2	–
†BINGLEY	1	–	–	–	6	N. 1
†BRIGHOUSE ...	–	2	–	–	2	–
BURLEY IN WHARFEDALE	*	*	*	*	*	*
†CASTLEFORD ...	–	–	1	–	–	
†CONISBROUGH ...	17	–	–	–	4	–
CUDWORTH ...		–	–	–	4	–
†DONCASTER ...	17	1	1	–	3	
EARBY	–	1	1		–	–
†FEATHERSTONE ...		–	1	–	2	–
†GOLCAR	–	1		1	–	–
GREETLAND ...	–	–	1	–	–	–
GUISELEY ...		1	–	–		–
†HARROGATE ...		1	1	–	3	–
†HEMSWORTH ...	–	–			3	–
†HOLMFIRTH ...	–	1	–		2	–
HONLEY	–	1	–		–	–
†HOYLAND NETHER		–	1	–	3	–
†KEIGHLEY ...	11	–	3	–	–	–
LEPTON		1	–	–	1	–
MELTHAM ...	*	*	*	*	*	*
†MEXBOROUGH ...	9	–	–	1	2	–
MIRFIELD ...	–	1	–		–	
†MORLEY	–	–	–	–	1	–
MYTHOLMROYD ...	–	4	–			
NEW MILL ...	–	–	–	–	1	–
OTLEY		–		–	1	–
†PONTEFRACT ...	–	1	–	–	–	
†PUDSEY	–	–	–	–	1	–
†RAWMARSH ...	–	6	1	–	–	–
RIPON	–	1	–		–	–
†ROTHWELL ...	–	–	–	–	2	–
†SADDLEWORTH ...	–	1	–	–	–	
†SHIPLEY	–	1	1	–	–	–
†SKIPTON	–	1	–		–	–
SOUTH CROSLAND	–	–	1		–	
†SPENBOROUGH ...	–	–	–	–	1	–
SPRINGHEAD ...	–	1	–	–	–	–
†STANLEY	–	1	–	–	1	–
STOCKSBRIDGE ...	–	–	–		1	M. 1 N. 1
†SWINTON	4		–	–	3	–
†TODMORDEN ...	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATH UPON DEARNE	2	1	–	–	–	–
†WOMBWELL ...	–	1	–	–	3	–
†WORSBOROUGH ...		–	–	1	1	–
Rural Districts:—						
BARNSLEY ...	–	–			1	–
DONCASTER ...	7	3	–		1	–
GREAT OUSEBURN	–		–	–	–	N. 1
HEMSWORTH ...	–	2		–	4	C. 1 N. 1
KIVETON PARK ...	–	–	–	–	1	–
PONTEFRACT ...	–	2	–		–	–
ROTHERHAM ...	1	2	–	–	3	
TADCASTER ...	–	1	–	–	–	–
THORNE	3	1	–	–		M. 1
WAKEFIELD ...	–	–	–	–	1	–
WETHERBY ...	–		–	–	2	–
WHARFEDALE (NORTH)	–		–	–	2	–
WHARFEDALE (SOUTH)	–	–	–	–	1	L. 1
WORTLEY ...		1	1	–	1	–
§YORK, CITY OF...	–	–	1	1	2	–
†YORK C.B ..	–	–	1	1	2	–
WALES.						
ANGLESEY ...		–	–	–	1	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	1	–	.	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–		1	–
Rural Districts:—						
YSTRADGYNLAIS	–	1	–	–	–	–
YSTRADFELLTE (parish)	–	–	–	–	1	–
CAERNARVON...	–	3	–		–	G. 1
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	–	–	–	.	G. 1
Rural Districts:—						
GEIRIONYDD ...	–	3	–		.	–
CARDIGAN ...	–	–	.	–	1	–
Boroughs and Urban Districts:—						
CARDIGAN ...	*	*	*	*	*	*
Rural Districts:—						
LAMPETER ...	–	–	–	–	1	–
CARMARTHEN...	–	2	1	–	7	–
Boroughs and Urban Districts:—						
BURRY PORT ...	*	*	*	*	*	*
†CARMARTHEN ...		1	-		-	
CWMAMMAN ...	-	–	–	–	1	..
†LLANELLY ...	.	–	1	–	1	–
Rural Districts:—						
CARMARTHEN ...	.	1	–		–	–
LLANDILO FAWR	–		–	–	1	
LLANELLY ...	-	–	.	–	4	–
DENBIGH ...	–	4	2	–	2	E. 1 M. 1
Boroughs and Urban Districts:—						
RUTHIN	–	–	–	-		E. 1
†WREXHAM ...	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts:—						
CHIRK	–	–	2		–	.
LLANSILIN ...	*	*	*	*	*	*
WREXHAM ...		-	–	–	2	M. 1
FLINT	–	1	1	1	3	N. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	–		–	1	–
Rural Districts:—						
HAWARDEN ...	–	1	-	–	–	–
HOLYWELL ...	–	–	1	1	2	N. 1
OVERTON ...	*	*	*	*	*	*
GLAMORGAN ...	–	33	32	-	57	C. 3 M. 7 N. 2
†CARDIFF C.B. ..		6	7	–	5	C. 1 M. 4 N. 2
†MERTHYR TYDFIL C.B.	–	.	–	–	3	–
†SWANSEA C.B. ..	–	8	2	–	4	C. 1 M. 2
Boroughs and Urban Districts:—						
†ABERDARE ...		2	–	–	2	–
†BARRY	–	–	1	–	3	–
†CAERPHILLY ...		1	2	–	3	–
†GELLIGAER ...	-	–	–		6	–
†GLYNCORWG ...	–	1	–	–	.	–
†MAESTEG ...	.		4	–	7	–
†MOUNTAIN ASH ...	–	6	2		2	–
†NEATH	–	1	1	–	–	–
†OGMORE AND GARW	-	3	–		1	–
†PONTYPRIDD ...		1		..	3	–
PORTHCAWL ...	–	–		–	1	–
†PORT TALBOT ...	–	1	2	–	1	–
†RHONDDA ...		1	6		13	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
CARDIFF	–	–	–	–	1	–
LLANTRISANT AND LLANTWIT FARDRE	–	–	3	–	–	–
NEATH	–	2	–	–	1	C. 1
PONTARDAWE ...	–	–	1	–	1	–
SWANSEA... ...	–	–	1	–	–	–
MERIONETH ...	–	3	2	–	1	–
Urban Districts:—						
DOLGELLEY ...	–	1	–	–	–	–
MALLWYD ...	–	–	1	–	–	–
TOWYN	–	2	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	1	–
EDEIRNION ...	–	–	1	–	–	–
MONMOUTH ...	74	9	9		13	G. 2 M. 3
†NEWPORT C.B. ..	–	3	–	–	2	M. 3
Boroughs and Urban Districts:—						
†ABERCARN ...	4	–	–	–	–	–
ABERGAVENNY ...	–	–	–	–	–	G. 1
†ABERSYCHAN ...	51	1	–	–	–	
†ABERTILLERY ...	5	–	2	–	–	–
BEDWAS AND MACHEN	–	1	–	–	3	–
†BEDWELLTY ...	2	–	–	–	–	–
†BLAENAVON ...	7	–	–	–	–	–
CAERLEON ...	–	2	–	–	–	
CHEPSTOW ...	–	–	–	–	–	G. 1
†EBBW VALE ..	–	–	3	–	–	–
MONMOUTH ...	*	*	*	*	*	*
†NANTYGLO AND BLAINA	–	–	–	–	7	–
PONTYPOOL ...	4	1		–	–	–
†RHYMNEY ...	–		2	–	–	–
†RISCA	1	–	–	–	–	–
†TREDEGAR ...	–	–	2	–	1	–
MONMOUTH—*cont.*						
Rural Districts:—						
MONMOUTH ...	*	*	*	*	*	*
SAINT MELLONS...	–	1	–	–	–	–
MONTGOMERY...	–	–	–	–	7	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–
LLANFYLLIN ...	–	–	–	–	2	–
NEWTOWN AND LLANIDLOES	–	–	–	–	2	–
PEMBROKE ...	–	–	1	–	–	G. 1
Boroughs and Urban Districts:—						
TENBY	–	–	–	–	–	G. 1
Rural Districts:—						
PEMBROKE ...	–	–	1	–	–	–
ST. DOGMELLS ...	*	*	*	*	*	*
RADNOR	–	–	–	–	–	N. 1
Urban Districts:—						
KNIGHTON ...	–	–	–	–	–	N. 1
Total of Part II. ...	392	1081	656	29	1139	C. 2 D. E. F. G. 3 L. M. 11 N. 7

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

ameof Port itary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
DIGAN	*	*	*	*	*	*	PORT OF LONDON ...	–	–	1	–	1	L. 1
THAMPTON ...	–	–	–	1	–	–	Total of Part III. ...	–	–	1	1	1	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; uerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- halitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
Total of Part I.—London	–	230	252	9	124
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	392	1081	656	29	1139
Total of Part III.—Port Sanitary Districts	–	–	1	1	1
Total (*i.e.*, of returns received), England and Wales ...	392	1311	909	39	1264

‡ The letters in this column denote the following diseases:—A, Cholera; B, P
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute
encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Co
Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Py
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—LONDON and GREAT TOWNS in the REGATE. } BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apl. 2.
ON :—													
HS—all ages	1,602	1,648	1,908	2,045	1,912	1,704	1,652	1,278	1,240	1,114	1,114	1,068	959
0 to 1 year ..	137	122	135	162	137	100	122	101	91	97	100	105	87
AT TOWNS, aggre- e (including Lon-):—													
HS	7,332	6,929	6,231	6,475	7,020	6,293	7,015	6,490	6,760	6,834	7,047	6,248	6,935
HS—all ages	5,883	5,917	6,427	7,320	7,302	7,285	8,411	7,825	7,080	5,980	5,327	4,990	4,656
0 to 1 year ..	675	656	630	731	716	670	857	802	696	612	588	561	486
ERIC FEVER—Cases	15	16	9	14	18	11	7	13	21	14	14	8	22
" Deaths	1	1	2	2	3	1	3	4	2	1	4	1	2
LL POX—Cases ..	45	228	119	116	133	106	81	97	93	81	80	82	97
" Deaths ..	—	—	—	—	—	1	—	—	—	—	—	1	—
RLET FEVER—Cases	818	791	787	809	684	705	729	675	677	676	763	720	766
Deaths	4	6	4	6	11	6	4	8	5	8	2	6	5
HTHERIA—Cases ..	788	771	715	735	700	619	695	720	712	723	681	713	670
" Deaths ..	48	38	39	43	51	45	29	41	62	43	30	35	25
ASLES—Deaths ..	28	34	43	50	43	47	73	59	73	72	52	71	79
UENZA—Deaths ..	173	326	470	725	818	759	987	1,023	898	572	342	224	160

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday 2nd April, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
NDON (GREENWICH).	60	29	54·6	37·6	13
IGHTON ..	53	33	50·6	40·4	34
RTSMOUTH ..	56	33	52·7	40·5	23
RWICH (EATON).	58	31	52·7	36·7	19
YMOUTH ..	55	33	52·3	40·3	45
ISTOL (CLIFTON).	53	33	50·1	40·1	24
RMINGHAM (EDGBASTON).	53	32	48·3	37·1	29
OTTINGHAM ..	54	30	50·1	37·4	27
RKENHEAD (BIDSTON).	51	34	48·6	39·4	20
ANCHESTER (WHITWORTH PARK).	52	33	48·7	38·1	13
RNLEY	50	28	47·4	35·9	17

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	51	31	48·6	36·0	20
BRADFORD ..	50	30	47·9	35·1	25
SHEFFIELD ..	52	34	49·0	36·9	21
YORK (MUSEUM)	53	31	51·6	36·3	4
HULL (PEARSON PARK).	54	30	52·3	36·4	12
TYNEMOUTH ..	52	33	49·1	37·9	11
CARDIFF.. ..	53	31	49·7	37·9	41
EDINBURGH ..	50·0	33·0	48·3	36·1	3
GLASGOW ..	51·7	33·9	48·5	37·1	15
DUBLIN (PHŒNIX PARK).	58·3	29·8	51·6	36·4	31
(FITZWILLIAM SQUARE†).	56·2	35·2	50·7	39·3	31
BELFAST.. ..	60·0	30·0	55·3	36·6	26

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 2nd April, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	27	..	29·309	59·4	40·1	19·3	48·2	+ 4·9	38·1	10·1	18·5	3·4	69	124·5	29·4	45·1	SSW : SW.	SW	2·8	0·0	0·2	304	− 25	0·00
MONDAY	28	..	29·600	60·2	34·9	25·3	47·7	+ 4·0	35·6	12·1	25·7	2·0	63	121·6	22·5	45·0	SW : WSW.	WSW	1·8	0·0	0·1	228	− 98	0·00
TUESDAY	29	..	29·456	49·0	38·2	10·8	43·9	− 0·2	42·6	1·3	5·3	0·6	95	70·0	27·6	45·0	SSW	S : Calm.	0·6	0·0	0·0	169	− 152	0·11
WEDNESDAY	30	..	29·482	54·2	41·0	13·2	47·3	+ 2·8	37·7	9·6	20·8	0·6	69	104·6	30·9	45·0	S : SW : WSW.	WNW : W.	7·0	0·0	0·6	497	+ 185	0·11
THURSDAY	31	..	29·600	53·1	38·2	14·9	44·6	− 0·3	37·0	7·6	20·6	1·9	75	104·5	29·9	45·0	WSW : SW.	SSW : SSE.	3·3	0·0	0·2	326	+ 21	0·00
APRIL. FRIDAY	1	Perigee	29·737	50·1	37·5	12·6	41·8	− 3·5	36·5	5·3	12·7	2·7	82	98·2	28·3	45·0	NE : N : NNW.	NNW	6·4	0·0	0·6	390	+ 89	0·12
SATURDAY	2	In Equator New.	29·834	54·0	29·4	24·6	42·2	− 3·5	34·9	7·3	18·9	1·0	75	104·0	20·4	45·1	NW : SW.	SSW : SSE.	4·2	0·0	0·1	199	− 104	0·10
MEANS		..	29·574	54·3	37·0	17·2	45·1	− 0·6	37·5	7·6	17·5	1·7	75·4	103·9	27·0	45·0	SW		..	..	..	Sum 2113	Sum − 84	Sum 0·44
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	27	wP till 13h.; mP till 15h.; wP till 19½h., then mP.	8·7	12·5	Cloudless till 2h.; then variably cloudy becoming cloudless by 22h. Dew at night.
MONDAY ..	28	mP.	9·8	12·6	Cloudless till 9h.; partially cloudy till 17½h.; then variably cloudy clearing from 20h. to cloudless by 21h. Slight hoar frost in morning. Dew at night.
TUESDAY ..	29	wP till 8h.; mN till 13½h.; then wP.	0·0	12·7	Cloudless till 2h., then becoming overcast by 5h. Slight rain generally from 7¾h. till 22h.
WEDNESDAY	30	wP till 10h.; variably mP and sN till 17h.; then mP.	4·1	12·7	Variably cloudy. Rain 4¼h. till 7½h.; and with hail from 16½h. till 16½h. Showers 11½h., 12½h., 12½h. and 15h. Brisk wind 8h. till 19h.; and 21h. till 23h.
THURSDAY	31	mP till 11h.; wP till 14½h; variably wP and wN till 18h.; then variably sN and wP.	3·7	12·8	Cloudless till 3h.; then partially cloudy becoming nearly overcast by 12h. Solar halo 11½h. till 12h. Frequent slight rain between 14¾h. and 21h.
APRIL. FRIDAY ..	1	wP till 5h.; variably mP and mN till 9h.; mP till 15¾h.; variably sP and sN till 16½h.: then mP.	1·5	12·8	Overcast till 15h.; then variably cloudy. Rain 2½h.; from 4h. till 9h.; and between 15¾h. and 16¾h. Brisk wind 6h. till 12h. Hoar frost at night.
SATURDAY	2	mP till 3h.; wP till 16h.; then variably sN and wP.	4·2	12·9	Cloudless till 9h.; then becoming overcast by 10½h. Mist 4h. till 9h. Solar halo between 11h. and 12h. Occasional slight rain between 15h. and 16h.; then rain till 23h. Hoar frost in morning.
			Sum 32·0	Sum 89·0	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day

The reading of the barometer increased from 29·17 ins. at the beginning of the week to 29·62 ins. by 11h. on March 28th; decreased to 29·42 ins. by 15h. on March 29th; increased to 29·52 ins. by 23h. on March 29th; decreased to 29·38 ins. by 9h. on March 30th; increased to 29·82 ins. by 7h. on March 31st; decreased to 29·12 ins. by 0h. on April 1st; increased to 29·96 ins. by 6h. on April 2nd: decreased and was 29·65 ins. by midnight on the same day.

THE 1921

CENSUS

THE decennial census of England and Wales provides a wealth of statistical data relating to an exceptionally wide range of social conditions and activities and so furnishes matter of the greatest value for the solution of a vast number of current political and economic problems.

Encyclopædic in scope, the volumes are a storehouse of information of the most detailed nature and of exceptional accuracy which can be put to an extraordinary range and variety of uses. They have proved, for instance, of signal service in industry and commerce and to advertisers anxious to obtain quantitative data on which to base production and selling campaigns. Each County in England and Wales is surveyed separately and the figures relating to them are published in 52 volumes of foolscap folio size.

Ten general volumes are devoted to a grouping of statistics to illustrate the Industrial and Occupational divisions of the country and such special relationships as Dependency, Orphanhood, etc. A general Report on the Census as a whole is in course of preparation.

The complete set of volumes originally cost £34 4s. net and it has been decided to offer the few sets that remain at the exceptionally low price of £12 net, postage extra.

The series may be ordered at this price at any of the sale offices of H.M. Stationery Office.

LONDON: Adastral House, Kingsway, W.C.2.
MANCHESTER: York Street.
EDINBURGH: 120, George Street.
CARDIFF: 1, St. Andrew's Crescent.
BELFAST: 15, Donegall Square West.

FOR OFFICIAL USE

1927. No. 14.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 9TH APRIL, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.

Price 6d. net.

70-137-14-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 9TH APRIL, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the fourteenth week of the year numbered 6,901 and corresponded to an annual rate of 18·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,625 and corresponded to an annual rate of 12·3 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 14·3, 13·4 and 12·5. Infant mortality based on the average weekly number of births during the last 52 weeks, was 82 per 1,000 births against 86, 82 and 71 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,521 births, corresponding to a rate of 17·2 per 1,000, and 980 deaths of civilians, corresponding to an annual rate of 11·1, against 12·6, 12·1 and 10·9 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 11·7 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 64 as against 65, 68 and 56 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,656 to 4,625; the deaths from influenza which had been 342, 224 and 160 in the preceding three weeks, fell to 120 last week.

In London the number of deaths from all causes increased from 959 to 980. The deaths from whooping cough numbered 19 as against 16, 22 and 22 in the three weeks preceding; and the deaths from influenza which had been 33, 33 and 25 in the preceding three weeks, were 14 last week.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in t week ended 9th April, 1927.**

	Towns.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
	Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
	107 Great Towns ..	19,540,143*	6,901	4,625	560	2	76	2	76	28	37
	London	4,605,400*	1,521	980	98	-	5	-	19	0	6
Towns in Outer Ring.	Croydon C.B. ..	205,900	57	36	5	-	-	-	-	-	1
	Wimbledon ..	58,030	15	13	3	-	-	-	1	-	-
	Ealing	91,783	39	14	-	-	-	-	-	-	-
	Acton	63,040	19	11	-	-	-	-	-	-	-
	Brentford and Chiswick† ..	56,840	12	9	2	-	-	-	-	-	-
	Willesden ..	165,270	45	35	7	-	-	-	-	-	-
	Hendon	62,570*	22	10	-	-	-	-	-	-	-
	Hornsey	87,230	22	18	1	1	-	-	-	-	-
	Wood Green ..	51,940	13	4	-	-	-	-	-	-	-
	Tottenham ..	151,520	30	32	5	-	-	-	-	1	1
	Edmonton	71,700	34	13	2	-	-	-	2	-	-
	Enfield	63,640	18	24	-	-	-	-	-	-	-
	West Ham C.B. ..	315,900	154	75	15	-	-	-	7	1	1
	East Ham C.B. ..	146,600	47	23	4	-	1	-	-	-	-
	Leyton	130,000	22	21	2	-	-	-	-	1	1
	Walthamstow ..	125,500	43	19	2	-	-	-	2	-	-
	Ilford	100,500	24	23	2	-	-	-	-	-	-
	Gillingham	47,820*	24	10	3	-	-	-	-	-	-
	Canterbury C.B ..	23,470*	12	9	3	-	-	-	-	-	-
	Hastings C.B.	61,340	20	16	1	-	-	-	-	-	-
	Eastbourne C.B. ..	56,060	25	12	-	-	-	-	-	-	-
	Brighton C.B.	139,500*	35	33	-	-	-	-	-	-	-
	Portsmouth C.B. ..	231,500*	81	59	2	-	1	-	1	1	-
	Bournemouth C.B. ..	90,100	26	19	-	-	-	-	-	-	-
	Southampton C.B. ..	169,300	56	39	4	-	2	1	-	-	1
	Reading C.B	93,090*	34	18	1	-	-	-	-	-	-
	Oxford C.B.	56,800	20	13	-	-	-	-	-	-	-
	Northampton C.B. ..	93,530*	30	16	-	-	-	-	-	-	-
	Luton	59,240	13	11	-	-	-	-	-	-	-
	Cambridge	58,820	20	8	1	-	-	-	1	-	-
	Southend-on-Sea C.B.	104,300	26	15	-	-	-	-	-	1	-
	Ipswich C.B.	84,140	27	23	2	-	-	-	-	-	-
	Great Yarmouth C.B.	57,760	12	13	3	-	-	-	-	-	-
	Norwich C.B.	123,500*	57	30	3	-	2	-	-	-	-
	Swindon	57,320	15	14	3	-	-	-	1	-	-
	Exeter C.B.	60,340*	27	15	4	-	-	-	-	-	-
	Plymouth C.B. ..	187,300*	51	48	2	-	-	-	-	1	-
	Bath C.B.	69,000	17	19	-	-	-	-	-	-	-
	Bristol C.B.	383,300*	132	83	5	-	-	-	-	1	2
	Gloucester C.B. ..	53,050	20	12	2	-	-	-	-	-	-
	Stoke-on-Trent C.B.	275,600	125	67	13	-	4	-	1	-	1
	Burton-upon-Trent C.B.	48,660	18	13	1	-	-	-	-	-	-
	Wolverhampton C.B.‡	131,000	40	29	4	-	-	-	1	-	-
	Walsall C.B.	102,100	63	29	6	-	-	-	1	-	-
	West Bromwich C.B.	79,920	39	13	2	-	-	-	-	-	-
	Dudley C.B.	58,930	25	9	1	-	-	-	-	-	-
	Worcester C.B. ..	50,660	15	13	-	-	-	-	-	-	-
	Birmingham C.B. ..	934,300*	321	235	20	-	7	-	-	-	5
	Smethwick C.B. ..	76,940	17	18	6	-	1	-	1	-	1
	Coventry C.B. ..	127,800	43	28	3	-	-	-	-	-	-
	Leicester C.B. ..	241,700	96	57	3	-	3	-	2	-	-
	Lincoln C.B.	65,760*	22	19	1	-	-	-	-	-	-
	Grimsby C.B.	88,580	38	19	2	-	-	-	-	-	-
	Nottingham C.B. ..	268,000	84	61	9	-	-	1	-	1	-
	Derby C.B.	136,600*	50	32	3	-	-	-	-	-	-
	Chesterfield ..	66,650	39	23	5	-	-	-	1	-	-
	Stockport C.B. ..	125,400	46	28	3	-	-	-	-	-	-
	Chester C.B.	41,710	18	9	4	-	-	-	-	-	-
	Birkenhead C.B. ..	158,000	62	41	7	-	-	-	2	-	-
	Wallasey C.B. ..	93,050	21	25	1	-	1	-	1	-	-
	Liverpool C.B. ..	862,600	378	246	39	1	17	-	6	1	4
	Bootle C.B.	84,580	59	13	2	-	-	-	1	-	-
	St. Helens C.B. ..	110,000	50	24	8	-	-	-	1	-	-

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
CHPORT C.B. ..	77,970	26	20	3	-	-	-	1	-	-	2
AN C.B.	88,620	37	28	5	-	1	-	1	-	-	1
RINGTON C.B. ..	76,940*	26	22	4	-	-	-	-	-	-	-
TON C.B.	177,000	58	54	6	-	-	-	-	1	-	2
Y C.B.	56,840*	19	18	-	-	-	-	-	-	-	-
CHESTER C.B. ..	752,000	261	180	20	-	-	-	8	2	1	6
ORD C.B.	247,400	74	48	11	-	-	-	-	-	1	1
TON-UNDER-LYNE§	51,050	18	9	-	-	-	-	-	-	-	1
HAM C.B.	143,000	35	48	6	-	-	-	-	-	1	1
HDALE C.B.	91,510	22	43	3	-	-	-	1	-	-	4
NLEY C.B	99,600	35	28	3	-	-	-	-	-	-	1
CKBURN C.B. ..	124,400	34	33	2	-	-	-	-	-	-	2
STON C.B.	124,200	36	47	5	-	7	-	2	-	-	2
CKPOOL C.B. ..	88,640	26	20	-	-	1	-	-	1	-	1
ROW-IN-FURNESS B.	70,420	16	19	-	-	-	-	-	-	-	1
DERSFIELD C.B. ..	111,900	40	35	5	-	-	-	-	1	-	3
IFAX C.B.	96,130*	32	24	1	-	-	-	-	-	-	2
DFORD C.B. ..	288,700	86	87	8	-	2	-	-	1	-	1
DS C.B.	473,400	172	126	21	-	2	-	-	-	2	2
VSBURY C.B. ..	53,630	15	5	-	-	-	-	-	-	-	1
KEFIELD C.B. ..	53,830	21	19	1	-	2	-	-	-	-	-
NSLEY C.B. ..	70,760	40	12	3	-	1	-	1	-	-	1
FFIELD C.B. ..	523,300*	176	137	20	-	-	-	6	-	3	7
HERHAM C.B. ..	70,080	32	9	3	-	-	-	-	-	-	-
COASTER C.B.‡ ..	55,700	20	14	1	-	-	-	-	-	-	-
K C.B.	84,430*	25	19	1	-	-	-	-	-	-	-
L C.B.	294 600	95	67	9	-	2	-	1	-	-	2
DLESBROUGH C.B.	133,600	61	31	3	-	2	-	-	-	1	-
LLINGTON C.B. ..	70,700	27	21	4	-	-	-	-	-	-	-
CKTON-ON-TEES ..	67,910	30	17	2	-	2	-	-	-	1	1
ST HARTLEPOOL C.B.	71,060	34	23	6	-	-	-	-	1	-	1
DERLAND C.B. ..	163,800	73	35	2	-	-	-	-	-	-	-
TH SHIELDS C.B. ..	123,900	51	34	4	-	-	-	-	-	-	-
ESHEAD C.B. .	127,700	78	43	15	-	2	-	1	1	1	1
WCASTLE-ON-TYNE B.	284,700*	139	82	12	-	4	-	-	-	-	5
EMOUTH C.B ..	66,560	33	11	2	-	-	-	-	1	-	-
LISLE C.B.	56,140*	23	11	1	-	-	-	-	-	1	-
WPORT (MON.) C.B.	96,620	28	25	3	-	-	-	-	-	1	1
RDIFF C.B.	225,600*	98	58	11	-	-	-	-	-	-	1
ONDDA	162,500	70	37	9	-	1	-	1	-	-	1
RTHYR TYDFIL C.B.	80,690	30	27	4	-	1	-	1	-	-	1
RDARE	56,930	8	11	1	-	-	-	-	-	-	-
ANSEA C.B.	163,200	55	42	10	-	2	-	-	1	-	1
EATER LONDON ..	7,791,310*	2,514	1,604	158	2	6	-	31	14	10	28
TER RING	3,185,910*	993	624	60	2	1	-	12	5	4	14
GREAT TOWNS IN UTER RING	1,947,963*	616	380	50	1	1	-	12	3	4	7
MAINDER OF OUTER ING	1,237,947*	377	244	10	1	-	-	-	2	-	7
INBURGH†	426,100	‖	‖	‖	‖	‖	‖	‖	‖	‖	‖
ASGOW†	1,049,000	‖	‖	‖	‖	‖	‖	‖	‖	‖	‖
BLIN (REGISTRATION REA)†	421,000	217	176	35	-	-	1	10	2	4	9
LFAST†	416,000	200	135	27	-	-		9	1	2	4

* Population adjusted by the exclusion of non-civilians.
† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and asgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and the addition of deaths of residents reported from elsewhere in Scotland during the week; those in blin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into blic institutions from without the respective areas.
‡ Created County Borough 1st April, 1927.
§ Ashton-under-Lyne M.B as extended 1st April, 1927.
‖ Returns not received.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last availab**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*
London‡	4,605,400	1927. April 9	1521	980	11·1	-	-	5	-	19	9
Calcutta and Suburbs	1,077,264	1926-27. Mar. 5	?	929‖	44·8	?	170	?	?	?	?
Bombay§	1,298,708	„ 19	326	595‖	23·8	-	33	3	-	-	1
Madras	528,791	„ 12	398	419	41·1	2	-	-	-	2	-
Sydney and Suburbs	1,038,950	Feb. 28 (28 days)	444	199	9·0	1	-	1	-	1	1
Brisbane (Metropolitan Area).	263,711	Jan. 31 (31 days)									
Perth (Metropolitan Area).	179,388	Feb. 26									
Auckland (Urban Area).	192,176	„ 28 (28 days)									
Wellington (Urban Area).	121,324	Feb. 28 (28 days)									
Christchurch (Urban Area).	118,408	Feb. 28 (28 days)									
Cape Town	115,348	Mar. 19	70	31	14·0	-	-	1	-	-	-
Johannesburg	172,189	„ 12	75	28	8·5	-	-	-	-	-	-
Durban	54,738	„ 12	16	14	13·3	-	-	-	-	-	-
Paris	2,871,429	„ 10 (10 days)	1315	1149	14·6	2	4	24	13	12	9
Antwerp	300,086	Mar. 5	100	65	11·3	-	-	2	1	-	-
Amsterdam	727,259	„ 19	279	153	11·0	-	-	1	-	1	-
Copenhagen	592,000	„ 26	200	145	12·8	-	-	-	-	-	4
Stockholm	453,332	„ 26	84	97	11·1	-	-	-	-	-	1
Gothenburg	231,624	Feb. 26	?	47	10·6	-	-	-	-	1	-
Oslo (Christiania) ..	255,724	April 2	36	48	9·8	-	-	-	-	-	-
Berlin	1,993,000	Mar. 19	432	474	12·8	-	?	-	1	1	9
Breslau	561,000	„ 19	144	144	13·3	-	?	1	1	1	-
Cologne	711,000	„ 19	216	139	10·2	-	?	3	1	1	3
Dresden	624,000	„ 19	135	151	12·6	-	?	-	-	1	-
Frankfort-on-Main..	471,000	„ 19	116	92	10·2	-	?	-	-	1	-
Hamburg	1,111,000	„ 19	272	241	11·3	-	?	1	1	1	2
Leipzig	685,000	„ 19	161	151	11·5	-	?	-	-	-	-
Munich	685,000	„ 19	166	155	11·8	-	?	-	1	2	-
Vienna	1,871,607	June 30 (30 days)									
Prague and Suburbs	725,196	Oct. 31 (31 days)									
Budapest	971,169	Mar. 26	277	292	15·6	-	-	2	3	-	4
Warsaw	1,015,426	April 2	?	282	14·5	1	-	1	8	1	1
Cairo	859,400	Jan. 7									
Alexandria	492,100	„ 7									
New York	5,924,018	Mar. 26	?	1480	13·0	2	-	-	3	3	12
Chicago	3,101,000	„ 25	1329	747	12·6	-	-	8	2	2	10

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children* u
year of age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 35 deaths from Cholera in Calcutta and 2 deaths from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 9th April, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	980	98	18	21	28	36	59	74	103	146	185	212
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	2	2	-	1	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	19	10	4	4	1	-	-	-	-	-	-	-
Diphtheria	9	1	-	1	6	1	-	-	-	-	-	-
Influenza	14	-	-	-	2	-	1	1	3	2	2	3
Erysipelas	1	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	2	-	1	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	69	1	-	1	1	13	14	19	12	3	5	-
Nervous system	11	1	1	4	2	1	1	1	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	2	-	-	-	-	1	1	-	-	-	-	-
Venereal diseases	2	2	-	-	-	-	-	-	-	-	-	-
Cancer	117	-	1	-	-	-	4	4	23	32	33	20
Rheumatic fever	6	-	-	-	2	1	1	1	-	1	-	-
Diabetes	10	-	-	-	-	-	1	-	3	1	3	2
Alcoholism	1	-	-	-	-	-	-	1	-	-	-	-
Simple meningitis	6	3	-	1	1	-	-	-	-	-	-	1
Cerebral hæmorrhage, &c., Apoplexy	58	-	-	-	-	-	-	2	4	15	14	23
Epilepsy	4	-	-	-	-	-	1	1	1	-	-	1
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	41	2	1	-	4	4	4	6	5	8	4	3
Pericarditis	2	-	-	-	-	1	-	-	-	-	1	-
Acute endocarditis	3	-	-	-	-	-	1	1	-	1	-	-
Other diseases of heart	142	-	-	-	-	4	10	8	6	28	37	49
Other diseases of circulatory system	61	-	-	-	-	-	1	2	4	9	18	27
Bronchitis	49	3	2	-	-	-	-	1	10	7	10	16
Broncho-pneumonia	47	19	4	5	-	1	1	1	-	-	10	6
Lobar-pneumonia	24	1	1	-	-	2	3	3	7	2	4	1
Pneumonia (type not distinguished)	13	-	-	1	1	-	1	2	1	2	4	1
Other diseases of respiratory system	3	-	-	-	-	-	-	-	-	1	1	1
Diarrhœa and enteritis	9	6	-	1	-	-	-	1	-	-	1	-
Appendicitis, Typhlitis	15	-	-	-	1	2	1	2	1	3	2	3
Hernia, Intestinal obstruction	8	-	-	-	-	-	1	-	1	-	1	5
Cirrhosis of liver	5	-	-	-	-	-	-	1	2	1	-	1
Other diseases of digestive system ..	17	-	-	-	-	-	-	2	3	6	4	2
Acute nephritis	3	-	-	-	-	-	1	1	-	-	1	-
Chronic Bright's disease	27	-	-	-	-	1	1	2	5	6	9	3
Other diseases of genito-urinary system.	23	-	-	-	1	1	-	1	3	5	7	5
Puerperal sepsis	3	-	-	-	-	-	3	-	-	-		
Other causes incident to childbirth ..	3	-	-	-	-	-	2	1	-	-		
Congenital malformations	2	2	-	-	-	-	-	-	-	-	-	-
Premature birth	26	26	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-		
Old age	33	-	-	-	-	-	-	-		-	4	29
Suicide	11	-	-	-	-	-	-	5	3	2	-	1
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	6	-	-	-	-	-	1	2	1	1	1	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	2	3	-	-	-	-	1	1	1
Other deaths by violence	5	1	-	-	-	1	-	1	1	1	-	-
Other specified causes	45	10	-	-	2	1	4	1	4	7	8	8
Ill-defined causes	2	1	1	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 9th April, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	231	232	4	109	C. 4 D. 3 E. 3 G. 2 M. 25 N. 16
Metropolitan Boroughs:—						
†BATTERSEA ..	-	6	17	-	7	E. 1 M. 1
†BERMONDSEY ...		8	6	-	3	N. 1
†BETHNAL GREEN	-	21	26	-	6	D. 1 M. 1
†CAMBERWELL ...		17	8	1	4	M. 1
†CHELSEA	-	2	1	-	6	N. 1
†DEPTFORD ...	-	7	11	1	6	M. 1
†FINSBURY ...	-	4	6	-	2	D. 1 M. 1
†FULHAM	-	6	5	-	4	M. 2
†GREENWICH ...	-	7	11	-	-	M. 1
†HACKNEY ...	-	12	14	-	3	-
†HAMMERSMITH ...	-	7	7	-	5	G. 1
†HAMPSTEAD ...	-	5	2	-	-	N. 4
†HOLBORN... ...	-	1	1	-	1	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ..	-	13	13	-	3	M. 2
†KENSINGTON ...	-	8	12	-	2	N. 2
†LAMBETH ..	-	8	8	-	12	C. 3 E. 1 M. 1
†LEWISHAM ...	-	13	7	-	3	N. 3
†PADDINGTON ...	-	4	4	-	1	D. 1 M. 1 N. 1
†POPLAR	-	14	7	-	4	M. 3
†ST. MARYLEBONE	-	4	3	-	1	M. 1
†ST. PANCRAS ...	-	12	7	1	8	-
†SHOREDITCH ...	-	4	5	-	7	C. 1 G. 1 M. 3
†SOUTHWARK ...	-	7	11	-	5	E. 1 N. 2
†STEPNEY	-	20	7	-	1	M. 1
†STOKE NEWINGTON	-	3	5	-	1	-
†WANDSWORTH ...	-	8	20	1	7	M. 1 N. 1
†WESTMINSTER, CITY OF	-	4	1	-	-	M. 2
†WOOLWICH ...	-	6	7	-	7	M. 1 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	5	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	4	–	–	–	–
†LUTON	–	1	5	–	1	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	1	–
BERKS	–	12	4	1	–	G. 1 M. 1
†READING C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	1	–	–	–
†NEW WINDSOR ...	–	–	–	–	–	G. 1
WALLINGFORD ...	–	–	–	–	–	M. 1
WOKINGHAM ...	–	–	3	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
HUNGERFORD ...	–	3	–	–	–	–
WANTAGE .	–	6	–	–	–	–
WOKINGHAM ...	–	–	–	1	–	–
BUCKINGHAM ...	–	3	4	–	1	M. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	–	–	–	1	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	2	–	–	–	–
AYLESBURY ...	–	–	1	–	–	–
ETON	–	–	2	–	–	M. 1
WYCOMBE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	8	3	–	1	–
Borough:—						
†CAMBRIDGE ...	–	3	3	–	–	–
Rural Districts:—						
CHESTERTON ...	–	2	–	–	1	–
LINTON	–	2	–	–	–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER ...	–	41	11	1	28	C. 3 M. 6 N. 8
†BIRKENHEAD C.B.	–	7	2	–	8	C. 2 M. 2 N. 3
†CHESTER C.B. ...	–	2	–		4	–
†STOCKPORT C.B.	–	9	1	–	–	M. 1
†WALLASEY C.B. ...	–	3	3	–	3	N. 2
Boroughs and Urban Districts:—						
ASHTON UPON MERSEY	–	–	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	–	M. 1
BREDBURY AND ROMILEY	–	1	–	–	–	–
BUGLAWTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	2	1	–	–	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	–	–	–	5	C. 1
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	–	–	–	N. 1
†HYDE		–	1		1	M. 1
†MACCLESFIELD ...	–	–	–	1	1	–
MIDDLEWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	–	–	–	1	N. 1
Rural Districts:—						
BUCKLOW ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
CONGLETON ...	–	2	–	–	–	–
NANTWICH ...	–	–	1	–	–	M. 1
NORTHWICH ...	–	1	–	–	–	N. 1
RUNCORN ...	–	6	–	–	1	–
TINTWISTLE ...	–	–	–	–	1	–
WIRRAL	–	1	1	–	3	–
CORNWALL ...	–	7	5	–	6	–
Boroughs and Urban Districts:—						
HELSTON	–	–	1	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
LISKEARD ...	–	–	2	–	–	–
ST. IVES	–	7	–	–	–	–
Rural Districts:—						
CAMELFORD ...	*	*	*	*	*	*
EAST KERRIER ...	–	–	1	–	–	–
HELSTON	–	–	–	–	1	–
ST. COLUMB MAJOR	–	–	–	–	3	–
ST. GERMANS ...	–	–	–	–	1	–
TRURO	–	–	1	–	–	–
CUMBERLAND...	–	5	7	–	5	–
†CARLISLE C.B. ..	–	2	1	–	1	–
Boroughs and Urban Districts:—						
HOLME CULTRAM	–	–	1	–	–	–
KESWICK	*	*	*	*	*	*
†MARYPORT ...	–	–	1	–	–	–
MILLOM	–	–	–	–	1	–
PENRITH	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	1	–	–	–
BRAMPTON ...	–	–	2	–	–	–
CARLISLE ...	–	–	–	–	1	–
LONGTOWN ...	–	2	–		–	–
PENRITH	–	–	1	–	–	–
DERBY	6	24	20	2	25	D. 1 M. 4
†DERBY C.B. ...	4	2	8	–	8	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	–	M. 2
BAKEWELL ...	–	–	–	–	1	–
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	–	2	–	–	–	–
BRAMPTON AND WALTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	5	3	–	2	–
†HEANOR	–	–	–	–	2	M. 1
†ILKESTON ...	–	2	1	–	1	M. 1
†LONG EATON ...	–	1	–		1	–
NEW MILLS ...	–	4	1	–	2	–
NORTH DARLEY...	*	*	*	*	*	*
†RIPLEY	2	–	–	–	–	–
†SWADLINCOTE DISTRICT	–	1	–	2	1	–
†THE MATLOCKS...	*	*	*	*	*	*
WIRKSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	–	D. 1
BELPER	–	–	1	–	–	–
BLACKWELL ...	–	–	2	–	1	–
CHESTERFIELD ...	–	1	4	–	1	–
GLOSSOP DALE ...	–	–	–	–	1	–
HARTSHORN AND SEALS	*	*	*	*	*	*
HAYFIELD ..	–	–	–	–	1	–
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	25	9	–	4	G. 1 M. 1 N. 3
†EXETER C.B. ...	–	5	–	–	–	G. 1
†PLYMOUTH C.B...	–	10	9	–	2	M. 1 N. 2
Boroughs and Urban Districts:—						
BIDEFORD ...	–	1	–	–	–	–
BRIXHAM... ...	–	1	–	–	–	–
CREDITON ...	–	1	–	–	–	–
†ILFRACOMBE ...	–	1		–	–	–
IVYBRIDGE ...	*	*	*	*	*	*
†TEIGNMOUTH ...	–	1	–	–	–	–
TIVERTON ...	–	–		–	1	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
AXMINSTER ...	–	1	–	–	–	–
BIDEFORD ...	–	3	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	–	N. 1
SOUTH MOLTON...	–	–	–	–	1	–
TORRINGTON ...	–	1	–	–	–	–
DORSET	–	4	–	–	6	E. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
LYME REGIS ...	–	1		–	–	–
†POOLE	–	1	–	–	3	–
Rural Districts:—						
POOLE	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	2	–
WAREHAM AND PURBECK	–	–	–	–	–	E. 1
WEYMOUTH ...	–	–	–	–	1	–
DURHAM ...	174	47	30	–	69	C. 3 G. 1 M. 5 N. 2
†DARLINGTON C.B.	2	–	–	–	4	–
†GATESHEAD C.B.	2	8	9	–	8	M. 1
DURHAM—*cont.*						
†SOUTH SHIELDS C.B.	43	3	1	–	4	M. 1
†SUNDERLAND C.B.	–	7	–	–	7	C. 1
†WEST HARTLEPOOL C.B.	–	1	3	–	3	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	–	–	–	–	C. 1
BENFIELDSIDE ...	–	1	1	–	–	–
†BISHOP AUCKLAND	1	–	–	–	–	–
†BLAYDON... ...		1			1	–
†BRANDON AND BYSHOTTLES	5	–	–	–	–	G. 1
†CHESTER LE STREET	4	–	–	–	1	–
†CONSETT	1	5	1	–	2	–
†FELLING	10	–	1	–	1	–
†HARTLEPOOL ...	–	–	1	–	–	N. 1
†HEBBURN ...	1	1	–	–	2	–
†HETTON	6	–	–	–	–	–
†HOUGHTON LE SPRING	3	1	–	–	–	–
†JARROW	22	4	–	–	9	–
LEADGATE ...	–	–	1	–	–	–
†RYTON	–	3	1	–	–	–
†SEAHAM HARBOUR	–	–	1	–	6	–
†SHILDON	2	1		–	–	–
†SOUTHWICK ON WEAR	–	–	2	–	–	–
†STANLEY	–	1	–	–	–	M. 2
†STOCKTON ON TEES	–	3	1	–	2	–
†TANFIELD ...	–	1	–	–	–	–
TOW LAW ...	1	–	–	–	–	–
†WASHINGTON ...	–	–	–	–	3	–
†WHICKHAM ...	–	–			6	–
WILLINGTON ...	1	–	2	–	–	–
Rural Districts:—						
AUCKLAND ...	19	1	1	–	–	–
CHESTER LE STREET	18	1	2	–	1	M. 1
DARLINGTON ...	1	–	–	–	–	–
DURHAM	5	–	–	–	1	C. 1
EASINGTON ...	15	2	1	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
HOUGHTON LE SPRING	1	–	–		3	–
LANCHESTER ...	3	1	1	–	–	–
SEDGEFIELD	3	1	–	–	1	N. 1
SOUTH SHIELDS...	3		–	–	–	–
SUNDERLAND			–	–	1	–
ELY, ISLE OF ...	–		–	–	2	–
Rural Districts:—						
ELY			–	–	2	–
WISBECH	*	*	*	*	*	*
ESSEX	–	82	62	4	31	G. 2 J. 1 L. 1 M. 1 N. 6
†EAST HAM C.B. ..	–	6	8	–	2	–
†SOUTHEND-ON-SEA C.B.		8	1		5	M. 1 N. 1
†WEST HAM C.B. ...	–	29	18	–	8	L. 1 N. 5
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	4	2	2	2	G. 1
BRAINTREE ...		1		–	–	–
†CHELMSFORD ...		–			1	–
CHINGFORD ...	–	1	2	–	–	–
†CLACTON		1	–	–	–	–
†COLCHESTER ...	–		–	1	2	–
DAGENHAM ...	*	*	*	*	*	*
†GRAYS THURROCK		2	2	–	–	–
HALSTEAD ...	–	–	2	–	–	–
†ILFORD	–	5	1	–	2	J. 1
†LEYTON	–	5	11		1	–
SAFFRON WALDEN	–	1	–	–		–
TILBURY	–	2	–	–	–	–
WALTHAM HOLY CROSS	–	2		–	–	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTHAMSTOW ...	–	6	11	–	2	G. 1
†WANSTEAD ...		1		–	1	–
WEST MERSEA ...	–	1	–	–	–	–
†WOODFORD ...	–	–	2	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	–	–	1	–
EPPING	–	1	–	–	–	–
HALSTEAD ...		–	1	–	–	–
LEXDEN AND WINSTREE	–	3	–	–	–	–
MALDON	–	–	–	–	2	–
ONGAR			1	–	–	–
ORSETT	–	–	–	–	2	–
ROCHFORD ...	–	2	–	1	–	–
ROMFORD... ...	–	1	–		–	–
GLOUCESTER ...	–	52	20	2	7	C. 1 G. 1 N. 3
†BRISTOL C.B. ..	–	27	18	1	5	G. 1 N. 3
†GLOUCESTER C.B.		7	1	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	–	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
NEWNHAM ...	–	2	–	–	–	–
STROUD		1	–	–	–	–
WESTBURY ON SEVERN	–	–	–	1	–	–
Rural Districts:—						
CHELTENHAM ...	–	2		–	–	–
DURSLEY... ...	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	–	C. 1
GLOUCESTER ...	–	2		–	–	–
STROUD	–	4	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
WHEATENHURST	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	2	–	–	3	C. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	1	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	C. 1
DORE	–		–	–	1	–
WEOBLEY... ...	–	1	–	–	–	–
HERTFORD ...	–	7	2	–	5	N. 2
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	N. 1
BUSHEY	–	–	1	–	1	–
†CHESHUNT ...	–	1	–	–	1	–
HARPENDEN ...	–	–	–	–	1	–
ROYSTON	*	*	*	*	*	*
†ST. ALBANS ...	–	–	–	–	1	–
SAWBRIDGEWORTH	–	1	–	–	–	–
†WATFORD ...	–	2	–	–	1	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	–	N. 1
BERKHAMPSTEAD	–	–	1	–	–	
HATFIELD ...	–	2	–	–	–	–
WELWYN	*	*	*	*	*	*
HUNTINGDON ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
ST. NEOTS ...	–	–		–	1	–
Rural Districts:—						
ST. IVES	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	50	31	–	19	L. 1 M. 3 N. 2
†CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD		2	–	–	–	N. 2
†BECKENHAM ...	–	1	–	–	–	–
†BEXLEY	–	1	3	–	–	–
†BROMLEY ...	–	1	3	–	1	–
†CHATHAM ...	–	3	3	–	–	–
CHERITON ...	–	1	–	–	–	–
†CRAYFORD ...	–	1	–	–	1	–
†DARTFORD ...	–	1	1	–	–	–
†DEAL	–		–	–	1	–
†DOVER	–	2	–	–	–	M. 2
†ERITH	–	1	–	–	4	–
†FAVERSHAM ...	–	–	–	–	1	–
†FOLKESTONE ...	–	1	–	–	1	–
†GILLINGHAM ...	–	2	1	–	1	–
†GRAVESEND ...	–	6	2	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
LYDD	–	1	–	–	–	–
†MAIDSTONE ...	–	1	–	–	2	–
†MARGATE ...	–	2	–	–	–	–
MILTON REGIS ...	–	–	2	–	–	–
†NORTHFLEET ...	–	4	–	–	–	–
†PENGE	–	–	1	–	3	–
†RAMSGATE ...	–	3	–	–	1	M. 1
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	1	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	1	–	–	–
SIDCUP	–	–	2	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
SWANSCOMBE ...	–	–	4	–	–	–
†TONBRIDGE ...	–	1	–	–	1	–
WROTHAM ...	–	–	1	–	–	–
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BROMLEY ...	–	–	1	–	–	–
DARTFORD ...	–	3	–	–	–	–
EAST ASHFORD ...	–	3	–	–	–	–
EASTRY	–	–	–	–	–	L. 1
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	–	2	–	–	–
MILTON	–	2	–	–	–	–
SHEPPEY	–		–	–	2	–
TONBRIDGE ...	–	1	1	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Opbthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	3	139	114	5	200	C. 5 D. 1 E. 1 G. 5 M. 29 N. 6
†BARROW IN FURNESS C.B.	–	2	–	–	1	–
†BLACKBURN C.B.	–	3	2	–	4	–
†BLACKPOOL C.B.	–	4	3	–	–	–
†BOLTON C.B. ...	–	3	2	–	3	G. 1
†BOOTLE C.B. ...	–	2	3	–	2	M. 1
†BURNLEY C.B. ..	–	–	1	–	5	–
†BURY C.B. ...	–	3	3	–	2	M. 1 N. 1
†LIVERPOOL C.B. ..	–	30	31	1	24	C. 2 D. 1 M. 16
†MANCHESTER C.B	–	29	20	2	54	E. 1 M. 5 N. 1
†OLDHAM C.B. ..	–	4	2	–	4	C. 1 M. 1
†PRESTON C.B. ..	–	2	6	–	1	–
†ROCHDALE C.B. ..	–	–	1	–	2	C. 1
†ST. HELENS C.B....		4	–	–	1	–
†SALFORD C.B. ...	–	7	11	1	13	M. 1 N. 2
†SOUTHPORT C.B.	2	1	–	–	–	–
†WARRINGTON C.B	–	1	1	–	8	G. 2
†WIGAN C.B.	–	–	1	–	10	–
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	1	–
†ACCRINGTON ..	–	1	1	–	–	C. 1 M. 1
ADLINGTON ...	–	–	–	–	2	–
†ASHTON IN MAKERFIELD	–	1	–	–	–	–
†ASHTON UNDER LYNE	–	2	–	1	4	M. 1
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–		–	–	2	–
AUDENSHAW ..	–	1	–	–	–	–
†BACUP	–	–	–	–	2	–
†CHADDERTON ..	–	–		–	3	–
†CLITHEROE ...	*	*	*	*	*	*
†COLNE	–	1	–	–	2	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DENTON		2	1	–	1	–
†DROYLSDEN ...	–	–		–	1	–
†ECCLES	–	1	3	–	1	–
†FAILSWORTH ...	–		–	–	2	–
†FARNWORTH ...	–	1		–	–	–
†FLEETWOOD ...	–		1			–
†GREAT HARWOOD	*	*	*	*	*	*
†HAYDOCK ...	–	1	–	–	2	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...		1	–	–	1	M. 1
†INCE IN MAKERFIELD	–	–	–	–	2	–
IRLAM	–	–	2	–	–	N. 1
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	2	2	–	3	–
LEES	–	1	–	–	–	–
†LEIGH	–	–	3	–	3	–
LITTLE LEVER ...	–	–	–	–	1	–
†LYTHAM ST. ANNE'S	–	–	–	–	1	–
†MIDDLETON ...	–	1	3	–	1	–
†NELSON		1	1	–	–	G. 1
†NEWTON IN MAKERFIELD	–	1	–	–	–	–
ORMSKIRK ...	–	1	1	–	–	–
ORRELL	–	–	–	–	1	–
†OSWALDTWISTLE	–	–	1	–	–	–
†PRESTWICH ...	–	–	–	–	1	–
†RADCLIFFE ...	–	–	–	–	–	G. 1
†RAWTENSTALL ...	–	–	1	–	2	–
†ROYTON	–	–	1	–	–	–
STANDISH WITH LANGTREE	–	–	–	–	2	–
†STRETFORD ..	–	1	–	–	3	–
†SWINTON AND PENDLEBURY		2	1	–	–	–
TOTTINGTON ...	–		–	–	3	–
†TURTON	–	–	1	–	–	–
†TYLDESLEY WITH SHAKERLEY		1	–	–	3	–
†ULVERSTON ...	–	3	–	–	–	–
†WALTON LE DALE	–	2	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WIDNES	–	1	–	–	6	–
Rural Districts:—						
BURNLEY... ...	–	1	–	–	–	–
BURY	–	2	–	–	2	–
CLITHEROE ...	*	*	*	*	*	*
LEIGH	–	–	–	–	1	N. 1
LUNESDALE ...	–	1	–	–	–	–
PRESTON	–	1	–	–	–	–
SEFTON	–	1	–	–	–	–
ULVERSTON ...	–	2	–	–	–	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	1	–	–	–	2	–
WHISTON... ...	–	1	4	–	–	–
LEICESTER ...	–	5	10	–	7	D. 1 M. 4 N. 2
†LEICESTER C.B. ...	–	2	6	–	1	M. 3 N. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	–	–	–	–	D. 1
MELTON MOWBRAY	–	–	–	–	1	–
QUORNDON ...	*	*	*	*	*	*
THURMASTON ...	–	2	–	–	1	M. 1
WIGSTON MAGNA	–	–	2	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	2	–	–	–
BLABY	–	–	–	–	1	–
HINCKLEY ...	–	–	–	–	1	–
LOUGHBOROUGH	–	–	–	–	1	–
MARKET BOSWORTH	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	1	1	–	–	E. 1
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
†SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
CROWLAND ...	–	–	–	–	–	E. 1
LINCOLN (parts of Kesteven).	–	4	2	–	1	M. 1
Boroughs and Urban Districts:—						
SLEAFORD ...	–	2	–	–	–	M. 1
Rural Districts:—						
GRANTHAM ...	–	–	1	–	–	–
SLEAFORD ...	–	2	1	–	1	–
LINCOLN (parts of Lindsey).	–	13	7	–	6	M. 1 N. 1
†GRIMSBY C.B. ...	–	1	2	–	3	–
†LINCOLN C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1			–
†CLEETHORPES ...	–	2	–	–	1	–
HORNCASTLE ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	–	M. 1
Rural Districts:—						
CAISTOR	–	–	–	–	–	N. 1
GLANFORD BRIGG	–	1	1	–	–	–
HORNCASTLE ...	–	6	–	–	1	–
ISLE OF AXHOLME	–	–	1	–	–	–
WELTON	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	-	38	49	1	22	M. 1 N. 10
Boroughs and Urban Districts:—						
†ACTON	-	2	2	-	-	-
†BRENTFORD AND CHISWICK	-	-	-	-	1	-
†EALING	-	3	-		-	N. 1
†EDMONTON ...	-	-	7	-	1	N. 1
†ENFIELD	-	5	5	-	1	N. 1
†FINCHLEY ...	-	-	1	-	2	-
†FRIERN BARNET	-	1	-	-	1	N. 1
†HAMPTON ...	-	-	1	-	-	-
†HARROW ON THE HILL	-	1	-	1	2	-
HAYES	-	1	-	-	-	-
†HENDON	-	3	1	-	-	-
†HESTON AND ISLEWORTH	-	1	1	-	2	-
†HORNSEY... ...	-	4	2	-	-	N. 1
RUISLIP NORTHWOOD	-	-	-	-	1	-
†TEDDINGTON ...	-	-	1	-	-	-
†TOTTENHAM ...	-	7	7	-	2	N. 1
†TWICKENHAM ...	-	2	3	-	-	-
†UXBRIDGE ...	-	-	1	-	-	-
†WEALDSTONE ...	-	-	-	-	-	M. 1
†WEMBLEY ...	-	1	1	-	-	-
†WILLESDEN ...	-	4	13	-	8	N. 3
†WOOD GREEN ...	-	2	-	-	-	-
Rural Districts:—						
HENDON	-	1	-	-	1	-
STAINES	-	-	-	-	-	N. 1
UXBRIDGE ...	-	-	3	-	-	-
NORFOLK ..	-	13	2	-	6	D. 2 G. 1
†GREAT YARMOUTH C.B.	-	4	-	-	-	-
†NORWICH C.B. ...	-	5	1	-	-	-
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	1	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM... ...	-	1	-	-	-	-
DOWNHAM ...	-	-		-	1	-
EAST AND WEST FLEGG	-	-	-	-	-	G. 1
HENSTEAD ...	-	1	-	-	-	-
MITFORD AND LAUNDITCH	-	1	-	-	-	-
WALSINGHAM ...	-	-		-	5	D. 2
NORTHAMPTON	-	5	-	-	9	N. 2
†NORTHAMPTON C.B.	-	3	-	-	5	-
Boroughs and Urban Districts:—						
DESBOROUGH ...	-	-	-	-	1	-
†KETTERING ..	-	1		-	-	N. 1
†RUSHDEN... ...	-	-	-	-	1	-
Rural Districts:—						
DAVENTRY ...	-	-		-	1	N. 1
TOWCESTER ...	-	1	-	-	-	-
WELLINGBOROUGH	-	-	-	-	1	-
NORTHUMBERLAND.	21	24	6	1	40	C. 3 G. 1 M. 2 N. 3
†NEWCASTLE UPON TYNE C.B.	1	13	4	-	17	C. 1 G. 1 M. 1
†TYNEMOUTH C.B.	6	6	1	-	3	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	10	1	–	–	2	N. 1
†BEDLINGTONSHIRE	–	–	–	–	3	N. 1
†BERWICK UPON TWEED	1	–	–	1	–	–
†BLYTH	–	–	–	–	4	–
CRAMLINGTON ...	–	–	–	–	1	–
†GOSFORTH ...	–	–	–	–	–	C. 1
HEXHAM	–	–	–	–	1	C. 1 N. 1
†LONGBENTON ...	–	–	–	–	2	–
MORPETH ...	2	–	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	–	1	–	1	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	1	–	–	2	–
WEETSLADE ...	*	*	*	*	*	*
Rural Districts:—						
ALNWICK... ...	*	*	*	*	*	*
CASTLE WARD ...	1	–	–	–	–	–
HEXHAM	–	2	–	–	3	–
NOTTINGHAM ...	4	21	21	–	16	C. 1 G. 1 L. 1 M. 2 N. 2
†NOTTINGHAM C.B.	–	9	18	–	8	C. 1 L. 1 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	G. 1
†CARLTON... ...	–	3	–	–	1	–
†HUCKNALL ...	–	1	2	–	3	–
†KIRKBY IN ASHFIELD	1	2	–	–	–	–
†MANSFIELD ...	1	1	–	–	2	M. 1
†MANSFIELD WOODHOUSE	–	2	–	–	–	–
†SUTTON IN ASHFIELD	–	–	–	–	1	–
†WORKSOP... ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BINGHAM... ...	–	1	1	–	–	–
EAST RETFORD ...	–	1	–	–	–	–
NEWARK	–	1	–	–	–	–
SKEGBY	2	–	–	–	–	–
WORKSOP... ...	–	–	–	–	–	M. 1 N. 1
OXFORD	–	–	1	–	10	G. 1 N. 1
†OXFORD C.B. ...	–	–	–	–	1	N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	1	–	5	–
Rural Districts:—						
WITNEY	–	–	–	–	3	G. 1
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of).	–	2	–	–	–	–
Borough:—						
PETERBOROUGH...	–	2	–	–	–	–
RUTLAND ...	–	1	2	–	1	–
Rural Districts:—						
UPPINGHAM ...	–	1	2	–	1	–
SALOP	–	6	2	–	5	N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	1	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
WELLINGTON ...	–	–	–	–	2	–
WHITCHURCH ...	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
NEWPORT ...	-	-	-	-	1	-
OSWESTRY ...	-	2	-	-	-	-
WELLINGTON ...	-	3	1	-	-	-
SOMERSET ...	-	12	2	6	19	C. 1 G. 2 N. 3
†BATH C.B. ..	-	4	2	1	-	-
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	-	-	-	-	N. 1
CREWKERNE ...		-	-	-	-	N. 1
GLASTONBURY ...	*	*	*	*	*	*
MIDSOMER NORTON	-	1	-	1	-	G. 1
†TAUNTON... ...	-	1	-	-	1	-
†WESTON SUPER MARE	-	1	-	-	-	-
†YEOVIL	-	-	-	-	-	C. 1
Rural Districts:—						
AXBRIDGE ...	-	-	-	-	4	-
CHARD	-		-	-	1	N. 1
CLUTTON... ...	-	2	-	-	3	-
DULVERTON ...	-	-	-	-	-	G. 1
FROME	-	2	-	-	1	-
SHEPTON MALLET	-	-	-	1	4	-
TAUNTON ...	-	-	-		1	-
WELLS	-	-	-	3	-	-
WINCANTON ...	-	-	-	-	4	-
YEOVIL	-	1	-	-	-	-
SOUTHAMPTON..	-	27	20	1	7	G. 2 M. 4 N. 3
†BOURNEMOUTH C.B.	-	2	-	-	-	-
†PORTSMOUTH C.B.	-	12	14	-	-	M. 1
†SOUTHAMPTON C.B.	-	-	4	-	3	M. 2 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON *cont.*						
Boroughs and Urban Districts:—						
ALTON	-	-	-	-	-	M. 1
†FAREHAM ...	-	1	-	-	-	-
†FARNBOROUGH ...	-	2	-	-	-	-
†GOSPORT	-	-	2		-	-
MILTON	-	-	-	-	-	N. 1
†WINCHESTER ...	-	1	-	-	-	-
Rural Districts:—						
ALTON	-	2	-	-	-	-
ANDOVER... ...	-	1	-	-	-	-
CATHERINGTON ...	-	-	-	-	2	-
DROXFORD ...	-	-	-	-	-	N 1
FORDINGBRIDGE ..	-	-	-	-	-	G. 1
HARTLEY WINTNEY	-	4	-	-	-	-
HAVANT	-	-	-	1	-	-
LYMINGTON ...	-	-	-	-	-	G. 1
SOUTH STONEHAM	-	2	-	-	2	-
STAFFORD ...	-	26	32	1	49	G. 1 M. 5 N. 5
†BURTON UPON TRENT C.B.	-	-	1	-	-	-
†SMETHWICK C.B.	-	2	1	-	8	-
†STOKE ON TRENT C.B.	-	7	4	-	9	M. 1 N. 1
†WALSALL C.B. ..	-	-	4	-	3	M. 2
†WEST BROMWICH C.B.	-	1	2	-	3	N. 1
†WOLVERHAMPTON C.B	-	2	-	1	1	-
Boroughs and Urban Districts:—						
†AUDLEY	-	1	-	-	-	-
BIDDULPH ..	-	-	1	-	1	M. 1
†BILSTON	-	-	1	-	3	N. 1
†BRIERLEY HILL...	-	-	1	-	1	-
†BROWNHILLS ...		2	-	-	2	-
†CANNOCK	-	3	2	-	-	-
†COSELEY	-	-	1	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	1	–	–	–	G. 1
†NEWCASTLE UNDER LYME	–	–	2	–	1	–
†ROWLEY REGIS ...	–	1	1	–	2	–
SHORT HEATH ...	–	–	1	–	1	–
†STAFFORD ...	–	–	1	–	–	–
STONE	–	–	–	–	2	–
TETTENHALL ...	–	–	2	–	–	–
†TIPTON	–	–	1	–	–	M. 1
†WEDNESBURY ...	–	1	–	–	3	–
†WILLENHALL ...	–	1	–	–	2	–
†WOLSTANTON UNITED	–	–	–	–	2	–
Rural Districts:—						
CANNOCK	–	2	1	–	–	N. 1
CHEADLE	–	–	2	–	1	N. 1
GNOSALL	–	–	–	–	1	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	1	2	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST	–	9	–	–	6	–
†IPSWICH C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	3	–		2	–
SOUTHWOLD ...	–	–	–	–	1	–
WOODBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
EAST STOW ...		–	–	–	1	–
HARTISMERE ...	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	1	–	–	–	–
Rural Districts:—						
THINGOE	–	1	–	–	–	–
SURREY	–	41	17	3	14	D. 1 G. 1 M. 3 N. 1
†CROYDON C.B. ...	–	19	5	2	1	–
Boroughs and Urban Districts:—						
†BARNES	–	3	–	–	2	–
†BEDDINGTON AND WALLINGTON	–	–	2	–	–	–
†EGHAM	–	1	–	–	2	–
†EPSOM	–	–	–	–	–	G. 1
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FARNHAM ...	–	–	–	–	–	M. 1
†GUILDFORD ...		–	–	–	–	N. 1
HASLEMERE ...	–	–	1	–	–	–
†MERTON AND MORDEN	–	–	2	–	–	–
†MITCHAM		2	–	–	–	D. 1 M. 1
†REIGATE	–	–	–	–	1	M. 1
†SUTTON	–	9	4	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WALTON UPON THAMES	–	–	–	–	1	–
†WIMBLEDON ...	–	3	1	–	3	–
Rural Districts:—						
CHERTSEY ...	–	1	1	–	1	–
DORKING	–	–	–	–	1	–
EPSOM	–	–	–	1	–	–
GODSTONE ...		1	–	–	–	–
HAMBLEDON ...	–	–	1	–	–	–
REIGATE	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	-	13	6	-	9	M. 1
†BRIGHTON C.B. ...	-	4	3	-	1	M. 1
†EASTBOURNE C.B.	-	3	1	-	3	-
†HASTINGS C.B. ...	-	2	-	-	2	-
Boroughs and Urban Districts:—						
NEWHAVEN ...	-	-	2		-	-
RYE	-	2	-	-	-	-
Rural Districts:—						
CHAILEY	-	-	-	-	1	-
CUCKFIELD ...	-	1	-	-	1	-
HAILSHAM ...	-	-	-	-	1	-
UCKFIELD ...	-	1	-	-	-	-
SUSSEX, WEST ...	-	8	2	-	2	M. 1 N. 1
Boroughs and Urban Districts:—						
†BOGNOR	-	-	1	-	-	-
†CHICHESTER ...	-	3	-	-	-	-
†HORSHAM ...		3	1	-	-	-
†WORTHING ...	-	1	-	-	-	-
Rural Districts:—						
HORSHAM ...	-	-	-	-	2	-
WESTBOURNE ...	-	-	-	-	-	N. 1
WESTHAMPNETT	-	1	-	-	-	M. 1
WARWICK ...	-	41	35	-	41	C. 1 E. 1 G. 2 L. 1 M. 10 N. 2
†BIRMINGHAM C.B.	-	27	31	-	33	C. 1 E. 1 G. 1 L. 1 M. 9 N. 1
†COVENTRY C.B. ..	-	4	-	-	2	G. 1
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†NUNEATON ...	-	-	-	-	-	M. 1
†ROYAL LEAMINGTON SPA	-	3	-	-	2	-
†SUTTON COLDFIELD	-	-	-	-	1	-
Rural Districts:—						
ALCESTER ...	-	-	-	-	1	-
ATHERSTONE ...	-		3		-	-
FOLESHILL ...		2	-	-	-	N. 1
RUGBY	-	-	-	-	1	-
SOLIHULL ...	-	2	1	-	1	-
TAMWORTH (part)	-	2	-	-	-	-
WARWICK ...	-	1		-	-	-
WESTMORLAND	-	-	1	-	1	-
Boroughs and Urban Districts:—						
†KENDAL	-	-	1	-	-	-
Rural Districts:—						
EAST WESTMORLAND	-	-	-	-	1	-
WIGHT, ISLE OF	-	4	-	-	-	N. 1
Boroughs and Urban Districts:—						
†COWES	-	2	-	-	-	-
†NEWPORT... ...	-	2	-		-	-
†RYDE	-	-	-	-	-	N. 1
WILTS	-	7	6	-	5	M. 1 N. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	-		-	-	-	M. 1
DEVIZES	-	2	-		-	-
†SALISBURY ...	-	2	-	-	1	-
†SWINDON... ...	-	2	4	-	2	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	1	–
HIGHWORTH ...	–	–	1	–	–	–
MARLBOROUGH ...	–	–	1	–	–	–
PEWSEY	–	–	–	–	1	–
WARMINSTER ...	–	–	–	–	–	N. 1
WILTON	–	1	–	–	–	–
WORCESTER ...	–	8	5	1	9	M. 1 N. 1
†DUDLEY C.B. ...	–	3	4	–	1	N. 1
†WORCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†HALESOWEN ...	–	2	–	–	–	–
†KIDDERMINSTER	–	–	–	–	1	–
†LYE AND WOLLESCOTE	–	–	–	–	2	–
†MALVERN ...	–	–	–	–	2	–
†REDDITCH ...	–	–	1	–	–	–
STOURPORT ...	*	*	*	*	*	*
Rural Districts:—						
BROMSGROVE ...	–	–	–	–	1	–
DROITWICH ...	–	1	–	–	–	–
MARTLEY... ...	–	1	–	–	1	–
ROCK	–	–	–	–	–	M. 1
STOW ON THE WOLD (part)	–	–	–	1	–	–
YORKS ... ... (East Riding).	–	11	18	–	8	C. 3 M. 3 N. 1
†KINGSTON UPON HULL C.B.	–	7	16	–	6	C. 2 M. 2 N. 1
YORK (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	M. 1
COTTINGHAM ...	–	2	–	–		–
HESSLE		–	–	–	1	–
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
BRIDLINGTON ...	–	–	–	–		C. 1
ESCRICK	*	*	*	*	*	*
PATRINGTON ...		–			1	–
POCKLINGTON ...	–	1	–	–	–	–
SCULCOATES ...		1	1	–	–	–
YORKS ... ... (North Riding).	1	14	6	–	13	J. 1
†MIDDLESBROUGH C.B.	1	2	1	–	5	–
Boroughs and Urban Districts:—						
†ESTON		3	–	–		J. 1
LOFTUS	–	1	–	–	2	–
MASHAM	–	1	–	–	–	–
†REDCAR	–	–	2	–		–
†SCARBOROUGH ...	–	–	1	–	1	–
†SKELTON AND BROTTON	–	–	1	–	–	–
†THORNABY ON TEES	–	3	1	–	–	–
†WHITBY	–	1	–	–	1	–
Rural Districts:—						
EASINGWOLD ..	–	–	–		1	–
FLAXTON ...	*	*	*	*	*	*
PICKERING ...	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	2	–
STOKESLEY ...	–	1	–	–	1	–
WHITBY	–	1	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	91	112	58	4	141	C. 3 G. 2 M. 9 N. 5
†BARNSLEY C.B. ...	–	1	1	–	2	N. 1
†BRADFORD C.B. ...	–	7	4	–	21	C. 1 M. 1
†DONCASTER C.B.	12	1	–	–	2	M. 1
†HALIFAX C.B. ...	–	1	2	–	1	–
†HUDDERSFIELD C.B.	2	8	5	–	5	–
†LEEDS C.B. ...	–	7	11	–	15	M. 2 N. 1
†ROTHERHAM C.B.	1	–	–	–	9	N. 1
†SHEFFIELD C.B...	8	38	19	1	45	C. 1 G. 1 M. 3
†WAKEFIELD C.B.	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	2	1	1	–	–
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	4	–	–	–	–	–
†BINGLEY	–	–	–	–	3	–
BIRSTAL	–	–	–	–	–	G. 1
†BOLTON UPON DEARNE	2	–	–	–	–	–
†BRIGHOUSE ...	–	–	–	–	1	–
†CASTLEFORD ...	–	–	–	1	–	–
†CONISBROUGH ...	16	–	1	–	–	–
CUDWORTH ...	–	1	–	–	–	–
DARFIELD ...	–	1	–	–	–	–
†DARTON	–	1	–	–		–
†FEATHERSTONE ...	–	–	–	–	1	–
†GOOLE	–	1	1	–	–	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–	1	1	–	1	–
HEBDEN BRIDGE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	1	–	–	–
HONLEY	–	1	–	–	–	–
†HOYLAND NETHER	–	2	–	–	–	–
HOYLAND SWAINE	*	*	*	*	*	*
ILKLEY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KEIGHLEY ...	4	–	2	–	–	–
LEPTON	–	–	–	–	1	–
LUDDENDEN FOOT	*	*	*	*	*	*
MARSDEN... ...	–	1	–	–	–	–
METHLEY ...	–	–	–	–	1	–
†MEXBOROUGH ...	8	–	–	–	2	–
MIDGLEY... ...	*	*	*	*	*	*
MIRFIELD ...	–	–	–	–	1	–
†MORLEY	–	–	–	–	–	C. 1
MYTHOLMROYD ...	–	4	–	–	–	–
†NORMANTON ..	–	1	–	–	2	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	3	–	–	2	–
†PUDSEY	–	–	1	–	–	–
†RAWMARSH ...	–	7	–	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	
†SHIPLEY	–	1	–	–	–	N. 1
SILSDEN	–	–	1	–	–	–
†SKIPTON	–	2	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	3	M. 1
†STANLEY	–	–	–	–	1	–
†SWINTON... ...	15	–	1	–	1	–
†TODMORDEN ...	–	–	–	–	1	–
†WATH UPON DEARNE	2	2	–	–	–	–
†WOMBWELL ...	6	1	–	1	–	–
Rural Districts:—						
BISHOPTHORPE ...	*	*	*	*	*	*
DONCASTER ...	3	2	2	–	4	–
GOOLE	–	–	1	–	–	–
GREAT OUSEBURN	–	–	–	–	–	N. 1
HALIFAX ...	–	–	–	–	1	–
HEMSWORTH ...	–	3	1	–	2	–
KIVETON PARK ...	–	–	–	–	3	–
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	–	1	–	–	4	–
SKIPTON	–	–	2	–	–	–
TADCASTER ...	–	2	–	–	–	–
THORNE	7	–	–	–	–	M. 1
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK, CITY OF...	–	1	1	–	4	C. 1 N. 1
†YORK C.B ...	–	1	1	–	4	C. 1 N. 1
WALES.						
ANGLESEY ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	1	–	–	–
Rural Districts:—						
TWRCELYN ...	–	–	–	–	2	–
BRECKNOCK ...	–	–	3	–	–	N. 1
Boroughs and Urban Districts:—						
HAY	–	–	2	–	–	–
Rural Districts:—						
VAYNOR AND PENDERYN	–	–	1	–	–	–
YSTRADGYNLAIS	–	–	–	–	–	N. 1
CAERNARVON...	–	3	–	–	3	G. 1
Boroughs and Urban Districts:—						
†BANGOR	–	2	–	–	–	–
CAERNARVON ...	–		–	–	2	–
CONWAY	–	–	–	–	–	G. 1
Rural Districts:—						
GLASLYN	–	–	–	–	1	–
LLEYN	–	1	–	–	–	–
CARDIGAN ...	–	–	–	–	1	–
Rural Districts:—						
LAMPETER ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN...	–	1	2	2	5	N 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	–	–	1	–
KIDWELLY ...	–	1	–	–	1	–
†LLANELLY ...	–	–	1	2	–	N. 1
Rural Districts:—						
CARMARTHEN ...	–	–	–	–	1	–
LLANELLY ...	–	–	1	–	1	–
LLANYBYTHER ...	–	–	–	–	1	–
DENBIGH ...	–	3	1	–	4	C. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	1	–		–	–
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–	2	–	–	1	–
Rural Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
LLANSILIN ...	–	–	1	–	–	–
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	–	–	–	2	C. 1
FLINT	–	2	–	–	6	N. 1
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	–	–	–	4	–
Rural Districts:—						
HAWARDEN ..	–	2	–	–	–	–
HOLYWELL ...	–	–	–	–	2	N. 1
OVERTON ..	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	3	37	52	1	46	C. 1 D. 1 G. 1 M. 5 N. 3
†CARDIFF C.B. ...	–	6	8	–	8	M. 3
†MERTHYR TYDFIL C.B.	–	–	2	1	2	–
†SWANSEA C.B. ..	–	3	7	–	2	D. 1 M. 1
Boroughs and Urban Districts:—						
†ABERDARE ..	–	3	–	–	5	–
†BARRY	–	–	1	–	2	–
†CAERPHILLY ..	–	–	4	–	2	–
†GELLIGAER ..	–	–	3	–	1	M. 1
†MAESTEG ...	–	–	5	–	–	–
†MOUNTAIN ASH ..	3	4	2	–	3	N. 1
†NEATH	–	5	1	–	1	–
†OGMORE AND GARW	–	1	–	–	2	N. 1
†PENARTH ...	–	–	1	–	–	–
†PONTYPRIDD ..	–	1	–	–	–	–
†PORT TALBOT ...	–	5	1	–	–	–
†RHONDDA ...	–	6	11	–	16	C. 1 G. 1 N. 1
Rural Districts:—						
LLANTRISANT AND LLANTWIT FARDRE	–	1	1	–	–	–
NEATH	–	1	1	–	1	–
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...		–	3	–	1	–
MERIONETH ...	–	4	5	–	–	–
Urban Districts:—						
FFESTINIOG ..	–	–	3	–	–	–
MALLWYD ...	–	–	1	–	–	–
TOWYN	–	3	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	–	1	–	–	–
DOLGELLEY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox	Scarlet Fever	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
MONMOUTH ...	88	6	8	–	5	G. 1 M.
†NEWPORT C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†ABERCARN ...	6	–	–	–	–	–
ABERGAVENNY ...	*	*	*	*	*	*
†ABERSYCHAN ...	66	2	1	–	–	–
†ABERTILLERY ...	1	–	1	–	–	–
†BEDWELLTY ...	2	–	2	–	–	–
†BLAENAVON ...	8	–	–	–	–	–
†EBBW VALE ...	–	–	1	–	2	–
LLANFRECHFA UPPER	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	G. 1
†PANTEG	2	–	–	–	–	–
PONTYPOOL ...	3	–	–	–	–	–
†RHYMNEY ...	–	–	2	–	–	M.
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
PONTYPOOL ...	–	–	–	–	1	–
MONTGOMERY...	–	2	–	–	4	M.
Rural Districts:—						
FORDEN	–	–	–	–	1	M.
LLANFYLLIN ...	–	1	–	–	1	–
MACHYNLLETH ...	–	1	–	–	–	–
NEWTOWN AND LLANIDLOES	–	–	–	–	2	–
Total of Part II. ...	391	1040	711	36	943	C. D. E. G. J. L. M. 1 N.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
ERDIFF	–	–	–	–	–	L. 1	PADSTOW	*	*	*	*	*	*
VERPOOL	–	–		–	–	L. 1		—	—	—	—	—	—
							Total of Part III. ...	–	–	–	–	–	L. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-ephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued er ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	
Total of Part I.—London	–	231	232	4	109	C I F G N N
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	391	1040	711	36	943	C I F G J I N N
Total of Part III.—Port Sanitary Districts	–	–	–	–	–	I
Total (*i.e.*, of returns received), England and Wales ...	391	1271	943	40	1052	C I F G J I N N

‡ The letters in this column denote the following diseases:—A, Cholera; B, Pl
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute
encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Cont
Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyr
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—LONDON and GREAT TOWNS in the REGATE.* } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apl. 2.	Apl.* 9.
ON :—													
HS—all ages	1,648	1,908	2,045	1,912	1,704	1,652	1,277	1,240	1,114	1,114	1,068	959	980
0 to 1 year ..	122	135	162	137	100	122	101	91	97	100	105	87	98
AT TOWNS, aggre- e (including Lon-):—													
HS	6,929	6,231	6,475	7,020	6,293	7,015	6,490	6 760	6,834	7,047	6,248	6,935	6,901
HS—all ages	5,917	6,427	7,320	7 302	7,285	8,411	7,824	7,080	5,980	5,327	4,990	4,656	4,825
0 to 1 year ..	656	630	731	716	670	857	802	696	612	588	561	486	560
RIC FEVER—Cases	16	9	14	18	11	7	13	21	14	14	8	22	16
„ Deaths	1	2	2	3	1	3	4	2	1	4	1	2	2
L POX—Cases ..	228	119	116	133	106	81	97	93	81	80	82	97	84
Deaths ..	—	—	—	—	1	—	—	—	—	—	1	—	—
LET FEVER—Cases	791	787	809	684	705	729	675	677	676	763	720	766	763
Deaths	6	4	6	11	6	4	8	5	8	2	6	5	2
THERIA—Cases ..	771	715	735	700	619	695	720	712	723	681	713	670	677
Deaths ..	38	39	43	51	45	29	41	62	43	30	35	25	28
BLES—Deaths ..	34	43	50	43	47	73	59	73	72	52	71	79	76
UENZA—Deaths ..	326	470	725	818	759	987	1,023	898	572	342	224	160	120

For the week ending April 9th the figures relate to 107 Great Towns instead of 105, owing to the inclusion of on-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday 9th April, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ON	61	34	54·9	40·6	38
REENWICH).					
HTON ..	58	?	53·0	?	37
SMOUTH ..	57	40	53·4	43·5	36
WICH	58	36	53·1	40·7	23
(EATON).					
OUTH ..	56	37	52·0	42·7	45
TOL	55	39	51·9	41·6	20
(CLIFTON).					
INGHAM	55	36	50·4	38·6	21
EDGBASTON).					
INGHAM ..	57	36	51·6	39·3	27
ENHEAD	53	38	48·3	40·4	10
(BIDSTON).					
CHESTER	54	38	49·8	40·0	11
WHITWORTH					
PARK).					
NLEY	51	35	48·1	38·0	19

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	52	34	49·3	38·3	37
BRADFORD ..	52	36	49·0	38·4	28
SHEFFIELD ..	56	36	50·1	39·1	27
YORK (MUSEUM)	56	36	51·0	39·4	24
HULL (PEARSON PARK).	57	38	52·1	40·0	36
TYNEMOUTH ..	57	31	49·6	37·7	7
CARDIFF.. ..	55	37	51·0	40·9	24
EDINBURGH ..	‖	‖	‖	‖	‖
GLASGOW ..	‖	‖	‖	‖	‖
DUBLIN (PHŒNIX PARK).	57·6	31·1	53·9	36·6	15
(FITZWILLIAM SQUARE†).	57·3	34·7	53·1	39·4	15
BELFAST.. ..	58·0	30·0	54·3	35·7	15

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.
‖ Returns not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 9th April, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	3	..	29·769	54·0	36·3	17·7	44·6	− 1·4	34·0	10·6	19·5	1·8	66	108·6	23·2	45·0	S : W : NW.	NW : Calm.	2·0	0·0	0·1	257	− 50	0·00
MONDAY -	4	..	29·687	53·0	33·9	19·1	45·0	− 1·2	42·3	2·7	10·7	1·8	91	86·2	24·9	45·1	SSE : S.	SSW	2·6	0·0	0·1	288	− 27	0·02
TUESDAY -	5	..	29·555	61·0	45·5	15 5	51·0	+ 4·7	43·5	7 5	20·7	0·4	75	124·4	37·1	45·1	SW	SW : SSW.	3·6	0·0	0·4	414	+ 92	0·03
WEDNESDAY	6	..	29·529	59·1	43·7	15·4	49·2	+ 2·9	40·0	9·2	21·2	0·4	70	117·0	34·5	45·1	SW : WSW : WNW.	W : WSW : SW.	2·9	0·0	0·2	380	+ 53	0·46
THURSDAY	7	..	29·246	45·9	38·3	7·6	40·9	− 5·4	39·2	1·7	7·6	0·0	94	63·0	31·3	45·1	Calm : NNW.	NNW : NW : WSW.	3·3	0·0	0·1	249	− 78	0·57
FRIDAY -	8	Greatest Declination N.	29·370	57·9	37·2	20·7	46·1	− 0·0	35·9	10·2	22·2	1·3	67	127·1	29·6	45·3	SW	SSW : Calm.	2·2	0·0	0·1	302	− 20	0·02
SATURDAY -	9	First Quarter.	29·280	50·0	40·0	10·0	43·4	− 2·6	41·3	2·1	6·3	0·8	92	100·6	37·1	45·4	Calm	Calm	1·1	0·0	0·0	108	− 207	0·40
MEANS -		..	29·491	54·4	39·3	15·1	45·7	− 0·4	39·5	6·3	15·5	0·9	79	103·8	31·1	45·2	Variable		..	..	..	Sum 1998	Sum − 237	Sum 1·50
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	3	wP till 16h.; then mP.	6·9	13·0	Overcast till 6¾h.; then variably cloudy clearing to nearly cloudless by 18h. Shower 4h. Partial solar halo 11¾h. Haze from 12h.
MONDAY ..	4	wP.	0·0	13·0	Cloudless, becoming overcast by 2h. Slight rain about 9h.; and occasionally between 12h. and 23h.
TUESDAY ..	5	wP till 10h.; mP till 21h.; then wP.	1·9	13·1	Nearly overcast generally with few slight breaks. Showers 13¾h. and 14½h. Slight rain from 19¾h
WEDNESDAY	6	Variably wP and wN till 7h.; then mP.	4·0	13·2	Overcast with slight breaks between 15h. and 21h. Rain till 4h. Showers 9½h. and 11h. Partial solar halo 14¾h. and 15¼h. Brisk wind 14h. till 19h. Partial lunar halo about 23h.
THURSDAY	7	wP till 4½h.; variably mP and sN till 21½h.; then wP.	0·0	13·2	Overcast till 20¾h., then clearing to nearly cloudless by 22h. Rain 4¾h. till 15¼h.; and 19¾h. till 20¾h. Shower 17½h.
FRIDAY ..	8	wP till 23h.; then variably sP and sN.	9·4	13·3	Partially cloudy generally till 20½h., then overcast Damping 13¼h ;. and from 23h. Shower at 21½h Partial solar halo 10¾h. Lunar halo 20h.
SATURDAY	9	Variably sP and sN till 17h.; wP till 19h.: then mP.	1·2	13·4	Nearly overcast. Rain till 6h.; from 9½h. till 9¾h.; and frequently between 10½h. and 17½h. Hail 11¾h. and 13h. Thunder between 12¾h. and 13h. Mist from 20h.
			Sum 23·4	Sum 92·2	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·65 ins. at the beginning of the week to 29·61 ins. by 2h on 3rd; increased to 29·86 ins. by 0h. on 4th; decreased to 29·28 ins. by 5h. on 6th; increased to 29·62 by 20h. on 6th; decreased to 29·18 ins. by 12h. on 7th; increased to 29·40 ins. by 10h. on 8th; decreased to 29·26 ins. by 12h. on 9th; increased and was 29·34 ins. by midnight on the same day.

"Guide to Current Official Statistics."

1s. net.

THIS work appears annually. It is an expert survey of, and Guide to, all the statistics published by the Government. It is not a mere catalogue of titles of official publications of statistical interest. Such a catalogue is of course included, but it forms only about one-third of the volume itself. The main portion of the work, and the one to which it owes its unique value and importance, consists of an alphabetical subject index which not only refers the enquirer to all the current official publications containing statistics bearing on his subject, but in addition indicates their nature and mode of analysis and the time and place to which they relate.

AGRICULTURE	PUBLIC FINANCE
DEFENCE	SOCIAL SERVICES
EDUCATION	TRADE
INDUSTRY AND LABOUR	TRANSPORT
MINING	VITAL STATISTICS

are a few of the many subjects on which the official statistics exist. To track them down is a matter of a few minutes when the GUIDE TO CURRENT OFFICIAL STATISTICS occupies the place it should among the reference books on the desk of the business man, journalist, librarian, student and professional worker.

The volumes are prepared by the Permanent Consultative Committee on Official Statistics.

FIRST ISSUE (1922)	...	1s.	*Post Free* 1s. 2½d.
VOLUME TWO (1923)	...	1s.	*Post Free* 1s. 4d.
VOLUME THREE (1924)	...	1s.	*Post Free* 1s. 3½d.
VOLUME FOUR (1925)	...	1s.	*Post Free* 1s. 3½d.

The second volume includes an appendix dealing broadly with selected publications of permanent statistical interest issued mainly since 1900.

HIS MAJESTY'S STATIONERY OFFICE,
LONDON, MANCHESTER, EDINBURGH, CARDIFF.

FOR OFFICIAL USE

1927. No. 15.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 16TH APRIL, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.

Price 6d. net.

70-137-15-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 16TH APRIL, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the fifteenth week of the year numbered 6,050 and corresponded to an annual rate of 16·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,317 and corresponded to an annual rate of 11·5 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 13·4, 12·5 and 12·3. Infant mortality based on the average weekly number of births during the last 52 weeks, was 73 per 1,000 births against 82, 71 and 82 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,382 births, corresponding to a rate of 15·6 per 1,000, and 944 deaths of civilians, corresponding to an annual rate of 10·7, against 12·1, 10·9 and 11·1 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 11·2 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 61 as against 68, 56 and 64 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,625 to 4,317. In London the number of deaths from all causes decreased from 980 to 944 and the deaths from whooping cough numbered 19 as against 22, 22 19 in the three weeks preceding.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 16th April, 1927.**

Towns.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
107 Great Towns ..	19,540,143*	6,050	4,317	498	3	89	6	65	30	39
London	4,605,400*	1,382	944	94	1	2	3	19	7	9
Towns in Outer Ring.										
Croydon C.B. ..	205,900	56	47	4	-	-	-	-	1	-
Wimbledon ..	58,030	13	5	-	-	-	-	-	-	-
Ealing	91,783	16	18	1	-	-	-	-	-	-
Acton	63,040	16	9	2	-	-	-	-	-	-
Brentford and Chiswick† ..	56,840	14	4	2	-	-	-	-	-	-
Willesden ..	165,270	44	30	5	-	-	-	1	-	-
Hendon	62,570*	7	13	-	-	-	-	-	-	-
Hornsey	87,230	12	23	2	-	-	-	-	-	-
Wood Green ..	51,940	3	5	1	-	-	-	1	-	-
Tottenham ..	151,520	31	31	2	-	-	-	1	-	-
Edmonton	71,700	34	12	2	-	-	-	2	-	-
Enfield	63,640	12	9	1	-	-	-	-	1	1
West Ham C.B. ..	315,900	119	53	8	1	-	-	5	-	1
East Ham C.B. ..	146,600	23	30	6	-	-	-	-	-	-
Leyton	130,000	27	20	3	-	-	-	1	-	-
Walthamstow ..	125,500	24	24	1	-	-	-	-	1	-
Ilford	100,500	24	14	-	-	-	-	-	-	-
Gillingham	47,820*	14	8	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	3	7	2	-	-	-	-	-	-
Hastings C.B.	61,340	9	16	1	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	14	10	-	-	-	-	-	-	-
Brighton C.B.	139,500*	43	29	1	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	94	59	7	-	3	-	-	1	-
Bournemouth C.B. ..	90,100	14	21	2	-	-	-	-	-	-
Southampton C.B. ..	169,300	75	37	3	-	3	-	-	-	1
Reading C.B	93,090*	31	22	1	-	-	-	1	-	-
Oxford C.B.	56,800	26	10	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	28	23	3	-	-	-	1	-	-
Luton	59,240	19	17	3	-	-	-	-	-	-
Cambridge	58,820	14	8	-	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	20	22	-	-	-	-	-	-	-
Ipswich C.B.	84,140	20	9	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	21	9	-	-	-	-	-	-	-
Norwich C.B.	123,500*	31	19	3	-	-	-	-	-	-
Swindon	57,320	22	12	1	-	-	-	-	-	-
Exeter C.B.	60,340*	19	12	1	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	78	43	6	-	-	-	-	-	-
Bath C.B.	69,000	7	17	1	-	-	-	-	-	-
Bristol C.B.	383,300*	99	85	9	-	-	-	-	-	-
Gloucester C.B. ..	53,050	13	15	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	107	59	5	-	1	-	2	1	2
Burton-upon-Trent C.B.	48,660	13	7	-	-	-	-	-	-	-
Wolverhampton C.B.‡	131,000	55	33	10	-	1	-	1	-	1
Walsall C.B.	102,100	41	23	6	-	1	-	-	-	1
West Bromwich C.B.	79,920	30	21	3	-	2	-	1	-	1
Dudley C.B.	58,930	14	13	1	-	-	-	-	-	-
Worcester C.B. ..	50,660	13	13	-	1	-	-	-	-	-
Birmingham C.B. ..	934,300*	331	206	30	-	7	-	1	3	6
Smethwick C.B. ..	76,940	21	15	1	-	1	-	-	-	-
Coventry C.B. ..	127,800	31	17	1	-	-	-	-	-	-
Leicestfr C.B. ..	241,700	75	55	11	-	1	1	2	-	-
Lincoln C.B.	65,760*	16	15	1	-	-	-	1	-	-
Grimsby C.B.	88,580	32	15	-	-	-	-	-	-	-
Nottingham C.B. ..	268,000	87	55	11	-	5	-	-	1	-
Derby C.B.	136,600*	41	20	3	-	-	-	-	-	-
Chesterfield ..	66,650	20	14	4	-	-	-	-	-	-
Stockport C.B. ..	125,400	33	29	3	-	-	-	1	-	-
Chester C.B.	41,710	12	6	1	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	53	31	4	-	-	-	-	-	2
Wallasey C.B. ..	93,050	30	21	-	-	-	-	-	2	-
Liverpool C.B. ..	862,600	306	226	37	-	24	-	4	-	4
Bootle C.B.	84,580	34	18	1	-	1	1	-	-	-
St. Helens C.B. ..	110,000	39	30	5	-	1	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B. ..	77,970	10	18	–	–	–	–	–	–	–	1
GAN C.B.	88,620	24	32	2	–	5	–	–	–	–	2
ARRINGTON C.B. ..	76,940*	23	16	1	–	–	–	–	–	–	–
LTON C.B.	177,000	35	37	4	–	–	–	–	–	1	2
RY C.B.	56,840*	17	11	–	–	–	–	–	–	–	1
NCHESTER C.B. ..	752,000	248	172	23	–	–	1	6	3	2	10
LFORD C.B.	247,400	69	53	10	–	2	–	1	–	1	2
HTON-UNDER-LYNE§	51,050	11	10	1	–	–	–	1	–	–	–
DHAM C.B.	143,000	36	38	6	–	–	–	–	–	–	3
CHDALE C.B.	91,510	19	25	1	–	–	–	–	–	–	1
RNLEY C.B	99,600	25	18	2	–	–	–	–	–	–	2
ACKBURN C.B. ..	124,400	33	31	6	–	1	–	1	–	–	1
ESTON C.B.	124,200	40	35	6	–	3	–	–	–	–	1
ACKPOOL C.B. ..	88,640	24	20	4	–	–	–	–	–	–	–
RROW-IN-FURNESS .B.	70,420	20	16	–	–	–	–	–	–	–	–
DDERSFIELD C.B. ..	111,900	42	25	3	–	–	–	–	–	–	1
LIFAX C.B.	96,130*	30	28	4	–	1	–	–	–	–	1
ADFORD C.B. ..	288,700	77	90	9	–	4	–	–	1	–	3
EDS C.B.	473,400	142	119	18	–	2	–	–	–	1	3
WSBURY C.B. ..	53,630	20	16	1		–	–	–	–	–	1
KEFIELD C.B. ..	53,830	7	14	–	–	1	–	–	–	–	–
RNSLEY C.B. ..	70,760	33	16	2	–	–	–	–	–	–	1
EFFIELD C.B. ..	523,300*	163	103	9	–	–	–	6	1	–	5
THERHAM C.B. ..	70,080	32	13	3	–	–	–	2	–	–	–
NCASTER C.B.‡ ..	55,700	30	10	–	–	1	–	–	1	–	–
RK C.B.	84,430*	28	21	6	–	2	–	–	–	–	–
LL C.B.	294,600	122	75	10	–	2	–	–	2	2	1
DDLESBROUGH C.B.	133,600	53	40	2	–	2	–	–	–	–	–
RLINGTON C.B. ..	70,700	23	20	1	–	–	–	–	–	–	–
OCKTON-ON-TEES ..	67,910	27	14	4	–	1	–	–	–	–	–
EST HARTLEPOOL C.B.	71,060	20	25	1	–	–	–	1	–	–	–
NDERLAND C.B. ..	163,800	69	41	6	–	1	–	–	1	1	–
UTH SHIELDS C.B. ..	123,900	36	30	6	–	–	–	–	–	1	–
TESHEAD C.B. .	127,700	46	33	1	–	4	–	1	–	–	2
WCASTLE-ON-TYNE .B.	284,700*	110	89	7	–	2	–	–	1	1	4
NEMOUTH C.B .	66,560	34	20	4	–	–	–	–	–	–	1
RLISLE C.B.	56,140*	15	10	–	–	–	–	–	–	–	–
WPORT (MON.) C.B.	96,620	31	21	1	–	1	–	–	–	–	2
RDIFF C.B.	225,600*	81	42	1	–	–	–	–	–	–	1
IONDDA	162,500	55	35	5	–	1	–	1	1	–	1
ERTHYR TYDFIL C.B.	80,690	22	15	4	–	–	–	–	–	–	–
ERDARE	56,930	13	17	3	–	–	–	–	–	–	2
ANSEA C.B.	163,200	50	60	5	–	–	–	–	1	–	3
REATER LONDON ..	7,791,310*	2,213	1,502	151	2	2	3	31	12	12	19
UTER RING	3,185,910*	831	558	57	1	–	–	12	5	3	7
GREAT TOWNS IN OUTER RING	1,947,963*	475	347	40	1	–	–	11	3	2	5
EMAINDER OF OUTER RING	1,237,947*	356	211	17	–	–	–	1	2	1	2
DINBURGH†	426,100	111	100	12	–	3	–	–	–	1	2
ASGOW†	1,049,000	391	322	46	–	–	–	14	–	1	6
BLIN (REGISTRATION AREA)†	421,000	151	140	21	1	2	–	8	1	2	3
ELFAST†	416,000	‖	‖	‖	‖	‖	‖	‖	‖	‖	‖

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and asgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and the addition of deaths of residents reported from elsewhere in Scotland during the week; those in blin Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into blic institutions from without the respective areas.

‡ Created County Borough 1st April, 1927.

§ Ashton-under-Lyne M.B. as extended 1st April, 1927.

‖ Return not received.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
LONDON‡	4,605,400	1927. April 16	1382	944	10·7	1	-	2	3	19	7	
CALCUTTA AND SUBURBS	1,077,264	1926–27. Mar. 12	?	796‖	38·4	?	179	?	?	?	?	
BOMBAY§	1,298,708	„ 26	333	596	23·9	3	45	4	-	-	-	1
MADRAS	528,791	„ 19	336	365	35·9	3	1	-	-	2	-	1
SYDNEY AND SUBURBS	1,038,950	Feb. 28 (28 days)										
BRISBANE (Metropolitan Area).	263,711	Feb. 28 (28 days)										
PERTH (Metropolitan Area).	179,388	Feb. 26	71	22	6·4	-	-	-	-	-	-	
AUCKLAND (Urban Area).	192,176	„ 28 (28 days)										
WELLINGTON (Urban Area).	121,324	Feb. 28 (28 days)										
CHRISTCHURCH (Urban Area).	118,408	Feb. 28 (28 days)										
CAPE TOWN	115,348	Mar. 19	70	31	14·0	-	-	1	-	-	-	
JOHANNESBURG	172,189	„ 19	56	31	9·4	1	-	-	-	-	-	
DURBAN	54,738	„ 19	24	12	11·4	-	-	-	-	-	1	
PARIS	2,871,429	„ 20 (10 days)	1439	1218	15·5	3	-	19	8	5	9	26
ANTWERP	300,086	Mar. 12	86	80	13·8	-	-	2	-	-	-	
AMSTERDAM	727,259	„ 26	242	144	10·3	-	-	3	-	-	-	
COPENHAGEN	592,000	April 2	212	136	12·0	-	-	-	-	1	-	
STOCKHOLM	453,332	„ 2	112	110	12·6	-	-	-	-	-	1	
GOTHENBURG	231,624	Mar. 5	?	62	13·9	-	-	-	-	1	-	
OSLO (CHRISTIANIA) ..	255,724	April 9	76	44	9·0	-	-	1	-	-	-	
BERLIN	1,993,000	Mar. 26	382	498	13·0	-	?	1	2	2	5	
BRESLAU	561,000	„ 26	138	130	12·0	-	?	1	-	-	-	
COLOGNE	711,000	„ 26	202	151	11·0	-	?	4	-	3	1	
DRESDEN	624,000	„ 26	127	155	12·9	-	?	-	-	-	1	
FRANKFORT-ON-MAIN..	471,000	„ 26	108	74	8·2	-	?	-	1	-	-	
HAMBURG	1,111,000	„ 26	316	265	12·4	-	?	-	-	-	-	
LEIPZIG	685,000	„ 26	190	141	10·7	-	?	-	-	-	-	
MUNICH	685,000	„ 26	140	165	12·5	-	?	-	-	-	-	
VIENNA	1,871,607	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	Oct. 31 (31 days)										
BUDAPEST	971,169	April 2	400	280	15·0	2	-	1	2	-	4	
WARSAW	1,015,426	„ 9	?	231	11·7	-	-	3	3	2	2	
CAIRO	859,400	Jan. 7										
ALEXANDRIA	492,100	„ 7										
NEW YORK	5,924,018	April 2	?	1535	13·5	-	-	1	10	8	15	1
CHICAGO	3,101,000	„ 1	1015	779	13·1	-	-	7	5	3	5	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 41 deaths from Cholera in Calcutta and 7 deaths from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 16th April, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	944	94	27	13	20	36	36	58	116	156	191	197
Enteric fever..	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	2	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	-	1	1	1	-	-	-	-	-	-	-
Whooping cough	19	12	6	1	-	-	-	-	-	-	-	-
Diphtheria	7	-	3	-	2	1	-	1	-	-	-	-
Influenza	12	-	-	-	-	1	1	2	3	1	4	-
Erysipelas	3	-	-	-	-	-	-	-	1	1	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	76	1	-	-	1	15	13	18	16	9	3	-
Nervous system	5	1	1	1	2	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	9	2	1	2	1	1	1	-	-	1	-	-
Venereal diseases	5	2	-	-	-	-	-	-	2	1	-	-
Cancer	136	-	-	-	-	-	-	11	27	39	41	18
Rheumatic fever	2	-	-	-	-	1	-	1	-	-	-	-
Diabetes	9	-	-	-	1	1	-	-	2	2	1	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	-	1	1	-	-	1	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	51	-	-	-	-	-	1	1	5	12	12	20
Epilepsy	1	-	-	-	-	-	-	-	-	1	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	17	-	1	1	-	2	1	-	3	6	1	2
Pericarditis	2	-	1	1	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	2	-	-	3	-	-	-
Other diseases of heart	144	-	-	-	3	2	1	3	13	28	44	50
Other diseases of circulatory system	45	-	-	-	-	-	-	1	4	8	10	22
Bronchitis	57	3	-	-	-	1	-	1	4	10	16	22
Broncho-pneumonia	39	16	7	1	1	-	1	1	-	-	5	7
Lobar-pneumonia	28	-	2	1	1	1	1	2	9	3	7	1
Pneumonia (type not distinguished)	11	1	1	-	-	-	-	2	1	1	3	2
Other diseases of respiratory system	12	-	-	-	-	-	-	2	2	2	2	4
Diarrhœa and enteritis	14	9	-	-	-	1	-	-	-	3	1	-
Appendicitis, Typhlitis	4	-	-	-	-	1	1	-	-	-	1	1
Hernia, Intestinal obstruction	6	1	-	-	-	1	1	-	-	-	2	1
Cirrhosis of liver	8	-	-	-	-	-	-	1	1	3	3	-
Other diseases of digestive system ..	21	2	-	2	-	-	-	2	3	4	6	2
Acute nephritis	3	2	-	-	-	-	-	-	-	-	-	1
Chronic Bright's disease	33	-	-	-	1	-	2	3	7	10	7	3
Other diseases of genito-urinary system.	14	-	-	-	-	-	-	-	-	2	5	7
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth ..	3	-	-	-	-	-	2	1	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	15	15	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	36	-	-	-	-	-	-	-	-	-	7	29
Suicide	10	-	-	-	-	1	-	3	2	2	2	-
Burns and Scalds	4	-	1	-	1	2	-	-	-	-	-	-
Drowning	1	-	-	-	-	-	1	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	9	-	-	1	2	-	-	-	1	2	2	1
Other deaths by violence	8	-	-	-	1	-	-	1	1	1	2	2
Other specified causes	36	13	1	-	2	2	5	1	5	4	3	-
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 16th April 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	201	175	3	107	C. 3 D. 5 G. 4 J. 1 M. 15 N. 17
†CITY OF LONDON	–	-	–	–	–	G. 1
Metropolitan Boroughs:—						
†BATTERSEA ...	–	7	14	–	11	D. 1 N. 1
†BERMONDSEY ...	-	3	4	–	1	–
†BETHNAL GREEN	-	8	6	–	1	D. 1 N. 1
†CAMBERWELL ...	–	12	15	–	3	G. 1 N. 1
†CHELSEA	–	5	–	–	1	–
†DEPTFORD ...	–	9	8	–	3	–
†FINSBURY ...	–	4	5	–	2	–
†FULHAM	–	5	8	–	4	C. 1 M. 1
†GREENWICH ...	–	6	3	–	2	M. 1 N. 1
†HACKNEY ...	–	6	9	–	5	–
†HAMMERSMITH ...	–	4	3	–	–	–
†HAMPSTEAD ...	-	–	2	–	1	M. 1
†HOLBORN... ...	–	1	–	–	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	10	16	–	5	C. 1 D. 2 M. 2 N. 1
†KENSINGTON ...	-	5	4	–	4	N. 2
†LAMBETH ...		9	10	–	11	N. 1
†LEWISHAM ...		9	4	–	4	N. 1
†PADDINGTON ...	–	7	5	–	8	J. 1 M. 1 N. 1
†POPLAR	–	12	5	–	12	–
†ST. MARYLEBONE	-	3	3	1	1	M. 1
†ST. PANCRAS ...		9	12	–	3	G. 1 M. 1
†SHOREDITCH ...	-	7	7	–	3	M. 3 N. 1
†SOUTHWARK ...	–	5	2	–	1	M. 1 N. 1
†STEPNEY	-	25	12	2	3	M. 2
†STOKE NEWINGTON	–	2	1	–	–	–
†WANDSWORTH ...	-	14	13	–	10	D. 1 N. 1
†WESTMINSTER, CITY OF	-	4	3	–	–	G. 1 N. 1
†WOOLWICH ...	-	10	1	–	7	C. 1 M. 1 N. 2

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	12	1	-	3	M. 3 N. 2
Boroughs and Urban Districts:—						
†BEDFORD... ...	-	10	-	-	-	-
BIGGLESWADE ..	-	-	-	-	-	N. 1
†LUTON	-	-	1	-	-	M. 1
Rural Districts:—						
AMPTHILL ...	-	-	-	-	1	N. 1
BEDFORD ...	-	1	-	-	-	M. 1
BIGGLESWADE ...	-	1	-	-	1	-
LUTON	-	-	-	-	1	M. 1
BERKS		7	1	-	1	-
†READING C.B. ...		3	-	-	-	-
Boroughs and Urban Districts:—						
ABINGDON ...	-	1	-	-	-	-
WANTAGE ...	-	1		-		-
WOKINGHAM ...	-	-	1	-	-	-
Rural Districts:—						
ABINGDON ...	-	-	-	-	1	-
HUNGERFORD ...	-	1	-	-	-	-
WOKINGHAM ...	-	1	-	-	-	-
BUCKINGHAM ...	-	3	4	-	10	-
Boroughs and Urban Districts:—						
†AYLESBURY ...	-	1	-	-	1	-
BLETCHLEY ...	-	2	2	-	-	-
†CHEPPING WYCOMBE	-	-	-	-	4	-
CHESHAM... ...	-	-	-	-	1	-
†WOLVERTON ...	-	-	-	-	1	-
Rural Districts:—						
AMERSHAM ...	-	-	-	-	1	-
AYLESBURY ...	-	-	-	-	1	-
ETON	-	-	1	-	-	-
WYCOMBE ...	-	-	1	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	-	8	1	-	2	-
Borough:—						
†CAMBRIDGE ...		7	1	-	1	-
Rural Districts:—						
NEWMARKET ...	-	1	-	-	1	-
CHESTER ...	-	44	19	-	18	C. 2 M. 1 N. 3
†BIRKENHEAD C.B.	-	6	5	-	8	C. 1
†CHESTER C.B. ...	-	3	-	-	1	-
†STOCKPORT C.B.	-	10	1	-	-	-
†WALLASEY C.B. ...	-	1	2	-		N. 1
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	-	2	-	-	-	-
BREDBURY AND ROMILEY	-	2	1	-	-	-
†CONGLETON ...	-	1	-	-	1	-
†CREWE	-	1	-	-	-	-
†DUKINFIELD ...	-	-	-	-	2	-
†ELLESMERE PORT AND WHITBY	-	-	-	-	1	-
HALE	-	1	-	-	-	-
†HYDE	-	-	2	-	1	-
LYMM	-	5	-	-	-	-
†MACCLESFIELD ...	-	-	3	-	-	-
MARPLE	-	-	-	-	1	-
MIDDLEWICH ...	-	1	-	-	-	-
†NORTHWICH ...	-	-	-	-	1	-
†RUNCORN... ...	-	-	1	-	-	-
†SALE		1	-	-	-	-
†STALYBRIDGE ...	-	2	1	-	-	N. 1
Rural Districts:—						
BUCKLOW ...	-	1	1	-	1	-
NANTWICH ...	-	-		-	1	N. 1
NORTHWICH ...	-	2	1	-	-	C. 1
RUNCORN ...	-	5	-		-	-
WIRRAL		-	1			M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	7	4	–	–	C. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	–	1	–	–	–
LISKEARD ...	–	–	1	–	–	–
NEWQUAY ...	–	–	1	–	–	–
PADSTOW ...	–	–	1	–	–	–
PHILLACK ...	–	1	–	–		–
REDRUTH ...	*	*	*	*	*	*
ST. IVES	–	5	–	–	–	–
†TRURO	–	–	–	–	–	C. 1
Rural Districts:—						
ST. GERMANS ...	–	1	–	–	–	–
CUMBERLAND...	–	6	2	–	5	G. 2 M. 1 N. 2
†CARLISLE C.B. ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	–	–	–	M. 1
ASPATRIA ...	–	–	–	–	1	–
KESWICK	–	1	–	–	–	–
PENRITH	–	1	–	–	–	–
†WORKINGTON ...	–	–	–	–	1	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	2	–	–	G. 1
COCKERMOUTH ...	–	–	–	–	1	G. 1 N. 1
LONGTOWN ...	–	1	–	–	–	–
WIGTON	–	1	–	–	–	N. 1
DERBY	6	19	9	1	23	C. 1 D. 1 E. 1 N. 3
†DERBY C.B. ...	–	3	3	–	5	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	1	N. 1
ALVASTON AND BOULTON	*	*	*	*	*	*
†BELPER	1	–	–	–	–	–
†BOLSOVER ...	–	2	1	–	1	–
†BUXTON	–	–	–	–	–	N. 1
†CHESTERFIELD ...	–	2	–	–	2	–
†GLOSSOP	–	–	–	–	1	C. 1 E. 1
†HEANOR	–	1	–	–	2	–
†ILKESTON ...	*	*	*	*	*	*
NEW MILLS ...	–	4	–	–	–	–
†RIPLEY	2	–	–	–	–	–
SOUTH DARLEY ...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	–	–	1	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	1	2	–	2	–
BLACKWELL ...	3	2	–	–	1	–
CHESTERFIELD ...	–	1	3	–	3	–
CLOWNE	–	–	–	–	1	–
HARTSHORN AND SEALS	–	–	–	–	1	–
NORTON	–	–	–	–	–	N. 1
REPTON	*	*	*	*	*	*
SHARDLOW ...	–	2	–	–	1	–
CODNOR PARK AND SHIPLEY (Parishes)	–	–	–	–	1	–
DEVON	–	15	5	–	6	G. 1 N. 1
†EXETER C.B. ...	–	1	–	–	–	–
†PLYMOUTH C.B...	–	6	4	–	–	G. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	2	–
BIDEFORD ...	–	2	–	–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
Dartmouth ...	–	–	–	–	1	–
†Ilfracombe ...	–	1	–	–	1	–
†Newton Abbot	–	1	–	–	–	–
†Paignton ...	–	1	–	–	–	N. 1
Tavistock ...	–	–	–	–	1	–
†Torquay ...	–	1	–	–	–	–
Totnes	*	*	*	*	*	*
Rural Districts:—						
Barnstaple ...	–	–	–	–	1	–
Holsworthy (part)	–	2	–	–	–	–
DORSET	–	2	3	–	6	D. 1
Boroughs and Urban Districts:—						
Bridport ...	–	1	–	–	–	–
Dorchester ...	–	–	–	–	1	–
†Poole	–	1	–	–	–	–
Swanage ...	–	–	–	–	–	D. 1
†Weymouth and Melcombe Regis	–	–	3	–	1	–
Rural Districts:—						
Shaftesbury ...	–	–	–	–	1	–
Weymouth ...	–	–	–	–	1	–
Wimborne and Cranborne	–	–	–	–	2	–
DURHAM ...	172	38	16	1	65	C. 1 D. 1 M. 4 N. 2
†Darlington C.B.	2	–	–	–	2	–
†Gateshead C.B.	7	–	2	–	9	–
†South Shields C.B.	38	5	–	–	6	–
†Sunderland C.B.	–	2	2	–	15	D. 1
†West Hartlepool C.B.	–	2	3	–	7	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†Annfield Plain	9	–	–	–	–	–
Benfieldside ...	–	1	–	–	–	–
†Bishop Auckland	–	1	–	–	–	–
†Blaydon... ..	–	–			1	–
†Brandon and Byshottles	6	–	1	–	–	–
†Chester le Street	4	2	–	–	–	–
†Consett	–	–	2	–	–	–
†Crook	1	–	–	–	–	–
†Felling	5	–	–	–	1	–
†Hetton	1	1	–	–	–	M. 1
†Houghton le Spring	1	–	–	–	–	–
†Jarrow	10	2	–	–	7	–
Leadgate ..	1	–	1	–	–	–
†Ryton	–	1	–	–	–	–
†Seaham Harbour	–	–	–	–	3	–
†Shildon	2	1	–	–	–	–
†Southwick on Wear	–	–	–	–	1	–
†Spennymoor ...	–	–	–	–	–	C. 1
†Stanley	2	2	–	–	1	–
†Stockton on Tees	–	4	2	–	1	M. 1 N. 2
†Tanfield ...	2	1	–	1	–	–
Tow Law ...	4	–	–	–	–	–
†Washington ...	–	1	–	–	1	–
†Whickham ...	–	–	–	–	4	–
Willington ...	5	–	–	–	–	–
Rural Districts:—						
Auckland ...	13	3	–	–	–	–
Chester le Street	9	4	1	–	1	M. 1
Darlington ...	–	1	–	–	–	–
Durham	2	1	–	–	–	–
Easington ...	15	1	–	–	4	M. 1
Houghton le Spring	4	1	–	–	1	–
Lanchester ...	4	–	2	–	–	–
Sedgefield ...	3	1	–	–	–	–
South Shields...	22	–	–	–	–	–

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	2	1		–	G. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
†WISBECH	–	–	1	–	–	–
Rural Districts:—						
ELY	–	–	–	–	–	G. 1
WISBECH	–	1	–	–	–	–
ESSEX	–	75	38	1	30	G. 1 M. 2 N. 1
†EAST HAM C.B. ...	–	10	1		1	M. 1
†SOUTHEND-ON-SEA C.B.	–	–	–		5	M. 1
†WEST HAM C.B. ...	–	25	15	–	6	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	1	–	3	–
BRIGHTLINGSEA	–	–	–	–	1	–
†CHELMSFORD ...	–	1	–	–	1	–
CHINGFORD ...	–	1	–	–	1	–
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	–	–	–	2	–
DAGENHAM ...	–	1	1	–	–	–
HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	2	1	–	4	G. 1
†LEYTON	–	6	6	–	–	–
†ROMFORD ...	–	2	–	–	–	–
TILBURY	–	1	2	–	–	–
†WALTHAMSTOW...	–	15	9	–	5	N. 1
WALTON ON THE NAZE	*	*	*	*	*	*
†WANSTEAD ...		3	–	–	–	–
†WOODFORD ...	*	*	*	*	*	*
Rural Districts:—						
BILLERICAY ...	–	1	1	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–
MALDON	–	–	–	1	–	–
ORSETT	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
ROMFORD... ...	–	1	–		–	–
TENDRING ...	–	–	–	–	1	–
GLOUCESTER ...	–	33	18	–	14	D. M. N.
†BRISTOL C.B. ...	–	17	14		11	D. M. N.
†GLOUCESTER C.B.		3	3	–	2	M.
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	–	–	–	–
†MANGOTSFIELD ...	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	1	–	–	–	–
CHIPPING SODBURY	–	–	–	–	–	N.
DURSLEY... ...	–	1	–	–	–	N.
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
GLOUCESTER ...	–	1		–	–	–
STROUD	–	1	–	–	1	–
THORNBURY ...		1	–	–	–	–
WARMLEY ...	–	1	–		–	–
WEST DEAN ...	*	*	*	*	*	–
WHEATENHURST	–	–	1	–		–
HEREFORD ...	–	2	3		–	N.
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
LEOMINSTER ...	–	1		–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag[illegible] encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fev[illegible] N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD— *cont.*						
Rural Districts:—						
BREDWARDINE ...	–	–	1	–	–	–
DORE	–	–	–	–		N. 1
HEREFORD ...	–	–	1	–	–	–
LEOMINSTER ...	–		1		–	–
WHITCHURCH ...	*	*	*	*	*	*
HERTFORD ...	–	11	2	1	3	C. 1 G. 1 L. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	–
†EAST BARNET VALLEY	–	1	1	–	–	–
†HERTFORD ...	–	–	–	–	–	C. 1
HODDESDON ...	–	1	–	–	–	–
ROYSTON	–		–	–	–	G. 1
†ST. ALBANS ...	–	2	–	–	1	–
SAWBRIDGEWORTH	–	2	–	–	–	–
WARE	–	–		–	1	–
†WATFORD ...	–	4	–	–	–	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	–	–	1	–	–
ST. ALBANS ...	–	–	–	–	–	L. 1
WATFORD ...	–	–	–	–	1	–
WELWYN		–	1	–	–	–
HUNTINGDON ...	–	2	–		–	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	–	–	–
Rural Districts:—						
ST. NEOTS ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	48	33	–	11	G. 2 M. 2 N. 1
†CANTERBURY C.B.		1	2	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD		2	–	–	1	–
†BECKENHAM ..	–	2	–	–	3	–
†BEXLEY	–	1	5	–	–	–
†BROMLEY ..	–	2	1	–	1	–
†CHATHAM ...	–	2	2	–	–	–
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ..	–	1	3	–	–	–
†DOVER	–	–	1	–	–	–
†EBITH	–	3	–	–	–	M. 1
†FOLKESTONE ...	–	1	–	–	1	–
†GILLINGHAM ...	–	1	7	–	–	–
†GRAVESEND ...		2	–	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
†MAIDSTONE ...	–	2	–	–	–	M. 1
†MARGATE ...	–	3	1	–	–	–
MILTON REGIS ...	–	3	–	–	–	–
†NORTHFLEET ..	–	1	2	–	–	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ..	–	–	–	–	1	G. 1
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	–
SANDWICH ...	–	1	–	–	–	–
SIDCUP	–	1	3	–	–	–
SITTINGBOURNE	–		1	–	–	–
SWANSCOMBE ...	–	1	1	–	–	–
WHITSTABLE ...	–	1	–	–	–	–
WROTHAM ...			1	–	–	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
CRANBROOK ...	–	–	–	–	–	G. 1 N. 1
DARTFORD ...	–	1	–	–	–	–
ELHAM	–	1	–	–	–	–
FAVERSHAM ...	–	–	–	–	3	–
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	–	1	–	–	–
MALLING	–	4	–	–	1	–
ROMNEY MARSH...	–	1	–	–	–	–
STROOD	–	1	–	–	–	–

* Returns not received † Population over 10,000.

), Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	1	136	78	4	174	C. 5 D. 3 G. 5 L. 3 M. 25 N. 11
†BARROW IN FURNESS C.B.	-	2	2	-	-	-
†BLACKBURN C.B.	-	2	1	-	3	L. 1 N. 1
†BLACKPOOL C.B.	-	2	1	-	1	-
†BOLTON C.B. ...		4	1	1	3	N. 1
†BOOTLE C.B. ...	-	3	-	-	4	C. 1 M. 2 N. 1
†BURNLEY C.B. ...	-	-	1	-	5	-
†BURY C.B. ...	-	1	-	-	2	-
†LIVERPOOL C.B. ...	-	38	29	-	27	C. 2 G. 1 M. 14 N. 1
†MANCHESTER C.B	-	26	14	1	39	C. 1 D. 2 G. 3 M. 4 N. 4
†OLDHAM C.B. ..	-	3	1	-	1	N. 1
†PRESTON C.B. ..	-	2	1	-	2	M. 1 N. 2
†ROCHDALE C.B. ...	-	1	1	-	1	-
†ST. HELENS C.B....	-	3	3	-	3	-
†SALFORD C.B. ...	-	8	7	-	-	D. 1 M. 1
†SOUTHPORT C.B.	1	2	-	2	-	-
†WARRINGTON C.B.	-	-	-	-	1	-
†WIGAN C.B. ...	-	2	-	-	11	-
Boroughs and Urban Districts:—						
ABRAM	-		-	-	2	-
ADLINGTON ...	-	1	-	-	1	-
†ASHTON IN MAKERFIELD	-	-	-	-	1	-
†ASHTON UNDER LYNE		1	-	-	1	-
ASPULL	-	-		-	2	-
†ATHERTON ..	-		-	-	1	-
†BACUP	-	3	-	-	-	-
BLACKROD ...		-	-	-	1	-
BRIERFIELD ...	-	-	-		1	-
†CHADDERTON ..	-	1	2	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CLITHEROE ...	-	-	2	-	3	-
†COLNE	-	-	-	-	2	-
†DALTON IN FURNESS	-	1	-	-	-	-
†DARWEN	-	1	-	-	-	-
†DENTON	-	-	-	-	1	-
†DROYLSDEN ...	-	-	-	-	2	-
†ECCLES	-	-	1	-	-	-
†FAILSWORTH ...		-	-	-	-	M. 1
†FARNWORTH ...	-	2	-	-	2	-
†FLEETWOOD ...	-	-	-	-	1	-
GOLBORNE ...	-	-	2	-	-	-
†GREAT CROSBY ...	-	1	-	-	-	-
†HAYDOCK ...	-	1	-	-	-	-
†HEYWOOD ...	-	2	-	-	1	-
†HINDLEY... ...	-	-	-	-	5	-
†HORWICH ...	-	2	-	-	3	-
†INCE IN MAKERFIELD	-	-	-	-	4	-
IRLAM	-	-	-	-	1	-
†LANCASTER ...	-	-	-	-	1	-
LATHOM AND BURSCOUGH	-	-	1	-	2	-
†LEIGH	-	-	-	-	5	G. 1
†LITHERLAND ...	-	1	-	-	-	M. 1
†LITTLEBOROUGH	-	1	-	-	-	-
†LYTHAM ST. ANNE'S	-	-	-	-	1	-
†MIDDLETON ...	-	1	1	-	-	-
†NELSON	-	-	-	-	2	-
†NEWTON IN MAKERFIELD	-	-	-	-	1	-
ORMSKIRK ...	-	1	-	-	-	
†PADIHAM ...	-	-	1	-	-	-
PRESCOT	-	1	-	-	-	-
†RADCLIFFE ...	-	1	-	-	1	-
†RAMSBOTTOM ...	-	-	-	-	2	-
RISHTON	-	-	-	-	1	-
STANDISH WITH LANGTREE	-	-	-	-	1	-
†STRETFORD ...	-	3	-	-	-	C. 1
†SWINTON AND PENDLEBURY	-	1	-	-	4	-
TOTTINGTON ...	-	-	-	-	1	-
TRAWDEN ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever : N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	M. 1
†ULVERSTON ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	1	–
WHITEFIELD ...	–	1	–	–	–	–
WHITWORTH ...	–	–	–	–	2	
†WIDNES	–	–	–	–	4	–
Rural Districts:—						
BURNLEY	–	1	–	–	–	–
BURY	–	–	–	–	1	–
CHORLEY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 2
LEIGH	–	4	2	–	–	–
WARRINGTON ...	–	1	–	–	4	–
WEST LANCASHIRE		–	–	–	1	–
WHISTON	–	–	3	–	–	–
LEICESTER ...	–	7	6	–	6	C. 1 G. 1 M. 2 N. 1
†LEICESTER C.B. ...	–	4	3	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS ...	–	–	1	–	–	M. 1
†COALVILLE ...	–	–	1	–	–	–
HINCKLEY ...	–	–	–	–	–	N. 1
†LOUGHBOROUGH	–	1	–	–	–	–
MARKET HARBOROUGH	*	*	*	*	*	*
QUORNDON ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	1	–	–	1	–
CASTLE DONINGTON	–	–	–	–	1	–
LUTTERWORTH ...	–	–	–	–	3	–
MARKET BOSWORTH	–	–	1	–	–	G. 1
LINCOLN (parts of Holland).	–	3	1	–	–	–
Boroughs and Urban Districts:—						
LONG SUTTON ...	*	*	*	*	*	*
†SPALDING	–	1	1	–	–	–
SUTTON BRIDGE	–	1	–	–	–	–
Rural Districts:—						
SPALDING (part).	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	–	–	4	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BOURNE	–	–	–	–	2	–
SLEAFORD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	-	8	6	-	11	F. 1 N. 1
†GRIMSBY C.B. ...	-	1	1	-	4	F. 1
†LINCOLN C.B. ...	-	1	-	-	-	N. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	-	-	1			-
†CLEETHORPES ...	-	1	-	-	1	-
†GAINSBOROUGH ...	-	2	-	-	-	-
HORNCASTLE ...	-	2	-	-	-	-
†SCUNTHORPE AND FRODINGHAM	-	-	1	-	4	-
Rural Districts:—						
GAINSBOROUGH ...	-	-	2	-	1	-
GLANFORD BRIGG	-	-	1	-	-	-
HORNCASTLE ...	-	1	-	-	1	-
MIDDLESEX ...	-	43	37	-	24	C. 1 G. 2
Boroughs and Urban Districts:—						
†ACTON		2	1	-	1	-
†BRENTFORD AND CHISWICK	-	3	-	-	1	-
†EALING	-	-	-		1	-
†EDMONTON ...	-	1	2	-	2	-
†ENFIELD	-	2	2	-	-	-
†FINCHLEY ...	-	-	-	-	1	-
†FRIERN BARNET	-	-	-	-	1	-
†HARROW ON THE HILL	-	-	-	-	1	-
HAYES	-	-	-	-	1	-
†HENDON	-	2	-	-	-	-
†HESTON AND ISLEWORTH	-	1	3	-	1	-
†HORNSEY	-	2	4	-	3	-
†SOUTHALL NORWOOD	-	-	4	-	-	-
STAINES	-	-	1	-	-	-
†TEDDINGTON ...	-	1		-	-	-
†TOTTENHAM ..	-	17	6	-	1	-
†TWICKENHAM ..	-	-	1	-	-	-
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEALDSTONE ...	-	-	-	-	1	-
†WEMBLEY ...	-	-	-	-	-	C. 1
†WILLESDEN ...	-	8	12	-	7	G. 1
†WOOD GREEN ...	-	3	-	-	-	-
Rural Districts:—						
HENDON	-	-	-	-	-	G. 1
STAINES	-	1	1	-	1	-
UXBRIDGE ...	-	-	-	-	1	-
NORFOLK ...	-	11	-	-	12	N. 2
†GREAT YARMOUTH C.B.	-	1	-	-	-	-
†NORWICH C.B. ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
DISS	-	2	-	-	-	-
WELLS	-	-	-	-	1	-
Rural Districts:—						
DEPWADE ...	-	1	-	-	-	N. 1
DOCKING	-	-	-	-	7	-
DOWNHAM ...	-	-	-	-	2	-
FOREHOE... ...	-	-	-	-	1	-
KING'S LYNN ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	-	-	-	-	1	-
SWAFFHAM ...	-	5	-	-	-	-
THETFORD ..	-	-	-	-	-	N. 1
NORTHAMPTON	-	7	2	-	7	C. 2 M. 1
†NORTHAMPTON C.B	-	1	2	-	3	C. 1
Boroughs and Urban Districts:—						
BRACKLEY ...	*	*	*	*	*	*
DAVENTRY ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
FINEDON	–	–	–	–	1	M. 1
†WELLINGBOROUGH	–	–	–	–	–	C. 1
Rural Districts:—						
BRACKLEY ...	*	*	*	*	*	*
DAVENTRY ..	–	1	–	–	1	–
HARDINGSTONE ...	–	–	–	–	1	–
†KETTERING ..	–	3	–	–	–	–
NORTHAMPTON ...		–	–	–	1	–
OXENDON... ...	*	*	*	*	*	*
TOWCESTER ...	–	1	–	–	–	–
NORTHUMBERLAND.	18	27	7	2	45	D. 1 G. 1 M. 4 N. 2
†NEWCASTLE UPON TYNE C.B.	1	9	1	–	23	G. 1 M. 1 N. 1
†TYNEMOUTH C.B	2	5	–	–	3	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	12	2		–	2	M. 1
†BEDLINGTONSHIRE	–	1	–	–	4	–
†BERWICK UPON TWEED	–	–	–	1	–	M. 1
†BLYTH	–	–	1	–	5	–
HEXHAM	–	–	–	–	1	–
MORPETH... ...	1	–	–	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	–	1	–	–	–
SEATON DELAVAL	–	1	–	–	1	–
†WALLSEND ...	1	3	–	1	5	D. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
ALNWICK... ...	–	1	–			–
BELFORD	–	1	–	–	–	–
CASTLE WARD ...	1	–	–	–	–	–
HEXHAM	–	2	4	–	1	–
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	8	30	19	–	22	C. D. 1 M. 2
†NOTTINGHAM C.B.	–	15	15	–	11	C. 1 D. 1 M. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†CARLTON... ...	–	–	–	–	1	–
†HUCKNALL ...	–	–	1	–	3	–
†KIRKBY IN ASHFIELD	1	7	–	–	2	–
†MANSFIELD ...	2	–	–	–	1	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	1	–	–	–	–	–
WARSOP	–	–	–	–	1	–
†WEST BRIDGFORD	–	1	–		1	C. 1
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	1	1	–	–	–
LEAKE	–	1	–		–	–
MISTERTON ...	–	–	–	–	1	–
SKEGBY	3	3	–	–	–	–
SOUTHWELL ...	1	1	1	–	–	–
WORKSOP... ...	–	–		–	–	C. 1
OXFORD	–	5	1	–	–	M. 2 N. 2
†OXFORD C.B. ..	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	1	–	–	–
THAME	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
WHEATLEY ...	–	1	–	–	–	–
WITNEY	–	–	–	–	–	N. 1
Rural Districts:—						
BANBURY ...	–	–	–	–	–	N. 1
BICESTER... ...	–	1	–	–	–	–
HEADINGTON ...	–	1	–	–	–	M. 1
PETERBOROUGH (Soke of).	–	–	–	–	1	–
Borough:—						
PETERBOROUGH...	–	–	–	–	1	–
RUTLAND ...	–	1	–	–	–	–
Urban District:—						
OAKHAM	–	1	–	–	–	–
SALOP	–	6	1	–	2	M. 3 N. 1
Boroughs and Urban Districts:—						
NEWPORT ...	–	–	–	–	–	M. 1 N. 1
†SHREWSBURY ...	–	2	–	–	–	M. 1
WELLINGTON ...	–	2	–	–	–	M. 1
WHITCHURCH ...	–	2	–	–	–	–
Rural Districts:—						
CHIRBURY ...	–	–	–	–	1	–
WELLINGTON ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	3	3	3	9	G. 1 L. 1
†BATH C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
CHARD	–	1	–	–	–	–
MIDSOMER NORTON	–	–	–	–	–	L. 1
†TAUNTON... ...	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	2	–
BATH	–	–	1		–	–
CHARD	–	–	–	–	1	–
CLUTTON... ...	–	–	1	–	1	–
LONG ASHTON ...	–	–	–	–	1	–
TAUNTON ...	–	–	–	–	–	G. 1
WELLS	–	–	–	3	1	–
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON..	–	23	7	2	5	G. 2 M. 1 N. 1
†BOURNEMOUTH C.B	–	–	1	–	1	–
†PORTSMOUTH C.B	–	10	5	–	–	G. 2
†SOUTHAMPTON C.B	–	6	–	–	1	N 1
Boroughs and Urban Districts:—						
†GOSPORT	–	–	–	–	1	M. 1
HAVANT	–	2	–	–	–	–
†WINCHESTER ...	–	–	–	1	–	–
Rural Districts:—						
ANDOVER... ...	–	1	–	–	1	–
HARTLEY WINTNEY	–	1	–	–	–	–
HURSLEY... ...	–	1	–	–	–	–
NEW FOREST ...	–	–	–	1	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WINCHESTER ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	-	25	15	-	37	C. 1 G. 1 M. 8 N. 4
†BURTON UPON TRENT C.B.	-	-	-	-	2	M. 1
†SMETHWICK C.B	-	-	3	-	4	-
†STOKE ON TRENT C.B.	-	4	3	-	12	M. 5
†WALSALL C.B. ...	-	2	-	-	3	M. 1
†WEST BROMWICH C.B	-	-	3	-	2	-
†WOLVERHAMPTON C.B	-	1	-	-	-	N. 1
Boroughs and Urban Districts:—						
†BRIERLEY HILL...	-	-	2		-	-
†BROWNHILLS ...	-	1	-	-	2	-
†CANNOCK	-	5	2	-	1	-
†COSELEY	-	1	-	-	-	N 1
†DARLASTON ...	-	2	-	-	2	-
QUARRY BANK	-	1	-	-	-	-
†ROWLEY REGIS ...	-	2	-	-	-	-
†SEDGLEY	-	-	-	-	1	-
†STAFFORD ...	-	-	-	-	-	M. 1
†TIPTON	-	-	-	-	5	G. 1
WEDNESFIELD ...	-	1	1	-	-	-
†WOLSTANTON UNITED	-	1	-	-	-	-
Rural Districts:—						
CANNOCK	-	1	-	-	-	C. 1
CHEADLE... ...	-	1	-	-	1	-
KINGSWINFORD...	-	-	-	-	-	N. 1
LICHFIELD ...	-	2	-	-	1	-
MAYFIELD ...	-	-	-		1	-
SEISDON	-	-	-	-	-	N. 1
TUTBURY... ...	-	-	1	-	-	-
SUFFOLK, EAST	-	14	-	1	4	-
†IPSWICH C.B. ...	-	6	-	1	1	-
Boroughs and Urban Districts:—						
BECCLES	*	*	*	*	*	*
†FELIXSTOWE ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST —*cont.*						
Boroughs and Urban Districts— *cont.*						
†LOWESTOFT ..	-	3	-		-	-
SOUTHWOLD ...	*	*	*	*	*	*
WOODBRIDGE ...	-	2	-	-	-	-
Rural Districts:—						
BOSMERE AND CLAYDON		-	-	-	1	-
EAST STOW ...	-	-	-	-	1	-
HOXNE	-	1		-	-	-
PLOMESGATE ...	-		-		1	-
SAMFORD... ...	-	1	-	-	-	-
SURREY	-	50	15	1	9	C. 1 G. 3
†CROYDON C.B. ...	-	25	5	-	3	-
Boroughs and Urban Districts:—						
†BARNES	-	4	-	-	2	-
†BEDDINGTON AND WALLINGTON	-	-	1	-	-	-
†CHERTSEY ...	-	1		-	-	-
†EGHAM	-	-	-	-	2	-
†FRIMLEY	*	*	*	*	*	*
†GUILDFORD ...	-	-	-	-	-	G. 2
†KINGSTON ON THAMES	-	-	1	-	-	-
†MERTON AND MORDEN	-	2	1	-	-	-
†MITCHAM... ...	-	4	1	1	1	C. 1
†REIGATE		1	-	-	-	-
†RICHMOND ...	-	1	-	-	-	-
†THE MALDENS AND COOMBE	-	1	-	-	-	-
†WALTON UPON THAMES	-	1	-	-	-	-
WEYBRIDGE ...	-	1	-	-	-	-
†WIMBLEDON ...	-	5	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	–
EPSOM	–	3	2		–	–
FARNHAM ...	–	–	1	–	–	–
GODSTONE ...	–	1		–		–
GUILDFORD ...	–	–	–	–	–	G. 1
REIGATE	–	–	3	–	–	–
SUSSEX, EAST ...	–	13	8	1	4	N. 2
†BRIGHTON C.B. ...	–	6	3	1	–	N. 1
†EASTBOURNE C.B.	–	2	1	–	2	N. 1
†HASTINGS C.B. ...	–	2	–		–	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1			1	–
EAST GRINSTEAD	*	*	*	*	*	*
†HOVE	–	–	1	–	–	–
†LEWES	–	–	1	–	–	–
RYE	–	1	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	1	–
EAST GRINSTEAD	–	–	2	–	–	–
HAILSHAM ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	7		–	3	G. 1 M. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	2	–	–	–	–
†WORTHING ...	–	3	–	–	2	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–		G. 1
HORSHAM ...	–	–	–	–	1	–
THAKEHAM ...	–	–	–	–	–	M. 1
WESTHAMPNETT	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	–	35	31	3	52	C. 3 F. 1 M. 15 N. 4
†BIRMINGHAM C.B.	–	24	28	3	38	C. 3 M. 13 N. 3
†COVENTRY C.B. ...		2	1	–	1	M. 2
Boroughs and Urban Districts:—						
†NUNEATON ...	*	*	*	*	*	*
†ROYAL LEAMINGTON SPA	–	1	–	–	–	N. 1
†STRATFORD ON AVON	–	–	–	–	–	F. 1
†SUTTON COLDFIELD	–	2	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	2	–	–	2	–
COVENTRY ...	–	1		–	–	–
FOLESHILL ...	–	1	1	–	–	–
MERIDEN... ...	–	1	–	–	4	–
RUGBY	–		–	–	1	–
SOLIHULL ...	–	–	–	–	1	–
SOUTHAM... ...	–	1	–	–	3	–
TAMWORTH (part)	–	–	1	–	1	–
WESTMORLAND	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	2	–	–	1	–
WIGHT, ISLE OF	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†COWES	–	–	–	–	1	–
†NEWPORT... ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing ever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	4	3	–	6	M. 2 N. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	M. 1
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	–	–	–	–	N. 1
†SWINDON... ...	–	–	1	–	1	–
WILTON	–	–	–	–	1	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	2	–
CALNE	–	–	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	2	–
HIGHWORTH ...	–	–	1	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
MERE	–	–	–	–	–	M. 1
WILTON	–	1	–	–	–	–
WORCESTER ...	–	6	4	1	12	C. 1 M. 1 N. 3
†DUDLEY C.B. ...	–	–	–	–	1	N. 1
†WORCESTER C.B.	–	1	1	1	6	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	–	1	–	–	
EVESHAM ...	*	*	*	*	*	*
†HALESOWEN ...	–	3	–	–	2	N. 2
†LYE AND WOLLESCOTE	–	–	1	–	1	–
†MALVERN ...	*	*	*	*	*	*
†OLDBURY... ...	–	–	1	–	2	C. 1
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	8	7	–	2	C. 1 M. 3 N. 1
†KINGSTON UPON HULL C.B.	–	7	7	–	1	N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	M. 2
†BRIDLINGTON ...	–	–	–	–	–	C. 1
COTTINGHAM ...	–	–	–	–	–	M. 1
HESSLE	*	*	*	*	*	*
Rural Districts:—						
HOWDEN	–	–	–		1	–
SCULCOATES ...	*	*	*	*	*	*
YORKS ... ... (North Riding).	2	6	4	–	17	G. 2 M. 1
†MIDDLESBROUGH C.B.	2	2	1	–	4	G. 1
Boroughs and Urban Districts:—						
†ESTON	–	–	1	–	–	–
GUISBOROUGH ...		–	–	–	1	–
LOFTUS	–	1	–	–	3	M. 1
MASHAM	–	2	–	–	–	–
†REDCAR	–	–	2	–	1	–
†SCARBOROUGH ...	–	–	–	–	3	–
†SKELTON AND BROTTON	–	1	–	–	–	–
Rural Districts:—						
GUISBOROUGH ...	–	–	–	–	1	–
KIRKBY MOORSIDE	–	–	–	–	1	–
RICHMOND ...	–	–	–	–	1	G. 1
STOKESLEY ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	94	107	61	3	143	C. 3 D. 2 M. 10 N. 8
†BARNSLEY C.B. ...	–	–	–	–	1	N. 1
†BRADFORD C.B. ...	3	8	7	–	8	M. 2
†DEWSBURY C.B....	1	1	–	–	–	–
†DONCASTER C.B.	8	2	1	–	3	–
†HALIFAX C.B. ...	–	1	2	–	1	–
†HUDDERSFIELD C.B.	–	12	6	1	5	C. 1
†LEEDS C.B. ...	–	16	14	–	28	D. 1 M. 1 N. 2
†ROTHERHAM C.B.	1	2	–	–	5	D. 1 N. 1
†SHEFFIELD C.B....	4	25	14	–	41	M. 1 N. 3
†WAKEFIELD C.B.	–	–	–	–	1	C. 1 M 1
Boroughs and Urban Districts:—						
ALTOFTS	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BARNOLDSWICK ...	–	2	1	–	–	–
†BATLEY	1	1	–	–	1	–
†BENTLEY WITH ARKSEY	1	–	–	–	–	–
†BINGLEY	–	–	–	1	2	–
BIRKENSHAW ...	–	1	–	–		–
†BRIGHOUSE ...	–	2	1	–	1	–
†CASTLEFORD ...	–	–	1	–	–	–
†CONISBROUGH ...	17	–	1	–	–	M. 1
CUDWORTH ...	–	–	–	–	3	–
†FEATHERSTONE ...	–	–	–	–	2	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	1	–	–	1	C. 1
GREETLAND ...	*	*	*	*	*	*
GUISELEY ...	–	–	–	–	1	–
†HARROGATE ...	–	1	1	–	2	M. 1
HEBDEN BRIDGE	–	–	1	–	–	–
HECKMONDWIKE	–	–	–	–	1	–
†HOYLAND NETHER	*	*	*	*	*	*
ILKLEY	–	–	–	–	1	–
†KEIGHLEY ...	5	1	1	–	–	–
KIRKHEATON ...	–	–	2	–	–	–
LUDDENDEN FOOT	–	–	–	–	1	–
MALTBY	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
MARSDEN... ...	–	1	–	–	–	–
†MEXBOROUGH ...	8	–	–	–	–	–
†MORLEY	1	–	–	–	–	–
MYTHOLMROYD ...	–	2	–	–	–	–
†NORMANTON ...	–	1	–	–	2	–
OTLEY	–	–	1	–	–	–
†PONTEFRACT ...	–	–	–	–	1	–
†PUDSEY	–	1	–	–	–	–
RIPON	–	1	–	–	–	–
†SADDLEWORTH ...	–	4	–	–	–	–
†SKIPTON	–	2	–	–	–	–
SLAITHWAITE ...	–	–	1	–	–	–
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	1	–
SPRINGHEAD ...	–	–	–	–	2	N. 1
STOCKSBRIDGE ...	–	–	–	–	3	–
†SWINTON... ...	10	2	1	–	–	–
THURSTONLAND AND FARNLEY TYAS	–	1	–	–	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	–	–	–	–	M. 2
†WOMBWELL ...	20	1	–	–	2	M. 1
YEADON	–	–	–	–	1	–
Rural Districts:—						
DONCASTER ...	12	–	3	1	3	–
GREAT OUSEBURN	–	–	–	–	1	–
HEMSWORTH ...	–	1	–	–	1	–
KIVETON PARK ...	–	1	–	–	3	–
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	–	4	–	–	4	–
SETTLE	–	–	–	–	1	–
SKIPTON	–	–	1	–	–	–
TADCASTER ...	–	1	–	–	–	–
THORNE	2	–	–	–	–	–
WAKEFIELD ...	–	–	–	–	1	–
WETHERBY ...	–	1	1	–	–	–
WHARFEDALE (NORTH)	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	4	–
WORTLEY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
§YORK, CITY OF...	-	4	1	-	2	F. 1 M. 1
†YORK C.B ...	-	4	1	-	2	F. 1 M. 1
WALES.						
ANGLESEY ...	-	1	-	-	-	-
Rural Districts:—						
TWRCELYN ...	-	1	-	-	-	-
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	-	1	1	-	1	-
Boroughs and Urban Districts:—						
BRYNMAWR ...	-	-	1	-	1	-
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
YSTRADGYNLAIS	-	1	-	-	-	-
CAERNARVON...	-	-	3	-	-	-
Rural Districts:—						
GEIRIONYDD ...	-	-	2	-	-	-
GLASLYN	-	-	1	-	-	-
CARDIGAN ...	-	-	-	1	1	-
Boroughs and Urban Districts:—						
ABERYSTWYTH	-	-	-	1	-	-
LAMPETER ...	-	-	-	-	1	-
CARMARTHEN...	-	-	3	-	5	C. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	-	-	1	-	1	-
BURRY PORT ...	-	-	1	-	-	-
CWMAMMAN ...	-	-	-	-	2	-
KIDWELLY ...	-	-	-	-	2	-
†LLANELLY ...	-	-	-	-	-	C. 1
NEWCASTLE EMLYN	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Rural Districts:—						
LLANELLY ...	-	-	1	-	-	-
NEWCASTLE IN EMLYN	*	*	*	*	*	*
DENBIGH ...	-	5	-	-	4	-
Boroughs and Urban Districts:—						
†COLWYN BAY ...	-	-	-	-	2	-
DENBIGH ...	-	3	-	-	-	-
†WREXHAM ...	-	1	-	-	-	-
Rural Districts:—						
WREXHAM ...	-	1	-	-	2	-
FLINT	-	-	2	-	5	G. 1
Boroughs and Urban Districts:—						
BUCKLEY... ...	-	-	-	-	1	-
HOLYWELL ...	-	-	-	-	1	-
†RHYL	-	-	1	-	-	-
Rural Districts:—						
HOLYWELL ...	-	-	1	-	3	G. 1
GLAMORGAN ...	-	27	38	1	41	M. 1 N. 2
†CARDIFF C.B. ...	-	2	7	-	7	M. 1
†MERTHYR TYDFIL C.B.	-	-	2	-	-	-
†SWANSEA C.B. ...	-	3	5	-	1	-
Boroughs and Urban Districts:—						
†ABERDARE ...	-	3	2	-	5	-
†CAERPHILLY ...	-	1	3	-	-	-
†GELLIGAER ...	-	1	2	-	4	-
†MAESTEG ...	-	-	4	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MOUNTAIN ASH ...	–	3	2	–	3	–
†NEATH	–	1	1	–	–	–
†OGMORE AND GARW	–	5	–	–	2	–
†PENARTH ...	–	–	–	1	2	–
†PONTYPRIDD ...	–	–	1	–	–	N. 1
†PORT TALBOT ...	–	–	–	–	1	–
†RHONDDA ...	–	4	4	–	8	–
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	1	1	–	8	N. 1
SWANSEA... ...	–	1	4	–	–	–
MERIONETH ...	–	3	2	–	–	N. 1
Urban Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
FFESTINIOG ..	–	–	1	–	–	–
TOWYN	–	1	–	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	2	–	–	–	–
PENLLYN	–	–	–	–	–	N. 1
MONMOUTH ...	47	1	4	1	8	C. 1 G. 1 N. 1
†NEWPORT C.B. ...	–	–	–	–	2	G. 1 N. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	1	–	–	–	1	–
†ABERSYCHAN ...	33	–	–	–	–	–
†ABERTILLERY ...	–	–	–	1	–	–
†BEDWELLTY ...	–	–	1	–	–	–
†BLAENAVON ...	6	–	–	–	2	–
†EBBW VALE ..	–	–	1	–	1	–
LLANFRECHFA UPPER	–	1	–	–	–	–
MONMOUTH ...	*	*	*	*	*	*
†MYNYDDISLWYN	3	–	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NANTYGLO AND BLAINA	–	–	–	–	1	
PONTYPOOL ...	4	–	–	–	–	C.
†RHYMNEY ...	–	–	2	–	–	
†RISCA	*	*	*	*	*	
†TREDEGAR ...	–	–	–	–	1	
Rural Districts:—						
MONMOUTH ...	*	*	*	*	*	
ST. MELLONS ...	*	*	*	*	*	
MONTGOMERY...	–	–	1	–	3	
Rural Districts:—						
FORDEN	–	–	–	–	2	
LLANFYLLIN ...	–	–	1	–	–	
NEWTOWN AND LLANIDLOES	–	–	–	–	1	
PEMBROKE ...	–	–	1	–	1	
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	1	
†PEMBROKE ...	*	*	*	*	*	
Rural Districts:—						
NARBERTH ...	*	*	*	*	*	
PEMBROKE ...	–	–	1	–	–	
RADNOR	–	–	–	–	1	
Rural Districts:—						
PAINSCASTLE ...	–	–	–	–	1	
Total of Part II. ...	348	964	533	28	883	C. D. E. F. G. L. M. N.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

ame of Port nitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
ES	*	*	*	*	*	*	SOUTHAMPTON ...	–	–		–	1	–
LEHAMPTON ...	*	*	*	*	*	*	WISBECH	–	1	–	–	–	–
RPOOL	–	1	1	1	1	–	PORT OF LONDON ..	–	–	–	–	1	–
OUTH	–	1	–	1	–	L. 1							
WICH	–	1	–	–	–	–	Total of Part III. ...	–	4	1	2	3	L. 1

* Returns not received. † Population over 10,000.

uerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
ontinued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
Total of Part I.—London	–	201	175	3	107
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	348	964	533	28	883
Total of Part III.—Port Sanitary Districts	–	4	1	2	3
Total (*i.e.*, of returns received), England and Wales ...	348	1169	709	33	993

‡ The letters in this column denote the following diseases:—A, Cholera; B, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Co Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal P

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE.* } { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

eek ended :—	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apl. 2.	Apl.* 9.	Apl.* 16.
N :—													
S—all ages	1,908	2,045	1,912	1,704	1,652	1,277	1,240	1,114	1,114	1,068	959	980	944
0 to 1 year ..	135	162	137	100	122	101	91	97	100	105	87	98	94
T TOWNS, aggre- (including Lon- —													
.. .. ..	6,231	6,475	7,020	6,293	7,015	6,490	6,760	6,834	7,047	6,248	6,935	6,901	6,050
S—all ages	6,427	7,320	7,302	7,285	8,411	7,824	7,080	5,980	5,327	4,990	4,656	4,625	4,317
0 to 1 year ..	630	731	716	670	857	802	696	612	588	561	486	560	498
IC Fever—Cases	9	14	18	11	7	13	21	14	14	8	22	16	14
„ Deaths	2	2	3	1	3	4	2	1	4	1	2	2	3
Pox—Cases ..	119	116	133	106	81	97	93	81	80	82	97	84	70
Deaths ..	—	—	—	1	—	—	—	—	—	1	—	—	—
ET Fever—Cases	787	809	684	705	729	675	677	676	763	720	766	763	711
Deaths	4	6	11	6	4	8	5	8	2	6	5	2	6
HERIA—Cases ..	715	735	700	619	695	720	712	723	681	713	670	677	496
Deaths ..	39	43	51	45	29	41	62	43	30	35	25	28	30
ES—Deaths ..	43	50	43	47	73	59	73	72	52	71	79	76	89
ENZA—Deaths ..	470	725	818	759	987	1,023	898	572	342	224	160	120	96

'or the weeks ended April 9th and 16th the figures relate to 107 Great Towns instead of 105, owing to the on of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)

Table 6.—Meteorology in certain Towns during the Week ended Saturday 16th April, 1927. (*Supplied by the Meteorological Office.*)

OWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
N	65	35	56·4	42·0	2
ENWICH).					
TON ..	58	40	55·1	43·0	1
OUTH ..	62	41	55·7	43·5	1
CH	59	36	52·6	41·1	3
(EATON).					
UTH ..	56	37	53·9	42·4	0
L	59	36	52·9	40·6	4
(CLIFTON).					
GHAM	60	33	52·9	40·4	
GBASTON).					
GHAM ..	59	36	54·3	41·6	8
NHEAD	56	38	50·1	42·7	2
(BIDSTON).					
ESTER	54	33	50·9	41·3	10
HITWORTH					
PARK).					
EY	53	29	49·7	38·0	25

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
Huddersfield	58	33	51·9	39·7	8
Bradford ..	56	32	50·9	38·9	10
Sheffield ..	61	35	53·1	41·0	6
York (Museum)	61	33	54·6	40·3	7
Hull (Pearson Park).	61	34	54·0	40·0	16
Tynemouth ..	56	33	51·3	39·6	7
Cardiff.. ..	57	36	52·9	40·4	8
Edinburgh ..	55·0	33·0	51·9	38·3	6
Glasgow ..	53·6	36·7	52·3	40·3	12
Dublin (Phœnix Park).	59·2	34·8	55·0	39·1	6
(Fitzwilliam Square†).	60·0	36·3	54·9	42·2	5
Belfast.. ..	‖	‖	‖	‖	‖

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.
‖ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 16th April, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	10	..	29·524	51·1	40·5	10·6	44·2	− 1·7	40·1	4·1	12·1	1·1	85	84·3	34·8	45·4	WNW: NNW.	NNW	1·0	0·0	0·1	198	− 108	0·00
MONDAY -	11	..	29·857	50·7	41·5	9·2	45·3	− 0·5	37·0	8·3	19·5	1·1	73	96·0	35·3	45·5	NNW	NW: W: WNW.	2·4	0·0	0·2	347	+ 50	0·01
TUESDAY -	12	..	30·172	54·4	34·7	19·7	44·6	− 1·3	34·9	9·7	18·4	3·7	69	107·6	24·2	45·5	NNW: WSW.	NW: W: WSW.	3·1	0·0	0·2	296	+ 5	0·00
WEDNESDAY	13	..	30·073	62·4	44·4	18·0	52·1	+ 6·0	41·7	10·4	18·4	4·2	68	112·0	37·4	45·6	WSW: NW.	SW	3·0	0·0	0·2	347	+ 58	0·00
THURSDAY -	14	..	29·623	64·6	48·6	16·0	54·6	+ 8·2	49·8	4·8	14·2	1·6	84	119·8	44·8	45·7	SW	SW: WSW.	4·0	0·0	0·7	522	+ 234	0·04
FRIDAY -	15	Apogee. In Equator	29·762	54·3	44·2	10·1	47·9	+ 1·1	36·1	11·8	16·4	2·9	64	83·6	33·1	45·8	W: WNW: NNW.	NNW: NW.	1·8	0·0	0·3	362	+ 73	0·01
SATURDAY -	16	..	30·066	57·6	41·0	16·6	48·1	+ 0·9	36·9	11·2	20·9	3·7	66	110·0	29·3	46·0	NW	NNW	0·6	0·0	0·1	219	− 72	0·00
MEANS -		..	29·868	56·4	42·1	14·3	48·1	+ 1·8	39·5	8·6	17·1	2·6	73	101·9	34·1	45·6	Westerly		..	..	..	Sum 2291	Sum + 240	Sum 0·06
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. April.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	General Remarks.
Sunday ..	10	wP.	0·4	13·4	Nearly overcast or overcast. Occasional slight showers 9h. till 15h.
Monday ..	11	wP till 6h.; then mP and wP.	2·2	13·5	Overcast generally. Cloudy period about 9h. Cloud thin 9h. till 15h. Solar halo 11½h. Slight rain 14¾h. till 19h., then occasionally till 22h.
Tuesday ..	12	wP till 4h., then mP	3·2	13·5	Very cloudy or nearly overcast. Few clouds period 2¾h. till 7h.
Wednesday	13	wP till 5h.; mP till 20h., then wP.	2·9	13·6	Overcast or nearly so till 15h., cloudy till 20h., then overcast. Sky hazy in morning.
Thursday	14	wP till 17h.; mP till 19h.; wP till 22½h.; then loss of register.	0·8	13·7	Overcast generally. Rain 4½h. till 5h., drizzle 7½h. till 9h., and rain 21h. till 23h. Brisk wind 0h. till 8h.
Friday .	15	Loss of register till 9½h.; wP till 19½h; mP till 23h., then wP.	1·3	13·8	Very cloudy or nearly overcast till 12h., overcast till 19h., cloudless by 20h. Shower 4h., and slight rain 8¾h. till 9½h.
Saturday	16	wP till 4h.; wP and mP till 19½h., then wP.	1·9	13·8	Cloudless or little cloud till 4h., cloudy by 5h. Very cloudy or nearly overcast 7h. till 20h., then little cloud. Sky hazy.
			Sum 12·7	Sum 95·3	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·34 ins. at the beginning of the week to 30·19 ins. by 21h on April 12th; decreased to 29·51 ins. by 1h. on April 15th; increased generally and was 30·10 ins. by midnight on April 16th.

THE 1921

CENSUS

THE decennial census of England and Wales provides a wealth of statistical data relating to an exceptionally wide range of social conditions and activities and so furnishes matter of the greatest value for the solution of a vast number of current political and economic problems.

Encyclopædic in scope, the volumes are a storehouse of information of the most detailed nature and of exceptional accuracy which can be put to an extraordinary range and variety of uses. They have proved, for instance, of signal service in industry and commerce and to advertisers anxious to obtain quantitative data on which to base production and selling campaigns. Each County in England and Wales is surveyed separately and the figures relating to them are published in 52 volumes of foolscap folio size.

Ten general volumes are devoted to a grouping of statistics to illustrate the Industrial and Occupational divisions of the country and such special relationships as Dependency Orphanhood, etc. A general Report on the Census as a whole is in course of preparation.

The complete set of volumes originally cost £34 4s. net and it has been decided to offer the few sets that remain at the exceptionally low price of £12 net, postage extra.

The series may be ordered at this price at any of the sale offices of H.M. Stationery Office.

LONDON: Adastral House, Kingsway, W.C.2.
MANCHESTER: York Street.
EDINBURGH: 120, George Street.
CARDIFF: 1, St. Andrew's Crescent.
BELFAST: 15, Donegall Square West.

FOR OFFICIAL USE

1927. No. 16.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 23RD APRIL, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.

Price 6d. net.

70-137-16-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 23RD APRIL, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the sixteenth week of the year numbered 6,619 and corresponded to an annual rate of 17·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,342 and corresponded to an annual rate of 11·6 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 12·5, 12·3 and 11·5. Infant mortality based on the average weekly number of births during the last 52 weeks, was 73 per 1,000 births against 71, 82 and 73 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,553 births, corresponding to a rate of 17·5 per 1,000, and 975 deaths of civilians, corresponding to an annual rate of 11·0, against 10·9, 11·1 and 10·7 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·9 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 74 as against 56, 64 and 61 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,316 to 4,342. In London the number of deaths from all causes increased from 944 to 975 and the deaths from whooping cough numbered 18 as against 22, 19 and 19 in the three weeks preceding.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in t week ended 23rd April, 1927.**

Towns.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis, under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
107 Great Towns ..	19,540,143*	6,619	4,542	496	1	81	4	46	27	53
London	4,605,400*	1,553	975	114	-	4	1	18	7	14
Towns in Outer Ring.										
Croydon C.B. ..	205,900	59	37	3	-	-	-	-	-	1
Wimbledon ..	58,030	19	14	2	-	-	-	-	-	-
Ealing	91,783	37	13	-	-	-	-	-	-	-
Acton	63,040	21	16	-	-	-	-	-	-	-
Brentford and Chiswick† ..	56,840	12	15	-	-	-	-	-	-	-
Willesden ..	165,270	31	25	3	-	-	-	-	1	-
Hendon	62,570*	17	7	-	-	-	-	-	-	-
Hornsey	87,230	24	19	-	-	-	-	-	-	-
Wood Green ..	51,940	18	9	-	-	-	-	-	-	-
Tottenham ..	151,520	27	25	2	-	-	-	-	1	-
Edmonton	71,700	29	11	1	-	-	-	1	-	-
Enfield	63,640	11	15	1	-	-	-	-	-	-
West Ham C.B. ..	315,900	137	67	11	-	-	-	1	1	1
East Ham C.B. ..	146,600	47	22	2	-	-	-	-	-	-
Leyton	130,000	21	24	4	-	-	-	1	-	1
Walthamstow ..	125,500	34	27	3	-	-	1	3	-	-
Ilford	100,500	27	12	1	-	-	-	-	-	-
Gillingham	47,820*	22	11	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	13	7	-	-	-	-	-	-	-
Hastings C.B.	61,340	20	17	2	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	16	10	-	-	-	-	-	-	-
Brighton C.B.	139,500*	42	25	3	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	103	41	3	-	1	-	1	1	-
Bournemouth C.B. ..	90,100	21	15	1	-	-	-	-	-	-
Southampton C.B. ..	169,300	68	45	4	-	1	-	-	1	1
Reading C.B	93,090*	28	28	3	-	-	-	-	1	1
Oxford C.B.	56,800	28	10	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	30	20	1	-	-	-	-	-	-
Luton	59,240	14	9	-	-	1	-	-	-	-
Cambridge	58,820	19	10	1	-	-	-	1	-	-
Southend-on-Sea C.B.	104,300	26	17	2	-	-	-	-	-	-
Ipswich C.B.	84,140	40	21	2	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	19	20	3	-	-	-	-	-	-
Norwich C.B.	123,500*	54	29	7	-	-	-	1	-	-
Swindon	57,320	16	13	2	-	-	-	-	-	-
Exeter C.B.	60 340*	25	9	1	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	83	57	4	-	-	-	-	1	-
Bath C.B.	69,000	11	10	1	-	-	-	-	-	-
Bristol C.B.	383,300*	124	83	6	-	-	-	-	-	-
Gloucester C.B. ..	53,050	15	20	2	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	113	78	15	-	4	-	1	-	1
Burton-upon-Trent C.B.	48,660	13	10	-	-	-	-	-	-	-
Wolverhampton C.B.‡	131,000	47	27	5	-	-	-	-	-	-
Walsall C.B.	102,100	26	19	4	-	-	-	1	-	-
West Bromwich C.B.	79,920	30	15	3	-	1	-	-	-	1
Dudley C.B.	58,930	22	8	3	-	-	-	1	-	1
Worcester C.B. ..	50,660	14	12	1	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	313	200	28	-	4	-	4	1	5
Smethwick C.B. ..	76,940	25	9	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	44	26	-	-	1	-	-	-	-
Leicester C.B. ..	241,700	79	48	4	-	3	-	-	-	-
Lincoln C.B.	65,760*	28	18	5	-	-	-	-	-	-
Grimsby C.B.	88,580	32	24	3	-	-	-	-	-	1
Nottingham C.B. ..	268,000	103	71	10	-	3	-	-	1	-
Derby C.B.	136,600*	54	31	3	-	-	-	1	-	-
Chesterfield ..	66,650	21	12	2	-	-	-	-	1	-
Stockport C.B. ..	125,400	50	22	1	-	-	-	-	-	-
Chester C.B.	41,710	21	8	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	63	41	12	-	-	-	-	1	3
Wallasey C.B. ..	93,050	27	13	1	-	-	-	-	-	-
Liverpool C.B. ..	862,600	387	228	40	1	18	-	3	2	8
Bootle C.B.	84,580	29	18	5	-	-	-	-	-	1
St. Helens C.B. ..	110,000	47	16	1	-	1	-	-	-	-

* [illegible] the excess of Ecclesiastical Parishes.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
ITHPORT C.B. ..	77,970	26	19	-	-	-	-	-	-	-	-
AN C.B.	88,620	33	21	3	-	6	-	-	-	-	-
RRINGTON C.B. ..	76,940*	29	10	1	-	-	-	-	-	-	-
TON C.B.	177,000	52	45	1	-	-	-	-	-	-	3
RY C.B.	56,840*	18	12	2	-	-	-	-	-	-	-
NCHESTER C.B. ..	752,000	253	179	14	-	-	-	2	2	1	8
FORD C.B.	247,400	74	55	5	-	-	-	-	-	2	1
TON-UNDER-LYNE§	51,050	21	12	4	-	-	-	-	-	-	-
DHAM C.B.	143,000	47	40	3	-	-	-	-	-	-	2
DHDALE C.B.	91,510	18	31	2	-	-	-	-	-	-	1
RNLEY C.B	99,600	33	37	3	-	-	-	-	-	-	1
CKBURN C.B. ..	124,400	26	27	1	-	-	-	-	-	-	1
STON C.B.	124,200	42	35	7	-	4	-	-	-	-	-
CKPOOL C.B. ..	88,640	14	21	1	-	-	-	-	-	-	2
ROW-IN-FURNESS B.	70,420	19	13	1	-	3	-	-	-	1	-
DDERSFIELD C.B. ..	111,900	32	41	2	-	-	-	-	2	-	1
LIFAX C.B.	96,130*	22	21	-	-	1	-	-	-	-	1
DFORD C.B. ..	288,700	58	64	8	-	3	-	-	-	1	1
DS C.B.	473,400	136	104	8	-	3	-	1	-	-	4
WSBURY C.B. ..	53,630	14	12	-	-	-	1	-	-	-	-
KEFIELD C.B. ..	53,830	19	11	2	-	-	-	-	-	-	-
NSLEY C.B. ..	70,760	23	19	3	-	1	1	-	-	-	1
FFIELD C.B. ..	523,300*	155	120	14	-	-	-	2	1	1	3
HERHAM C.B. ..	70,080	26	12	2	-	-	-	-	-	1	-
CASTER C.B.‡ ..	55,700	17	6	1	-	-	-	-	-	-	1
RK C.B.	84,430*	26	18	3	-	4	-	-	-	1	-
LL C.B.	294,600	102	68	13	-	-	-	2	-	-	1
DLESBROUGH C.B.	133,600	57	42	6	-	3	-	-	-	1	1
LLINGTON C.B. ..	70,700	22	19	2	-	-	-	-	-	-	-
CKTON-ON-TEES ..	67,910	22	14	2	-	-	-	-	-	-	-
ST HARTLEPOOL C.B.	71,060	24	18	1	-	-	-	-	1	-	2
DERLAND C.B. ..	163,800	84	49	3	-	1	-	-	-	-	1
TH SHIELDS C.B. ..	123,900	51	30	3	-	1	-	-	-	-	-
ESHEAD C.B. ..	127,700	50	41	8	-	2	-	-	-	-	2
WCASTLE-ON-TYNE B.	284,700*	119	56	8	-	1	-	-	-	1	-
EMOUTH C.B ..	66,560	31	11	-	-	-	-	-	-	-	-
LISLE C.B.	56,140*	28	10	-	-	-	-	-	-	-	1
WPORT (MON.) C.B.	96,620	34	22	3	-	2	-	-	-	-	-
DIFF C.B.	225,600*	78	55	7	-	1	-	1	-	1	-
NDDA	162,500	49	46	1	-	2	-	-	-	-	1
RTHYR TYDFIL C.B.	80,690	27	17	2	-	-	-	-	-	2	-
RDARE	56,930	23	10	2	-	-	-	-	1	-	-
NSEA C.B.	163,200	46	35	3	-	1	-	-	-	-	-
ATER LONDON ..	7,791,310*	2,506	1,572	160	-	4	3	24	12	19	27
ER RING	3,185,910*	953	597	46	-	-	2	6	5	5	10
GREAT TOWNS IN UTER RING	1,947,963*	571	358	33	-	-	1	6	3	3	1
LAINDER OF OUTER ING	1,237,947*	382	239	13	-	-	1	-	2	2	9
NBURGH†	426,100	166	117	12	-	1	1	-	1	-	1
SGOW†	1,049,000	528	337	53	-	-	-	13	1	8	3
BLIN (REGISTRATION REA)†	421,000	177	162	24	-	1	-	7	1	2	1
FAST†	416,000	215	130	25	-	-	-	2	1	2	5

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and sgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and the addition of deaths of residents reported from elsewhere in Scotland during the week; those in blin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into lic institutions from without the respective areas.

‡ Created County Borough 1st April, 1927.

§ Ashton-under-Lyne M.B as extended 1st April, 1927.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa
LONDON‡	4,605,400	1927. April 23	1553	975	11·0	-	-	4	1	18	7	
CALCUTTA AND SUBURBS	1,077,264	1926-27. Mar. 19	?	919‖	44·4	?	232	?	?	?	?	
BOMBAY§	1,298,708	April 2	389	566‖	22·7	7	48	6	-	-	-	
MADRAS	528,791	Mar. 26	415	402	39·5	1	2	-	-	1	-	
SYDNEY AND SUBURBS	1,038,950	Feb. 28 (28 days)	1592	669	7·7	3	-	2	3	11	5	
BRISBANE (Metropolitan Area).	263,711	Feb. 28 (28 days)										
PERTH (Metropolitan Area).	179,388	Mar. 5	74	46	13·3	-	-	-	-	1	-	
AUCKLAND (Urban Area).	192,176	Feb. 28 (28 days)										
WELLINGTON (Urban Area).	121,324	Feb. 28 (28 days)										
CHRISTCHURCH (Urban Area).	118,408	Feb. 28 (28 days)										
CAPE TOWN	115,348	Mar. 26										
JOHANNESBURG	172,189	" 26	68	38	11·5	2	-	-	-	1	-	
DURBAN	54,738	" 26	19	18	17·1	-	-	-	-	-	1	
PARIS	2,871,429	" 31 (11 days)	1482	1311	15·1	3	-	32	6	16	11	
ANTWERP	300,086	Mar. 19	91	63	10·9	-	-	2	-	-	-	
AMSTERDAM	727,259	April 2	248	124	8·9	-	-	4	-	1	-	
COPENHAGEN	592,000	" 9	195	144	12·7	-	-	1	-	1	2	
STOCKHOLM	453,332	" 9	106	115	13·2	-	-	-	-	-	-	
GOTHENBURG	231,624	Mar. 12	?	46	10·3	-	-	-	1	-	-	
OSLO (CHRISTIANIA) ..	255,724	April 16	65	41	8·3	-	-	-	-	-	-	
BERLIN	1,993,000	" 2	352	485	12·7	-	?	3	2	2	1	
BRESLAU	561,000	" 2	156	112	10·4	-	?	1	-	-	-	
COLOGNE	711,000	" 2	237	170	12·4	-	?	5	-	1	-	
DRESDEN	624,000	" 2	142	135	11·2	-	?	-	-	-	-	
FRANKFORT-ON-MAIN..	471,000	" 2	97	95	10·5	-	?	-	-	-	-	
HAMBURG	1,111,000	" 2	236	233	10·9	-	?	-	-	3	1	
LEIPZIG	685,000	" 2	185	155	11·8	-	?	-	-	-	-	
MUNICH	685,000	" 2	174	149	11·3	-	?	2	-	1	-	
VIENNA	1,871,607	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	Oct 31 (31 days)										
BUDAPEST	971,169	April 9	312	270	14·4	1	-	2	4	2	3	
WARSAW	1,015,426	" 16										
CAIRO	859,400	Jan. 7										
ALEXANDRIA	492,100	" 7										
NEW YORK	5,924,018	April 2	?	1535	13·5	-	-	1	10	8	15	
CHICAGO	3,101,000	" 8	1372	730	12·3	1	-	3	1	-	12	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under one year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 52 deaths from Cholera in Calcutta and 6 deaths from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 23rd April, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	975	114	24	23	28	40	36	60	100	177	173	200
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	-	4	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-
Whooping cough	18	6	7	5	-	-	-	-	-	-	-	-
Diphtheria	7	1	-	2	3	-	-	-	-	1	-	-
Influenza	17	2	-	-	-	-	1	-	2	4	4	4
Erysipelas	2	-	-	-	-	-	-	-	1	-	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	-	-	1	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	74	-	-	1	2	13	12	16	16	10	4	-
Nervous system	6	1	2	-	2	1	-	-	-	-	-	-
Intestines and peritoneum	2	1	-	-	-	1	-	-	-	-	-	-
Other forms	7	1	2	1	1	1	-	1	-	-	-	-
Venereal diseases	2	2	-	-	-	-	-	-	-	-	-	-
Cancer	126	-	-	-	-	1	3	6	24	43	35	14
Rheumatic fever	5	-	-	1	2	1	-	-	-	1	-	-
Diabetes	6	-	-	-	-	-	-	-	-	4	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	2	-	1	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	46	-	-	-	-	-	-	-	3	11	11	21
Epilepsy	4	-	-	-	-	1	1	1	-	1	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	32	1	-	-	4	5	-	6	4	7	4	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	7	-	-	-	2	3	1	1	-	-	-	-
Other diseases of heart	149	-	-	-	-	3	3	4	17	31	40	51
Other diseases of circulatory system	46	-	-	-	-	-	-	-	3	12	15	16
Bronchitis	56	6	-	-	1	-	-	-	2	6	20	21
Broncho-pneumonia	35	14	4	2	2	1	2	2	1	3	-	4
Lobar-pneumonia	25	1	-	1	1	-	3	7	-	4	4	4
Pneumonia (type not distinguished)	12	2	-	-	-	-	-	-	2	3	2	3
Other diseases of respiratory system	10	-	-	-	-	-	-	-	2	4	1	3
Diarrhœa and enteritis	16	14	-	2	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	3	-	-	1	1	-	1	-	-	-	-	-
Hernia, Intestinal obstruction	5	1	1	-	-	-	-	-	-	-	1	2
Cirrhosis of liver	6	-	-	-	-	-	-	1	2	1	1	1
Other diseases of digestive system ..	25	1	-	1	2	-	2	1	6	6	2	4
Acute nephritis	1	-	-	-	1	-	-	-	-	-	-	-
Chronic Bright's disease	31	-	-	-	-	-	1	1	5	6	13	5
Other diseases of genito-urinary system.	9	1	-	-	-	-	1	-	1	1	3	2
Puerperal sepsis	4	-	-	-	-	1	2	1	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations	12	8	2	1	-	1	-	-	-	-	-	-
Premature birth	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	9	9	-	-	-	-	-	-	-	-	-	-
Old age	28	-	-	-	-	-	-	-		-	1	27
Suicide	15	-	-	-	-	2	-	4	3	5	1	-
Burns and Scalds	5	-	1	2	-	-	-	-	-	-	-	2
Drowning	3	-	-	-	-	-	-	-	-	3	-	-
Suffocation in bed	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	-	-	-	2	2	-	1	-	2	2	2
Other deaths by violence	15	-	-	-	-	2	1	3	-	3	2	4
Other specified causes	47	15	1	2	2	1	-	3	6	5	3	9
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 23rd April 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	191	197	7	103	C. 1 D. 3 G. 2 M. 15 N. 18
Metropolitan Boroughs:—						
†BATTERSEA ...	-	9	9	-	7	-
†BERMONDSEY ...	-	6	7	-	-	N. 2
†BETHNAL GREEN	-	12	6	-	4	G. 1
†CAMBERWELL ...	-	9	14	-	2	G. 1 M. 1
†CHELSEA	-	3	6	-	2	M. 1
†DEPTFORD ...	-	2	5	-	3	-
†FINSBURY ...	-	2	4	-	1	-
†FULHAM	-	4	2	-	6	M. 1 N. 2
†GREENWICH ...	-	12	12	1	4	M. 1
†HACKNEY ...	-	10	18	-	1	D. 2 M. 1
†HAMMERSMITH ...	-	5	4	-	4	-
†HAMPSTEAD ...	-	5	2	-	-	-
†HOLBORN... ...	-	2	3	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	17	11	1	3	M. N.
†KENSINGTON ...	-	4	7	-	-	M. N.
†LAMBETH ...	-	8	15	3	12	D. N.
†LEWISHAM ...	-	3	6	-	4	N.
†PADDINGTON ...	-	10	2	-	7	-
†POPLAR	-	14	6	-	8	M.
†ST. MARYLEBONE	-	5	1	-	-	-
†ST. PANCRAS ...	-	4	6	-	4	C.
†SHOREDITCH ...	-	10	12	-	3	-
†SOUTHWARK ...	-	6	13	-	2	M. N.
†STEPNEY	-	10	13	1	8	M.
†STOKE NEWINGTON	-	2	1	-	-	-
†WANDSWORTH ...	-	8	3	1	12	M. N.
†WESTMINSTER, CITY OF	-	2	3	-	-	
†WOOLWICH ...	-	7	6	-	6	

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag encephalitis ; G, Encephalitis lethargica ; H, Typhus Fever ; I, Relapsing Fev N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	3	–	3	N. 2
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	3	–	–	1	N. 2
KEMPSTON ...	–	2	–	–	–	–
LEIGHTON BUZZARD	–	–	–	–	2	–
†LUTON	–	–	1	–	–	–
Rural Districts:—						
BEDFORD ...	–	1	2	–	–	–
BERKS	–	3	1	1	–	M. 1
†READING C.B. ...	–	1	1	–	–	–
Rural Districts:—						
NEWBURY ...	–	–	–	1	–	–
WALLINGFORD ...	–	2	–	–	–	
WOKINGHAM ...	–	–	–	–	–	M. 1
BUCKINGHAM ...	–	5	2	–	4	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	1	–	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
†SLOUGH	–	–	–	–	1	–
†WOLVERTON ...	–	–	–	–	2	–
Rural Districts:—						
AMERSHAM ...	–	3	–	–	–	–
ETON	–	1	2	–	–	–
CAMBRIDGE ...	–	3	–	–	1	N. 1
Borough:—						
†CAMBRIDGE ...	–	2	–	–	–	–
CAMBRIDGE— *cont.*						
Rural Districts:—						
CHESTERTON ...	–	–	–	–	–	N. 1
LINTON	–	1		–		–
MELBOURN ...	–	–	–	–	1	–
CHESTER ...	–	58	16	–	22	M. 1 N. 2
†BIRKENHEAD C.B.	–	6	4	–	2	N. 1
†CHESTER C.B. ...	–	–	–	–	1	–
†STOCKPORT C.B.	–	20	2	–	1	–
†WALLASEY C.B. ...		1	–	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	3	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	1	1	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	1	–	–		–
†CREWE	–	1	1	–	–	–
†DUKINFIELD ...	–	–	–	–	1	–
HALE	–	1	–	–	–	–
HOOLE	–	–	–	–	3	–
†HYDE	–	1	1	–	2	–
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD ...	–	1	1	–	–	–
MIDDLEWICH ...	–	3	–	–	1	–
MOTTRAM IN LONGDENDALE	–	–	–	–	1	–
NANTWICH ...	–	1	1	–	–	–
NESTON AND PARKGATE	–	–	–	–	1	–
†NORTHWICH ...		2	–	–	–	–
†SALE	–	2	–	–	–	–
†STALYBRIDGE ...		2	1		1	M. 1
WILMSLOW ...	–	2	–	–	–	–
†WINSFORD ...		–	–	–	2	–
YEARDSLEY CUM WHALEY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	–	–	–	1	–
CONGLETON ...	–	1	–	–	1	N. 1
NANTWICH ...	–	–	–	–	1	–
NORTHWICH ...	–	1	2	–	1	–
RUNCORN ...	–	2	–	–	–	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	3	1	–	1	–
CORNWALL ...	–	7	3	1	3	M. 1
Boroughs and Urban Districts:—						
LISKEARD ...	–	–	1	–	–	–
PENRYN	–	–	1	–	–	–
ST. IVES	–	3	–	–		–
ST. JUST	–	2	–	–	–	–
WADEBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
HELSTON	–	–	1	–	–	–
LAUNCESTON ..	–	–	–	1	–	–
ST. AUSTELL ...	–	1	–	–	1	–
ST. COLUMB MAJOR	–	1	–	–	2	–
TRURO	–	–	–	–	–	M. 1
CUMBERLAND...	–	5	4	–	3	E. 1 N. 1
†CARLISLE C.B. ...	–	1	–	–	1	N. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	–	–	–	E. 1
CLEATOR MOOR ...	–	–	1	–	–	–
KESWICK	–	1	–	–	–	–
†MARYPORT ...	–	1	1	–	–	–
MILLOM	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BRAMPTON ...	–	–	1	–	–	–
COCKERMOUTH ...	–	–	1	–	1	–
LONGTOWN ...	–	1	–	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	18	25	21	1	29	C. 3 N. 1
†DERBY C.B. ...	10	6	2	–	11	C. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	–	–
BAKEWELL ...	–	–	–	–	1	–
†BELPER	2	–	–	–	–	–
†BOLSOVER ...	–	–	2	–	–	–
†CHESTERFIELD ...	–	4	3	–	–	–
DRONFIELD ...	–	1	–	–	–	–
†GLOSSOP	–	–	–	–	1	–
HEAGE	1	–	–	–	–	–
†HEANOR	–	–	–	–	1	–
†ILKESTON ...	–	1	–	–	1	–
†LONG EATON ...	–	2	–	–	–	–
NEW MILLS ...	–	1	–	–	1	–
†RIPLEY	4	–	2	–	–	–
†SWADLINCOTE DISTRICT	–	1	–	–	1	–
WIRKSWORTH ...	–	–	–	–	–	N. 1
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	1	–	1	–	–
BELPER	1	1	–	–	1	C. 1
BLACKWELL ...	–	2	2	–	4	–
CHESTERFIELD ...	–	2	6	–	2	C. 1
GLOSSOP DALE ...	–	–	–	–	2	–
HARTSHORN AND SEALS	–	–	2	–	–	–
HAYFIELD ...	–	–	–	–	1	–
REPTON	*	*	*	*	*	*
SHARDLOW ...	–	2	1	–	1	–
CODNOR PARK AND SHIPLEY (Parishes)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	12	13	3	1	M. 1 N. 2
†EXETER C.B. ...	–	2	–	1	1	–
†PLYMOUTH C.B....	–	6	11	2	–	–
Boroughs and Urban Districts:—						
CREDITON ...	–	1	–	–	–	–
†NEWTON ABBOT	–	–	1		–	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	1	1	–	–	–
Rural Districts:—						
BIDEFORD ...	–	–	–	–	–	N. 1
CREDITON ...	–	–	–	–	–	M. 1
NEWTON ABBOT...	–	1	–	–	–	N. 1
DORSET	–	5	–	–	1	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
LYME REGIS ...	–	1	–	–	–	–
†POOLE	–	–	–	–	1	–
†PORTLAND ..	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	2	–	–	–	–
DURHAM ...	149	55	30	1	52	C. 1 G. 1 M. 7 N. 4
†DARLINGTON C.B.	–	6	2	–	3	–
†GATESHEAD C.B.	1	8	5	–	1	N. 1
†SOUTH SHIELDS C.B.	22	2	5	–	7	M. 1
†SUNDERLAND C.B.	3	5	–	–	6	M. 1 N. 1
†WEST HARTLEPOOL C.B.	–	2	2	–	3	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	6	1	2	–	–	–
BENFIELDSIDE ...	–	1		–	–	–
BILLINGHAM ...	–	1	–	–	–	–
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	3	–	1	–	–	–
†CHESTER LE STREET	2	–	–	–	–	N. 1
†CONSETT	3	1	–	–	–	–
†CROOK	1	–	2	–	–	–
†DURHAM	–	–	–	–	–	M. 1
†FELLING	8	–	–	–	4	–
†HEBBURN ...	5	–	–	–	5	–
†HETTON	6	–	1	–	1	G. 1
†HOUGHTON LE SPRING	7	–	–	–	–	–
†JARROW	4	–	–	–	1	–
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	4	–	–	–	–
†SEAHAM HARBOUR	1	1	–	–	2	–
†SHILDON	1	–	–	–	–	–
†SPENNYMOOR ...	5	–	1	–	–	–
†STANLEY	–	3	2	–	–	–
†STOCKTON ON TEES	–	1	2	–	6	M. 2
TOW LAW ...	1	1	–	–	–	–
†WASHINGTON ...	–	–	–	–	1	–
†WHICKHAM ...	–	–	–	–	3	–
WILLINGTON ...	1	2	1	–	–	–
Rural Districts:—						
AUCKLAND ...	16	7	2	–	–	–
CHESTER LE STREET	13	1	–	1	–	–
DURHAM	3	1	–	–	1	–
EASINGTON ...	7	3	–	–	3	N. 1
HOUGHTON LE SPRING	–	1	–	–	1	M. 1
LANCHESTER ...	3	–	1	–	1	–
SEDGEFIELD ...	2	1	–	–	2	–
SOUTH SHIELDS...	25	–	1	–	–	–
SUNDERLAND ...	–	–	–	–	1	M. 1

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	-	-	-	-	-	N. 1
Boroughs and Urban Districts:—						
ELY	-	-	-	-	-	N. 1
ESSEX	-	92	43	-	40	C. 3 M. 3 N. 3
†EAST HAM C.B. ...	-	3	11	-	4	-
†SOUTHEND-ON-SEA C.B.	-	4	1	-	9	-
†WEST HAM C.B. ...	-	41	12	-	9	N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	6	3	-	2	N. 1
BRAINTREE ...	-	-	1	-	1	-
BRENTWOOD ...	-	-	1	-	-	-
BRIGHTLINGSEA	-	-	-	-	2	-
†CHELMSFORD ...	-	-	3	-	-	-
CHINGFORD ...	-	1	-	-	-	-
†COLCHESTER ...	-	-	-	-	1	-
DAGENHAM ...	-	4	1	-	5	M. 2
FRINTON ON SEA	-	1	-	-	-	-
†GRAYS THURROCK	-	1	-	-	-	-
†HARWICH ...	-	1	-	-	-	-
†ILFORD	-	1	-	-	1	M. 1
†LEYTON	-	8	3		-	C. 1
MALDON	-	-	1	-	-	-
†ROMFORD ...	-	3	-	-	-	C. 1
TILBURY	-	1	2	-	-	-
†WALTHAMSTOW...	-	10	3	-	4	C. 1 N. 1
Rural Districts:—						
BRAINTREE ...	-	1	-	-	-	-
CHELMSFORD ...	-	2	-	-	-	-
DUNMOW	-	1	-	-	-	-
MALDON	-	-	-	-	1	-
ORSETT	-	3	1	-	-	-
ROCHFORD ...	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	-	27	8	2	17	C. 2 D. 1 L. 1 M. 4 N. 3
†BRISTOL C.B. ...	-	15	4	1	11	C. 1 L. 1 M. 3 N. 2
†GLOUCESTER C.B.	-	1	2	-	1	N. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	1	-	-	-	C. 1
†KINGSWOOD ...	-	-	1	-	-	-
TEWKESBURY ...	-	1	-	-	-	-
Rural Districts:—						
CHELTENHAM ...	-	3	-	-	-	-
DURSLEY	-	-	-	-	-	D. 1 M. 1
STOW ON THE WOLD (part)	-	-	-	1	-	-
STROUD	-	3	1	-	-	-
THORNBURY ...	-	-	-	-	3	-
WARMLEY ...	-	1	-		-	-
WEST DEAN ...	-	-	-	2	-	-
WINCHCOMB(part)	-	-	-	-	2	-
HEREFORD ...	-	5	1	-	-	N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	-	-	1	-	-	-
ROSS	*	*	*	*	*	*
Rural Districts:—						
ROSS	*	*	*	*	*	*
WEOBLEY... ...	-	4	-	-	-	-
WHITCHURCH ...	-	1	-	-	-	N. 1
HERTFORD ...	-	13	3	1	3	G. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	-	1	-	-	-	-
BISHOP'S STORTFORD	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
BUSHEY	–	1	–	1	–	–
†CHESHUNT ...	–	–	–	–	1	–
†EAST BARNET VALLEY	–	–	1	–	–	–
HARPENDEN ...	–	2	1	–	–	–
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	–	G. 1
†ST. ALBANS ...	–	1	–	–	–	–
†WATFORD ...	–	3	–	–	–	–
WELWYN GARDEN CITY	–	1	–	–	–	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	1	–	–	–	–
HERTFORD ...	–	–	–	–	1	–
ST. ALBANS ...	–	1	–	–	1	N. 1
WARE	–	–	1	–	–	–
HUNTINGDON ...	–	–	1	–	4	M. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	–	–	–	M. 1
HUNTINGDON ...	–	–	1	–	–	–
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	3	–
KENT	1	43	31	–	25	C. 1 G. 1 L. 1 M. 3 N. 2
†CANTERBURY C.B.	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	–	G. 1
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY ...	–	1	1	–	1	C. 1
†CHATHAM ...	–	–	5	–	1	–
CHERITON ...	–	–	–	–	1	–
CHISLEHURST ...	–	–	–	–	1	–
†DARTFORD ...	–	–	2	–	1	–
†DEAL	–	1	–	–	–	–
†DOVER		2	1	–	–	M. 2
†ERITH	–	5	–	–	1	–
†FOLKESTONE ...	–	–	–	–	2	N. 1
†GILLINGHAM ...	–	1	–	–	–	–
†GRAVESEND ...	1	6	–	–	–	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	2	–	–	1	–
†MARGATE ...	–	2	–	–	1	–
MILTON REGIS ...	–	–	–	–	–	M. 1
†NORTHFLEET ...	–	4	2	–	1	–
†PENGE	–	1	2	–	–	–
†RAMSGATE ...	–	2	–	–	1	–
†ROCHESTER ...	–	–	1	–	1	–
SANDWICH ...	–	1	–	–	–	–
SIDCUP	–	–	7	–	1	–
SITTINGBOURNE	–	–	1	–	–	–
SWANSCOMBE ...	–	–	1	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	–	4	–	–	–
DARTFORD ...	–	5	2	–	–	–
DOVER	–	–	1	–	–	–
EASTRY	–	–	–	–	–	L. 1
ELHAM	–	–	1	–	1	–
FAVERSHAM ...	–	–	–	–	1	–
HOLLINGBOURNE	–	1	–	–	–	–
MAIDSTONE ...	–	–	–	–	–	N. 1
MALLING	–	3	–	–	2	–
ROMNEY MARSH...	–	1	–	–	–	–
SEVENOAKS ...	–	–	–	–	2	–
STROOD	–	1	–	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	-	108	73	5	198	C. 6 E. 1 G. 6 L. 5 M. 30 N. 19
†BARROW IN FURNESS C.B.	-	2	-	-	1	-
†BLACKBURN C.B.	-	5	-	-	2	M. 1
†BLACKPOOL C.B.	-	1	1	-	1	-
†BOLTON C.B. ...	-	3	1	-	9	E. 1
†BOOTLE C.B. ...	-	1	-	-	1	C. 2 N. 2
†BURNLEY C.B. ...	-	4	3	-	5	G. 1
†BURY C.B. ...	-	-	1	-	2	-
†LIVERPOOL C.B. ...	-	19	13	3	25	G. 2 M. 14 N. 2
†MANCHESTER C.B.	-	17	18	1	44	C. 3 M. 4 N. 4
†OLDHAM C.B. ...	-	2	6	-	5	M. 1
†PRESTON C.B. ...	-	1	1	-	4	G. 1 M. 1 N. 1
†ROCHDALE C.B. ...	-	2	1	-	3	M. 1
†ST. HELENS C.B. ...	-	4	1	-	5	N. 1
†SALFORD C.B. ...	-	14	6	-	9	N. 1
†SOUTHPORT C.B.	-	3	-	-	2	-
†WARRINGTON C.B.	-	3	2	-	8	-
†WIGAN C.B. ...	-	1	1	-	5	-
Boroughs and Urban Districts:—						
†ACCRINGTON ...	-	-	-	-	2	-
†ASHTON IN MAKERFIELD	-	-	-	-	2	-
†ASHTON UNDER LYNE	-	1	-	-	1	G. 1
ASPULL	-	-	-	-	-	M. 1
†ATHERTON ...	-	-	1	-	1	N. 1
†BACUP	-	-	1	-	-	-
BARROWFORD ...		-	-	-	-	M. 1
BRIERFIELD ...	-	-	1	-	-	-
†CHADDERTON ...	-	-	-	-	3	-
†CHORLEY	-	-	-	-	1	-
†COLNE	-	1	-	-	1	-
†CROMPTON ...	-	-	-	-	2	-
†DARWEN	-	-	-	-	1	N. 2
†DROYLSDEN ...	-	-	-	-	1	M. 1 N. 1
†ECCLES	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FAILSWORTH ...	-	-	-	-	4	-
†FARNWORTH ...	-	-	-	-	1	-
GOLBORNE ...	-	-	-	-	-	C. 1
†GREAT CROSBY ...	-	-	-	-	1	-
†GREAT HARWOOD	-	-	-	-	-	N. 1
†HASLINGDEN ...	-	-	-	-	3	-
†HAYDOCK ...	-	1	-	-	-	-
HEYSHAM ...	-	-	-	-	1	-
†HEYWOOD ...	-	2	-	1	-	-
†HINDLEY... ...	-	-	-	-	5	-
†HORWICH ...	-	-	-	-	1	-
†INCE IN MAKERFIELD	-	-	-	-	3	N. 1
†LANCASTER ...	-	1	-	-	3	-
†LEIGH	-	-	3	-	1	-
†LITHERLAND ...	-	1	-	-	-	-
†MIDDLETON ...	-	-	-	-	2	M. 1
MILNROW... ...	-	-	-	-	1	-
†MORECAMBE ...	-	-	1	-	1	-
†MOSSLEY	-	-	-	-	-	M. 1
†NELSON	-	-	-	-	1	-
†NEWTON IN MAKERFIELD	-	-	-	-	1	-
NORDEN	-	-	-	-	-	M. 1
ORMSKIRK ...	-	1	-	-	-	
†OSWALDTWISTLE	-	-	-	-	1	-
†PADIHAM ...	-	-	1	-	-	-
PRESCOT	-	1	-	-	-	-
†PRESTWICH ...	-	1	-	-	1	-
†RADCLIFFE ...	-	-	2	-	-	-
†RAMSBOTTOM ...	-	-	-	-	3	M. 1
†RAWTENSTALL ...	-	1	2	-	-	-
RISHTON	-	-	-	-	2	-
†ROYTON	-	-	-	-	-	N. 1
STANDISH WITH LANGTREE	-	-	-	-	1	-
†STRETFORD ...	-	4	2	-	1	-
†SWINTON AND PENDLEBURY	-	-	-	-	1	-
TOTTINGTON ...	-	1	-	-	-	-
†TYLDESLEY WITH SHAKERLEY	-	4	1	-	1	-
†WALTON LE DALE	-	2	-	-	-	M. 1
†WATERLOO WITH SEAFORTH	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WESTHOUGHTON	-	-	-	-	1	-
†WIDNES	-	1	2	-	5	-
†WORSLEY... ...	-	1	-	-	-	-
Rural Districts:—						
BARTON UPON IRWELL	-	-	1	-	-	-
BLACKBURN ...	-	1	-	-	-	-
BURY	-	-	-	-	-	N. 1
CHORLEY... ...	-	-	-	-	1	-
CLITHEROE ...	-	-	-	-	-	L. 3
LEIGH	-	-	-	-	1	-
ULVERSTON ...	-	-	-	-	-	G. 1
WARRINGTON ...	-	-	-	-	2	-
WEST LANCASHIRE	-	-	-	-	1	-
WHISTON... ...	-	-	-	-	-	L. 2
LEICESTER ...	-	12	5	3	9	C. 2 M. 1
†LEICESTER C.B. ...	-	4	2	-	5	C. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†COALVILLE ...	-	-	2	-	-	-
†LOUGHBOROUGH	-	1	-	-	-	-
MARKET HARBOROUGH	-	-	-	-	1	-
MELTON MOWBRAY	-	1	-	-	2	-
QUORNDON ...	*	*	*	*	*	*
THURMASTON ...	-	1	-	-	-	-
Rural Districts:—						
ASHBY DE LA ZOUCH	-	-	-	-	1	-
BARROW UPON SOAR	-	-	-	2	-	C. 1
BILLESDON ...	-	1	-	-	-	M. 1
LOUGHBOROUGH	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
MARKET BOSWORTH	-	2	1	-	-	-
MARKET HARBOROUGH	-	1	-	-	-	-
MELTON MOWBRAY	-	-	-	1	-	-
LINCOLN (parts of Holland).	-	1	2		-	-
Boroughs and Urban Districts:—						
LONG SUTTON ...	-	-	1	-	-	-
†SPALDING ...	-	-	1	-	-	-
Rural Districts:—						
SPALDING (part).	-	1	-	-	-	-
LINCOLN (parts of Kesteven).	-	9	-	-	-	-
Boroughs and Urban Districts:—						
†GRANTHAM ...	-	1	-	-	-	-
SLEAFORD ...	-	1	-	-	-	-
Rural Districts:—						
BOURNE	-	2	-	-	-	-
GRANTHAM ...	-	1	-	-	-	-
SLEAFORD ...	-	3	-	-	-	-
UFFINGTON ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L. Dysentery; M. Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	-	12	5	-	8	C. 1 M. 1
†GRIMSBY C.B. ...	-	-	1	-	3	-
†LINCOLN C.B. ...	-	1	-	-	1	C. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER		2	2	-	-	-
†GAINSBOROUGH ...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM		-	-	-	2	M. 1
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GLANFORD BRIGG	-	2	-	-	-	-
GRIMSBY	-	2	-	-	-	-
HORNCASTLE ...	-	3	-		1	-
ISLE OF AXHOLME	-	-	1	-	-	-
SIBSEY	-	2	-	-	-	-
SPILSBY	-	-	1	-	1	-
MIDDLESEX ...	-	46	34	2	23	E. 1 F. 1 J. 1 M. 2 N. 3
Boroughs and Urban Districts:—						
†ACTON	-	3	-	-	1	-
†BRENTFORD AND CHISWICK	-	-	2	1	1	N. 1
†EALING	-		2	-	-	-
†EDMONTON ...	-	1	5		1	-
†ENFIELD	-	2	1	-	1	N. 1
†FINCHLEY ...	-	-	-		-	E. 1
†FRIERN BARNET	-	1	-	-	-	-
HAMPTON WICK...	-	-	-		1	-
†HARROW ON THE HILL	-		1	-	-	M. 1
HAYES	-	2	-	-	-	-
†HENDON	-	4	1		-	-
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HESTON AND ISLEWORTH	-	-	2	-	2	-
†HORNSEY... ...	-	5	4	-	-	-
†SOUTHALL NORWOOD	-	1	-	-	-	-
†SOUTHGATE ...	-	2	1	-	5	-
STAINES	-	1	-	-	-	-
SUNBURY ON THAMES	-	-	1	-	-	-
†TOTTENHAM ...	-	11	3	-	2	J. 1 M. 1
†TWICKENHAM ...	-	2	-	-	1	-
†UXBRIDGE ...	-	1	-	-	-	-
†WEMBLEY ...	-	1	1	-	1	-
†WILLESDEN ...	-	1	9	-	5	F. 1
†WOOD GREEN ...	-	5	-	-	1	-
Rural Districts:—						
HENDON	-	1	1	-	1	-
STAINES	-	2	-	1	-	N. 1
NORFOLK ..	-	11	-	2	3	N. 2
†GREAT YARMOUTH C.B.	-	6	-	1	-	-
†NORWICH C.B. ...	-	5	-	-	-	N. 2
Boroughs and Urban Districts:—						
WELLS	*	*	*	*	*	*
Rural Districts:—						
BLOFIELD ...	-	-	-	-	2	-
FREEBRIDGE LYNN	-	-	-	-	1	-
KING'S LYNN ...	*	*	*	*	*	*
ST. FAITH'S ...	-	-	-	1	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHAMPTON	–	6	1	–	10	–
†NORTHAMPTON C.B.	–	3	1	–	4	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	1	–	–	–	–
DAVENTRY ...	–	–	–	–	2	–
KETTERING ...	–	1	–	–	1	–
†RUSHDEN... ...	–	–	–	–	1	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
†KETTERING ...	–	–	–	–	1	–
WELLINGBOROUGH	–	–	–	–	1	–
NORTHUMBERLAND.	17	32	5	–	48	G. 2 M. 2 N. 3
†NEWCASTLE UPON TYNE C.B.	1	14	3	–	28	G. 2 M. 1 N. 2
†TYNEMOUTH C.B.	2	4	1	–	2	–
Boroughs and Urban Districts:—						
AMBLE	–	–	1	–	2	–
†ASHINGTON ...	12	1	–	–	1	–
†BEDLINGTONSHIRE	–	–	–	–	1	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	2	–	–	4	M. 1
†GOSFORTH ...	–	2	–	–		–
NEWBIGGIN BY THE SEA	–	–	–	–	–	N. 1
†NEWBURN ...	–	–	–	–	4	–
ROTHBURY ...	–	–	–	–	1	–
†WALLSEND ...	–	1	–	–	2	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
CASTLE WARD ...	–	–	–	–	1	–
GLENDALE ...	–	5	–	–	–	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	–	–	–	–	1	–
MORPETH ...	2	1	–	–	–	–
ROTHBURY ...	–	1	–	–	–	–
NOTTINGHAM ...	4	20	25	2	21	M. 2 N. 1
†NOTTINGHAM C.B.	–	7	20	1	7	M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	1	2	–	3	–
†EAST RETFORD ...	–	–	1	–	–	–
†HUCKNALL ...	–	–	–	–	2	–
†KIRKBY IN ASHFIELD	2	3	–	–	1	–
†MANSFIELD ...	–	1	–	1	1	M. 1
†SUTTON IN ASHFIELD	2	4	–	–	4	–
†WEST BRIDGFORD	–	1	–	–	1	–
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	–	1	–	1	–
EAST RETFORD ...	–	–	–	–	–	N. 1
LEAKE	–	1	–	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	1	–	–	–	–
WORKSOP... ...	–	–	–	–	1	–
OXFORD	–	2	–	–	5	N. 1
†OXFORD C.B. ...	–	1	–	–	–	N. 1
Rural Districts:—						
CHIPPING NORTON	–	–	–	–	1	–
CROWMARSH ...	–	–	–	–	1	–
GORING	–	1	–	–	–	–
WITNEY	–	–	–	–	1	–
WOODSTOCK ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of).	–	–	4	–	–	–
Borough:—						
PETERBOROUGH..	–	–	4	–	–	–
SALOP	–	7	–	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
ELLESMERE ...	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
†OAKENGATES ...	–	–	–	–	–	C. 1
†SHREWSBURY ...	–	1	–	–	–	–
WHITCHURCH ...	–	3	–	–	–	–
Rural Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
WELLINGTON ...	–	1	–	–	–	–
WEM	–	–	–	–	–	M. 1
SOMERSET ...	–	13	3	–	11	C. 1 M. 2 N. 1
†BATH C.B. ...	–	9	–	–	–	–
Boroughs and Urban Districts:—						
CHARD	–	–	1	–	–	–
GLASTONBURY ...	–	–	–	–	1	–
RADSTOCK ...	–	1	–	–	–	–
†TAUNTON... ...	–	–	1	–	–	–
WATCHET ...	*	*	*	*	*	*
WELLS	–	–	1	–	–	–
†WESTON SUPER MARE	–	–	–	–	–	N. 1
†YEOVIL	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	2	–
CLUTTON	–	–	–	–	4	–
FROME	–	–	–	–	1	M. 1
KEYNSHAM ...	–	1	–	–	–	–
SOMERSET— *cont.*						
Rural Districts— *cont.*						
SHEPTON MALLET	–	–	–	–	1	–
WELLINGTON ...	*	*	*	*	*	*
WELLS	–	1	–	–	–	–
WILLITON ...	–	1	–	–	–	–
YEOVIL	–	–	–	–	–	C. 1 M. 1
SOUTHAMPTON..	–	19	18	1	6	C. 1 G. 4 M. 1
†BOURNEMOUTH C.B.	–	2	1	–	–	G. 2
†PORTSMOUTH C.B.	–	8	11	1	1	C. 1
†SOUTHAMPTON C.B.	–	2	4	–	–	G. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	M. 1
†FAREHAM ...	–	1	–	–	–	–
†GOSPORT	–	–	–	–	2	–
HAVANT	*	*	*	*	*	*
†WINCHESTER ...	–	–	–	–	1	–
Rural Districts:—						
BASINGSTOKE ...	–	–	–	–	–	G. 1
FAREHAM ...	–	–	–		1	–
HARTLEY WINTNEY	–	1	–	–	–	–
HAVANT	–	1	–	–	–	–
KINGSCLERE ...	–	–	1	–	–	–
NEW FOREST ...	–	–	1	–	–	–
PETERSFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	–	27	27	1	44	C. 1 E. 1 M. 9 N. 4
†BURTON UPON TRENT C.B.	–	–	1	–	1	M. 1
†SMETHWICK C.B.	–	1	4	–	5	M. 1
†STOKE ON TRENT C.B.	–	8	4	–	17	E. 1 M. 3
†WALSALL C.B. ...	–	–	2	–	1	N. 1
†WEST BROMWICH C.B.	–	–	2	–	2	C. 1
†WOLVERHAMPTON C.B.	–	5	–	–	–	M 3
Boroughs and Urban Districts:—						
†AUDLEY	–	1	3	–	–	–
†BILSTON	–	3	1	–	–	–
†BRIERLEY HILL...	–	–	2	–	–	–
†COSELEY	–	1	–	–	–	–
†DARLASTON ...	–	–	–	–	2	–
KIDSGROVE ...	–	–	–	–	2	–
†LEEK	–	1	1	–	–	–
†NEWCASTLE UNDER LYME	–	–	–	–	1	–
†ROWLEY REGIS ...	–	–	2	–	–	–
†SEDGLEY	–	1	–	–	–	–
†STAFFORD ...	–	–	–	–	1	–
STONE	–	–	–	–	1	–
†TIPTON	–	–	1	–	5	–
†WEDNESBURY ...	–	–	–	–	2	N. 1
†WILLENHALL ...	–	1	1	–	–	M. 1
†WOLSTANTON UNITED	–	2	–	–	1	N. 1
Rural Districts:—						
CANNOCK	–	3	2	1	–	N. 1
GNOSALL	–	–	–	–	1	–
KINGSWINFORD ...	–	–	1	–	–	–
LICHFIELD ...	–	–	–	–	1	–
SEISDON	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	–	16	–	1	4	–
†IPSWICH C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BECCLES	–	2	–	–	–	–
BUNGAY	–	–	–	–	1	–
HALESWORTH ...	–	–	–	–	2	–
†LOWESTOFT ...	–	4	–	–	–	–
WOODBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	1	–	–
EAST STOW ...	–	2	–	–	–	–
HARTISMERE ...	–	1	–	–	1	–
WANGFORD ...	–	1	–	–	–	–
WOODBRIDGE ...	–	3	–	–	–	–
SUFFOLK, WEST	–	3	–	–	–	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	–	N. 1
Rural Districts:—						
THINGOE	–	3	–	–	–	–
SURREY	–	48	16	1	9	C. 1 G. 1 M. 1 N. 2
†CROYDON C.B. ...	–	11	5	–	3	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	4	–	–	–	–
†CARSHALTON ...	–	–	3	–	–	–
†COULSDON AND PURLEY	–	2	–	–	–	–
†EGHAM	–	2	–	–	1	–
†GUILDFORD ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSTON ON THAMES	–	–	1	–	–	–
LEATHERHEAD ...	–	–	1	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	4	–	–	–	–
†REIGATE	–	–	–	–	1	–
†RICHMOND ...	–	5	–	1	–	–
†SURBITON ...	–	–	1	–	–	–
†SUTTON	–	2	1	–	1	–
WEYBRIDGE ...	–	5	–	–	–	–
†WIMBLEDON ...	–	6	1	–	–	–
†WOKING	–	–	–	–	–	N. 1
Rural Districts:—						
CHERTSEY ...	–	–	1	–	1	–
DORKING	–	–	–	–	–	N. 1
EPSOM	–	1	2	–	–	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	M. 1
HAMBLEDON ...	–	2	–	–	1	G. 1
SUSSEX, EAST ...	–	16	6	1	12	N. 1
†BRIGHTON C.B. ...	–	4	1	–	1	N. 1
†EASTBOURNE C.B.	–	1	–	–	2	–
†HASTINGS C.B. ...	–	6	1	–	4	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
HAYWARDS HEATH	–	–	1	–	–	–
†HOVE	–	1	–	–	–	–
†LEWES	–	–	2	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	–	1	1	–	–
HAILSHAM ...	–	2	–	–	2	–
UCKFIELD ...	–	1	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	–	2	1	–	4	M. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	–	1	–	1	–
SOUTHWICK ...	–	–	–	–	–	M. 1
Rural Districts:—						
HORSHAM ...	–	1	–	–	1	–
THAKEHAM ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	–	2	–
WARWICK ...	–	31	28	2	64	C. 4 D. 3 E. 1 G. 2 M. 10 N. 3
†BIRMINGHAM C.B.	–	23	26	–	47	C. 3 D. 3 G. 1 M. 9 N. 2
†COVENTRY C.B. ...	–	3	–	–	2	C. 1
Boroughs and Urban Districts:—						
†ROYAL LEAMINGTON SPA	–	–	–	–	2	–
†SUTTON COLDFIELD	–	–	–	1	–	E. 1 M. 1
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	–	–	–	1	–
FOLESHILL ...	–	1	1	–	3	G. 1 N. 1
MERIDEN... ...	–	3	–	–	–	–
RUGBY	–	–	–	–	2	–
SOLIHULL ...	–	1	–	1	–	–
SOUTHAM... ...	–	–	–	–	5	–
TAMWORTH (part)	–	–	1	–	–	–
WARWICK ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	6	–	–	3	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	1	–	–	3	–
WINDERMERE ...	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	3	–	–	–	–
WIGHT, ISLE OF	–	2	–	–	1	M. 1
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	1	–	–	–	–
SANDOWN ...	–	–	–	–	–	M. 1
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	1	–
WILTS	–	8	1	–	7	N. 1
Boroughs and Urban Districts:—						
MALMESBURY ...	–	–	–	–	1	–
†SALISBURY ...	–	4	–	–	–	N. 1
†SWINDON... ...	–	3	–	–	3	–
†TROWBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
HIGHWORTH ...	–	–	–	–	2	–
TISBURY	–	–	–	–	1	–
WORCESTER ...	–	5	5	1	11	M. 1
†DUDLEY C.B. ...	–	1	1	–	–	–
†WORCESTER C.B.	–	1	1	1	4	–
WORCESTER—*—cont.*						
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	–	1	–	–	–
†OLDBURY... ...	–	1	–	–	5	–
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	–	–	1	M. 1
STOURPORT ...	–	–	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
DROITWICH ...	–	1	–	–	–	–
SHIPSTON ON STOUR	–	1	–	–	–	–
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	7	9	–	10	G. 1 M. 2 N. 1
†KINGSTON UPON HULL C.B.	–	6	9	–	8	G. 1 M. 2 N. 1
Rural Districts:—						
HOWDEN	–	–	–	–	1	–
PATRINGTON ...	–	–	–	–	1	–
RICCALL	–	1	–	–	–	–
YORKS ... ... (North Riding).	7	9	2	–	21	C. 1 G. 1 M. 1
†MIDDLESBROUGH C.B.	7	4	1	–	14	C. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	–	–	–	2	–
GUISBOROUGH ...	–	1	–	–	–	–
LOFTUS	–	1	–	–	–	G. 1
†SCARBOROUGH ...	–	–	1	–	1	–
†SKELTON AND BROTTON	–	1	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
EASINGWOLD ..	-	–	–	–	1	–
FLAXTON ...	*	*	*	*	*	*
LEYBURN... ...	–	1	–	–	–	–
PICKERING ...	–	1	–	–	–	–
STOKESLEY ...	–	–	–	–	3	–
YORKS ... ... (West Riding).	72	119	64	5	140	C. 5 D. 1 G. 2 M. 9 N. 8
†BARNSLEY C.B. ...	–	4	–	–	2	M. 2 N. 2
†BRADFORD C.B. ...	4	9	14	1	14	C. 1 D. 1 N. 1
†DEWSBURY C.B....	–	1	–	–		–
†DONCASTER C.B.	3	4	2	–	4	–
†HALIFAX C.B. ...	–	–	1	–	2	–
†HUDDERSFIELD C.B.	–	5	6	1	6	M. 1
†LEEDS C.B. ...	–	10	7	–	22	C. 1 M. 3 N. 1
†ROTHERHAM C.B.	1	4	1	–	8	–
†SHEFFIELD C.B....	2	28	11	–	36	C. 2 G. 1 M 1 N. 1
†WAKEFIELD C.B.	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	5	2	–	–	–
ALTOFTS	–	–	–	–	1	–
†BENTLEY WITH ARKSEY	5	–	1	–	–	–
†BOLTON UPON DEARNE	–	–	–	–	1	–
†BRIGHOUSE ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONISBROUGH ...	21	-	–	–	–	–
CUDWORTH ...	–	1	–	–	2	–
DARFIELD ...	1	–	–	–	–	–
†DARTON	–	1	–	–	–	–
DODWORTH ...	–	1	–	–		–
FARSLEY	-	–	1	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
GILDERSOME ...	–	1	–	–	–	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	1	–	–	1	–
†HARROGATE ...	–	2	2	–	1	–
HAWORTH ...	–	–	1	–	–	
HECKMONDWIKE	–	–	–	–	1	N. 1
†HEMSWORTH ...	–	–	–	–	2	–
†HOLMFIRTH ...	–	2	–	–	2	–
HONLEY	–	1	–	–	1	–
†HOYLAND NETHER	–	3	–	–	1	–
†KEIGHLEY ...	5	–	1	–	1	–
KIRKBURTON ...	–	1	–	–	1	–
KIRKHEATON ...	–	–	1	–	–	–
KNOTTINGLEY ...	–	–	1	–	–	–
LEPTON	–	–	–	1	–	–
MARSDEN... ...	–	–	1	–	–	–
METHLEY ...	–	1	–	–	1	–
†MEXBOROUGH ...	9	–	–	1	–	C. 1
†MIRFIELD ...	–	3	–	–	–	–
†NORMANTON ...	–	3	–	–	1	–
†PONTEFRACT ...	–	2	–	–	–	–
†RAWMARSH ...	-	2	–	–	1	–
†SADDLEWORTH ...	–	2	–	–	–	G. 1
†SHIPLEY	–	2	–	–	–	–
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	3	–
†STANLEY	–	–	–	–	3	–
STOCKSBRIDGE ...	–	–	–	–	2	N. 2
†SWINTON... ...	2	–	–	–	3	–
THURSTONLAND AND FARNLEY TYAS	–	2	–	–	–	–
†WATH UPON DEARNE	–	–	–	1	–	–
†WOMBWELL ...	7	1	–	–	–	-
†WORSBOROUGH ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	10	–	3	–	4	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	4	1	–	9	–
KIVETON PARK ...	–	1	–	–	1	–
PONTEFRACT ...	–	–	2	–	–	–
ROTHERHAM ...	2	1	–	–	1	–
SKIPTON	–	–	1	–	–	–
TADCASTER ...	–	1	–	–	–	–
THORNE	–	–	–	–	1	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	–	–	–	–	M. 1
WETHERBY ...	–	–	3	–	–	–
WORTLEY ...	–	1	–	–	–	–
YORK, CITY OF...	–	–	–	–	2	N. 1
†YORK C.B. ...	–	–	–	–	2	N. 1
WALES.						
CAERNARVON...	–	4	–	–	–	G. 1
Boroughs and Urban Districts:—						
CAERNARVON ...	–	1	–	–	–	–
PWLLHELI ...	–	1	–	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	1	–	–	–	–
GWYRFAI... ...	–	1	–	–	–	G. 1
CARMARTHEN...	–	1	2	–	5	–
Boroughs and Urban Districts:—						
KIDWELLY ...	–	–	–	–	1	–
†LLANELLY ...	–	1	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Rural Districts:—						
LLANELLY ...	–	–	1	–	2	–
LLANYBYTHER ...	–	–	–	–	1	–
DENBIGH ...	–	1	–	–	5	–
Boroughs and Urban Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–	–	–	–	1	–
Rural Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN	–	–	–	–	2	–
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	1	–	–	1	–
FLINT	–	4	5	–	14	G. 1 N 1
Boroughs and Urban Districts:—						
FLINT	–	–	–	–	3	–
HOLYWELL ...	–	–	1	–	4	–
Rural Districts:—						
HAWARDEN ...	–	2	1	–	–	–
HOLYWELL ...	–	2	3	–	7	G. 1 N. 1
GLAMORGAN ...	–	35	31	–	35	C. 2 G. 2 M. 4 N. 2
†CARDIFF C.B. ...	–	9	6	–	3	C. 2 M. 3 N. 1
†MERTHYR TYDFIL C.B.	–	–	2	–	–	–
†SWANSEA C.B. ...	–	2	2	–	2	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†Aberdare ...	–	3	–	–	–	M. 1
†Barry	–	2	1	–	2	–
Bridgend ...	–	1	–	–	–	–
†Caerphilly ...	–	–	3	–	–	–
†Gelligaer ...	–	1	2	–	3	G. 1
†Maesteg ...	–	–	2	–	–	–
†Mountain Ash ...	–	1	–	–	1	N. 1
†Neath	–	–	1	–	1	–
†Ogmore and Garw	–	4	–	–	1	G. 1
Porthcawl ...	–	–		–	1	–
†Port Talbot ...	–	3	2	–	–	–
†Rhondda ...	–	7	6	–	17	–
Rural Districts:—						
Cardiff	–	1	1	–	–	–
Llantrisant and Llantwit Fardre	–	–	–	–	1	–
Neath	–	–	1	–	3	–
Penybont ...	–	1	1	–	–	–
Pontardawe ...	–	–	1	–	–	–
MERIONETH ...	–	–	1	–	–	–
Urban Districts:—						
Barmouth ...	*	*	*	*	*	*
Rural Districts:—						
Deudraeth ...	–	–	1	–	–	–
MONMOUTH ...	90	3	9	1	11	C. 1 G. 2 M. 2 N. 1
†Newport C.B. ...	–	2	–	–	7	–
Boroughs and Urban Districts:—						
†Abercarn ...	3	–	2	–	–	–
Abergavenny ...	–	–	–	–	–	G. 1
†Abersychan ...	57	–	–	–	–	–
Bedwas and Machen	–	–	–	–	1	–
†Bedwellty ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Blaenavon ...	18	–	–	–	–	G.
†Ebbw Vale ...	–	–	–	–	–	C.
						M.
Llantarnam ...	1	–	–	–	–	–
†Mynyddislwyn	2	–	1	–	–	N.
†Nantyglo and Blaina	–	–	–	1	–	–
†Panteg	5	–	–	–	–	–
Pontypool ...	3	–	–	–	–	–
†Risca	1	–	2	–	–	–
†Tredegar ...	–	1	2	–	2	M.
Rural Districts:—						
Magor	–	–	–	–	1	–
MONTGOMERY...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
Montgomery ...	*	*	*	*	*	*
Rural Districts:—						
Newtown and Llanidloes	–	–	–	–	1	–
PEMBROKE ...	–	1	–	–	4	–
Boroughs and Urban Districts:—						
†Pembroke ...	–	1	–	–	1	–
Rural Districts:—						
Narberth ...	–	–	–	–	3	–
Total of Part II. ...	358	1010	562	38	958	C. D. E. F. G. J. L. M. 1 N.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DIFF	–	–	2	–	–	–
RTLEPOOL	*	*	*	*	*	*
ERPOOL	–	–	–	–	–	L. 1
MOUTH	–	–	–	1	–	–
DWICH	–	1	–			–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SOUTHAMPTON ...	–	–	–	1	–	–
WELLS (NORFOLK) ...	*	*	*	*	*	*
Total of Part III. ...	–	1	2	2		L. 1

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part IV.—England and Wales

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	‡
Total of Part I.—London	–	191	197	7	103	C, D, G, M, N
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	358	1010	562	38	958	C, D, E, F, G, J, L, M, N
Total of Part III.—Port Sanitary Districts	–	1	2	2	–	L
Total (*i.e.*, of returns received), England and Wales ...	358	1202	761	47	1061	C, D, E, F, G, J, L, M, N

‡ The letters in this column denote the following diseases:—A, Cholera; B, Pla
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute li
encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contu
Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyr i
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—London and Great Towns in the ggregate.*

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apl. 2.	Apl.* 9.	Apl.* 16.	Apl.* 23.
NDON :—													
ATHS—all ages	2,045	1,912	1,704	1,652	1,277	1,240	1,114	1,114	1,068	959	980	944	975
„ 0 to 1 year ..	162	137	100	122	101	91	97	100	105	87	98	94	114
EAT TOWNS, aggregate (including London):—													
THS	6,475	7,020	6,293	7,015	6,490	6,760	6,834	7,047	6,248	6,935	6,901	6,050	6,619
ATHS—all ages	7,320	7,302	7,285	8,411	7,824	7,080	5,980	5,327	4,990	4,656	4,625	4,316	4,342
„ 0 to 1 year ..	731	716	670	857	802	696	612	588	561	486	560	498	496
TERIC Fever—Cases	14	18	11	7	13	21	14	14	8	22	16	14	22
„ Deaths	2	3	1	3	4	2	1	4	1	2	2	3	1
ALL Pox—Cases ..	116	133	106	81	97	93	81	80	82	97	84	70	56
„ Deaths ..	—	—	1	—	—	—	—	—	1	—	—	—	—
RLET Fever—Cases	809	684	705	729	675	677	676	763	720	766	763	711	700
„ Deaths	6	11	6	4	8	5	8	2	6	5	2	6	4
HTHERIA—Cases ..	735	700	619	695	720	712	723	681	713	670	677	496	516
„ Deaths ..	43	51	45	29	41	62	43	30	35	25	28	30	27
ASLES—Deaths ..	50	43	47	73	59	73	72	52	71	79	76	89	81
UENZA—Deaths ..	725	818	759	987	1,023	898	572	342	224	160	120	96	82

* For the weeks ended April 9th, 16th and 23rd the figures relate to 107 Great Towns instead of 105, owing to inclusion of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)

Table 6.—Meteorology in certain Towns during the Week ended Saturday 23rd April, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres ‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON (GREENWICH).	72	35	64·9	42·9	0	HUDDERSFIELD	64	40	59·1	44·3	10
						BRADFORD ..	61	42	55·9	46·0	10
HTON ..	58	41	55·9	44·4	0	SHEFFIELD ..	67	40	62·3	46·3	9
TSMOUTH ..	65	39	60·4	44·1	0	YORK (MUSEUM)	65	40	60·6	46·7	1
WICH (EATON).	69	38	63·3	45·6	2	HULL (PEARSON PARK).	67	39	62·7	45·3	4
MOUTH ..	59	37	56·9	43·1	2	TYNEMOUTH ..	63	42	58·6	47·9	1
TOL (CLIFTON).	65	43	58·9	45·9	4	CARDIFF.. ..	63	40	56·6	44·4	4
MINGHAM (EDGBASTON).	67	40	60·7	44·3	2						
						EDINBURGH ..	59·0	39·0	54·6	44·3	3
TINGHAM ..	69	35	63·4	45·3	3	GLASGOW ..	55·0	40·6	52·7	45·8	14
KENHEAD (BIDSTON).	61	44	56·0	47·1	2	DUBLIN (PHŒNIX PARK).	66·6	39·0	61·0	45·3	3
CHESTER (WHITWORTH PARK).	65	42	59·6	46·7	16	(FITZWILLIAM SQUARE†).	66·2	41·0	61·0	47·3	3
NLEY	60	42	55·3	45·0	16	BELFAST.. ..	62·5	39·5	59·3	45·3	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 23rd April, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	17	Full	30·103	62·7	35·2	27·5	49·2	+ 1·6	37·6	11·6	23·4	1·1	64	123·4	22·2	46·1	Calm	W: WSW.	0·8	0·0	0·1	173	- 119	0·00
MONDAY -	18	..	30·145	65·8	40·9	24·9	53·8	+ 5·8	44·9	8·9	16·9	3·1	72	105·3	28·5	46·2	SW: Calm.	Calm: SSW.	0·2	0·0	0·0	136	- 156	0·00
TUESDAY -	19	..	30·104	65·4	40·7	24·7	51·8	+ 3·5	45·4	6·4	15·9	1·9	78	130·1	29·0	46·3	Calm: SW.	W: WSW.	1·3	0·0	0·1	281	- 12	0·00
WEDNESDAY	20	..	30·074	67·0	39·1	27·9	53·1	+ 4·6	38·2	14·9	24·0	1·6	57	135·7	26·0	46·5	WSW: SW.	WSW	3·9	0·0	0·3	393	+ 101	0·00
THURSDAY -	21	..	29·973	72·4	48·2	24·2	60·0	+11·3	44·8	15·2	27·0	4·1	57	132·2	38·9	46·7	WSW	WSW: SW	4·0	0·0	0·3	442	+ 151	0·00
FRIDAY -	22	..	29·803	63·0	48·7	14·3	53·2	+ 4·5	44·2	9·0	19·3	4·1	71	133·2	41·3	46·8	SW: WSW.	WSW: SW.	4·5	0·0	0·7	556	+ 267	0·00
SATURDAY -	23	Greatest Declination S.	29·703	58·1	44·5	13·6	49·8	+ 1·2	32·2	17·6	23·0	4·0	51	106·2	36·0	47·0	SW: W: WNW.	NW: WNW.	6·7	0·0	0·7	556	+ 269	0·00
MEANS -		..	29·986	64·9	42·5	22·4	53·0	+ 4·6	41·0	11·9	21·4	2·8	64	123·7	31·7	46·5	S. Westerly		..	..	..	Sum 2537	Sum + 501	Sum 0·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	17	wP till 14½h., then loss of register.	10·8	13·9	Cloudless or little cloud. Mist in morning. Sky hazy till 21h.
MONDAY ..	18	Loss of register till 11½h.: mP till 13h.; then wP.	3·2	13·9	Little cloud till 6h., becoming nearly overcast generally by 8½h. Sky hazy during day.
TUESDAY ..	19	wP till 12h.; then mP and wP.	10·7	14·0	Nearly overcast till 3h., nearly cloudless by 6h. Clouding over 7¾h. to overcast by 9h., becoming nearly cloudless again by 9½h. Few clouds or partially cloudy 14h. till 18h., then cloudless. Hazy in afternoon.
WEDNESDAY	20	wP till 7h.; mP till 10h.; wP till 13h.; mP till 19h.; then wP.	9·6	14·0	Cloudless till 3h., little cloud 4h. till 11h., cloudy or very cloudy, thin cloud, by 12h.
THURSDAY	21	wP	5·5	14·1	Very cloudy or nearly overcast, then cloud, till 19¾h., cloudless from 20½h. Brisk wind 11h. till 14h.
FRIDAY ..	22	wP	5·8	14·2	Becoming very cloudy by 1h. Overcast 3h. till 10¾h., cloudy or partially cloudy 12h. till 19h., cloudless by 19½h. Clouding up 23h. to overcast by 0h. Brisk wind 2h. till 17h., and from 21h.
SATURDAY	23	wP till 6½h.; then mP.	6·7	14·2	Overcast till 2h., very cloudy generally till 12h., then overcast or nearly so. Clearing 23h. to few clouds by 0h. Slight shower 1h. 10m. Brisk wind till 16h.
			Sum 52·3	Sum 98·3	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong, and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·10 ins. at the beginning of the week to 30·17 ins. by 9h. on April 18th; decreased generally to 29·56 ins. by 4h. on April 23rd; increased to 29·75 ins. by 21h. on April 23rd; decreased and was 29·72 ins. by midnight of the same day.

"Guide to Current Official Statistics."

1s. net.

THIS work appears annually. It is an expert survey of, and Guide to, all the statistics published by the Government. It is not a mere catalogue of titles of official publications of statistical interest. Such a catalogue is of course included, but it forms only about one-third of the volume itself. The main portion of the work, and the one to which it owes its unique value and importance, consists of an alphabetical subject index which not only refers the enquirer to all the current official publications containing statistics bearing on his subject, but in addition indicates their nature and mode of analysis and the time and place to which they relate.

AGRICULTURE	PUBLIC FINANCE
DEFENCE	SOCIAL SERVICES
EDUCATION	TRADE
INDUSTRY AND LABOUR	TRANSPORT
MINING	VITAL STATISTICS

are a few of the many subjects on which the official statistics exist. To track them down is a matter of a few minutes when the GUIDE TO CURRENT OFFICIAL STATISTICS occupies the place it should among the reference books on the desk of the business man, journalist, librarian, student and professional worker.

The volumes are prepared by the Permanent Consultative Committee on Official Statistics.

FIRST ISSUE (1922)	...	1*s.*	*Post Free* 1*s.* 2½*d.*
VOLUME TWO (1923)	...	1*s.*	*Post Free* 1*s.* 4*d.*
VOLUME THREE (1924)	...	1*s.*	*Post Free* 1*s.* 3½*d.*
VOLUME FOUR (1925)	...	1*s.*	*Post Free* 1*s.* 3½*d.*

The second volume includes an appendix dealing broadly with selected publications of permanent statistical interest issued mainly since 1900.

HIS MAJESTY'S STATIONERY OFFICE,
LONDON, MANCHESTER, EDINBURGH, CARDIFF.

FOR OFFICIAL USE

1927. No. 17.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 30TH APRIL, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.

Price 6d. net.

70-137-17 27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 30TH APRIL, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the seventeenth week of the year numbered 7,602 and corresponded to an annual rate of 20·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,253 and corresponded to an annual rate of 11·3 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 12·3, 11·5 and 11·6. Infant mortality based on the average weekly number of births during the last 52 weeks, was 67 per 1,000 births against 82, 73 and 73 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,738 births, corresponding to a rate of 19·6 per 1,000, and 980 deaths of civilians, corresponding to an annual rate of 11·1, against 11·1, 10·7 and 11·0 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 11·0 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 64 as against 64, 61 and 74 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,340 to 4,253. In London the number of deaths from all causes increased from 975 to 980 and the deaths from whooping cough numbered 11 as against 19, 19 and 18 in the three weeks preceding.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in week ended 30th April, 1927.**

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
107 Great Towns ..	19,540,143*	7,602	4,253	459	-	68	5	41	31	51
London	4,605,400*	1,738	980	98	-	-	1	11	11	9
Towns in Outer Ring.										
Croydon C.B. ..	205,900	77	41	2	-	-	-	-	-	-
Wimbledon ..	58,030	13	11	1	-	-	-	-	-	-
Ealing	91,783	34	16	1	-	-	-	1	-	-
Acton	63,040	13	9	3	-	-	-	-	-	-
Brentford and Chiswick† ..	56,840	22	8	3	-	-	-	-	1	-
Willesden ..	165,270	52	35	4	-	-	-	-	-	-
Hendon	62,570*	22	5	-	-	-	-	-	-	-
Hornsey	87,230	19	12	1	-	-	-	-	-	-
Wood Green ..	51,940	13	6	-	-	-	-	-	-	-
Tottenham ..	151,520	43	32	6	-	-	-	-	-	-
Edmonton	71,700	49	16	1	-	-	-	-	-	-
Enfield	63,640	19	15	4	-	-	-	-	-	-
West Ham C.B. ..	315,900	149	75	8	-	-	-	1	-	1
East Ham C.B. ..	146,600	43	27	4	-	-	-	-	-	1
Leyton	130,000	27	18	2	-	-	-	-	-	-
Walthamstow ..	125,500	51	30	4	-	-	-	-	-	1
Ilford	100,500	35	19	2	-	-	-	1	-	-
Gillingham	47,820*	18	7	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	7	11	3	-	-	-	1	-	-
Hastings C.B.	61,340	19	9	1	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	19	10	1	-	-	-	-	-	-
Brighton C.B.	139,500*	48	24	2	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	92	58	5	-	2	-	-	-	-
Bournemouth C.B. ..	90,100	25	26	1	-	-	-	-	-	-
Southampton C.B. ..	169,300	76	33	2	-	-	-	-	-	2
Reading C.B	93,090*	26	17	2	-	-	-	-	-	1
Oxford C.B.	56,800	22	13	1	-	-	-	-	-	-
Northampton C.B. ..	93,530*	32	20	3	-	-	-	1	-	-
Luton	59,240	27	6	-	-	-	-	-	-	-
Cambridge	58,820	19	8	1	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	42	20	-	-	-	-	-	-	-
Ipswich C.B.	84,140	31	16	1	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	16	11	1	-	-	-	-	-	-
Norwich C.B.	123,500*	52	33	3	-	1	-	-	-	-
Swindon	57,320	18	11	2	-	-	-	-	-	-
Exeter C.B.	60,340*	29	10	2	-	-	1	-	-	-
Plymouth C.B. ..	187,300*	76	41	3	-	-	1	-	-	1
Bath C.B.	69,000	21	15	1	-	-	-	-	-	-
Bristol C.B.	383,300*	162	52	3	-	-	-	-	-	-
Gloucester C.B. ..	53,050	23	10	1	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	134	65	9	-	4	-	-	-	-
Burton-upon-Trent C.B.	48,660	19	16	2	-	-	-	-	-	-
Wolverhampton C.B.‡	131,000	70	29	5	-	-	-	4	-	-
Walsall C.B.	102,100	53	25	5	-	-	-	-	-	-
West Bromwich C.B.	79,920	35	11	3	-	1	-	-	-	2
Dudley C.B.	58,930	28	17	4	-	1	-	-	-	-
Worcester C.B. ..	50,660	25	8	1	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	456	235	28	-	10	1	2	-	4
Smethwick C.B. ..	76,940	24	7	1	-	-	-	-	-	-
Coventry C.B. ..	127,800	47	21	4	-	1	-	1	-	-
Leicester C.B. ..	241,700	86	57	3	-	3	-	-	-	-
Lincoln C.B.	65,760*	21	12	-	-	-	-	-	-	-
Grimsby C.B.	88,580	33	21	2	-	-	-	-	1	-
Nottingham C.B. ..	268,000	104	63	12	-	1	-	-	2	3
Derby C.B.	136,600*	55	33	1	-	-	-	-	-	-
Chesterfield ..	66,650	22	14	2	-	-	-	-	-	-
Stockport C.B. ..	125,400	46	23	2	-	-	-	-	-	1
Chester C.B.	41,710	13	7	1	-	-	-	1	-	-
Birkenhead C.B. ..	158,000	59	33	4	-	-	-	-	-	2
Wallasey C.B. ..	93,050	31	7	2	-	-	-	-	-	-
Liverpool C.B. ..	862,600	383	199	28	-	18	-	-	1	5
Bootle C.B.	84,580	50	18	2	-	-	-	-	-	-
St. Helens C.B. ..	110,000	47	18	4	-	-	-	-	-	1

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from						
					Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
THPORT C.B. ..	77,970	29	20	2	-	-	-	-	-	-	-
AN C.B.	88,620	28	21	3	-	2	-	1	-	1	2
RINGTON C.B. ..	76,940*	35	21	2	-	-	-	-	-	-	2
TON C.B.	177,000	48	43	5	-	-	-	-	-	-	-
Y C.B.	56,840*	24	11	2	-	-	-	-	-	-	-
CHESTER C.B. ..	752,000	320	187	20	-	-	-	2	6	3	7
FORD C.B.	247,400	90	54	6	-	-	-	-	1	-	-
TON-UNDER-LYNE§	51,050	20	7	3	-	-	-	-	-	-	-
HAM C.B.	143,000	43	42	2	-	-	-	-	1	-	1
HDALE C.B.	91,510	25	24	1	-	-	-	-	-	1	1
NLEY C.B	99,600	25	23	-	-	-	-	-	-	-	-
DKBURN C.B. ..	124,400	32	34	2	-	1	-	-	1	-	-
STON C.B.	124,200	33	28	1	-	6	-	-	-	-	-
CKPOOL C.B. ..	88,640	21	21	1	-	-	-	-	-	-	1
ROW-IN-FURNESS B.	70,420	22	13	-	-	1	-	-	-	-	-
DERSFIELD C.B. ..	111,900	38	32	2	-	-	-	-	-	-	-
IFAX C.B.	96,130*	25	27	2	-	2	-	1	-	-	-
DFORD C.B. ..	288,700	95	78	8	-	2	-	-	1	3	-
DS C.B.	473,400	166	113	8	-	2	1	2	1	1	1
SBURY C.B. ..	53,630	26	10	-	-	-	-	-	-	-	1
EFIELD C.B. ..	53,830	12	14	2	-	-	-	-	-	1	2
NSLEY C.B. ..	70,760	28	17	4	-	2	-	-	-	2	-
FIELD C.B. ..	523,300*	193	99	14	-	-	-	6	-	-	1
IERHAM C.B. ..	70,080	31	15	1	-	-	-	-	-	-	-
CASTER C.B.‡ ..	55,700	38	16	-	-	-	-	-	-	-	-
K C.B.	84,430*	40	19	-	-	-	-	-	-	-	1
L C.B.	294,600	137	72	10	-	-	-	1	-	-	-
DLESBROUGH C.B.	133,600	81	33	3	-	-	-	-	-	-	1
LINGTON C.B. ..	70,700	34	20	-	-	-	-	1	-	-	1
KTON-ON-TEES ..	67,910	37	13	1	-	-	-	-	-	-	-
HARTLEPOOL C.B.	71,060	25	18	2	-	-	-	-	1	-	-
DERLAND C.B ..	163,800	68	43	6	-	1	-	-	-	-	-
H SHIELDS C.B. ..	123,900	46	26	6	-	-	-	-	1	1	-
SHEAD C.B. .	127,700	58	21	7	-	1	-	-	-	-	-
CASTLE-ON-TYNE	284,700*	145	52	7	-	2	-	-	-	2	-
EMOUTH C.B .	66,560	21	15	1	-	-	-	-	-	-	-
ISLE C.B.	56,140*	19	19	3	-	1	-	-	-	-	1
PORT (MON.) C.B.	96,620	52	20	4	-	1	-	-	-	1	-
DIFF C.B.	225,600*	85	57	4	-	-	-	1	-	1	1
DDA	162,500	42	33	-	-	-	-	-	1	-	3
THYR TYDFIL C.B.	80,690	25	19	2	-	1	-	-	-	-	-
DARE	56,930	13	12	1	-	-	-	-	-	-	-
NSEA C.B.	163,200	66	36	3	-	1	-	2	1	-	1
TER LONDON ..	7,791,310*	2,862	1,590	163	-	-	1	15	14	12	23
R RING	3,185,910*	1,124	610	65	-	-	-	4	3	3	5
REAT TOWNS IN TER RING	1,947,963*	682	375	46	-	-	-	3	1	3	1
INDER OF OUTER G	1,237,947*	442	235	19	-	-	-	1	2	-	4
BURGH†	426,100	132	122	20	-	1	-	1	-	2	2
GOW†	1,049,000	489	291	39	-	1	-	9	3	2	1
IN (REGISTRATION EA)†	421,000	190	113	20	-	-	1	6	2	2	3
AST†	416,000	281	107	23	-	-	-	4	1	5	1

Population adjusted by the exclusion of non-civilians.
The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and ow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and e addition of deaths of residents reported from elsewhere in Scotland during the week; those in n Regisration Area and Belfast are corrected by the exclusion of deaths of persons admitted into c institutions from without the respective areas.
Created County Borough 1st April, 1927.
Ashton-under-Lyne M.B. as extended 1st April, 1927.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last availabl

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*
LONDON‡	4,605,400	1927. April 30	1738	980	11·1	-	-	-	1	11	11
CALCUTTA AND SUBURBS	1,077,264	1926-27. Mar. 26	?	1009‖	48·7	?	300	?	?	?	?
BOMBAY§	1,298,708	April 9	303	578‖	23·1	3	44	1	-	1	-
MADRAS	528,791	" 2	356	380	37·4	2	2	-	-	1	-
SYDNEY AND SUBURBS	1,038,950	Mar. 30 (30 days)	450	202	8·9	-	-	-	-	-	3
BRISBANE (Metropolitan Area).	274,260	Feb. 28 (28 days)									
PERTH (Metropolitan Area).	179,388	Mar. 12	97	22	6·4	-	-	-	-	1	-
AUCKLAND (Urban Area).	192,176	Feb. 28 (28 days)	270	123	7·7	-	-	-	-	1	-
WELLINGTON (Urban Area).	121,324	Feb. 28 (28 days)	166	67	6·6	-	-	-	-	-	2
CHRISTCHURCH (Urban Area).	118,408	Feb. 28 (28 days)	165	70	7·2	-	-	1	-	-	1
CAPE TOWN	115,348	Mar. 26	36	23	10·4	-	-	-	-	-	-
JOHANNESBURG	172,189	April 2	77	40	12·1	-	-	-	-	-	-
DURBAN	54,738	" 2	39	12	11·4	-	-	-	-	-	-
PARIS	2,871,429	" 10 (10 days)	1351	1164	14·8	3	1	34	9	5	9
ANTWERP	300,086	Mar. 26	91	70	12·2	-	-	3	-	-	2
AMSTERDAM	728,148	April 9	255	144	10·3	-	-	3	-	1	-
COPENHAGEN	592,000	" 16	190	134	11·8	-	-	-	-	2	1
STOCKHOLM	453,332	" 16	104	111	12·7	-	-	-	-	-	-
GOTHENBURG	231,624	Mar. 19	?	43	9·7	-	-	-	-	-	1
OSLO (CHRISTIANIA) ..	255,724	April 23	72	68	13·8	-	-	1	-	-	-
BERLIN	2 003,000	" 9	423	434	11·3	-	?	3	-	1	8
BRESLAU	564,000	" 9	158	134	12·4	-	?	-	1	-	-
COLOGNE	716,000	" 9	242	169	12·3	-	?	8	1	3	-
DRESDEN	626,000	" 9	137	141	11·7	-	?	-	-	1	-
FRANKFORT-ON-MAIN..	473,000	" 9	133	76	8·4	-	?	-	-	-	-
HAMBURG	1,101,000	" 9	271	228	10·8	-	?	-	-	-	-
LEIPZIG	687,000	" 9	161	141	10·7	-	?	1	-	-	-
MUNICH	685,000	" 9	174	159	12·1	-	?	-	1	-	-
VIENNA	1,871,607	June 30 (30 days)									
PRAGUE AND SUBURBS	725,196	Oct. 31 (31 days)									
BUDAPEST	971,169	April 16	305	274	14·7	2	-	1	5	1	3
WARSAW	1,028,982	" 16	?	306	15·5	1	-	11	7	3	1
CAIRO	859,400	Jan. 7									
ALEXANDRIA	492,100	" 7									
NEW YORK	5,924,018	April 9	?	1621	14·3	-	-	-	8	5	21
CHICAGO	3,101,000	" 15	1409	782	13·1	-	-	6	1	-	11

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *chil year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 67 deaths from Cholera in Calcutta and 8 deaths from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 30th April, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-65 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	980	98	15	28	37	45	39	64	114	160	199	181
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	11	4	4	3	-	-	-	-	-	-	-	-
Diphtheria	11	-	-	5	6	-	-	-	-	-	-	-
Influenza	18	-	-	-	-	-	-	2	2	3	8	3
Erysipelas	2	-	1	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	-	-	1	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	83	1	-	1	3	17	23	16	8	9	5	-
Nervous system	14	2	1	8	1	2	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	6	-	1	-	1	3	-	-	1	-	-	-
Venereal diseases	3	1	-	-	-	-	-	1	-	1	-	-
Cancer	122	-	-	-	1	-	1	7	24	37	37	15
Rheumatic fever	6	-	-	-	3	2	-	-	-	1	-	-
Diabetes	5	-	-	-	-	-	-	-	-	2	2	1
Alcoholism	1	-	-	-	-	-	-	-	1	-	-	-
Simple meningitis	4	1	-	1	2	-		-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	50	-	-	-	-	-	-	-	8	14	19	9
Epilepsy	4	-	-	-	-	-	-	2	1	1	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	16	-	-	-	-	2	-	4	4	4	2	-
Pericarditis	3	-	-	1	-	1	-	-	-	-	1	-
Acute endocarditis	5	-	-	-	2	-	1	1	1	-	-	-
Other diseases of heart	149	-	-	-	1	1	4	7	21	22	39	54
Other diseases of circulatory system	63	-	-	-	-	-	-	-	7	15	20	21
Bronchitis	51	3	2	-	1	-	-	-	3	8	15	19
Broncho-pneumonia	46	20	2	3	2	-	-	1	4	4	5	5
Lobar-pneumonia	22	1	1	-	1	1	1	4	3	3	7	-
Pneumonia (type not distinguished)	12	1	-	1	1	-	-	-	3	-	3	3
Other diseases of respiratory system	11	1	-	-	1	-	-	-	-	3	2	4
Diarrhœa and enteritis	11	9	-	-	-	-	1	-	-	-	1	-
Appendicitis, Typhlitis	6	-	-	-	-	2	2	1	-	1	-	-
Hernia, Intestinal obstruction	9	2	2	-	-	-	-	1	1	-	1	2
Cirrhosis of liver	6	-	-	-	-	-	-	-	1	3	1	1
Other diseases of digestive system ..	23	-	-	1	1	3	-	4	3	5	4	2
Acute nephritis	1	-	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease	30	-	-	-	-	2	2	3	3	4	7	9
Other diseases of genito-urinary system.	11	-	-	-	-	-	1	-	2	2	3	3
Puerperal sepsis	2	-	-	-	-	2	-	-	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	-	-	2	-	-	-	-
Congenital malformations	6	5	-	-	1	-	-	-	-	-	-	-
Premature birth	27	27	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	26	-	-	-	-	-	-	-	-	-	6	20
Suicide	12	-	-	-	-	1	-	2	2	5	2	-
Burns and Scalds	3	-	-	1	1	-	-	-	-	-	1	-
Drowning	2	-	-	-	1	-	-	-	1	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	13	-	-	1	2	2	1	2	1	3	1	-
Other deaths by violence	21	1	-	1	2	1	-	4	4	1	1	6
Other specified causes	42	12	1	1	2	3	2	-	4	8	5	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectiou Diseases notified in th week ended 30th Apri 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	208	183	2	97	C. 5 D. 1 E. 2 G. 6 M. 20 N. 20
†CITY OF LONDON	–	3	-	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	7	9	–	5	N. 1
†BERMONDSEY ...	-	7	8	–	–	–
†BETHNAL GREEN	–	11	8	–	4	–
†CAMBERWELL ...		6	13	–	1	C. 1 N. 2
†CHELSEA	–	1	1	–	1	C. 1
†DEPTFORD ...	–	9	11	–	1	–
†FINSBURY ...	–	4	8	–	2	G. 1 M. 1
†FULHAM	–	10	5	–	4	C. 1 M. 3 N. 1
†GREENWICH ...	–	7	6	–	1	C. 1
†HACKNEY ...	–	7	7	–	2	M. 1 N. 1
†HAMMERSMITH ...	–	1	5	–	2	C. 1 N. 3
†HAMPSTEAD ...	–	–	–	–	2	–
†HOLBORN... ...	–	2	2	–	1	N. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...		14	14	1	6	M. 4 N. 1
†KENSINGTON ...		5	6	–	1	G. 2 M. 1 N. 1
†LAMBETH ...		10	7	–	5	E. 1 M. 1 N. 1
†LEWISHAM ...		7	5	–	3	G. 1
†PADDINGTON ...	-	–	5	–	2	E. 1
†POPLAR	–	20	2	–	11	–
†ST. MARYLEBONE		8	3	–	1	M. 1
†ST. PANCRAS ...		9	5	-	4	G. 1 M. 1 N. 1
†SHOREDITCH ...	-	8	4	–	4	M. 4 N. 2
†SOUTHWARK ...	-	5	14	–	5	D. 1 G. 1 N. 1
†STEPNEY		19	13	1	8	M. 1
†STOKE NEWINGTON	–	–	2	–	1	–
†WANDSWORTH ...	–	16	11	–	14	M. 1 N. 2
†WESTMINSTER, CITY OF	-	4	2	–	2	M. 1
†WOOLWICH ...		8	7	–	4	N. 2

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	2	–	5	M. 1 N. 2
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	3	-	–	1	
BIGGLESWADE ...	–	–	–	–	1	–
LEIGHTON BUZZARD	–	–	–	–	1	-
†LUTON	-	–	2	-	–	–
SANDY	-	–	–	–	–	M. 1 N. 1
Rural Districts:—						
BIGGLESWADE ...	–	–	–	–	2	N. 1
LUTON	*	*	*	*	*	*
BERKS	–	4	3	–	–	G. 1
†READING C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	-	-	–	–	–	G. 1
WANTAGE ...	–	1	-	–	-	–
Rural Districts:—						
BRADFIELD ...	–	1	–	–	–	–
WANTAGE ..	–	2	–	–	–	–
WINDSOR... ...	–	–	2	–	-	–
BUCKINGHAM ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
BUCKINGHAM ...	*	*	*	*	*	*
Rural Districts:—						
AMERSHAM ...	–	–	–	–	1	–
NEWPORT PAGNELL ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which hey are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	–	2	1	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	2	–	–
NEWMARKET ...	–	1	–	–	1	–
CHESTER ...	–	29	9	–	14	M. 3 N. 5
†BIRKENHEAD C.B.	–	–	–	–	4	N. 2
†CHESTER C.B. ...	–	1	–	–	2	–
†STOCKPORT C.B.	-	8	1		1	M. 1
†WALLASEY C.B. ...	–	6	1	–	1	–
Boroughs and Urban Districts:—						
ASHTON UPON MERSEY		1	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	–	2	–	–	–
†DUKINFIELD ...	–	–	–	–	1	–
HALE	*	*	*	*	*	*
†HAZEL GROVE AND BRAMHALL	–	3	-	–	–	–
†HYDE	–	–	3	–	1	N. 1
†MACCLESFIELD ...	–	–	–	–	–	N. 1
MARPLE	–	1	–	–	–	–
†NORTHWICH ...	–	2	–	–	–	M. 1
SANDBACH ...	–	–	1	–	–	–
†STALYBRIDGE ...	–	2	–	–	1	N. 1
†WINSFORD ...	–	–	–	–	1	–
YEARDSLEY CUM WHALEY	–	–	1		–	–
Rural Districts:—						
CHESTER	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	1	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	1	–	–	–	M. 1
WIRRAL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	1	10	1	1	2	M. 1 N. 1
Boroughs and Urban Districts:—						
LAUNCESTON ...	-	-	-	-	1	-
LISKEARD ...	1	1	-	-	-	-
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	-	1	-	-	-	-
ST. IVES	-	5		-	-	N. 1
ST. JUST	-	1	-	-	-	-
STRATTON AND BUDE	-	-	-	-		M. 1
Rural Districts:—						
EAST KERRIER ...	-	1	-	-	-	-
LAUNCESTON ...	-	-	-	-	1	-
REDRUTH ...	-	-	1	-	-	-
ST. GERMANS ...	-	1	-	1	-	-
CUMBERLAND...	-	7	3	-	2	D. 1 N. 2
†CARLISLE C.B. ..		-	-	-	-	D. 1 N. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	-	2	1	-	-	N. 1
COCKERMOUTH ...	-	-	1	-	-	-
MILLOM		1	-	-	1	-
PENRITH	-	1	-	-	-	-
†WHITEHAVEN ...	-	1	-	-	-	-
Rural Districts:—						
BOOTLE	-	2	-		-	-
CARLISLE ...	*	*	*	*	*	*
WHITEHAVEN ...	-	-	1	-	-	-
WIGTON	-	-	-	-	1	-
DERBY	8	15	16	1	27	M. 3 N. 2
†DERBY C.B. ..	3	1	6	-	8	N. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	-	-	-	-	2	-
BAKEWELL ...	-	-	-	-	2	-
DERBY—*cont.*						
Boroughs and Urban Districts— *cont.*						
†BOLSOVER ...	-	1	4	-	-	-
†BUXTON	-	-		-	-	M. 1
†CHESTERFIELD ...	1	4	1	-	3	-
†HEANOR	*	*	*	*	*	*
†ILKESTON ...	-	1	-	-	1	-
†LONG EATON ...	-	1	1	-	2	-
NEW MILLS ...	-	2		-	-	-
†RIPLEY	1	-	-	-	-	-
†SWADLINCOTE DISTRICT	-	1	-	-	-	M. 1
Rural Districts:—						
BAKEWELL ...	-	1		1	-	-
BELPER	-	-		-	1	-
BLACKWELL ...	3	1	1	-	2	-
CHESTERFIELD ...	-	1	-		2	M. 1
CLOWNE	-	-	-	-	3	-
HARTSHORN AND SEALS	-	-	2		-	-
SHARDLOW ...	-	1	1	-	1	-
DEVON	-	13	11	3	5	N. 1
†EXETER C.B. ...	-		6	-	-	-
†PLYMOUTH C.B....	-	11	3	3	3	-
Boroughs and Urban Districts:—						
BIDEFORD ...	-	1	-	-	-	-
†EXMOUTH ...	-	-	-	-	-	N. 1
NORTHAM ...	-	1	-	-	1	-
Rural Districts:—						
PLYMPTON ST. MARY	-	-	1	-	1	-
TIVERTON ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
DORSET	–	1	1	–	2	M. 2
Boroughs and Urban Districts:—						
†POOLE	–	–	–	–	–	M. 1
†PORTLAND ..	–	–	–	–	–	M. 1
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	2	–
Rural Districts:—						
BRIDPORT ...	–	1	–	–	–	–
WEYMOUTH ...	–	–	1	–	–	–
DURHAM ...	121	41	21	–	63	D. 1 E. 1 G. 1 M. 8 N. 2
†DARLINGTON C.B.	1	1	–	–	1	M. 1
†GATESHEAD C.B.	1	6	3	–	3	–
†SOUTH SHIELDS C.B.	27	1	7	–	7	–
†SUNDERLAND C.B.	–	2	1	–	16	D. 1 M. 2 N. 1
†WEST HARTLEPOOL C.B.	–	1	1	–	4	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	–	2	–	–	–
BILLINGHAM ...	–	–	–	–	1	–
†BLAYDON... ...	–	1	–	–	1	–
†BRANDON AND BYSHOTTLES	2	–	–	–	–	–
†CHESTER LE STREET	4	2	–	–	–	G. 1
†CONSETT	–	4	1	–	–	M. 1
†CROOK	2	–	–	–	–	–
†DURHAM	–	–	–	–	1	M. 2
†FELLING	13	–	–	–	–	–
†HARTLEPOOL ...	1	–	–	–	–	–
†HEBBURN ...	–	4	–	–	1	E. 1
†JARROW	10	–	–	–	5	–
†RYTON	–	2	–	–	–	–
†SHILDON	3	–	–	–		–
†SPENNYMOOR ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STANLEY	–	2	2	–	2	M. 1
†STOCKTON ON TEES	–	3	–	–	7	–
†WASHINGTON ...	–	–	–	–	1	–
†WHICKHAM ...	–	–	–	–	2	–
Rural Districts:—						
AUCKLAND ...	8	6	1	–	–	–
CHESTER LE STREET	23	2	–	–	1	–
DARLINGTON ...	*	*	*	*	*	*
DURHAM	1	–	–	–	2	–
EASINGTON ...	13	1	–	–	5	–
HOUGHTON LE SPRING	–	–	1	–	1	N. 1
LANCHESTER ...	1	2	1	–	2	–
SEDGEFIELD ...	3	1	–	–	–	–
SOUTH SHIELDS...	6	–	–	–	–	M. 1
SUNDERLAND ...	1	–	–	–	–	–
ELY, ISLE OF ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†WISBECH	–	–	1	–	–	–
ESSEX	–	90	38	–	36	C. 1 M. 4 N. 5
†EAST HAM C.B. ...	–	9	8	–	–	–
†SOUTHEND-ON-SEA C.B.	–	3	1	–	2	–
†WEST HAM C.B. ...	–	24	11	–	15	M. 2 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	5	–	–	2	C. 1 M. 1
BRENTWOOD ...	–	2	–	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	4	–	–	1	N. 1
DAGENHAM ...	–	3	3	–	2	M. 1
†GRAYS THURROCK	–	–	1	–	1	–
HALSTEAD ...	–	–	–	–	1	–
†HARWICH ...	–	2	–	–	–	–
†ILFORD	–	7	–	–	1	–
†LEYTON	–	8	4	–	–	N. 2
MALDON	–	2	–	–	–	–
†ROMFORD ...	–		1	–	–	–
TILBURY	–	2	3	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW...	–	5	2	–	5	N. 1
WITHAM	–	–	–	–	1	–
WIVENHOE ...		1	–	–	–	–
Rural Districts:—						
BELCHAMP ...	–	1	–	–	–	–
BILLERICAY ...	–	2	–	–	–	–
BRAINTREE ...	–	2	–	–	–	–
CHELMSFORD ...	–	2	1	–	–	–
DUNMOW	–	–		–	1	–
EPPING	–	1	1	–	–	–
MALDON	–	–	–	–	1	–
ORSETT	–	1	2	–	–	–
ROCHFORD ...	–	–		–	1	–
ROMFORD... ...	–	1	–	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
TENDRING ...	–	–	–	–	1	–
GLOUCESTER ...	–	28	16	1	8	M. 3 N. 3
†BRISTOL C.B. ...	–	19	11	1	7	M. 2 N. 2
†GLOUCESTER C.B.	–	1	–		–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	–	–	–	M. 1
†KINGSWOOD ...	–	2	–	–	–	–
STROUD	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY		2	2	–	–	–
DURSLEY... ...	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES		1	1		–	–
PEBWORTH ...	*	*	*	*	*	*
STROUD	–	–	2	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	–	–	–	–	N.
HEREFORD ...	–		1	1	2	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	1		–	–
Rural Districts:—						
HEREFORD ...	–	–	–	1	1	–
LEOMINSTER ...	–		–	–	1	–
HERTFORD ...	–	9	3	–	1	L.
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	–	1	–	–	–
HARPENDEN ...	–	–	1	–	–	–
†ST. ALBANS ...	–	–	–	–	1	–
†WATFORD ...	–	7	–	–	–	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	1	–	–	–	–
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	–	1	–	–	–
WATFORD ...	–	–	–	–	–	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Feve N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	-	2	3	-	1	-
Boroughs and Urban Districts:—						
HUNTINGDON ...		-	3	-	-	-
OLD FLETTON ...	-	1	-	-	-	-
Rural Districts:—						
HUNTINGDON ...	-	-	-	-	1	-
ST. NEOTS ...	-	1	-	-	-	-
KENT	-	40	16	1	33	C. 1 M. 6 N. 2
†CANTERBURY C.B.	-	-	1	-	3	M. 2
Boroughs and Urban Districts:—						
†ASHFORD	-	-	-	-	2	-
†BECKENHAM ...	-	-	1	-	5	N. 1
†BEXLEY	-	1	-	-	-	-
†BROADSTAIRS AND ST. PETER'S	-	-	-	-	1	-
†BROMLEY ...	-	-	-	-	2	-
†CHATHAM ...	-	1	2	-		-
†CRAYFORD ...		2	-	-	1	-
†DARTFORD ...	-	1	3	-	1	-
†ERITH	-	5	1	-	4	-
†FOLKESTONE ...		2		-	1	M. 1
†GILLINGHAM ...	-	3	-	-	-	-
†GRAVESEND ...	-	2	1	-	-	-
†HERNE BAY ...	-	-	1	-	1	-
†MAIDSTONE ...	-	1	-	-	3	-
†MARGATE ...	-	1	-	-	-	-
MILTON REGIS ...	-	1	-	-	1	-
†NORTHFLEET ...	-	-	2	-	1	-
†RAMSGATE ...	-	-	-	-	-	N. 1
†ROCHESTER ...		-	2	-	-	-
†ROYAL TUNBRIDGE WELLS	-	-	-		2	-
SANDWICH ...	-	1	-	-	-	-
SEVENOAKS ...	-	3	1	-	-	-
SITTINGBOURNE	-	1	1	-	-	-
WHITSTABLE ...	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BRIDGE	-	-	-	-	1	-
DOVER	-	-	-	-	1	-
ELHAM	-	2	-		-	M. 1
FAVERSHAM ..	-	1	-	-	-	C. 1
HOLLINGBOURNE	-	3	-	-		-
ISLE OF THANET	-	1	-	-	-	-
MAIDSTONE ...	-	1	-	-	-	-
MALLING	-	1	-	-	2	M. 2
MILTON	-	2	-	-	-	-
STROOD	-	1	-	-	1	-
TONBRIDGE ...	-	1	-	1	-	-
LANCASTER ...	2	109	88	3	207	C. 6 D. 3 G. 11 L. 7 M. 33 N. 13
†BARROW IN FURNESS C.B.	-	1	1	-	4	-
†BLACKBURN C.B.	1	1	2	-	3	C. 1 M. 2
†BLACKPOOL C.B.	-	1	1	1	-	M. 1
†BOLTON C.B. ...	-	3	3	-	6	M. 1
†BOOTLE C.B. ...	-	2	-	-	-	C. 1 N. 1
†BURNLEY C.B. ...	-	1	3	-	2	M. 1
†BURY C.B. ...	-	1	1	-	1	M. 1
†LIVERPOOL C.B. ...	-	1	21	-	42	D. 2 G. 2 M. 8 N. 7
†MANCHESTER C.B.	-	39	18	-	60	C. 3 G. 2 M. 10 N. 1
†OLDHAM C.B. ...	-	3	3	1	2	G. 1
†PRESTON C.B. ...	-	1	1	-	3	-
†ROCHDALE C.B. ...	-	-	4	-	1	-
†ST. HELENS C.B. ...	-	6	2	-	3	-
†SALFORD C.B. ...	-	14	9	-	4	D. 1 M. 2 N. 1
†SOUTHPORT C.B.	-	2	2	-	1	G. 1
†WARRINGTON C.B.	-	-	1	-	5	-
†WIGAN C.B. ...	-	-	-	-	5	-

* Returns not received † Population over 10,000.

), Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts:—						
†ACCRINGTON ..	–	–	–	–	2	–
†ASHTON IN MAKERFIELD	–	1	–	–	–	M. 1
†ASHTON UNDER LYNE	–	3	–	–	1	N. 1
ASPULL	–	–	–	–	1	–
AUDENSHAW ..	–	–	–	–	1	–
BRIERFIELD ...	–	1	–	–	–	G. 1
†CHADDERTON ...	–		–	–	–	G. 1
†CHORLEY... ...	–	1	–	–	1	–
CLAYTON LE MOORS	–	–	–	–	1	–
†CLITHEROE ...	–		1	–	–	–
†COLNE	–	–	1	–	1	N. 1
†CROMPTON ...	–	–	–	–	1	–
†DARWEN	–	1	–	–	1	C. 1
†DENTON	–	1	–	–	3	–
†DROYLSDEN ...	–	–	1	–	–	–
†ECCLES	–	–	1	–	–	–
†FAILSWORTH ...	–	2	1	–	1	–
†FARNWORTH ...	–	–	–	–	2	–
FULWOOD ...	–	1		–	–	–
†GREAT HARWOOD	*	*	*	*	*	*
†HAYDOCK ...	–		–	–	1	–
†HEYWOOD ...	–	1	1	1	2	M. 1
†HINDLEY... ...	–	2	–		2	–
†HORWICH ...	–	1	–	–	–	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	–	–	–	2	–
IRLAM	–	–	2	–	–	–
†LANCASTER ...	–	–	1	–	1	–
LEES	–	2	–	–	–	–
†LEIGH	–	–	2	–	3	M. 1
†LITTLEBOROUGH	–		–		–	G. 1
LITTLE HULTON ..		1	–	–	–	
LITTLE LEVER ...	*	*	*	*	*	*
†NELSON	–	–	–	–	1	–
ORMSKIRK ...	–	1	–	–	–	–
†OSWALDTWISTLE		–	–	–	2	–
POULTON LE FYLDE	–	–	1	–	–	–
†RADCLIFFE ...	–	2	–	–	–	M. 1
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
RAINFORD ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–		1	–	1	–
†ROYTON	–	1	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	–	G. 1
†STRETFORD ...	–	1	1	–	1	N. 1
†SWINTON AND PENDLEBURY	–	1	–	–	2	–
TOTTINGTON ...	–	1	–	–	–	–
†WALTON LE DALE	–	–	–	–	2	–
†WATERLOO WITH SEAFORTH	–	2	–	–	–	–
†WESTHOUGHTON	–	–	–	–	–	G. 1
WHITEFIELD ...	–	1	–	–	2	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	1	2	–	18	M. 2
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURY	–	–	–	–	1	–
CHORLEY... ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 7
FYLDE	–	1	–	–	1	–
WARRINGTON ...	–	1	–	–	2	–
WEST LANCASHIRE	1	–	–		–	–
WHISTON... ...	–	1	–	–	–	–
WIGAN	–	–		–	–	M. 1
LEICESTER ...	–	3	7	–	13	C. 1 M. 2 N. 2
†LEICESTER C.B. ...	–	–	4	–	2	M. 2 N. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†COALVILLE ...	–	1	–	–	1	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LOUGHBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	2	1	–	1	–
OADBY	–	–	–	–	1	–
QUORNDON ...	*	*	*	*	*	*
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	3	–
BARROW UPON SOAR	–	–	1	–	1	–
BLABY	–	–	–	–	2	–
HINCKLEY ...	–	–	1	–	1	–
LINCOLN (parts of Holland).	–	–	–	–	–	G. 1
Rural Districts:—						
BOSTON	–	–	–	–	–	G. 1
LINCOLN (parts of Kesteven).	–	–	–	–	3	C. 1 N. 1
Boroughs and Urban Districts:—						
STAMFORD ...	*	*	*	*	*	*
Rural Districts:—						
BOURNE	–	–	–	–	–	N. 1
GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	–	–	–	2	C. 1
LINCOLN (parts of Lindsey).	–	3	7	1	4	–
†GRIMSBY C.B. ...	–	–	–	1	1	–
†LINCOLN C.B. ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
†CLEETHORPES ...	–	–	1	–	–	–
HORNCASTLE ...	–	2	–	–	–	–
MABLETHORPE AND SUTTON	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	1	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	1	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
GRIMSBY	–	–	1	–	1	–
ISLE OF AXHOLME	–	–	1	–	–	–
SPILSBY	–	–	–	–	1	–
MIDDLESEX ...	8	43	32	2	28	C. 1 E. 1 M. 4 N. 3
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	1	–
†BRENTFORD AND CHISWICK	–	1	2		2	C. 1
†EALING	–	1	1	1	3	–
†EDMONTON ...	–	–	4	–	–	–
†ENFIELD	–	3	2	–	1	M. 1
†FINCHLEY ...	–	1	–	–	–	M. 1
†FRIERN BARNET	–	–	–	–	1	–
†HARROW ON THE HILL	–	2	–	–	–	–
†HENDON	8	5	2	–	1	M. 1
†HESTON AND ISLEWORTH	–	1	2	1	3	–
†HORNSEY	–	1	3	–	–	–
RUISLIP NORTHWOOD	–	–	–	–	1	–
†SOUTHALL NORWOOD	–	–	–	–	1	–
†SOUTHGATE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TOTTENHAM ...	–	7	2	–	3	N. 1
†TWICKENHAM ...	–	1	1	–	–	–
†UXBRIDGE ...	–	–	2	–	–	–
†WEALDSTONE ...	–	2	–	–	1	M. 1
†WEMBLEY ...	–	1	–	–	1	N. 1
†WILLESDEN ...	–	9	7	–	6	E. 1
†WOOD GREEN ...	–	5	–	–	2	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
HENDON	–	–	1	–	–	–
STAINES	–	1	1	–	–	N. 1
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK ...	–	9	2	–	6	D. 1 N. 3
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†NORWICH C.B. ...		6	1	–	2	N. 1
Boroughs and Urban Districts:—						
CROMER	*	*	*	*	*	*
DISS	*	*	*	*	*	*
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
DEPWADE ...	–	1	–	–	–	–
DOCKING	–	–	–	–		N. 1
ERPINGHAM ...	–	–	–	–	–	D. 1
FOREHOE... ...	–	–	–	–	–	N. 1
HENSTEAD ...	–	–	–	–	2	–
MITFORD AND LAUNDITCH	–	–	–	–	1	–
THETFORD ..	–	1	–	–	–	–
WALSINGHAM ...	–		–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	3	1	–	9	–
†NORTHAMPTON C.B.	–	2	1	–	5	–
Boroughs and Urban Districts:—						
HIGHAM FERRERS	–	–	–	–	1	–
IRTHLINGBOROUGH	–	–	–	–	1	–
†KETTERING ...	–	–	–	–	1	–
†RUSHDEN... ...	–	–			1	–
Rural Districts:—						
NORTHAMPTON ...	–	1	–	–	–	–
NORTHUMBERLAND.	15	17	7	–	37	G. 2 M. 2 N. 3
†NEWCASTLE UPON TYNE C.B.	2	7	4	–	27	M. 2
†TYNEMOUTH C.B.	4	1	2	–	1	N. 1
Boroughs and Urban Districts:—						
AMBLE	–	–	1	–	–	–
†ASHINGTON ...	6	1		–	–	–
†BEDLINGTONSHIRE	3	–	–	–	–	–
†BLYTH	–	–	–	–	5	–
†GOSFORTH ...	–	1	–	–	–	–
MORPETH... ...	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	1	G. 1
†WALLSEND ...	–	2	–	–	1	N. 1
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	–	–	–	–	N. 1
CASTLE WARD ...	–	–	–	–	2	–
HEXHAM	–	2	–			–
ROTHBURY ...	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	2	22	11	1	17	D. 1 M. 1 N. 1
†NOTTINGHAM C.B	-	6	9	1	10	D. 1 N. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	-	-	1		-	-
†CARLTON... ...	-	1	-	-	-	-
†HUCKNALL ...	-		1	-	2	-
†KIRKBY IN ASHFIELD	-	7	-	-	1	-
†MANSFIELD ...	1	1	-	-	-	-
†MANSFIELD WOODHOUSE	-	1	-	-	1	-
†WORKSOP... ...	-	2	-	-	-	-
Rural Districts:—						
BASFORD	-	2	-	-	1	M. 1
SKEGBY	-	1	-	-	-	
SOUTHWELL ...	1	1	-		-	-
STAPLEFORD ...	-	-	-	-	2	-
OXFORD	-	2	4	-	2	J. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BANBURY ...	-	-	1	-	-	
†HEADINGTON ...	-	-	-	-	-	N. 1
THAME	-	1	-	-	-	-
Rural Districts:—						
BANBURY ...	-	-	-	-	1	-
BICESTER... ...	-	-	1	-	-	-
CHIPPING NORTON	-	-	-	-	1	-
CULHAM	-	-	1	-	-	J. 1
GORING	-	1	-	-	-	M. 1
HENLEY	-	-	1	-	-	-
PETERBOROUGH (Soke of).	-	-	2	-	2	-
Borough:—						
†PETERBOROUGH...	-	-	2	-	2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	-	10	-	-	1	C. 1 N. 1
Boroughs and Urban Districts:—						
WELLINGTON ...	-	-	-	-	1	-
WHITCHURCH ...	-	5	-	-	-	-
Rural Districts:—						
BRIDGNORTH ...	-	-	-	-	-	C. 1
CHURCH STRETTON	-	-	-	-	-	N. 1
SHIFNAL	-	2	-	-	-	-
WELLINGTON ...	-	3	-	-	-	-
SOMERSET ...	-	15	3	1	10	D. 1 E. 1 M. 2 N. 3
†BATH C.B. ...	-	8	1	-	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	-	-		1	D. 1
MIDSOMER NORTON	-	1	1	-	1	-
PORTISHEAD ...	-	-	-	-	1	-
†TAUNTON... ...	-	-		-	2	-
WELLS	-	-	-	-	-	N. 1
†WESTON SUPER MARE	-	-	-	-	-	M. 1
†YEOVIL	-	-	-		-	E. 1
Rural Districts:—						
AXBRIDGE ...	-	1	-	-	-	-
BATH	-	2	-	1	-	-
FROME	-	1	-	-	-	-
KEYNSHAM ...	-	2	-	-	1	-
TAUNTON ...	-	-	1	-	2	-
WINCANTON ...	-	-	-	-	-	N. 1
YEOVIL	-		-	-	1	-

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON	–	12	16	1	8	D. 2 N. 1
†BOURNEMOUTH C.B.	–	2	–	1	–	–
†PORTSMOUTH C.B.	–	3	13	–	–	D. 2
†SOUTHAMPTON C.B	–	1	2	–	4	–
Boroughs and Urban Districts:—						
ANDOVER	–	–	–	–	–	N. 1
†FAREHAM		2	–	–	–	–
†GOSPORT	–	1	–	–	2	–
†WINCHESTER	–	–	–		1	–
Rural Districts:—						
DROXFORD	–	1	–	–	–	–
KINGSCLERE		1	–	–	–	–
NEW FOREST	–	–	1	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WINCHESTER	–	–	–	–	1	–
STAFFORD	–	48	15	–	45	C. 2 E. 1 G. 1 M. 11 N. 4
†BURTON UPON TRENT C.B.	–	3	–	–	–	–
†SMETHWICK C.B.	–	1	1	–	5	–
†STOKE ON TRENT C.B.	–	8	2	–	15	C. 1 E. 1 M. 6
†WALSALL C.B.	–	2	1	–	2	M. 2 N 1
†WEST BROMWICH C.B.	–	–	1	–	1	N. 1
†WOLVERHAMPTON C.B.	–	6	1	–	2	M. 2
Boroughs and Urban Districts:—						
BIDDULPH	–	–	–	–	1	–
†BILSTON	–	–	–	–	3	–
†BRIERLEY HILL	–	–	1	–	2	–
†BROWNHILLS	–	1	–	–	1	–
†CANNOCK	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COSELEY	–	–	–	–	–	N. 1
†DARLASTON	–	–	–	–	2	–
KIDSGROVE		1	1	–	1	–
†LEEK	–	3	–	–	–	–
†ROWLEY REGIS	–	–	1	–	2	N. 1
†SEDGLEY	–	–	–	–	–	C. 1
†STAFFORD		–	1	–	–	–
TETTENHALL	–	–	–	–	1	–
†TIPTON	–	1	–	–	5	–
†WEDNESBURY	–	2	2	–	1	–
†WILLENHALL	–	–	–	–	1	–
Rural Districts:—						
BLORE HEATH	–	2	–	–	–	–
CANNOCK	–	4	–	–	–	G. 1
GNOSALL	–	6	–	–	–	–
KINGSWINFORD	–	1	1	–	–	–
LEEK	–	2	–	–	–	–
SEISDON	–	1	–	–	–	–
STONE	–	–	2	–	–	M. 1
SUFFOLK, EAST	–	10	1	–	4	–
†IPSWICH C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT	–	5	–	–	–	–
WOODBRIDGE	–	1	–	–	–	–
Rural Districts:—						
EAST STOW	–	1	–	–	–	–
HARTISMERE	–	1	1	–	1	–
PLOMESGATE	–	–	–	–	2	–
SUFFOLK, WEST	–	3	–	1	3	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	3	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST —*cont.*						
Rural Districts:—						
COSFORD	-	-	-	-	3	-
SURREY	-	52	7	1	19	E. 2 G. 1 M. 2 N. 2
†CROYDON C.B. ...	-	16	2	-	-	E. 1
Boroughs and Urban Districts:—						
†BARNES	-	2	-	1	-	-
†BEDDINGTON AND WALLINGTON	-	1	-	-	-	-
†CARSHALTON ...	-	-	-	-	-	N. 1
†CATERHAM ...	-	-	1	-	-	-
†COULSDON AND PURLEY	-	6	-	-	-	
DORKING	-	2	-	-	-	N. 1
EAST AND WEST MOLESEY	-	1	-	-	2	-
†EGHAM	-	3	-	-	3	-
GODALMING ...	-	-	-	-	1	-
†GUILDFORD ...	-	1	-	-	4	-
†KINGSTON ON THAMES	-	-	-	-	1	-
†MERTON AND MORDEN	-	4	1	-	-	-
†MITCHAM... ...	-	1	1	-	1	-
†RICHMOND ...	-	-	-	-	-	G. 1
†SURBITON ...	-	1	-	-	2	-
†SUTTON	-	-	1	-	-	-
WEYBRIDGE ...	-	2	-	-	-	-
†WIMBLEDON ...	-	6	-	-	-	-
†WOKING	-	5	-	-	1	E. 1 M. 1
Rural Districts:—						
DORKING	-	1	-	-	-	-
EPSOM	-	-	-	-	1	-
GUILDFORD ...	-	-	-	-	1	-
HAMBLEDON ...	-	-	-	-	1	M. 1
REIGATE	-	-	1	-	1	-
SUSSEX, EAST ...	-	8	4	-	9	M. 1 N. 3
†BRIGHTON C.B. ...	-	5	3	-	2	N. 2
†EASTBOURNE C.B.	-	1	1	-	2	-
†HASTINGS C.B. ...	-	1	-	-	3	N. 1
Boroughs and Urban Districts:—						
BURGESS HILL ...	-	-	-	-	1	M. 1
PORTSLADE BY SEA		-		-	1	-
Rural Districts:—						
UCKFIELD ...	-	1	-	-	-	-
SUSSEX, WEST...	-	4	1	-	2	-
Boroughs and Urban Districts:—						
†BOGNOR	-	2	-	-	-	-
†CHICHESTER ...	-	1	-	-	-	-
†HORSHAM ...	-	1	-	-	-	-
Rural Districts:—						
EAST PRESTON ...	-	-	-	-	1	-
WESTHAMPNETT	-	-	1	-	1	-
WARWICK ...	-	49	37	1	62	C. 4 G. 3 M. 15 N. 1
†BIRMINGHAM C.B.	-	29	32	1	51	C. 4 M. 15 N. 1
†COVENTRY C.B. ...	-	7	2	-	2	G. 1
Boroughs and Urban Districts:—						
BULKINGTON ...	-	1	-	-	-	-
†NUNEATON ...	-	2		-	2	-
†ROYAL LEAMINGTON SPA	-	2	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery : M, Ophthalmia Neonatorum ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUGBY	–	5	–	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
†WARWICK ...	–	–	–	–	–	G. 1
Rural Districts:—						
ALCESTER ...	–	2	–	–	–	–
COVENTRY ...	–	–	1	–	1	–
FOLESHILL ...		1	–	–	1	–
MERIDEN... ...	–	–	–	–	2	–
RUGBY	–	–	–	–	–	G. 1
SOLIHULL ...	–	–	1	–		–
TAMWORTH (part)	–	–	1	–	–	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND		–	–		5	G. 2
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	2	–
†KENDAL	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	–	G. 1
SOUTH WESTMORLAND	–	–	–	–	2	G. 1
WIGHT, ISLE OF	–	–	–		1	–
Boroughs and Urban Districts:—						
†NEWPORT... ...		–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	6	6	–	4	C. 2 M. 1 N. 3
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	–	–	–	C. 1
†SALISBURY ...	–	4	–	–	–	C. 1 N. 3
†SWINDON... ...	–	–	–	–	1	M. 1
WARMINSTER ...	–	–	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
BRADFORD-ON-AVON	–	–	2	–	–	–
CALNE	–	–	1	–	–	–
CHIPPENHAM ...	–	1	–	–		–
HIGHWORTH ...	–	–	1	–	1	–
MELKSHAM ...	–	1	1	–		–
TISBURY	–	–	–	–	1	–
WORCESTER ...	–	13	–	4	9	M. 2 N. 1
†DUDLEY C.B. ...	–		–	–	1	–
†WORCESTER C.B.	–	3	–	1	–	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	1	–			–
†KIDDERMINSTER	–	–	–	1	1	M. 1
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	1	–		–	–
†OLDBURY... ...	–	–			1	–
†REDDITCH ...		1	–	–	–	M. 1
†STOURBRIDGE ...	–	4	–	–	3	–
STOURPORT ...	*	*	*	*	*	*
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	N. 1
DROITWICH ...	*	*	*	*	*	*
MARTLEY... ...	–	–	–	1	–	–
PERSHORE ...	–		–	–	3	–
ROCK	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	14	5	–	7	M. 2
†KINGSTON UPON HULL C.B.	–	6	5	–	5	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
FILEY	–	1	–	–	–	–
GREAT DRIFFIELD	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
BRIDLINGTON ...	–	2	–	–	–	–
HOWDEN	–	–	–	–	1	–
RICCALL	–	1	–	–		–
SCULCOATES ...	–	1	–	–	1	–
SKIRLAUGH ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	1	7	4	1	14	C. 1 D. 1 E. 1 F. 1 M. 2 N. 2
†MIDDLESBROUGH C.B.	1	3	3	–	6	E. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
HINDERWELL ...	–	–	–	–	–	F. 1
†REDCAR	–	1	–	–	–	C. 1
RICHMOND ...	–	–	–	–	1	–
†SCARBOROUGH ...	–	–	1	–	1	–
†SKELTON AND BROTTON	–	1		–	1	D. 1
†WHITBY	–	–	–	1	2	–
Rural Districts:—						
BEDALE	–	–	–	–	–	N. 1
GUISBOROUGH ...	–	1	–			–
NORTHALLERTON	–	1		–	–	–
REETH	–	–	–	–	1	–
RICHMOND ...	–	–	–	–	1	–
SCARBOROUGH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	62	91	37	14	165	C. 6 D. 1 E. 2 G. 3 M. 8 N. 9
†BARNSLEY C.B. ...	–	6	1	–	3	M. 1
†BRADFORD C.B. ...	1	5	6	–	22	C. 1 E. 1 G. 2 M 2 N. 1
†DEWSBURY C.B....	–	–	1	–	1	N. 1
†DONCASTER C.B.	3	2	–	1	3	–
†HALIFAX C.B. ...	4	1	1	–	2	M. 1
†HUDDERSFIELD C.B.	–	1	5	2	3	C. 2 D. 1
†LEEDS C.B. ...	–	7	2	–	27	E. 1 N. 1
†ROTHERHAM C.B.	–	2	–	–	10	–
†SHEFFIELD C.B....	9	32	9	1	41	C. 2 M. 2 N. 3
†WAKEFIELD C.B.	–	1	2	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	2	1		–		–
ALTOFTS	–	–	–	–	1	–
†BARNOLDSWICK ...	–	–	–	–	1	–
†BENTLEY WITH ARKSEY	3	–	–		–	G. 1
†BINGLEY	–	–	–		2	–
†BOLTON UPON DEARNE	–	–	–		1	–
†BRIGHOUSE ...	–	–	–	–	2	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	10		–	–	–	–
DARFIELD ...	–		1	–	1	
†DARTON	–	1		3	–	–
DRIGHLINGTON ...	–	–	–	–	2	–
†FEATHERSTONE ...	–	–	1		1	–
†GOLCAR	–	1	–	–	1	–
†GOOLE	–	–	–	–	1	–
GUISELEY ...	–	–	–	–	1	–
†HEMSWORTH ...	–	–	1	–	–	–
HONLEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	4	1	–	–	1	N. 1
ILKLEY	–	2	–	–	–	–
†KEIGHLEY ...	2	1	–	–	–	–
KIRKHEATON ...		–	1	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
LEPTON	–	–	–	–	1	–
LUDDENDEN FOOT	–	1	–	–	–	–
†MEXBOROUGH ...	4	–	–	–	–	–
†MORLEY	–	–	1	–	1	–
MYTHOLMROYD ...	–	1	–	–	–	–
†NORMANTON ...	–	–	–	–	1	–
OTLEY		–	–	–	1	–
†PONTEFRACT ...	–	–	1	1	–	–
QUEENSBURY ...	–	1	–	–	–	–
†RAWMARSH ...	–	2	–	–	–	–
†SADDLEWORTH ...	–	2	–	–	–	–
SELBY	–	–	2	–	–	–
SHELLEY	–	–	–	–	1	–
SLAITHWAITE ...	–	–	–	–	–	C. 1
SOUTH CROSLAND	–	2	–	–	–	–
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	3	–
†SWINTON... ...	10	1	–	–	2	–
†TODMORDEN ...	–	–	–	–	2	–
†WATH UPON DEARNE	–	2	–	2	–	–
†WOMBWELL ...	6	–	–	–	1	
†WORSBOROUGH ...	–	–	–	–	1	M. 1
Rural Districts:—						
DONCASTER ...	1	1	1	–	4	–
GREAT OUSEBURN	–	–	–	–	2	–
HEMSWORTH ...	–	1	–	1	4	–
KIVETON PARK ...	–	2	–	–	9	–
PONTEFRACT ...	–	–	–	3	–	–
ROTHERHAM ...	–	2	–	–	2	–
TADCASTER ...	–	1	–	–	–	–
THORNE	3	–	–	–	–	N. 1
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
WETHERBY ...	–	1	1	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	2	–
WORTLEY ...	–	2	–	–	–	–
§**YORK, CITY OF**...	–	–	2	–	–	–
†YORK C.B. ...	–	–	2	–	–	–
WALES.						
ANGLESEY ...	–	1	–	–	1	–
Rural Districts:—						
TWRCELYN ...	–	–	–	–	1	–
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	–	–	1	–	3	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	1	–	1	–
LLANWRTYD ...	–	–	–	–	1	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	2	–	–	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–
GWYRFAI	–	1	–	–	–	–
CARMARTHEN ...	–	1	1	1	2	M. 1 N. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	–	–	1	–
KIDWELLY ...	–	–	–	–	1	–
†LLANELLY ...	–	1	–	1	–	N. 1
Rural Districts:—						
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	–	–	–	–	M. 1
DENBIGH ...	–	3	–	–	3	–
Boroughs and Urban Districts:—						
RUTHIN	–	–	–	–	1	–
Rural Districts:—						
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	3	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	4	1	–	6	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	4	–
CONNAH'S QUAY...	–	1	–	–	–	–
HOLYWELL ...	–	–	–	–	1	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL ...	–	1	1	–	1	–
OVERTON ...	–	1	–	–	–	–
GLAMORGAN ...	–	28	33	–	36	C. 2 M. 5 N. 1
†CARDIFF C.B. ...	–	4	7	–	4	C. 1 M. 1 N. 1
†MERTHYR TYDFIL C.B.	–	–	2	–	2	–
†SWANSEA C.B. ...	–	4	4	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	1	–	–	–
†BARRY	–	–	–	–	3	M. 1
†CAERPHILLY ...	–	–	3	–	–	M. 1
†GELLIGAER ...	–	1	1	–	–	–
†GLYNCORWG ...	–	–	–	–	2	–
†MAESTEG ...	–	1	–	–	2	–
†MOUNTAIN ASH ...	–	4	1	–	1	–
†NEATH	–	2	2	–	1	–
†OGMORE AND GARW	–	5	2	–	1	M. 1
†PONTYPRIDD ...	–	–	–	–	1	–
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	2	7	–	14	C. 1
Rural Districts:—						
CARDIFF	–	–	1	–	–	–
GOWER	–	–	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
,Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
NEATH	–	–	–	–	2	–
PENYBONT ...	–	1	1	–	–	–
SWANSEA... ...	–	1	–	–	–	–
MERIONETH ...		–	1	–	–	–
Urban Districts:—						
FFESTINIOG ..	–	–	1			–
MONMOUTH ...	57	4	7	1	8	C. 1 D. 1
†NEWPORT C.B. ...	–	1	1	–	4	C. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	36	–		–	–	–
†ABERTILLERY ...	2	–	–	–	–	–
BEDWAS AND MACHEN	–	–	4		–	–
†BEDWELLTY ...	1	–	–	–	–	–
†BLAENAVON ...	11	–	–	–	–	–
†EBBW VALE ...	–	–	1	–	–	D. 1
†MYNYDDISLWYN	2	–	1	–		–
†PANTEG	2	–	–	–	–	–
PONTYPOOL ...	3	–	–	–	–	–
†TREDEGAR ...	–	1	–	–	4	–
Rural Districts:—						
CHEPSTOW ...	–	2		–	–	–
MAGOR	–	–	–	1	–	–
MONTGOMERY...	–	1	–	–	–	N.
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	1	–	–	–	
MACHYNLLETH ...	–	–	–	–	–	N.
PEMBROKE ...	–	2	–	–	1	
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	1	
†PEMBROKE ...	–	2	–	–	–	
Total of Part II. ...	277	895	488	43	960	C. D. E. F. G. J. L. M. N.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DIFF	–	–	–	–	1	–	SANDWICH	–	1	–		–	–
ERNARVON	*	*	*	*	*	*							
ERPOOL	–	1	–	–	1	–	**Total of Part III.** ...	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	
Total of Part I.—London	–	208	183	2	97	C D E G M N
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	277	895	488	43	960	C D E F G J I M N
Total of Part III.—Port Sanitary Districts	–	2	–	–	2	
Total (*i.e.*, of returns received), England and Wales ...	277	1105	671	45	1059	C I I I G J I I I

‡ The letters in this column denote the following diseases:—A, Cholera; B, Pl C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Cont Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyr

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE.* } Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apl. 2.	Apl.* 9.	Apl.* 16.	Apl.* 23.	Apl.* 30.
ON :—													
HS—all ages	1,912	1,704	1,652	1,277	1,240	1,114	1,114	1,068	959	980	944	975	980
0 to 1 year ..	137	100	122	101	91	97	100	105	87	98	94	114	98
T TOWNS, aggre- (including Lon-):—													
IS	7,020	6,293	7,015	6,490	6.760	6,834	7,047	6,248	6,935	6,901	6,050	6,619	7,602
HS—all ages	7,302	7,285	8,411	7,824	7,080	5,980	5,327	4,990	4,656	4,625	4,316	4,340	4 253
0 to 1 year ..	716	670	857	802	696	612	588	561	486	560	498	496	459
RIC FEVER—Cases	18	11	7	13	21	14	14	8	22	16	14	22	18
„ Deaths	3	1	3	4	2	1	4	1	2	2	3	1	—
L POX—Cases ..	133	106	81	97	93	81	80	82	97	84	70	56	66
„ Deaths ..	—	1	—	—	—	—	—	1	—	—	—	—	—
LET FEVER—Cases	684	705	729	675	677	676	763	720	766	763	711	700	652
„ Deaths	11	6	4	8	5	8	2	6	5	2	6	4	5
THERIA—Cases ..	700	619	695	720	712	723	681	713	670	677	496	516	493
„ Deaths ..	51	45	29	41	62	43	30	35	25	28	30	27	31
LES—Deaths ..	43	47	73	59	73	72	52	71	79	76	89	81	68
ENZA—Deaths ..	818	759	987	1,023	898	572	342	224	160	120	96	82	71

For the weeks ended April 9th, and afterwards the figures relate to 107 Great Towns instead of 105, owing to clusion of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)

Table 6.—Meteorology in certain Towns during the Week ended Saturday 30th April, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ON (GREENWICH).	62	28	57·1	37·4	2	HUDDERSFIELD	51	27	48·7	33·7	17
						BRADFORD ..	49	28	47·0	33·6	14
STON ..	55	35	53·6	41·4	0	SHEFFIELD ..	51	32	49·0	35·0	10
MOUTH ..	59	35	55·4	41·2	3	YORK (MUSEUM)	53	30	51·0	34·7	7
TION (EATON).	57	29	52·1	35·9	8	HULL (PEARSON PARK).	54	28	51·4	34·3	10
OUTH ..	58	35	53·0	41·4	2	TYNEMOUTH ..	49	29	47·3	33·9	23
OL (CLIFTON).	57	33	52·7	39·0	2	CARDIFF.. ..	56	30	52·4	36·3	4
INGHAM DGBASTON).	54	31	51·6	36·7	5						
						EDINBURGH ..	47·0	26·0	44·6	31·3	20
INGHAM ..	54	29	51·7	36·7	4	GLASGOW ..	47·5	29·0	45·3	33·4	18
ENHEAD (BIDSTON).	50	36	47·4	39·9	6	DUBLIN (PHŒNIX PARK).	55·0	28·0	51·6	32·9	3
HESTER	52	34	47·6	38·3	9						
WHITWORTH PARK).						(FITZWILLIAM SQUARE†).	55·0	33·7	51·1	37·8	4
LEY	48	23	46·7	31·4	18	BELFAST.. ..	55·5	27·0	50·4	33·7	8

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 30th April, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in
SUNDAY -	24	Last Quarter.	29·507	52·1	41·8	10·3	46·7	− 1·9	39·4	7·3	13·6	4·5	75	83·7	32·9	47·0	WSW	W: WSW.	4·8	0·0	0·5	497	+ 211	0·05
MONDAY -	25	..	29·279	55·1	43·9	11·2	49·7	+ 1·1	40·7	9·0	12·9	4·2	71	98·1	34·9	47·1	WSW	W: WSW.	11·3	0·0	1·2	637	+ 351	0·00
TUESDAY -	26	..	29·716	54·5	37·0	17·5	44·0	− 4·6	26·3	17·7	31·7	8·3	49	121·5	19·1	47·1	WNW: NW.	NW: W.	4·0	0·0	0·4	416	+ 130	0·00
WEDNESDAY	27	..	29·883	57·8	28·1	29·7	43·9	− 4·8	27·0	16·9	32·8	2·0	51	130·3	12·0	47·1	SSW: SW: W.	W: WSW: SW.	1·7	0·0	0·1	267	− 19	0·00
THURSDAY -	28	..	29·920	60·6	33·2	27·4	46·3	− 2·5	32·1	14·2	28·5	5·2	57	141·5	18·9	47·1	SW: Calm.	SW: SSW.	1·5	0·0	0·1	174	− 113	0·00
FRIDAY -	29	In Equator	29·824	62·4	40·2	22·2	49·7	+ 0·7	32·1	17·6	29·3	1·6	51	129·0	29·8	47·1	Calm	NW: NNW.	1·9	0·0	0·1	206	− 80	0·01
SATURDAY -	30	Perigee	29·961	54·8	33·1	21·7	44·1	− 5·0	21·4	22·7	34·6	5·2	39	129·3	18·2	47·1	NNW: N.	NE: ESE.	1·8	0·0	0·2	253	− 32	0·00
MEANS -		..	29·727	56·8	36·8	20·0	46·3	− 2·4	31·3	15·1	26·2	4·4	56	119·1	23·7	47·1	WSW		..	..	..	Sum 2450	Sum + 448	Sum 0·06
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	24	wP till 11h., variably mP and sN till 17h.; then wP.	0·1	14·3	Partially cloudy becoming overcast generally by 4h. Brisk wind 7h. to 15h.: and from 18h. Rain 11¼h. till 12¼h.; and 15h. till 16h. Showers 13¾h. and 17h.
MONDAY ..	25	wP till 16¾h.; then loss of register.	0·7	14·4	Partially cloudy becoming nearly overcast by 7h.; and clearing from 21h. to cloudless by 21½h. Brisk wind from 7h. to 14h.; and from 20h High wind 14h. till 20h. Damping 11¼h. till 12h.; and 20½h. till 21h.
TUESDAY ..	26	Loss of register till 9½h.; then mP.	9·2	14·4	Partially cloudy till 12h.; then variably cloudy becoming cloudless by 20¾h. Brisk wind till 3h.; and from 7h. till 13h. Slight rain 1h. Frost at night.
WEDNESDAY	27	wP till 8½h.; mP till 22h.; then wP.	6·4	14·5	Partially cloudy till 15h.; overcast till 18h., then becoming cloudless by 19½h. Frost and haze in morning. Partial solar halo about 15h.
THURSDAY	28	wP till 6h.; mP till 8h.; sP till 10½h.; mP till 11h.; then wP.	7·5	14·6	Variably cloudy becoming overcast by by 20h. Damping 22h. Slight rain 23¼h. Haze 7½h. till 12h.
FRIDAY ..	29	wP till 7½h.; then mP.	6·6	14·6	Overcast till 8h.; partially cloudy till 15h.; then variably cloudy becoming overcast by 21h. Rain 1h. Damping 3h. Haze 6h. till 15h.
SATURDAY	30	mP till 13h.; then wP	13·0	14·7	Partially cloudy becoming cloudless by 12h. Hoar frost at night.
			Sum 43·5	Sum 101·5	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·72 ins. at the beginning of the week to 29·21 ins. by 15h. on 25th; increased generally to 29·97 ins. by 8h. on 28th; decreased to 29·80 ins. by 12h. on 29th; increased and was 30·00 ins. by midnight on the 30th.

THE 1921
CENSUS

THE decennial census of England and Wales provides a wealth of statistical data relating to an exceptionally wide range of social conditions and activities and so furnishes matter of the greatest value for the solution of a vast number of current political and economic problems.

Encyclopædic in scope, the volumes are a storehouse of information of the most detailed nature and of exceptional accuracy which can be put to an extraordinary range and variety of uses. They have proved, for instance, of signal service in industry and commerce and to advertisers anxious to obtain quantitative data on which to base production and selling campaigns. Each County in England and Wales is surveyed separately and the figures relating to them are published in 52 volumes of foolscap folio size.

Ten general volumes are devoted to a grouping of statistics to illustrate the Industrial and Occupational divisions of the country and such special relationships as Dependency Orphanhood, etc. A general Report on the Census as a whole is in course of preparation.

The complete set of volumes originally cost £34 4s. net and it has been decided to offer the few sets that remain at the exceptionally low price of £12 net, postage extra.

The series may be ordered at this price at any of the sale offices of H.M. Stationery Office.

LONDON: Adastral House, Kingsway, W.C.2.
MANCHESTER: York Street.
EDINBURGH: 120, George Street.
CARDIFF: 1, St. Andrew's Crescent.
BELFAST: 15, Donegall Square West.

FOR OFFICIAL USE

1927. No. 18.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 7TH MAY, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-18-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 7TH MAY, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the eighteenth week of the year numbered 7,102 and corresponded to an annual rate of 18·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,347 and corresponded to an annual rate of 11·6 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 11·5, 11·6 and 11·3. Infant mortality based on the average weekly number of births during the last 52 weeks, was 63 per 1,000 births against 73, 73 and 67 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,526 births, corresponding to a rate of 17·2 per 1,000, and 959 deaths of civilians, corresponding to an annual rate of 10·9, against 10·7, 11·0 and 11·1 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·9 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 52 as against 61, 74 and 64 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,253 to 4,347. In London the number of deaths from all causes decreased from 980 to 959 and the deaths from whooping cough numbered 13 as against 19, 18 and 11 in the three weeks preceding.

Four deaths from small-pox belonging to Hendon U.D. were registered last week.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 7th May, 1927.**

Towns.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
107 Great Towns ..	19,540,143*	7,102	4,347§	427	3	57	4	34	25	50
London	4,605,400*	1,526	959	79	-	1	1	13	5	11
Towns in Outer Ring.										
Croydon C.B. ..	205,900	60	40	-	-	-	-	-	-	-
Wimbledon ..	58,030	11	16	-	-	-	-	-	-	-
Ealing	91,783	28	18	-	-	-	-	-	-	-
Acton	63,040	24	8	1	-	-	-	-	-	-
Brentford and Chiswick† ..	56,840	12	13	1	-	1	-	-	-	-
Willesden ..	165,270	45	30	2	-	-	-	-	-	-
Hendon	62,570*	21	18§	-	-	-	-	-	-	-
Hornsey	87,230	25	14	2	-	-	-	-	-	-
Wood Green ..	51,940	14	8	1	-	-	-	-	-	-
Tottenham ..	151,520	33	24	4	-	-	-	-	-	-
Edmonton	71,700	44	14	3	-	-	-	-	-	-
Enfield	63,640	17	8	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	128	65	10	-	-	2	2	-	-
East Ham C.B. ..	146,600	35	14	-	-	-	-	-	-	-
Leyton	130,000	24	19	2	-	-	-	-	-	-
Walthamstow ..	125,500	43	18	-	-	-	-	1	-	-
Ilford	100,500	38	14	-	-	-	-	-	-	-
Gillingham	47,820*	17	11	1	-	-	-	-	-	-
Canterbury C.B ..	23,470*	6	1	-	-	-	-	-	-	-
Hastings C.B.	61,340	20	11	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	11	8	-	-	-	-	1	-	-
Brighton C.B.	139,500*	36	36	3	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	87	53	3	-	-	-	-	-	-
Bournemouth C.B. ..	90,100	36	23	1	-	-	-	-	-	-
Southampton C.B. ..	169,300	50	34	4	-	-	-	-	-	1
Reading C.B	93,090*	31	20	-	-	-	-	-	-	-
Oxford C.B.	56,800	19	15	3	-	-	-	-	-	-
Northampton C.B. ..	93,530*	29	20	1	-	1	-	-	-	-
Luton	59,240	15	12	3	-	-	-	-	-	-
Cambridge	58,820	21	11	1	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	32	15	-	-	-	-	-	-	-
Ipswich C.B.	84,140	24	18	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	22	5	1	1	-	-	-	-	-
Norwich C.B.	123,500*	56	22	4	-	1	-	-	-	-
Swindon	57,320	25	11	1	-	-	-	-	-	-
Exeter C.B.	60,340*	21	4	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	96	49	5	-	-	-	-	-	-
Bath C.B.	69,000	19	13	1	-	-	-	-	-	-
Bristol C.B.	383,300*	154	66	6	-	-	-	-	1	-
Gloucester C.B. ..	53,050	25	13	1	-	-	-	-	-	1
Stoke-on-Trent C.B.	275,600	116	65	12	-	1	-	-	-	1
Burton-upon-Trent C.B.	48,660	16	8	-	-	-	-	-	-	-
Wolverhampton C.B.‡	131,000	63	22	5	-	-	-	-	-	-
Walsall C.B.	102,100	42	26	4	-	-	-	-	1	-
West Bromwich C.B.	79,920	41	18	3	-	1	-	-	-	-
Dudley C.B.	58,930	36	12	4	-	-	-	-	-	2
Worcester C.B. ..	50,660	11	15	1	-	-	-	-	-	1
Birmingham C.B. ..	934,300*	363	225	37	-	4	-	1	-	9
Smethwick C.B. ..	76,940	25	15	4	-	-	-	1	-	-
Coventry C.B. ..	127,800	35	29	1	-	-	-	-	-	-
Leicester C.B. ..	241,700	78	54	5	-	1	-	-	-	1
Lincoln C.B.	65,760*	26	21	2	-	-	-	-	-	1
Grimsby C.B.	88,580	37	23	-	-	-	-	-	-	1
Nottingham C.B. ..	268,000	91	59	5	-	-	-	1	2	2
Derby C.B.	136,600*	43	28	3	-	-	-	-	-	-
Chesterfield ..	66,650	29	10	1	-	-	-	-	-	-
Stockport C.B. ..	125,400	36	29	1	-	-	-	-	-	1
Chester C.B.	41,710	8	4	1	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	66	30	3	-	-	-	-	-	1
Wallasey C.B. ..	93,050	28	17	3	-	-	-	-	-	-
Liverpool C.B. ..	862,600	412	218	25	1	13	-	1	2	3
Bootle C.B.	84,580	47	22	1	-	-	-	-	-	-
St. Helens C.B. ..	110,000	56	19	1	-	2	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.
§ Including 4 deaths from small-pox belonging to Hendon U.D.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
JTHPORT C.B. ..	77,970	22	22	2	-	-	-	-	-	1	-
GAN C.B.	88,620	46	21	3	-	2	-	-	-	-	-
ARRINGTON C.B. ..	76,940*	21	15	-	-	-	-	-	-	-	1
LTON C.B.	177,000	58	38	2	-	-	-	-	-	-	1
RY C.B.	56,840*	21	8	1	-	-	-	-	-	-	-
NCHESTER C.B. ..	752,000	290	191	19	-	-	-	4	1	3	2
LFORD C.B.	247,400	110	54	5	-	1	-	1	1	-	-
ITON-UNDER-LYNE§	51,050	22	10	4	-	-	-	-	-	-	-
DHAM C.B.	143,000	37	36	3	-	-	-	-	1	-	-
CHDALE C.B.	91,510	23	24	1	-	-	-	-	-	1	2
RNLEY C.B	99,600	20	28	2	-	-	-	-	-	-	1
ACKBURN C.B. ..	124,400	31	43	3	-	-	-	-	-	-	-
ESTON C.B.	124,200	44	32	3	-	3	-	-	1	1	-
ACKPOOL C.B. ..	88,640	13	24	-	-	-	-	-	-	-	1
RROW-IN-FURNESS .B.	70,420	19	25	2	-	1	-	-	-	-	-
DDERSFIELD C.B. ..	111,900	34	46	3	1	-	-	-	1	1	2
LIFAX C.B.	96,130*	25	43	5	-	4	-	1	-	-	2
ADFORD C.B. ..	288,700	105	103	12	-	-	-	1	2	-	2
EDS C.B.	473,400	166	125	11	-	1	-	1	-	1	2
WSBURY C.B. ..	53,630	12	9	1		-	-	-	-	-	-
AKEFIELD C.B. ..	53,830	35	12	1	-	1	-	-	-	1	-
RNSLEY C.B. ..	70,760	41	20	2	-	-	-	-	-	-	-
EFFIELD C.B. ..	523,300*	163	100	13	-	-	1	-	-	2	3
THERHAM C.B. ..	70,080	30	12	1	-	-	-	1	-	-	-
NCASTER C.B.‡ ..	55,700	26	13	2	-	-	-	-	-	-	1
RK C.B.	84,430*	16	18	1		3	-	-	-	-	2
LL C.B.	294 600	127	65	12	-	2	-	1	1	-	-
DDLESBROUGH C.B.	133,600	72	26	2	-	-	-	-	1	-	1
RLINGTON C.B. ..	70,700	21	14	1	-	-	-	-	-	-	-
OCKTON-ON-TEES ..	67,910	31	25	2		2	-	-	-	-	-
EST HARTLEPOOL C.B.	71,060	37	17	2	-	-	-	-	-	-	1
NDERLAND C.B. ..	163,800	95	42	5	-	2	-	1	-	1	1
UTH SHIELDS C.B. ..	123,900	55	28	2	-	-	-	-	-	-	-
TESHEAD C.B. ..	127,700	52	37	3	-	2	-	1	2	-	-
WCASTLE-ON-TYNE .B.	284,700*	125	52	3	-	3	-	-	-	1	-
NEMOUTH C.B ..	66,560	26	23	-	-	-	-	-	1	-	-
RLISLE C.B.	56,140*	21	13	1		-	-	-	-	-	1
WPORT (MON.) C.B.	96,620	50	17	4	-	1	-	1	-	-	-
RDIFF C.B.	225,600*	104	65	7	-	-	-	-	2	1	1
ONDDA	162,500	60	37	7	-	1	-	-	-	-	1
RTHYR TYDFIL C.B.	80,690	21	17	-	-	-	-	-	-	-	-
ERDARE	56,930	18	12	1	-	-	-	-	-	-	-
ANSEA C.B.	163,200	62	45	7	-	2	-	-	-	-	-
EATER LONDON ..	7,791,310*	2,607	1,552**	130	-	2	4	17	5	12	17
TER RING	3,185,910*	1,081	593**	51	-	1	3	4	-	1	10
GREAT TOWNS IN UTER RING	1,947,963*	602	341**	26	-	1	2	3	-	-	6
MAINDER OF OUTER ING	1,237,947*	479	252	25	-	-	1	1	-	1	4
INBURGH†	426,100	143	128	14	-	3	1	1	-	1	1
ASGOW†	1,049,000	488	306	53	-	-	1	12	1	3	5
BLIN (REGISTRATION REA)†	421,000	216	121‖	17	-	-	-	7	-	2	1
LFAST†	416,000	210	101	17	-	-	-	5	-	2	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and asgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and the addition of deaths of residents reported from elsewhere in Scotland during the week; those in blin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into blic institutions from without the respective areas.

‡ Created County Borough 1st April, 1927.

§ Ashton-under-Lyne M.B as extended 1st April, 1927.

‖ Including 1 death from Typhus Fever,

** Including 4 deaths from Small-pox belonging to Hendon U.D.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa
LONDON‡	4,605,400	1927. May 7	1526	959	10·9	-	-	1	1	13	5	
CALCUTTA AND SUBURBS	1,077,264	1926–27. April 2	?	915‖	44·2	?	232	?	?	?	?	
BOMBAY§	1,298,708	April 16	313	575‖	23·0	3	47	7	-	-	-	
MADRAS	528,791	„ 9	445	396	38·9	4	-	-	-	1	-	
SYDNEY AND SUBURBS	1,038,950	Mar. 30 (30 days)	1831	759	8·5	2	-	-	2	6	13	
BRISBANE (Metropolitan Area).	274,260	Mar. 30 (30 days)										
PERTH (Metropolitan Area).	179,388	Mar. 19	73	31	9·0	-	-	-	-	1	-	
		„ 26	56	27	7·8	-	-	-	-	-	-	
AUCKLAND (Urban Area).	192,176	Mar. 30 (30 days)										
WELLINGTON (Urban Area).	121,324	Mar. 30 (30 days)										
CHRISTCHURCH (Urban Area).	118,408	Mar. 30 (30 days)										
CAPE TOWN	115,348	April 2	45	24	10·8	1	-	-	-	-	-	
JOHANNESBURG	172,189	„ 9	81	42	12·7	1	-	-	-	-	-	
DURBAN	54,738	„ 9	37	19	18·0	1	-	-	-	-	-	
PARIS	2,871,429	„ 20 (10 days)	1227	1153	14·6	2	-	28	5	11	12	
ANTWERP	300,086	April 2	88	51	8·8	-	-	2	-	-	-	
AMSTERDAM	728,799	„ 16	245	128	9·2	-	-	-	1	-	-	
COPENHAGEN	592,000	„ 23	200	147	12·9	1	-	-	-	3	-	
STOCKHOLM	453,332	„ 23	91	108	12·4	-	-	-	1	1	-	
GOTHENBURG	231,624	Mar. 26	?	48	10·8	-	-	-	-	-	-	
OSLO (CHRISTIANIA) ..	255,724	April 30	70	62	12·6	-	-	1	-	-	-	
BERLIN	2,003,000	„ 16	419	446	11·6	-	?	-	-	1	10	
BRESLAU	564,000	„ 16	173	115	10·6	-	?	-	-	3	-	
COLOGNE	716,000	„ 16	247	150	10·9	-	?	5	-	1	-	
DRESDEN	626,000	„ 16	132	117	9·7	-	?	-	-	-	-	
FRANKFORT-ON-MAIN ..	473,000	„ 16	99	80	8·8	-	?	-	-	1	-	
HAMBURG	1,101,000	„ 16	193	228	10·8	1	?	2	1	-	2	
LEIPZIG	687,000	„ 16	197	156	11·8	-	?	-	-	-	-	
MUNICH	685,000	„ 16										
VIENNA	1,871,607	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	Oct. 31 (31 days)										
BUDAPEST	971,169	April 23	316	237	12·7	-	-	4	4	-	1	
WARSAW	1,028,982	„ 23	?	260	13·2	1	-	4	1	4	2	
CAIRO	859,400	Jan. 7										
ALEXANDRIA	492,100	„ 7										
NEW YORK	5,924,018	April 23	?	1584	13·9	1	-	-	5	6	18	
CHICAGO	3,101,000	„ 22	1105	733	12·3	-	-	9	1	2	5	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *childr year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 59 deaths from Cholera in Calcutta and 9 deaths from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 7th May, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	959	79	16	16	25	36	39	64	127	171	195	191
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	13	9	2	2	-	-	-	-	-	-	-	-
Diphtheria	5	-	3	1	1	-	-	-	-	-	-	-
Influenza	7	-	-	-	-	-	2	-	2	1	1	1
Erysipelas	3	1	-	-	1	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	1	-	-	-	-	-	1	-	-	-	-
Meningococcal meningitis	4	1	-	3	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	76	-	-	-	2	22	10	16	16	5	2	3
Nervous system	5	-	-	1	4	-	-	-	-	-	-	-
Intestines and peritoneum	3	-	-	-	-	-	-	2	-	1	-	-
Other forms	4	-	2	-	-	-	-	-	1	1	-	-
Venereal diseases	2	1	-	1	-	-	-	-	-	-	-	-
Cancer	120	-	-	-	-	-	-	5	29	35	24	27
Rheumatic fever	6	-	-	-	5	-	-	-	-	-	-	1
Diabetes	14	-	-	-	-	-	-	-	1	6	5	2
Alcoholism	1	-	-	-	-	-	-	-	1	-	-	-
Simple meningitis	1	-	-	1	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	55	-	-	-	-	-	-	-	7	15	16	17
Epilepsy	5	-	-	-	-	-	3	-	1	1	-	-
"Convulsions" (not puerperal) ..	3	2	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	25	1	-	2	2	1	2	5	5	5	1	1
Pericarditis	1	-	-	-	-	-	-	-	-	-	1	-
Acute endocarditis	9	-	-	1	1	-	2	2	1	2	-	-
Other diseases of heart	161	-	-	-	-	4	2	9	17	27	51	51
Other diseases of circulatory system	64	-	-	-	-	-	-	4	3	16	26	15
Bronchitis	39	3	2	-	-	-	-	-	4	4	7	19
Broncho-pneumonia	39	11	6	-	2	1	-	1	4	6	3	5
Lobar-pneumonia	20	-	-	-	-	1	-	2	9	4	3	1
Pneumonia (type not distinguished)	13	-	-	1	-	-	1	-	2	4	4	1
Other diseases of respiratory system	10	-	-	-	-	-	1	-	2	3	2	2
Diarrhœa and enteritis	11	11	-	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	7	-	-	-	1	1	-	2	1	2	-	-
Hernia, Intestinal obstruction	10	-	-	-	-	1	-	2	1	2	1	3
Cirrhosis of liver	9	-	-	-	-	-	-	-	1	5	3	-
Other diseases of digestive system ..	30	1	-	-	1	2	1	3	6	8	6	2
Acute nephritis	2	-	-	-	-	-	-	1	1	-	-	-
Chronic Bright's disease	34	-	-	-	-	-	4	2	3	8	12	5
Other diseases of genito-urinary system.	10	-	-	-	-	-	-	1	-	3	5	1
Puerperal sepsis	4	-	-	-	-	-	4	-	-	-	-	-
Other causes incident to childbirth ..	3	-	-	-	-	1	1	1	-	-	-	-
Congenital malformations	4	2	-	-	1	-	1	-	-	-	-	-
Premature birth	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	37	-	-	-	-	-	-	-	-	-	9	28
Suicide	8	-	-	-	-	-	2	-	4	1	1	-
Burns and Scalds	1	-	-	-	-	-	-	-	-	1	-	-
Drowning	6	-	-	-	1	-	-	1	1	1	2	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	6	-	-	1	1	1	-	1	-	-	2	-
Other deaths by violence	13	-	-	-	1	-	1	2	1	1	5	2
Other specified causes	26	8	-	1	1	1	2	1	3	2	3	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 7th May 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	255	183	2	90	C. 6 D. 1 G. 2 M. 23 N. 16
†CITY OF LONDON	-	3	-	-	-	-
INNER AND MIDDLE TEMPLES	-	1	-	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	7	5	-	5	M. 2
†BERMONDSEY ...	-	9	10	-	1	-
†BETHNAL GREEN	-	12	5	-	7	M. 3
†CAMBERWELL ...		10	13	-	2	M. 1
†CHELSEA	-	4	1	-	2	N. 3
†DEPTFORD ...	-	7	2	-	1	N. 1
†FINSBURY ...	-	2	3	-	2	M. 4
†FULHAM	-	6	9	-	2	-
†GREENWICH ...	-	11	5	-	3	M. 1
†HACKNEY ...	-	16	8	-	1	M. 1 N. 1
†HAMMERSMITH ...	-	2	1	-	1	N. 1
†HAMPSTEAD ...	-	3	-	-	-	-
†HOLBORN... ...	-	2	-	1	-	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	21	17	-	8	C. 3 M. 4 N. 1
†KENSINGTON ...	-	6	8	-	4	C. 1 M. 1
†LAMBETH ...	-	18	18	-	12	G. 1 N. 1
†LEWISHAM ...	-	13	12	-	-	-
†PADDINGTON ...	-	5	11	-	5	N. 1
†POPLAR	-	11	9	-	10	M. 2
†ST. MARYLEBONE	-	4	4	-	1	N. 1
†ST. PANCRAS ...	-	15	2	-	2	M. 2
†SHOREDITCH ...	-	10	4		2	-
†SOUTHWARK ...	-	7	10	-	3	G. 1 N. 2
†STEPNEY	-	17	13		4	C. 1 D. 1 N. 1
†STOKE NEWINGTON	-	4	-	-	1	N. 1
†WANDSWORTH ...	-	12	9	1	7	C. 1 M. 1
†WESTMINSTER, CITY OF	-	-	2	-	-	N. 1
†WOOLWICH ...	-	17	2	-	4	N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	4	1	2	G. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	–	–	–	–	G. 1
DUNSTABLE ...	*	*	*	*	*	*
†LUTON	–	–	3	1		–
Rural Districts:—						
BEDFORD ...	–	3	1	–	–	–
BIGGLESWADE ...	–	–	–	–	1	–
LUTON	–	–	–	–	1	–
BERKS	–	7	2	1	2	M. 1
†READING C.B. ...	–	1		–	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
†NEWBURY ...	–	–	–	–	–	M. 1
†NEW WINDSOR ...	–	–	–	1	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	–	1	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WINDSOR... ...	–	–	–	–	2	–
WOKINGHAM ...	–	1	1	–	–	–
BUCKINGHAM...	–	6	3	–	2	D. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	3	–	–	–	–
†SLOUGH	–	–	2	–	1	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
AYLESBURY ...	–	–	–	–	–	D. 1
BUCKINGHAM ...	–	–	–	–	1	–
LONG CRENDON...	–	–	1	–	–	–
WYCOMBE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	–	4	1	1	M. 1
Borough:—						
†CAMBRIDGE ...	–	–	2	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	1	1	–	M. 1
NEWMARKET ...	–	–	1	–	1	–
CHESTER ...	–	42	6	1	14	C. 3 G. 3 M. 5 N. 5
†BIRKENHEAD C.B.	–	7	1	–	3	M. 1 N. 1
†CHESTER C.B. ...	–	–	–	–	2	–
†STOCKPORT C.B.	–	12	1	–	–	M. 2 N. 1
†WALLASEY C.B. ...	–	7	–	–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BOWDON	–	–	–	–	–	C. 1
†DUKINFIELD ...	–	–	–	–	4	–
HALE	–	–	–		–	N. 1
HOOLE	–	1	–	–	–	–
†HYDE	–	2	2	–	–	–
KNUTSFORD ...	–	–	–	–	1	C. 1
†MACCLESFIELD ...	–	4	–	–	–	–
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	G. 1
†WINSFORD ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	3	–	–	1	–
CHESTER	–	–	–	1	–	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	1	1	–	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	–	1	–	–	C. 1 G. 1 M. 1 N. 1
WIRRAL	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	11	1	–	6	N. 2
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	2	–	–	–	–
FOWEY	–	–		–	1	–
REDRUTH ...	–	–	1	–	2	N. 1
ST. IVES	–	4	–	–	–	–
Rural Districts:—						
LISKEARD ...	–	2			–	–
REDRUTH ...	–	–		–	–	N. 1
ST. COLUMB MAJOR		3	–	–	2	–
TRURO	–	–	–	–	1	–
CUMBERLAND ...	–	3	1	–	3	E. 1 N. 2
†CARLISLE C.B. ...		–	1		1	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
CLEATOR MOOR ...	–	1	–	–	–	E. 1
EGREMONT ...	*	*	*	*	*	*
PENRITH	–	1	–	–	1	–
†WHITEHAVEN ...	–	–	–	–	–	N. 1
Rural Districts:—						
WIGTON	–	1	–	–	–	N. 1
DERBY	16	24	16	–	34	E. 1 G. 1 M. 1 N. 2
†DERBY C.B. ...	9	1	2	–	13	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	4	–
ALVASTON AND BOULTON	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts— *cont.*						
ASHBOURNE ...	–	–	–	–	–	N. 1
†BELPER	2	–	–	–	–	–
†BOLSOVER ...	–	2	1	–	1	–
†CHESTERFIELD ..	3	6	–	–	4	E. 1 G. 1
DRONFIELD ...	–	–	–	–	1	–
†GLOSSOP	–	2	–	–	–	–
†LONG EATON ...	–	1	1	–	–	–
NEW MILLS ...	–	–	–	–	–	N. 1
NORTH DARLEY...	*	*	*	*	*	*
†RIPLEY	1	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	1	–	–	2	–
Rural Districts:—						
BAKEWELL ...	–	2	–	–		–
BLACKWELL ..	1	1	4	–	1	–
CHAPEL EN LE FRITH	–	1	1	–	–	–
CHESTERFIELD ..	–	3	6	–	3	–
CLOWNE	–	1	1	–	1	–
HARTSHORN AND SEALE	–	–	–	–	2	–
REPTON	*	*	*	*	*	*
SHARDLOW ...	–	–	–	–	1	M. 1
DEVON	–	14	6	–	4	D. 1 M. 1 N. 4
†EXETER C.B. ...	–	1	–	–	–	N. 2
†PLYMOUTH C.B...	–	11	5	–	2	D. 1 N. 1
Boroughs and Urban Districts:—						
BIDEFORD ...	–	1	–	–	.	–
†EXMOUTH ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	–	.	–	1	–
†TORQUAY ...	–	1	–	–	–	M. 1
Rural Districts:—						
PLYMPTON ST. MARY	–	–	1	–	–	–
ST. THOMAS ...	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	4	–	–	5	–
Boroughs and Urban Districts:—						
†POOLE		–	–	–	3	–
†PORTLAND ..	–	2	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
BLANDFORD ...	–	–	–		1	–
POOLE	–	1	–	–	–	–
SHERBORNE ...	–	1	–	–	–	–
DURHAM ...	164	36	28	1	38	C. 1 E. 1 G. 1 M. 5 N. 3
†DARLINGTON C.B.	2	3	1	–	2	E. 1
†GATESHEAD C.B.	15	7	6	–	2	N. 1
†SOUTH SHIELDS C.B.	15	–	2	1	8	–
†SUNDERLAND C.B.	–	–	2	–	7	M. 2 N. 1
†WEST HARTLEPOOL C.B.	–	2	1	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	–	3	–	–	–
BENFIELDSIDE ...	–	1	1	–	–	–
†BLAYDON... ...	2	1	–	–	–	–
†BRANDON AND BYSHOTTLES	4		1	–		–
†CHESTER LE STREET	7	3	–	–	–	–
†CROOK	–	–	1	–	–	–
†DURHAM	1	–	–	–	–	–
†FELLING	6	–	–	–	1	–
†HEBBURN ...	4	–	1	–	1	–
†HETTON	3	–	1	–	–	–
†HOUGHTON LE SPRING	1	–	–	–	–	–
†JARROW	11	–	1	–	3	–
†RYTON	–	4	–	–	–	–
†SHILDON	1	1	–		–	–
†SPENNYMOOR ...	4	–	–	–	–	–
†STANLEY	–	–	1	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKTON ON TEES	–	2	–	–	1	N. 1
TOW LAW ...	1	1	–	–	–	–
†WHICKHAM ...	1	2	–	–	–	–
WILLINGTON ...	–	1	1	–	–	–
Rural Districts:—						
AUCKLAND ...	10	1	–	–	2	–
CHESTER LE STREET	11	1	1	–	3	G. 1 M. 1
DURHAM	3	–	–	–	–	–
EASINGTON ...	15	2	1	–	2	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	2	–	–	–	1	C. 1
LANCHESTER ...	9	1	1	–	–	M. 1
SEDGEFIELD ...	8	–	2	–	–	–
SOUTH SHIELDS...	26	1	–	–	2	–
SUNDERLAND ...	–	1	–	–	–	–
WEARDALE ...	*	*	*	*	*	*
ELY, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
ESSEX	–	98	44	1	31	C. 2 D. 2 M. 3 N. 3
†EAST HAM C.B. ...	–	9	9	–	3	C. 1
†SOUTHEND-ON-SEA C.B.	–	7	–	–	13	N. 1
†WEST HAM C.B. ...	–	25	17	–	6	D. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	4	1	–	–	M. 2
BRENTWOOD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
BUCKHURST HILL	–	1	–		–	–
CANVEY ISLAND	–	2	–	–	–	–
†COLCHESTER ...	–	–	–	–	2	–
DAGENHAM ...	–	3	1	–	–	–
†GRAYS THURROCK	–	2	–	–	–	–
HALSTEAD ...		–	–	–	–	C. 1
†HARWICH ...	*	*	*	*	*	*
†HORNCHURCH ...	–	2	–	–	–	D. 1
†ILFORD	–	7	–	1	1	–
†LEYTON	–	8	5	–	–	M. 1
LOUGHTON ...	–	1	–	–	1	–
†ROMFORD ...	–	1	1	–	–	–
TILBURY	–	4	2	–	–	–
†WALTHAMSTOW ...	–	9	1	–	4	–
†WOODFORD ...	–	–	–	–	–	N. 1
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
EPPING	–	1	–	–	–	–
HALSTEAD ...	–	–	1		–	–
ONGAR	–	–	1	–	–	–
ORSETT	–	1	3	–	–	–
ROCHFORD ...	–	2	1	–	1	–
ROMFORD... ...	–	3	–	–	–	–
STANSTED ...	–	–	1	–	–	–
TENDRING ...	–	2	–	–	–	–
GLOUCESTER ...	–	43	20	1	13	M. 2 N. 2
†BRISTOL C.B. ...	–	30	14	1	5	M. 1 N. 1
†GLOUCESTER C.B.	–	1	–	–	4	M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	2	–	–	N. 1
COLEFORD ...	–	–	1	–	–	–
†KINGSWOOD ...	–	2	–	–	–	–
†MANGOTSFIELD ...	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	1	1	–	1	–
GLOUCESTER ...	–	–	–	–	1	–
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
LYDNEY	–	–	–	–	2	–
NORTHLEACH ...	–	2	–	–	–	–
STROUD	–	1	1	–	–	–
THORNBURY ...	–	1	–	–	–	–
WEST DEAN ...	–	–	1	–	–	–
WINCHCOMB(part)	–	1	–	–	–	–
HEREFORD ...	–	3	–	–	1	C. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	C. 1
LEOMINSTER ...	–	1	–	–	–	–
ROSS	–	1	–	–	–	–
WHITCHURCH ...	*	*	*	*	*	*
HERTFORD ...	–	8	9	–	3	G. 1 L. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	1	–	–	–
BISHOP'S STORTFORD	–	2	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†HITCHIN	–	–	–	–	–	G. 1
†ST. ALBANS ...	–	1	2	–	–	–
SAWBRIDGEWORTH	–	1	–	–	–	–
†WATFORD ...	–	2	1	–	1	–
WELWYN GARDEN CITY	–	1	–	–	–	–
Rural Districts:—						
HATFIELD ...	–	–	2	–	1	–
HEMEL HEMPSTEAD	–	1	–	–	–	–
HERTFORD ...	–	–	1	–	–	–
HITCHIN	–	–	–	–	1	–
WATFORD ...	–	–	1	–	–	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	2	4	–	3	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	1	–	–	–
HUNTINGDON ...	–	–	1	–	–	–
OLD FLETTON ...	–	1	–	–	2	–
Rural Districts:—						
HUNTINGDON ...	–	–	2	–	–	–
NORMAN CROSS ...	–	–	–	–	1	–
THRAPSTON (part)	–	1	–	–	–	–
KENT	–	57	31	–	14	C. 1 M. 4 N. 2
†CANTERBURY C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	1	–
†BEXLEY	–	2	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	1	–	1	–
†BROMLEY ...	–	1	–	–	1	–
†CHATHAM ...	–	2	3	–	–	M. 1
CHISLEHURST ...	–	1	–	–	–	–
†CRAYFORD ...	–	2	–	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†DOVER	–	1	2	–	–	–
†ERITH	–	1	4	–	2	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	3	1	–	–	C. 1
†GILLINGHAM ...	–	–	1	–	–	–
†GRAVESEND ...	–	10	–	–	–	M. 1 N 1
†MAIDSTONE ...	–	3	–	–	1	N. 1
†MARGATE ...	–	–	3	–	–	–
MILTON REGIS ...	–	–	2	–	–	–
†NORTHFLEET ...	–	–	2	–	1	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	–	M. 1
SIDCUP	–	–	1	–	–	–
SITTINGBOURNE	–	3	1	–	–	–
SWANSCOMBE ...	–	–	4	–	–	–
WALMER	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BLEAN	–	–	1	–	1	–
BRIDGE	–	–	1	–	–	–
BROMLEY ...	–	1	–	–	–	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	–	1	1	–	1	–
EAST ASHFORD ...	–	1	–	–	–	–
EASTRY	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	6	1	–	–	–
MALLING	–	5	–	–	1	–
SEVENOAKS ...	–	1	–	–	1	–
TENTERDEN ...	–	1	–	–	1	–
TONBRIDGE ...	–	1	1	–	–	M. 1
WEST ASHFORD...	–	1	–	–	–	–
LANCASTER ...	–	144	101	6	143	C. 4 G. 10 L. 3 M. 20 N. 13
†BARROW IN FURNESS C.B.	–	–	1	–	–	M. 1
†BLACKBURN C.B.	–	1	2	–	4	M. 1
†BLACKPOOL C.B.	–	1	–	–	3	G. 1
†BOLTON C.B. ...	–	2	3	–	1	–
†BOOTLE C.B. ...	–	3	3	–	3	M. 1
†BURNLEY C.B. ...	–	1	4	–	–	N. 2
†BURY C.B. ...	–	7	1	–	–	N. 1
†LIVERPOOL C.B. ...	–	29	20	2	19	C. 1 G. 1 M. 8 N. 1
†MANCHESTER C.B.	–	45	22	–	42	C. 2 G. 2 M. 3 N. 3
†OLDHAM C.B. ...	–	–	–	–	1	N. 1
†PRESTON C.B. ...	–	2	4	–	5	–
†ROCHDALE C.B. ...	–	2	5	–	–	–
†ST. HELENS C.B....	–	–	1	–	1	–
†SALFORD C.B. ...	–	8	8	–	13	M. 1
†SOUTHPORT C.B.	–	5	–	–	1	–
†WARRINGTON C.B.	–	–	1	–	3	–
†WIGAN C.B. ...	–	1	1	–	2	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	1	–
†ACCRINGTON ..	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	–	–	–	–
†ASHTON UNDER LYNE	–	1	–	1	–	–
†ATHERTON ...	–	–	3	–	1	G. 1
†BACUP	–	–	–	–	2	–
†CHADDERTON ...	–	–	–	–	1	–
†CHORLEY... ...	–	–	–	–	3	–
†COLNE	–	3	–	–	–	C. 1 G. 1
†DARWEN	–	1	–	–	–	–
†DENTON	–	1	–	–	–	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	–	1	–	1	G. 1
†FAILSWORTH ...	–	–	–	–	1	–
†FARNWORTH ...	–	1	–	–	–	
†FLEETWOOD ...	–	–	1	–	–	–
FULWOOD ...	–	–	–	–	1	–
GRANGE	–	–	–	–	–	G. 1
†GREAT CROSBY ...	–	–	–	–	1	–
†HASLINGDEN ...	–	–	–	–	2	–
†HEYWOOD ...	–	3	1	–	–	–
†HINDLEY... ...	–	–	1	–	1	–
†HORWICH ...	–	–	1	–	2	–
†INCE IN MAKERFIELD	–	–	–	–	2	–
IRLAM	–	–	–	–	1	–
†LANCASTER ...	–	4	3	–	1	G. 1 M. 1 N. 1
†LEIGH	–	–	2	1	3	N. 1
†LITHERLAND ...	–	2	1	–	–	M. 1
†LITTLEBOROUGH	–	–	1	–	–	–
LONGRIDGE ...	–	1	–	–	–	–
†MIDDLETON ...	–	–	1	–	2	–
†MORECAMBE ...	–	–	–	–	–	M. 1
†MOSSLEY	–	1	–	–	1	–
†PADIHAM ...	–	1	1	–	–	–
PRESCOT	–	1		–	–	–
†RADCLIFFE ...	–	1	1	1	–	–
†RAMSBOTTOM ...	–	–	–	–	1	M. 1
†RAWTENSTALL ...	–	1	–	–	–	–
†STRETFORD ...	–	4	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†SWINTON AND PENDLEBURY	–	–	–	–	2	–
TOTTINGTON ...	–	–	–	–	1	–
†TURTON	–	–	–	–	–	N. 1
†ULVERSTON ...	–	1	–	–	–	–
WARDLE	–	–	2	–	–	–
†WATERLOO WITH SEAFORTH	–	2	2	–	1	N. 1
†WESTHOUGHTON	–	2	–	–	–	–
WHITEFIELD ...	–	1	–	–	–	–
†WIDNES	–	1	1	–	–	N. 1
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	1	–
BLACKBURN ...	–	–	–	–	2	–
BURNLEY... ...	–	1	–	–	–	–
CHORLEY... ...	–	–	–	1	1	–
CLITHEROE ...	–	–	–	–	–	L. 3
FYLDE	–	–	–	–	1	–
ULVERSTON ...	–	–	–	–	–	G. 1
WARRINGTON ...	–	–	–	–	2	M. 1
WEST LANCASHIRE	–	–	–	–	2	–
WHISTON... ...	–	–	1	–	1	–
LEICESTER ...	–	11	6	–	7	D. 1 N. 2
†LEICESTER C.B. ...	–	7	2	–	4	D. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†COALVILLE ...	–	1	1	–	–	–
†HINCKLEY ...	–	–	1	–	–	–
MELTON MOWBRAY	–	1	–	–	1	–
QUORNDON ...	*	*	*	*	*	*
SHEPSHED ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
BILLESDON ...	–	1	–	–	–	–
BLABY	–	–	–	–	–	N. 1
HINCKLEY ...	–	1	–	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	4	2	–	1	G. 1
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
BOSTON	–	2	–	–	1	–
EAST ELLOE ...	–	1	–	–	–	–
SPALDING (part)..	–	–	1	–	–	G. 1
LINCOLN (parts of Kesteven).	–	1	–	–	2	N. 1
Boroughs and Urban Districts:—						
SLEAFORD ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE	*	*	*	*	*	*
BRANSTON ...	–	–	–	–	1	–
GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	11	11	–	8	G. 1
†GRIMSBY C.B. ...	–	3	3	–	–	–
†LINCOLN C.B. ...	–	1	2	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	4	–		–
†CLEETHORPES ...	–	–	1	–	1	–
CROWLE	–	1	–	–	–	–
†GAINSBOROUGH ...	–	1	–	–	–	–
HORNCASTLE ...	–	1	.	–	1	–
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	2	G. 1
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
CAISTOR	–	–	–	–	2	–
GAINSBOROUGH ...	–	–	1	–	–	–
GRIMSBY	–	2	–	–	–	–
HORNCASTLE ...	–	–	–	–	1	–
LOUTH	–	1	–	–	–	–
MIDDLESEX ...	1	56	28	1	19	G. 1 M. 3 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	2	1	–	2	N. 2
†BRENTFORD AND CHISWICK	–	–	1	–	3	N. 1
†EALING	–	4	3	1	–	–
†EDMONTON ...	–	4	3		2	M. 1 N. 1
†ENFIELD	–	4	–	–	2	–
†FINCHLEY ..	–	5	–	–	–	–
HAMPTON WICK...	–	–	–		1	–
†HARROW ON THE HILL	–	2	–	–	1	G. 1 M. 1
†HENDON	1	5	1		–	–
†HESTON AND ISLEWORTH	–	3	–	–	–	–
†HORNSEY... ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
RUISLIP NORTHWOOD	–	–	–	–	1	–
†SOUTHALL NORWOOD	–	2	1	–	–	–
†SOUTHGATE ...		1	–	–	1	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	9	7	–	1	–
†TWICKENHAM ...	–	3	–	–	–	–
†WEMBLEY ...	–	1	1	–	–	–
†WILLESDEN ...	–	5	5	–	4	M. 1
†WOOD GREEN ...	–	4	1	–	–	–
Rural Districts:—						
HENDON	–	–	1	–	–	–
SOUTH MIMMS ...	*	*	*	*	*	*
STAINES	–	–	2	–	1	–
NORFOLK ..	–	12	3	3	7	E. 1 N. 3
†GREAT YARMOUTH C.B.	–	3	1		2	–
†NORWICH C.B. ...	–	6	2	2	1	N. 2
Rural Districts:—						
BLOFIELD ...	–	–	–	1	–	–
DEPWADE ...	–	1	–	–	–	–
DOCKING	–	–	–	–	1	–
FOREHOE... ...	–	1	–	–	–	–
HENSTEAD ...	–	–	–	–	–	N. 1
MARSHLAND ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	–	–	–	–	E. 1
WALSINGHAM ...	–	–	–	–	1	–
WAYLAND ...	–	–	–	–	2	–
NORTHAMPTON	–	5	1	–	13	D. 2 M. 3 N. 1
†NORTHAMPTON C.B.	–	1	–	–	7	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
HIGHAM FERRERS	–	1	–	–	–	–
IRTHLINGBOROUGH	–	–	–	–	1	–
†KETTERING ...	–	–	1	–	1	M. 3
†RUSHDEN... ...	–	–	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	–	D. 1
CRICK	*	*	*	*	*	*
DAVENTRY ...	–	2	–	–	1	N. 1
OXENDON... ...	–	–	–	–	1	–
WELLINGBOROUGH	–	1	–	–	1	–
NORTHUMBERLAND.	29	30	7	2	30	C. 1 G. 1 M. 1 N. 2
†NEWCASTLE UPON TYNE C.B.	6	6	6	–	13	C. 1 G. 1
†TYNEMOUTH C.B.	5	5		2	2	–
Boroughs and Urban Districts:—						
AMBLE	–	–	–	–	–	N. 1
†ASHINGTON ...	17	1	–	–	1	–
†BEDLINGTONSHIRE	–	–	–	–	4	–
†BERWICK UPON TWEED	–	3	–	–	–	–
†BLYTH	–		–	–	2	N. 1
CRAMLINGTON ...	–	1	–	–	–	M. 1
†EARSDON... ...	–	–	1	–	–	–
†GOSFORTH ...	1	–	–	–	–	–
HEXHAM	–	–	–	–	1	–
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
†NEWBURN ...	–	4	–	–	2	–
SEATON DELAVAL	–	–	–	–	2	–
†WALLSEND ...	–	4			2	–
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
ALNWICK ...	–	1	–	–	–	–
BELFORD	–	1	–	–	–	–
CASTLE WARD ...	–	1	–	–	–	–
NOTTINGHAM ...	3	19	20	–	19	C. 1 D. 2 G. 2 M. 4 N. 1
†NOTTINGHAM C.B	–	9	18	–	7	C. 1 D. 1 G. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	1	1	–	–	M. 2
†CARLTON... ...	–	2	–	–	6	–
†EAST RETFORD ...	–	–	–	–	2	–
†HUCKNALL ...	–	–	–	–	2	–
†KIRKBY IN ASHFIELD	–	2	–	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	3	–	–	–	–	–
†WEST BRIDGFORD	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	–	–	–	2	–
BINGHAM... ...	–	–	–	–	–	D. 1
MISTERTON ...	–	–	–	–	–	G. 1
SOUTHWELL ...	–	2	–	–	–	–
WORKSOP... ...	–	1	–	–	–	–
OXFORD	–	3	3	1	3	M. 1
†OXFORD C.B. ..	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BICESTER... ...	–	–	–	1	–	–
THAME	–	1	–	–	–	–
OXFORD—*cont.*						
Rural Districts:—						
BANBURY ...	–	–	3	–	–	–
BICESTER... ...	–	–	–	–	–	M. 1
HENLEY	–	1	–	–	–	–
WITNEY	–	–	–	–	2	–
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of).	–	1	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	–
SALOP	–	9	4	–	1	G. 3 N. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	–	G. 1
DAWLEY	–	–	1	–	–	–
NEWPORT ...	–	1	–	–	–	–
†OAKENGATES ...	–	1	1	–	–	G. 1
†SHREWSBURY ...	–	1	–	–	–	N. 1
WELLINGTON ...	–	1	–	–	1	–
WHITCHURCH ...	–	2	–	–	–	–
Rural Districts:—						
DRAYTON... ...	–	–	1	–	–	–
ELLESMERE ...	–	1	1	–	–	–
LUDLOW	–	1	–	–	–	–
SHIFNAL	–	–	–	–	–	G. 1
WELLINGTON ...	–	1	–	–	–	–
SOMERSET ...	–	15	3	–	5	–
†BATH C.B. ...	–	6	2	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	1	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	–
†TAUNTON... ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
BATH	–	1	–		–	–
CLUTTON	–	–	–	–	1	–
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
WELLS	–	2	–	–	–	–
WINCANTON ...	–	1	1	–	1	–
SOUTHAMPTON ..	–	39	29	3	10	M. 2 N. 1
†BOURNEMOUTH C.B.	–	1	–	–	1	M. 1
†PORTSMOUTH C.B.	–	10	19	1	–	N. 1
†SOUTHAMPTON C.B.	–	8	6	–	3	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	5	–	–	2	–
†EASTLEIGH AND BISHOPSTOKE	–	4	–	–	1	–
†FAREHAM ...	–	2	–	–	–	–
†GOSPORT	–	1	1	–	–	–
†WINCHESTER ...	–	2		–	1	–
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
ALTON	–	–	–	1	–	–
BASINGSTOKE ...	–	–	–	1	–	–
CHRISTCHURCH ...	–	–	1	–	–	–
DROXFORD ...	–	1	–		–	–
FAREHAM ...		1	–	–	–	–
FORDINGBRIDGE ..	–	–	2	–	–	–
HARTLEY WINTNEY	–	2	–	–	–	–
HURSLEY	–	–	–		1	–
NEW FOREST ...	–	1	–	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	1	41	27	1	42	C. 1 M. 13 N. 5
†BURTON UPON TRENT C.B.	–	1	1	–	–	M. 1
†SMETHWICK C.B.	–	2	1	–	4	–
†STOKE ON TRENT C.B.	1	8	5	–	11	M. 10
†WALSALL C.B. ...	–	1	5	1	1	N. 1
†WEST BROMWICH C.B.	–	2	1	–	2	C. 1
†WOLVERHAMPTON C.B.	–	4	1	–	2	–
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	1	–
BIDDULPH ...	–	–	–	–	1	–
†BILSTON	–	–	2	–	2	–
†BROWNHILLS ...	–	4	–	–	–	N. 1
†CANNOCK	–	4	2	–	–	–
†COSELEY	–	–	1	–	1	–
†DARLASTON ...	–	–	–	–	1	–
KIDSGROVE ...	–	–	2	–	–	–
†LEEK	–	2	–	–	–	N. 1
†NEWCASTLE UNDER LYME	–	–	–	–	1	–
PERRY BARR ...	–	–	1	–	–	–
†ROWLEY REGIS ...	–	–	1	–	1	–
RUGELEY... ...	–	1	–	–	1	–
†STAFFORD ...	–	1	–	–	–	–
†TIPTON	–	–	1	–	2	–
†WEDNESBURY ...	–	–	–	–	2	–
†WOLSTANTON UNITED	–	3	–	–	1	–
Rural Districts:—						
BLORE HEATH ...	–	1	–	–	–	–
CANNOCK	–	3	–	–	–	–
CHEADLE... ...	–	–	–	–	6	–
KINGSWINFORD ...	–	1	2	–	–	M. 1
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	2	M. 1
NEWCASTLE UNDER LYME	–	1	–	–	–	–
SEISDON	–	–	–	–	–	N. 1
STAFFORD ...	–	–	–	–	–	N. 1
WALSALL... ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, EAST	–	5	2	–	6	C. 1 N. 1
†IPSWICH C.B. ...	–	3	–	–	–	C. 1
Boroughs and Urban Districts:—						
HALESWORTH ...	–	–	–	–	1	–
†LOWESTOFT ...	–	2	–	–	1	–
STOWMARKET ...	–	–	–	–	–	N. 1
Rural Districts:—						
HARTISMERE ..	–	–	1	–	1	–
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–
PLOMESGATE ...	–	–	–	–	2	–
WANGFORD ...	–	–	1	–	–	–
SUFFOLK, WEST	–	2	1	–	5	–
Boroughs and Urban Districts:—						
GLEMSFORD ...	–	–	–	–	1	–
NEWMARKET ...	–	–	1	–	1	–
Rural Districts:—						
BRANDON... ...	–	1	–	–	–	–
COSFORD	–	–	–	–	3	–
THEDWASTRE ...	–	1	–	–	–	–
SURREY	–	52	15	2	9	G. 1 M. 1 N. 1
†CROYDON C.B. ..	–	14	4	–	1	–
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†CARSHALTON ...	–	1	1	–	–	–
†CHERTSEY ...	–	2	–	–	1	–
†COULSDON AND PURLEY	–	3	–	–	–	–
EAST AND WEST MOLESEY	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EGHAM	–	3	1	1	1	–
†EPSOM	–	–	–	1	–	–
†ESHER AND THE DITTONS	–	1		–	–	–
†FRIMLEY	*	*	*	*	*	*
†GUILDFORD ...	–	1	–	–	1	–
†MERTON AND MORDEN		4	–	–	–	–
†MITCHAM... ...	–	4	1	–	–	M. 1
†REIGATE	–	–	1	–	–	–
†SURBITON ...	–	2	1	–	1	–
†SUTTON	–	–	2	–	–	–
†THE MALDENS AND COOMBE	–	1	1	–	–	–
†WALTON UPON THAMES	–	3	–	–	–	–
WEYBRIDGE ...	–	3	1	–	1	–
†WIMBLEDON ...	–	6	–	–	1	N. 1
†WOKING		–	–	–	–	G. 1
Rural Districts:—						
CHERTSEY ...	–	1	1	–		–
EPSOM	–	–	–	–	2	–
GODSTONE ...	–	1	–	–	–	–
REIGATE	–	1	–	–	–	–
SUSSEX, EAST ...	–	13	5	2	5	C. 1 E. 1 G. 1 M. 1 N. 1
†BRIGHTON C.B. ...	–	3	3	–	1	E. 1 N. 1
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
†BEXHILL	–	1	–	–	–	–
EAST GRINSTEAD	–	2	–	1	–	–
†HOVE	–	–	1	–	1	–
†LEWES	–	–	–	–	1	–
NEWHAVEN ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
PORTSLADE BY SEA	–	1	–	–	–	G. 1
UCKFIELD ...	–	–	–	–	–	C. 1
Rural Districts:—						
CHAILEY	–	–	–	1	–	–
HAILSHAM ...	–	3	–	–	–	–
HASTINGS ...	*	*	*	*	*	*
NEWHAVEN ...	–	–	1	–	–	–
RYE	*	*	*	*	*	*
UCKFIELD ...	–	–	–	–	1	M. 1
SUSSEX, WEST...	–	2	5	–	6	N. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	–	–	–	1	–
†BOGNOR	–	–	2	–	–	–
†CHICHESTER ...	–	–	1	–	–	–
†LITTLEHAMPTON	–	–	1	–	1	–
SHOREHAM-BY-SEA	–	–	–	–	2	–
†WORTHING ...	–	1	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	–	–	–	–	N. 1
MIDHURST ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	–	2	–
WARWICK ...	–	44	36	–	56	C. 1 D. 1 G. 4 M. 10 N. 4
†BIRMINGHAM C.B.	–	34	27	–	50	D. 1 G. 3 M. 10 N. 3
†COVENTRY C.B. ...	–	3	2	–	1	C. 1 G. 1
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	–	–	1	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	–	–	–	1	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	4	–	2	–
NUNEATON ...	–	–	1	–	–	–
RUGBY	–	–	2	–	1	–
SOLIHULL ...	–	1	–	–	–	–
TAMWORTH (part)	–	–	–	–	–	N. 1
WESTMORLAND	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	1	–	–	–
WIGHT, ISLE OF	–	4	1	–	3	D. 1
Boroughs and Urban Districts:—						
†COWES	–	–	1	–	–	–
EAST COWES ...	–	2	–	–	–	D. 1
†NEWPORT... ...	–	–	–	–	1	–
†RYDE	–	–	–	–	1	–
Rural Districts:—						
ISLE OF WIGHT	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	8	9	1	4	D. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
MELKSHAM ...	–	1	1	–	–	–
†SALISBURY ...	–	3	2	–	–	–
†SWINDON... ...	–	–	2	1	2	–
†TROWBRIDGE ...	–	–	–	–	–	D. 1
Rural Districts:—						
AMESBURY ...	–	1	–	–	1	–
CALNE	–	–	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–		–	–	1	–
MARLBOROUGH ...		1	–	–	–	–
MELKSHAM ...	–	–	2	–	–	–
PEWSEY	–	–	1	–	–	–
WILTON		1	–	–	–	–
WORCESTER ...	–	6	1	–	11	M. 2 N. 2
†WORCESTER C.B.	–	–			5	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†HALESOWEN ...	–	3	–	–	1	–
†KIDDERMINSTER	–	–	–	–	1	M. 1 N. 2
†OLDBURY... ...	–	–	1	–	2	M. 1
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
PERSHORE ...	–	–	–	–	1	–
UPTON ON SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	1	11	15	–	4	C. 3 G. 1 N. 1
†KINGSTON UPON HULL C.B	1	5	14	–	3	C. 3 G. 1 N. 1
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN	–	1	–	–	–	–
RICCALL	–	1	–	–	–	–
SCULCOATES ...	–	1	–	–	1	–
YORKS ... ... (North Riding).	3	19	6	–	19	C. 1 G. 1 M. 2 N. 2
†MIDDLESBROUGH C.B.	3	1	1	–	9	N. 2
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
LOFTUS		1	–	–	1	–
MASHAM	–	2	–	–	–	–
†REDCAR	–	2	3	–	1	–
RICHMOND ...	–	–	–	–	1	–
SALTBURN BY THE SEA	–	–	–	–	1	–
†SCARBOROUGH ...	–	1	1	–	1	G. 1
†SKELTON AND BROTTON	–	3	–	–	1	–
†THORNABY ON TEES	–	1	–	–	–	M. 1
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
AYSGARTH ...	–	–	–	–	–	C. 1
BEDALE		–	–	–	1	M. 1
HELMSLEY ...	–	–	–	–	1	–
KIRBY MOORSIDE		1	–	–	–	–
NORTHALLERTON	–	3	–	–	1	–
RICHMOND ...	–	–	1	–	–	–
STOKESLEY ...	–	1		–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	51	137	48	2	120	C. 4 D. 1 E. 1 G. 1 L. 1 M. 4 N. 8
†BARNSLEY C.B. ...	–	6	1	–	4	–
†BRADFORD C.B. ...	–	8	8	–	21	N. 2
†DEWSBURY C.B....	–	1	–	–	–	–
†DONCASTER C.B.	5	1	1	–	1	–
†HUDDERSFIELD C.B.	–	3	1	–	5	N. 1
†LEEDS C.B. ...	–	13	6	–	15	C. 1 D. 1 M. 2
†ROTHERHAM C.B.	–	5	–	–	7	–
†SHEFFIELD C.B...	7	46	16	2	33	C. 2 M 1 N. 2
†WAKEFIELD C.B.	–	1	3	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–	–		–
†BARNOLDSWICK ...	–	–	1	–	–	–
†BATLEY	–	1		–	–	–
†BENTLEY WITH ARKSEY	–	–	–		–	G. 1
†BINGLEY		–	1	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	–	1		–	–
†CONISBROUGH ...	11	–	–	–	–	–
DARFIELD ...	–	2	–	–	1	–
DRIGHLINGTON ...	–	–	–	–	2	–
EARBY	–	2	–	–	–	–
†ELLAND	–	–	–	–	–	M. 1
†FEATHERSTONE ...	–	1	1	–	–	–
†GOLCAR	–	2	–	–	–	–
†GOOLE	–	–	–	–	1	–
HAWORTH ...	–	–	1	–	–	
†HEMSWORTH ...	2	–	–	–	1	L. 1
†HOLMFIRTH ...	–	2	–	–	–	–
HONLEY	–	2	–	–	–	–
HORBURY ...	–	2	–	–	–	–
†HOYLAND NETHER	–	2	–	–	–	N. 1
ILKLEY	–	3	–	–	–	–
†KEIGHLEY ...	4	–	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
LEPTON	–	–	–	–	1	–
†MEXBOROUGH ...	4	–	–	–	1	–
†MORLEY	–	1	–	–	–	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	1	–	–	4	–
OTLEY	–	–	–	–	1	–
†PONTEFRACT ...		–	–	–	1	–
†RAWMARSH ...	–	–	3	–	–	–
†ROTHWELL ...	–	–	–	–	1	–
†SADDLEWORTH ...	–	1	–	–	–	–
†SKIPTON	–	3	–	–	–	–
SLAITHWAITE ...	–	–	–	–	1	–
STAINLAND ...	–	3	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON... ...	3	–	–	–	2	–
THURNSCOE ...	–	1	–	–	–	–
THURSTONLAND AND FARNLEY TYAS	–	1	–	–	–	–
†TODMORDEN ...	–	2	–	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	4	2	1	–	1	–
Rural Districts:—						
DONCASTER ...	9	3	2	–	4	–
GOOLE	–	–	–	–	1	–
GREAT OUSEBURN	–	–	–	–	–	C. 1
HALIFAX ...	–	–	–	–	1	–
HEMSWORTH ...	–	–	–	–	3	–
KIVETON PARK ...	–	2	–	–	–	–
PONTEFRACT ...	–	2	–	–	–	E. 1
ROTHERHAM ...	–	2	–	–	3	–
SELBY	–	–	–	–	1	–
SETTLE	–	3	–	–	–	–
TADCASTER ...	–	1	–	–	–	–
THORNE	2	–	–	–	–	N. 1
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	N. 1
WORTLEY ..	–	–	1	–	–	–
§**YORK, CITY OF...**	–	2	1	–	1	G. 1 M. 1
†YORK C.B. ...	–	2	1	–	1	G. 1 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	–	–	–	–	–
Rural Districts:—						
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	2	–	1	–	3	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	2	–	–	–	–	–
Rural Districts:—						
BUILTH	–	–	–	–	2	–
YSTRADGYNLAIS	–	–	–	–	1	–
YSTRADFELLTE (parish)	–	–	1		–	–
CAERNARVON ...	–	–	4	–	–	G. 1
Boroughs and Urban Districts:—						
BETHESDA ...	–	–	1	–	–	–
†LLANDUDNO ...	–	–	1	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	–	2	–	–	–
LLEYN	–	–	–	–	–	G. 1
CARMARTHEN ...	–	1	1	–	12	G. 1 M. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	–	–	1	–
†LLANELLY ...	–	–	1	–	–	–
Rural Districts:—						
LLANDILO FAWR	–	–	–	–	10	–
LLANDOVERY ...	–	–	–	–	–	G. 1
LLANELLY ...	–	1	–	–	–	M. 1
LLANYBYTHER ...	–	–	–	–	1	–
DENBIGH ...	–	2	4	–	3	–
Rural Districts:—						
CHIRK	–	1	–	–	–	–
LLANSILIN ...	–	–	1	–	–	–
WREXHAM ...	–	1	3	–	3	–
FLINT	–	2	1	–	7	N. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	3	–
FLINT	–	–	–	–	1	–
HOLYWELL ...	–	–	–	–	2	–
PRESTATYN ...	–	–	1	–	–	–
†RHYL	–	–	–		1	–
Rural Districts:—						
OVERTON ...	–	2	–	–	–	N. 1
GLAMORGAN ...	–	35	23		26	C. 2 G. 1 M. 7 N. 4
†CARDIFF C.B. ...	–	3	5	–	3	C. 1 M. 2 N. 2
†MERTHYR TYDFIL C.B.	–	–	1	–	–	–
†SWANSEA C.B. ..	–	3	–	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	–	–	3	–
†BARRY	–	1	2	–	–	–
†CAERPHILLY ...	–	1	5	–	1	–
†GELLIGAER ...	–	1	1	–	2	–
†MOUNTAIN ASH ...	–	9	–	–	2	–
†NEATH	–	2	–	–	1	–
†OGMORE AND GARW	–	5	1	–	–	M. 1

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PENARTH ...	–	–	–	–	2	–
†PONTYPRIDD ...	–	–	2	–	–	–
†PORT TALBOT ...	–	1	1	–	–	G. 1
†RHONDDA ...	–	5	2	–	7	M. 3 N. 1
Rural Districts:—						
COWBRIDGE ...	–	–	1	–	–	–
NEATH	–	–	1	–	3	N. 1
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ...	–	1	1	–	1	–
MERIONETH ...	–	3	–	–	–	–
Urban Districts:—						
TOWYN	–	1	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–		–	–
DOLGELLEY ...	–	1	–	–	–	–
MONMOUTH ...	66	6	5	1	3	G. 1 M. 1
†NEWPORT C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ABERCARN ...	1	–	–	–		–
†ABERSYCHAN ...	34	–	1	–	–	–
†ABERTILLERY ...	1	–	–	–	–	–
†BEDWELLTY ...	–	–	2		–	–
†BLAENAVON ...	21	–	–	–	1	G. 1
†EBBW VALE ...	–	1	2	–	–	M. 1
LLANFRECHFA UPPER	–			1	–	–
MONMOUTH ...	*	*	*	*	*	*
†MYNYDDISLWYN	1	–	–	–	–	–
PONTYPOOL ...	6	–	–	–	–	–
†RISCA	1	–	–	–	–	–
†TREDEGAR ...	1	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
MONMOUTH ...	*	*	*	*	*	*
ST. MELLONS ...	–	2	–	–	–	–
MONTGOMERY...	–	–	1	–	–	M.
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
NEWTOWN AND LLANIDLOES	–	–	–	–	–	M.
PEMBROKE ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
HAVERFORDWEST.	*	*	*	*	*	*
Rural Districts:—						
PEMBROKE ...	*	*	*	*	*	*
RADNOR	–	–	–	–	2	C. G.
Rural Districts:—						
COLWYN	–	–	–	–	1	G.
KNIGHTON ...	–	–	–	–	1	C.
Total of Part II. ...	337	1118	610	32	791	C. D. E. G. L. M. N.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
VERPOOL	–	1	–	–	–	–	SUNDERLAND... ...	–	–		–	–	H. 1
YMOUTH	–	1	–	–	3	–							
							Total of Part III. ...	–	2	–	–	3	H. 1

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	‡
Total of Part I.—London	–	255	183	2	90	C. D. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	337	1118	610	32	791	C. D. E. G. L. M. N.
Total of Part III.—Port Sanitary Districts	–	2	–	–	3	H.
Total (*i.e.*, of returns received), England and Wales ...	337	1375	793	34	884	C. D. E. G. H. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute P encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contir Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyre

There were no cases of Cholera or Plague notified during the week.

One case of Typhus Fever was notified in Sunderland Port Sanitary District.

le 5.—LONDON and GREAT TOWNS in the GGREGATE.* } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apl. 2.	Apl.* 9.	Apl.* 16.	Apl.* 23.	Apl.* 30.	May* 7.
IDON :—													
ATHS—all ages	1,704	1,652	1,277	1,240	1,114	1,114	1,068	959	980	944	975	980	959
,, 0 to 1 year ..	100	122	101	91	97	100	105	87	98	94	114	98	79
EAT TOWNS, aggregate (including London):—													
THS	6,293	7,015	6,490	6,760	6,834	7,047	6,248	6,935	6,901	6,050	6,619	7,602	7,102
ATHS—all ages	7,285	8,411	7,824	7,080	5,980	5,327	4,990	4,656	4,625	4,316	4,340	4,253	4,347
,, 0 to 1 year ..	670	857	802	696	612	588	561	486	560	498	496	459	427
ERIC FEVER—Cases	11	7	13	21	14	14	8	22	16	14	22	18	19
,, Deaths	1	3	4	2	1	4	1	2	2	3	1	—	3
LL POX—Cases ..	106	81	97	93	81	80	82	97	84	70	56	66	73
,, Deaths ..	1	—	—	—	—	—	1	—	—	—	—	—	4
RLET FEVER—Cases	705	729	675	677	676	763	720	766	763	711	700	652	813
,, Deaths	6	4	8	5	8	2	6	5	2	6	4	5	4
HTHERIA—Cases ..	619	695	720	712	723	681	713	670	677	496	516	493	529
,, Deaths ..	45	29	41	62	43	30	35	25	28	30	27	31	25
ASLES—Deaths ..	47	73	59	73	72	52	71	79	76	89	81	68	57
UENZA—Deaths ..	759	987	1,023	898	572	342	224	160	120	96	82	71	57

* For the weeks ended April 9th, and afterwards the figures relate to 107 Great Towns instead of 105, owing to inclusion of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday 7th May, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
OON (GREENWICH).	75	30	70·3	44·6	8	HUDDERSFIELD	71	29	60·1	41·7	7
						BRADFORD ..	69	28	60·1	41·9	13
HTON ..	76	36	66·1	49·6	6	SHEFFIELD ..	71	32	59·7	42·0	14
SMOUTH ..	76	38	66·0	49·2	4	YORK (MUSEUM)	73	30	61·1	42·4	8
VICH (SOUTHELL LODGE).	73	26	64·8	42·4	0	HULL (PEARSON PARK).	69	34	59·0	42·3	1
IOUTH ..	75	41	63·0	50·4	2	TYNEMOUTH ..	57	30	49·4	42·1	11
TOL (CLIFTON).	76	40	63·6	46·7	4	CARDIFF.. ..	73	37	61·1	46·0	11
INGHAM (EDGBASTON).	72	35	61·3	43·3	19						
						EDINBURGH ..	56·0	30·0	48·7	40·3	38
INGHAM ..	73	33	62·3	43·6	2	GLASGOW ..	66·7	30·1	54·1	41·0	31
ENHEAD (BIDSTON).	75	36	60·3	44·6	10	DUBLIN (PHŒNIX PARK).	65·3	27·6	56·9	42·3	8
CHESTER (WHITWORTH PARK).	78	30	63·1	43·4	12	(FITZWILLIAM SQUARE†).	63·0	34·0	56·4	45·4	11
ULEY	73	24	59·6	41·6	17	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 7th May, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	1	New	30·007	56·1	29·9	26·2	43·5	− 5·8	29·0	14·5	28·9	2·2	54	130·2	13·7	47·2	Calm: E.	E: ENE.	2·1	0·0	0·2	235	− 49	0·00
MONDAY -	2	..	29·726	67·9	38·3	29·6	53·1	+ 3·6	42·1	11·0	22·8	3·0	66	132·5	25·7	47·2	ENE: E: ESE. SSW	S: SSW.	2·1	0·0	0·1	246	− 36	0·00
TUESDAY -	3	..	29·708	70·0	48·1	21·9	57·7	+ 7·9	46·2	11·5	20·4	2·6	66	142·1	32·2	48 2		SSW: Calm.	1·2	0·0	0·1	242	− 38	0·00
WEDNESDAY	4	..	29·591	75·1	47·3	27·8	62·1	+12·1	48·2	13·9	27·7	1·2	60	133·1	32·4	49·1	ENE: ESE.	ESE: NNE.	1·6	0·0	0·1	176	− 102	0·02
THURSDAY -	5	Greatest Declination N.	29·725	74·2	51·0	23·2	59·9	+ 9·6	53·3	6·6	16·8	1·6	79	137·2	38·4	47 7	Calm: N.	N: NNE.	1·0	0·0	0·1	222	− 54	0·00
FRIDAY -	6	..	29·957	75·1	49·2	25·9	59·8	+ 9·3	54·6	5·2	20·8	0·8	83	141·1	44·3	47·8	NNE: NE.	NE: E: ENE.	1·3	0·0	0·1	242	− 31	0·30
SATURDAY -	7	..	30·037	73·8	49·1	24·7	62·1	+11·4	46·4	15·7	31·5	0·0	56	143·2	40·5	48·1	ENE: NE.	ENE: NE.	3·9	0·0	0·4	345	+ 75	0·00
MEANS -		..	29·822	70·3	44·7	25·6	56·9	+ 6·9	45·7	11·2	24·1	1·6	66	137·1	32·5	47·9	ENE		..	..	..	Sum 1708	Sum − 235	Sum 0·32
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	1	wP till 16½h., then loss of register.	9·7	14·7	Cloudless till 3h.; partially cloudy till 8h.; nearly overcast till 17h., then clearing to nearly cloudless by 19h. Hoar frost in morning. Solar halo generally between 8¾h. and 15h.
MONDAY ..	2	Loss of register till 9¼h.; then wP.	7·5	14·8	Cloudless till 6h.; then very cloudy clearing from 18h. to cloudless by 18½h. Solar halo 8h.
TUESDAY ..	3	wP.	10·6	14·9	Variably cloudy clearing to nearly cloudless by 15h. Dew at night.
WEDNESDAY	4	wP till 12¾h.; variably sP and sN till 15¼h.; variably wP and mP till 23h.: then variably mP and mN.	5·9	14·9	Partially cloudy till 7¾h.; then cloudy up to nearly overcast by 12h. Partial solar halo 13h. Lightning 21h. till 0h. Distant thunder from 23h. Rain 15h. till 15¼h.
THURSDAY	5	Variably mN and wP till 1h: wP till 12h.: mP till 17¾h.; then wP.	3·6	15·0	Overcast generally till 10½h., then variably cloudy. Damping 1h. Showers at 7¼h. and 8¼h. Partial solar halo 14½h. Lightning 21h. till 22½h.
FRIDAY ..	6	wP till 7h.; variably sP and sN till 10h.; then wP.	6·8	15·0	Overcast till 11h.: then partially cloudy. Rain 7½h. till 9h. Thunderstorm 7½h. till 8¾h.
SATURDAY	7	wP.	13·3	15·1	Partially cloudy till 2h., then cloudless generally. Brisk wind 12h. till 17h.
			Sum 57·4	Sum 104·4	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·00 ins. at the beginning of the week to 30·03 ins. by 8h. on 1st: decreased generally to 29·56 ins. by 16h. on 4th; increased to 30·08 ins. by 7h. on 7th; decreased and was 30·01 ins. by midnight on the same day.

"Guide to Current Official Statistics."

1s. net.

THIS work appears annually. It is an expert survey of, and Guide to, all the statistics published by the Government. It is not a mere catalogue of titles of official publications of statistical interest. Such a catalogue is of course included, but it forms only about one-third of the volume itself. The main portion of the work, and the one to which it owes its unique value and importance, consists of an alphabetical subject index which not only refers the enquirer to all the current official publications containing statistics bearing on his subject, but in addition indicates their nature and mode of analysis and the time and place to which they relate.

AGRICULTURE	PUBLIC FINANCE
DEFENCE	SOCIAL SERVICES
EDUCATION	TRADE
INDUSTRY AND LABOUR	TRANSPORT
MINING	VITAL STATISTICS

are a few of the many subjects on which the official statistics exist. To track them down is a matter of a few minutes when the GUIDE TO CURRENT OFFICIAL STATISTICS occupies the place it should among the reference books on the desk of the business man, journalist, librarian, student and professional worker.

The volumes are prepared by the Permanent Consultative Committee on Official Statistics.

FIRST ISSUE (1922)	...	1s.	*Post Free* 1s. 2½d.
VOLUME TWO (1923)	...	1s.	*Post Free* 1s. 4d.
VOLUME THREE (1924)	...	1s.	*Post Free* 1s. 3½d.
VOLUME FOUR (1925)	...	1s.	*Post Free* 1s. 3½d.

The second volume includes an appendix dealing broadly with selected publications of permanent statistical interest issued mainly since 1900.

HIS MAJESTY'S STATIONERY OFFICE,
LONDON, MANCHESTER, EDINBURGH, CARDIFF.

FOR OFFICIAL USE

1927. No. 19.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 14TH MAY, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.

Price 6d. net.

70-137-19-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. **The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.**

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 14TH MAY, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the nineteenth week of the year numbered 6,994 and corresponded to an annual rate of 18·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,017 and corresponded to an annual rate of 10·7 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 11·6, 11·3 and 11·6. Infant mortality based on the average weekly number of births during the last 52 weeks, was 58 per 1,000 births against 73, 67 and 63 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,572 births, corresponding to a rate of 17·8 per 1,000, and 857 deaths of civilians, corresponding to an annual rate of 9·7, against 11·0, 11·1 and 10·9 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·7 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 52 as against 74, 64 and 52 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,347 to 4,017. In London the number of deaths from all causes decreased from 959 to 857 and the deaths from whooping cough numbered 8 as against 18, 11 and 13 in the three weeks preceding.

One death from small-pox belonging to London (Metropolitan Borough of Hampstead) was registered last week.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 14th May, 1927.**

Towns.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Col^s.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	1
107 Great Towns ..	19,540,143*	6,994	4,017§	395	-	57	5	24	30	59	
London	4,605,400*	1,572	857§	79	-	-	-	8	3	13	
Towns in Outer Ring.											
Croydon C.B. ..	205,900	56	46	4	-	-	-	-	2	-	
Wimbledon ..	58,030	9	8	-	-	-	-	-	-	-	
Ealing	91,783	27	22	3	-	-	-	-	-	1	
Acton	63,040	16	17	3	-	-	-	1	-	1	
Brentford and Chiswick† ..	56,840	20	14	-	-	-	-	-	-	-	
Willesden ..	165,270	40	25	-	-	-	-	-	-	-	
Hendon	62,570*	17	14	2	-	-	1	-	-	-	
Hornsey	87,230	20	18	4	-	-	-	-	-	-	
Wood Green ..	51,940	15	7	-	-	-	-	-	1	-	
Tottenham ..	151,520	29	23	3	-	-	-	-	-	-	
Edmonton	71,760	38	19	3	-	-	-	-	-	1	
Enfield	63,640	26	13	2	-	-	-	-	-	-	
West Ham C.B. ..	315,900	134	48	2	-	-	-	2	1	-	
East Ham C.B. ..	146,600	44	24	1	-	-	-	1	-	-	
Leyton	130,000	25	20	1	-	-	-	-	-	-	
Walthamstow ..	125,500	38	24	2	-	1	-	-	1	-	
Ilford	100,500	27	14	1	-	-	-	-	-	-	
Gillingham	47,820*	16	11	2	-	-	-	-	-	-	
Canterbury C.B ..	23,470*	10	8	-	-	-	-	-	-	-	
Hastings C.B.	61,340	18	15	-	-	-	-	-	-	-	
Eastbourne C.B. ..	56,060	15	9	1	-	-	-	-	-	-	
Brighton C.B.	139,500*	53	21	-	-	-	-	-	-	-	
Portsmouth C.B. ..	231,500*	95	64	6	-	7	1	-	1	-	
Bournemouth C.B. ..	90,100	26	22	1	-	-	-	-	-	-	
Southampton C.B. ..	169,300	60	49	2	-	-	-	-	-	-	
Reading C.B	93,090*	34	13	-	-	-	-	-	-	-	
Oxford C.B.	56,800	21	4	1	-	-	-	-	-	-	
Northampton C.B. ..	93,530*	34	17	2	-	-	-	1	-	-	
Luton	59,240	12	15	-	-	-	-	-	1	-	
Cambridge	58,820	14	12	1	-	-	-	-	-	-	
Southend-on-Sea C.B.	104,300	30	27	4	-	-	-	-	1	-	
Ipswich C.B.	84,140	27	18	1	-	-	-	-	-	-	
Great Yarmouth C.B.	57,760	15	16	-	-	-	-	-	-	-	
Norwich C.B.	123,500*	45	26	-	-	-	-	-	-	-	
Swindon	57,320	24	15	-	-	-	-	-	-	-	
Exeter C.B.	60,340*	16	11	1	-	-	-	-	-	-	
Plymouth C.B. ..	187,300*	69	42	5	-	-	-	-	-	1	
Bath C.B.	69,000	16	12	1	-	-	-	-	-	-	
Bristol C.B.	383,300*	116	59	5	-	-	-	-	-	1	
Gloucester C.B. ..	53,050	29	13	-	-	-	-	-	-	-	
Stoke-on-Trent C.B.	275,600	115	62	7	-	5	-	-	1	1	
Burton-upon-Trent C.B.	48,660	17	8	1	-	-	-	-	-	-	
Wolverhampton C.B.‡	131,000	56	21	2	-	-	-	-	-	-	
Walsall C.B.	102,100	38	23	2	-	1	-	-	1	1	
West Bromwich C.B.	79,920	30	13	1	-	-	-	-	-	-	
Dudley C.B.	58,930	25	11	1	-	-	-	-	-	-	
Worcester C.B. ..	50,660	29	12	1	-	-	-	-	-	1	
Birmingham C.B. ..	934,300*	348	209	27	-	6	-	3	1	5	
Smethwick C.B. ..	76,940	20	10	1	-	-	-	-	-	-	
Coventry C.B. ..	127,800	40	24	3	-	-	-	-	-	-	
Leicester C.B. ..	241,700	95	44	5	-	1	-	-	-	-	
Lincoln C.B.	65,760*	21	18	-	-	-	-	-	-	-	
Grimsby C.B.	88,580	34	16	-	-	-	-	-	1	-	
Nottingham C.B. ..	268,000	94	65	6	-	-	1	-	2	1	
Derby C.B.	136,600*	47	22	2	-	-	-	-	-	-	
Chesterfield ..	66,650	25	18	2	-	-	-	-	-	-	
Stockport C.B. ..	125,400	40	27	4	-	-	-	-	-	-	
Chester C.B.	41,710	15	9	-	-	-	-	-	-	-	
Birkenhead C.B. ..	158,000	60	27	5	-	-	-	-	-	2	
Wallasey C.B. ..	93,050	32	26	1	-	-	-	-	-	-	
Liverpool C.B. ..	862,600	399	210	32	-	11	1	3	3	8	
Bootle C.B.	84,580	25	12	1	-	-	-	-	-	-	
St. Helens C.B. ..	110,000	53	20	4	-	-	-	-	-	2	

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.
§ Including 1 death from small-pox belonging to London.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
OUTHPORT C.B. ..	77,970	20	17	-	-	-	-	-	-	-	1
VIGAN C.B.	88,620	48	21	1	-	5	-	-	-	-	-
VARRINGTON C.B. ..	76,940*	38	13	1	-	-	-	-	-	-	-
OLTON C.B.	177,000	58	36	4	-	-	-	-	-	3	-
URY C.B.	56,840*	10	16	-	-	-	-	-	-	-	-
IANCHESTER C.B. ..	752,000	295	166	15	-	-	-	1	1	3	4
ALFORD C.B.	247,400	79	53	1	-	-	-	-	-	1	1
SHTON-UNDER-LYNE§	51,050	22	7	-	-	1	-	-	-	-	-
LDHAM C.B.	143,000	50	34	1	-	-	-	-	-	-	1
OCHDALE C.B.	91,510	19	19	-	-	-	-	-	-	-	1
URNLEY C.B	99,600	32	21	2	-	-	-	-	-	-	1
LACKBURN C.B. ..	124,400	33	31	3	-	-	-	-	-	-	-
RESTON C.B.	124,200	27	35	3	-	1	-	-	3	1	2
LACKPOOL C.B. ..	88,640	22	18	-	-	-	-	-	-	-	-
ARROW-IN-FURNESS C.B.	70,420	34	16	3	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	111,900	40	30	1	-	-	-	-	1	-	-
ALIFAX C.B.	96,130*	28	30	6	-	3	-	1	-	1	-
RADFORD C.B. ..	288,700	107	63	7	-	5	-	-	1	1	-
EEDS C.B.	473,400	172	108	11	-	-	-	-	-	2	1
EWSBURY C.B. ..	53,630	22	19	1	-	-	-	-	-	-	1
AKEFIELD C.B. ..	53,830	25	10	3	-	1	-	-	-	-	-
ARNSLEY C.B. ..	70,760	29	19	4	-	-	-	-	-	-	-
HEFFIELD C.B. ..	523,300*	176	101	10	-	-	-	2	-	-	-
OTHERHAM C.B. ..	70,080	32	14	1	-	-	-	-	-	-	-
ONCASTER C.B.‡ ..	55,700	30	9	2	-	1	-	-	-	-	-
ORK C.B.	84,430*	26	19	2	-	1	-	-	-	-	1
ULL C.B.	294,600	124	77	15	-	1	1	-	1	-	-
IDDLESBROUGH C.B.	133,600	64	25	3	-	1	-	-	-	2	-
ARLINGTON C.B. ..	70,700	14	10	1	-	-	-	-	1	-	-
OCKTON-ON-TEES ..	67,910	30	13	1	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,060	24	12	-	-	-	-	-	-	-	2
INDERLAND C.B. ..	163,800	73	34	6	-	2	-	-	-	2	-
OUTH SHIELDS C.B. ..	123,900	41	22	1	-	-	-	-	-	-	-
ATESHEAD C.B. ..	127,700	51	34	6	-	1	-	-	-	-	1
EWCASTLE-ON-TYNE C.B.	284,700*	133	63	5	-	-	-	1	-	-	1
NEMOUTH C.B ..	66,560	30	9	1	-	-	-	-	-	1	-
ARLISLE C.B.	56,140*	27	13	-	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,620	41	24	3	-	1	-	-	1	-	1
ARDIFF C.B.	225,600*	104	38	3	-	-	-	-	1	-	1
HONDDA	162,500	66	36	4	-	-	-	-	-	1	1
ERTHYR TYDFIL C.B.	80,690	23	21	4	-	-	-	-	-	-	-
ERDARE	56,930	11	11	-	-	-	-	-	-	-	-
ANSEA C.B.	163,200	63	31	9	-	1	-	-	-	2	-
EATER LONDON ..	7,791,310*	2,547	1,402**	126	-	1	1	16	8	17	15
TER RING	3,185,910*	975	545	47	-	1	1	8	5	4	7
GREAT TOWNS IN OUTER RING	1,947,963*	576	356	31	-	1	1	4	5	3	1
EMAINDER OF OUTER RING	1,237,947*	399	189	16	-	-	-	4	-	1	6
INBURGH†	426,100	177	87	8	-	2	-	1	1	-	-
ASGOW†	1,049,000	511	268	36	-	-	-	7	-	3	4
BLIN (REGISTRATION REA)†	421,000	248	141	21	-	2	-	5	-	3	2
LFAST†	416,000	227	117	17	-	-	-	3	-	3	2

* Population adjusted by the exclusion of non-civilians.
† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and asgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and the addition of deaths of residents reported from elsewhere in Scotland during the week: those in blin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into blic institutions from without the respective areas.
‡ Created County Borough 1st April, 1927.
§ Ashton-under-Lyne M.B as extended 1st April, 1927.
** Including 1 death from Small-pox belonging to London.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still-born.	DEATHS. Exclusive of Still-born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1927.										
LONDON‡	4,605,400	May 14	1572	857	9·7	-	1	-	-	8	3	
		1926–27.										
CALCUTTA AND SUBURBS	1,077,264	April 9										
BOMBAY§	1,298,708	April 23	321	540‖	21·6	3	36	2	-	-	-	
MADRAS	528,791	„ 16										
SYDNEY AND SUBURBS	1,038,950	„ 30 (30 days)										
BRISBANE (Metropolitan Area).	274,260	Mar. 30 (30 days)										
PERTH (Metropolitan Area).	179,388	April 2	78	41	11·6	-	-	-	-	-	-	
AUCKLAND (Urban Area).	192,176	Mar. 30 (30 days)										
WELLINGTON (Urban Area).	121,324	Mar. 30 (30 days)										
CHRISTCHURCH (Urban Area).	118,408	Mar. 30 (30 days)										
CAPE TOWN	115,348	April 9	59	27	12·2	-	-	-	-	-	-	
JOHANNESBURG	172,189	„ 16	90	38	11·5	-	-	-	-	1	1	
DURBAN	54,738	„ 16	27	11	10·5	-	-	-	-	-	-	
PARIS	2,871,429	„ 30 (10 days)	1286	1153	14·6	5	1	38	9	5	7	2
ANTWERP	300,086	April 9	91	50	8·8	-	-	1	-	1	-	
AMSTERDAM	728,799	„ 23	259	114	8·2	1	-	6	-	2	-	
COPENHAGEN	592,000	„ 30	210	129	11·4	-	-	1	-	-	-	
STOCKHOLM	453,332	„ 30										
GOTHENBURG	231,624	„ 2	?	45	10·1	-	-	-	-	-	-	
OSLO (CHRISTIANIA) ..	255,724	May 7	73	59	12·0	-	-	1	-	-	-	
BERLIN	2 003,000	April 23	448	433	11·1	-	?	1	1	1	6	
BRESLAU	564,000	„ 23	147	134	12·4	1	?	-	-	1	1	
COLOGNE	716,000	„ 23	253	159	11·5	-	?	4	1	2	2	
DRESDEN	626,000	„ 23	133	112	9·3	-	?	1	-	-	-	
FRANKFORT-ON-MAIN..	473,000	„ 23	111	77	8·5	-	?	-	-	-	-	
HAMBURG	1,101,000	„ 23	319	195	9·2	-	?	-	1	-	-	
LEIPZIG	687,000	„ 23	174	152	11·5	-	?	-	1	-	-	
MUNICH	685,000	„ 16	172	161	12·2	1	?	2	-	-	-	
		„ 23	196	149	11·3	-	?	1	-	-	-	
VIENNA	1,871,607	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	Oct. 31 (31 days)										
BUDAPEST	971,169	April 30	282	243	13·0	-	-	3	3	-	8	
WARSAW	1,028,982	„ 30	371	275	14·0	1	-	5	2	2	1	1
CAIRO	859,400	Jan. 7										
ALEXANDRIA	492,100	„ 7										
NEW YORK	5,924,018	April 30	?	1499	13·2	-	-	3	4	5	26	1
CHICAGO	3,101,000	„ 29	1134	760	12·8	-	-	7	5	2	7	1

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children* [illegible] *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 13 deaths from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 14th May, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	857	79	12	15	14	38	50	57	90	150	193	159
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	8	6	2	-	-	-	-	-	-	-	-	-
Diphtheria	3	1	-	-	2	-	-	-	-	-	-	-
Influenza	8	-	-	-	-	-	-	3	1	1	3	-
Erysipelas	1	-	-	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	3	-	-	-	-	-	-	1	-	2	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	67	-	-	-	3	16	16	8	17	5	2	-
Nervous system	6	-	1	4	-	1	-	-	-	-	-	-
Intestines and peritoneum	3	1	-	-	-	1	-	-	-	-	1	-
Other forms	5	-	1	1	-	1	-	2	-	-	-	-
Venereal diseases	1	-	-	-	-	-	-	-	-	1	-	-
Cancer	147	-	-	1	1	1	3	8	20	49	40	24
Rheumatic fever	3	-	-	-	1	-	1	-	1	-	-	-
Diabetes	3	-	-	-	-	-	-	-	-	-	1	2
Alcoholism	-	-	-	-	-	-	-	-		-	-	-
Simple meningitis	4	2	1	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	50	-	-	-	-	-	-	2	4	9	19	16
Epilepsy	3	-	-	-	-	-	1	2	-	-	-	-
"Convulsions" (not puerperal) ..	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	23	-	-	-	3	2	2	3	3	5	3	2
Pericarditis	2	-	-	-	-	-	-	1	-	-	1	-
Acute endocarditis	6	-	-	-	-	2	1	1	1	1	-	-
Other diseases of heart	137	-	-	-	-	2	1	3	14	20	53	44
Other diseases of circulatory system	47	-	-	-	-	-	2	2	2	10	19	12
Bronchitis	38	2	2	-	-	-	-	-	5	5	8	16
Broncho-pneumonia	26	10	2	4	-	-	1	2	-	1	5	1
Lobar-pneumonia	18	2	-	-	-	-	2	4	2	4	3	1
Pneumonia (type not distinguished)	12	-	-	-	-	1	1	1	1	5	1	2
Other diseases of respiratory system	13	-	-	1	1	-	1	-	3	1	4	2
Diarrhœa and enteritis	14	12	1	-	-	-	-	-	-	-	-	1
Appendicitis, Typhlitis	8	-	-	-	-	1	2	2	-	2	1	-
Hernia, Intestinal obstruction	12	1	-	1	1	1	2	1	-	2	1	2
Cirrhosis of liver	3	-	-	-	-	-	1	-	-	1	1	-
Other diseases of digestive system ..	29	2	1	1	-	1	1	2	3	8	7	3
Acute nephritis	3	-	-	-	-	-	-	1	-	1	1	-
Chronic Bright's disease	17	-	-	-	-	1	1	1	1	3	7	3
Other diseases of genito-urinary system.	10	1	-	-	-	-	2	-	2	-	3	2
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	-	-	2	-	-	-	-
Congenital malformations	7	7	-	-	-	-	-	-	-	-	-	-
Premature birth	13	13	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	7	7	-	-	-	-	-	-	-	-	-	-
Old age	23	-	-	-	-	-	-	-	1	-	2	20
Suicide	11	-	-	-	-	-	4	1	-	3	3	-
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	4	-	-	1	-	-	-	1	1	-	1	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	13	-	-	-	2	2	1	1	3	2	1	1
Other deaths by violence	15	2	-	1	-	2	1	-	1	2	2	4
Other specified causes	23	6	1	-	-	3	2	1	2	7	-	1
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectio Diseases notified in th week ended 14th Ma 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	2	249	236	6	112	C. 5 D. 2 E. 1 G. 3 L. 1 M. 18 N. 19
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	22	1	9	C. 1 G. 1 M. 1 N. 2
†BERMONDSEY ...		10	7	–	4	M. 1 N. 1
†BETHNAL GREEN		8	6	–	1	M. 1
†CAMBERWELL ...		11	14	–	–	M. 1 N. 2
†CHELSEA	–	2	3	–	2	–
†DEPTFORD ...		6	12		3	M. 2
†FINSBURY ...		1	5	–	4	D. 1
†FULHAM		8	16	1	6	G. 1 N. 1
†GREENWICH ...		9	8	–	2	M. 1
†HACKNEY ...	–	6	14	–	1	M. 3 N. 3
†HAMMERSMITH ...		4	6	–	3	M. 1
†HAMPSTEAD ...	1	2	–	1	1	–
†HOLBORN... ...		2	1	–	1	C. 1 D. 1 M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	27	16	–	7	M. N.
†KENSINGTON ...		6	14	–	2	C.
†LAMBETH ...		9	13	–	7	E.
†LEWISHAM ...		30	4	1	6	
†PADDINGTON ...	–	4	9	–	6	M.
†POPLAR	1	16	1	–	3	M.
†ST. MARYLEBONE	–	1	2	–	2	–
†ST. PANCRAS ...		7	7	1	6	C. L. M.
†SHOREDITCH ...	–	6	7	–	2	N.
†SOUTHWARK ...	–	15	9	–	5	N.
†STEPNEY		21	15	1	8	C. G. M.
†STOKE NEWINGTON	–	3	3	–	–	
†WANDSWORTH ...	–	17	9	–	10	N.
†WESTMINSTER, CITY OF	–	1	5	–	2	N.
†WOOLWICH ...		13	8	–	9	N.

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fev N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ..	-	6	2	-	3	M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	-	2	-	-	-	-
KEMPSTON ...	-	1	-	-	-	-
LEIGHTON BUZZARD	-	-	-	-	-	M. 1
†LUTON	-	1	2	-	1	-
Rural Districts:—						
AMPTHILL ...	-	-	-	-	1	-
BEDFORD ...	-	1	-	-	-	-
BIGGLESWADE ...	-	1	-	-	-	-
LUTON	-	-	-	-	1	-
BERKS	-	7	1	-	2	F. 1
†READING C.B. ...	-	3	1	-	-	-
Boroughs and Urban Districts:—						
WALLINGFORD ...	-	-	-	-	1	-
WANTAGE ...	-	2	-	-	-	-
Rural Districts:—						
COOKHAM ...	-	1	-	-	-	-
WANTAGE ..	-	-	-	-	-	F. 1
WOKINGHAM ...	-	1	-	-	1	-
BUCKINGHAM ...	-	3	3	1	1	N. 1
Boroughs and Urban Districts:—						
ETON	-	-	-	1	-	-
SLOUGH	-	-	1	-		-
WOLVERTON ...	-	-	-	-	1	-
Rural Districts:—						
AYLESBURY ...	-	1	1	-	-	-
WYCOMBE ...	-	2	1	-	-	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	-	2	3	-	1	-
Borough:—						
†CAMBRIDGE ...	-	1	2	-	1	-
Rural Districts:—						
CAXTON AND ARRINGTON	-	-	1	-	-	-
LINTON	*	*	*	*	*	*
NEWMARKET ...	-	1	-	-	-	-
CHESTER ...	-	46	14	2	29	C. 1 D. 1 G. 1 M. 5 N. 1
†BIRKENHEAD C.B.	-	4	4		5	D. 1 M. 2 N. 1
†CHESTER C.B. ...	-	-	-	-	3	-
†STOCKPORT C.B.	-	25	1	-	2	G. 1 M. 1
†WALLASEY C.B. ...	-	4	3	-	1	-
Boroughs and Urban Districts:—						
ALDERLEY EDGE	-	1	-	-	-	-
†BEBINGTON AND BROMBOROUGH	-	1	-	-	-	-
BREDBURY AND ROMILEY	-	-	-	1	-	-
BUGLAWTON ...	-	-	-	-	1	-
†CHEADLE AND GATLEY	-	-	-	-	1	-
†CONGLETON ...	-	-	-	-	2	-
†DUKINFIELD ...	-	-	-	-	3	C. 1
†ELLESMERE PORT AND WHITBY	-	-	1	-	-	-
†HAZEL GROVE AND BRAMHALL	-	1	-	-	-	-
†HYDE	-	1	-	-	1	-
LYMM	-	1	-	-	-	-
†MACCLESFIELD ...	-	-	-	-	2	-
MIDDLEWICH ...	*	*	*	*	*	*
NESTON AND PARKGATE	-	-	-	-	1	-
†RUNCORN... ...	-	1	1	-	2	M. 1

* Returns not received. † Population over 10,000.

(Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SALE	-	-	1	-	-	-
†STALYBRIDGE ...	-	-	1	-	1	-
WILMSLOW ...	-	-	1	-	-	-
Rural Districts:—						
BUCKLOW ...	-	1	-	-	-	-
CHESTER	-	1	-	1	-	-
CONGLETON ...	-	-	1	-	1	-
MACCLESFIELD ...	-	-	-	-	1	-
NORTHWICH ...	-	1	-	-	2	-
RUNCORN ...	-	4	-	-	-	M. 1
CORNWALL ...	-	16	3	-	2	N. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	-	-	1	-	-	-
†FALMOUTH ...	-	2	-	-	-	-
LAUNCESTON ...	-		-	-	1	-
LISKEARD ...	*	*	*	*	*	*
ST. AUSTELL ...	-	-	1	-	-	-
ST. IVES		10	-	-	-	-
SALTASH	-	-	-	-	-	N. 1
WADEBRIDGE ...	-	-	-	-	1	-
Rural Districts:—						
EAST KERRIER ...	-	1	-		-	-
LISKEARD ...	-	1	-	-	-	-
ST. COLUMB MAJOR	-	2	1	-	-	-
CUMBERLAND...	-	10	2	2	2	-
†CARLISLE C.B. ..	-	3	-	-	2	-
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	-	-	1	-	-	-
KESWICK	-	-	-	2	-	-
†MARYPORT ...	-	-	1	-	-	-
MILLOM	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BOOTLE		2	-	-	-	-
COCKERMOUTH ...	-	2	-	-	-	-
WIGTON	-	1	-	-	-	-
DERBY	4	18	12	1	21	E. 1 F. 1 M. 2 N. 2
†DERBY C.B. ..	3	1	3	-	5	F. 1
Boroughs and Urban Districts:—						
†ALFRETON ..	-	1	-	-	1	-
ALVASTON AND BOULTON	-	-		-	1	-
BAKEWELL ...	-	-	-	-	1	-
†BOLSOVER ...	-	2		-	1	N. 2
†BUXTON	-	-	1	-	-	-
†CHESTERFIELD ...	-	3	-	-	2	M. 2
†GLOSSOP	-	1	-	-	1	-
HEAGE	1	-	1	-	-	-
†HEANOR	-	-		-	1	-
†ILKESTON ...	-	1	-	-	-	-
†LONG EATON ...	-	3	1	-	1	-
†SWADLINCOTE DISTRICT	-		-	1	1	-
WIRKSWORTH ...	-	-	-	-	1	-
Rural Districts:—						
BAKEWELL ...	-	1	-	-	-	-
BELPER	-	-	1	-	1	-
BLACKWELL ...	-	2	-	-	-	-
CHESTERFIELD ..	-	1	2	-	2	-
CLOWNE	-	-	1	-	-	E. 1
HARTSHORN AND SEALE	-	-	-	-	1	-
REPTON	*	*	*	*	*	*
SHARDLOW ..	-	2	-	-	1	-
SUDBURY... ...	-	-	2	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	8	7	–	4	M. 3 N. 3
†EXETER C.B. ...	–	–	1	–	–	M. 1 N. 2
†PLYMOUTH C.B...	–	4	3	–	–	M. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	1	–
BIDEFORD ...	–	–	–	–	–	M. 1
†ILFRACOMBE ...	–	1	–	–	–	–
†NEWTON ABBOT	–	–	1	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	–	–	–	–	N. 1
ST. THOMAS ...	–	1	1	–	–	–
SOUTH MOLTON...	–	–	1	–	–	–
TIVERTON ...	–	2	–	–	1	–
DORSET	–	12	1	–	2	N. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	1	–	–	–	–
†POOLE	–	3	1	–	2	N. 1
SHERBORNE ...	–	1	–	–	–	–
Rural Districts:—						
SHAFTESBURY ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	2	–	–	–	–
WEYMOUTH ...	–	4	–	–	–	–
DURHAM ...	102	49	21	–	57	C. 3 D. 2 M. 5 N. 5
DARLINGTON C.B.	2	7	1	–	2	M. 1
GATESHEAD C.B.	2	10	4	–	1	–
SOUTH SHIELDS C.B	17	1	2	–	11	–
DURHAM—*cont.*						
†SUNDERLAND C.B.	–	2	–	–	9	N. 2
†WEST HARTLEPOOL C.B.	–	1	2	–	6	–
Boroughs and Urban Districts:—						
BENFIELDSIDE ...	–	–	–	–	1	–
†BISHOP AUCKLAND	–	1	–	–	–	M. 1
†BLAYDON... ...	–	2	–	–	1	N. 1
†BRANDON AND BYSHOTTLES	3	–	2	–	–	–
†CHESTER LE STREET	4	–	–	–	1	C. 1
†CONSETT	–	2	1	–	–	–
†DURHAM	–	–	–	–	2	M. 1
†FELLING	4	1	–	–	–	N. 1
†HARTLEPOOL ...	1	–	–	–	1	–
†HEBBURN ...	4	2	–	–	2	–
†HETTON	–	–	–	–	1	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	5	–	–	–	4	–
LEADGATE ...	–	–	–	–	1	–
†RYTON	–	–	1	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON	1	–	1	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†SPENNYMOOR ...	3	–	3	–	–	–
†STANLEY	–	–	1	–	–	D. 1
†STOCKTON ON TEES	–	1	2	–	–	–
†TANFIELD ...	–	1	–	–	–	N. 1
TOW LAW ...	1	–	–	–	–	–
†WASHINGTON ...	–	1	–	–	–	M. 1
†WHICKHAM ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	6	2	–	–	–	C. 1
BARNARD CASTLE	1	–	–	–	–	–
CHESTER LE STREET	9	–	–	–	2	D. 1
DURHAM	1	7	–	–	–	–
EASINGTON ..	7	2	–	–	4	–
HARTLEPOOL ...		–	–	–	–	C. 1
HOUGHTON LE SPRING	1	–	–	–	2	–

* Returns not received. † Population over 10,000.

C Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
LANCHESTER ...	2	2	–	–	2	M. 1
SEDGEFIELD ...	12	–	–	–	–	–
SOUTH SHIELDS...	16	2	–	–	1	–
SUNDERLAND ...	–	–	1	–	–	–
ELY, ISLE OF ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
WHITTLESEY ...	–	–	–	–	1	–
ESSEX	–	101	51	1	32	D. 1 E. 1 G. 1 M. 1 N. 9
†EAST HAM C.B. ...	–	16	4	–	2	F. 1
†SOUTHEND-ON-SEA C.B.	–	6	1	–	4	–
†WEST HAM C.B. ...	–	26	21	1	7	G. 1 M. 1 N. 5
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	1	–	1	–
BRENTWOOD ...	–	1	1	–	1	–
†CHELMSFORD ...	–	1	–	–	–	N. 1
CHINGFORD ...	–	–	–	–	1	–
†CLACTON	–	2	–	–	–	–
†COLCHESTER ...	–	4	1	–	3	D. 1
DAGENHAM ...	–	5	1	–	1	–
EPPING	–	–	1	–	–	–
†GRAYS THURROCK	–	3	2	–	–	–
HALSTEAD ...	–	2	–	–	–	–
†ILFORD	–	4	2	–	1	–
†LEYTON	–	4	8	–	2	N. 1
MALDON	–	–	1	–	–	–
†ROMFORD ...	–	1	–	–	–	–
SHOEBURYNESS ...	–	–	–		1	–
TILBURY	–	–	4	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW ...	–	10	2	–	3	–
WALTON ON THE NAZE	*	*	*	*	*	*
†WOODFORD ...	–	2	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	N. 1
BUMPSTEAD ...	–	1	–	–	–	–
CHELMSFORD ...	–	2	–	–	–	–
EPPING	–	1	–	–	–	N. 1
ORSETT	–	1	1	–	2	–
ROCHFORD ...	–	3	–	–	3	–
TENDRING ...		1	–	–	–	–
GLOUCESTER ...	–	36	20	–	12	C. 1 G. 1 M. 1 N. 2
†BRISTOL C.B. ...	–	20	11	–	3	C. 1 M. 1 N. 2
†GLOUCESTER C.B.	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	1	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
†MANGOTSFIELD ...	–	–	1	–	1	–
NEWNHAM ...	–	–	–	–	–	G. 1
TEWKESBURY	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
STOW ON THE WOLD (part)	–	7	–	–	1	–
STROUD	–	2	1	–	–	–
THORNBURY ...	–	–	1	–	1	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	–	3	–	1	–
WHEATENHURST	–	1	1	–	–	–
WINCHCOMB (part)	–	–	–	–	1	–
HEREFORD ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
ROSS	–	–	–	–	1	–
Rural Districts:—						
HEREFORD ...	–	1	1	–	–	–
LEDBURY... ...	–	–	1	–	–	–
HERTFORD ...	–	6	2	–	2	N. 2
Boroughs and Urban Districts:—						
†BARNET	–	–	1	–	–	–
BISHOP'S STORTFORD	–	1	–	–	–	–
†CHESHUNT ...	–	–	1	–	–	–
†ST. ALBANS ...	–	–	–	–	–	N. 1
†WATFORD ...	–	3	–	–	–	–
Rural Districts:—						
HATFIELD ...	–	–	–	–	1	–
HEMEL HEMPSTEAD	–	–	–	–	–	N. 1
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WELWYN	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	2	1	–	–	N. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	1	–	–	–
OLD FLETTON ...	–	2	–	–	–	–
RAMSEY	–	–	–	–	–	N. 1
Rural Districts:—						
NORMAN CROSS ...	*	*	*	*	*	*
KENT	–	42	21	33	20	N. 3
†CANTERBURY C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	1	–	–	–
†BECKENHAM ...	–	2	1	–	3	N. 1
†BEXLEY	–	4	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	1	–
†BROMLEY ..	–	1	1	–	1	–
†CHATHAM ...	–	3	1	1	–	–
CHERITON ...	–	–	–	–	1	–
†DARTFORD ..	–	2	–	–	–	–
†DOVER	–	–	1	–	–	–
†ERITH	–	1	1	2	2	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ..	–	3	1	–	–	–
†GILLINGHAM ...	–	1	1	–	2	–
†GRAVESEND ...	–	3	–	30	–	–
HYTHE	–	–	1	–	–	–
†MAIDSTONE ..	–	1	1	–	–	–
†MARGATE ..	–	1	2	–	–	–
†NORTHFLEET ..	–	5	2	–	–	–
†PENGE	–	–	–	–	1	–
†ROCHESTER ...	–	–	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
SWANSCOMBE ...	–	–	1	–	–	–
Rural Districts:—						
BLEAN	–	1	–	–	–	–
DARTFORD ..	–	–	4	–	–	–
ELHAM	–	–	–	–	1	–

* Returns not received † Population over 10,000.

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
HOLLINGBOURNE	–	–	–	–	1	–
HOO	–	–	–	–	1	–
ISLE OF THANET	–	3	–	–	–	N. 1
MAIDSTONE ...	–	–	–	–	1	–
MALLING	–	2	–	–	–	N. 1
MILTON	–	1	–	–	–	–
STROOD	–	2	–	–	2	–
TENTERDEN ...	–	1	–	–	–	–
WEST ASHFORD...	–	–	–	–	1	–
LANCASTER ...	4	165	99	2	187	C. 7 E. 1 G. 5 L. 3 M. 24 N. 15
†BARROW IN FURNESS C.B.	–	1	–	–	–	–
†BLACKBURN C.B.	1	3	–	–	5	N. 1
†BLACKPOOL C.B.	–	3	1	–	1	–
†BOLTON C.B. ...	–	8	3	–	5	M. 1
†BOOTLE C.B. ...	–	7	4	–	3	N. 2
†BURNLEY C.B. ...	–	2	4	–	2	C. 1 M. 1
†BURY C.B. ...	–	1	–	–	5	M. 1
†LIVERPOOL C.B. ...	–	37	27	–	31	C. 2 L. 1 M. 11 N. 4
†MANCHESTER C.B.	–	32	14	–	58	C. 2 G. 2 M. 2 N. 5
†OLDHAM C.B. ...	1	7	4	–	3	M. 1
†PRESTON C.B. ...	–	1	1	–	3	–
†ROCHDALE C.B. ...	–	1	2	–	2	M. 2
†ST. HELENS C.B. ...	–	1	4	–	7	N. 1
†SALFORD C.B. ...	–	7	8	–	10	G. 1 M. 3
†SOUTHPORT C.B.	–	–	–	1	1	–
†WARRINGTON C.B.	–	1	3	–	3	G. 1
†WIGAN C.B. ...	2	–	1	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	–	–
†ACCRINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	–	1	–	2	–
†ASHTON UNDER LYNE	–	1	1	–	1	C. 1
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	–	–	1	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	–	–	–	1	–
BRIERFIELD ...	–	–	2	–	–	–
†CHADDERTON ...	–	–	–	1	–	–
†COLNE	–	1	1	–	–	–
†DARWEN	–	6	–	–	1	–
†DENTON	–	2	–	–	2	–
†ECCLES	–	–	–	–	1	M. 1
†FAILSWORTH ...	–	–	–	–	1	–
†FARNWORTH ...	–	5	–	–	1	–
†FLEETWOOD ...	–	–	–	–	1	–
†GREAT CROSBY ...	–	–	–	–	1	–
†HAYDOCK ...	–	–	–	–	1	–
†HORWICH ...	–	1	2	–	2	–
†INCE IN MAKERFIELD	–	2	–	–	–	–
IRLAM	–	–	–	–	1	–
KEARSLEY ...	–	–	–	–	1	–
KIRKHAM ...	–	1	–	–	–	–
†LANCASTER ...	–	1	2	–	2	G. 1
LATHOM AND BURSCOUGH	–	1	–	–	–	–
†LEIGH	–	–	1	–	1	–
†LITHERLAND ...	–	4	–	–	–	–
LONGRIDGE ...	–	1	–	–	–	–
†MIDDLETON ...	–	–	3	–	–	N. 1
†MOSSLEY	–	1	–	–	–	C. 1
†NELSON	–	–	–	–	3	–
†NEWTON IN MAKERFIELD	–	1	–	–	–	–
NORDEN	–	–	1	–	–	–
†PADIHAM ...	–	–	1	–	–	–
†RADCLIFFE ...	–	3	1	–	–	M. 1
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	–	1	–	–	E. 1
RISHTON	–	–	–	–	1	
†STRETFORD ...	–	2	2	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON AND PENDLEBURY	–	2	–	–	2	–
TOTTINGTON ...	–	–	–	–	2	–
TRAWDEN ...	–	–	–	–	2	–
†TURTON	–	–	–	–	–	N. 1
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON... ..	–	–	–	–	1	–
†WALTON LE DALE	–	1	–	–	–	–
†WESTHOUGHTON	–	–	–	–	1	–
†WIDNES	–	1	1	–	–	–
WITHNELL ...	–	–	–	–	2	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	1	–
CLITHEROE ..	–	–	–	–	1	–
FYLDE	–	1	1	–	–	–
LIMEHURST ..	–	1	–	–	–	–
PRESTON	–	1	–	–	–	–
SEFTON	–	–	1	–	–	–
ULVERSTON ..	–	3	–	–	1	–
WARRINGTON ..	–	3	–	–	1	L. 1
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON... ..	–	1	1	–	–	L. 1
LEICESTER ...	–	9	11	–	10	D. 1
†LEICESTER C.B. ...	–	5	5	–	2	D. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	–	3	–	2	–
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	1	–	–	1	–
QUORNDON ...	*	*	*	*	*	*
THURMASTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	1	–
CASTLE DONINGTON	–	–	–	–	1	–
MARKET BOSWORTH	–	1	2	–	1	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	–	–	–	–	G. 1
Rural Districts:—						
BOSTON	–	–	–	–	–	G. 1
LINCOLN (parts of Kesteven).	–	3	–	–	1	–
Boroughs and Urban Districts:—						
BOURNE	–	1	–	–	–	–
Rural Districts:—						
GRANTHAM ...	–	1	–	–	1	–
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	1	13	8	1	3	G. 2
†GRIMSBY C.B. ..	–	4	1	–	–	G. 1
†LINCOLN C.B. ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	1	–	–
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	–	1	–	1	–
CROWLE	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
GLANFORD BRIGG	-	-	2	-	1	G. 1
GRIMSBY	-	-	1	-	-	-
SPILSBY	1	-	-	-	-	-
MIDDLESEX ...	-	54	34	2	25	C. 1 E. 1 G. 2 M. 5 N. 6
Boroughs and Urban Districts:—						
†ACTON	-	3	1	-	1	E. 1 M. 1
†BRENTFORD AND CHISWICK	-	-	4	-	1	-
†EALING	-	2	4	1	3	G. 1 M. 1 N. 1
†EDMONTON ..	-	3	2	-	1	N. 1
†ENFIELD	-	8	1		1	C. 1
†FINCHLEY ..	-	1	-	-	-	M. 1
†FRIERN BARNET	-	-	-	-	2	-
†HAMPTON ...	-	1	-	-	-	-
†HARROW ON THE HILL	-	1	-	-	-	-
†HENDON	-	7	-	1	-	-
†HESTON AND ISLEWORTH	-	2	3	-	2	N. 1
†HORNSEY... ..	-	5	-	-	2	M. 1
KINGSBURY ...	-	-	-	-	-	N. 1
RUISLIP NORTHWOOD	-	1	-	-	1	-
†SOUTHALL NORWOOD	-	3	-	-	-	-
†SOUTHGATE ..	-	-	-	-	-	-
STAINES	*	*	*	*	*	*
SUNBURY ON THAMES	*	*	*	*	*	*
†TEDDINGTON ..	-	-	-	-	1	
†TOTTENHAM .	-	6	4	-	1	G. 1
†TWICKENHAM ..	-		1	-	-	-
†WEALDSTONE ...	-	-	1	-	-	-
†WEMBLEY ...	-	1	1	-	-	-
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WILLESDEN ..	-	6	8	-	5	M. 1 N. 1
†WOOD GREEN ..	-	2	1	-	1	N. 1
Rural Districts:—						
HENDON	-	1	-	-	2	-
STAINES	-	-	-	-	1	-
UXBRIDGE ...	-	1	-	-	-	-
NORFOLK ..	-	7	2	2	10	D. 1 N. 4
†GREAT YARMOUTH C.B	-	-	1	-	-	-
†NORWICH C.B. ..	-	3	1	-	4	D. 1 N. 3
Boroughs and Urban Districts:—						
CROMER	-	-	-	-	1	-
NEW HUNSTANTON	-	-	-	1	-	-
WELLS	-	-	-	-	1	-
Rural Districts:—						
DEPWADE ..	-	2	-	-	1	-
FOREHOE... ...	-	-	-	1	-	-
LODDON AND CLAVERING	-	-	-	-	-	N. 1
MARSHLAND ...	-	1	-	-	-	-
SWAFFHAM ...	-	1	-	-	-	-
THETFORD ...	-	-	-	-	1	-
WAYLAND ..	-	-	-	-	2	-
NORTHAMPTON	-	5	-	-	8	M. 1
†NORTHAMPTON C.B	-	4	-	-	3	-
Boroughs and Urban Districts:—						
†RUSHDEN... ..	-	-	-	-	1	-
†WELLINGBOROUGH	-	-	-	-	-	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON —*cont.*						
Rural Districts:—						
HARDINGSTONE ...	-	-	-		1	-
NORTHAMPTON ..	-	-	-	-	2	-
THRAPSTON (part	-	1	-	-	-	-
WELLINGBOROUGH	-	-	-	-	1	-
NORTHUMBERLAND.	17	34	7	1	37	C. 3 G. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	1	11	4	-	18	G. 1 M. 3
†TYNEMOUTH C.B	2	9	-	1	3	-
Boroughs and Urban Districts:—						
ALNWICK... ...	-	-	1	-	-	-
AMBLE	-	-	1	-	-	-
†ASHINGTON ..	8	1	-	-	1	-
†BEDLINGTONSHIRE	5	4	-	-	1	-
†BERWICK UPON TWEED	-	2	-	-	-	-
†BLYTH	-	-	-	-	4	-
HEXHAM	-	-	-	-	1	-
†LONGBENTON ...	-	-	-	-	4	-
NEWBIGGIN BY THE SEA	1	-	-	-	-	-
†NEWBURN ...	-	-	-	-	1	-
PRUDHOE... ..	-	1		-	-	-
SEATON DELAVAL	-	-	-	-	1	-
†WALLSEND ...	-	3	1	-	2	-
†WHITLEY AND MONKSEATON		1	-	-	-	-
Rural Districts:—						
ALNWICK ..	-	2	-	-	-	-
HALTWHISTLE ...	-	-	-	-	-	C. 3
HEXHAM	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	-	14	28	1	13	M. 2
†NOTTINGHAM C.B	-	4	23	1	6	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	-	-	1	-	-	-
†CARLTON... ...	-	1	-	-	-	-
†KIRKBY IN ASHFIELD	-	2	-	-	-	-
†MANSFIELD ...	-	1	1	-	-	-
†NEWARK	-	1	1	-	-	-
†SUTTON IN ASHFIELD	-	-	1	-	1	-
†WORKSOP... ...	-	-	1	-	2	-
Rural Districts:—						
BASFORD	-	-	-	-	2	M. 1
EAST RETFORD ...	-	-	-	-	1	-
SOUTHWELL ..	-	3	-	-	-	-
STAPLEFORD ...	-	1	-	-	1	-
WORKSOP... ...	-	1	-	-	-	-
OXFORD	-	3	1	-	4	-
†OXFORD C.B. ..	-	2	-	-	1	-
Boroughs and Urban Districts:—						
†BANBURY ...	-	-	-	-	1	-
BICESTER... ...	-	-	1	-	-	-
Rural Districts:—						
CHIPPING NORTON	-	-	-	-	1	-
THAME	-	1	-	-	-	-
WITNEY	-	-	-	-	1	-
PETERBOROUGH (Soke of).	-	1	3	-	-	-
Rural Districts:—						
BARNACK... ...	-	-	3	-	-	-
PETERBOROUGH...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	14	3	–	2	C. 1 D. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	–	G. 1
DAWLEY	–	–	2	–	–	–
ELLESMERE ...	–	1	–	–	–	–
†SHREWSBURY ...	–	3	–	–	–	–
WHITCHURCH ...	–	3	–	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	1	–
ELLESMERE ...	–	–	1	–	–	M. 1
NEWPORT ...	–	–	–	–	–	D. 1
OSWESTRY ...	–	2	–	–	–	–
SHIFNAL	–	1	–	–	–	–
WELLINGTON ...	–	3	–	–	1	–
WEM	–	1	–	–	–	C. 1 M. 1
SOMERSET ...	–	16	5	1	7	M. 1 N. 3
†BATH C.B. ..	–	9	1	–	–	M. 1 N. 1
Boroughs and Urban Districts:—						
MINEHEAD ...	–	1	–	–	–	–
STREET	*	*	*	*	*	*
†TAUNTON... ...	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	–	N. 1
BATH	–	1	1	–	–	–
BRIDGWATER ...	–	–	–	–	1	–
CHARD	–	–	–	–	2	N. 1
CLUTTON... ...	–	2	–	–	–	–
LANGPORT ...	–	–	–	–	2	–
LONG ASHTON ...	–	1	1	–	–	–
SHEPTON MALLET	–	–	1	1	1	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON..	–	26	24	3	12	L. 1 M. 4 N. 2
†BOURNEMOUTH C.B	–	–	3	1	–	N. 1
†PORTSMOUTH C.B	–	4	13	–	2	L. 1
†SOUTHAMPTON C.B	–	8	4	–	2	N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	–
†FAREHAM ...	–	1	–	–	–	–
†GOSPORT	–	–	1	–	–	–
PETERSFIELD ...	–	–	–	–	–	M. 1
†WINCHESTER ..	–	–	–	–	4	M. 1
Rural Districts:—						
BASINGSTOKE ...	–	–	–	2	–	M. 1
CATHERINGTON ...	–	1	–	–	–	–
DROXFORD ...	–	–	–	–	2	–
FAREHAM ...	–	5	–	–	–	–
KINGSCLERE ...	–	1	1	–	–	–
NEW FOREST ...	–	–	1	–	–	–
PETERSFIELD ...	–	–	–	–	–	M. 1
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
WINCHESTER ...	–	1	–	–	2	–
STAFFORD ...	–	36	21	–	50	C. 5 L. 3 M. 9 N. 4
†BURTON UPON TRENT C.B	–	2	1	–	–	–
†SMETHWICK C.B	–	2	1	–	2	C. 1 M. 1 N. 1
†STOKE ON TRENT C.B	–	5	3	–	20	C. 2 M. 7 N. 1
†WALSALL C.B. ..	–	–	3	–	2	C. 1 N. 1
†WEST BROMWICH C.B	–	–	–	–	3	–
†WOLVERHAMPTON C.B.	–	5	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	–	2	–	1	–
BIDDULPH ...	–	3	1	–	1	–
†BILSTON	–	2	1	–	3	–
†BRIERLEY HILL...	–	–	3	–	–	–
†CANNOCK	–	1	–	–	–	C. 1
†COSELEY	–	3	–	–	–	–
†DARLASTON ...	–	–	–	–	1	–
KIDSGROVE ...	–	–	1	–	–	–
†LEEK	–	5	–	–	–	–
LICHFIELD ...	–	–	–	–	1	–
†NEWCASTLE UNDER LYME	–	1	1	–	–	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS ...	–	–	–	–	1	N. 1
†STAFFORD ...	–	–	1	–	–	–
STONE	–	–	–	–	1	–
†TIPTON	–	–	–	–	5	–
†WEDNESBURY ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	–	1	–	2	–
Rural Districts:—						
CHEADLE... ...	–	–	–	–	–	L. 3
KINGSWINFORD...	–	–	1	–	–	–
LEEK	–	–	1	–	1	–
LICHFIELD ...	–	3	–	–	3	–
NEWCASTLE UNDER LYME	–	–	–	–	1	–
SEISDON	–	–	–	–	–	M. 1
UTTOXETER ...	–	1	–	–	–	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST	–	7	1	3	1	–
†IPSWICH C.B. ...	–	4	1	2	–	–
Boroughs and Urban Districts:—						
EYE	–	–	–	1	–	–
†LOWESTOFT ...	–	3	–	–	–	–
Rural Districts:—						
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	2	–	–	4	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
NEWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
BRANDON... ...	–	1	–	–	–	–
COSFORD	–	–	–	–	2	–
MOULTON ...	–	1	–	–	–	–
SURREY	–	62	19	3	11	C. 1 D. 1 G. 1 N. 3
†CROYDON C.B. ..	–	20	4	–	2	N. 1
Boroughs and Urban Districts:—						
†BARNES	–	3	–	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CHERTSEY ..	–	2	–	–	1	–
†COULSDON AND PURLEY	–	2	–	–	–	–
†EGHAM	–	3	–	1	–	–
†EPSOM	–	1	–	–	–	–
†GUILDFORD ...	–	–	–	–	1	–
†KINGSTON ON THAMES	–	2	–	1	–	–
†MERTON AND MORDEN	–	4	1	–	–	–
†MITCHAM... ...	–	4	–	–	1	N. 2
†REIGATE	–	1	1	–	3	–
†RICHMOND ...	–	4	–	–	–	–
†SURBITON ..	–	–	1	–	–	–
†SUTTON	–	–	1	–	–	–
†THE MALDENS AND COOMBE	–	3	–	–	1	–
†WALTON UPON THAMES	–	–	–	–	1	–
WEYBRIDGE ...	–	1	4	–	–	–
†WIMBLEDON ...	–	5	–	–	–	D. 1 G. 1
WINDLESHAM ...	–	–	–	1	–	–
†WOKING	–	2	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
G, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
DORKING	-	-	-	-	1	-
EPSOM	-	1	2	-	-	-
FARNHAM ...	-	-	1	-	-	-
GUILDFORD ...	-	1	-	-	-	-
REIGATE	-	3	3	-	-	-
SUSSEX, EAST ...	-	18	12	1	4	C. 1 G. 1 N. 6
†BRIGHTON C.B. ...	-	8	8	-	2	G. 1 N. 5
†EASTBOURNE C.B.	-	2	-	-	1	-
†HASTINGS C.B. ...	-	2	4	-	-	-
Boroughs and Urban Districts:—						
EAST GRINSTEAD	*	*	*	*	*	*
RYE	*	*	*	*	*	*
UCKFIELD ...	-	-	-	-	-	N. 1
Rural Districts:—						
HAILSHAM ...	-	1	-	1	-	C. 1
TICEHURST ...	-	4	-	-	-	-
UCKFIELD ...	-	1	-	-	1	-
SUSSEX, WEST ...	-	5	4	-	-	M. 2
Boroughs and Urban Districts:—						
†CHICHESTER ...	-	-	3	-	-	-
†HORSHAM ...	-	1	-	-	-	-
†LITTLEHAMPTON	-	1	-	-	-	-
†WORTHING ..	-	2	1	-	-	-
Rural Districts:—						
STEYNING WEST	-	-	-	-	-	M. 1
THAKEHAM ...	-	-	-	-	-	M. 1
WESTHAMPNETT	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	2	44	34	1	46	C. 4 G. 3 M. 11 N. 4
†BIRMINGHAM C.B.	-	29	30	1	31	C. 3 G. 2 M. 10 N. 4
†COVENTRY C.B. ...	1	5	1	-	5	C. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	1	1	1	-	-	G. 1
†ROYAL LEAMINGTON SPA	-	2	-	-	1	-
†RUGBY	-	1	-	-	1	-
†STRATFORD ON AVON	-	-	-	-	2	-
†SUTTON COLDFIELD	-	-	1	-	1	-
Rural Districts:—						
ALCESTER ...	-	1	-	-	-	-
ATHERSTONE ...	-	-	1	-	-	-
FOLESHILL ...	-	-	-	-	2	-
NUNEATON ...	-	-	-	-	-	M. 1
RUGBY	-	-	-	-	2	-
SOUTHAM... ...	-	3	-	-	1	-
STRATFORD ON AVON	-	1	-	-	-	-
TAMWORTH (part)	-	1	-	-	-	-
WESTMORLAND	-	2	-	-	1	C. 1
Rural Districts:—						
SOUTH WESTMORLAND	-	2	-	-	1	C. 1
WIGHT, ISLE OF	-	4	-	-	1	-
Boroughs and Urban Districts:—						
EAST COWES ...	-	1	-	-	-	-
†NEWPORT... ...	-	-	-	-	1	-
†RYDE	-	1	-	-	-	-
VENTNOR... ...	-	1	-	-	-	-
Rural Districts:—						
ISLE OF WIGHT	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	17	3	–	2	–
Boroughs and Urban Districts:—						
†SALISBURY ...	–	11	–	–	–	–
†SWINDON... ...	–	1	1	–	1	–
†TROWBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
BRADFORD-ON-AVON	–	–	1	–	–	–
CHIPPENHAM ...		1	–	–	–	–
HIGHWORTH ...	–	–	–	–	1	–
MALMESBURY ...	–	–	1	–	–	–
WILTON		1	–	–	–	–
WORCESTER ...	–	9	2	–	11	M. 3 N. 2
†DUDLEY C.B. ..	–	2	–	–	1	M. 1
†WORCESTER C.B.	–	–	–	–	3	N. 1
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	4	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	2	–
†OLDBURY... ...	–	–	1	–	2	–
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	1	–
STOURPORT ...	–	1	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	N. 1
FECKENHAM ...	–	–			1	–
KIDDERMINSTER	–	–	–	–	1	M. 1
PERSHORE ...	–	–	–	–	–	M. 1
YORKS ... ... (East Riding).	–	18	16	–	6	C. 1 M. 3
†KINGSTON UPON HULL C.B	–	13	16	–	2	C. 1 M. 2
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
COTTINGHAM ...	–	–	–	–	–	M. 1
Rural Districts:—						
BRIDLINGTON ...	–	2	–	–	–	–
DRIFFIELD ...	–	–	–	–	1	–
RICCALL	–	3	–	–	2	–
YORKS ... ... (North Riding).	1	9	4	–	15	M. 1 N. 1
†MIDDLESBROUGH C.B	1	1	1	–	7	–
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	–	–
LOFTUS	–	–	–	–	1	–
MASHAM	–	1	–	–		–
†REDCAR	–	1	1	–	1	–
†SCARBOROUGH ...	–	1	1	–	2	M. 1
†SKELTON AND BROTTON	–	1	1	–	–	–
†WHITBY	–	–	–	–	2	–
Rural Districts:—						
BEDALE	–	–	–	–	1	–
GUISBOROUGH ...	–	–	–	–	1	–
LEYBURN... ...	–	1	–	–	–	N. 1
WHITBY	–	1		–	–	–
YORKS ... ... (West Riding).	65	134	45	5	139	C. 4 D. 3 E. 1 G. 1 M. 13 N. 17
†BARNSLEY C.B. ..	–	3	1	1	5	C. 1 M. 2 N. 1
†BRADFORD C.B. ..	–	4	7	–	16	D. 1

* Returns not received. † Population over 10,000

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†DEWSBURY C.B.	–	–	1	–	–	–
†DONCASTER C.B.	6	2	–	–	2	–
†HALIFAX C.B. ...	1	1	1	–	5	–
†HUDDERSFIELD C.B.	4	10	2	–	2	M. 1
†LEEDS C.B. ...	–	21	7	–	14	C. 1 D. 1 M. 1 N. 3
†ROTHERHAM C.B.	3	3	–	2	8	–
†SHEFFIELD C.B.	6	32	11	1	36	E. 1 M 3 N. 8
†WAKEFIELD C.B.	–	2	–	–	4	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	–	–	–	–
ALTOFTS	–	1	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	1	–
†BATLEY	–	–	1	–	1	–
†BENTLEY WITH ARKSEY	2	–	1	–	–	–
†BINGLEY	–	1	2	–	2	C. 1
†BOLTON UPON DEARNE	–	–	1	–	–	M. 1
†BRIGHOUSE ...	1	–	–	–	–	–
CALVERLEY ...	–	1	–	–	–	–
†CONISBROUGH ...	9	1	1	–	–	–
DARFIELD ...	–	1	–	–	–	–
†DARTON	–	2	–	–	–	–
DODWORTH ...	–	–	–	–	–	M. 1
EARBY	*	*	*	*	*	*
†FEATHERSTONE ...	–	–	1	–	–	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	1	–	–	1	M. 1
GREETLAND ...	–	1	–	–	–	–
†HARROGATE ...	–	–	1	–	–	–
†HEMSWORTH ...	1	–	–	–	2	–
HIPPERHOLME ...	–	1	–	–	–	–
†HOLMFIRTH ...	–	1	–	–	–	–
HONLEY	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	–	–	1	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
ILKLEY	–	1	–	–	–	–
†KEIGHLEY ...	5	2	–	–	–	M. 1
KNARESBOROUGH	–	1	–	–	–	–
KNOTTINGLEY ...	–	1	–	–	1	–
MALTBY	–	–	–	–	–	N. 1
MARSDEN... ...	–	1	–	–	–	–
MELTHAM ...	–	–	–	–	1	N. 1
†MEXBOROUGH ...	10	2	–	–	1	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY	–	–	–	–	2	–
MYTHOLMROYD ...	–	1	–	–	–	–
†NORMANTON ...	–	1	–	–	2	–
OTLEY	–	–	–	–	1	–
†PONTEFRACT ...	–	1	–	–	–	–
QUEENSBURY ...	–	1	–	–	–	–
RAWDON	*	*	*	*	*	*
†RAWMARSH ...	–	1	–	–	1	–
SELBY	–	1	–	–	–	–
SHELF	–	–	–	–	1	–
SHELLEY	–	–	–	–	1	–
†SHIPLEY	1	–	–	–	–	G. 1 N. 1
†SKIPTON	–	1	–	–	–	M. 1
†SPENBOROUGH ...	–	1	–	–	1	–
STAINLAND ...	–	1	–	–	–	–
†STANLEY	–	–	–	–	2	–
STOCKSBRIDGE ...	–	1	–	–	2	–
†SWINTON... ...	2	–	–	–	1	–
THURSTONLAND AND FARNLEY TYAS	–	–	–	1	–	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	1	–	–	–	M. 1
†WOMBWELL ...	3	2	–	–	1	–
Rural Districts:—						
DONCASTER ...	6	–	–	–	2	D. 1 N. 1
GOOLE	–	1	–	–	–	–
HEMSWORTH ...	–	1	–	–	6	–
HUNSLET... ...	–	–	–	–	1	–
KNARESBOROUGH	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
PONTEFRACT ...	–	2	–	–	–	–
ROTHERHAM ...	–	5	–	–	3	N. 1
SETTLE	–	2	–	–	–	C. 1
TADCASTER ...	–	5	1	–	1	–
THORNE	5	–	2	–	–	–
TODMORDEN ...	–	2	–	–	–	–
WAKEFIELD ...	–	1	1	–	2	–
WETHERBY ...	–	–	1	–	–	–
WHARFEDALE (SOUTH)	–	–	2	–	1	–
WORTLEY ...	–	–	–	–	1	–
YORK, CITY OF...	–	1	1	–	1	–
†YORK C.B. ..	–	1	1	–	1	–
WALES.						
ANGLESEY ...	–	–	2	–	–	N. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	2	–	–	N. 1
Rural Districts:—						
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	*	*	*	*	*	*
HAY	–	–	–	–	1	–
Rural Districts:—						
YSTRADGYNLAIS	–	1	1	–	1	–
CAERNARVON...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	2	1	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	–	–	–	–	N. 1
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	–	–	–	N. 1
CARMARTHEN...	–	1	1	–	3	–
Boroughs and Urban Districts:—						
KIDWELLY ...	–	–	–	–	1	–
†LLANELLY ...	–	–	1	–	1	–
Rural Districts:—						
LLANELLY ...	–	1	–	–	1	–
WHITLAND ...	*	*	*	*	*	*
DENBIGH ...	–	6	2	1	3	M. 1 N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	1	–	1	–
LLANGOLLEN ...	–	1	–	–	–	–
WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
CHIRK	–	–	–	–	–	N. 1
ST. ASAPH (DENBIGH)	–	–	1	–	1	–
†WREXHAM ...	–	4	–	1	1	M. 1
FLINT	–	–	2	1	8	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	1	1	–
FLINT	–	–	–	–	1	–
HOLYWELL ...	–	–	–	–	1	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HOLYWELL ...	–	–	–	–	5	–
OVERTON ..	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	-	44	33	1	36	C. 1 M. 1 N. 6
†CARDIFF C.B. ..	-	6	7	-	5	M. 1 N. 3
†MERTHYR TYDFIL C.B.	-	-	-	-	3	-
†SWANSEA C.B. ..	-	-	2	-	2	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	-	4	3	-	3	-
†BARRY	-	1	-	-	-	-
†CAERPHILLY ...	-	1	2	-	-	-
†GELLIGAER ..	-	1	1	-	-	-
†MAESTEG... ...	-	-	3	-	1	-
†MOUNTAIN ASH...	-	5	1	1	1	-
†NEATH	-	4	1	-	1	C. 1
†OGMORE AND GARW	-	3	1	-	2	-
†PONTYPRIDD ..	-	1	1	-	2	-
†PORT TALBOT ...	-	1	1			-
†RHONDDA ...	-	14	5	-	12	N. 2
Rural Districts:—						
CARDIFF	-	-	1	-	-	-
LLANTRISANT AND LLANTWIT FARDRE	-		1		-	-
NEATH	-	2	1	-	4	-
PENYBONT ...	-	1	-	-	-	-
PONTARDAWE ...	-	-	1	-	-	-
SWANSEA... ..	-	-	1	-	-	-
MERIONETH ...	-	-	2	-	-	-
Urban Districts:—						
FFESTINIOG ..	-	-	1	-	-	-
Rural Districts:—						
DEUDRAETH ...	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	73	6	3	-	4	M. 1 N. 1
†NEWPORT C.B. ..	-	2	1	-	1	N. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	1	-	-	-	-	-
ABERGAVENNY ...	*	*	*	*	*	*
†ABERSYCHAN ...	35	2	-	-	-	-
†ABERTILLERY ...	3	-	1	-	-	-
†BEDWELLTY ...	-	-	1	-	2	-
†BLAENAVON ...	26	-	-	-	-	-
†EBBW VALE ...	-	1	-	-	1	-
LLANFRECHFA UPPER	1	-	-	-	-	-
†PANTEG	1	-	-	-	-	-
PONTYPOOL ...	6	-	-	-	-	-
†TREDEGAR ...	-	1	-	-	-	M. 1
MONTGOMERY...	-	1	-	-	1	-
Rural Districts:—						
MACHYNLLETH ...	-	1	-	-	-	-
NEWTOWN AND LLANIDLOES	-	-	-	-	1	-
PEMBROKE ...	-	-	2	-	-	C. 1 G. 1 J. 1
Boroughs and Urban Districts:—						
FISHGUARD ...	-	-	1	-	-	-
HAVERFORDWEST.	-	-	1	-	-	-
†PEMBROKE ...	-	-	-	-	-	G. 1
Rural Districts:—						
HAVERFORDWEST.	-	-	-	-	-	C. 1 J. 1
Total of Part II. ...	269	1162	602	69	860	C. 3 D. 1 E. F. G. 2 J. L. M. 10 N. 10

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
ERPOOL	–	–	–	–	1	–	SOUTHAMPTON ...	–	–		–	–	L. 1
							Total of Part III. ...	–	–	–	–	1	L. 1

* Returns not received. † Population over 10,000.

uerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
ontinued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	
Total of Part I.—London	2	249	236	6	112	C D E G I M N
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	269	1162	602	69	860	C D E F G J L M N
Total of Part III.—Port Sanitary Districts	–	–	–	–	1	L
Total (*i.e.*, of returns received), England and Wales ...	271	1411	838	75	973	C D E F G J L M N

‡ The letters in this column denote the following diseases:—A, Cholera; B, Pla
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute
encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Cont
Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyr
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

).—LONDON and GREAT TOWNS in the EGATE.* } BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

k ended :—	Feb. 19.	Feb. 26.	Mar. 5	Mar. 12.	Mar. 19.	Mar. 26.	Apl. 2.	Apl.* 9.	Apl.* 16	Apl.* 23.	Apl.* 30.	May* 7	May* 14.
:—													
-all ages	1,652	1,277	1,240	1,114	1,114	1,068	959	980	944	975	980	959	857
0 to 1 year ..	122	101	91	97	100	105	87	98	94	114	98	79	79
TOWNS, aggre- including Lon-													
.. .. ..	7,015	6,490	6,760	6,834	7,047	6,248	6,935	6,899	6,049	6,619	7,602	7,102	6,994
-all ages	8,411	7,824	7,080	5,980	5,327	4,990	4,656	4,625	4,316	4,340	4,253	4,347	4,017
0 to 1 year ..	857	802	696	612	588	561	486	560	498	496	459	427	395
FEVER—Cases	7	13	21	14	14	8	22	16	14	22	18	19	20
" Deaths	3	4	2	1	4	1	2	2	3	1	—	3	—
OX—Cases ..	81	97	93	81	80	82	97	84	70	56	66	73	55
Deaths ..	—	—	—	—	—	1	—	—	—	—	—	4	1
FEVER—Cases	729	675	677	676	763	720	766	763	711	700	652	813	840
Deaths	4	8	5	8	2	6	5	2	6	4	5	4	5
RIA—Cases ..	695	720	712	723	681	713	670	677	496	516	493	529	599
Deaths ..	29	41	62	43	30	35	25	28	30	27	31	25	30
—Deaths ..	73	59	73	72	52	71	79	76	89	81	68	57	57
ZA—Deaths ..	987	1,023	898	572	342	224	160	120	96	82	71	57	47

the weeks ended April 9th, and afterwards the figures relate to 107 Great Towns instead of 105, owing to sion of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday 14th May, 1927. (*Supplied by the Meteorological Office.*)

NS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
WICH).	72	36	65·1	42·9	1	HUDDERSFIELD	69	36	56·3	38·3	3
..						BRADFORD ..	69	34	55·9	39·9	3
TH ..	76	35	59·9	45·9	4	SHEFFIELD ..	70	38	57·1	40·9	3
	72	41	62·0	47·2	3	YORK (MUSEUM)	70	37	57·0	40·6	9
ATON).	67	36	57·1	41·4	1	HULL (PEARSON PARK).	66	35	55·9	39·4	4
..	67	40	60·3	47·3	1	TYNEMOUTH ..	57	39	49·7	41·0	11
(IFTON).	77	40	61·0	44·0	7	CARDIFF.. ..	72	38	60·1	43·7	15
AM ASTON).	72	38	58·7	40·9	4						
AM ..	70	37	58·6	41·4	0·3	EDINBURGH ..	59·0	35·0	49·4	39·1	7
CAD	72	39	59·1	44·6	1	GLASGOW ..	74·0	33·2	55·4	40·7	12
OSTON).						DUBLIN (PHŒNIX PARK).	65·8	35·8	58·6	44·3	7
TER WORTH PARK).	73	39	57·3	43·4	3	(FITZWILLIAM SQUARE†).	65·0	40·0	59·1	47·1	1
.. ..	73	35	58·9	40·6	5	BELFAST.. ..	75·0	39·5	63·3	44·1	?

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 14th May, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	8	First Quarter.	29·930	70·5	50·2	20·3	60·1	+ 9·1	48·1	12·0	21·2	1·8	6	138·3	40·5	48·4	NNE: NE: ENE.	E: ENE.	2·0	0·0	0·2	286	+ 22	0·00
MONDAY -	9	..	29·919	72·1	46·0	26·1	58·4	+ 7·2	44·7	13·7	30·6	2·0	61	142·8	35·0	48·6	NE: ENE.	E: ENE.	1·1	0·0	0·1	218	− 41	0·00
TUESDAY -	10	..	30·119	57·4	42·4	15·0	48·9	− 2·6	37·7	11·2	16·9	3·9	65	115·0	36·0	48·9	NNE	NE	3·2	0·0	0·3	383	+ 128	0·00
WEDNESDAY	11	..	30·225	58·3	37·0	21·3	46·0	− 5·8	31·2	14·8	26·7	5·1	56	142·0	21·4	49·0	NE	NE: E: Calm.	1·5	0·0	0·1	253	− 0	0·00
THURSDAY -	12	Apogee	29·987	60·6	36·2	24·4	48·9	− 3·2	36·4	12·5	21·6	3·8	62	122·6	21·0	49·1	WSW: NW.	NNW: NNE.	1·7	0·0	0·1	277	+ 21	0·00
FRIDAY -	13	In Equator	30·048	54·3	41·1	13·2	46·6	− 5·8	30·1	16·5	26·2	4·2	52	112·9	28·3	49·1	NNE: N.	N: ENE: SE.	1·2	0·0	0·1	196	− 66	0·00
SATURDAY -	14	..	29·854	65·6	43·1	22·5	53·6	+ 1·0	42·0	11·6	22·6	4·6	65	130·8	31·2	49·1	SSW: SW.	SW: SSW.	1·9	0·0	0·2	302	+ 31	0·00
MEANS -		..	30·012	62·7	42·3	20·4	51·8	− 0·0	38·6	13·2	23·7	3·6	61	129·2	30·5	48·9	ENE		..	..	..	Sum 1915	Sum + 95	Sum 0·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	8	wP.	13·2	15·2	Nearly cloudless. Mist 4h. till 12h.
MONDAY ..	9	wP.	12·8	15·2	Nearly cloudless generally till 23h., then becoming overcast.
TUESDAY ..	10	wP till 7h.; mP till 22h.; then wP.	1·1	15·2	Nearly overcast.
WEDNESDAY	11	wP till 6h.; mP till 18h.; then wP.	9·6	15·3	Nearly overcast till 12h.; then partially cloudy. Clearing from 19½h. to cloudless by 21h. Slight hoar frost at night.
THURSDAY	12	wP till 7h.; mP till 16½h.; then wP.	6·6	15·3	Cloudless till 8½h.; very cloudy till 11½h.; then overcast. Haze 5h. till 15h. Damping 23¼h.
FRIDAY ..	13	wP till 6h.; mP till 20h., then wP.	4·4	15·4	Overcast till 7h.; cloudy till 9h.; then nearly overcast generally. Shower 2¼h. Lunar halo 21h.
SATURDAY	14	wP.	3·4	15·5	Nearly overcast with few slight breaks. Partial solar halo 18¾h. till 19¼h. Shower 22¾h.
			Sum 51·1	Sum 107·1	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·01 ins. at the beginning of the week to 29·90 ins. by 15h. on 9th; increased to 30·27 ins. by 8h. on 11th; decreased to 29·94 ins. by 15h. on 12th; increased to 30·07 ins. by 8h. on 13th; decreased and was 29·76 ins. by midnight on the 14th.

THE 1921
CENSUS

THE decennial census of England and Wales provides a wealth of statistical data relating to an exceptionally wide range of social conditions and activities and so furnishes matter of the greatest value for the solution of a vast number of current political and economic problems.

Encyclopædic in scope, the volumes are a storehouse of information of the most detailed nature and of exceptional accuracy which can be put to an extraordinary range and variety of uses. They have proved, for instance, of signal service in industry and commerce and to advertisers anxious to obtain quantitative data on which to base production and selling campaigns. Each County in England and Wales is surveyed separately and the figures relating to them are published in 52 volumes of foolscap folio size.

Ten general volumes are devoted to a grouping of statistics to illustrate the Industrial and Occupational divisions of the country and such special relationships as Dependency Orphanhood, etc. A general Report on the Census as a whole is in course of preparation.

The complete set of volumes originally cost £34 4s. net and it has been decided to offer the few sets that remain at the exceptionally low price of £12 net, postage extra.

The series may be ordered at this price at any of the sale offices of H.M. Stationery Office.

LONDON: Adastral House, Kingsway, W.C.2.
MANCHESTER: York Street.
EDINBURGH: 120, George Street.
CARDIFF: 1, St. Andrew's Crescent.
BELFAST: 15, Donegall Square West.

FOR OFFICIAL USE

1927. No. 20.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 21ST MAY, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.

Price 6d. net.

70-137-20-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 21st MAY, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the twentieth week of the year numbered 7,045 and corresponded to an annual rate of 18·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,946 and corresponded to an annual rate of 10·5 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 11·3, 11·6 and 10·7. Infant mortality based on the average weekly number of births during the last 52 weeks, was 55 per 1,000 births against 67, 63 and 58 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,563 births, corresponding to a rate of 17·7 per 1,000, and 871 deaths of civilians, corresponding to an annual rate of 9·9, against 11·1, 10·9 and 9·7 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·4 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 46 as against 64, 52 and 52 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,017 to 3,946. In London the number of deaths from all causes increased from 857 to 871 and the deaths from whooping cough numbered 13 as against 11, 13 and 8 in the three weeks preceding.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in th week ended 21st May, 1927.

TOWNS.	ESTIMATED POPULATION, Mid. 1926.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
107 GREAT TOWNS ..	19,540,143*	7,045	3,946	376	1	57	12	31	18	43
LONDON	4,605,400*	1,563	871	71	1	2	-	13	6	3
TOWNS IN OUTER RING.										
CROYDON C.B. ..	205,900	61	43	1	-	-	1	1	-	-
WIMBLEDON ..	58,030	11	8	-	-	-	-	-	-	-
EALING ..	91,783	32	17	1	-	-	-	-	-	-
ACTON	63,040	9	9	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK† ..	56,840	15	15	3	-	-	-	-	-	-
WILLESDEN ..	165,270	49	27	1	-	-	-	-	1	-
HENDON	62,570*	19	9	1	-	-	-	-	-	-
HORNSEY	87,230	21	15	2	-	-	1	-	-	-
WOOD GREEN ..	51,940	13	5	-	-	-	-	-	-	-
TOTTENHAM ..	151,520	50	22	1	-	-	-	-	-	-
EDMONTON	71,700	42	12	2	-	-	-	-	-	-
ENFIELD	63,640	24	17	1	-	-	-	-	-	-
WEST HAM C.B. ..	315,900	138	55	8	-	-	-	1	1	-
EAST HAM C.B. ..	146,600	42	21	3	-	-	-	1	-	1
LEYTON	130,000	31	21	2	-	-	-	1	-	-
WALTHAMSTOW ..	125,500	22	11	-	-	-	-	-	-	-
ILFORD	100,500	32	13	-	-	-	-	-	-	-
GILLINGHAM	47,820*	18	3	1	-	-	-	-	-	-
CANTERBURY C.B ..	23,470*	6	10	-	-	-	-	-	-	-
HASTINGS C.B.	61,340	17	21	1	-	-	-	-	-	1
EASTBOURNE C.B. ..	56,060	14	9	-	-	-	-	1	-	-
BRIGHTON C.B.	139,500*	36	35	2	-	1	-	-	-	-
PORTSMOUTH C.B. ..	231,500*	101	60	6	-	3	-	-	-	-
BOURNEMOUTH C.B. ..	90,100	34	19	1	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	169,300	66	42	4	-	-	1	-	-	1
READING C.B	93,090*	31	18	1	-	-	-	-	-	-
OXFORD C.B.	56,800	36	5	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,530*	31	13	-	-	1	-	1	-	-
LUTON	59,240	16	10	-	-	-	-	-	-	-
CAMBRIDGE	58,820	23	8	1	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	104,300	36	16	3	-	-	-	-	-	-
IPSWICH C.B.	84,140	26	17	2	-	-	-	-	-	1
GREAT YARMOUTH C.B.	57,760	16	12	-	-	-	-	-	-	-
NORWICH C.B.	123,500*	47	25	2	-	2	-	-	-	1
SWINDON	57,320	13	7	-	-	-	-	-	-	-
EXETER C.B.	60,340*	23	10	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	187,300*	93	36	1	-	-	1	1	-	-
BATH C.B.	69,000	20	19	-	-	-	-	-	-	-
BRISTOL C.B.	383,300*	139	64	5	-	-	-	-	-	-
GLOUCESTER C.B. ..	53,050	16	17	1	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	275,600	116	57	7	-	2	-	-	-	2
BURTON-UPON-TRENT C.B.	48,660	27	10	-	-	-	-	-	1	-
WOLVERHAMPTON C.B.‡	131,000	62	23	2	-	-	-	-	-	-
WALSALL C.B.	102,100	44	22	5	-	-	-	1	-	-
WEST BROMWICH C.B.	79,920	34	13	2	-	1	-	-	-	-
DUDLEY C.B.	58,930	31	7	2	-	-	-	-	-	-
WORCESTER C.B. ..	50,660	14	12	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	934,300*	390	198	30	-	3	1	-	1	5
SMETHWICK C.B. ..	76,940	14	10	1	-	-	1	-	-	-
COVENTRY C.B. ..	127,800	49	20	1	-	-	-	-	1	-
LEICESTER C.B. ..	241,700	84	54	5	-	-	-	1	-	-
LINCOLN C.B.	65,760*	19	10	1	-	-	-	-	-	-
GRIMSBY C.B.	88,580	44	11	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	268,000	95	56	4	-	1	-	-	-	2
DERBY C.B.	136,600*	36	21	1	-	-	-	-	-	-
CHESTERFIELD ..	66,650	22	11	1	-	-	1	-	-	-
STOCKPORT C.B. ..	125,400	33	19	2	-	-	1	-	-	1
CHESTER C.B.	41,710	12	8	2	-	-	-	-	-	1
BIRKENHEAD C.B. ..	158,000	68	29	-	-	-	-	-	-	-
WALLASEY C.B. ..	93,050	34	16	3	-	-	-	1	-	-
LIVERPOOL C.B. ..	862,600	380	191	18	-	10	-	2	-	3
BOOTLE C.B.	84,580	36	10	2	-	-	-	-	-	1
ST. HELENS C.B. ..	110,000	45	23	3	-	5	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B. ..	77,970	21	14	1	-	-	-	-	-	-	-
IGAN C.B.	88,620	43	26	8	-	3	-	-	-	2	1
ARRINGTON C.B. ..	76,940*	31	9	2	-	-	-	-	-	-	-
OLTON C.B.	177,000	48	39	2	-	-	-	-	-	-	-
RY C.B.	56,840*	15	19	3	-	1	-	-	-	1	-
ANCHESTER C.B. ..	752,000	289	171	21	-	-	1	3	1	2	2
LFORD C.B.	247,400	108	42	5	-	-	-	-	-	1	-
HTON-UNDER-LYNE§	51,050	17	11	3	-	-	-	-	-	-	-
DHAM C.B.	143,000	41	45	4	-	-	-	1	2	1	1
OCHDALE C.B.	91,510	20	25	3	-	-	-	-	-	-	1
RNLEY C.B	99,600	33	24	5	-	1	-	-	-	1	2
ACKBURN C.B. ..	124,400	34	30	2	-	-	-	-	-	1	-
ESTON C.B.	124,200	31	32	4	-	1	-	-	-	1	-
ACKPOOL C.B. ..	88,640	25	27	-	-	-	-	-	-	-	-
RROW-IN-FURNESS C.B.	70,420	36	12	1	-	-	-	-	-	-	-
DDERSFIELD C.B. ..	111,900	39	24	2	-	1	-	-	-	-	-
LIFAX C.B.	96,130*	26	37	4	-	4	-	-	-	-	-
ADFORD C.B. ..	288,700	75	79	6	-	3	-	-	-	1	1
EDS C.B.	473,400	176	108	9	-	-	-	1	2	1	4
WSBURY C.B. ..	53,630	13	15	2	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,830	14	7	-	-	-	-	-	-	-	-
RNSLEY C.B. ..	70,760	25	9	-	-	-	-	-	-	-	-
EFFIELD C.B. ..	523,300*	163	104	4	-	-	1	-	-	-	2
THERHAM C.B. ..	70,080	21	12	3	-	-	-	-	-	-	-
NCASTER C.B.‡ ..	55,700	16	18	1	-	1	-	-	-	-	-
RK C.B.	84,430*	33	21	1	-	-	-	-	-	-	-
LL C.B.	294,600	127	58	5	-	-	1	-	-	1	-
DDLESBROUGH C.B.	133,600	64	16	2	-	-	-	-	-	-	1
RLINGTON C.B. ..	70,700	27	14	-	-	-	-	-	-	-	-
OCKTON-ON-TEES ..	67,910	26	21	2	-	1	-	-	1	-	1
ST HARTLEPOOL C.B.	71,060	19	19	4	-	-	-	-	-	-	-
NDERLAND C.B. ..	163,800	66	47	6	-	1	-	-	-	-	1
TH SHIELDS C.B. ..	123,900	51	32	5	-	1	-	-	-	2	-
TESHEAD C.B. ..	127,700	49	27	3	-	1	1	-	-	1	-
WCASTLE-ON-TYNE C.B.	284,700*	124	60	9	-	1	-	-	-	2	-
NEMOUTH C.B ..	66,560	29	13	4	-	-	-	-	-	-	-
RLISLE C.B.	56,140*	26	15	1	-	-	-	-	-	-	-
WPORT (MON.) C.B.	96,620	49	16	2	-	1	-	-	-	-	-
RDIFF C.B.	225,600*	92	43	6	-	-	-	-	-	2	-
ONDDA	162,500	54	34	3	-	2	-	-	-	-	-
RTHYR TYDFIL C.B.	80,690	28	20	3	-	-	-	1	1	-	-
RDARE	56,930	22	18	-	-	-	-	-	-	-	-
ANSEA C.B.	163,200	61	35	5	-	3	-	-	-	-	1
EATER LONDON ..	7,791,310*	2,576	1,405	111	1	2	3	22	8	5	14
TER RING	3,185,910*	1,0 3	534	40	-	-	3	9	2	2	7
GREAT TOWNS IN UTER RING	1,947,963*	611	320	26	-	-	2	4	2	1	6
MAINDER OF OUTER ING	1,237,947*	402	214	14	-	-	1	5	-	1	1
NBURGH†	426,100	166	120	12	-	1	1	2	1	2	-
SGOW†	1,049,000	516	296	41	-	-	2	13	-	3	5
BLIN (REGISTRATION REA)†	421,000	267	123	12	1	-	-	2	-	-	1
FAST†	416,000	228	120	20	-	-	-	5	2	2	3

* Population adjusted by the exclusion of non-civilians.
† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into the institutions from without the respective areas.
‡ Created County Borough 1st April, 1927.
§ Ashton-under-Lyne M.B as extended 1st April, 1927.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths. Exclusive of Still born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa
		1927.										
London‡	4,805,400	May 21	1563	871	9·9	1	-	2	-	13	6	
		1926–27.										
Calcutta and Suburbs	1,077,264	April 9	?	828‖	40·0	?	172	?	?	?	?	
		„ 16	?	883	42·6	?	166	?	?	?	?	
Bombay§	1,298,708	April 30	386	544‖	21·8	1	32	2	-	-	-	
Madras	528,791	„ 16	357	371	36·5	3	1	-	-	-	-	
		„ 23	517	467	45·9	5	1	-	-	2	1	
Sydney and Suburbs	1,038,950	„ 30 (30 days)										
Brisbane (Metropolitan Area).	274,260	Mar. 30 (30 days)										
Perth (Metropolitan Area).	179,388	April 9										
Auckland (Urban Area).	192,176	Mar. 30 (30 days)										
Wellington (Urban Area).	121,324	Mar. 30 (30 days)										
Christchurch (Urban Area).	118,408	Mar. 30 (30 days)										
Cape Town	115,348	April 16	60	16	7·2	-	-	-	-	-	-	
		„ 23	48	18	8·1	-	-	-	-	-	-	
Johannesburg	172,189	„ 23	83	42	12·7	1	-	-	-	2	1	
		„ 30	85	37	11·2	1	-	-	-	-	-	
Durban	54,738	„ 23	22	14	13·3	-	-	-	-	-	-	
		„ 30	17	14	13·3	-	-	-	-	-	-	
Paris	2,871,429	May 10 (10 days)										
Antwerp	301,283	April 16	92	56	9·8	-	-	2	-	-	2	
		„ 23	94	58	10·0	-	-	3	-	-	-	
Amsterdam	728,799	„ 30	246	140	10·0	-	-	7	-	1	-	
Copenhagen	592,000	May 7	194	148	13·0	-	-	-	-	-	1	
Stockholm	453,332	April 30	107	100	11·5	-	-	-	-	-	-	
Gothenburg	231,624	„ 9	?	22	4·9	-	-	-	-	1	-	
		„ 16	?	44	9·9	-	-	-	-	-	-	
Oslo (Christiania) ..	255,724	May 14	53	56	11·4	-	-	-	-	-	-	
Berlin	2,003,000	April 30	352	448	11·6	-	?	1	2	1	5	
Breslau	564,000	„ 30	172	112	10·3	-	?	1	-	1	-	
Cologne	716,000	„ 30	193	127	9·2	1	?	7	1	3	2	
Dresden	626,000	„ 30	148	126	10·5	-	?	-	-	-	-	
Frankfort-on-Main..	473,000	„ 30	116	75	8·2	-	?	-	-	-	-	
Hamburg	1,101,000	„ 30	291	252	11·9	-	?	-	1	-	1	
Leipzig	687,000	„ 30	185	132	10·0	-	?	1	-	-	-	
Munich	685,000	„ 30	146	142	10·8	-	?	1	-	1	-	
Vienna	1,871,607	June 30 (30 days)										
Prague and Suburbs	725,196	Oct. 31 (31 days)										
Budapest	971,169	May 7	313	239	12·8	1	-	1	2	1	6	
Warsaw	1,028,982	„ 7	?	274	13·9	2	-	3	4	3	2	
Cairo	859,400	Jan. 7										
Alexandria	492,100	„ 7										
New York	5,924,018	May 7	?	1536	13·5	1	-	2	4	4	16	
Chicago	3,101,000	„ 6	1229	720	12·1	1	-	6	2	1	7	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 74 and 127 deaths from Cholera in Calcutta and 13 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 21st May, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	871	71	14	15	25	31	43	63	87	148	199	175
Enteric fever..	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	13	6	6	1	-	-	-	-	-	-	-	-
Diphtheria	6	-	1	4	1	-	-	-	-	-	-	-
Influenza	7	-	-	-	-	-	3	-	1	1	1	1
Erysipelas	2	-	-	-	-	-	-	-	-	1	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	63	-	-	-	-	15	11	14	12	8	3	-
Nervous system	9	2	1	2	2	1	1	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	7	1	-	1	2	2	1	-	-	-	-	-
Venereal diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	134	-	-	-	-	-	2	13	18	30	48	23
Rheumatic fever	5	-	-	-	1	-	-	1	2	-	1	-
Diabetes	6	-	-	-	-	1	-	-	-	2	2	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	1	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	47	-	-	-	-	-	-	1	5	14	8	19
Epilepsy	2	-	-	-	-	-	-	-	-	1	1	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	29	1	-	-	2	1	4	3	3	5	7	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	7	-	-	-	1	-	1	4	-	1	-	-
Other diseases of heart	138	-	-	-	1	2	6	5	13	22	58	31
Other diseases of circulatory system	57	-	-	-	-	-	-	-	2	8	23	24
Bronchitis	31	1	1	-	-	-	2	1	2	4	11	9
Broncho-pneumonia	25	6	3	1	1	-	-	1	2	5	4	2
Lobar-pneumonia	21	-	-	3	2	2	2	2	2	3	3	2
Pneumonia (type not distinguished)	6	-	-	-	1	-	-	1	2	2	-	-
Other diseases of respiratory system	12	-	-	-	-	-	-	-	2	2	2	6
Diarrhœa and enteritis	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	5	-	-	-	2	1	-	-	-	2	-	-
Hernia, Intestinal obstruction	12	1	-	-	-	-	1	-	1	-	2	7
Cirrhosis of liver	8	-	-	-	-	-	-	2	-	5	1	-
Other diseases of digestive system ..	22	1	-	-	-		1	5	7	3	5	-
Acute nephritis	2	1	-	-	-	-	-	1	-	-	-	-
Chronic Bright's disease	38	-	-	-	1	3	1	1	5	13	7	7
Other diseases of genito-urinary system.	10	-	-	-	1	-	1	1	-	3	1	3
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	3	-	-	-	-	-	2	1	-	-	-	-
Congenital malformations	7	7	-	-	-	-	-	-	-	-	-	-
Premature birth	18	18	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	27	-	-	-	-	-	-	-	-	-	3	24
Suicide	10	-	-	-	-	-	-	2	3	3	-	2
Burns and Scalds	3	-	-	1	-	-	-	-	-	-	-	2
Drowning	1	-	-	1	-	-	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	16	-	1	-	4	1	1	1	2	1	4	1
Other deaths by violence	8	1	-	-	-	-	1	-	1	2	-	3
Other specified causes	39	15	-	1	1	2	1	3	2	6	3	5
Ill-defined causes	1	-	-	-	-	-	-	-	-	1	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 21st May, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	1	232	229	5	96	C. 3 D. 3 E. 1 M. 8 N. 12
†CITY OF LONDON		-	1			-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	4	14	-	3	M. 1
†BERMONDSEY ...		5	4	-	2	-
†BETHNAL GREEN		7	4	-	3	-
†CAMBERWELL ...		11	13	-	2	-
†CHELSEA	-	3	4	-	1	M. 3
†DEPTFORD ...		6	6		1	N. 1
†FINSBURY ...		4	3	-	-	-
†FULHAM		9	9	-	4	-
†GREENWICH ...		8	10	-	3	E. 1
†HACKNEY ...	1	9	11	1	-	N. 3
†HAMMERSMITH ...	-	3	7	-	3	M. 1 N. 1
†HAMPSTEAD ...	-	1	3	1	-	C. 1
†HOLBORN... ...	-	1	-	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...		23	17	-	5	D. 1 M. 1 N. 2
†KENSINGTON ...		5	5	-	6	N. 2
†LAMBETH ...		17	10	1	8	N. 1
†LEWISHAM ...		14	9	-	4	-
†PADDINGTON ...	-	4	10	-	2	-
†POPLAR	-	13	10	-	6	D. 1 M. 1
†ST. MARYLEBONE		3	6	1	-	-
†ST. PANCRAS ...		10	6	1	5	-
†SHOREDITCH ...		8	9	-	2	-
†SOUTHWARK ...		12	12	-	3	N. 1
†STEPNEY		21	18	-	7	C. 1 N. 1
†STOKE NEWINGTON	-	5	-	-	-	M. 1
†WANDSWORTH ...	-	9	17	-	18	C. 1
†WESTMINSTER, CITY OF	-	4	2	-	1	-
†WOOLWICH ...	-	13	9	-	7	D. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	8	1	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	6	–	–	1	–
DUNSTABLE ...	–	–	1	–		–
KEMPSTON ...	–	1	–	–	–	–
†LUTON	–	1	–	–	–	–
Rural Districts:—						
BIGGLESWADE ...	–	–	–		1	–
BERKS	–	9	2	2	2	C. 1 G. 1
†READING C.B. ...	–	4	1	–	1	C. 1
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	–	–	–	–	G. 1
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	1	–	1	–	–
EASTHAMPSTEAD	–	–	–	1	1	–
FARINGDON (part)	–	–	1	–	–	–
WALLINGFORD ...		2	–	–	–	–
WINDSOR... ...	–	1	–	–	–	–
BUCKINGHAM...	–	2	–	–	5	G. 1 N. 2
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	–	–	–	–	G. 1
†SLOUGH	–	–	–	–	1	N. 1
†WOLVERTON ...	–	2	–	–	1	–
Rural Districts:—						
AMERSHAM ...	–	–	–	–	2	–
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	5	3	–	1	G. 1
Borough:—						
†CAMBRIDGE ..	–	4	3		–	G. 1
Rural Districts:—						
CHESTERTON ...	–	–	–		1	–
LINTON	*	*	*	*	*	*
NEWMARKET ...	–	1	–	–	–	–
CHESTER ...	–	41	9	–	21	C. 2 E. 1 G. 4 M. 3 N. 8
†BIRKENHEAD C.B.		5	1		2	C. 1 G. 1 M. 1
†CHESTER C.B. ...	–	2	–	–	6	G. 1 N. 2
†STOCKPORT C.B.	–	9	2	–	3	C. 1 N. 2
†WALLASEY C.B. ...	–	5	1	–	–	G. 1
Boroughs and Urban Districts:—						
ALDERLEY EDGE	*	*	*	*	*	*
†ALTRINCHAM ...	–	1	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	N. 1
BOLLINGTON ...	–	1	–	–	1	
BUGLAWTON ...	–	1	–	–	–	–
†CONGLETON ...	–	2	–	–	2	–
†CREWE	–	4	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	–	–	–	–	G. 1
HOLLINGWORTH	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	1	–	–	N. 1
†HYDE	–	–	1	–	2	–
KNUTSFORD ...	–		–	–	–	N. 1
†MACCLESFIELD ...		–	1	–	2	–
NANTWICH ...	–	–	–	–	–	E. 1
†NORTHWICH ...	–	1	–	–	–	–
†SALE	–	–	1	–	–	
†STALYBRIDGE ...	–	1	–		–	M. 1
WILMSLOW ...	–	–	–	–	–	M. 1
†WINSFORD ...	–	–	–		–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
NANTWICH ...	–	2	–	–	1	–
RUNCORN ...	–	2		–	–	–
TARVIN	–	3	–	–	–	–
CORNWALL ...	–	9	2	1	1	G. 1 N. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	1	1	–	–
LOOE	–	–	–		–	G. 1
ST. IVES	–	9	–	–	–	–
Rural Districts:—						
BODMIN	–	–	–	–	–	N. 1
CAMELFORD ...	*	*	*	*	*	*
LAUNCESTON ...	–	–	–	–	1	–
REDRUTH ...	–	–	1		–	–
CUMBERLAND...	–	6	2	1	2	M. 1 N. 1
†CARLISLE C.B. ...	–	1	–		–	N. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	1	–	–	–	–
COCKERMOUTH ...	*	*	*	*	*	*
HOLME CULTRAM	–	3	–	–		–
KESWICK	–	–	–	1	–	M. 1
MILLOM	–	–	–	–	1	–
PENRITH	–	–	1	–	–	–
Rural Districts:—						
CARLISLE ...	–	–	–	–	1	–
COCKERMOUTH ...	*	*	*	*	*	*
WHITEHAVEN ...	–	–	1	–	–	–
WIGTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	5	28	21	–	19	M. 3 N. 1
†DERBY C.B. ...	–	7	6	–	4	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	3	–
ALVASTON AND BOULTON	–	1	–	–	–	–
†BOLSOVER ...	–	1	2	–	1	M. 1
†BUXTON	–	–	–	–	–	N. 1
†CHESTERFIELD ...	–	2	1	–	–	M. 1
†HEANOR	–	4	–		1	–
†ILKESTON ...	–	2		–	1	–
†LONG EATON ...	–	1	1	–	–	M. 1
NEW MILLS ...		–	1	–	–	–
†RIPLEY	3	–	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	3	–	1	–
WIRKSWORTH ...	–	–	–	–	1	–
Rural Districts:—						
BELPER	–	–	1	–	–	–
BLACKWELL ...	2	5	1	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ..	–	2	1	–	4	–
GLOSSOP DALE ...	–	–	–	–	1	–
HARTSHORN AND SEALS	–	–		–	1	–
NORTON	–	–	1	–	–	–
SHARDLOW ...	–	1	–	–	1	–
SUDBURY... ...	–	–	2	–	–	–
DEVON	–	10	4	–	6	G. 1 N. 3
†EXETER C.B. ...	–	–	–	–	–	N. 1
†PLYMOUTH C.B....	–	5	4	–	5	–
Boroughs and Urban Districts:—						
BIDEFORD ...	–	1	–	–	–	–
CREDITON ...	–	1	–		–	–
SOUTH MOLTON...	–	–	–	–	–	N. 1
†TEIGNMOUTH ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	–	G. 1
PLYMPTON ST. MARY	–	2	–	–	–	N. 1
DORSET	–	4	–	1	–	N. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	1	–	–	–	–
†POOLE	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS		–	–	1	–	N. 1
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
DURHAM ...	152	47	26	–	46	C. 2 G. 2 M. 6 N. 1
†DARLINGTON C.B.	–	4	–	–	–	–
†GATESHEAD C.B.	9	6	3	–	3	M. 1
†SOUTH SHIELDS C.B.	29	2	–	–	9	–
†SUNDERLAND C.B.	–	2	4	–	8	G. 1 M. 2
†WEST HARTLEPOOL C.B.	–	3	2	–	2	C. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	1	–	–	1	–
BENFIELDSIDE ...	–	1	–	–	1	–
BILLINGHAM ...	–	–	–	–	1	–
†BISHOP AUCKLAND	1	1	–	–	–	–
†BLAYDON... ...	1	–	1	–	–	–
†BRANDON AND BYSHOTTLES	2	–	–	–	–	–
†CHESTER LE STREET	6	–	–	–	–	–
†CONSETT	–	1	–	–	–	–
†CROOK	1	1	–	–	–	–
†FELLING	8	1	–	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts— *cont.*						
†HARTLEPOOL ...	–	–	1	–	1	–
†HEBBURN ...	–	1	–	–	1	–
†HETTON	7	–	–	–	1	–
†HOUGHTON LE SPRING	1	–	–	–	1	–
†JARROW	11	1	–	–	1	–
†RYTON	–	2	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	1	–
†SHILDON	2	2	–	–	–	G. 1
†SOUTHWICK ON WEAR	–	–	–	–	4	–
†SPENNYMOOR ...	–	–	2	–	–	–
†STANLEY	3	3	2	–	–	N. 1
†STOCKTON ON TEES	–	6	3	–	3	–
TOW LAW ...	1	–	–	–	–	–
†WASHINGTON ...	–	–	1	–	–	–
WILLINGTON ...	–	–	2	–	1	–
Rural Districts:—						
AUCKLAND ...	9	2	–		–	–
CHESTER LE STREET	22	1	2	–	2	–
DARLINGTON ...	*	*	*	*	*	*
DURHAM	1	–	–	–	1	M. 1
EASINGTON ...	19	2	–	–	1	C. 1 M. 1
HOUGHTON LE SPRING	1	–	–	–	–	–
LANCHESTER ...	2	1	3	–	1	–
SEDGEFIELD ...	7	–	–	–	–	M. 1
SOUTH SHIELDS...	8	–	–	–		–
SUNDERLAND ...	–	–	–		2	–
WEARDALE ...	–	2	–	–	–	–
ELY, ISLE OF ...	–	1	–	–	–	–
Rural Districts:—						
ELY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	-	136	37	1	40	C. 2 E. 1 G. 1 M. 7 N. 3
†EAST HAM C.B. ..	-	18	5	-	8	F. 1
†SOUTHEND-ON-SEA C.B.		2	-	-	2	M. 1
†WEST HAM C.B. ..	-	32	7	-	11	M. 1 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	5	-	-	2	-
BRAINTREE ...	-	1	-	-	-	-
BRENTWOOD ...	-	1	-	-	-	-
BRIGHTLINGSEA	-	-	-	-	1	-
†CHELMSFORD ...	-	5	-	-	-	-
CHINGFORD ...	-	-	-	-	1	-
†CLACTON	-	2	-	-	-	C. 1
†COLCHESTER ...	-	-	-	-	1	G. 1
DAGENHAM ...	-	11	4	-	-	C. 1 M. 1
†GRAYS THURROCK	-	2	-	-	1	-
HALSTEAD ...	-	1	-	-	-	-
†HORNCHURCH ...	-	1	-	-	-	-
†ILFORD	-	5	1	-	1	-
†LEYTON	-	11	8	-	-	-
†ROMFORD ...	-	1	1	-	-	-
TILBURY	-	6	1		1	-
WALTHAM HOLY CROSS	-	1	1	-	-	-
†WALTHAMSTOW...	-	17	8		6	M. 3
†WANSTEAD ...	-	-	1	-	-	-
WITHAM	-	1	-	-	-	-
†WOODFORD ...	-	-	-	-	1	-
Rural Districts:—						
BILLERICAY ...	-	1	-	-	-	M. 1
BRAINTREE ...	-	1	-	-	-	-
BUMPSTEAD ...		1	-	-	-	-
CHELMSFORD ...	-	2	-	-	1	-
DUNMOW	-	1	-	-	-	-
EPPING	-	2	-	-	-	-
MALDON	-	-	-	-	1	-
ORSETT	-	3	-	-	-	-
ROCHFORD ...	-	-	-	1	-	N. 1
ROMFORD... ...	-	2	-	-	-	-
TENDRING ...	-	-	-	-	2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	-	39	15	1	11	C. 3 D. 1 G. 1 M. 3 N. 4
†BRISTOL C.B. ..	-	30	8	-	3	C. 2 M. 2 N. 2
†GLOUCESTER C.B.	-	1	-		-	-
Boroughs and Urban Districts:—						
CHARLTON KINGS	*	*	*	*	*	*
†CHELTENHAM ...		-	2	-	1	N. 1
COLEFORD ...	-	-	-		-	M. 1
†KINGSWOOD ...	-	-	-	-	-	N. 1
NAILSWORTH ...		1	-	-	1	-
TEWKESBURY	-	1	-	-	-	-
Rural Districts:—						
CHIPPING SODBURY	-	-	-	-	1	-
DURSLEY	-	-	2	-	1	-
EAST DEAN AND UNITED PARISHES	-	1	-	-	-	C. 1
GLOUCESTER ...	-	-		1	-	-
LYDNEY	-	-	-	-	2	-
STOW ON THE WOLD (part)	-	1	-	-	-	-
STROUD	-	2	1	-	-	D. 1 G. 1
THORNBURY ...	-	1	-	-	1	-
WARMLEY ...	-	1	-	-	-	-
WEST DEAN ...		-	-	-	1	-
WHEATENHURST	-	-	2	-	-	-
HEREFORD ...	-	1	-	-	5	D. 1 M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	-	-	-	-	-	M. 1
LEDBURY... ...	-	-	-	-	-	D. 1
LEOMINSTER ...	-	-	-	-	1	-
Rural Districts:—						
BROMYARD ...	-	-		-	2	-
ROSS	-	1	-	-	-	-
WIGMORE ...	-	-		-	2	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	3	2	3	9	G. 2
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD		1	–	–	–	–
†CHESHUNT ...	–	–	–	–	–	G. 1
†LETCHWORTH ...	–	–	–	–	2	–
ROYSTON	–	–	–	1	–	–
†ST. ALBANS ...	–	–	–	1	–	G. 1
SAWBRIDGEWORTH	–	1	–	–	–	–
WARE	–	–	1	–	–	–
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
ST. ALBANS ...	–	–	1		–	–
WATFORD ...	–	–	–	1	–	–
HUNTINGDON ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	1	–	–	–
HUNTINGDON ...	–	1	1	–	–	–
ST. IVES	–	1	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
KENT	–	47	29	5	13	D. 1 M. 4 N. 4
†CANTERBURY C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	–	N. 2
†BEXLEY	–	–	1		–	–
†BROMLEY ...	–	–	1	–	4	–
†CHATHAM ...	–	2	4	–		–
†CRAYFORD ...		1	–	–		–
†DARTFORD ...	–	1	2	–	–	–
†DOVER	–	2	–	–	–	N 1
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EBITH	–	6	3	–	–	–
†FOLKESTONE ...	–	1	2	1	–	–
†GRAVESEND ...	–	4	–	3	–	–
†HERNE BAY ...	–	–	–	–	1	–
HYTHE	–	–	2	–	–	–
†MAIDSTONE ...	–	6	–	–	–	–
†MARGATE ...	–	1	–	–	1	N. 1
†NORTHFLEET ...	–	4	2	–	–	–
†PENGE	–	1	1	–	–	–
†ROCHESTER ...	–	–	2	–	–	M. 1
†ROYAL TUNBRIDGE WELLS	–	–	–	–	–	M. 1
SANDWICH ...	–	2	–	–	–	–
SIDCUP	–	1	–	–	–	–
SOUTHBOROUGH	–	–	1	–	–	–
SWANSCOMBE ...	–	–	1	–	–	–
†TONBRIDGE ...	–	1	2	–	–	–
WHITSTABLE ...	–	–	2	–		–
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
DARTFORD	–	1	–		–	–
EAST ASHFORD ...	–	–	–	1	–	–
EASTRY	–	1	–	–	–	–
ELHAM	–	–	–	–	1	–
FAVERSHAM ..	–	1	–	–	–	–
HOLLINGBOURNE	–	–	–	–	–	D. 1
MALLING	–	2	2	–	3	–
MILTON	–	1	–	–	2	–
SEVENOAKS ...	–	–	–	–	–	M. 1
STROOD	–	1	–	–	–	–
TENTERDEN ...	–	1	–	–	–	–
TONBRIDGE ...	–	3	–	–	–	M. 1
LANCASTER ...	7	180	103	4	184	C. 5 E. 2 G. 9 L. 2 M. 22 N. 8
†BARROW IN FURNESS C.B.	–	2	–	–	3	–
†BLACKBURN C.B.	1	4	2		1	C. 1
†BLACKPOOL C.B.	–	5	1	–	1	G. 1 M. 1

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BOLTON C.B. ...	–	6	1	–	6	N. 2
†BOOTLE C.B. ...	–	3	4	–	1	C. 1
†BURNLEY C.B. ...	–	1	1	–	3	C. 1 M. 1
†BURY C.B. ...	–	10	2	–	3	–
†LIVERPOOL C.B. ..	–	41	32	–	30	C. 1 G. 1 M. 10 N. 1
†MANCHESTER C.B.	1	30	18	–	52	G. 2 M. 3 N. 2
†OLDHAM C.B. ...	1	10	4	–	1	–
†PRESTON C.B. ...	–	–	5	–	2	–
†ROCHDALE C.B. ...	–	–	2	–	1	M. 1
†ST. HELENS C.B. ...	–	3	1	–	–	M. 1
†SALFORD C.B. ...	–	8	6	–	8	N. 1
†SOUTHPORT C.B.	–	1	1	–	3	–
†WARRINGTON C.B.	–	1	2	–	3	E. 1
†WIGAN C.B. ...	3	3	1	–	5	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	1	–	1	–
†ASHTON IN MAKERFIELD	–	2	–	–	–	–
†ASHTON UNDER LYNE	–	4	–	–	2	–
†ATHERTON ...	–	–	–	–	1	–
AUDENSHAW ...	–	–	–	–	1	–
BARROWFORD ...	–	1	–	–	–	–
BLACKROD ...	–	–	–	–	1	–
BRIERFIELD ...	–	–	–	1	–	–
†CHADDERTON ...	1	3	1	–	1	–
†CHORLEY	–	–	–	–	1	–
†COLNE	–	1	–	–	1	–
†CROMPTON ...	–	1	–	–	–	–
†DALTON IN FURNESS	–		1	–	–	–
†DARWEN	–	1	–	–	2	–
†DENTON	–	2	–	–	–	C. 1
†DROYLSDEN ...	–	–	1	–	2	–
†ECCLES	–	1	–	–	1	–
†FAILSWORTH ...	–	1	–	1	2	–
†FARNWORTH ...	–	2	–	–	2	–
†FLEETWOOD ...	–	1	–	–	–	–
GOLBORNE ...	–	1	–	–	–	G. 1
†GREAT CROSBY ...	–	1	–	–	–	–
†GREAT HARWOOD	–	1	–	–		–
†HASLINGDEN ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HAYDOCK ...	–	–	–	–	2	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY... ...	–	1	1	–	1	G. 1
†HORWICH ...	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	2	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	3	1	–	1	E. 1
LATHOM AND BURSCOUGH	–	–	1	–	2	–
†LEIGH	–	1	3	–	3	M. 1
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	1	1	–	–	–
†LITTLEBOROUGH	–	–	1	–	–	–
†LYTHAM ST. ANNE'S	–	–	2	–	–	N. 1
†MIDDLETON ...	–	–	–	–	1	–
†NELSON	–	–	–	–	3	–
†NEWTON IN MAKERFIELD	–	1	1	–	1	–
ORMSKIRK ...	–	–	–	–	1	G. 1
POULTON LE FYLDE	–	1	–	–	–	–
PRESCOT	–	–	2	–	–	–
†RADCLIFFE ...	–	4	1	–	2	–
†RAMSBOTTOM ...	–	–	–	–	2	–
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON	–	1	–	–	–	–
†ROYTON	–	–	–	–	2	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	–	1	–	–	–
†SWINTON AND PENDLEBURY	–	1	–	–	2	N. 1
THORNTON ...	–	–	–	–	1	–
TOTTINGTON ...	–	–	–	–	–	M. 1
†TURTON	–	3	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	2	–	–	–	M. 1
URMSTON... ..	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	2	–	–	–	–
†WIDNES	–	–	1	–	8	G. 1 M. 2
WITHNELL ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BLACKBURN ...	–	1	–	–	–	–
BURY	*	*	*	*	*	*
CHORLEY	–	–	–	2	–	–
CLITHEROE ...		–	–	–	–	L. 1
LEIGH	–	1	–	–	2	–
LUNESDALE ...	–	–	–	–	–	G. 1
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON... ...	–	1	–	–	–	L. 1
LEICESTER ...	–	22	9	2	8	D. 1 G. 2 M. 2
†LEICESTER C.B. ...	–	18	4	–	1	D. 1 G. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	1	–	–	1	–
MELTON MOWBRAY	–	1	–	2	–	–
QUORNDON ...	*	*	*	*	*	*
SHEPSHED ...	–	1	–	–	–	–
WIGSTON MAGNA	–	–	2	–	–	G. 1 M. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	1	–
CASTLE DONINGTON	–	–	–	–	2	–
HINCKLEY ...	–	–	–	–	1	–
MARKET BOSWORTH	–	–	1	–	–	M. 1
MARKET HARBOROUGH...	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	5	–	–	1	G. 1
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	–	–	–	1	G. 1
Rural Districts:—						
BOSTON	–	1	–	–	–	–
SPALDING (part).	–	3	–	–	–	–
LINCOLN (parts of Kesteven).		–	–	–	2	M. 1
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	2	M. 1
Rural Districts:—						
BOURNE	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	–	12	9	–	5	C. 1 F. 1 G. 1 M. 1
†GRIMSBY C.B. ...	–	–	–	–	–	G. 1
†LINCOLN C.B. ...	–	3	1	–	–	C. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	5	–	–	–
†GAINSBOROUGH...	–	1	–	–	1	–
HORNCASTLE ...	–	1	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	3	1	–	2	–
WINTERTON ...	–	1	–	–	–	–
Rural Districts:—						
GLANFORD BRIGG	–	1	2	–	–	–
GRIMSBY	–	–	–	–	–	M. 1
SPILSBY	–	–	–	–	1	F. 1
WELTON	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	1	63	39	–	14	C. 1 D. 1 M. 3 N. 4
Boroughs and Urban Districts:—						
†ACTON ...	–	–	1		–	–
†BRENTFORD AND CHISWICK	–	3	–	–	3	–
†EALING	–	2	1	–	–	–
†EDMONTON ...	–	5	5	–	–	–
†ENFIELD	–	19	3	–	1	D. 1 N. 1
FELTHAM ...	–		1	–	1	–
†FINCHLEY ...	–	1	1	–	–	–
†FRIERN BARNET	–	–	1	–	–	–
HAYES	–	1	–	–	–	M. 1
†HENDON	–	3	2	–	1	–
†HESTON AND ISLEWORTH	–	3	–	–	1	–
†HORNSEY	–	3	2	–	–	–
†SOUTHALL NORWOOD	1	1	–	–	–	–
†SOUTHGATE ...	–	1	1	–	–	–
†TEDDINGTON ...	–	1	1	–	–	–
†TOTTENHAM ..	–	9	8	–	1	N. 2
†TWICKENHAM ..	–	1	–	–	–	–
†UXBRIDGE ...	–	1	–	–	–	M. 1
†WEALDSTONE ...	–	–	2	–	–	–
†WEMBLEY ...	–	–	–	–	1	N. 1
†WILLESDEN ...	–	5	8		5	C. 1 M. 1
†WOOD GREEN ..	–	2	2	–	–	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	1	–	–	–	–
NORFOLK ..	–	12	–	4	9	C. 1 M. 1 N. 2
†GREAT YARMOUTH C.B	–	4	–	–	1	–
†NORWICH C.B. ..	–	4	–	1	2	N. 1
Boroughs and Urban Districts:—						
CROMER	–	–	–	–	1	–
EAST DEREHAM ...	–	–	–	1	–	–
WELLS	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	–	–	2	–	–
DEPWADE ...	–	–	–	–	1	–
ERPINGHAM ...	–	–		–	1	–
HENSTEAD ...	–	–	–	–	–	M. 1
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	–	4	–		–	–
MITFORD AND LAUNDITCH		–	–	–	–	N. 1
WALSINGHAM ...	–	–	–	–	1	–
WAYLAND ...	–	–	–		–	C. 1
NORTHAMPTON	–	8	4	–	13	C. 1
†NORTHAMPTON C.B	–	4	3	–	6	–
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	–	–	–	3	–
†KETTERING ...	–	–	–	–	–	C. 1
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ..	–	–	–	–	1	–
NORTHAMPTON ...	–	–	–	–	1	–
POTTERSPURY ...	–	1	–	–	2	–
THRAPSTON (part)	–	1		–	–	–
TOWCESTER ...	–	–	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.	29	58	10	4	44	C. 3 M. 2
†NEWCASTLE UPON TYNE C.B.	–	22	4	2	20	C. 3 M. 2
†TYNEMOUTH C.B	4	15	1	1	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ALNWICK... ...	–	–	1	–	–	–
†ASHINGTON ...	13	4	–		–	–
†BEDLINGTONSHIRE	7	–	–	–	3	–
†BLYTH	–	–	3	–	4	–
†LONGBENTON ...	–	1	–	–	1	–
MORPETH... ..	5	1		–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	3	–	–	5	–
PRUDHOE... ...	–	2		–	–	–
†WALLSEND ...	–	3	1	–	6	–
Rural Districts:—						
ALNWICK ...	–	2	–	–	–	–
BELFORD	–	1	–	1	–	–
CASTLE WARD ..	–	1		–	1	–
GLENDALE ...	–	–	–	–	1	–
MORPETH ...	–	2	–	–		–
NOTTINGHAM ...	5	18	14	1	18	C. 2 M. 3 N. 1
†NOTTINGHAM C.B	–	10	13	–	12	C. 2 M. 1 N. 1
Boroughs and Urban Districts:—						
†CARLTON... ...	–	2	–	–	–	–
†EAST RETFORD ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	2	1	–	1	–
†MANSFIELD ...	5	1	–	–	1	–
†NEWARK	–	–	–	1	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	M. 1
†WORKSOP... ...	–	–	–	–	2	–
Rural Districts:—						
EAST RETFORD ...	–	1	–	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	–	–	–	–	–	M. 1
OXFORD	–	3	2	–	2	M. 1
Boroughs and Urban Districts:—						
BICESTER... ...	–	–	–	–	–	M. 1
WHEATLEY ...		1	–	–	–	–
Rural Districts:—						
BANBURY ...	–	–	1	–	–	–
HEADINGTON ...	–	–	1	–	–	–
THAME	–	2	–	–	1	–
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of).	–	1	–	–	–	–
Borough:—						
†PETERBOROUGH.	–	1	–		–	–
RUTLAND ...	–	–	1	–	–	–
Rural Districts:—						
OAKHAM	–	–	1	–	–	–
SALOP	–	23	–	–	9	M. 1
Boroughs and Urban Districts:—						
†OAKENGATES ...	–	3			–	–
†SHREWSBURY ...	–	1	–			–
WELLINGTON ...	–	–	–	–	2	–
†WENLOCK ...	–	–	–	–	–	M. 1
WHITCHURCH ...	–	5	–	–	–	–
Rural Districts:—						
ATCHAM	–	–	–		1	–
BRIDGNORTH ...	–	–	–	–	1	–
ELLESMERE ...	–	8	–	–	–	–
LUDLOW		1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
WELLINGTON ...	–	3	–	–	1	–
WEM	–	1	–	–	4	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	-	16	11	1	2	G. 1 M. 1
†BATH C.B. ...	-	10	3	-	-	-
Boroughs and Urban Districts:—						
ILMINSTER ...	-	-	-	-	1	-
MINEHEAD ...	-	1	-	-	-	-
PORTISHEAD ...	-	-	-	-	-	M. 1
RADSTOCK ...	-	1	-	-	-	-
WATCHET ...	*	*	*	*	*	*
†WESTON SUPER MARE	-	-	1	-	-	-
Rural Districts:—						
BATH	-	1	4	-	-	-
BRIDGWATER ...	-	-	-	-	-	G. 1
CLUTTON	-	-	1	-	-	-
LONG ASHTON ...	-	-	2	1	-	-
WELLS	-	2	-	-	-	-
WILLITON ...	-	1	-	-	-	-
WINCANTON ...	-	-	-	-	1	-
SOUTHAMPTON ..	-	31	21	3	8	C. 1 D. 1 M. 1 N. 1
†BOURNEMOUTH C.B.	-	-	1	-	-	-
†PORTSMOUTH C.B	-	16	15	-	1	-
†SOUTHAMPTON C.B.	-	6	4	-	2	-
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	1	-	-	-	M. 1
ALTON	-	-	-	1	-	-
†FAREHAM ...	-	1	-	-	-	
†GOSPORT	-	1	-	-	2	C. 1
MILTON	-	1	-	-	-	-
†WINCHESTER ...	-	1	1	-	-	D. 1
Rural Districts:—						
ALTON	-	-	-	2	-	-
FAREHAM ...	-	2	-	-	-	-
HAVANT	-	1	-	-	-	-
HURSLEY	-	-	-	-	1	-
PETERSFIELD ...	-	-	-	-	-	N. 1
ROMSEY	-	-	-	-	1	-
WINCHESTER ...	-	1	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	-	34	27	1	52	C. 1 G. 1 L. 1 M. 12 N. 2
†BURTON UPON TRENT C.B.	-	1	2	-	1	-
†SMETHWICK C.B.	-	1	2	-	2	N. 1
†STOKE ON TRENT C.B.	-	5	2	1	17	C. 1 M. 5
†WALSALL C.B. ..	-	3	7	-	4	M. 1 N. 1
†WEST BROMWICH C.B.	-	-	-	-	2	-
†WOLVERHAMPTON C.B.	-	2	-	-	1	G. 1 M. 2
Boroughs and Urban Districts:—						
†AUDLEY	-	-	1	-	-	-
BIDDULPH ...	-	1	-	-	1	-
†BILSTON	-	1	-	-	3	-
†BRIERLEY HILL...	-	-	1	-	1	-
†CANNOCK	-	-	1	-	-	M. 1
†COSELEY	-	1	-	-	1	-
†DARLASTON ...	-	-	-	-	2	-
KIDSGROVE ...	-	-	-	-	-	M. 1
†LEEK	-	4	-	-	-	-
†ROWLEY REGIS ...	-	4	3	-	1	-
RUGELEY... ...	-	-	-	-	1	-
SHORT HEATH ...	*	*	*	*	*	*
†STAFFORD ...	-	1	-	-	1	-
TAMWORTH ...	-	-	1	-	-	-
†TIPTON	-	-	1	-	5	M. 1
†WILLENHALL ...	*	*	*	*	*	*
†WOLSTANTON UNITED	-	1	1	-	3	-
Rural Districts:—						
BLORE HEATH ...	-	1	-	-	-	-
CANNOCK	-	3	-	-	1	-
CHEADLE... ...	-	2	-	-	1	L. 1
KINGSWINFORD...	-	-	1	-	-	M. 1
LEEK	-	1	-	-	-	-
LICHFIELD ...	-	-	1	-	1	-
STONE	-	2	1	-	-	-
UTTOXETER ...	-	-	-	-	2	-
WALSALL... ...	-	-	2	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	–	8	–	–	4	C. 1 M. 2 N. 1
†IPSWICH C.B. ...	–	6	–	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	1	–	–	–	N. 1
Rural Districts:—						
EAST STOW ...	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND		–	–	–	2	M. 1
SAMFORD... ...	–	1	–	–	–	–
SUFFOLK, WEST	–	2	1	–	3	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
NEWMARKET ...	–	1	–	–	1	–
SUDBURY... ...	–	–	1	–	–	–
Rural Districts:—						
CLARE	–	–	–	–	1	–
COSFORD	–	–	–	–	1	–
SURREY	–	52	21	3	12	C. 1 D. 1 L. 1 N. 3
†CROYDON C.B. ...	–	16	3	–	1	C. 1 N. 2
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	–	–	1	–	–
†CHERTSEY ...	–	1	–	–	2	–
†COULSDON AND PURLEY	–	3	–		–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EGHAM	–	1	–	–	–	L. 1
†EPSOM	–	1	–	–	–	–
†ESHER AND THE DITTONS	–	2	–	–	–	–
GODALMING ...	–	2	–	–	–	–
†GUILDFORD ...	–	1	–	–	1	–
†KINGSTON ON THAMES	–	–	–	2	–	–
LEATHERHEAD ...	–	2	–	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	2	–	–	–	–
†REIGATE	–	1	11	–	–	–
†RICHMOND ...	–	4	1	–	1	–
†SURBITON ...	–	1	1	–	3	–
†SUTTON	–	–	2	–	–	D. 1
†THE MALDENS AND COOMBE	–	3	–	–	1	–
WEYBRIDGE ...	–	–	–	–	–	N. 1
†WIMBLEDON ..	–	5	–	–	1	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	1	–
EPSOM	–	–	1	–	–	–
REIGATE	–	1	1	–	–	–
SUSSEX, EAST ...	–	20	4	1	4	M. 2 N. 1
†BRIGHTON C.B. ...	–	10	2	–	1	M. 1
†EASTBOURNE C.B.	–	7	–	1	–	–
†HASTINGS C.B. ...	–	–	–	–	2	N. 1
Boroughs and Urban Districts:—						
†BEXHILL	–	–	–	–	–	M. 1
†HOVE	–	1	–	–	–	–
NEWHAVEN ...	–	–	1	–	–	–
PORTSLADE BY SEA	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
HAILSHAM ...	-	1	-	-	-	-
NEWHAVEN ...	-	-	1	-	-	-
TICEHURST ...	-	1	-	-	-	-
SUSSEX, WEST ...	-	7	1	-	3	M. 1 N. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	-	-	-	-	1	-
†CHICHESTER ...	-	1	-	-	-	-
†LITTLEHAMPTON	-	2	-	-	-	-
SHOREHAM-BY-SEA	-	-	-	-	1	-
SOUTHWICK ...	-	1	-	-	-	-
†WORTHING ...	-	1	1	-	-	-
Rural Districts:—						
HORSHAM ...	-	1	-	-	-	-
MIDHURST ...	-	-	-	-	-	M. 1
PETWORTH ...	-	-	-	-	1	-
THAKEHAM ...	-	-	-			N. 1
WESTHAMPNETT		1	-	-	-	-
WARWICK ...	-	43	33	1	42	G. 1 M. 10 N. 6
†BIRMINGHAM C.B.	-	31	25	1	32	G. 1 M. 9 N. 4
†COVENTRY C.B. ...	-	5	5		-	N. 1
Boroughs and Urban Districts:—						
BULKINGTON ...	-	1			-	-
†NUNEATON ...	-	-	1	-	-	-
†ROYAL LEAMINGTON SPA	-	-	-	-	1	-
†STRATFORD ON AVON	-	1	-	-	-	-
†SUTTON COLDFIELD	-	1	-	-	2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	-	-	-	-	1	-
COVENTRY ...	-	1	-	-	2	-
FOLESHILL ...	-	-	-	-	1	M. 1
MERIDEN... ...	-	1	-	-	-	-
NUNEATON ...	-	-	-	-	1	-
RUGBY		-	-		2	-
SOLIHULL ...	-	1	1	-	-	N. 1
TAMWORTH (part)	-	1	1		-	-
WESTMORLAND		4	1	-	1	-
Boroughs and Urban Districts:—						
AMBLESIDE ...	-	1	-	-	-	-
†KENDAL	-	-	1	-	-	-
WINDERMERE ...	-	-	-	-	1	-
Rural Districts:—						
EAST WESTMORLAND	-	2	-	-	-	-
SOUTH WESTMORLAND	-	1	-	-	-	-
WIGHT, ISLE OF	-	2	2	-	1	-
Boroughs and Urban Districts:—						
†COWES	-	1	1	-	-	-
†RYDE	-	1	1	-	1	-
WILTS	-	17	1	-	5	-
Boroughs and Urban Districts:—						
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	-	10	-	-	-	-
†SWINDON... ...	-	4	-	-	2	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CHIPPENHAM ...	–	–			1	–
CRICKLADE AND WOOTTON BASSETT		–	–	–	2	–
DEVIZES	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
PEWSEY	–	–	1	–	–	
TISBURY	*	*	*	*	*	*
WILTON	–	1	–	–	–	–
WORCESTER ...	–	15	4	1	15	M. 1 N. 2
†DUDLEY C.B. ...	–	1	–	–	3	–
†WORCESTER C.B.	–	2	1	–	7	M. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	3	–	2	–
†KIDDERMINSTER	–	3	–	–	1	–
†LYE AND WOLLESCOTE	–	–	–	1	–	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	1	–	–	1	N. 1
†REDDITCH ...	–	1	–	–	–	N. 1
STOURPORT ..	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
PERSHORE ...	–	1	–	–	–	–
TENBURY... ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	9	9	–	4	C. 1 G. 1 N. 1
†KINGSTON UPON HULL C.B.	–	4	9	–	3	G. 1
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
COTTINGHAM ...		–	–	–	–	C. 1 N. 1
HESSLE	–	1	–	–		–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
BRIDLINGTON ...	–	1	–	–	–	–
RICCALL	–	2	–	–	1	–
YORKS ... ... (North Riding).	–	15	5	–	13	C. 1 M. 1
†MIDDLESBROUGH C.B.	–	3	1	–	8	C. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	6	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
MASHAM	–	1	–	–	–	–
†REDCAR	–	–	3	–	–	–
SALTBURN BY THE SEA	–	–	–	–	1	–
†SCARBOROUGH ...	–	1	–	–	–	–
†SKELTON AND BROTTON	–	–	–	–	2	–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
EASINGWOLD ...	–	–	1	–	–	–
NORTHALLERTON	–	1	–	–	–	–
SCARBOROUGH ...	*	*	*	*	*	*
WHITBY	–	2	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	59	132	60	5	132	C. 4 D. 1 E. 1 G. 4 M. 8 N. 13
†BARNSLEY C.B. ...	-	4	1	-	1	-
†BRADFORD C.B. ...	-	8	7	-	17	C. 1 M. 1
†DEWSBURY C.B....	-	-	1	-	-	G. 1
†DONCASTER C.B.	9	1	-	-	3	G. 1 M 2 N. 1
†HALIFAX C.B. ...	-	2	1	-	1	-
†HUDDERSFIELD C.B.	1	9	7	-	6	-
†LEEDS C.B. ...	-	12	12	-	21	C. 2 M. 3 N. 2
†ROTHERHAM C.B.	2	3	-	-	6	-
†SHEFFIELD C.B...	16	38	19	2	34	C. 1 E. 1 G. 1 M. 1 N. 3
†WAKEFIELD C.B.	-	1	1	-	1	N. 2
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	1	-	-	-	-
ALTOFTS	-	-	-	-	2	-
†BARNOLDSWICK ...	-	-	1	-	-	
†BATLEY		-	1	-	3	-
†BENTLEY WITH ARKSEY	3	1	2	-	-	-
†BINGLEY	-	-	1	-	3	-
†BRIGHOUSE ...	1	-	-		-	-
BURLEY IN WHARFEDALE	-	-	2	-	-	-
†CONISBROUGH ...	11	-	-	-	-	-
CUDWORTH ...		1	-	-	-	-
†DARTON	-	1	-	-	-	-
DENBY AND CUMBERWORTH	-	-	1	-		-
EARBY	-	1	-	-	-	-
FARSLEY	-	-	-	1		-
†FEATHERSTONE ...	-	-	-	-	1	-
†GOLCAR	-	1	-	-	-	-
GREETLAND ...	-	-	-	-	-	N. 1
HECKMONDWIKE	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEMSWORTH ...	4	1	-	-	-	-
†HOLMFIRTH ...	-	2	-	-	2	-
†HOYLAND NETHER	-	2	-	-	1	-
ILKLEY	-	-	-	-	-	N. 1
†KEIGHLEY ...	1	-	1	-	-	-
KNARESBOROUGH	-	1	-	-	-	-
KNOTTINGLEY ...	-	-	-	-	-	G. 1
LEPTON	-	-	-	-	1	-
LINTHWAITE ...	-	1	-	-	-	-
MALTBY	-	-	-	-	1	-
METHLEY ...	-	-	-	-	2	-
†MEXBOROUGH ...	2	-	-	-	1	-
†MORLEY	-	1	-	-	1	N. 2
NEW MILL ...	-	1	-	-	-	-
†NORMANTON ...	-	1	-	-	1	-
†OSSETT	-	1	-	-	-	-
OTLEY	-	-	-	-	2	-
†PONTEFRACT ...	-	2	-	-	-	-
†PUDSEY	-	-	-	-	1	-
QUEENSBURY ...	-	1	-	-	-	-
†RAWMARSH ...	1	2	-	-	3	-
ROYSTON	-	3	-	-	-	-
SELBY	-	2	-	-	-	-
SHEPLEY	-	1	-	-	-	-
†SHIPLEY	-	2	-	-	-	-
†SKIPTON	-	2	-	-	-	-
SLAITHWAITE ...	-	1	-	-	1	-
SOUTHOWRAM ...	-	1		-	-	-
†SOWERBY ...	-	-	-	-	-	N. 1
†SPENBOROUGH ...	-	1	-	1	-	-
†STANLEY	-	1	-	-	-	-
STOCKSBRIDGE ...	-	1	-	-	2	-
†SWINTON... ...	3	-	-	1	-	-
†TODMORDEN ...	-	1	-	-	-	-
†WATH UPON DEARNE	1	-	-	-	-	-
†WOMBWELL ...	-	1	-	-	-	-
Rural Districts:—						
DONCASTER ...	-	1	1	-	1	-
GREAT OUSEBURN	-	-	-	-	-	D. 1
HEMSWORTH ...	-	2	-	-	5	-
HUNSLET... ...	-	3	-	-	1	-
KIVETON PARK ...	-	-	-	-	3	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
PONTEFRACT ...	–	–	–	–	–	M. 1
ROTHERHAM ...	–	1	–	–	–	–
SETTLE	–	3	–	–	–	–
SKIPTON	–	2	–	–	–	–
TADCASTER ...	–	–	1	–	1	–
THORNE	4	–	–	–	1	–
TODMORDEN ...	–	2	–	–	–	–
WAKEFIELD ...	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
YORK, CITY OF...	–	3	3	–	1	G. 1 N. 1
†YORK C.B. ...	–	3	3	–	1	G. 1 N. 1
WALES.						
ANGLESEY ...	–	–	5	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	3	–	–	–
Rural Districts:—						
VALLEY	–	–	2	–	–	–
BRECKNOCK ...	–	2	–	–	4	N. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	–	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
CRICKHOWELL ...	–	–	–	–	1	–
YSTRADGYNLAIS	–	1	–	–	–	N. 1
YSTRADFELLTE (parish)	–	–	–	–	3	–
CAERNARVON...	–	2	5	–	–	–
Boroughs and Urban Districts:—						
CAERNARVON ...	–	–	1	–	–	–
†LLANDUDNO ...	–	2	–	–	–	–
CAERNARVON—*cont.*						
Rural Districts:—						
LLEYN	–	–	4	–	–	–
CARDIGAN ...	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	–	–	–	M. 1
CARMARTHEN...	–	3	3	–	1	–
Boroughs and Urban Districts:—						
†CARMARTHEN ...	–	–	1	–	–	–
CWMAMMAN ...	–	–	–	–	1	–
Rural Districts:—						
LLANELLY ...	–	1	2	–	–	–
LLANYBYTHER ...	–	2	–	–	–	–
DENBIGH ...	–	3	1	4	3	M. 2 N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	–	N. 1
DENBIGH ...	–	–	–	–	2	M. 1
†WREXHAM ...	–	1	–	2	–	–
Rural Districts:—						
RUTHIN	–	–	1	–	1	–
WREXHAM ...	–	2	–	2	–	M. 1
FLINT	–	3	3	–	6	C. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	1	–
HOLYWELL ...	–	–	–	–	1	–
†RHYL		–	2	–	–	C. 1
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL ...	–	–	–	–	3	–
OVERTON ..	–	2	–	–	–	–
ST. ASAPH (FLINT)	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	36	32	1	35	C. 3 M. 3 N. 3
†CARDIFF C.B. ..	–	8	7	–	2	M. 1 N. 1
†MERTHYR TYDFIL C.B.	–	–	9	–	3	–
†SWANSEA C.B. ..	–	2	2		3	–
Boroughs and Urban Districts:—						
†ABERDARE ..	–	3	1	–	3	–
†BARRY	–	2	–	–	–	–
†CAERPHILLY ..	–	1	4	–	1	–
†GELLIGAER ..	–	–	1		3	C. 1
†MAESTEG... ...	–	–	4	–	–	–
†MOUNTAIN ASH...	–	4	1	–	2	–
†NEATH	–	3	–	–	2	–
†OGMORE AND GARW	–	1	–	1	1	–
†PONTYPRIDD ..	–	1	–	–	4	–
†PORT TALBOT ...	–	3	–	–	–	–
†RHONDDA ...		6	2	–	6	C. 2 M. 2 N. 1
Rural Districts:—						
LLANTRISANT AND LLANTWIT FARDRE	–	–	–	–	1	–
NEATH	–		–	–	3	–
PENYBONT ...			1		–	
PONTARDAWE ..	–	2	–	–	–	N. 1
SWANSEA... ..	–	–	–	–	1	–
MERIONETH ...	–	6	2	–	–	–
Urban Districts:—						
FFESTINIOG ..	–	–	2	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
DOLGELLEY ...		5	–	–	–	–
MONMOUTH ...	54	4	3	–	3	G. 1 M. 2
†NEWPORT C.B. ..	–	3	–	–	1	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH— *cont.*						
Boroughs and Urban Districts:—						
†ABERCARN ...	2	–	–	–	–	–
†ABERSYCHAN ...	30	–	–	–	–	–
†ABERTILLERY ...	5	–	1	–	–	M. 1
†BEDWELLTY ..	–	1	–	–	1	–
†BLAENAVON ...	8	–	–	–	–	–
†EBBW VALE ..	–	–	1	–	1	–
LLANTARNAM ..	1	–		–	–	–
†MYNYDDISLWYN	1	–	1	–	–	M. 1
†PANTEG	1	–	–	–	–	–
PONTYPOOL ...	6	–	–	–	–	–
MONTGOMERY...	–	–	–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
PEMBROKE ...	–	2	5	–	2	N. 1
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	2	–	1	–
HAVERFORDWEST.	–	1	2	–	–	–
†PEMBROKE ...	–	–	1	–	–	–
Rural Districts:—						
LLANFYRNACH ...	–	–	–	–	–	N. 1
NARBERTH ...	–	–	–	–	1	–
ST. DOGMELLS ...	–	1	–	–	–	–
RADNOR	–	–	1	–	–	–
Rural Districts:—						
PAINSCASTLE ...	–	–	1	–	–	–
Total of Part II. ...	312	1275	610	51	842	C. 3 D. E. F. G. 2 L. M. 11 N. 8

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARDIFF	–	–	–	–	1	–	SOUTHAMPTON ...	–	2	–	–	–	–
LIVERPOOL	–	3	–	–	–	–	PORT OF LONDON ...	–	1	–	–	–	–
PLYMOUTH	–	–		1	–	L. 1							
							Total of Part III. ...	–	6	–	1	1	L. 1

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
Total of Part I.—London	1	232	229	5	96	C. D. E. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	312	1275	610	51	842	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	–	6	–	1	1	L.
Total (*i.e.*, of returns received), England and Wales ...	313	1513	839	57	939	C. D. E F. G. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrex

There were no cases of Cholera Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE.* } Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apl. 2.	Apl.* 9	Apl.* 16.	Apl.* 23.	Apl.* 30.	May* 7.	May* 14.	May 21.
ON :—													
HS—all ages	1,277	1,240	1,114	1,114	1,068	959	980	944	975	980	959	857	871
0 to 1 year ..	101	91	97	100	105	87	98	94	114	98	79	79	71
T TOWNS, aggre- (including Lon- :—													
S	6,490	6,760	6,834	7,047	6,248	6,935	6,899	6,049	6,619	7,602	7,102	6,994	7,045
HS—all ages	7,824	7,080	5,980	5,327	4,990	4,656	4,625	4,316	4,340	4,253	4,347	4,017	3,946
0 to 1 year ..	802	696	612	588	561	486	560	498	496	459	427	395	376
IC FEVER—Cases	13	21	14	14	8	22	16	14	22	18	19	20	14
„ Deaths	4	2	1	4	1	2	2	3	1	—	3	—	1
POX—Cases ..	97	93	81	80	82	97	84	70	56	66	73	55	77
„ Deaths ..	—	—	—	—	1	—	—	—	—	—	4	1	—
ET FEVER—Cases	675	677	676	763	720	766	763	711	700	652	813	840	920
„ Deaths	8	5	8	2	6	5	2	6	4	5	4	5	12
HERIA—Cases ..	720	712	723	681	713	670	677	496	516	493	529	599	593
„ Deaths ..	41	62	43	30	35	25	28	30	27	31	25	30	18
ES—Deaths ..	59	73	72	52	71	79	76	89	81	68	57	57	57
NZA—Deaths ..	1,023	898	572	342	224	160	120	96	82	71	57	47	46

* For the weeks ended April 9th, and afterwards the figures relate to 107 Great Towns instead of 105, owing to usion of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)

Table 6.—Meteorology in certain Towns during the Week ended Saturday 21st May, 1927. (*Supplied by the Meteorological Office.*)

WNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ENWICH).	71	38	66·4	45·3	9	HUDDERSFIELD	66	36	59·6	42·0	17
ON ..	67	41	60·7	48·4	7	BRADFORD ..	63	38	56·9	42·0	16
OUTH ..	69	45	64·1	49·6	4	SHEFFIELD ..	67	41	59·1	44·7	11
H	67	35	61·9	44·4	12	YORK (MUSEUM)	70	39	61·3	43·9	10
(EATON).						HULL (PEARSON PARK).	66	37	60·7	43·9	7
TH ..	69	42	62·4	49·0	5	TYNEMOUTH ..	64	39	55·7	43·6	7
LIFTON).	66	42	61·7	47·6	19	CARDIFF.. ..	64	40	60·3	46·4	14
HAM	67	39	60·3	44·4	23						
BASTON).						EDINBURGH ..	59·0	39·0	56·3	42·3	3
HAM ..	67	37	59·4	44·0	19	GLASGOW ..	60·3	40·3	56·9	42·8	18
HEAD	61	43	55·4	45·6	11	DUBLIN (PHŒNIX PARK).	61·2	34·0	58·7	39·1	10
IDSTON).											
STER	65	38	57·7	44·0	18	(FITZWILLIAM SQUARE†).	60·0	42·0	58·4	44·	8
TWORTH PARK).											
Y	64	35	57·6	41·6	12	BELFAST.. ..	65·0	36·0	60·4	41·1	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 21st May, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	15	..	29·711	67·0	50·0	17·0	56·2	+ 3·4	52·0	4·2	12·5	2·4	86	116·6	44·2	49·1	SW	SW	1·9	0·0	0·2	311	+ 31	0·05
MONDAY	16	Full	29·656	65·3	51·1	14·2	56·0	+ 3·0	47·2	8·8	16·6	2·4	72	121·2	41·5	49·2	SSW	SW: SSW.	5·1	0·0	0·4	359	+ 73	0·00
TUESDAY	17	..	29·862	65·3	45·2	20·1	54·9	+ 1·8	44·6	10·3	27·0	0·0	68	129·2	36·9	49·3	SW: NNW.	N: E	0·9	0·0	0·1	192	− 95	0·26
WEDNESDAY	18	..	30·053	67·4	40·3	27·1	53·9	+ 0·6	39·8	14·1	25·3	2·3	59	145·9	27·3	49·7	Calm	E: Calm.	1·3	0·0	0·1	153	− 131	0·00
THURSDAY	19	..	30·032	67·9	38·1	29·8	52·8	− 0·7	42·1	10·7	26·3	2·4	67	135·3	25·1	49·8	Calm: N.	N: E	1·0	0·0	0·1	156	− 124	0·00
FRIDAY	20	Greatest Declination S.	29·911	71·1	40·3	30·8	56·1	+ 2·3	41·8	14·3	24·7	1·3	59	149·4	26·7	49·8	Calm: SW.	SSW: SW.	2·2	0·0	0·1	254	− 21	0·00
SATURDAY	21	..	29·612	62·2	47·8	14·4	54·2	− 0·0	43·3	10·9	21·8	4·6	66	129·5	38·5	49·8	SW: W.	WSW: W.	7·3	0·0	0·5	449	+ 179	0·07
MEANS		..	29·834	66·6	44·7	21·9	54·9	− 1·4	44·4	10·5	22·0	2·[illegible]	68	132·4	34·3	49·5	SW		..	..	..	Sum 1974	Sum + 12	Sum 0·38
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	15	wP till 3h.; loss of register till 11h.; wP till 16½h.; wN till 17h.; then wP.	0·7	15·5	Overcast generally. Damping 2h. Rain 4h. till 7h.; then frequent damping till 12h.; and from 20¼h. to 21h. Shower about 17h.
MONDAY ..	16	wP	0·7	15·5	Overcast generally till 17h.; partially cloudy till 22h., then overcast. Frequent damping between 11¼h. and 15h. Brisk wind 13h. till 16h.
TUESDAY ..	17	wP till 7h.; mP till 17h.; then wP.	6·6	15·6	Overcast till 7h.; partially cloudy till 19h., then becoming nearly cloudless by 21h. Rain 1h. till 4h., overcast at 5h. and 6h. Dew at night.
WEDNESDAY	18	wP	10·8	15·7	Cloudless till 2h.; partially cloudy till 14¼h., then nearly cloudless.
THURSDAY	19	wP till 7h.; mP till 18h.; then wP.	5·8	15·7	Variably cloudy. Haze 9h. till 12h.
FRIDAY ..	20	wP	9·4	15·7	Partially cloudy becoming nearly overcast by 18h. Partial solar halo 15¼h. till 16½h.
SATURDAY	21	wP till 9½h.; variably sP and sN till 18h.; then wP.	4·6	15·8	Variably cloudy. Showers at 10½h.; 11¼h.; 11½h., and 13¾h.; and about 15h.
			8hm 38·6	8hm 109·5	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative: w. weak: m. moderate: s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·76 ins. at the beginning of the week to 29·64 ins. by 15h. on 16th: increased to 30·09 ins. by 8h. on 18th; decreased generally to 29·59 ins. by 15h. on 21st; increased and was 29.69 ins. by midnight on the same day.

"Guide to Current Official Statistics."

1s. net.

THIS work appears annually. It is an expert survey of, and Guide to, all the statistics published by the Government. It is not a mere catalogue of titles of official publications of statistical interest. Such a catalogue is of course included, but it forms only about one-third of the volume itself. The main portion of the work, and the one to which it owes its unique value and importance, consists of an alphabetical subject index which not only refers the enquirer to all the current official publications containing statistics bearing on his subject, but in addition indicates their nature and mode of analysis and the time and place to which they relate.

AGRICULTURE	PUBLIC FINANCE
DEFENCE	SOCIAL SERVICES
EDUCATION	TRADE
INDUSTRY AND LABOUR	TRANSPORT
MINING	VITAL STATISTICS

are a few of the many subjects on which the official statistics exist. To track them down is a matter of a few minutes when the GUIDE TO CURRENT OFFICIAL STATISTICS occupies the place it should among the reference books on the desk of the business man, journalist, librarian, student and professional worker.

The volumes are prepared by the Permanent Consultative Committee on Official Statistics.

FIRST ISSUE (1922)	...	1*s.*	*Post Free* 1*s.* 2½*d.*
VOLUME TWO (1923)	...	1*s.*	*Post Free* 1*s.* 4*d.*
VOLUME THREE (1924)	...	1*s.*	*Post Free* 1*s.* 3½*d.*
VOLUME FOUR (1925)	...	1*s.*	*Post Free* 1*s.* 3½*d.*

The second volume includes an appendix dealing broadly with selected publications of permanent statistical interest issued mainly since 1900.

HIS MAJESTY'S STATIONERY OFFICE,
LONDON, MANCHESTER, EDINBURGH, CARDIFF.

FOR OFFICIAL USE

1927. No. 21.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 28TH MAY, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses.
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.

Price 6d. net.

70-137-21-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 28TH MAY, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the twenty-first week of the year numbered 6,657 and corresponded to an annual rate of 17·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,847 and corresponded to an annual rate of 10·3 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 11·6, 10·7 and 10·5. Infant mortality based on the average weekly number of births during the last 52 weeks, was 50 per 1,000 births against 63, 58 and 55 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,424 births, corresponding to a rate of 16·1 per 1,000, and 787 deaths of civilians, corresponding to an annual rate of 8·9, against 10·9, 9·7 and 9·9 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·9 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 35 as against 52, 52 and 46 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,946 to 3,847. In London the number of deaths from all causes decreased from 871 to 787 and the deaths from whooping cough numbered 4 as against 13, 8 and 13 in the three weeks preceding.

One death from small-pox belonging to London (Metropolitan Borough of Hackney) was registered last week. The figures also include one death from small-pox belonging to Hendon, which occurred during the week ended 14th May, 1927.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 28th May, 1927.**

Towns.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11
107 Great Towns ..	19,540,143*	6,657	3,847§	341	1	42	11	22	26	47	9
London	4,805,400*	1,424	787§	54	-	2	5	4	9	9	
Towns in Outer Ring.											
Croydon C.B. ..	205,900	59	41	4	-	-	-	-	-	-	
Wimbledon ..	58,030	14	6	-	-	-	-	-	-	-	
Ealing ..	91,783	29	13	1	-	-	-	1	-	-	
Acton	63,040	20	9	-	-	-	-	-	-	-	
Brentford and Chiswick† ..	56,840	15	9	1	-	-	-	-	-	1	
Willesden ..	165,270	35	34	3	-	-	-	-	-	1	
Hendon	62,570*	16	14§	3	-	-	-	-	-	-	
Hornsey	87,230	17	10	-	-	-	-	-	-	-	
Wood Green ..	51,940	13	11	-	-	-	-	-	-	-	
Tottenham ..	151,520	46	21	2	-	-	-	1	-	1	
Edmonton	71,700	39	14	2	-	-	-	-	-	1	
Enfield	63,640	16	7	-	-	-	-	-	-	-	
West Ham C.B. ..	315,900	120	54	8	-	-	-	2	-	-	
East Ham C.B. ..	146,600	30	17	-	-	-	-	-	-	-	
Leyton	130,000	33	22	1	-	-	-	-	-	-	
Walthamstow ..	125,500	33	22	1	-	-	-	1	-	-	
Ilford	100,500	31	15	1	-	-	-	-	-	-	
Gillingham	47,820*	21	5	-	-	-	-	-	-	-	
Canterbury C.B ..	23,470*	7	7	-	-	-	-	-	-	-	
Hastings C.B.	61,340	14	22	-	-	-	-	-	-	-	
Eastbourne C.B. ..	56,060	11	7	-	-	-	-	-	-	-	
Brighton C.B.	139,500*	40	36	2	-	-	-	-	-	-	
Portsmouth C.B. ..	231,500*	73	43	5	-	5	-	-	1	-	
Bournemouth C.B. ..	90,100	19	20	1	-	-	-	-	-	-	
Southampton C.B. ..	169,300	48	23	1	-	1	-	-	-	-	
Reading C.B	93,090*	28	27	-	-	-	-	-	-	-	
Oxford C.B.	56,800	16	7	1	-	-	-	-	-	-	
Northampton C.B. ..	93,530*	30	21	1	-	-	-	-	-	-	
Luton	59,240	16	11	-	-	-	-	-	1	-	
Cambridge	58,820	22	7	1	-	-	-	-	-	-	
Southend-on-Sea C.B.	104,300	24	20	2	-	-	-	-	-	-	
Ipswich C.B.	84,140	31	12	1	-	-	-	1	-	-	
Great Yarmouth C.B.	57,760	19	12	-	-	-	-	-	-	-	
Norwich C.B.	123,500*	45	31	-	-	1	1	-	-	-	
Swindon	57,320	13	13	-	-	-	-	-	-	-	
Exeter C.B.	60,340*	17	12	-	-	-	-	-	-	-	
Plymouth C.B. ..	187,300*	63	44	3	-	-	-	-	1	1	
Bath C.B.	69,000	11	14	1	-	-	1	-	-	1	
Bristol C.B.	383,300*	149	79	8	-	-	-	-	-	-	
Gloucester C.B. ..	53,050	14	10	-	-	-	-	-	-	-	
Stoke-on-Trent C.B.	275,600	125	57	6	-	1	-	1	-	1	
Burton-upon-Trent C.B.	48,660	14	6	-	-	-	-	-	-	-	
Wolverhampton C.B.‡	131,000	45	23	1	-	-	-	-	-	-	
Walsall C.B.	102,100	48	18	4	-	-	-	3	-	-	
West Bromwich C.B.	79,920	28	9	1	-	-	-	-	1	1	
Dudley C.B.	58,930	16	8	-	-	-	-	-	-	-	
Worcester C.B. ..	50,660	13	10	-	-	-	-	-	-	-	
Birmingham C.B. ..	934,300*	410	184	31	-	5	1	2	-	5	
Smethwick C.B. ..	76,940	26	11	1	-	-	-	-	-	-	
Coventry C.B. ..	127,800	38	30	1	-	1	-	-	-	-	
Leicester C.B. ..	241,700	88	44	3	-	1	-	-	-	-	
Lincoln C.B.	65,760*	22	11	3	-	-	-	-	-	-	
Grimsby C.B.	88,580	32	17	-	-	-	-	-	-	-	
Nottingham C.B. ..	268,000	97	60	6	-	-	-	-	3	1	
Derby C.B.	136,600*	52	16	1	-	-	-	-	-	-	
Chesterfield ..	66,650	35	16	2	-	-	-	-	-	-	
Stockport C.B. ..	125,400	37	18	2	-	-	-	-	-	-	
Chester C.B.	41,710	16	7	1	-	-	-	2	-	-	
Birkenhead C.B. ..	158,000	59	34	3	-	-	-	-	-	3	
Wallasey C.B. ..	93,050	15	17	1	-	-	-	-	-	-	
Liverpool C.B. ..	862,600	403	186	25	-	3	-	1	1	3	
Bootle C.B.	84,580	47	24	-	-	-	1	-	-	-	
St. Helens C.B. ..	110,000	47	32	6	-	2	-	-	-	1	

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.
§ Including 2 deaths from small-pox, one belonging to Hendon which occurred during the week ende 14th May, 1927, and the other belonging to London which occurred during the current week.

TOWNS.	ESTIMATED POPULATION, Mid. 1926.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	77,970	16	15	3	-	-	-	-	-	1	1
WIGAN C.B.	88,620	39	21	-	-	-	-	-	-	-	1
WARRINGTON C.B. ..	76,940*	25	11	1	-	-	-	-	1	-	-
BOLTON C.B.	177,000	49	41	3	-	-	-	-	-	2	-
BURY C.B.	56,840*	10	14	1	-	-	-	-	-	-	-
MANCHESTER C.B. ..	752,000	285	181	20	-	-	-	-	-	5	2
SALFORD C.B.	247,400	77	55	6	-	1	-	-	-	1	-
ASHTON-UNDER-LYNE§	51,050	17	9	-	-	-	-	-	-	-	-
OLDHAM C.B.	143,000	43	27	1	-	-	-	-	1	1	1
ROCHDALE C.B.	91,510	17	25	2	-	-	-	-	-	-	1
BURNLEY C.B	99,600	30	20	2	-		-	-	-	1	-
BLACKBURN C.B. ..	124,400	40	23	1	-	-	-	-	-	-	-
PRESTON C.B.	124,200	39	29	3	-	2	-	-	2	-	-
BLACKPOOL C.B. ..	88,640	23	17	1	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	70,420	19	12	1	-	1	-	-	-	-	-
HUDDERSFIELD C.B. ..	111,900	57	33	5	-	-	-	-	-	-	2
HALIFAX C.B.	96,130*	32	29	3	-	3	-	-	-	-	-
BRADFORD C.B. ..	288,700	63	80	6	-	1	-	-	-	-	-
LEEDS C.B.	473,400	172	116	12	-	1	-	-	1	2	2
DEWSBURY C.B. ..	53,630	20	17	-	-	-	-	-	1	-	-
WAKEFIELD C.B. ..	53,830	16	12	-	-	-	-	-	-	-	-
BARNSLEY C.B. ..	70,760	27	15	2	-	1	-	1	-	-	-
SHEFFIELD C.B. ..	523,300*	148	102	12	1	-	-	2	-	-	2
ROTHERHAM C.B. ..	70,080	28	12	1	-	-	-	-	-	-	-
DONCASTER C.B.‡ ..	55,700	20	9	-	-	1	-	-	-	-	-
YORK C.B.	84,430*	30	16	-	-	-	-	-	-	-	-
HULL C.B.	294,600	120	65	6	-	-	1	-	-	-	-
MIDDLESBROUGH C.B.	133,600	55	18	1	-	-	-	-	-	-	1
DARLINGTON C.B. ..	70,700	29	18	-	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	67,910	24	23	3	-	1	-	-	1	-	1
WEST HARTLEPOOL C.B.	71,060	23	13	-	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	163,800	89	43	8	-	5	-	-	-	1	1
SOUTH SHIELDS C.B. ..	123,900	40	27	4	-	-	-	-	-	-	-
GATESHEAD C.B. .	127,700	66	32	3	-	-	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	284,700*	121	72	7	-	2	1	-	-	2	2
TYNEMOUTH C.B ..	66,560	22	10	1	-	-	-	-	-	-	-
CARLISLE C.B.	56,140*	30	17	2	-	-	-	-	1	-	-
NEWPORT (MON.) C.B.	96,620	44	18	1	-	-	-	-	-	-	-
CARDIFF C.B.	225,600*	76	46	3	-	-	-	-	-	-	-
RHONDDA	162,500	53	33	4	-	1	-	-	-	-	-
MERTHYR TYDFIL C.B.	80,690	21	19	1	-	-	-	-	1	1	1
ABERDARE	56,930	14	10	2	-	-	-	-	-	-	-
SWANSEA C.B.	163,200	54	15	3	-	-	-	-	-	-	-
GREATER LONDON ..	7,791,310*	2,400	1,309 ¶	100	1	2	5	10	11	13	12
OUTER RING	3,185,910*	976	522 ‖	46	1	-	-	6	2	4	5
17 GREAT TOWNS IN OUTER RING	1,947,963*	566	319 ‖	27	-	-	-	5	-	4	3
REMAINDER OF OUTER RING	1,237,947*	410	203	19	1	-	-	1	2	-	2
EDINBURGH†	426,100	144	109	14	-	-	1	2	-	1	-
GLASGOW†	1,049,000	433	268	44	-	-	1	11	1	4	1
DUBLIN (REGISTRATION AREA)†	421,000	246	145	15	-	1	-	6	-	2	-
BELFAST†	416,000	197	95	14	-	-	-	4	-	1	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Created County Borough 1st April, 1927.

§ Ashton-under-Lyne M.B as extended 1st April, 1927.

‖ Including 1 death from small-pox belonging to Hendon which occurred during the week ended th May, 1927.

¶ Including 2 deaths from small-pox, 1 belonging to Hendon as noted above and the other belonging London which occurred during the current week.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. Births and Deaths for last available pe

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
London‡	4,605,400	1927. May 28	1424	787	8·9	-	1	2	5	4	9	9
Calcutta and Suburbs	1,077,264	April 23	?	827‖	39·9	?	133	?	?	?	?	?
Bombay§	1,298,708	May 7	281	533‖	21·3	7	37	8	-	-	-	10
Madras	528,791	April 30	490	425	41·7	1	1	1	-	-	-	29
Sydney and Suburbs	1,038,950	„ 30 (30 days)										
Brisbane (Metropolitan Area).	274,260	Mar. 31 (31 days)										
Perth (Metropolitan Area).	179,388	April 9										
Auckland (Urban Area).	192,176	Mar. 31 (31 days)	322	139	8·6	-	-	-	-	-	-	2
Wellington (Urban Area).	121,324	Mar. 31 (31 days)	202	82	8·2	-	-	-	-	-	-	-
Christchurch (Urban Area).	118,408	Mar. 31 (31 days)	194	93	9·5	1	-	-	-	-	-	1
Cape Town	115,348	April 30	40	28	12·6	1	-	-	-	-	-	-
Johannesburg	172,189	May 7	74	47	14·2	-	-	-	-	-	-	-
Durban	54,738	„ 7	24	22	20·9	-	-	-	-	-	1	-
Paris	2,871,429	„ 10 (10 days)	1296	1135	14·4	3	2	44	5	9	5	39
Antwerp	301,283	April 30										
Amsterdam	728,799	May 7	303	142	10·2	1	-	8	-	1	-	2
		„ 14	269	132	9·4	-	-	12	-	2	-	-
Copenhagen	592,000	„ 14	185	112	9·9	1	-	-	-	1	1	-
Stockholm	453,332	„ 7	93	95	10·9	-	-	-	-	1	1	1
Gothenburg	231,196	April 30	?	39	8·8	-	-	-	-	1	-	-
Oslo (Christiania) ..	254,055	May 21	68	48	9·8	-	-	-	-	-	-	-
Berlin	2,003,000	„ 7	373	477	12·3	-	?	3	1	-	6	4
Breslau	564,000	„ 7	175	115	10·6	-	?	1	-	-	-	5
Cologne	716,000	„ 7	232	141	10·2	-	?	7	-	4	-	4
Dresden	626,000	„ 7	160	147	12·2	-	?	-	-	1	-	1
Frankfort-on-Main..	473,000	„ 7	96	81	8·9	-	?	-	-	1	-	1
Hamburg	1,101,000	„ 7	238	224	10·6	-	?	-	-	1	1	1
Leipzig	687,000	„ 7	179	158	12·0	-	?	-	-	-	-	2
Munich	685,000	„ 7	159	141	10·7	-	?	1	-	-	-	2
Vienna	1,871,607	June 30 '26 (30 days)										
Prague and Suburbs	725,196	Oct. 31 '26 (31 days)										
Budapest	971,169	May 14	341	247	13·2	-	-	4	1	-	1	2
Warsaw	1,028,982	„ 14	?	265	13·5	1	-	4	3	3	2	9
Cairo	859,400	Jan. 7										
Alexandria	492,100	„ 7										
New York	5,924,018	May 14	?	1505	13·3	2	-	4	5	5	12	12
Chicago	3,101,000	„ 13	1143	659	11·1	-	-	3	-	1	8	5

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 137 deaths from Cholera in Calcutta and 17 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 28th May, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	787	54	18	19	27	41	37	48	94	146	154	149
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	1	-	-	1	-	-	-	-	-	-	-	-
Measles	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever	5	-	2	1	1	-	-	-	1	-	-	-
Whooping cough	4	2	1	-	1	-	-	-	-	-	-	-
Diphtheria	9	-	1	3	1	1	1	-	-	1	1	-
Influenza	7	1	-	-	-	-	-	1	-	2	2	1
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	2	1	-	-	1	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	1	-	-	-	-
Meningococcal meningitis	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	66	1	-	-	1	12	17	10	13	11	1	-
Nervous system	10	2	1	2	3	-	1	1	-	-	-	-
Intestines and peritoneum	3	-	-	-	1	1	1	-	-	-	-	-
Other forms	4	-	-	2	1	-	-	-	-	-	-	1
Venereal diseases	2	1	-	-	-	-	-	1	-	-	-	-
Cancer	101	-	-	-	1	-	3	3	13	30	39	12
Rheumatic fever	4	-	-	-	-	3	-	-	-	1	-	-
Diabetes	7	-	-	-	-	-	-	-	2	3	1	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	38	-	-	-	-	-	-	-	3	9	12	14
Epilepsy	4	-	-	-	-	1	1	1	1	-	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	35	-	1	-	1	3	3	3	8	9	4	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	6	-	-	-	2	1	-	1	-	2	-	-
Other diseases of heart	126	-	-	-	-	2	-	9	10	24	37	44
Other diseases of circulatory system	50	-	-	-	-	-	-	-	6	10	11	23
Bronchitis	21	1	1	-	-	1	-	-	-	5	5	8
Broncho-pneumonia	30	3	7	3	2	-	1	-	6	2	4	2
Lobar-pneumonia	19	2	1	-	-	2	-	2	5	5	2	-
Pneumonia (type not distinguished)	10	-	-	1	1	-	1	1	1	3	1	1
Other diseases of respiratory system	7	1	-	1	-	-	1	-	-	1	2	1
Diarrhœa and enteritis	12	8	1	1	-	1	-	-	-	1	-	-
Appendicitis, Typhlitis	7	-	-	1	1	1	-	2	-	1	-	1
Hernia, Intestinal obstruction	11	2	-	-	-	-	-	1	-	3	4	1
Cirrhosis of liver	6	-	-	-	-	-	-	-	2	3	1	-
Other diseases of digestive system ..	15	1	-	-	-	1	1	1	2	4	3	2
Acute nephritis	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	21	-	-	-	-	-	1	1	3	6	7	3
Other diseases of genito-urinary system.	12	-	-	-	-	1	-	1	3	1	4	2
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	2	-	-	-	-	-	-
Congenital malformations	7	6	-	-	-	1	-	-	-	-	-	-
Premature birth	11	11	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	2	2	-	-	-	-	-	-	-	-	-	-
Old age	31	-	-	-	-	-	-	-	-	2	6	23
Suicide	13	-	-	-	-	-	2	5	5	1	-	-
Burns and Scalds	2	-	-	1	1	-	-	-	-	-	-	-
Drowning	5	-	-	-	1	1	-	-	1	2	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14	-	-	2	4	2	-	-	1	2	3	-
Other deaths by violence	11	-	-	-	1	2	-	2	2	1	-	3
Other specified causes	26	7	1	-	1	1	3	1	6	-	4	2
Ill-defined causes	1	-	-	-	-	-	-	-	-	1	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 28th May, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	1	231	224	4	82	C. 6 D. 2 E. 2 G. 2 M. 12 N. 13
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	11	–	6	E. 1 G. 1 M. 2
†BERMONDSEY ...	–	7	11	–	2	N. 1
†BETHNAL GREEN	–	6	10	–	4	–
†CAMBERWELL ...	–	23	17	–	2	M. 1
†CHELSEA	–	4	2	–	1	M. 2
†DEPTFORD ...	–	9	11	–	7	–
†FINSBURY ...	–	5	3	–	–	E. 1
†FULHAM	–	2	5	–	2	–
†GREENWICH ...	–	12	7	–	–	–
†HACKNEY ...	1	10	10	–	2	M. 1 N. 1
†HAMMERSMITH ...	–	4	9	1	3	C. 1 M. 1
†HAMPSTEAD ...	–	3	4	1	–	M. 1 N. 1
†HOLBORN... ...	–	1	2	–	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	14	12	–	4	N. 2
†KENSINGTON ...	–	3	7	–	1	–
†LAMBETH ...	–	9	4	1	4	M. 1 N. 1
†LEWISHAM ...	–	12	5	–	2	D. 1
†PADDINGTON ...	–	4	8	1	5	G. 1 N. 1
†POPLAR	–	12	15	–	5	–
†ST. MARYLEBONE		1	3	–	1	N. 1
†ST. PANCRAS ...		8	12	–	3	C. 2 M. 1
†SHOREDITCH ...	–	8	12	–	3	N. 1
†SOUTHWARK ...	–	12	12	–	8	C. 1 M. 1 N. 3
†STEPNEY	–	16	9	–	3	C. 2 D. 1 M. 1 N. 1
†STOKE NEWINGTON	–	3	3	–	–	–
†WANDSWORTH ...	–	26	13	–	4	–
†WESTMINSTER, CITY OF	–	1	2	–	1	–
†WOOLWICH ...	–	12	5	–	8	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	10	2	–	2	C. 1
Boroughs and Urban Districts:—						
†BEDFORD	–	6	–	–	–	–
BIGGLESWADE ...	–	–			1	C. 1
†LUTON	–	1	2	–		–
SANDY	–	2	–	–	–	–
Rural Districts:—						
AMPTHILL ...		–	–	–	1	–
BEDFORD ...	–	1	–	–	–	–
BERKS	–	7	2	1	5	M. 1
†READING C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...		–	–	–	–	M. 1
WOKINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
BRADFIELD ...	–	2			–	–
EASTHAMPSTEAD		1	–	–	–	–
NEWBURY ...	–	2	1	1	2	–
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	1	–	–	2	–
BUCKINGHAM ...	–	3	2	–	4	C. 1 M. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	–	–	–	1	–
†WOLVERTON ...			1	–		–
Rural Districts:—						
AMERSHAM ...	–	–		–	–	C. 1
BUCKINGHAM ...	–	–	–	–	2	–
ETON	–	–	1	–	–	–
NEWPORT PAGNELL ...	–	–	–	–	1	M 1
WYCOMBE ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	7	4	–	–	N. 1
Borough:—						
†CAMBRIDGE ...		4	2	–		N. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	1	–	–	–
CHESTERTON ...		2	1	–	–	–
LINTON	*	*	*	*	*	*
MELBOURN ...	–	1	–	–	–	–
CHESTER ...	–	37	15	–	22	M. 1 N. 2
†BIRKENHEAD C.B.		6	3		7	M. 1
†CHESTER C.B. ...	–	2	1	–	4	–
†STOCKPORT C.B.		7	3	–	2	–
†WALLASEY C.B. ...	–	5	4	–	2	–
Boroughs and Urban Districts:—						
BREDBURY AND ROMILEY	–	1	–	–	–	–
†CONGLETON ...	–	1	–	–	1	–
†CREWE	–	2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	3	–	–	–	–
†MACCLESFIELD ...	–	1	–	–	–	–
†NORTHWICH ...	–	1	1	–	2	N. 1
†SALE	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	2	–
TARPORLEY ...	–	1	–		–	–
WILMSLOW ...	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW ...		2	1	–	–	–
CHESTER	–	–	1	–	–	–
CONGLETON ...	–	1	–	–	1	N. 1
NANTWICH ...	–	1	–	–	–	–
RUNCORN ...	–	–	–	–	1	–
TARVIN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	12	3	–	4	M. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	2		–	–	–
LISKEARD ...	–	–	2	–	–	–
LOSTWITHIEL ...		1	–	–	–	–
ST. IVES	–	4	–	–		–
†TRURO	*	*	*	*	*	*
WADEBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BODMIN	–	–	–	–	1	–
EAST KERRIER ...	–	1	–	–	–	–
ST. AUSTELL ...	–	–	1	–	–	M. 1
ST. COLUMB MAJOR	–	2	–	–	1	–
ST. GERMANS ...	–	–		–	1	–
WEST PENWITH...	–	2	–	–	–	–
CUMBERLAND...	–	5	6	–	2	E. 1 M. 1 N. 1
†CARLISLE C.B. ..	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	
CLEATOR MOOR ...		–	1	–	–	N. 1
EGREMONT ...	–	–	2	–	–	–
MILLOM		1	–		–	–
†WHITEHAVEN ...	–	1	–	–	–	–
Rural Districts:—						
BOOTLE		2	1		–	–
CARLISLE ...	–	–	1	–	–	–
COCKERMOUTH ...	–	1	–	–	1	
WHITEHAVEN ...	–		1	–	–	E. 1
DERBY	8	22	15	–	27	C. 1 G. 1 M. 3
†DERBY C.B. ...	5	5	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ..	*	*	*	*	*	*
ALVASTON AND BOULTON	*	*	*	*	*	*
ASHBOURNE ...	–	–	–	–	1	–
†BELPER	1	–	–	–	–	–
†BOLSOVER ...	–	3	–	–	2	–
†CHESTERFIELD ...	–	2	1	–	1	–
†GLOSSOP	–	–		–	1	–
†HEANOR	–		1	–	2	M. 1
†ILKESTON ...				–	1	–
†LONG EATON ...	–	1	5	–		–
NEW MILLS ...	–	1	1	–	1	–
NORTH DARLEY...	*	*	*	*	*	*
†RIPLEY	2	–		–	1	–
†SWADLINCOTE DISTRICT	–	1	–		5	C. 1 M. 1
WIRKSWORTH ...		–		–	2	–
Rural Districts:—						
BLACKWELL ...	–	2	3	–	3	–
CHESTERFIELD ...	–	1	3	–	3	M. 1
CLOWNE	–	2	–	–	1	G. 1
HARTSHORN AND SEALS	–	1	–	–	–	–
REPTON	–	1	–	–	–	–
SHARDLOW ..	–	2		–	1	–
DEVON	–	28	13	1	4	C. 1 M. 2
†EXETER C.B. ...	–	3	2		1	M. 1
†PLYMOUTH C.B....	–	11	8	–	2	M. 1
Boroughs and Urban Districts:—						
BIDEFORD ...	–	1	–		–	–
†NEWTON ABBOT	–	1	–	–	–	–
OKEHAMPTON ...	–		–	–	1	–
TAVISTOCK ...	–	–	1	–	–	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
NEWTON ABBOT...	-	-	1	-	-	-
OKEHAMPTON ...	-	-	-	-	-	C. 1
PLYMPTON ST. MARY	-	9	1	-	-	-
ST. THOMAS ...	-	-	-	1	-	-
DORSET	-	8	1	-	1	-
Boroughs and Urban Districts:—						
DORCHESTER ...	-	1	-	-	-	-
LYME REGIS ...	-	1	-	-	-	-
†PORTLAND ..		2	-	-	-	-
SHERBORNE ...	-	1	-	-	-	-
Rural Districts:—						
WEYMOUTH ...	-	1	1	-		-
WIMBORNE AND CRANBORNE	-	2	-	-	1	-
DURHAM ...	142	52	12	2	48	C. 1 G. 1 M. 6 N. 3
†DARLINGTON C.B.	-	4	-	1	3	-
†GATESHEAD C.B	3	5	5	-	1	-
†SOUTH SHIELDS C.B.	27	4	-	-	7	-
†SUNDERLAND C.B.	-	3	1	-	11	G. 1 M. 4 N. 2
†WEST HARTLEPOOL C.B.	-	2	-	-	3	-
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	3	1	-	-	-	-
BENFIELDSIDE ...	-	-	-	-	1	-
†BISHOP AUCKLAND	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts— *cont.*						
†BLAYDON... ...	-	1	-	-	-	-
†BRANDON AND BYSHOTTLES	-	-	1	-	-	-
†CHESTER LE STREET	3		-	-	1	-
†CONSETT	-	3	-	-	-	-
†CROOK	2	-		-	-	-
†DURHAM	1	-	-	-	-	-
†FELLING	5	-	-	-	-	-
†HARTLEPOOL ...	1	-		-	-	-
†HEBBURN ..	2	-	-		1	-
†HETTON	4	1	-	-	2	-
†HOUGHTON LE SPRING	3	-	-	-	1	-
†JARROW	12	-	-	-	5	-
LEADGATE ...	-	-	1	-	1	-
†RYTON	-	1	-	-	-	-
†SEAHAM HARBOUR		1	-	1	-	-
†SHILDON	3	-	-	-	-	-
†SOUTHWICK ON WEAR	-		2	-		-
†SPENNYMOOR ...	2	-	-	-	-	-
†STANLEY	-	1		-	-	-
†STOCKTON ON TEES	-	3	-	-	1	M. 1
†TANFIELD ...	-	1	-		-	-
TOW LAW ...	-	2	-	-	-	-
†WHICKHAM ...	-	2	-	-	1	-
Rural Districts:—						
AUCKLAND ...	7	2	-		-	-
BARNARD CASTLE	1	-	-	-	-	-
CHESTER LE STREET	7	4	1		1	M. 1
DURHAM	1		1	-		-
EASINGTON ..	5	5	-	-	4	-
HARTLEPOOL ...	-	-	-	-	-	N. 1
HOUGHTON LE SPRING	4	-	-	-	2	C. 1
LANCHESTER ...	1	1	-	-	-	-
SEDGEFIELD ...	30	-	-	-	-	-
SOUTH SHIELDS...	15	2	-	-	-	-
STOCKTON ...	-	-	-	-	1	-
SUNDERLAND ...	-	1	-	-	-	-
WEARDALE ...	-	1	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	-	2	-	-	1	-
Boroughs and Urban Districts:—						
ELY		2	-		-	-
†WISBECH	-	-	-	-	1	-
ESSEX	-	124	43	2	39	G. 1 M. 1 N. 3
†EAST HAM C.B. ..	-	24	4	-	3	-
†SOUTHEND-ON-SEA C.B	-	4	1		6	N. 1
†WEST HAM C.B. ..	-	38	14	-	10	-
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	3	1	-	4	-
BRAINTREE ...	-	-	1	-	-	-
BUCKHURST HILL	-	1	-	-		-
BURNHAM ON CROUCH	-	1	-	-	-	-
CANVEY ISLAND	-	1	-	1		-
†CHELMSFORD ...	-	3	-	-	-	-
CHINGFORD ...	-		-	-	1	-
DAGENHAM ...		4	-	-	-	-
†GRAYS THURROCK	-	3	-	-	-	-
†HORNCHURCH ...	-	6	-		-	-
†ILFORD		5	1	-	2	M. 1
†LEYTON	-	4	11		3	-
MALDON	-	-	2	-	-	-
†ROMFORD ...	-	1	-	-	-	-
SAFFRON WALDEN	-	-	-	1		-
SHOEBURYNESS ...	-	-	-	-	2	-
TILBURY	-	2	1	-	-	-
†WALTHAMSTOW...	-	13	3		-	-
WITHAM		1	-	-	1	-
†WOODFORD ...	-	1	1	-	-	-
Rural Districts:—						
BILLERICAY ...		1	-	-	1	-
BRAINTREE ...		-	-	-	1	-
CHELMSFORD ...	-	2	-	-	-	-
DUNMOW	-	-	-	-	-	N. 1
EPPING		-	-	-	-	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
MALDON	-	1		-	-	-
ORSETT	-	2	2	-	-	-
ROCHFORD ...	-	-	1	-	3	N. 1
ROMFORD... ...	-	1	-	-	-	-
STANSTED ...	-	1	-	-	-	-
TENDRING ...	-	1	-	-	2	-
GLOUCESTER ...	-	40	19		7	C. 2 M. 3
†BRISTOL C.B. ..	-	27	14	-	3	C. 1 M. 1
†GLOUCESTER C.B.	-	1	1	-	1	M. 2
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	3	1	-	-	-
CIRENCESTER ...	-	1	-	-	-	-
†KINGSWOOD ...	-	2	1		-	-
Rural Districts:—						
CHELTENHAM ...	-	2	-	-	-	-
CHIPPING SODBURY	-	-	1	-		-
CIRENCESTER ...	-	1	-	-	-	-
DURSLEY	-	-		-	1	-
EAST DEAN AND UNITED PARISHES	-	1	1	-		C. 1
THORNBURY ...	-			-	2	-
WINCHCOMB(part)	-	2	-	-	-	-
HERTFORD ...	-	10	5	-	7	E. 1 M. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD		1	-	-	-	-
BUSHEY	-		-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESHUNT ...	-	2	-	-	1	-
†HITCHIN	-	-	1	-	-	-
HODDESDON ...	-	2		-		-
†LETCHWORTH ...	-	-	-	-	1	-
†ST. ALBANS ...	-	-	1	-		-
SAWBRIDGEWORTH	-	1	-	-	-	-
WARE	-	-	1		-	-
†WATFORD ...	-	-	1	-	2	-
WELWYN GARDEN CITY		-	-	-	-	E. 1
Rural Districts:—						
ASHWELL ...	-	-	-	-	1	-
ST. ALBANS ...	-	4	-	-	-	M. 1
WARE	-	-	1	-	1	-
HUNTINGDON ...	-	5	1	-		-
Boroughs and Urban Districts:—						
HUNTINGDON ...	-	1	1	-	-	-
OLD FLETTON ...	-	1	-		-	-
Rural Districts:—						
NORMAN CROSS ...	-	3	-	-	-	-
KENT	-	62	38	4	17	D. 1 G. 1 M. 2 N. 3
†CANTERBURY C.B.		-	-	-	1	-
Boroughs and Urban Districts:—						
†BECKENHAM ...	-	4	-	-	-	-
†BROADSTAIRS AND ST. PETER'S	-	2	3	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROMLEY ...	-	2	1	-	-	N. 1
†CHATHAM ...	-	1	5	-	-	-
CHERITON ...	-	1	-	-	-	-
CHISLEHURST ...	-	-	-	-	1	-
†CRAYFORD ...	-	1	2	-	-	-
†DARTFORD ...	-	2	3	-	1	-
†DOVER		1	1	-	1	-
†ERITH	-	4	2	-	1	D. 1
†FAVERSHAM ...	-	1	-	-	1	-
†FOLKESTONE ...	-	2		1	-	-
†GILLINGHAM ...		2	1	-	-	G. 1
†GRAVESEND ...	-	3	1	3	-	-
†HERNE BAY ...	-		-	-	1	-
HYTHE	-	-	1	-	-	-
†MAIDSTONE ...	-	4	-	-	1	-
†MARGATE ...	-	-	6	-	-	N. 1
†NORTHFLEET ...	-	-	3	-	-	-
†RAMSGATE ...	-	1	-	-	-	-
†ROCHESTER ...	-	-	1	-	-	N. 1
†ROYAL TUNBRIDGE WELLS	-	2	2	-	1	-
SEVENOAKS ...	-	2	-			-
SIDCUP	-	1	-		-	-
SWANSCOMBE ...		1	2	-	-	-
Rural Districts:—						
BROMLEY ...	-	3	-	-	-	M. 1
CRANBROOK ...	-	2	-	-	-	-
DARTFORD ...	-	3	1	-	-	-
EAST ASHFORD ...	-	1	-	-	-	-
EASTRY	-	-	-	-	2	-
ELHAM	-	-	-	-	3	-
FAVERSHAM ...	-	-		-	1	-
HOLLINGBOURNE	-	1	-	-	-	-
HOO	-	-	-	-	1	-
ISLE OF THANET	-	1	-		-	-
MAIDSTONE ...	-	1	-	-	-	-
MALLING	-	3	2	-	1	-
SEVENOAKS ...	-	4	1	-	-	M. 1
STROOD	-	1	-	-	-	-
TENTERDEN ...	-	1		-	-	-
TONBRIDGE ...	-	4	-	-	-	-

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	23	158	70	1	197	C. 5 G. 7 L. 6 M. 22 N. 15
†BARROW IN FURNESS C.B.	-		-	-	1	-
†BLACKBURN C.B.	-	6	2	-	4	-
†BLACKPOOL C.B.	-	4	-	-	2	-
†BOLTON C.B. ...	-	6	-	-	2	G. 2 N. 1
†BOOTLE C.B. ...	-	8	-	-	2	N. 1
†BURNLEY C.B. ...	4	2	-	-	6	-
†BURY C.B. ...	-	4	-	-	1	-
†LIVERPOOL C.B. ...	-	16	23	-	25	G. 2 M. 10 N. 2
†MANCHESTER C.B.	-	35	9	-	52	C. 2 G. 1 M. 2 N. 1
†OLDHAM C.B. ...	3	8	4		5	C. 1 M. 1
†PRESTON C.B. ...	-	1	4	-	4	N. 1
†ROCHDALE C.B. ...	-	1	1		2	M. 1
†ST. HELENS C.B. ...	-	1	-	-	3	C. 1 N. 1
†SALFORD C.B. ...	-	14	6	-	15	M. 1 N. 1
†SOUTHPORT C.B.	-	-	-	-	1	M. 1
†WARRINGTON C.B	-		2	-	3	N. 3
†WIGAN C.B. ..	16	1	-	-	4	-
Boroughs and Urban Districts:—						
ABRAM		1	-	-	-	-
†ACCRINGTON ..	-	-	-	-	3	
ADLINGTON ..	-	-	-	-	-	M. 1
†ASHTON UNDER LYNE	-	-			2	M. 1
†ATHERTON ...	-	2	-	-	1	N. 1
AUDENSHAW ..	-	-	-	-	1	-
BILLINGE... ...	-		1		-	-
BRIERFIELD ...	-	-	1	-	-	-
CARNFORTH ...	-	-	-	-	-	C. 1
†CHADDERTON ...	-		-	-	1	-
†CLITHEROE ...	-	-	4	-	-	-
†COLNE	-	1	-	-	1	-
†DARWEN		3	-		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DENTON		4	-	-	-	-
†DROYLSDEN ...	-	-	-	-	1	-
†ECCLES	-	2	-	-	2	-
†FAILSWORTH ..	-	2	-	-	1	-
†FARNWORTH ...	-	-	-	-	9	-
†GREAT CROSBY ...	-	2	-	-	-	-
†HASLINGDEN ...	-	1	-	-		-
†HAYDOCK ...	-	-	1	-	-	-
HEYSHAM ...	-	-	-	-	1	-
†HEYWOOD ...	-	1		-	1	G. 1
†HINDLEY... ...	-	1	-	-	1	-
†HORWICH ...		1	-	-	4	-
†INCE IN MAKERFIELD	-	-	-		1	-
IRLAM	-	1	-	-	1	-
KEARSLEY ...	-	1	-	-	-	-
†LANCASTER ...		3	1	1	1	M. 2
LATHOM AND BURSCOUGH	-		1	-	-	-
†LEIGH	-	-	4	-	1	-
LEYLAND... ...	-		-	-	1	-
†LITHERLAND ...	-	1	1	-	-	-
†LYTHAM ST. ANNE'S	-	-	1	-	-	-
†MIDDLETON ...	-	-	-	-	1	-
†MORECAMBE ...	-	1	-	-	-	-
†MOSSLEY	-	-	-	-	1	-
†NELSON	-		-	-	2	-
ORMSKIRK ...		-	-	-	1	-
POULTON LE FYLDE	-	-	-	-	1	-
PRESCOT	-	-	-	-	-	N. 1
†RADCLIFFE ...	-	3	-	-	2	M. 1
RISHTON	-	-	-	-	1	-
STANDISH WITH LANGTREE	-	-	-	-	1	-
†STRETFORD ...	-	1	-	-	4	-
†SWINTON AND PENDLEBURY	-	4	-	-	2	-
TOTTINGTON ...	-	1	-	-	1	-
†TYLDESLEY WITH SHAKERLEY	-	1	-	-	-	N. 1
†ULVERSTON ...	-	1	1	-	-	-
†WATERLOO WITH SEAFORTH	-	1	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever : N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
WHITEFIELD ...	–	1	–	–	–	–
†WIDNES	–	–	1	–	9	N. 1
†WORSLEY... ...	*	*	*	*	*	*
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURNLEY... ...	–	1	–	–	–	M. 1
BURY		3	–	–	–	
CHORLEY... ...	*	*	*	*	*	*
CLITHEROE ...	–	–	–	–	–	L. 5
FYLDE		1	1	–	–	–
LANCASTER ...	–	–	1	–	–	–
LEIGH	–	1	–	–	1	–
LUNESDALE ...	–	1	–	–	–	G. 1
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	1	–	–	–	–
WHISTON... ...	–	1	–	–	2	L. 1
LEICESTER ...	–	20	5	–	4	E. 2 M. 3
†LEICESTER C.B. ...	–	10	3	–	1	E. 2 M. 3
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†LOUGHBOROUGH	–	1			–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	1	–	–	–	–
OADBY	–	2	–	–	–	–
THURMASTON ...	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	–	–	1	–
BARROW UPON SOAR	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
BLABY	–	2	1	–	–	–
CASTLE DONINGTON	–	1	–	–	–	–
LOUGHBOROUGH	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	7	–	–	–	E. 1
Boroughs and Urban Districts:—						
HOLBEACH ...	–	–	–	–	–	F. 1
LONG SUTTON ...	–	3	–	–	–	–
Rural Districts:—						
CROWLAND ...	–	3	–	–	–	–
SPALDING (part).	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	–	–	1	G. 1
Rural Districts:—						
BRANSTON ...		–	–	–	–	G. 1
GRANTHAM ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	4	12	2	5	C. 1 M. 2
†GRIMSBY C.B. ...	–	–	–	1	1	C. 1
†LINCOLN C.B. ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	7	–	–	–
†GAINSBOROUGH ...	–	–	–	–	2	–
†SCUNTHORPE AND FRODINGHAM		2	1	–	1	–
Rural Districts:—						
CAISTOR	–	–	–	–	–	M. 1
GAINSBOROUGH ...		–	–	–	–	M. 1
GLANFORD BRIGG	–	1	–	1	1	–
HORNCASTLE ...	–	–	1	–	–	–
SPILSBY		1	–	–	–	–
WELTON	–	–	1	–	–	–
MIDDLESEX ...		40	40	–	11	C. 1 G. 1 M. 2 N. 3
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	1	N. 1
†BRENTFORD AND CHISWICK	–	2	–	–	–	–
†EALING	–	1	–	–	–	–
†EDMONTON ...	–	1	5	–	–	–
†ENFIELD	–	4	2	–	–	G. 1
†FINCHLEY ...	–	1	–	–	–	–
†FRIERN BARNET	–	–	–	–	1	–
†HARROW ON THE HILL	–	3	–	–	–	N. 1
†HENDON	–	5	2	–	–	N. 1
†HESTON AND ISLEWORTH	–	1	–	–	1	–
†HORNSEY	–	2	–	–	1	M. 1
†SOUTHALL NORWOOD	–	1	1	–	–	–
†SOUTHGATE ...	–	2	1	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	2	9	–	3	M. 1
†TWICKENHAM ...	–	–	4	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†UXBRIDGE ...	–	4	2	–	–	–
†WILLESDEN ...	–	2	10	–	4	–
†WOOD GREEN ...	–	6	3	–	–	–
Rural Districts:—						
HENDON	–	1	–		–	C. 1
NORFOLK ..	–	6	1	1	6	M. 1 N. 3
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†NORWICH C.B. ...	–	4	–	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
DISS	*	*	*	*	*	*
EAST DEREHAM ...	–	–		1	1	–
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
DEPWADE ...	–	–	–		1	–
HENSTEAD ...	–	–	–	–	–	N. 1
LODDON AND CLAVERING	*	*	*	*	*	*
WALSINGHAM ...	–	–	–	–	2	–
WAYLAND ...	–	–		–	2	–
NORTHAMPTON	–	7	4	–	4	–
†NORTHAMPTON C.B	–	2	1	–	3	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHAMPTON—*cont.*						
Rural Districts:—						
BRACKLEY ...	–	–	3	–	–	–
BRIXWORTH ...	–	1		–	–	–
DAVENTRY ...	–	1	–	–	1	–
THRAPSTON (part)		1		–		–
NORTHUMBERLAND.	8	34	4	–	32	D. 1 G. 1 M. 1 N. 1
†NEWCASTLE UPON TYNE C.B.	1	19	3	–	22	M. 1
†TYNEMOUTH C.B	4	3	–	–	5	D. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	3	2			1	–
†BEDLINGTONSHIRE	–	2	–	–	–	–
†BLYTH	–	–	–		–	N. 1
†GOSFORTH ...	–	2	–	–		–
HEXHAM	–	1	–	–		–
†LONGBENTON ...	–	1		–	–	–
†NEWBURN ...	–		1	–	–	–
†WALLSEND ...	–	2	–	–	3	G. 1
Rural Districts:—						
HEXHAM		2	–	–	1	–
NOTTINGHAM ...	2	23	23	1	22	D. 1 M. 1 N. 2
†NOTTINGHAM C.B	–	8	17	–	12	D. 1
Boroughs and Urban Districts:—						
†CARLTON	–	2	–	–	–	–
†EAST RETFORD ...	–	–	1	–	–	–
†HUCKNALL ...	1	–	–	–	–	–
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
HUTHWAITE ...	–		–	–	2	–
†KIRKBY IN ASHFIELD	–	2	1	1	–	M. 1 N. 1
†MANSFIELD ...	1	1		–	2	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK		1	–	–	–	–
†SUTTON IN ASHFIELD	–	1	2	–	3	–
Rural Districts:—						
BASFORD	–	3	1	–	2	N. 1
SOUTHWELL ...	–	3	–	–		–
STAPLEFORD ...	–	1	–		1	–
WORKSOP... ...	–	–	1	–	–	–
OXFORD	–	5	2	–	2	M. 2 N. 4
†OXFORD C.B. ...		1	–	–	1	M. 1 N. 3
Boroughs and Urban Districts:—						
†HEADINGTON ...	–	–	–	–	1	N. 1
THAME	–	–	1	–		–
Rural Districts:—						
BANBURY ...	–	1		–	–	–
CHIPPING NORTON	–	–	1	–	–	–
HEADINGTON ...	–	1	–		–	–
HENLEY	–	1	–	–	–	–
WITNEY	–		–	–	–	M. 1
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	2	–	–	3	–
Borough:—						
†PETERBOROUGH...	–	2	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND ...	-	-	-	-	1	-
Rural Districts:—						
OAKHAM	-	-	-	-	1	-
SALOP	-	14	3	-	2	G. 1 M. 1
Boroughs and Urban Districts:—						
DAWLEY	-	2	1	-	-	-
ELLESMERE ...	*	*	*	*	*	*
†OAKENGATES ...		1	1			-
†SHREWSBURY ...	-	1	-	-	-	M. 1
WHITCHURCH ...	-	7	-	-		-
Rural Districts:—						
ATCHAM	-	1	-		-	-
CHURCH STRETTON	-	1	-	-	-	G. 1
ELLESMERE ...	*	*	*	*	*	*
WELLINGTON ...	-	1	1	-	1	-
WEM	-	-	-	-	1	-
SOMERSET ...	-	22	5	-	5	M. 1 N. 3
†BATH C.B. ...	-	10	-	-	-	N. 1
Boroughs and Urban Districts:—						
CLEVEDON ...	-	-	-	-	1	-
MINEHEAD ...	-	-	-	-	-	N. 1
†WESTON SUPER MARE	-	1	-	-	-	M. 1
Rural Districts:—						
AXBRIDGE ...	-	1	1	-	-	-
BATH		1	3	-	-	-
BRIDGWATER ...	-	1	-	-	-	-
CLUTTON	-	3	-	-	-	-
KEYNSHAM ...	-	1	-		-	-
LANGPORT ...	-	-	-	-	-	N. 1
SHEPTON MALLET	-	-	1	-	1	-
TAUNTON ...	-	1	-	-	-	-
WELLS	-	-	-	-	3	-
WINCANTON ...	-	2	-	-	-	-
YEOVIL	-	1	-		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ..	-	32	20	1	13	E. 1 M. 2 N. 2
†PORTSMOUTH C.B	-	16	11	-	-	M. 1 N. 1
†SOUTHAMPTON C.B.	-	7	3	-	2	E .1 M. 1 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...		-	-	-	2	-
BASINGSTOKE ...	-	-	2	-	-	-
CHRISTCHURCH ...	-	-	-	1	-	-
†FAREHAM ...	-	1	-	-	1	-
†FARNBOROUGH ...		2	-	-	-	-
†GOSPORT	-	1	-	-	2	-
†WINCHESTER ...	-	-	-	-	3	-
Rural Districts:—						
ALTON	-	-	3	-	-	-
DROXFORD ...	-	2	-	-	-	-
FAREHAM ...	-	2		-	-	-
NEW FOREST ...	-	-	-	-	1	-
ROMSEY	-	1	-	-	1	-
SOUTH STONEHAM		-	1	-	-	-
WINCHESTER ...	-	-	-	-	1	-
STAFFORD ...	1	35	25	-	48	C .1 G. 2 M. 9 N. 4
†BURTON UPON TRENT C.B.	-	1	1	-	-	G. 1 M. 1
†SMETHWICK C.B.	-	2	1	-	1	N. 1
†STOKE ON TRENT C.B.	-	11	6	-	11	M. 3
†WALSALL C.B. ...	-	3	1	-	3	-
†WEST BROMWICH C.B.	-	1	5	-	2	M. 1
†WOLVERHAMPTON C.B.	-	1	-	-	4	M. 1
Boroughs and Urban Districts:—						
BIDDULPH ...	-	-	2	-	-	-
†BILSTON	1	2	-	-	3	-
†BRIERLEY HILL...	-	-	-	-	3	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROWNHILLS ...	-	-	1			-
†CANNOCK		-	-	-	1	M. 1
†COSELEY	-		-	-	2	
†DARLASTON ...	-	-	-	-	3	N. 1
†LEEK	-	3		-	-	-
LICHFIELD ...	-	-	-		-	M. 1
†NEWCASTLE UNDER LYME	-	-	1	-	-	-
QUARRY BANK	-	2	-	-		-
†ROWLEY REGIS ...	-	1	1	-	-	-
†SEDGLEY	-	2	-	-	2	-
†STAFFORD ...	-	-	1	-	2	-
†TIPTON	-	-	2	-	3	N. 1
†WEDNESBURY ...	-	-	-	-	3	-
†WILLENHALL ...	-	-	1	-	-	-
†WOLSTANTON UNITED	-	1	-	-	2	-
Rural Districts:—						
CANNOCK	-	-		-	-	C. 1
CHEADLE	-	-		-	1	-
GNOSALL	-	-	-	-	1	-
KINGSWINFORD ...	-	2	-	-	-	-
LEEK	-	-	-	-	-	M. 1
LICHFIELD ...	-	1	-	-	1	-
NEWCASTLE UNDER LYME	-	-	1	-	-	-
SEISDON	-	-	-		-	G. 1
STAFFORD ...	-	-	-		-	N. 1
STONE	-	1	-		-	-
TUTBURY... ...	-	1	-	-	-	-
WALSALL... ...	-	-	1	-	-	-
SUFFOLK, EAST	-	9	3	-	5	M. 2 N. 1
†IPSWICH C.B. ...	-	3	-	-	3	M. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	-	-	-	-	1	-
†LOWESTOFT ..	-	3	1	-	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	-	-	-	-	-	N. 1
HARTISMERE ...	-	2	2	-	-	-
HOXNE	-	1	-	-	-	-
SUFFOLK, WEST	-	3	-	-	1	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	1	-	-		N. 1
NEWMARKET ...	-	-	-	-	1	-
Rural Districts:—						
CLARE	-	1	-	-	-	-
MELFORD... ...	-	1	-	-	-	-
SURREY	-	54	37	1	10	C. 1 D. 1 E. 1 G. 1 M. 2 N. 3
†CROYDON C.B. ...	-	17	4	-	1	C. 1 G. 1
Boroughs and Urban Districts:—						
†BARNES	-	5	1	-	-	-
†BEDDINGTON AND WALLINGTON	-	1	3	-	-	-
†CARSHALTON ...	-	1	-		-	-
†CATERHAM ...	-	1	1			-
†CHERTSEY ...	-	-	-	-	1	-
EAST AND WEST MOLESEY	-	1	-	-	2	-
†EGHAM	-	1	1		-	-
†EPSOM		-	-	1	-	-
†ESHER AND THE DITTONS	-	2	-	-	-	-
†FARNHAM ...	-	1	-	-	-	-
†FRIMLEY	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
GODALMING ...	–	1	–	–	1	–
†KINGSTON ON THAMES	–	2	–	–	2	–
†MERTON AND MORDEN	–	1	1	–	–	–
†MITCHAM... ...	–	3	4	–	3	E. 1
†REIGATE	–	2	17	–	–	–
†RICHMOND ...	–	–	1			–
†SURBITON ...	–	1	1	–	–	D. 1
†SUTTON	–	2	–	–	–	M. 1
†THE MALDENS AND COOMBE	–	4	–	–	–	–
†WALTON UPON THAMES	–	–	–	–	–	M. 1
†WIMBLEDON ...	–	3	–	–	–	N. 1
†WOKING	–	–		–	–	N. 2
Rural Districts:—						
FARNHAM ...	–	4	–	–	–	–
REIGATE	–	–	3	–	–	–
SUSSEX, EAST ...	–	18	4	2	2	G. 1 M. 1 N. 1
†BRIGHTON C.B. ...	–	14	1	–	–	–
†EASTBOURNE C.B.	–	1	–	–	–	
†HASTINGS C.B. ...	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
†HOVE	–	1	2	–	–	M. 1
NEWHAVEN ...	–	–	1	–	1	–
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	–	G. 1
HAILSHAM ...	–	–	–	2	1	–
SUSSEX, WEST...	–	5	9	–	2	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	3	–		–
SHOREHAM-BY-SEA	–	–	–	–	1	–
†WORTHING ...	–	3	5	–	–	–
Rural Districts:—						
HORSHAM ...	–	–	–	–	1	–
STEYNING WEST	–	1	–	–	–	–
WESTBOURNE ...	–	–	1	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK ...	–	41	47	2	61	C. 4 D. 1 G. 2 M. 10 N. 2
†BIRMINGHAM C.B.	–	24	41	1	48	C. 4 D. 1 G. 1 M. 9 N. 1
†COVENTRY C.B. ...	–	7	2		4	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	3	2	–	2	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	3	–	–		–
†SUTTON COLDFIELD	–	1	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	–	1	–	1	–
COVENTRY ...	–	–	–	–	–	M. 1
FOLESHILL ...	–	1	–		2	G. 1
MERIDEN... ...	–	–	–	–	1	–
RUGBY	–	–	–	–	1	–
SOLIHULL ...	–	–	–	–	–	N. 1
SOUTHAM... ...	–		–	1	1	–
TAMWORTH (part)	–	–	1	–		–
WARWICK ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	-	-	-	1	1	-
Boroughs and Urban Districts:—						
AMBLESIDE ...	-	-	-	1	-	-
Rural Districts:—						
SOUTH WESTMORLAND	-	-	-	-	1	-
WIGHT, ISLE OF	-	6	-		-	N. 2
Boroughs and Urban Districts:—						
EAST COWES ...	-	1	-	-	-	-
†NEWPORT... ...	-	-	-	-	-	N. 2
†RYDE	-	1	-		-	-
SANDOWN ...	-	2	-	-	-	-
Rural Districts:—						
ISLE OF WIGHT	-	2	-	-	-	-
WILTS	-	20	2	2	8	N. 2
Boroughs and Urban Districts:—						
CALNE	-	-	1	-	-	-
CHIPPENHAM ...	-	3	-		-	-
†SALISBURY ...	-	11	-	-	-	
†SWINDON... ...	-	1		1	3	N. 1
WILTON	-	1	-	-	-	-
Rural Districts:—						
AMESBURY ..		1	-	-	-	-
CRICKLADE AND WOOTTON BASSETT	-	-	1	-	1	-
DEVIZES	-	-	-	1	-	-
HIGHWORTH ...	-	-	-	-	3	-
MELKSHAM ...	-	-	-	-	-	N. 1
SALISBURY ...	-	1	-	-		-
WILTON	-	2	-		-	-
WORCESTER ...	-	12	4	-	12	N. 1
†DUDLEY C.B. ...	-	2	-	-	2	-
†WORCESTER C.B.	-	-			4	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*—cont.*						
Boroughs and Urban Districts:—						
BEWDLEY ...		-	1		-	-
†HALESOWEN ...	-	2	2	-	1	-
†MALVERN ...	-	-	1	-	-	-
†OLDBURY... ...	-	-	-		3	-
†REDDITCH ...	-	4	-	-	-	-
Rural Districts:—						
MARTLEY... ...	-	4	-	-	-	-
PERSHORE ...	-	-	-	-	2	-
YORKS ... ... (East Riding).	-	13	15	-	9	G. 1 N. 1
†KINGSTON UPON HULL C.B	-	9	13	-	8	G. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	1	1	-	-	-
COTTINGHAM ...		-	-	-	-	N. 1
GREAT DRIFFIELD	-	1		-		-
HEDON	*	*	*	*	*	*
HESSLE	*	*	*	*	*	*
Rural Districts:—						
BRIDLINGTON ...	-	1	-	-	-	-
HOWDEN	-	1	-	-	1	-
SCULCOATES ...	*	*	*	*	*	*
SKIRLAUGH ...	-	-	1	-	-	-
YORKS ... ... (North Riding).	7	14	2	-	9	N. 3
†MIDDLESBROUGH C.B.	-	5	1	-	5	-
Boroughs and Urban Districts:—						
†ESTON	-	1	1	-	1	-
GUISBOROUGH ...	2	-	-	-	1	-
†REDCAR	-	2	-	-	1	N. 1
†SKELTON AND BROTTON	5	-	-	-	-	-
†THORNABY ON TEES	-	1	-	-	-	-

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	–	–
FLAXTON	–	1	–	–	–	–
KIRKBY MOORSIDE	*	*	*	*	*	*
NORTHALLERTON	–	1	–	–	–	–
STARTFORTH ...	–	1	–	–	–	N. 1
STOKESLEY ...	–	1	–	–	1	N. 1
YORKS ... ... (West Riding).	39	139	46	5	135	C. 6 G. 1 L. 1 M. 12 N. 18
†BARNSLEY C.B. ..	–	2	–		3	M. 1 N. 1
†BRADFORD C.B. ..	–	6	7	–	9	C. 2 N. 1
†DEWSBURY C.B....	–	1	–	–	–	N. 1
†DONCASTER C.B.	9	4	1	–	3	–
†HALIFAX C.B. ...	–	4	–	–	1	M. 1 N. 1
†HUDDERSFIELD C.B.	1	5	5	1	3	C 1 M. 1
†LEEDS C.B. ...	–	21	12	1	21	M 3 N. 4
†ROTHERHAM C.B.	6	1	1	–	10	C. 1
†SHEFFIELD C.B....	–	45	3	–	41	C. 1 G. 1 M 5 N. 3
†WAKEFIELD C.B.	–	1	1	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	3	–	–	1	–
ALTOFTS	–	–	–	1	2	–
†BENTLEY WITH ARKSEY	–	–	1	–	–	–
†BINGLEY	1	–	1	–	1	–
†BOLTON UPON DEARNE	1	–	–		–	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CONISBROUGH ...	5	–	–	–	–	–
CUDWORTH ...	–	1	–	–	–	–
DARFIELD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARTON	–	1	–	–	1	–
DENHOLME ...	–	–		–	–	N. 1
DRIGHLINGTON ...	–	–	–	–	1	–
†FEATHERSTONE ...		1	1	–	1	–
†GOLCAR	–	1	–		1	–
†GOOLE	–	–	–	–	1	–
GREASBROUGH ...	–	–	–	–	–	N. 1
†HARROGATE ...	–	–	1	–	1	–
†HEMSWORTH ...	–	–	1	–	–	–
†HOLMFIRTH ...	–	1	–	–	–	–
HONLEY	–	1	–	–	–	–
†HOYLAND NETHER	–	2	–	–	1	–
HOYLAND SWAINE	–	–	–	–	–	N. 1
†KEIGHLEY ...	2	1	–	–	1	–
KNARESBOROUGH	–	–	1	–	1	–
KNOTTINGLEY ...	–	–	–	–	1	–
MARSDEN... ...	–	1	1	–	–	–
METHLEY ...	–	–	–	1	–	–
†MEXBOROUGH ...	–	–	1		–	–
†MORLEY	–	–	–	–	2	–
†NORMANTON ...	–	1	–	–	3	–
†OSSETT	–	3	–	–	–	N. 1
OTLEY	–	–	–	–	4	–
†PONTEFRACT ...	–	1	–	–	–	–
†PUDSEY	–	–	–	–	–	N. 1
QUEENSBURY ...	–	–	1	–	–	–
†RAWMARSH ...	–	4	–	–	–	–
†SADDLEWORTH ...	–	–	1	–	–	–
SCAMMONDEN ...	–	1	–	–	–	–
SKELMANTHORPE	–	–	–	1	–	–
†SKIPTON	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	2	–
SPRINGHEAD ...		1	–	–	–	–
STAINLAND ...	–	1	–	–	–	C. 1
†STANLEY	–	–	–	–	1	–
STOCKSBRIDGE ...	–	–	–	–	2	–
†SWINTON... ...	4	–	–	–	2	–
THURSTONLAND AND FARNLEY TYAS	–	1	–	–	–	–
TICKHILL ...	–	1	–	–	–	–
†WOMBWELL ...	–	1	–	–	–	L. 1
†WORSBOROUGH ...	–	–	–	–	1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—						
DONCASTER ...	10	5	1	–	–	–
GREAT OUSEBURN	–	1	1	–	–	N. 1
HEMSWORTH ...	–	2	–	–	5	M. 1
HUNSLET	–	1	–	–	–	–
KEIGHLEY ...	–	–	–		1	–
KIVETON PARK ...	–	–	–		1	–
KNARESBOROUGH	–	1	–		–	–
RIPON	–	1	–	–	–	–
ROTHERHAM ..	–	3	1	–	2	–
SETTLE	–	1	–	–	–	–
SKIPTON		1	–		–	–
TADCASTER ...	–	1	1	–	–	–
WETHERBY ...	–	1	1	–	2	–
WORTLEY ..	–	–	1		–	–
§**YORK, CITY OF**...	–	2	–	1	–	N. 2
†YORK C.B. ...	–	2	–	1	–	N. 2
WALES.						
ANGLESEY ...	–	–	1	–	1	–
Rural Districts:—						
DWYRAN	–	–	1	–	–	–
TWRCELYN ...	–	–	–	–	1	–
BRECKNOCK ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	–	–
CAERNARVON...	–	3	5		–	–
Boroughs and Urban Districts:—						
†BANGOR	–	–	1	–	–	–
CAERNARVON ...	–	1	2	–	–	–
CONWAY	–	–	1	–	–	–
†LLANDUDNO ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAERNARVON—*cont.*						
Rural Districts:—						
CONWAY	–	1	–	–	–	–
GWYRFAI... ...	–	1	–	–	–	–
CARMARTHEN...	–	3	1	–	5	G. 1
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	1	–	–	–
CWMAMMAN ...	–		–	–	1	G. 1
†LLANELLY ...	–	–	–	–	1	–
Rural Districts:—						
LLANDILO FA R	–	1	–	–	2	–
LLANELLY ...	–	2	–	–	1	–
DENBIGH ...	–	4	–	–	5	–
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–		–	–	1	–
DENBIGH ...	–	1	–	–	–	–
†WREXHAM ...	–	2	–	–	–	–
Rural Districts:—						
RUTHIN	–	–	–	–	1	–
UWCHALED ...	–		–	–	2	–
WREXHAM ...	–	1	–	–	1	–
FLINT		1	–	–	3	–
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	–	–	–	1	–
Rural Districts:—						
HOLYWELL ...	–	1	–	–	1	–
OVERTON ..	*	*	*	*	*	*
ST. ASAPH (FLINT)	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below).
GLAMORGAN ...	1	38	40	1	31	G. 1 M. 4 N. 5
†CARDIFF C.B. ...	–	9	8	–	3	M. 1 N. 1
†MERTHYR TYDFIL C.B.	–	–	2	–	–	N. 1
†SWANSEA C.B. ...	–	7	1	–	–	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ..	–	–	3	–	4	–
†BARRY	–	–	2	–	–	–
†CAERPHILLY ...	–	1	1	–	1	–
†GELLIGAER ..	1	–	–	–	–	–
†GLYNCORWG ...		1	1	–	–	–
†MAESTEG... ...	–	3	2	–	1	–
†MOUNTAIN ASH ...	–	4	–	1	3	–
†NEATH	–	4	–	–	–	–
†OGMORE AND GARW	–	2	–	–	–	–
†PONTYPRIDD ...	–	–	–	–	–	M. 1
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	3	–	–	–	G. 1 N. 1
†RHONDDA ...	–	2	8	–	15	N. 1
Rural Districts:—						
CARDIFF	–	–	1	–	–	M. 1
COWBRIDGE ...	–	–	–	–	1	–
LLANTRISANT AND LLANTWIT FARDRE	–	–	1		–	M. 1
NEATH	–	1	6	–	2	–
PENYBONT ...	–		2		–	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ...	–	–	2	–	–	–
MERIONETH ...	–	2	1	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
DOLGELLEY ...	–	1	1	–	–	–
MONMOUTH ...	34	11	5	1	3	G. 1 M. 1 N. 2
†NEWPORT C.B. ...	–	1	–	1	1	G. 1 N. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	1	–	–	–	–	N. 1
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	18	–	–	–	–	–
MONMOUTH— *cont.*						
Boroughs and Urban Districts— *cont.*						
†ABERTILLERY ...	3	–	–	–	–	M. 1
BEDWAS AND MACHEN	–	–	1	–	–	–
†BEDWELLTY ...	–	4	1	–	–	–
†BLAENAVON ...	7	–	–	–	–	–
†EBBW VALE ...	–	1	2	–	1	–
†MYNYDDISLWYN	1	–	1	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	–	–
†PANTEG	2	–	–	–	–	–
PONTYPOOL ...	2	–	–	–	–	–
†TREDEGAR ...	–	1	–	–	–	–
USK	–	–	–	–	1	–
Rural Districts:—						
MAGOR	–	1	–	–	–	–
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY...	–	–	1	–	3	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	*	*	*	*	*	*
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	2	–
NEWTOWN AND LLANIDLOES	–	–		–	1	–
PEMBROKE ...	–	3	2	–	5	–
Boroughs and Urban Districts:—						
FISHGUARD ...	–	–		–	3	–
†PEMBROKE ...	–	–	1	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	2	1	–	–	–
PEMBROKE ...	–	1		–	–	–
ST. DOGMELLS ...	–	–	–	–	2	–
Total of Part II. ...	265	1245	620	32	857	C. 26 D. 5 E. 7 G. 26 L. 7 M. 102 N. 94

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ARDIFF	–	–		–	–	L. 2
OWES	*	*	*	*	*	*
IVERPOOL	–	–	–	–	1	–
PLYMOUTH	–	–	–	2	1	–
PORT OF LONDON ...	–	2	1	–	–	–
Total of Part III. ...	–	2	1	2	2	L. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	
Total of Part I.—London	1	231	224	4	82	C D E G M N
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	265	1245	620	32	857	C D E G L M N
Total of Part III.—Port Sanitary Districts	–	2	1	2	2	L
Total (*i.e.*, of returns received), England and Wales ...	266	1478	845	38	941	C D E G L M N

‡ The letters in this column denote the following diseases:—A, Cholera; B, Pla C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute P encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Conti Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyre

There were no cases of Cholera Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE.* } { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apl. 2.	Apl.* 9.	Apl.* 16.	Apl.* 23.	Apl.* 30.	May* 7.	May* 14.	May* 21.	May* 28.
ON :—													
HS—all ages	1,240	1,114	1,114	1,068	959	980	944	975	980	959	857	871	787
0 to 1 year ..	91	97	100	105	87	98	94	114	98	79	79	71	54
AT TOWNS, aggre- e (including Lon-):—													
HS	6,760	6,834	7,047	6,248	6,935	6,899	6,049	6,619	7,602	7,102	6,994	7,045	6,657
HS—all ages	7,080	5,980	5,327	4,990	4,656	4,625	4,316	4,340	4,253	4,347	4,017	3,946	3,847
0 to 1 year ..	696	612	588	561	486	560	498	496	459	427	395	376	341
ERIC FEVER—Cases	21	14	14	8	22	16	14	22	18	19	20	14	11
" Deaths	2	1	4	1	2	2	3	1	—	3	—	1	1
L POX—Cases ..	93	81	80	82	97	84	70	56	66	73	55	77	81
" Deaths ..	—	—	—	1	—	—	—	—	—	4	1	—	2†
LET FEVER—Cases	677	676	763	720	766	763	711	700	652	813	840	920	849
" Deaths	5	8	2	6	5	2	6	4	5	4	5	12	11
THERIA—Cases ..	712	723	681	713	670	677	496	516	493	529	599	593	558
" Deaths ..	62	43	30	35	25	28	30	27	31	25	30	18	26
SLES—Deaths ..	73	72	52	71	79	76	89	81	68	57	57	57	42
UENZA—Deaths ..	898	572	342	224	160	120	96	82	71	57	47	46	43

* For the weeks ended April 9th, and afterwards the figures relate to 107 Great Towns instead of 105, owing to inclusion of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)
† Including 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday 28th May, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON (GREENWICH).	77	33	63·6	44·3	13	HUDDERSFIELD	62	36	56·7	43·1	2
HTON ..	64	39	58·6	46·6	8	BRADFORD ..	61	35	55·3	42·6	1
TSMOUTH ..	70	40	63·2	47·9	8	SHEFFIELD ..	63	40	56·1	45·0	2
WICH (EATON).	66	39	58·7	44·9	2	YORK (MUSEUM)	65	36	57·7	43·6	2
MOUTH ..	71	43	63·0	49·4	0	HULL (PEARSON PARK).	68	36	58·3	43·0	3
STOL (CLIFTON).	70	42	62·6	48·0	1	TYNEMOUTH ..	60	38	51·6	44·0	14
MINGHAM (EDGBASTON).	70	39	60·6	45·1	2	CARDIFF	68	41	61·4	46·9	1
TTINGHAM ..	67	38	59·3	46·4	1	EDINBURGH ..	63·0	38·0	54·7	43·0	4
KENHEAD (BIDSTON).	62	43	57·7	47·1	0	GLASGOW ..	64·0	40·0	58·8	43·5	6
NCHESTER (WHITWORTH PARK).	62	37	58·0	45·6	0·4	DUBLIN (PHŒNIX PARK).	68·8	30·8	61·3	41·9	2
						(FITZWILLIAM SQUARE†).	67·3	39·8	61·5	47·8	?
NLEY	62	37	56·0	43·3	2	BELFAST	66·5	36·0	63·0	44·9	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 28th May, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	22	..	29·891	58·5	39·2	19·3	47·4	− 7·2	41·7	5·7	15·8	1·1	80	128·6	29·0	49·9	W : NW	NNW : Calm.	5·3	0·0	0·5	381	+ 115	0·10
MONDAY -	23	..	30·122	67·7	35·2	32·5	53·5	− 1·4	37·7	15·8	28·5	1·3	55	136·6	26·3	50·0	Calm : NW : WNW. WSW	W : WSW.	1·8	0·0	0·2	279	+ 16	0·00
TUESDAY -	24	Last Quarter.	30·078	76·5	50·4	26·1	63·1	+ 7·8	50·7	12·4	23·8	3·3	65	142·1	43·9	50·1		NW : NNW : NNE. E	1·3	0·0	0·1	254	− 7	0·00
WEDNESDAY	25	..	29·990	67·1	49·7	17·4	57·1	+ 1·6	49·3	7·8	15·1	1·2	76	134·8	36·7	50·1	Calm : ENE.		1·4	0·0	0·1	183	− 74	0·00
THURSDAY -	26	..	29·980	66·1	47·7	18·4	55·8	− 0·0	41·5	14·3	28·5	5·2	58	144·1	41·4	50·2	E : NE	Calm : E : SE.	0·8	0·0	0·1	181	− 73	0·00
FRIDAY -	27	In Equator	29·872	48·7	39·9	8·8	44·3	−11·7	44·3	0·0	6·8	0·3	100	60·0	36·9	50·1	Calm : SE.	ENE : Calm.	0·9	0·0	0·0	137	− 115	0·40
SATURDAY -	28	Perigee	29·775	57·8	33·0	24·8	45·1	−11·1	36·5	8·6	22·3	0·3	72	127·3	25·0	50·4	Calm : NNW.	NNW : ENE : SSE.	0·6	0·0	0·0	147	− 104	0·00
MEANS -		..	29·958	63·2	42·2	21·0	52·3	− 3·2	43·1	9·2	20·1	1·8	72	124·8	34·2	50·1	Indef.	Calm	..	..	..	Sum 1562	Sum − 242	Sum 0·50
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	22	wP till 9h.; variably sw and sP till 17h.; then mP.	3·5	15·8	Nearly overcast generally till 15h., then variably cloudy. Frequent showers between 9h. and 14h. Thunder and hail about 10½h. Rain 15½h. to 15¾h.
MONDAY ..	23	wP till 6½h.; then mP.	10·6	15·9	Nearly overcast till 1h.; partially cloudy till 16¾h., then nearly overcast. Solar halo 15½h.
TUESDAY ..	24	mP till 21h.; then wP.	8·2	15·9	Partially cloudy till 18½h., then becoming nearly cloudless by 20h.
WEDNESDAY	25	wP till 6h.; mP till 10h.; then wP.	0·4	16·0	Overcast generally. Mist 4h. till 9h.
THURSDAY	26	wP till 9h.; mP till 17h.; then wP.	9·8	16·0	Variably cloudy till 10½h.; partially cloudy till 16h.; then nearly overcast.
FRIDAY ..	27	wP till 10h.; variably mP and mN till 12h.; then wP.	0·0	16·0	Overcast. Rain generally from 5h. till 19h. Mist from 13½h.
SATURDAY	28	wP till 8h.; mP till 19h., then wP.	5·1	16·1	Variably cloudy till 12h.; nearly overcast till 17h.; then becoming cloudless by 18h. Mist 3h. till 4h.
			Sum 37·6	Sum 111·7	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·69 ins. at the beginning of the week to 30·15 ins. by 23h. on 23rd; decreased generally and was 29·75 ins. by midnight on the 28th.

THE 1921

CENSUS

THE decennial census of England and Wales provides a wealth of statistical data relating to an exceptionally wide range of social conditions and activities and so furnishes matter of the greatest value for the solution of a vast number of current political and economic problems.

Encyclopædic in scope, the volumes are a storehouse of information of the most detailed nature and of exceptional accuracy which can be put to an extraordinary range and variety of uses. They have proved, for instance, of signal service in industry and commerce and to advertisers anxious to obtain quantitative data on which to base production and selling campaigns. Each County in England and Wales is surveyed separately and the figures relating to them are published in 52 volumes of foolscap folio size.

Ten general volumes are devoted to a grouping of statistics to illustrate the Industrial and Occupational divisions of the country and such special relationships as Dependency Orphanhood, etc. A general Report on the Census as a whole is in course of preparation.

The complete set of volumes originally cost £34 4s. net and it has been decided to offer the few sets that remain at the exceptionally low price of £12 net, postage extra.

The series may be ordered at this price at any of the sale offices of H.M. Stationery Office.

LONDON: Adastral House, Kingsway, W.C.2.
MANCHESTER: York Street.
EDINBURGH: 120, George Street.
CARDIFF: 1, St. Andrew's Crescent.
BELFAST: 15, Donegall Square West.

FOR OFFICIAL USE

1927. No. 22.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 4TH JUNE, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1927.

Price 6d. net.

70-137-22-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 4TH JUNE, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the twenty-second week of the year numbered 7,106 and corresponded to an annual rate of 18·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,949 and corresponded to an annual rate of 10·5 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·7, 10·5 and 10·3. Infant mortality based on the average weekly number of births during the last 52 weeks, was 59 per 1,000 births against 58, 55 and 50 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,585 births, corresponding to a rate of 17.9 per 1,000, and 843 deaths of civilians, corresponding to an annual rate of 9·5, against 9·7, 9·9 and 8·9 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·5 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 49 as against 52, 46 and 35 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,847 to 3,949, and in London from 787 to 843.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 4th June, 1927.**

Towns.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11
107 Great Towns ..	19,540,143*	7,106	3,949	398	1	35	5	30	26	49	4
London	4,605,400*	1,585	843	75	-	1	1	7	9	10	
Towns in Outer Ring.											
Croydon C.B. ..	205,900	79	39	2	-	-	-	-	-	-	
Wimbledon ..	58,030	20	7	-	-	-	-	-	-	-	
Ealing	91,783	32	16	1	-	-	-	-	-	1	
Acton	63,040	25	8	-	-	-	-	-	1	-	
Brentford and Chiswick† ..	56,840	26	9	1	-	-	-	-	-	-	
Willesden ..	165,270	50	35	2	-	-	-	1	1	-	
Hendon	62,570*	20	7	1	-	-	-	-	-	-	
Hornsey	87,230	23	12	1	-	-	-	-	-	-	
Wood Green ..	51,940	13	3	-	-	-	-	-	-	-	
Tottenham ..	151,520	33	27	1	-	-	-	-	-	-	
Edmonton	71,700	36	14	-	-	-	-	-	1	-	
Enfield	63,640	21	14	2	-	-	-	-	-	-	
West Ham C.B. ..	315,900	165	60	8	-	-	-	2	-	-	
East Ham C.B. ..	146,600	34	26	1	-	-	-	1	2	-	
Leyton	130,000	33	30	2	-	-	-	-	-	2	
Walthamstow ..	125,500	32	13	-	-	-	-	-	-	-	
Ilford	100,500	30	16	2	-	-	-	-	-	-	
Gillingham	47,820*	21	10	1	-	-	-	1	-	-	
Canterbury C.B ..	23,470*	8	5	-	-	-	-	-	-	-	
Hastings C.B.	61,340	17	20	-	-	-	-	-	-	-	
Eastbourne C.B. ..	56,060	18	15	-	-	-	-	-	-	-	
Brighton C.B.	139,500*	51	32	3	-	-	-	-	-	-	
Portsmouth C.B. ..	231,500*	79	61	7	-	2	-	1	1	1	
Bournemouth C.B. ..	90,100	20	16	1	-	-	-	-	-	-	
Southampton C.B. ..	169,300	61	35	1	-	-	-	-	-	1	
Reading C.B	93,090*	34	7	1	-	-	-	-	-	-	
Oxford C.B.	56,800	30	11	-	-	-	-	-	-	-	
Northampton C.B. ..	93,530*	36	15	2	-	-	-	-	-	-	
Luton	59,240	11	4	-	-	-	-	-	1	-	
Cambridge	58,820	23	13	1	-	-	-	-	-	-	
Southend-on-Sea C.B.	104,300	32	22	1	-	-	-	-	-	-	
Ipswich C.B.	84,140	31	16	4	-	-	-	-	-	-	
Great Yarmouth C.B.	57,760	25	17	1	-	-	-	1	-	1	
Norwich C.B.	123,500*	54	32	4	-	2	-	1	-	-	
Swindon	57,320	15	14	-	-	-	-	-	-	-	
Exeter C.B.	60,340*	16	16	1	-	-	-	-	-	-	
Plymouth C.B. ..	187,300*	75	48	4	-	-	-	1	-	1	
Bath C.B.	69,000	16	14	-	-	-	1	-	-	-	
Bristol C.B.	383,300*	146	71	6	-	-	-	-	-	-	
Gloucester C.B. ..	53,050	18	15	1	-	-	-	-	-	-	
Stoke-on-Trent C.B.	275,600	138	51	5	-	1	-	-	1	-	
Burton-upon-Trent C.B.	48,660	20	11	-	-	-	-	-	-	-	
Wolverhampton C.B.‡	131,000	56	23	2	-	-	-	-	-	-	
Walsall C.B.	102,100	57	20	4	-	-	-	-	-	-	
West Bromwich C.B.	79,920	41	14	1	-	1	-	-	1	-	
Dudley C.B.	58,930	28	11	2	-	-	-	-	-	-	
Worcester C.B. ..	50,660	12	15	-	-	-	-	-	-	-	
Birmingham C.B. ..	934,300*	403	186	27	-	1	-	2	-	2	
Smethwick C.B. ..	76,940	14	12	1	-	-	-	-	-	-	
Coventry C.B. ..	127,800	49	14	3	-	-	-	-	-	-	
Leicester C.B. ..	241,700	81	48	4	-	-	-	-	-	1	
Lincoln C.B.	65,760*	23	14	2	-	-	-	1	-	-	
Grimsby C.B.	88,580	34	22	1	-	-	-	-	-	-	
Nottingham C.B. ..	268,000	100	51	8	-	-	1	-	-	-	
Derby C.B.	136,600*	57	27	2	-	-	-	-	-	-	
Chesterfield ..	66,650	42	12	-	-	-	-	-	-	-	
Stockport C.B. ..	125,400	32	25	4	-	-	-	-	-	1	
Chester C.B.	41,710	14	4	1	-	-	-	1	-	-	
Birkenhead C.B. ..	158,000	48	35	4	-	-	-	-	-	-	
Wallasey C.B. ..	93,050	26	16	1	-	-	-	1	-	-	
Liverpool C.B. ..	862,600	375	190	28	-	6	1	2	-	11	
Bootle C.B.	84,580	26	15	1	-	-	-	-	-	-	
St. Helens C.B. ..	110,000	39	24	3	-	1	-	-	-	-	

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	77,970	29	13	1	-	-	-	-	-	-	-
WIGAN C.B.	88,620	22	19	2	-	3	-	-	-	-	-
WARRINGTON C.B. ..	76,940*	23	5	1	-	-	-	-	-	-	-
BOLTON C.B.	177,000	48	50	4	-	-	-	-	-	-	1
BURY C.B.	56,840*	13	18	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	752,000	269	181	20	-	-	1	4	3	1	2
SALFORD C.B.	247,400	91	58	6	-	1	-	-	-	2	1
ASHTON-UNDER-LYNE§	51,050	21	7	1	-	-	-	-	-	-	-
STALYBRIDGE C.B. ..	143,000	36	33	4	-	-	-	-	-	1	1
HYDE C.B.	91,510	17	20	1	-	-	-	-	-	-	-
MACCLESFIELD C.B. ..	99,600	29	21	6	-	-	-	-	-	-	2
BURNLEY C.B.	124,400	34	26	-	-	-	-	-	-	-	-
BLACKBURN C.B. ..	124,200	37	34	7	-	2	-	-	-	-	-
PRESTON C.B.	88,640	28	24	1	-	-	-	-	-	-	-
BLACKPOOL C.B. ..											
BARROW-IN-FURNESS C.B.	70,420	18	15	1	-	2	-	-	-	2	-
HUDDERSFIELD C.B. ..	111,900	39	32	3	-	-	-	1	-	-	1
HALIFAX C.B.	96,130*	26	20	2	-	-	-	-	-	-	-
BRADFORD C.B. ..	288,700	82	60	5	-	1	-	-	3	-	1
LEEDS C.B.	473,400	170	113	11	-	1	-	-	-	-	1
DEWSBURY C.B. ..	53,630	22	15	-	-	-	-	-	-	-	1
WAKEFIELD C.B. ..	53,830	21	16	2	-	1	-	-	-	-	-
BARNSLEY C.B. ..	70,760	33	13	3	-	2	-	-	-	-	1
SHEFFIELD C.B. ..	523,300*	184	115	9	1	-	-	1	-	-	1
ROTHERHAM C.B. ..	70,080	32	11	2	-	-	-	-	-	-	-
DONCASTER C.B.‡ ..	55,700	29	8	2	-	-	-	-	-	-	1
YORK C.B.	84,430*	23	20	-	-	-	-	-	-	-	-
HULL C.B.	294,600	136	68	7	-	-	-	-	-	3	-
MIDDLESBROUGH C.B.	133,600	72	26	4	-	-	-	-	-	-	-
DARLINGTON C.B. ..	70,700	26	15	4	-	-	-	-	-	1	-
STOCKTON-ON-TEES ..	67,910	32	11	2	-	2	-	-	-	1	1
WEST HARTLEPOOL C.B.	71,060	31	20	3	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	163,800	74	53	5	-	3	-	-	-	1	-
SOUTH SHIELDS C.B. ..	123,900	44	25	2	-	-	-	-	1	-	1
GATESHEAD C.B. ..	127,700	45	27	6	-	1	-	-	-	1	-
NEWCASTLE-ON-TYNE C.B.	284,700*	119	49	8	-	-	-	-	-	1	1
TYNEMOUTH C.B ..	66,560	26	21	1	-	-	-	-	-	1	-
CARLISLE C.B.	56,140*	23	9	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	96,620	47	9	-	-	-	-	-	-	-	-
CARDIFF C.B.	225,600*	95	56	10	-	-	-	-	-	1	-
RHONDDA	162,500	64	22	2	-	-	-	-	-	-	1
MERTHYR TYDFIL C.B.	80,690	19	28	4	-	1	-	-	-	1	-
ABERDARE	56,930	12	11	-	-	-	-	-	-	-	-
SWANSEA C.B.	163,200	56	24	4	-	-	-	1	1	-	-
GREATER LONDON ..	7,791,310*	2,674	1,392	111	-	1	3	13	15	14	13
OUTER RING	3,185,910*	1,089	549	36	-	-	2	6	6	4	6
17 GREAT TOWNS IN OUTER RING	1,947,963*	672	336	24	-	-	-	4	5	3	6
REMAINDER OF OUTER RING	1,237,947*	417	213	12	-	-	2	2	1	1	-
EDINBURGH†	426,100	165	97	10	-	2	-	2	1	1	1
GLASGOW†	1,049,000	493	283	39	-	1	-	5	1	5	2
DUBLIN (REGISTRATION AREA)†	421,000	217	111	16	1	-	1	3	-	2	-
BELFAST†	416,000	182	93	13	1	1	-	3	-	3	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Created County Borough 1st April, 1927.

§ Ashton-under-Lyne M.B as extended 1st April, 1927.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
London‡	4,605,400	1927. June 4	1585	843	9·5	-	-	1	1	7	9	10
Calcutta and Suburbs	1,077,264	April 30	?	746‖	36·0	?	71	?	?	?	?	?
Bombay§	1,298,708	May 14	307	554	22·2	3	33	4	-	-	1	13
Madras	528,791	„ 7	465	437	42·9	1	-	-	-	-	-	25
Sydney and Suburbs	1,038,950	April 30 (30 days)										
Brisbane (Metropolitan Area).	274,260	Mar. 31 (31 days)										
Perth (Metropolitan Area).	179,388	April 9	70	39	11·3	-	-	-	-	-	-	3
Auckland (Urban Area).	192,176	„ 30 (30 days)										
Wellington (Urban Area).	121,324	April 30 (30 days)										
Christchurch (Urban Area).	118,408	April 30 (30 days)										
Cape Town	115,348	May 7	54	33	14·9	-	-	-	-	-	1	-
Johannesburg	172,189	„ 14	82	43	13·0	-	-	-	-	-	1	1
Durban	54,738	„ 14	26	12	11·4	-	-	-	-	1	-	-
Paris	2,871,429	„ 20 (10 days)	1229	1059	13·5	6	1	19	9	2	8	30
Antwerp	301,283	April 30	88	54	9.6	-	-	-	-	-	-	1
Amsterdam	728,799	May 21	264	128	9·2	-	-	6	-	3	-	1
Copenhagen	592,000	„ 21	215	157	13·9	-	-	1	-	-	-	-
Stockholm	453,332	„ 14	105	105	12·0	-	-	1	-	-	-	-
Gothenburg	231,196	„ 7										
Oslo (Christiania) ..	254,055	May 28	70	54	11·1	2	-	-	-	-	-	-
Berlin	2 003 000	„ 14	428	382	9·9	-	?	2	-	-	5	1
Breslau	564,000	„ 14	152	129	11·9	-	?	2	-	-	1	3
Cologne	716,000	„ 14	256	126	9·2	-	?	5	-	2	-	1
Dresden	626,000	„ 14	142	115	9·6	-	?	-	-	-	-	1
Frankfort-on-Main..	473,000	„ 14	121	75	8·2	-	?	-	-	-	-	2
Hamburg	1,101,000	„ 14	345	238	11·2	-	?	1	1	-	1	-
Leipzig	687,000	„ 14	175	145	11·0	-	?	-	-	-	1	-
Munich	685,000	„ 14	171	150	11·4	-	?	-	-	-	-	2
Vienna	1,871,607	June 30 '26 (30 days)										
Prague and Suburbs	725,196	Oct. 31 '26 (31 days)										
Budapest	971,169	May 21	332	227	12·2	1	-	1	-	-	2	2
Warsaw	1,028,982	„ 21	?	302	15·3	1	-	4	1	6	2	9
Cairo	859,400	Jan. 7										
Alexandria	492,100	„ 7										
New York	5,924,018	May 21	?	1432	12·6	-	-	1	3	2	21	15
Chicago	3,101,000	„ 20	1036	711	12·0	-	-	4	4	3	7	6

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest and Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under one year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 121 deaths from Cholera in Calcutta and 23 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 4th June, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	843	75	14	21	19	44	34	63	92	147	173	161
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	7	4	1	2	-	-	-	-	-	-	-	-
Diphtheria	9	-	-	2	6	-	-	-	-	-	1	-
Influenza	7	-	-	-	-	1	1	-	-	2	1	2
Erysipelas	1	1	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	-	2	-	-	-
Meningococcal meningitis	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	62	-	-	-	1	13	13	15	15	3	2	-
Nervous system	4	2	1	1	-	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	7	1	1	1	-	2	1	-	-	-	1	-
Venereal diseases	2	-	-	-	-	-	-	-	-	1	1	-
Cancer	124	-	-	1	-	-	1	4	17	45	39	17
Rheumatic fever	3	-	-	-	-	3	-	-	-	-	-	-
Diabetes	5	-	-	-	-	-	1	-	-	2	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	36	-	-	-	-	-	-	1	3	6	13	13
Epilepsy	7	-	-	1	1	1	2	-	1	1	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	18	1	-	2	2	3	-	2	-	2	4	2
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	7	-	-	-	1	2	2	1	-	1	-	-
Other diseases of heart	129	-	-	-	-	2	-	9	11	25	41	41
Other diseases of circulatory system	52	-	-	-	-	-	-	2	6	12	13	19
Bronchitis	32	1	2	1	-	-	1	1	1	4	8	13
Broncho-pneumonia	25	7	5	1	-	-	-	-	1	4	4	3
Lobar-pneumonia	21	1	-	1	2	-	1	4	7	2	3	-
Pneumonia (type not distinguished)	17	2	2	1	-	-	-	4	2	2	3	1
Other diseases of respiratory system	8	-	-	1	1	-	-	-	1	1	2	2
Diarrhœa and enteritis	11	10	-	-	-	-	-	-	-	1	-	-
Appendicitis, Typhlitis	6	-	-	1	-	-	-	3	-	1	1	-
Hernia, Intestinal obstruction	5	1	-	-	-	-	-	-	1	1	1	1
Cirrhosis of liver	8	-	-	-	1	-	-	-	2	3	-	2
Other diseases of digestive system ..	35	-	-	1	-	4	1	5	7	8	4	5
Acute nephritis	2	-	-	-	-	1	-	1	-	-	-	-
Chronic Bright's disease	37	-	-	-	-	2	1	5	6	9	8	6
Other diseases of genito-urinary system.	17	-	-	-	-	-	3	-	1	2	6	5
Puerperal sepsis	1	-	-	-	-	-	-	1	-	-	-	-
Other causes incident to childbirth ..	3	-	-	-	-	1	2	-	-	-	-	-
Congenital malformations	3	3	-	-	-	-	-	-	-	-	-	-
Premature birth	16	16	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	25	-	-	-	-	-	-	-	-	-	5	20
Suicide	9	-	-	-	-	2	-	2	2	1	1	1
Burns and Scalds	4	-	-	1	-	1	-	-	-	-	2	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	16	-	-	-	2	4	3	1	-	1	3	2
Other deaths by violence	10	1	1	-	-	-	-	-	3	3	-	2
Other specified causes	37	13	1	2	2	2	1	2	3	3	4	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 4th June, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	305	216	6	91	C. 4 D. 1 F. 1 G. 4 L. 1 M. 18 N. 13
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	3	13	–	5	M. 3
†BERMONDSEY ...		9	8	–	5	N. 1
†BETHNAL GREEN		10	8	–	4	M. 2
†CAMBERWELL ...		13	5	–	6	M. 2 N. 1
†CHELSEA	–	3	6	–	5	–
†DEPTFORD ...		3	8	–	1	–
†FINSBURY ...	–	5	7	–	2	C. 1 M. 1
†FULHAM		13	5	1	5	N. 1
†GREENWICH ...	–	16	4	–	4	–
†HACKNEY ...	–	21	15	–	–	G. 1 N. 1
†HAMMERSMITH ...	–	7	6	–	–	–
†HAMPSTEAD ...	–	3	3	–	–	–
†HOLBORN...	–	–	2	–	1	M. 1 N. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	27	12	1	3	M. 2 N. 2
†KENSINGTON ...	–	3	4	–	1	M. 1 N. 2
†LAMBETH ...	–	18	18	2	3	C. 2 M. 1 N. 1
†LEWISHAM ...	–	17	10	–	3	–
†PADDINGTON ...	–	5	5	–	2	–
†POPLAR	–	25	5	–	6	F. 1
†ST. MARYLEBONE	–	3	1	1	1	G. 1
†ST. PANCRAS ...	–	15	9	1	3	M. 1
†SHOREDITCH ...	–	7	7	–	7	M. 1 N. 1
†SOUTHWARK ...	–	5	14	–	–	–
†STEPNEY	–	24	20	–	7	D. 1 M. 1 N. 1
†STOKE NEWINGTON	–	5	3	–	–	G. 1
†WANDSWORTH ...	–	31	15	–	4	–
†WESTMINSTER, CITY OF	–	5	1	–	–	C. 1 M. 1
†WOOLWICH ...		8	2	–	13	G. 1 L. 1 M. 1 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	16	8	–	1	M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ..	–	8	1	–		–
†LUTON	–	1	6	–	–	M. 1
SANDY	–	1	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BEDFORD ..	–	5	–	–	–	–
BIGGLESWADE ..	–	–	–	–	1	–
LUTON	–	–	1	–	–	–
BERKS	–	4	2	3	–	–
†READING C.B.	–	–		2	–	–
Boroughs and Urban Districts:—						
NEWBURY ...	–	1	–	–	–	–
WOKINGHAM ..			1	–		–
Rural Districts:—						
BRADFIELD ...	–	–	1	–	–	–
COOKHAM ...	–	–	–	1	–	–
EASTHAMPSTEAD	–	2	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	–	13	–	3	3	M. 1 N. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	2	–	–	–	–
BLETCHLEY ...	–	1	–	–	–	M. 1
CHESHAM... ...	–	1	–	–	–	–
MARLOW	*	*	*	*	*	*
†WOLVERTON ...	–	1	–	–	1	–
Rural Districts:—						
AMERSHAM ...	–	2	–	1	–	–
AYLESBURY ...		5	–	1	–	N. 1
BUCKINGHAM ...	–	1	–	–	–	–
ETON	–	–	–	1	–	–
NEWPORT PAGNELL ...	–	–	–	–	1	–
WYCOMBE ..	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	12	3	–	1	N. 1
Borough:—						
†CAMBRIDGE	–	4	3	–	–	N. 1
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
LINTON	*	*	*	*	*	*
MELBOURN ...	–	6	–	–	–	–
NEWMARKET ..	–	2	–	–	–	–
CHESTER ...	–	45	12	1	21	G. 1 M. 1 N. 2
†BIRKENHEAD C.B.	–	10	3	–	6	N. 1
†CHESTER C.B. ..	–	1	–	1	1	
†STOCKPORT C.B.	–	11	1	–	–	M. 1 N. 1
†WALLASEY C.B. ..	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	1	–	–	2	–
†CHEADLE AND GATLEY	–	1	1	–	1	–
†CREWE	–	3	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	2	–	–	–	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	–	2	–	–	–
†HYDE	–	2	1	–	3	–
†MACCLESFIELD ...	–	–	1	–	–	–
MOTTRAM IN LONGDENDALE	–	1	–	–	1	–
†NORTHWICH ...	–	–	–	–	–	G. 1
†RUNCORN... ...	–	1	–	–	–	–
†SALE	*	*	*	*	*	*
†STALYBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	4	–	–	–	–
CHESTER	–	–	–	–	1	–
CONGLETON ..	–	–	1	–	3	–
MACCLESFIELD ...	–	1	–	–	1	–
NANTWICH ...	–	1	–	–	–	–
RUNCORN ...	–	1	1	–	–	–
WIRRAL	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	-	7	1	-	2	-
Boroughs and Urban Districts:—						
†FALMOUTH ...	-	1	-	-	-	-
LISKEARD ...	-	-	1	-	-	-
ST. AUSTELL ..	-	1	-	-	-	-
ST. IVES	-	2	-	-	-	-
TORPOINT ...	-	1	-	-	-	-
WADEBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
CAMELFORD ...	-	-	-	-	1	-
HELSTON	*	*	*	*	*	*
LISKEARD ...		1			-	-
ST. AUSTELL ...		1	-	-	1	-
CUMBERLAND...	-	4	-		4	M. 1
†CARLISLE C.B. .	-	-	-	-	2	M. 1
Boroughs and Urban Districts:—						
PENRITH	-	2	-		-	-
†WHITEHAVEN ...	-	2		-	1	-
†WORKINGTON .			-	-	1	-
Rural Districts:—						
CARLISLE ...	*	*	*	*	*	*
DERBY	4	21	15	-	18	J. 2 M. 2 N. 1
†DERBY C.B. .	4	2	4	-	3	J. 2 N. 1
Boroughs and Urban Districts:—						
†ALFRETON .	-	-	2	-	-	-
†BOLSOVER ...	-	2	1	-	-	-
†CHESTERFIELD ..	-	-	-	-	1	-
†HEANOR	-	1	-	-	-	-
†ILKESTON ...	-	1	-	-	-	-
†LONG EATON ...	-	1	3	-	4	-
NEW MILLS ...	-	-	-	-	-	M. 1
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWADLINCOTE DISTRICT	-	-		-	1	M. 1
WIRKSWORTH ...	-			-	2	-
Rural Districts:—						
ASHBOURNE ..	-	1			-	-
BAKEWELL ...		-	-	-	1	-
BELPER	-	1		-	1	-
BLACKWELL ..	-	3	1	-	1	-
CHESTERFIELD .	-	4	1	-	1	-
CLOWNE		-		-	1	-
HARTSHORN AND SEAL	-	1	3	-	2	-
HAYFIELD ..	-	2	-	-	-	-
NORTON	-	1	-	-	-	-
SHARDLOW .	-	1	-	-	-	-
DEVON	-	18	10	-	12	C. 1 G. 1 M. 1 N. 1
†EXETER C.B. ...	-	1	1	-	1	-
†PLYMOUTH C.B...	-	5	6	-	3	C. 1 G. 1
Boroughs and Urban Districts:—						
BIDEFORD .	-	-		-	1	-
BUCKFASTLEIGH	*	*	*	*	*	*
DARTMOUTH ...	-	1	-	-	1	-
†NEWTON ABBOT	-	-	-	-	-	N. 1
OTTERY ST. MARY	*	*	*	*	*	*
†PAIGNTON ...	-	2	-	-	-	-
SIDMOUTH ..	-	1	-	-	-	-
†TEIGNMOUTH ...	-	-	-	-	2	-
TIVERTON ...	-	2	-	-	-	-
†TORQUAY ...	-	1	-	-	-	-
Rural Districts:—						
BARNSTAPLE ...	-	-	1	-	1	-
BIDEFORD ...	-	2	-	-	-	-
OKEHAMPTON ...	-	-	-	-	1	-
PLYMPTON ST. MARY	-	2	2	-	1	-
TAVISTOCK ...	-	-	-	-	1	-
TIVERTON ...	-	1	-	-	-	-
TOTNES	-	-	-	-	-	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; ercephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DORSET	–	13	1	–	3	–
Boroughs and Urban Districts:—						
†POOLE	–	–	–	–	1	–
†PORTLAND ..	–	8	–		–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	2	–
Rural Districts:—						
BEAMINSTER ...	–	3	–	–	–	–
BRIDPORT ...	–	2	–	–	–	–
SHAFTESBURY ...	–	–	1	–	–	–
DURHAM ...	150	38	26	1	33	C. 3 D. 1 M. 3 N. 3
†DARLINGTON C.B	–	7	–	–	4	–
†GATESHEAD C.B	1	1	5		1	C. 1
†SOUTH SHIELDS C.B.	40	2	4	–	4	M. 1 N. 1
†SUNDERLAND C.B.	1	1	2	–	15	–
†WEST HARTLEPOOL C.B.	3	2	2	–	2	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	–	–		1	–
BARNARD CASTLE	–	–	–	–	1	–
BENFIELDSIDE ...	–	1	–	–	–	–
†BISHOP AUCKLAND	1	–	–	–	–	–
†BLAYDON...	–	2	–	–	1	M. 1
†BRANDON AND BYSHOTTLES	–	–	1	–	–	–
†CHESTER LE STREET	1	–	–	–	2	–
†CONSETT	1	1		–	–	–
†DURHAM	–	1	–	–	–	–
†FELLING	4	3	–	–	2	–
†HARTLEPOOL ..	1	–			–	C. 1
†HEBBURN ..	1	–		–	1	–
†HETTON ...	3	1	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOUGHTON LE SPRING	1	–	–		–	–
†JARROW	6	2	–	–	5	N. 1
LEADGATE ..	1	1	–	–	1	–
†RYTON	–	–	–	–		M. 1
†SOUTHWICK ON WEAR	–	–	1	–		–
†SPENNYMOOR ...	1	1		–	–	–
†STANLEY	2	1	–	–	–	–
†STOCKTON ON TEES	–	4	1	–	1	–
†TANFIELD ...	–		2	–		–
†WHICKHAM ...	–	–	1	–	2	C. 1
Rural Districts:—						
AUCKLAND ...	3	–	1	–	–	–
BARNARD CASTLE	1	–	–	–	–	–
CHESTER LE STREET	17	3	–	1	1	–
DURHAM	2	1		–	2	–
EASINGTON ..	4	1	1	–	3	–
HARTLEPOOL ...	1		–	–	–	–
HOUGHTON LE SPRING	7	–	–	–	–	–
LANCHESTER ..	4	–	3	–	–	–
SEDGEFIELD ..	29	–	–	–	–	D. 1
SOUTH SHIELDS..	12	–	1	–	2	–
WEARDALE ..	–	2	–		–	–
ELY, ISLE OF ...			–	–	–	M. 1
Rural Districts:—						
NORTH WITCHFORD	–	–	–	–	–	M. 1
ESSEX	–	155	56	2	39	C. 1 D. 1 N. 4
†EAST HAM C.B. ..	–	28	3		1	–
†SOUTHEND-ON-SEA C.B	–	6	1		4	N. 1
†WEST HAM C.B. ..	–	48	15	–	14	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	4	1	–	2	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	–	1	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–
†CHELMSFORD ...	–	2	–	–	–	–
†COLCHESTER ...	–	–	–	–	1	–
DAGENHAM ...	–	5	1	–	2	–
†GRAYS THURROCK	–	2	–	–	1	–
†HORNCHURCH ...	–	3	–		–	–
†ILFORD	–	8	2		2	N. 1
†LEYTON	–	7	11	–	1	D. 1
MALDON	–	–	1	–	–	–
†ROMFORD ...	–	2	–	–	–	–
TILBURY	–	2	1	–	–	–
†WALTHAMSTOW...	–	13	12	–	6	–
†WANSTEAD ...	–	–	1	–	–	–
†WOODFORD ...	–	4	3	1	–	–
Rural Districts:—						
BILLERICAY ...		3	2	1	3	–
BRAINTREE ...	–	2	–	–	–	–
BUMPSTEAD ...	–	1	–	–	–	–
EPPING	–	2	–	–	–	–
MALDON	–	3	–	–	–	–
ORSETT	–	4	1	–	1	N. 1
ROCHFORD ...	–	2	–	–	–	–
ROMFORD... ...	–	2	–	–	–	–
STANSTED ...	–	1	–	–	–	–
TENDRING ...	–	–	–	–	–	C. 1
GLOUCESTER ...	–	56	14	1	17	C. 6 D. 1 M. 5 N. 12
†BRISTOL C.B. ..	–	33	12	–	10	C. 5 D. 1 N. 7
†GLOUCESTER C.B.	–	1	1	–	3	M. 3
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	–	–	1	M. 1 N. 1
CIRENCESTER ...	–	1	–	–	–	N. 1
COLEFORD ...	–	–	–	–		C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSWOOD ...	–	3	1	–	–	–
STOW ON THE WOLD	*	*	*	*	*	*
TEWKESBURY ...	–	–	–	–	1	–
Rural Districts:—						
DURSLEY	–	–	–	–	–	N. 1
EAST DEAN AND UNITED PARISHES		–	–	–	–	N. 1
LYDNEY	–	–	–	1	–	–
NEWENT	–	3	–	–	–	–
STROUD		7	–	–	–	–
TETBURY (part)	–	–	–	–	1	N. 1
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	3	–	–	–	–
WHEATENHURST	–	–	–	–	–	M. 1
WINCHCOMB (part)	–	3	–	–	–	–
HEREFORD ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
Rural Districts:—						
BREDWARDINE ...	*	*	*	*	*	*
BROMYARD ...	–		–	–	1	–
HEREFORD ...	–	–	–	–	1	–
ROSS	–	–	1	–	–	–
HERTFORD ...	–	7	3	2	7	E. 1 L. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	2	–	1	–	–
BUSHEY	–	–	–	–	–	E. 1
†CHESHUNT ...		1	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–
HODDESDON ...	–	–	–	1	–	–
†ST. ALBANS ...	–	–	2	–	5	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
HEMEL HEMPSTEAD	–	3	–	–	–	–
HITCHIN	–	1	–	–	–	–
WARE	–	–	–	–	1	–
WATFORD ...	–	–	–	–	–	L. 1
HUNTINGDON ...	–	3	9	–	1	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	1	–	–	–
HUNTINGDON ...	–	1	8	–	–	–
OLD FLETTON ...	–	1	–	–	–	–
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
ST. NEOTS ...	–	1	–	–	–	–
KENT	–	61	23	2	24	G. 1 M. 2 N. 3
†CANTERBURY C.B.	–	1	1	–	2	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	N 1
†BECKENHAM ...	–	3		–	–	–
†BEXLEY	–	4	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	2		–	–	–
†BROMLEY ...	–	4	–	–	1	–
†CHATHAM ...	–	1	–	–	–	–
CHISLEHURST ...	–	–	1	–	–	–
†CRAYFORD ...	–	2	1	–	–	–
†DARTFORD ...	–	2	1	–	1	–
†DOVER	–	2	1	–	2	M. 1
†ERITH	–	8	1	–	1	M. 1
†FAVERSHAM ...	–	–	–	–	1	–
†FOLKESTONE ...	–	4	–	–	1	–
†GILLINGHAM ...	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAVESEND ...	–	2	3	1	–	G. 1
†MAIDSTONE ...	–	4	–	–	–	–
†MARGATE ...	–	1	1	–	2	–
NEW ROMNEY ...	–	–	–	–	1	–
†NORTHFLEET ...	–	3	–	1	–	–
†PENGE		1	1	–	–	–
†ROCHESTER ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	4	N. 1
†SHEERNESS ...	–	1	–	–	–	–
SIDCUP	–	–	1	–	–	–
SWANSCOMBE ...	–	–	1	–	–	–
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	–	–	–	–
DARTFORD ...	–	1	–	–	2	–
ELHAM	–	–	–	–	2	–
FAVERSHAM ...	–	1	–	–	–	–
HOLLINGBOURNE	–	–	–	–	1	–
ISLE OF THANET	–	–	1	–	–	–
MAIDSTONE ...	–		1	–	–	–
MALLING	–	1	1	–	1	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	1	1	–	–	–
SHEPPEY	–	–	–	–	1	–
STROOD	–	1	–		–	–
TENTERDEN ...	–	1	–	–	–	–
TONBRIDGE ...	–	4	–	–	–	–
WEST ASHFORD...	–	–	–	–	–	N. 1
LANCASTER ...	7	182	80	4	194	C. 9 D. 4 G. 13 L. 2 M. 25 N. 15
†BLACKBURN C.B.	1	4	1	–	4	–
†BLACKPOOL C.B.	–	3	1	–	–	M. 1
†BOLTON C.B. ...	–	6	–	–	2	N. 2
†BOOTLE C.B. ...	–	–	4	–	2	C. 4 N. 2
†BURNLEY C.B. ...	1	7	2	–	3	D. 1 G. 1 N. 1
†BURY C.B. ...	–	3	1	–	2	–

* Returns not received † Population over 10,000.

C Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†Liverpool C.B. ..	–	32	15	–	45	G. 6 M. 14 N. 4
†Manchester C.B.	–	38	16	1	52	C. 2 G. 5 M. 2 N. 1
†Oldham C.B. ...	1	4	3	–	2	M. 1
†Preston C.B. ...	–	1	7	–	3	M. 1
†Rochdale C.B. ...	–	2	–	1	–	–
†St. Helens C.B. ...	–	5	2	–	4	M. 1
†Salford C.B. ...	–	10	7	–	13	C. 1 G. 1 N. 1
†Southport C.B.	–	1	1	–	1	–
†Warrington C.B	–	–	1	–	3	N. 1
†Wigan C.B. ..	4	3	1	–	6	C. 1
Boroughs and Urban Districts:—						
Abram	–	–	–	–	1	–
†Accrington ..	–	–	–	–	3	–
Adlington ..	–	–	–	–	1	–
†Ashton in Makerfield	–	1	1	–	–	–
†Ashton under Lyne	–	3	1	–	–	–
Aspull	–	–	–	–	1	–
†Atherton ...	–	2	–	–	1	–
†Bacup	–	1	1	–	–	M. 1
Billinge & Winstanley	–	–	1	–	–	–
†Chadderton ...	–	1	–	–	–	M. 1
†Chorley	–	1	–	–	1	–
†Colne	–	1	1	–	1	M. 1
†Dalton in Furness	–		1	–	–	–
†Darwen	–	–	–	–	5	D. 2 N. 1
†Denton	–	4	–	–	–	–
†Eccles	–	1	1	–	1	–
†Failsworth ..	–		–	–	2	–
†Farnworth ...	–	–	–	–	1	N. 1
†Fleetwood ...	–	1	–	–	2	–
†Great Crosby ...	–	3	–	–	–	–
†Great Harwood	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†Haydock ...	–	–	–	–	1	–
†Hindley... ...	–	–	–	–	3	–
†Horwich ...	–	1	1	–	1	–
†Ince in Makerfield	–	1	–	–	3	–
Irlam	–		–	–	–	N. 1
Kirkham ...	–	–	1	–	1	–
†Lancaster ...	–	3	–	1	1	–
Lathom and Burscough	–	1	–	–	–	–
†Leigh	–	–	2	–	–	M.
†Litherland ...	–	1	1	–	–	–
†Littleborough	–	1	–	–		–
Little Lever ...	–	–	–	–	1	–
†Lytham St. Anne's	–	1	–	–	–	–
†Middleton ...	–	1	–	–	1	–
†Morecambe ...	–	1	–	–	1	–
†Nelson	–		1	–	–	–
†Newton in Makerfield	–	–	–	–	2	–
Norden	–	1	–	–	–	–
Ormskirk ...	–	2	–	–	–	–
Poulton le Fylde	–	–	–	1	–	–
Prescot	–	1	–	–	–	–
†Radcliffe ...	–	3	–	–	–	–
†Ramsbottom ...	–	–	–	–	2	–
†Rawtenstall ...	–	–	1	–	–	–
Rishton	–	–	1	–	–	–
†Royton	–	–	–	–	2	–
Standish with Langtree	–	1		–	–	–
†Stretford ...	–	3	–	–	–	–
†Swinton and Pendlebury	–	3	–	–	1	–
†Turton	–	1	–	–	–	–
†Tyldesley with Shakerley	–	2	–	–	–	–
Wardle	–	–	2	–	–	–
†Westhoughton	–	1	–	–	–	–
Whitefield ...	–	–	–	–	1	–
†Widnes	–	–	–	–	4	M. 1
†Worsley... ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever: N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY	–	–	–	–	–	D. 1
BURY	–	6	–	–	–	–
CHORLEY	–	–	–	–	2	–
CLITHEROE ...	–	1	–	–	–	L. 2
LEIGH	–	1	–	–	1	–
PRESTON	–	2	–	–	–	–
ULVERSTON ...	–	–	–	–	1	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	2	–	–	–	–
WHISTON... ...	–	2	1	–	1	–
LEICESTER ...	–	13	5	–	10	–
†LEICESTER C.B. ...	–	8	3	–	3	–
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
ASHBY WOULDS...	–	–	–	–	2	–
COALVILLE ...	–	–	–	–	1	–
MELTON MOWBRAY	–	2	–	–	–	–
THURMASTON ...	–	1	–	–	–	–
Rural Districts:—						
BLABY	–	–	1	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
LUTTERWORTH ...	–	–	–	–	1	–
MARKET BOSWORTH	–	1	1	–	1	–
MARKET HARBOROUGH	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	3	–	–	–	–
Rural Districts:—						
SPALDING (part).	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	2	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	2	–
SLEAFORD ...	–	1	–	–	–	–
Rural Districts:—						
GRANTHAM ...	–	–	–	–	–	M. 1
LINCOLN (parts of Lindsey).	–	13	7	2	9	C. 1 M. 2
†GRIMSBY C.B. ...	–	2	1	–	–	–
†LINCOLN C.B. ...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
†CLEETHORPES ...	–	–	2	–	3	M. 1
HORNCASTLE ...	–	1	–	–	1	–
LOUTH	–	–	1	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	6	1	–	2	C. 1
WINTERTON ...	–	1	–	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	1	–	–
GLANFORD BRIGG	–	–	–	1	2	–
GRIMSBY	*	*	*	*	*	*
HORNCASTLE ...	–	1		–	–	–
LOUTH	–	1	–	–	–	–
SPILSBY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	-	58	25	3	23	M. 5 N. 2
Boroughs and Urban Districts:—						
†ACTON	-	3	-	-	1	M. 1
†BRENTFORD AND CHISWICK	-	2	-	1	-	-
†EALING	-	5	-	-	-	-
†EDMONTON ...	-	4	6	-	1	-
†ENFIELD	-	1	2	-	3	M. 1
†FINCHLEY ...	-	3	-	-	-	-
†FRIERN BARNET	-	2	-	1	-	-
†HAMPTON ...	-	-	-	1	1	-
†HARROW ON THE HILL	-	5	-	-	-	-
†HENDON	-	4	2	-	-	-
†HESTON AND ISLEWORTH	-	-	2	-	5	-
†HORNSEY... ..	-	3	1	-	3	N. 1
†SOUTHGATE ...	-	2	1	-	1	-
†TEDDINGTON ...	-	1	-	-	-	-
†TOTTENHAM ..	-	4	4	-	3	N. 1
†TWICKENHAM ..	-	2	-	-	1	-
†UXBRIDGE ...	-	1	1	-	-	M. 1
†WEALDSTONE ...	-	1	-	-	-	-
†WEMBLEY ...	-	1	1	-	3	-
†WILLESDEN ...	-	6	4	-	-	M. 2
†WOOD GREEN ...	-	4	1	-	-	-
Rural Districts:—						
HENDON	-	3	-	-	-	-
STAINES	-	-	-	-	1	-
UXBRIDGE ...	-	1	-	-	-	-
NORFOLK ..	-	9	-	1	8	C. 1 N. 1
†GREAT YARMOUTH C.B	-	2	-	-	2	-
†NORWICH C.B. ...	-	6	-	-	1	C. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	-	-	-	1	-
Rural Districts:—						
DEPWADE ...	-	1	-	-	-	N. 1
DOCKING	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
DOWNHAM ...	-	-		-	1	-
FREEBRIDGE LYNN	-	-	-	1	-	-
MITFORD AND LAUNDITCH	-	-	-	-	1	-
SMALLBURGH ...	-	-	-	-	1	-
NORTHAMPTON	-	9	1	-	14	M. 2
†NORTHAMPTON C.B	-	8	-	-	6	M. 1
Boroughs and Urban Districts:—						
†KETTERING ...	-	1	1	-	1	M. 1
†RUSHDEN... ...	-	-	-	-	1	-
Rural Districts:—						
KETTERING .	-	-	-	-	1	-
NORTHAMPTON ..	-	-	-	-	1	-
THRAPSTON (part)	-	-	-	-	3	-
TOWCESTER ...	-	-	-	-	1	-
NORTHUMBERLAND.	6	48	6	-	50	M. 2 N. 3
†NEWCASTLE UPON TYNE C.B.	-	34	3	-	30	M. 2
†TYNEMOUTH C.B	1	6	1	-	4	-
Boroughs and Urban Districts:—						
†ASHINGTON ...	5	1	-	-	2	-
†BEDLINGTONSHIRE	-	1	1	-	-	N. 1
†BERWICK UPON TWEED	-	2	-	-	-	-
†BLYTH	-	-	1	-	1	N. 1
CRAMLINGTON ...	-	-	-	-	1	N. 1
†GOSFORTH ...	-	1	-	-	-	-
†LONGBENTON ...	-	1	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWBURN ...	*	*	*	*	*	*
PRUDHOE... ...	-	–	–	–	2	-
SEATON DELAVAL	–	–	–	–	1	-
SEGHILL	–	-	–	–	1	–
†WALLSEND ...	–	–	–	–	4	–
WEETSLADE ...	–	–	–	–	1	–
Rural Districts:—						
BELLINGHAM ...	–	-	–	–	1	–
CASTLE WARD ...	–	1	–	–		-
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	–	–		–	1	–
ROTHBURY ...	–	1	.	–	–	-
NOTTINGHAM ...	–	34	18	–	13	M. 2 N. 3
†NOTTINGHAM C.B	–	15	16	-	2	N. 2
Boroughs and Urban Districts:—						
†BEESTON... ...	–	1	–	–	–	–
†CARLTON... ...	–	6	–	–	3	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	1	–	–	2	M. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	–	–	–	1	M. 1
WARSOP	–	2	–	–	–	–
†WEST BRIDGFORD	–	–	–	–	–	N. 1
†WORKSOP... ...	–	2	–	–	2	–
Rural Districts:—						
BASFORD	–	4	–	–	–	–
BINGHAM... ...	–	–	1	–	1	–
LEAKE	–	1	–	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
WORKSOP... ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	-	5	-	2	5	M. 3 N. 2
†OXFORD C.B. ...	–	2	-	–	–	M. 1 N. 1
Boroughs and Urban Districts:—						
BICESTER... ...	–	–	–	1	–	–
†HEADINGTON ...	–	–		.	1	M. 1 N. 1
Rural Districts:—						
BANBURY ...	-	-	–	–	1	–
CHIPPING NORTON	-	1	–	–	-	–
HEADINGTON ...	–	1	-	–	–	M. 1
WITNEY	–	1	-	1	3	–
PETERBOROUGH (Soke of).	–	-	–	-	1	–
Borough:—						
†PETERBOROUGH...	–		–	–	1	–
SALOP	–	13	3	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
OSWESTRY ...	–	3	–	–	–	–
†SHREWSBURY ...	–	4	–	–	–	C. 1 M. 1
WHITCHURCH ...	–	1	-	–	–	–
Rural Districts:—						
BRIDGNORTH ...	–	–	1	-	–	–
ELLESMERE ...	–	–	1	–	–	–
OSWESTRY ...	–	3	–	–	-	–
WELLINGTON ...	–	2	–	–	2	–
WEM	–	–	-	–	1	–
SOMERSET ...	–	20	7	1	9	M. 2
†BATH C.B. ...	–	5	1	1	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	2	-	-	-	-
RADSTOCK ...	-	1	-	-	-	-
†TAUNTON... ...	-	-	-		-	M. 1
†WESTON SUPER MARE	-	1	2	-	-	-
Rural Districts:—						
BATH	-	3	3	-	-	-
CLUTTON... ...	-	1	-	-	2	-
FROME	-	-	-	-	1	-
LONG ASHTON ...	-	-	1	-	2	-
WELLS		-	-	-	2	-
YEOVIL	-	7	-	-	1	-
SOUTHAMPTON	-	35	19	2	18	C. 1 F. 1 M. 4 N. 4
†BOURNEMOUTH C.B.	-	2	-	-	1	N. 2
†PORTSMOUTH C.B.	-	10	11	-	-	-
†SOUTHAMPTON C.B	-	8	4	-	4	C. 1 M 2 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	4	-	-	2	-
ALTON	-	-	-	-	-	N. 1
BASINGSTOKE ...		-	-	-	-	M. 1
†EASTLEIGH AND BISHOPSTOKE	-	-	-	-	-	M. 1
†FAREHAM ...	-	1	2	-	-	-
†FARNBOROUGH ...	-	-	-	-	1	-
†GOSPORT		-	-	-	2	-
ROMSEY	*	*	*	*	*	*
†WINCHESTER ...	-	-	1	-	6	F. 1
Rural Districts:—						
CHRISTCHURCH ...	-	-	-	1	-	
DROXFORD ...	-	1	-	-	-	-
FAREHAM ...	-	4	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON *cont.*						
Rural Districts— *cont.*						
HARTLEY WINTNEY	-	3		-	-	-
HURSLEY... ...	-	-	1	-	-	-
ROMSEY	*	*	*	*	*	*
STOCKBRIDGE ...	-	-	-	1	-	-
WINCHESTER ...	-	2	-	-	1	-
STAFFORD ...	-	38	23	-	50	C. 1 L. 1 M. 9 N. 6
†BURTON UPON TRENT C.B.	-	1	-	-	1	M. 1
†SMETHWICK C.B.	-	1	4	-	5	M. 1
†STOKE ON TRENT C.B.	-	7	5	-	16	M. 2 N. 1
†WALSALL C.B. ...	-	1	2	-	5	N. 1
†WEST BROMWICH C.B.	-	1	6	-	3	M. 1
†WOLVERHAMPTON C.B.	-	4	-	-	-	C. 1
Boroughs and Urban Districts:—						
†AUDLEY	-	-	-	-	-	N. 1
BIDDULPH ...	-	-	-	-	1	-
†BILSTON	-	3	-	-	5	M. 1
†BROWNHILLS ...	-	1	-	-	-	M. 1
†CANNOCK	-	1	1	-	-	-
†DARLASTON ...	-	-	-	-	1	-
KIDSGROVE ...	-	-	-	-	1	-
†LEEK	-	2	-	-	-	-
†NEWCASTLE UNDER LYME	-	1	1	-	-	-
QUARRY BANK	-	-	1	-	-	-
†ROWLEY REGIS ...	-	1	-	-	3	-
†SEDGLEY	-	-	-	-	1	-
SHORT HEATH ...	-	1	-	-	-	-
†STAFFORD ...	-	-	-	-	1	N. 1
TAMWORTH ...	-		1	-	-	-
†TIPTON	-	1	-	-	3	M. 1
†WILLENHALL ...	-	1	-	-	1	M. 1
†WOLSTANTON UNITED	-	5	-	-	3	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
BLORE HEATH ...	-	1	-	-	-	-
CANNOCK	-	1	1	-	-	-
CHEADLE	-	-	-		-	L. 1
KINGSWINFORD ...	-	-	-	-	-	N. 1
LEEK	-	1		-	-	-
LICHFIELD ..	-	3	-	-	-	-
STONE	-	-	-	-	-	N. 1
WALSALL... ...	-	-	1	-	-	-
SUFFOLK, EAST	-	9	-	-	11	-
†IPSWICH C.B. ..	-	4	-	-	3	-
Boroughs and Urban Districts:—						
HALESWORTH ...	-	-	-	-	2	-
†LOWESTOFT ..	-	-	-	-	1	-
WOODBRIDGE ...	-	3	-		-	-
Rural Districts:—						
BOSMERE AND CLAYDON	-	1	-	-	-	-
HARTISMERE ..	-	1	-	-	-	-
HOXNE	-	-	-	-	2	-
SAMFORD... ...	-	-		-	1	-
WANGFORD ...	-	-	-	-	2	-
SUFFOLK, WEST	-	4	-	-	-	M. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	3	-		-	-
NEWMARKET ...	*	*	*	*	*	*
Rural Districts:—						
BRANDON... ...	-	1	-	-	-	-
THEDWASTRE ...	-	-	-	-		M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	-	79	21	3	12	G. 2 M. 1 N. 1
†CROYDON C.B. ...	-	28	8	-	-	-
Boroughs and Urban Districts:—						
†BARNES	-	2	1		1	-
†BEDDINGTON AND WALLINGTON	-	1	-	-		-
†CARSHALTON ...	-	1	3	-	-	-
†CHERTSEY ...	-	4		-	1	-
†COULSDON AND PURLEY	-	3	1	2	-	-
†EGHAM	-	-	-	-	1	-
†ESHER AND THE DITTONS	-	1	-			-
†FARNHAM ...	-	1			1	-
GODALMING ...	-	2	-	-	-	-
†GUILDFORD ...	-	-	-	-	1	-
†KINGSTON ON THAMES	-	4	-	-	-	-
†MERTON AND MORDEN	-	4	-	-		-
†MITCHAM... ...	-	7	1		-	-
†REIGATE	-	1	3	-	-	-
†RICHMOND ...	-	-	-	-	-	M. 1
†SURBITON ...		3		-	2	G. 1
†SUTTON			1			-
†WALTON UPON THAMES	-	1	-	-	-	-
WEYBRIDGE ...		-	1	-	-	-
†WIMBLEDON ..	-	5		1	1	N. 1
†WOKING	-	5		-	-	-
Rural Districts:—						
CHERTSEY ...	-	3	1	-	1	-
EPSOM	-	-	1	-	-	-
GODSTONE ...	-	1	-		-	-
HAMBLEDON ...	-	1	-	-	1	G. 1
REIGATE	-	1	-	-	2	-
SUSSEX, EAST ...	-	11	2	1	6	C. 1 M. 1 N. 1
†BRIGHTON C.B. ...	-	8	1	-	1	C. 1 M. 1 N. 1
†EASTBOURNE C.B.	-	-	-	-	2	-
†HASTINGS C.B. ...	-	-	1	1	2	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
†HOVE	–	1	–	–	–	–
Rural Districts:—						
NEWHAVEN ...	–	–	–	–	1	–
TICEHURST ...		1	–	–	–	–
SUSSEX, WEST...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†WORTHING ...	–	1	1	–	–	–
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
WARWICK ...	–	49	56	–	66	C. 2 F. 1 G. 1 M. 9 N. 2
†BIRMINGHAM C.B.	–	34	44	–	46	C. 2 G. 1 M. 9 N. 1
†COVENTRY C.B. ..	–	1	4		3	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–		2	–	2	–
†ROYAL LEAMINGTON SPA	–	3	–	–	1	–
†RUGBY	–	1	1	–	–	–
†STRATFORD ON AVON	–	–	–	–	1	–
†SUTTON COLDFIELD	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	3	–	–	–	–
ATHERSTONE ...	–	2	2	–	2	–
FOLESHILL ...	–	–	–	–	1	N. 1
MERIDEN... ...	–	2	–	–	2	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	1	1	–	5	–
SOLIHULL ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	1	–	–	–
WARWICK ...	–	2	–	–	1	F. 1
WESTMORLAND	–	1	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	1	–	–	1	G. 2 N. 1
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	1	–
†RYDE	–	–	–	–	–	G. 1
SANDOWN ...	–	–	–	–	–	G. 1 N. 1
WILTS	–	18	1	–	7	D. 2 G. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	12	–	–	–	G. 1
†SWINDON... ...	–	1	1	–	3	M. 1
WESTBURY ...	–	–	–	–	–	N. 1
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CHIPPENHAM ...	–	–	–	–	–	D. 1
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	1	–
HIGHWORTH ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
MALMESBURY ...	–	–	–	–	–	M. 1
MELKSHAM ...	*	*	*	*	*	*
PEWSEY	–	–	–		1	–
TISBURY	–	–	–	–	–	D. 1
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WILTON	–	3	–	–	–	–
WORCESTER ...	–	13	–	1	18	C. 1 N. 1
†DUDLEY C.B. ...	–	1	–	–	3	C. 1
†WORCESTER C.B.	–	1	–	1	5	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–		–
†HALESOWEN ..	–	1	–	–	2	–
†KIDDERMINSTER	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	–	–		–	N. 1
†OLDBURY... ...	–	1	–	–	6	–
†REDDITCH ...		–	–	–	2	–
†STOURBRIDGE ...	–	1	–	–	–	–
STOURPORT ...	–	1	–	–	–	–
Rural Districts:—						
BROMSGROVE ..	–	1	–	–	–	–
DROITWICH ...	–	2	–	–	–	–
MARTLEY... ...	–	2	–	–	–	–
YORKS ... ... (East Riding).	–	13	14	–	12	N. 1
†KINGSTON UPON HULL C.B	–	8	12	–	11	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
†BRIDLINGTON ...	–	4	–	–		–
COTTINGHAM ...	*	*	*	*	*	*
HESSLE	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
NORTON	*	*	*	*	*	*
SCULCOATES ...	–	1	1	–	–	–
SKIRLAUGH ...	–	–	–	–	–	N. 1
YORKS ... ... (North Riding).	2	14	1	–	9	N. 2
†MIDDLESBROUGH C.B	–	4	–	–	4	N. 2
Boroughs and Urban Districts:—						
†ESTON ...	–	3	–	–	–	–
GUISBOROUGH ...	1	–	–	–	–	–
LOFTUS	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
†REDCAR	–	2	–	–	–	–
†SCARBOROUGH ...	–	–	1	–	2	–
†SKELTON AND BROTTON	1	1	–	–	2	–
†WHITBY	–	1	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	–	–
FLAXTON	–	1		–	–	–
MALTON	*	*	*	*	*	*
THIRSK	–	–	–	–	1	–
YORKS ... ... (West Riding).	48	122	49	6	120	C. 2 D. 1 G. 2 M. 13 N. 10
†BARNSLEY C.B.		2	3		3	–
†BRADFORD C.B. .	1	9	11	–	12	M. 1 N. 1
†DEWSBURY C.B..		1	–	1	–	–
†DONCASTER C.B.	8	1	1	–	1	–
†HALIFAX C.B. ..	–	4	1	–	–	–
†HUDDERSFIELD C.B	–	9	4	1	1	M. 1
†LEEDS C.B. .	–	14	7	–	18	M 2 N. 2
†ROTHERHAM C.B	3	–	–	–	6	–
†SHEFFIELD C.B..	5	36	11	–	36	D. 1 M 4 N. 3
†WAKEFIELD C.B	–	–	2	–	2	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†Adwick le Street	1	–		–	–	–
Altofts	–	–	–	–	1	–
†Bentley with Arksey	3		1	–	–	
†Bingley	2	–	–	–	1	–
†Bolton upon Dearne	–	1	–	–	–	–
†Brighouse ..	–	–	–	–	1	–
Burley in Wharfedale		–	–	1	–	–
†Castleford ...	–	–	1	–	1	–
Clayton	–	–		–	–	N. 1
†Conisbrough ..	6	–	–	–	–	–
Cudworth ...	–	1	–		1	N. 1
Darfield ..		1	–	–	–	–
†Darton		1	–	–	–	–
Denby and Cumberworth	–	–	1	–	–	–
Drighlington ...	–	–	–	1	–	–
†Golcar	–	1	–	–	–	–
†Goole	–	1	–	–	–	–
†Harrogate ..	–	1	–	–	1	M. 1
†Hemsworth ...	1		–	–	1	–
Holme	–	1	–	–	–	–
†Holmfirth ..	–	1	–	–	–	–
Horsforth ...	–	–	1	–	–	–
†Hoyland Nether	–	1	–	–	1	–
Ilkley	–	–	–	–	1	–
†Keighley ..	8	1	–	–	3	–
Kirkburton ...	–	–	–	–	1	–
Knottingley ..	–	–	–	–	2	–
Lepton	–	–	–	–	1	–
Marsden... ...		1		–	–	–
†Mexborough ..	1	–	–		–	–
†Morley	–	1	–	–	–	–
Mytholmroyd ...		1	–	–	–	–
New Mill ...	–	–	–	1	–	–
†Normanton ..	–	2	–	–	5	M. 1
†Ossett	–	1	–		–	–
Otley	–	1		–	2	–
†Pontefract ...	–	3	–	–	–	–
†Pudsey	–	1	–	–	–	–
†Rawmarsh ...	–	2	1	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Saddleworth ...	–	1	–	–	–	–
Selby	–	1	–	–	–	–
Shelley	–	1	–	–	–	–
Shepley	–	–	–	–	1	–
†Shipley	–	3	–	–	–	–
†Skipton	–	2	–		–	–
Slaithwaite ...	–	1	–		–	–
Stainland ...	–	–	–	–	–	G. 1
†Stanley	–	–	–		1	–
Stocksbridge ...		1	–	–	2	–
†Swinton	1	–	–	–	1	–
Thurlstone ...		–	–	–	–	C. 1
Thurnscoe ...	1		–	–	–	–
Tickhill ...		1		–	1	–
†Todmorden ...	–	1	–	–	–	M. 1
†Wath upon Dearne	2	–	–	–	–	N. 1
†Wombwell ...		2	–	–	1	–
†Worsborough ...	–	–	–	–	–	M. 1
						N. 1
Rural Districts:—						
Doncaster ..	4	1	1	–	4	C. 1
Hemsworth ...	–	1	–	–	1	–
Keighley ...	1	–	–	–	–	–
Knaresborough	–	2	–	–	–	–
Pontefract ...	–	2	–	–	–	–
Rotherham ...	–	–	–	–	2	G. 1
Tadcaster ...	–	1	–	–	2	–
Thorne	–	–		–	–	M. 1
Wakefield ...	–	–		–	1	–
Wetherby ...	–	–	1	–	1	–
Wortley ...	–	1	2	–	–	–
§**York, City of...**	–	2		1	1	–
†York C.B. ..	–	2	–	1	1	–
WALES.						
ANGLESEY ...	–	4	–	–	–	–
Rural Districts:—						
Valley	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...						
Boroughs and Urban Districts:—						
Hay	*	*	*	*	*	*
CAERNARVON ...	–	4	3	–	1	–
Boroughs and Urban Districts:—						
†Llandudno ...	–	1	3	–	1	–
Penmaenmawr ...	–	1	–	–	–	–
Portmadoc ...	–	1	–	–	–	–
Rural Districts:—						
Gwyrfai	–	1	–	–	–	–
CARDIGAN ...	–	–	2	–	1	–
Rural Districts:—						
Tregaron ...	–	–	2	–	1	–
CARMARTHEN ...	–	2	4	–	13	M. 1 N. 2
Boroughs and Urban Districts:—						
Kidwelly ...	–	1	–	–	3	–
†Llanelly ...	–	1	–	–	3	M. 1 N. 1
Newcastle Emlyn	*	*	*	*	*	*
Rural Districts:—						
Llandilo Fawr	–	–	–	–	4	–
Llanelly ...	–	–	4	–	3	N. 1
Newcastle in Emlyn	*	*	*	*	*	*
DENBIGH ...	–	9	2	2	1	–
Boroughs and Urban Districts:—						
Denbigh ...	–	–	–	2	–	–
Llanrwst ...	–	1	–	–	–	–
DENBIGH—*cont.*						
Rural Districts:—						
Chirk	–	–	–	–	1	–
Wrexham ...	–	8	2	–	–	–
FLINT	–	–	1	1	5	–
Boroughs and Urban Districts:—						
†Rhyl	–	–	1	–	–	–
Rural Districts:—						
Hawarden ..	–	–	–	1	–	–
Holywell ...	–	–	–	–	4	–
St. Asaph (Flint)	–	–	–	–	1	–
GLAMORGAN ...	–	28	36	4	31	C. 1 M. 1 N. 1
†Cardiff C.B. .	–	2	8	1	3	–
†Merthyr Tydfil C.B.	–	–	4	–	4	–
†Swansea C.B. ...	–	3	5	1	–	M. 1
Boroughs and Urban Districts:—						
†Barry	–	–	1	–	–	–
†Caerphilly ..	–	–	1	–	1	–
†Gelligaer ..	–	2	–	–	3	–
†Glyncorwg ...	–	–	–	–	1	–
†Maesteg	–	2	1	–	1	–
†Mountain Ash ..	–	2	1	–	2	–
†Neath	–	1	–	–	–	–
†Ogmore and Gaiw	–	–	1	–	–	–
†Pontypridd ..	–	3	–	–	2	–
Porthcawl ..	–	–	1	–	–	–
†Port Talbot ...	–	1	3	–	–	–
†Rhondda ...	–	6	2	–	9	C. 1 N. 1

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
CARDIFF	–	–	1	–	–	–
NEATH	–	3	2	–	4	–
PENYBONT ...	–	–	–	1	1	–
PONTARDAWE ..	–	1	2	–	–	–
SWANSEA... ..	–	2	3	–	–	–
MERIONETH ...		6	–	–	–	M. 1
Urban Districts:—						
TOWYN	–	5	–	–	–	M. 1
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
MONMOUTH ...	37	13	5	2	6	M. 1 N. 2
†NEWPORT C.B. ..	–	–	1	1	2	–
Boroughs and Urban Districts:—						
†ABERCARN ...	1	–	–	–	–	N. 1
†ABERSYCHAN ..	19	1	–	–	–	–
†ABERTILLERY ...	6	–	–		–	–
BEDWAS AND MACHEN		–	1	–	1	N. 1
†BEDWELLTY ...		4	–	–	–	M. 1
†BLAENAVON ..	6	–	–	–	–	–
†EBBW VALE ...	–	–	3	–	–	–
†MYNYDDISLWYN	2	2	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	1	2	–
†PANTEG	1	–	–	–	–	–
PONTYPOOL ...	1	–	–	–	–	–
†TREDEGAR ...	–	1	–	–	1	–
Rural Districts:—						
MAGOR	–	2	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
ST. MELLONS ...	1	1	–	–	–	–
MONTGOMERY...	–	1	–	–	4	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–
LLANFYLLIN ...	–	–	–	–	1	–
MACHYNLLETH ...	–	1	–	–	–	–
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE ...	–	6	–	1	2	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
HAVERFORDWEST.	–	–	–	1	–	–
MILFORD HAVEN	–	1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	4	–	–	–	–
NARBERTH ...	–	–	–	–	2	–
ST. DOGMELLS ...	–	1	–	–	–	–
RADNOR	–	–		–	–	–
Rural Districts:—						
PAINCASSTLE ...	*	*	*	*	*	*
Total of Part II. ...	254	1366	576	52	944	C. 32 D. 10 E. 1 F. 2 G. 24 J. 2 L. 4 M. 107 N. 89

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HARTLEPOOL	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	–	–	L. 1
PLYMOUTH	–	–	–	–	1	–							
SWANSEA	–	–	–	1	–	–	**Total of Part III.** ...	–	–	–	1	1	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
Total of Part I.—London	–	305	216	6	91	C D. F. G. L. M N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	254	1366	576	52	944	C. D. E F. G. J. L. M. N.
Total of Part III.—Port Sanitary Districts	–	–	–	1	1	L.
Total (*i.e.*, of returns received), England and Wales ...	254	1671	792	59	1036	C. D. E F. G. J. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrex

There were no cases of Cholera Plague or Typhus Fever notified during the week.

.—LONDON and GREAT TOWNS in the GATE.* } BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

k ended :—	Mar. 12.	Mar. 19.	Mar. 26.	Apl. 2.	Apl.* 9.	Apl.* 16.	Apl.* 23.	Apl.* 30.	May* 7.	May* 14.	May* 21.	May* 28.	June* 4.
:—													
—all ages	1,114	1,114	1,068	959	980	944	975	980	959	857	871	787	843
0 to 1 year ..	97	100	105	87	98	94	114	98	79	79	71	54	75
TOWNS, aggre- including Lon-													
.. .. ..	6,834	7,047	6,248	6,935	6,899	6,049	6,619	7,602	7,102	6,994	7,045	6,657	7,106
—all ages	5,980	5,327	4,990	4,656	4,625	4,316	4,340	4,253	4,347	4,017	3,947	3,847	3,949
0 to 1 year ..	612	588	561	486	560	498	496	459	427	395	376	341	398
) FEVER—Cases	14	14	8	22	16	14	22	18	19	20	14	11	22
„ Deaths	1	4	1	2	2	3	1	—	3	—	1	1	1
POX—Cases ..	81	80	82	97	84	70	56	66	73	55	77	81	74
Deaths ..	—	—	1	—	—	—	—	—	4	1	—	2†	—
r FEVER—Cases	676	763	720	766	763	711	700	652	813	840	920	849	973
Deaths	8	2	6	5	2	6	4	5	4	5	13	11	5
ERIA—Cases ..	723	681	713	670	677	496	516	493	529	599	593	558	589
Deaths ..	43	30	35	25	28	30	27	30	25	30	18	26	26
S—Deaths ..	72	52	71	79	76	89	81	68	57	57	57	42	35
NZA—Deaths ..	572	342	224	160	120	96	82	71	57	47	46	43	42

or the weeks ended April 9th, and afterwards the figures relate to 107 Great Towns instead of 105, owing to usion of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)
cluding 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday 4th June, 1927. (*Supplied by the Meteorological Office.*)

WNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
	70	35	67·4	46·4	1
ENWICH).					
ON ..	66	38	62·0	49·0	0
OUTH ..	72	43	66·5	50·2	0
DH	66	38	63·0	45·9	16
(EATON).					
TH ..	71	45	64·6	49·4	3
	68	43	64·4	48·4	1
CLIFTON).					
GHAM	68	40	62·6	45·0	6
BASTON).					
GHAM ..	67	37	62·4	43·3	4
HEAD	65	44	58·0	47·4	19
BIDSTON).					
ESTER	64	40	59·9	46·4	7
ITWORTH					
PARK).					
EY	62	37	58·7	43·4	9

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	63	40	59·1	43·7	7
BRADFORD ..	§	§	§	§	§
SHEFFIELD ..	66	41	58·7	45·6	6
YORK (MUSEUM)	65	40	59·7	44·4	7
HULL (PEARSON PARK).	65	42	60·1	46·0	11
TYNEMOUTH ..	63	40	55·4	44·9	7
CARDIFF.. ..	67	39	63·4	46·9	1
EDINBURGH ..	59·0	40·0	55·6	44·0	9
GLASGOW ..	61·6	42·4	58·0	45·4	14
DUBLIN (PHŒNIX PARK).	67·3	32·5	61·0	38·1	2
(FITZWILLIAM SQUARE†).	65·8	41·0	60·6	45·0	1
BELFAST.. ..	65·5	36·0	62·8	39·8	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 4th June, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	29	..	29·713	64·6	35·3	29·3	51·0	− 5·4	37·0	14·0	26·3	1·6	59	141·1	24·1	50·8	Calm: SE.	SE: Calm.	0·6	0·0	0·0	119	− 131	0·00
MONDAY -	30	New	29·611	69·9	44·1	25·8	57·9	+ 1·2	44·9	13·0	22·1	3·3	62	147·1	29·8	50·6	Calm: SE.	E: NE	1·9	0·0	0·1	187	− 62	0·00
TUESDAY -	31	..	29·501	67·1	51·1	16·0	58·5	+ 1·4	53·8	4·7	12·0	0·6	84	137·3	42·1	50·5	NNE: ENE.	E	1·2	0·0	0·1	196	− 53	0·01
JUNE. WEDNESDAY	1	..	29·500	65·0	52·0	13·0	55·8	− 1·6	54·7	1·1	10·7	0·0	96	94·2	40·6	50·6	ENE: NE: NNW.	NW: Calm.	0·5	0·0	0·0	145	− 104	0·00
THURSDAY	2	Greatest Declination N.	29·717	68·6	49·4	19·2	57·9	+ 0·1	53·3	4·6	14·8	0·0	84	125·8	35·7	50·9	Calm: NE.	ESE: SE.	0·2	0·0	0·0	127	− 123	0·00
FRIDAY -	3	..	29·899	69·5	48·1	21·4	56·9	− 1·2	41·2	15·7	28·0	1·2	55	137·3	39·0	50·9	NNW: NW.	W: WNW.	2·0	0·0	0·2	269	+ 17	0·00
SATURDAY -	4	..	29·881	67·3	42·2	25·1	53·5	− 4·8	39·5	14·0	30·1	3·1	59	129·2	29·2	51·0	WSW: WNW.	NW: WSW.	1·5	0·0	0·1	222	− 32	0·01
MEANS -		..	29·689	67·4	46·0	21·4	55·9	− 1·5	46·3	9·6	20·6	1·4	71	130·3	24·4	50·8	...		..	..	..	Sum 1265	Sum − 488	Sum 0·02
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. May.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	General Remarks.
Sunday ..	29	wP	8·9	16·1	Little cloud till 9½h.; cloudy or very cloudy till 19½h.; overcast by 20½h. Dew and mist in morning.
Monday ..	30	wP	7·7	16·1	Cloudy generally in forenoon, little cloud till 15h.; then overcast or nearly so.
Tuesday ..	31	wP	1·4	16·2	Overcast generally. Rain or slight rain 9h. till 10h. 20m.
June. Wednesday	1	wP	0·0	16·2	Overcast till 16½h.; few clouds by 18½h. Clouding up 20h., to nearly overcast by 21h. Partial solar halo 16½h. Mist in morning and at night. Dew at night.
Thursday	2	wP till 7½h.; mP till 11h., then wP.	1·4	16·2	Very cloudy till noon, then overcast generally. Mist in morning. Haze 6h. till 15h.
Friday ..	3	wP till 6½h., mP till 17h., v till 19h., then wP.	3·6	16·3	Very cloudy or nearly overcast till 15h.; cloudy till 18½h.; nearly cloudless from 19½h. Shower 18½h.
Saturday	4	wP till 11h., then mP.	6·6	16·3	Little cloud till 9h., very cloudy or nearly overcast by 10h. Little cloud from 23h. Shower at 16h.
			Sum 29·6	Sum 113·4	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea. no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·75 ins. at the beginning of the week to 29·46 ins. by 12h. on June 1st; increased to 29·93 ins. by 22h. on June 3rd; decreased and was 29·76 ins. by midnight on June 4th.

THE 1921

CENSUS

THE decennial census of England and Wales provides a wealth of statistical data relating to an exceptionally wide range of social conditions and activities and so furnishes matter of the greatest value for the solution of a vast number of current political and economic problems.

Encyclopædic in scope, the volumes are a storehouse of information of the most detailed nature and of exceptional accuracy which can be put to an extraordinary range and variety of uses. They have proved, for instance, of signal service in industry and commerce and to advertisers anxious to obtain quantitative data on which to base production and selling campaigns. Each County in England and Wales is surveyed separately and the figures relating to them are published in 52 volumes of foolscap folio size.

Ten general volumes are devoted to a grouping of statistics to illustrate the Industrial and Occupational divisions of the country and such special relationships as Dependency Orphanhood, etc. A general Report on the Census as a whole is in course of preparation.

The complete set of volumes originally cost £34 4s. net and it has been decided to offer the few sets that remain at the exceptionally low price of £12 net, postage extra.

The series may be ordered at this price at any of the sale offices of H.M. Stationery Office.

LONDON: Adastral House, Kingsway, W.C.2.
MANCHESTER: York Street.
EDINBURGH: 120, George Street.
CARDIFF: 1, St. Andrew's Crescent.
BELFAST: 15, Donegall Square West.

FOR OFFICIAL USE

1927. No. 23.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 11TH JUNE, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-23-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 11TH JUNE, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the twenty-third week of the year numbered 6,066 and corresponded to an annual rate of 16.1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,683 and corresponded to an annual rate of 9·8 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·5, 10·3 and 10·5. Infant mortality based on the average weekly number of births during the last 52 weeks, was 50 per 1,000 births against 55, 50 and 59 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,481 births, corresponding to a rate of 16.7 per 1,000, and 801 deaths of civilians, corresponding to an annual rate of 9·1, against 9·9, 8·9 and 9·5 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·4 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 43 as against 46, 35 and 49 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,948 to 3,683, and in London from 843 to 801.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. — **Births and Deaths registered in the week ended 11th June, 1927.**

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,540,143*	6,066	3,683	341	4	43	6	31	11	47	3
London	4,805,400*	1,481	801	65	2	1	1	9	2	10	
Towns in Outer Ring.											
Croydon C.B. ..	205,900	69	37	3	-	-	-	-	-	-	-
Wimbledon ..	58,030	14	10	-	-	-	-	-	-	-	-
Ealing	91,783	27	26	-	-	-	-	-	-	-	-
Acton	63,040	16	8	-	-	-	-	-	-	-	-
Brentford and Chiswick† ..	56,840	10	4	-	-	-	-	-	-	-	-
Willesden ..	165,270	33	30	1	-	-	-	-	-	-	-
Hendon	62,570*	18	10	2	-	-	-	-	-	-	-
Hornsey	87,230	21	18	-	-	-	-	-	-	-	-
Wood Green ..	51,940	14	8	1	-	-	-	1	-	-	-
Tottenham ..	151,520	41	32	5	-	-	1	-	-	2	-
Edmonton	71,700	25	6	-	-	-	-	-	-	-	-
Enfield	63,640	19	11	2	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	127	70	10	-	-	-	1	-	2	-
East Ham C.B. ..	146,600	48	26	1	-	-	1	-	-	-	-
Leyton	130,000	34	17	-	-	-	1	-	-	-	-
Walthamstow ..	125,500	30	18	2	-	-	-	-	-	1	-
Ilford	100,500	34	12	-	-	-	-	-	-	-	-
Gillingham	47,820*	26	8	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	7	2	-	-	-	-	-	-	-	-
Hastings C.B.	61,340	13	10	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	9	8	-	-	-	-	-	-	-	-
Brighton C.B.	139,500*	32	20	3	-	-	-	-	-	1	-
Portsmouth C.B. ..	231,500*	81	52	2	-	1	-	-	1	-	-
Bournemouth C.B. ..	90,100	23	17	-	-	-	-	-	-	-	-
Southampton C.B. ..	169,300	53	24	1	-	-	-	-	-	-	-
Reading C.B	93,090*	21	11	-	-	-	-	-	-	-	-
Oxford C.B.	56,800	20	15	1	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	25	14	2	-	-	-	1	-	-	-
Luton	59,240	10	9	1	-	-	-	-	-	-	-
Cambridge	58,820	15	9	1	-	-	-	-	-	-	1
Southend-on-Sea C.B.	104,300	22	19	1	-	-	-	-	-	-	-
Ipswich C.B.	84,140	20	17	2	1	-	-	1	-	-	-
Great Yarmouth C.B.	57,760	22	15	-	-	-	-	-	-	-	-
Norwich C.B.	123,500*	39	24	2	-	-	-	-	-	-	-
Swindon	57,320	17	5	-	-	-	-	-	-	-	-
Exeter C.B.	60,340*	26	9	-	-	-	-	-	-	1	1
Plymouth C.B. ..	187,300*	76	38	3	-	-	-	-	-	-	1
Bath C.B.	69,000	15	10	-	-	-	-	-	-	-	-
Bristol C.B.	383,300*	96	74	5	-	-	-	1	-	-	1
Gloucester C.B. ..	53,050	14	8	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	100	47	6	-	3	-	1	-	2	1
Burton-upon-Trent C.B.	48,660	16	12	-	-	-	-	-	-	-	-
Wolverhampton C.B.‡	131,000	37	18	2	-	-	-	1	-	-	-
Walsall C.B.	102,100	41	18	4	-	-	-	1	-	-	1
West Bromwich C.B.	79,920	22	20	-	-	2	-	-	-	-	-
Dudley C.B.	58,930	17	10	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,660	18	7	-	-	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	310	165	17	-	1	-	-	-	1	1
Smethwick C.B. ..	76,940	21	3	1	-	1	-	-	-	-	-
Coventry C.B. ..	127,800	50	20	1	-	-	-	1	-	-	-
Leicester C.B. ..	241,700	62	49	2	-	-	-	-	-	-	-
Lincoln C.B.	65,760*	21	18	2	-	-	-	-	-	-	1
Grimsby C.B.	88,580	43	14	1	-	-	-	-	-	-	-
Nottingham C.B. ..	268,000	60	50	6	-	-	-	-	-	2	-
Derby C.B.	136,600*	46	27	6	-	1	-	1	-	1	-
Chesterfield ..	66,650	31	13	2	-	-	-	-	-	-	-
Stockport C.B. ..	125,400	33	21	1	-	-	-	-	-	1	-
Chester C.B.	41,710	15	7	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	71	29	7	-	1	-	-	-	1	-
Wallasey C.B. ..	93,050	24	13	1	-	1	-	-	-	-	-
Liverpool C.B. ..	862,600	355	178	24	-	9	-	3	-	4	-
Bootle C.B.	84,580	32	17	1	-	-	-	-	-	-	-
St. Helens C.B. ..	110,000	40	36	10	-	8	-	-	-	2	-

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	77,970	15	19	–	–	–	–	–	–	–	–
WIGAN C.B.	88,620	26	17	2	–	1	–	–	–	1	1
WARRINGTON C.B. ..	76,940*	31	15	2	–	–	–	–	–	–	1
BOLTON C.B.	177,000	47	41	1	–	–	–	–	–	–	–
BURY C.B.	56,840*	8	12	1	–	–	–	–	–	–	–
MANCHESTER C.B. ..	752,000	172	160	17	–	–	1	–	–	4	–
SALFORD C.B.	247,400	52	51	7	–	1	–	–	1	–	–
ASHTON-UNDER-LYNE§	51,050	15	14	1	–	–	–	–	–	–	–
OLDHAM C.B.	143,000	43	41	8	–	–	–	–	–	–	–
ROCHDALE C.B.	91,510	10	22	1	–	–	–	–	–	–	1
BURNLEY C.B	99,600	31	25	4	–	–	–	–	1	–	1
BLACKBURN C.B. ..	124,400	37	25	4	–	–	–	–	–	–	–
PRESTON C.B.	124,200	33	26	5	–	2	–	–	1	–	–
BLACKPOOL C.B. ..	88,640	24	19	–	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	70,420	15	13	2	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,900	24	25	–	1	–	–	–	–	–	1
HALIFAX C.B.	96,130*	20	25	1	–	–	–	–	1	–	–
BRADFORD C.B. ..	288,700	79	64	3	–	1	–	–	–	–	1
LEEDS C.B.	473,400	119	89	4	–	1	–	–	–	1	–
DEWSBURY C.B. ..	53,630	16	12	1	–	–	–	–	–	1	–
WAKEFIELD C.B. ..	53,830	10	5	–	–	–	–	–	–	–	–
BARNSLEY C.B. ..	70,760	33	13	–	–	2	–	–	–	–	–
SHEFFIELD C.B. ..	523,300*	148	105	17	–	–	–	3	1	1	2
ROTHERHAM C.B. ..	70,080	15	9	1	–	–	–	1	–	–	–
DONCASTER C.B.‡ ..	55,700	17	17	2	–	2	–	–	–	–	1
YORK C.B.	84,430*	18	21	1	–	–	–	–	–	–	–
HULL C.B.	294,600	109	72	5	–	–	–	2	1	–	–
MIDDLESBROUGH C.B.	133,600	52	40	3	–	–	–	–	–	1	1
DARLINGTON C.B. ..	70,700	17	13	1	–	–	–	1	–	–	–
STOCKTON-ON-TEES ..	67,910	36	16	3	–	–	–	–	–	2	1
WEST HARTLEPOOL C.B.	71,060	32	12	2	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	163,800	72	29	4	–	2	–	–	–	1	–
SOUTH SHIELDS C.B. ..	123,900	39	20	3	–	–	–	–	–	–	–
GATESHEAD C.B. ..	127,700	41	32	2	–	–	–	–	–	–	–
NEWCASTLE-ON-TYNE C.B.	284,700*	122	54	5	–	–	–	–	2	1	1
TYNEMOUTH C.B ..	66,560	21	14	3	–	–	1	–	–	–	–
CARLISLE C.B.	56,140*	20	15	–	–	–	–	–	–	–	1
NEWPORT (MON.) C.B.	96,620	31	13	1	–	1	–	1	–	–	–
CARDIFF C.B.	225,600*	75	42	3	–	–	–	–	–	1	–
RHONDDA	162,500	28	16	–	–	–	–	–	–	–	1
MERTHYR TYDFIL C.B.	80,690	28	15	3	–	1	–	–	–	2	–
ABERDARE	56,930	9	7	1	–	–	–	–	–	–	1
SWANSEA C.B.	163,200	68	34	4	–	–	–	1	–	–	2
GREATER LONDON ..	7,791,310*	2,405	1,354	105	3	1	4	11	5	16	6
OUTER RING	3,185,910*	924	553	40	1	–	3	2	3	6	2
17 GREAT TOWNS IN OUTER RING	1,947,963*	580	343	27	–	–	3	2	–	5	1
REMAINDER OF OUTER RING	1,237,947*	344	210	13	1	–	–	–	3	1	1
EDINBURGH†	426,100	146	109	9	–	1	–	1	–	–	1
GLASGOW†	1,049,000	421	297	32	–	2	3	6	1	4	8
DUBLIN (REGISTRATION AREA)†	421,000	195	86	6	–	–	1	1	1	–	1
BELFAST†	416,000	176	103	23	–	–	–	3	1	10	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Created County Borough 1st April, 1927.

§ Ashton-under-Lyne M.B as extended 1st April, 1927.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available per

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. Exclusive of Still born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
LONDON‡	4,605,400	1927. June 11	1481	801	9·1	2	–	1	1	9	2	10
CALCUTTA AND SUBURBS	1,077,264	May 7	?	595‖	28·7	?	61	?	?	?	?	?
BOMBAY§	1,298,708	„ 21	306	520‖	20·8	3	35	3	–	1	–	12
MADRAS	528,791	„ 14	474	457	44·9	3	–	–	–	–	–	40
SYDNEY AND SUBURBS	1,038,950	April 30 (30 days)	1685	785	8·8	2	–	–	8	4	6	16
BRISBANE (Metropolitan Area).	274,260	Mar. 31 (31 days)	536	225	9·8	1	–	–	–	1	2	6
PERTH (Metropolitan Area).	179,388	April 16	62	27	7·8	–	–	–	–	–	–	–
		„ 23	91	41	11·9	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	192,176	„ 30 (30 days)										
WELLINGTON (Urban Area).	121,324	April 30 (30 days)										
CHRISTCHURCH (Urban Area).	118,408	April 30 (30 days)										
CAPE TOWN	115,348	May 14	32	28	12·6	2	–	–	–	–	–	–
JOHANNESBURG	172,189	„ 21										
DURBAN	54,738	„ 21										
PARIS	2,871,429	„ 31 (11 days)										
ANTWERP	301,283	May 7	115	56	9·8	–	–	–	–	–	1	–
AMSTERDAM	728,799	„ 28	287	131	9·4	–	–	4	–	2	–	–
COPENHAGEN	592,000	„ 28	191	139	12·2	–	–	–	–	2	–	–
STOCKHOLM	453,332	„ 21	97	89	10·2	–	–	–	–	–	1	–
GOTHENBURG	231,196	„ 7	?	51	11·5	–	–	–	–	–	–	–
		„ 14	?	48	10·8	–	–	–	–	1	–	–
OSLO (CHRISTIANIA) ..	254,055	June 4	54	58	11·9	–	–	–	–	–	–	–
BERLIN	2,003,000	May 21	367	402	10·4	1	?	–	1	–	8	4
BRESLAU	564,000	„ 21	160	136	12·5	–	?	1	–	2	–	1
COLOGNE	716,000	„ 21	201	142	10·3	–	?	5	–	–	1	–
DRESDEN	626,000	„ 21	148	120	10·0	–	?	–	–	–	–	1
FRANKFORT-ON-MAIN..	473,000	„ 21	106	78	8·6	–	?	1	2	–	1	–
HAMBURG	1,101,000	„ 21	233	183	8·6	–	?	–	–	1	–	–
LEIPZIG	687,000	„ 21	160	133	10·1	–	?	1	–	–	1	–
MUNICH	685,000	„ 21	175	146	11·1	–	?	–	–	–	–	1
VIENNA	1,872,560	Sept. 30 '26 (30 days)	1748	1849	11·8	7	?	–	1	9	6	21
PRAGUE AND SUBURBS	725,196	Oct. 31 '26 (31 days)										
BUDAPEST	971,169	May 28	336	262	14·0	5	–	1	1	1	4	4
WARSAW	1,028,982	„ 28	?	260	13·2	1	–	4	3	3	2	16
CAIRO	874,300	Jan. 7	839	470	28·0	4	?	1	–	–	3	28
ALEXANDRIA	501,800	„ 7	523	251	26·1	1	?	–	–	–	3	21
NEW YORK	5,924,018	May 28	?	1342	11·7	–	–	1	2	5	24	13
CHICAGO	3,101,000	„ 27	1264	743	12·5	1	–	3	2	–	8	11

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 87 deaths from Cholera in Calcutta and 23 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 11th June, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	801	65	10	10	17	36	35	59	98	133	167	171
Enteric fever	2	-	-	-	-	1	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-
Whooping cough	9	4	3	2	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	2	-	-	-	-	-	-	-
Influenza	4	-	-	-	-	-	-	1	2	-	-	1
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	5	2	1	1	-	-	1	-	-	-	-	-
Tuberculosis :—												
Respiratory system	66	-	1	-	-	11	11	18	14	10	1	-
Nervous system	4	-	-	2	2	-	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	1	-	-	-	1	-	-	-
Other forms	3	-	1	-	1	-	-	-	-	1	-	-
Venereal diseases	8	1	-	-	-	1	-	2	3	-	1	-
Cancer	127	-	-	-	-	1	2	10	16	39	35	24
Rheumatic fever	2	-	-	-	1	-	1	-	-	-	-	-
Diabetes	10	-	-	-	-	-	-	1	1	2	5	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	2	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	36	-	-	-	-	1	-	-	4	8	12	11
Epilepsy	2	-	-	-	1	-	-	-	-	-	1	-
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	19	1	-	-	1	3	2	3	5	2	2	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	2	-	-	-	-	-	1	-	-	-	1	-
Other diseases of heart	126	-	1	-	-	3	4	2	13	20	38	45
Other diseases of circulatory system	53	-		-	-	-	1	-	3	7	17	25
Bronchitis	28	2	-	-	-	-	-	-	3	3	7	13
Broncho-pneumonia	18	6	-	-	-	1	-	-	3	2	3	3
Lobar-pneumonia	19	-	-	1	-	3	-	3	2	4	3	3
Pneumonia (type not distinguished)	11	-	-	-	-	-	-	1	2	1	5	2
Other diseases of respiratory system	10	-	-	1	1	-	-	1	1	2	2	2
Diarrhœa and enteritis	11	10	-	-	-	-	-	-	-	1	-	-
Appendicitis, Typhlitis	9	-	-	1	1	1	1	1	2	1	-	1
Hernia, Intestinal obstruction	5	-	-	-	-	2	-	-	-	1	2	-
Cirrhosis of liver	3	-	-	-	-	-	-	-	1	1	1	-
Other diseases of digestive system ..	30	-	1	1	-	1	3	6	7	4	5	2
Acute nephritis	1	-	-	-	-	-	-	-	-	-	1	-
Chronic Bright's disease	27	-	-	-	-	-	1	2	3	8	8	5
Other diseases of genito-urinary system.	13	-	-	-	-	-	2	-	2	2	5	2
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	
Other causes incident to childbirth ..	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	4	3	-	-	-	-	-	-	1	-	-	-
Premature birth	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	
Old age	28	-	-	-	-	-	-	-	-	-	4	24
Suicide	11	-	-	-	-	-	1	5	-	5	-	-
Burns and Scalds	3	-	-	-	-	1	-	-	-	-	1	1
Drowning	2	-	-	-	2	-	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14	-	-	-	1	4	-	-	3	5	-	1
Other deaths by violence	8	1	-	-	-	-	-	1	1	1	2	2
Other specified causes	30	7	1	1	3	1	1	2	4	3	5	2
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectio Diseases notified in t week ended 11th Ju 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	261	171	11	68	C. 8 D. 1 G. 3 M. 13 N. 11
†CITY OF LONDON	-	1	-	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	4	16	-	6	M. 2
†BERMONDSEY ...		4	3	-	1	-
†BETHNAL GREEN		8	6	-	3	C. 1
†CAMBERWELL ...		12	15	-	2	C. 1
†CHELSEA	-	-	1	-	1	C. 1
†DEPTFORD ...		5	6	2	3	-
†FINSBURY ...	-	4	2	-	-	C. 1 M. 1 N. 1
†FULHAM		5	3	1	4	-
†GREENWICH ...	-	9	4	1	1	M. 1 N. 1
†HACKNEY ...	-	19	12	-	-	C. 1 N. 2
†HAMMERSMITH ...	-	12	8	1	-	N. 1
†HAMPSTEAD ...	-	1	1	1	2	M. 1
†HOLBORN... ...	-	3	1	-	1	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	17	4	-	6	C. M.
†KENSINGTON ...		9	6	-	1	C. N.
†LAMBETH ...		23	14	1	5	G. M.
†LEWISHAM ...		18	5	2	1	G.
†PADDINGTON ...	-	5	6	-	4	-
†POPLAR	-	18	5	1	5	C.
†ST. MARYLEBONE		2	4	-	-	-
†ST. PANCRAS ...		14	7	-	4	-
†SHOREDITCH ...	-	8	3	-	1	-
†SOUTHWARK ...	-	2	10	-	6	D. M.
†STEPNEY		19	15	-	5	M. N.
†STOKE NEWINGTON	-	3	2	-	-	M.
†WANDSWORTH ...	-	21	10	-	3	M. N.
†WESTMINSTER, CITY OF	-	7	2	1	1	-
†WOOLWICH ...		8	-	-	2	G.

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	11	2		6	G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	7	–	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	M. 1
†LUTON	–	–	1	–	–	N. 1
SANDY	–	–	–	–	1	–
Rural Districts:—						
BEDFORD ...	–	3	–	–	1	–
BIGGLESWADE ...	–	–	–	–	3	G. 1
EATON SOCON ...	–	–	–	–	1	–
LUTON	–	–	1	–	–	–
BERKS	–	8	1	3	3	C. 2
†READING C.B. ...	–	1	1	2	–	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	2	–	–	–	–
WANTAGE ...	–	–	–	–	–	C. 1
WOKINGHAM ...	–	–	–	–	–	C. 1
Rural Districts:—						
ABINGDON ...	–	1	–	1	–	–
NEWBURY ...	–	–	–	–	1	–
WALLINGFORD ...	–	2	–	–	–	–
WANTAGE .	–	–	–	–	1	–
WINDSOR... ...	–	–	–	–	1	–
WOKINGHAM ...	–	2	–	–	–	–
BUCKINGHAM...	–	2	1	1	4	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	–	–	1	2	–
NEWPORT PAGNELL	*	*	*	*	*	*
†SLOUGH	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AYLESBURY ...	–	2	–	–	–	–
BUCKINGHAM ...	–	–	–	–	2	–
NEWPORT PAGNELL ...	*	*	*	*	*	*
CAMBRIDGE ...	–	2	6	–	1	E. 1 N. 1
Borough:—						
†CAMBRIDGE ..	–	1	5	–	–	E. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	–	1	–	–	N. 1
LINTON	*	*	*	*	*	*
MELBOURN ...	–	1	–	–	–	–
CHESTER ...	–	33	10	2	32	D. 1 G. 2 M. 8
†BIRKENHEAD C.B.	–	5	3	–	9	M. 2
†CHESTER C.B. ...	–	1	–	–	2	M. 1
†STOCKPORT C.B.	–	7	1	–	2	G. 1 M. 2
†WALLASEY C.B. ...	–	6	–	–	–	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	–	1	–	–	–
BREDBURY AND ROMILEY	–	1	1	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	1	–	–	–	M. 1
†DUKINFIELD ...	–	1	–	1	–	–
HOOLE	–	–	–	–	4	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HYDE	–	–	1	–	2	–
KNUTSFORD ...	–	1	–	–	1	–
LYMM	–	–	–	–	1	–
†MACCLESFIELD ...	–	–	1	–	–	–
NANTWICH ...	–	–	–	–	–	G. 1
†RUNCORN... ...	–	–	–	–	4	M. 1
†SALE	–	–	–	–	–	D. 1
†STALYBRIDGE ...	–	–	–	–	1	–
WILMSLOW ...	–	–	–	–	–	M. 1
†WINSFORD ...		1	–	–		–
Rural Districts:—						
BUCKLOW ...	–	3	–		–	–
MACCLESFIELD ...	–	2	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	1	–	1	–	–
RUNCORN ...	–	1	1	–	1	–
TARVIN	–	–	1	–	–	–
WIRRAL	–	–	–	–	2	–
CORNWALL ...	–	8	4	2	1	C. 1 G. 1
Boroughs and Urban Districts:—						
LAUNCESTON ...	–	–	–	1	–	–
LISKEARD ...	–	–	2	–	–	–
PAUL	–	1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. IVES	–	3	–	–	–	–
TORPOINT ...	–	1	–	–	–	–
†TRURO	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	–	–	1	–	–
HELSTON	–	–	–	–	–	G. 1
LISKEARD ...	–	–	1	–	–	–
REDRUTH ...	–	–	1	–	–	–
ST. AUSTELL ...	–	2	–	–	–	–
TRURO	–	–	–	–	1	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	7	3	–	5	–
†CARLISLE C.B. ..	–	2	–	–	5	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
HARRINGTON ...	–	1	–			–
HOLME CULTRAM	–	1	–	–	–	–
MILLOM	–	–	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	–	1	–	–	–
PENRITH	–	2	–	–	–	–
WHITEHAVEN ...	–	1	–	–		–
DERBY	2	18	11	4	22	D. 1 M. 1 N. 2
†DERBY C.B. ..	2	4	–	–	4	D. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–		–	–	1	–
BASLOW AND BUBNELL	–	–	–	–	1	–
†BOLSOVER ...	–	5	1	–	–	–
†BUXTON	*	*	*	*	*	*
†CHESTERFIELD ...	–	2	1	–	4	–
†GLOSSOP	–	–	2	–	–	–
HEAGE	–	1	–	–	–	–
†ILKESTON ...	–	1		–	1	–
†LONG EATON ...	–	–	1	–	–	–
†SWADLINCOTE DISTRICT	–	1	–	4	–	–
Rural Districts:—						
BAKEWELL ...	–	–		–	2	–
BELPER	–	–	–	–	1	N. 1
BLACKWELL ...	–	1	1	–	1	N. 1
CHAPEL EN LE FRITH	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHESTERFIELD ...	–	2	2	–	1	–
CLOWNE	–	1	1	–	–	–
HARTSHORN AND SEALS	–	–	–	–	2	–
REPTON	*	*	*	*	*	*
SHARDLOW ..	–	–	1	–	2	–
CODNOR PARK AND SHIPLEY (Parishes)	–	–	–	–	2	–
DEVON	–	13	9	–	8	D. 1 G. 1 N. 2
†EXETER C.B. ...	–	2	1	–	1	–
†PLYMOUTH C.B....	–	5	6		1	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	2	G. 1
BIDEFORD ...	–	–	–	–		N. 1
DARTMOUTH ...	–	–	–	–	1	–
†NEWTON ABBOT	–	–	2	–	–	–
TAVISTOCK ...	–	–	–	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
BIDEFORD ...	–	1	–	–	1	–
HOLSWORTHY (part)	–	–	–	–	–	D. 1
OKEHAMPTON ...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	N. 1
TORRINGTON ...	–	2	–	–	–	–
DORSET	–	1	–	–	3	C. 1 G. 2 N. 1
Boroughs and Urban Districts:—						
LYME REGIS ...	*	*	*	*	*	*
†POOLE	–	–	–	–	1	–
†PORTLAND ..	–	1	–	–	–	–
SWANAGE ...	–	–	–	–	–	G. 1
WIMBORNE MINSTER	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
BRIDPORT ...	–	–	–	–	–	G. 1
POOLE	–	–	–	–	–	N. 1
SHAFTESBURY ...	–	–	–	–	1	–
DURHAM ...	125	36	23	1	43	C. 3 E. 1 G. 3 M. 5 N. 4
†DARLINGTON C.B.	–	7	1	–	1	G. 1
†GATESHEAD C.B.	8	4	4	–	2	–
†SOUTH SHIELDS C.B.	19	2	–	–	4	C. 1 G. 1
†SUNDERLAND C.B.	–	–	2	1	8	C. 1 M. 1 N. 1
†WEST HARTLEPOOL C.B.	–	6	1	–	1	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	4	–	–	–	1	–
BARNARD CASTLE		–	–	–	1	–
†BLAYDON... ...	4	–	–	–	1	–
†BRANDON AND BYSHOTTLES	1	–	1	–	–	–
†CHESTER LE STREET	–	–	–	–	–	N. 1
†CONSETT	–	1	–	–	–	–
†DURHAM	2	1	–	–	–	–
†HARTLEPOOL ...	–	–	–	–	1	–
†HEBBURN ...	–	1	–	–	2	–
†HETTON	5	–	–	–	3	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	7		2	–	3	–
LEADGATE ...	–	1	–	–	–	–
†RYTON	3	–	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	3	–
†SHILDON	2	–	–	–	–	–
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	4	1	2	–	2	C. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKTON ON TEES	–	2	3	–	–	–
†TANFIELD ...	–	–	1	–	–	M. 1
TOW LAW ...	–	1	–	–	–	–
†WASHINGTON ...	–	–	–	–	–	G. 1
†WHICKHAM ...	–	1	–	–	1	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	4	1	–	–	–	M. 2
CHESTER LE STREET	23	–	2	–	1	M. 1
DURHAM	1	–	–	–	–	–
EASINGTON ..	8	2	–	–	3	–
HOUGHTON LE SPRING	1	–	–	–	2	–
LANCHESTER ..	2	1	2	–	1	–
SEDGEFIELD ..	9	–	1	–	–	N. 1
SOUTH SHIELDS..	16	–		–	–	–
SUNDERLAND ..	1	2	–	–	–	–
WEARDALE ...	–	1	1	–	1	E. 1
ELY, ISLE OF ...	–	–	–	–	1	M. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
†WISBECH	–	–	–	–	1	–
Rural Districts:—						
NORTH WITCHFORD	–	–	–	–	–	M. 1
ESSEX	–	138	39	8	25	D. 2 G. 1 M. 5 N. 4
†EAST HAM C.B. ...	–	23	5	–	3	G. 1
†SOUTHEND-ON-SEA C.B.		2	1	5	2	–
†WEST HAM C.B. ...	–	48	13	–	5	M. 1 N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	2	–	1	M. 1
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	–	–	–	1	–
†COLCHESTER ..	–	–	–	–	2	D. 1
DAGENHAM ...	–	5	1	–	2	M. 1
†GRAYS THURROCK	–	3	–	–	–	–
HALSTEAD ...	–	5	–	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	8	–	1	–	–
†LEYTON	–	13	7	–	–	–
MALDON	–	–	–	1	–	–
†ROMFORD ...	–	1	–	–	–	M. 1
SHOEBURYNESS ...	–	–	–	–	1	–
TILBURY	–	3	–		–	N. 1
†WALTHAMSTOW...	–	13	7	–	1	–
†WANSTEAD ...	–	2	–	–	–	–
†WOODFORD ...	–	2	1	–	3	–
Rural Districts:—						
BILLERICAY ...	–	–	2	1	1	N. 1
BRAINTREE ...	–	1	–	–	–	–
BUMPSTEAD ...		1		–	–	–
DUNMOW	–	–	–	–	2	–
EPPING	–	1	–	–	–	–
ORSETT	–	2	–	–	–	–
ROMFORD... ...	–	–	–	–	–	D. 1 M. 1
TENDRING ...	–		–	–	1	–
GLOUCESTER ...	–	35	13	1	10	–
†BRISTOL C.B. ...	–	15	8	–	7	–
†GLOUCESTER C.B.	–	4	–	1	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	2	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
COLEFORD ...	–	1	–	–	–	–
NAILSWORTH ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
STOW ON THE WOLD	*	*	*	*	*	*
STROUD	–	1	1		–	–
Rural Districts:—						
DURSLEY	–	–		–	1	–
EAST DEAN AND UNITED PARISHES	–	2	1	–	–	–
GLOUCESTER ...	–	–	–	–	2	–
LYDNEY	–	2	–	–	–	–
STROUD	–	3	–	–	–	–
THORNBURY ...	–	1	–	–	–	–
WEST DEAN ...	–	1	1	–	–	–
WINCHCOMB (part)		1	–	–	–	–
HEREFORD ...	–	–	2	–	4	–
Boroughs and Urban Districts:—						
†HEREFORD ...		–	1	–	–	–
Rural Districts:—						
DORE	–	–	–	–	1	–
HEREFORD ...	–	–	–	–	1	–
LEDBURY... ...	–	–	1	–	–	–
WEOBLEY... ...	–	–	–	–	2	–
HERTFORD ...	–	9	1	2	3	–
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	1	–
†CHESHUNT ...	–	2	–	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEMEL HEMPSTEAD	–	–	–	–	1	–
†LETCHWORTH ...	–	–	.	–	1	–
†ST. ALBANS ...	–	–	1	1	–	–
SAWBRIDGEWORTH		1	–	–	–	–
†WATFORD ...	–	4	–	–	–	–
Rural Districts:—						
ST. ALBANS ...	–	–	–	1	–	–
WATFORD ...	–	1	–		–	–
HUNTINGDON ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	1	–	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	2	–	–	–	–
SIBSON CUM STIBBINGTON (parish).	–	1	–	–	–	–
KENT	1	43	31	11	13	E. 1 M. 3 N. 4
†CANTERBURY C.B.	–	2		–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	1	–	N 1
†BEXLEY	–	3	4	–	–	–
†BROMLEY ...	–	–	4	–	–	M. 1

* Returns not received † Population over 10,000.

C Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHATHAM ...	–	1	6	–	–	–
†CRAYFORD ...	–	3	–	–	–	–
†DARTFORD ...	–	1	–		–	–
†DEAL	*	*	*	*	*	*
†DOVER		1	–	–	–	–
†ERITH	–	2	–	–	3	–
†FOLKESTONE ...	–	1	–	–	–	M. 1 N. 1
†GILLINGHAM ...	–	3	1	–	1	–
†GRAVESEND ...	1	2	1	2	–	–
†HERNE BAY ...	–	–	1	–	–	N. 1
HYTHE	–	–	2	–	–	–
†MAIDSTONE ...	–	–	1	–	–	–
†MARGATE ...	–	2	3	–	1	–
†NORTHFLEET ...	–	4	–	–	–	–
†RAMSGATE ...	–	–	1	–	2	–
†ROCHESTER ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	1	2	–
SEVENOAKS ...	–	–	2	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
SIDCUP	–	–	–	–	1	–
†TONBRIDGE ...	–	1	–	–	–	–
WHITSTABLE ...	–	1	1	–	–	–
Rural Districts:—						
BLEAN	–	–	–	1	–	–
BRIDGE	–	–	–	1	–	–
BROMLEY ...	–	1	–	–	–	–
DARTFORD ...	–	1	1	–	–	–
EASTRY	–	1	–	–	–	N. 1
ELHAM	–	–	–	–	–	M. 1
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	2	–	–	–	–
MAIDSTONE ...	–	–	–	1	–	–
MALLING	–	3	2	–	3	–
SEVENOAKS ...	–	–	–	1	–	–
SHEPPEY	*	*	*	*	*	*
TENTERDEN ...	–	1	–			–
TONBRIDGE ...		2	–	3	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	13	156	82	3	194	C. 5 D. 1 E. 1 G. 9 L. 1 M. 25 N. 9
†BARROW IN FURNESS C.B.	–	1	1	–	2	M. 2
†BLACKBURN C.B.	–	3	3	–	2	M. 1
†BLACKPOOL C.B.	–	4	4	–	–	–
†BOLTON C.B. ...	–	3	–	–	2	–
†BOOTLE C.B. ...	–	2	–	–	4	M. 2
†BURNLEY C.B. ...	3	3	2	–	6	G. 1
†BURY C.B. ...	–	4	–	–	4	–
†LIVERPOOL C.B. ...	–	24	23	–	34	D. 1 G. 3 M. 9 N. 1
†MANCHESTER C.B.	–	35	10	1	57	C. 1 G. 3 M. 3
†OLDHAM C.B. ...	7	4	4	–	4	C. 1 N. 1
†PRESTON C.B. ...	–	5	1	–	–	M. 2 N. 1
†ROCHDALE C.B. ...	–	1	4	–	–	E. 1 N. 1
†ST. HELENS C.B. ...	–	2	1	–	1	–
†SALFORD C.B. ...	1	16	4	–	6	–
†SOUTHPORT C.B.	–	2	–	–	–	–
†WARRINGTON C.B.	–	2	–	1	5	C. 1 G. 1 N. 1
†WIGAN C.B. ...	2	4	1	–	2	M. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	2	–	–	4	–
†ASHTON UNDER LYNE	–	1	–	–	3	–
†ATHERTON ...	–	2	1	–	–	G. 1
AUDENSHAW ...	–	–			1	–
†BACUP	–	–	–		1	–
BLACKROD ...	–	–	–	–	1	–
†CHADDERTON ...	–	1	1	–		–
†CHORLEY	–	–	–		1	–
†COLNE	–	4	3	–	1	–
†DARWEN	–	1		–	1	–
†DENTON	–	2	–	–	–	–
†ECCLES	–		1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever : N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FAILSWORTH ..	–	–	1	–	1	–
†FARNWORTH ...	–	–	1	–	–	C. 1 N. 1
FULWOOD ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	–	1	–	–	–
†HASLINGDEN ...	–	–	–	–	5	M. 1
†HAYDOCK ...	–	–	–	–	2	–
†HEYWOOD ...	–	1	–	–		–
†HINDLEY... ...	–	–	–	–	2	–
†HORWICH ...	–	1	1	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
IRLAM	–	1	–	–	–	–
†LANCASTER ...	–	2	–	–	3	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
LEES	–	–	–	–	1	–
†LEIGH	–	–	2	–	–	–
LEYLAND... ...	–	–	–	–	1	–
†LITHERLAND ...	–	1		–	–	–
†MIDDLETON ...	–	–	1	–	–	–
†MOSSLEY	–	–	–	–	1	–
†NELSON	–	–	1	1	4	–
†NEWTON IN MAKERFIELD	–	–	–	–	2	M. 1 N. 1
ORMSKIRK ...	–	–	1	–	1	–
ORRELL	–	–	1	–	–	–
†PADIHAM... ...	–	1	–	–	–	–
†RADCLIFFE ...	–	3	–	–	–	–
†RAMSBOTTOM ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	–	2	–	–	M. 1
RISHTON	–	1	–	–	–	–
†ROYTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	3	–	–	3	–
†STRETFORD ...	–	1	–	–	–	–
†SWINTON AND PENDLEBURY	–	1	–	–	1	–
TOTTINGTON ...	–	–	2	–	–	M. 1
†TURTON	–	–	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
URMSTON... ..	–	1	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	N. 1
†WATERLOO WITH SEAFORTH	–	–	–	–	1	–
†WESTHOUGHTON	–	1	–	–	1	–
†WIDNES	–	1	–	–	12	–
Rural Districts:—						
BURNLEY... ...	–	–	–	–	1	M. 1
BURY	–	1	–	–	–	–
CHORLEY... ...	–	–	–	–	–	C. 1
CLITHEROE ...	–	–	–	–	–	L. 1
FYLDE	–	1	–	–	–	–
LEIGH	–	1	–	–	–	–
LIMEHURST ...	–	–	–	–	1	–
SEFTON	–	–	1	–	–	–
ULVERSTON ...		1	–	–	–	–
WARRINGTON ...	–	–	–	–	1	N. 1
WEST LANCASHIRE	–	1	–	–	1	–
WHISTON... ...	–	1	1	–	–	–
WIGAN	–	–	–	–	1	–
LEICESTER ...	–	18	5	–	6	C. 3 D. 2 M. 2
†LEICESTER C.B. ...	–	7	1	–	–	D. 1 M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
†COALVILLE ...	–	3	–	–	–	–
†LOUGHBOROUGH	–	–	–	–	–	C. 3
MELTON MOWBRAY	–	2	–	–	–	–
THURMASTON ...	–	–	–	–	–	M. 1
WIGSTON MAGNA	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	–
BARROW UPON SOAR	–	–	–	–	1	–
BELVOIR	–	1	–	–	–	–
HINCKLEY ...	–	–	–	–	1	–
LUTTERWORTH ...	–	–	–	–	–	D. 1
MARKET BOSWORTH	–	–	1	–	2	–
MELTON MOWBRAY	–	2	1	–	1	–
LINCOLN (parts of Holland).	–	1		–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	3	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE	–	–	–	–	1	–
SLEAFORD ...	–	–	–	–	2	–
LINCOLN (parts of Lindsey).	–	18	1	2	2	N. 1
†GRIMSBY C.B. ...	–	3	–	1	1	–
†LINCOLN C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	1	1	–
CROWLE	–	1	–	–	–	–
†GAINSBOROUGH ...	–	6	–	–	–	–
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	–	–
WINTERTON ...	–	1	–	–	–	–
Rural Districts:—						
CAISTOR	–	–	1	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
HORNCASTLE ...	–	1	–	–	–	–
SPILSBY	–	–	–	–	–	N. 1
WELTON	–	1	–	–	–	–
MIDDLESEX ...	–	51	20	4	19	M. 3 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	6	–	–	–	–
†BRENTFORD AND CHISWICK	–	–	1	–	–	–
†EALING	–	4	–	–	3	–
†EDMONTON ...	–	3	6	–	4	–
†ENFIELD	–	3	1	–	1	–
†FINCHLEY ...	–	1	1	–	–	–
†HAMPTON ...	–	–	–	–	1	–
†HARROW ON THE HILL	–	1	–	–	–	–
HAYES	–	1		–	–	–
†HENDON	–	4	–	–	–	–
†HESTON AND ISLEWORTH	–	–	1	1	2	M. 1 N. 1
†HORNSEY... ...	–	3	–	1	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	6		–	–	–
SUNBURY ON THAMES	–	–	1	1	–	–
†TOTTENHAM ...	–	7	2	–	2	M. 1 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TWICKENHAM ..	–	1	–	–	–	–
†UXBRIDGE ...	–	1	–	–	1	–
†WEALDSTONE ...	–	1	–	1	–	–
†WEMBLEY ...	–	3	–	–	–	–
†WILLESDEN ...	–	3	7	–	3	M. 1 N. 2
Rural Districts:—						
HENDON	–	1	–	–	2	–
STAINES	–	1	–	–	–	–
NORFOLK ..	–	10	3	2	4	N. 2
†GREAT YARMOUTH C.B.	–	1	–	–	4	–
†NORWICH C.B. ...		7	2	1	–	N. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
BLOFIELD ...		2	–	–	–	–
FREEBRIDGE LYNN	–	–		1	–	
KING'S LYNN ...	*	*	*	*	*	*
LODDON AND CLAVERING	*	*	*	*	*	*
WAYLAND ...	–	–	–	–	–	N. 1
NORTHAMPTON		8	3	–	8	C. 2 M. 1 N. 2
†NORTHAMPTON C.B	–	3	–	–	5	M. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	2	2	–	1	–
†RUSHDEN... ...	–	–	–	–	1	C. 1
†WELLINGBOROUGH		–	–	–	1	

Boroughs, Urban and Rural Districts, and the Counties in which hey are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
DAVENTRY ..	–	–	–	–	–	N. 2
HARDINGSTONE...	–	1	–	–	–	–
NORTHAMPTON ...	–	–	1	–	–	–
OXENDON... ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	–	–	–	C. 1
NORTHUMBERLAND.	15	31	8	–	35	C. 1 M. 6 N. 2
†NEWCASTLE UPON TYNE C.B.	–	13	4	–	21	M. 3
†TYNEMOUTH C.B.	–	8	1	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
AMBLE	–	–	–	–	1	–
†ASHINGTON ...	7	2	–	–	–	M. 1 N. 1
†BEDLINGTONSHIRE	4	1	–	–	–	–
†BLYTH	–	–	1	–	4	–
CRAMLINGTON ...	–	–	–	–	–	M. 1
MORPETH ...	2	–	–	–	–	–
†NEWBURN ...	–	2	–	–	1	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	3	1	–	3	N. 1
WEETSLADE ...	*	*	*	*	*	*
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
BELFORD	*	*	*	*	*	*
BELLINGHAM ...	–	–	1	–	–	–
CASTLE WARD ...	–	–	–	–	2	–
HEXHAM	–	1	–	–	–	–
MORPETH... ...	2	–	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	2	35	15	–	18	–
†NOTTINGHAM C.B	–	18	10	–	7	–
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†BEESTON... ...	–	1	1	–	2	–
†CARLTON... ...	–	1	–	–	–	–
†EAST RETFORD ...	–		–	–	1	–
†KIRKBY IN ASHFIELD	–	1	–	–	–	–
†MANSFIELD ...	1	3	1	–	3	–
†MANSFIELD WOODHOUSE	1	–	–	–	–	–
†SUTTON IN ASHFIELD	–	–	–	–	1	–
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	5	1	–	2	–
BINGHAM... ...	–	3	–	–	–	–
EAST RETFORD ...	–	1	1	–	–	–
SOUTHWELL ...	–	2	–	–	–	–
WORKSOP... ...	–	–	–	–	1	–
OXFORD	–	1	–	1	3	C. 1 M. 1 N. 2
†OXFORD C.B.	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	–	–	–	C. 1
†HEADINGTON ...	–	–	–	–	2	–
Rural Districts:—						
CROWMARSH ...	–	–	–	1	–	–
GORING	–	–	–	–	1	–
HENLEY	–	1	–	–	–	–
WITNEY	–	–	–	–	–	N. 1
WOODSTOCK ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	15	1	–	4	N. 2
Boroughs and Urban Districts:—						
DAWLEY	–	1	1	–	–	–
†SHREWSBURY ..	–	2	–	–	–	–
WELLINGTON ...	–	–	–	–	–	N. 1
WHITCHURCH ...	–	1	–	–	–	N. 1
Rural Districts:—						
ATCHAM	–	1	–	–	3	–
ELLESMERE ...	–	–	–	–	1	–
LUDLOW	–	1	–	–	–	–
NEWPORT ...		1	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
WELLINGTON ...	–	4	–	–	–	–
WEM	–	2	–	–		–
SOMERSET ...	–	14	7	–	3	M. 1
†BATH C.B. ...		8	3	–	–	–
Boroughs and Urban Districts:—						
CREWKERNE ...	–	–	–	–	1	–
†TAUNTON... ...	–	–	1	–	–	–
WATCHET ...	–	–	1	–	–	–
†WESTON SUPER MARE	–	–	–	–	2	–
Rural Districts:—						
BATH	–	1	1	–	–	M. 1
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON... ...		1	–	–	–	–
SHEPTON MALLET	*	*	*	*	*	*
WILLITON ...	–	2	–	–	–	–
WINCANTON ...	–	–	1	–	–	–
YEOVIL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON	–	32	17	3	10	C. 1 G. 2 M. 2 N. 2
†BOURNEMOUTH C.B.	–	–	1	–	1	N. 1
†PORTSMOUTH C.B.	–	6	9	–	–	G. 1
†SOUTHAMPTON C.B	–	11	2	–	1	C. 1 M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	4		–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†GOSPORT	–	–	4	–	–	G. 1
LYMINGTON ...	–	2		–	–	–
ROMSEY	–	1	–		–	–
†WINCHESTER ...	–	3	–	1	4	–
Rural Districts:—						
ALTON	–	–	–		–	N. 1
BASINGSTOKE ...	–	–	–	1	–	–
DROXFORD ...	–	–	–	1	1	–
FAREHAM ...	–	2	–	–	–	–
FORDINGBRIDGE ..	–	1	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
NEW FOREST ...		–	–	–	1	–
PETERSFIELD ...	–	–	1	–	1	–
STOCKBRIDGE ...	–	–	–		1	–
STAFFORD ...	4	39	14	2	37	C. 1 D. 1 G. 1 L. 1 M. 6 N. 7
†BURTON UPON TRENT C.B.	4	1	–	–	1	N. 2
†SMETHWICK C.B.	–	1	1	1	–	D. 1
†STOKE ON TRENT C.B	–	4	–	–	6	C. 1 M. 2
†WALSALL C.B. ...	–	1	3		1	–
†WEST BROMWICH C.B.	–	1	1	–	4	N. 1
†WOLVERHAMPTON C.B.	–	7	2	–	2	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	2	N. 1
BIDDULPH ..	–		–	–	1	–
†BILSTON	–	–	–	–	2	–
†BROWNHILLS ...	–	–	1	–	1	–
†CANNOCK	–	2	1	–	–	–
†COSELEY	–	–		–	1	–
†DARLASTON ...	–	–	–	–	1	–
KIDSGROVE ...	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	M. 1
†ROWLEY REGIS ...	–	2	1	–	2	–
SHORT HEATH ...	–	–	2	–	–	–
†TIPTON	–	–	–	–	3	G. 1
†WEDNESBURY ...	–	4	–	1	3	M. 1 N. 1
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	2	–	–	2	–
Rural Districts:—						
BLORE HEATH ...	–	1	–	–	–	–
CANNOCK	–	1	–	–	–	N. 1
CHEADLE	–	–	–	–	2	L. 1
LEEK	–	–	–	–	–	N. 1
LICHFIELD ...	–	1	–	–	–	–
NEWCASTLE UNDER LYME		–	–	–	1	M. 1
SEISDON	–	2	–	–	–	–
TAMWORTH (part)	–		1	–	–	–
UTTOXETER ...	–	5	–	–	–	–
WALSALL... ...	–	–	–	–	2	–
SUFFOLK, EAST	–	6	–	–	3	N. 2
IPSWICH C.B	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BUNGAY	–	–	–	–	–	N. 2
LOWESTOFT	–	1	–	–	–	–
Rural Districts:—						
HOXNE	–	2	–	–	–	–
SAMFORD... ...	–	–	–	–	2	–
WOODBRIDGE ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	-	1	-	-	-	-
Rural Districts:—						
CLARE	-	1	-	-	-	-
SURREY	-	30	20	3	13	C. 1 G. 2 M. 2 N. 3
†CROYDON C.B. ..	-	12	5	1	2	N. 1
Boroughs and Urban Districts:—						
†BARNES	-	1	-	-	-	M. 1
†CARSHALTON ...	-	1	1	-	1	-
†CATERHAM ...	-	1	-	-		-
†CHERTSEY ...	-	2	-	-	2	-
†COULSDON AND PURLEY	-	1	3	-	-	-
†EGHAM	-	-	-	-	1	N. 1
GODALMING ...	-	1	-	1	-	-
†GUILDFORD ...	-	-	-	-	1	-
†KINGSTON ON THAMES	-	1	-		-	-
†MERTON AND MORDEN	-	3	-	-	-	-
†MITCHAM... ...	-	2	1	-	1	M. 1
†REIGATE	-	-	5	-	1	-
†RICHMOND ...	-	1	-		-	-
†WALTON UPON THAMES	-	-	-	-	1	-
WEYBRIDGE ...	-	-	-	1		-
†WIMBLEDON ...	-	3	-	-	-	G. 2
†WOKING	-	-	-	-		C. 1 N. 1
Rural Districts:—						
CHERTSEY ...	-	1	5	-	3	-
SUSSEX, EAST ...	-	13	5	-	3	M. 2
†BRIGHTON C.B. ...	-	5	3	-	2	-
†EASTBOURNE C.B.	-	2	-	-	1	-
†HASTINGS C.B. ...	-	1	1	-	-	M. 1
Boroughs and Urban Districts:—						
†HOVE	-	1	-	-	-	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST— *cont.*						
Rural Districts:—						
CHAILEY	-	1	-	-	-	-
UCKFIELD ...	-	3	1	-	-	-
SUSSEX, WEST...	-	13	6		2	C.
Boroughs and Urban Districts:—						
†BOGNOR	-	1	-	-	-	-
†CHICHESTER ...	-	5	1	-		-
†HORSHAM ...	-	-	1	-		-
†LITTLEHAMPTON	-	1	-		-	-
SHOREHAM-BY-SEA	-	1			-	-
SOUTHWICK ...	-	-	1	-		-
†WORTHING ...	-	1	2	-	-	-
Rural Districts:—						
HORSHAM ...	-	1	-	-		-
MIDHURST ...	-	-	-	-		C.
THAKEHAM ...	-	-	-	-	1	-
WESTBOURNE ...	-	1	-	-	-	-
WESTHAMPNETT	-	2	1	-	1	-
WARWICK ...	1	49	30	1	39	C. M. 1 N.
†BIRMINGHAM C.B.	-	37	25	1	30	C. M. 1 N.
†COVENTRY C.B. ...	1	2	5		4	M.
Boroughs and Urban Districts:—						
†NUNEATON ...	*	*	*	*	*	*
†ROYAL LEAMINGTON SPA	-	-	-	-	2	-
†RUGBY	-	3	-	-	-	-
†SUTTON COLDFIELD	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	-	1	-		-	-
FOLESHILL ...	-	1	-	-	-	-
MERIDEN... ...	-	1	-	-	-	-
RUGBY	-	1	-	-	-	-
SOLIHULL ...	-	2	-	-	2	-
TAMWORTH (part)	-	1	-	-	-	-
WESTMORLAND	-	2	-	-	3	C. 1
Boroughs and Urban Districts:—						
AMBLESIDE ...	-	-	-	-	1	-
APPLEBY	-	-	-	-	1	-
†KENDAL	-	-	-	-	-	C. 1
KIRKBY LONSDALE	-	1	-	-	-	-
Rural Districts:—						
EAST WESTMORLAND	-	-	-	-	1	-
WEST WARD ...	-	1	-	-	-	-
WIGHT, ISLE OF	-	2	-	-	-	D. 1
Boroughs and Urban Districts:—						
†NEWPORT... ...	-	-	-	-	-	D. 1
Rural Districts:—						
ISLE OF WIGHT	-	2	-	-	-	-
WILTS	-	17	1	1	3	L. 2 M. 1 N. 3
Boroughs and Urban Districts:—						
BRADFORD ON AVON		1	-	-	-	-
DEVIZES	-	-	-	1	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Boroughs and Urban Districts— *cont.*						
MELKSHAM ...	-	1	-	-	-	-
†SALISBURY ...	-	8	-	-	1	-
†SWINDON... ...	-	-	-	-	2	M. 1 N. 2
†TROWBRIDGE ...	-	2	-	-	-	-
Rural Districts:—						
BRADFORD-ON-AVON	-	1	-	-	-	-
CHIPPENHAM ...	-	2	-	-	-	-
DEVIZES	-	-	-	-	-	L. 2
HIGHWORTH ...	-	1	-	-	-	-
PEWSEY	-	1		-	-	N. 1
SALISBURY ...	-	-	1	-	-	-
WORCESTER ...	-	9	4	-	12	M. 1
†DUDLEY C.B. ...	-	3	2	-	1	M. 1
†WORCESTER C.B.	-	-	-	-	2	-
Boroughs and Urban Districts:—						
DROITWICH ...	-	-	1	-	-	-
†HALESOWEN ...		-	-	-	3	-
†LYE AND WOLLESCOTE	-	1	-	-	-	-
†OLDBURY... ...	-	1	1	-	2	-
†REDDITCH ...	-	-	-	-	1	-
†STOURBRIDGE ...	-	-	-	-	2	-
STOURPORT ..	-	1	-	-	-	-
Rural Districts:—						
DROITWICH ...	-	1	-	-	-	-
MARTLEY... ...	-	2	-	-	1	-
YORKS ... ... (East Riding).	-	7	10	-	3	-
†KINGSTON UPON HULL C.B.	-	7	9	-	2	-

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
Rural Districts:—						
NORTON	–	–	1	–	–	–
YORKS ... ... (North Riding).	1	12	6	–	10	C. 1 D. 1 M. 1 N. 2
†MIDDLESBROUGH C.B.	–	–	–	–	7	M. 1 N. 2
Boroughs and Urban Districts:—						
†ESTON	1	1	1	–	–	–
MASHAM	–	1	–	–	–	–
†REDCAR	–	–	–	–	1	C. 1
†SCARBOROUGH ...	–	2	3	–	1	D. 1
†SKELTON AND BROTTON	–	4	1	–	–	–
†THORNABY ON TEES	–	–	1	–	–	–
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
FLAXTON	–	2	–	–		–
KIRKBY MOORSIDE	*	*	*	*	*	*
MIDDLESBROUGH	–	2	–	–	–	–
YORKS ... ... (West Riding).	38	139	43	8	145	C. 4 E. 1 G. 1 M. 5 N. 6
†BARNSLEY C.B. ...	–	1	–		–	E. 1 G. 1
†BRADFORD C.B. ...	1	8	10	–	9	M. 1
†DEWSBURY C.B....		1	–	–	–	–
†DONCASTER C.B.	4	2	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†HALIFAX C.B. ...	–	5	1	–	1	–
†HUDDERSFIELD C.B.	1	5	7	–	1	–
†LEEDS C.B. ...	–	20	3	–	28	–
†ROTHERHAM C.B.	6	4	–	–	9	–
†SHEFFIELD C.B....	4	38	7	–	43	C. 3 M 3 N. 1
†WAKEFIELD C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–	–	1	–
ALTOFTS	–	–	–	–	1	–
†BARNOLDSWICK ...	–	1	–	–	1	N. 1
†BATLEY	–	–	–	–	3	–
†BENTLEY WITH ARKSEY	3	1	1	–	–	–
†BINGLEY	–	–	1	–	1	–
†BOLTON UPON DEARNE	–	–	1	–	–	–
†BRIGHOUSE ...	–	–	–	–	2	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	6	–	2	–	1	–
CUDWORTH ...	–	2	–	–	–	–
DARFIELD ...	–	4	–	–	–	–
†DARTON	–	1	–	–	1	–
FARSLEY	–	–	–	1	–	–
†FEATHERSTONE ...	–	–	1	–	1	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	2	–	–	–	–
GREASBROUGH ...	–	1	–	–	–	–
†HARROGATE ...	–	–	–	–	2	–
HAWORTH ...	1	–	–	–	–	–
HEBDEN BRIDGE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	–	–	–	1	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	–	N. 2
ILKLEY	–	1	–	–	1	–
†KEIGHLEY ...	–	–	1	–	4	–
KNOTTINGLEY ...	–	–	–	–	1	–
LEPTON	–	–	–	–	2	–
LINTHWAITE ...	–	–	–	1	–	–
†MEXBOROUGH ...	1	–	1	–	2	–
†MIRFIELD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MORLEY	–	1	1	–	1	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ..	–	1	–	2	3	–
PENISTONE ...	–	1	–	–	–	–
†PONTEFRACT ...	–	3	1	–	–	–
†PUDSEY	–	–	1	–	–	–
QUEENSBURY ...	1	1	–	–	–	–
SHEPLEY	–	–	–	–	1	–
†SHIPLEY	–	–	1	–	–	–
SKELMANTHORPE	–	1	–	–	–	–
†SKIPTON	–	1	–	–	–	–
SLAITHWAITE ...	–	–	–	–	1	–
SOUTH CROSLAND	–	1	–	–	–	–
†SPENBOROUGH ..	–	1	1	1	–	–
STAINLAND ...	–	1	–	–	–	–
†SWINTON... ...	4	1	–	–	1	–
THURSTONLAND AND FARNLEY TYAS		1	–	–	1	–
TICKHILL ...	–	1	–	–	–	–
†TODMORDEN ...	–	1	–	–	1	–
†WATH UPON DEARNE	–	–	–	–	1	–
†WORSBOROUGH ...	–	1	1	–	–	N. 1
YEADON	–	4		1	1	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	6	4	–	–	2	–
HEMSWORTH ...	–	1	–	–	3	N. 1
HUNSLET... ...	–	–	1	–	–	–
KIVETON PARK ...	–	3	–	–	2	C. 1
KNARESBOROUGH	–	1	–	–	–	–
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	–	–	–	–	3	–
SETTLE	–	–	–	–	1	–
TADCASTER ...	–	–	–	2	–	–
THORNE	–	1	–	–	–	M. 1
TODMORDEN ...	–	–	–	–	1	–
WORTLEY ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
§**YORK, CITY OF...**	1	2	1	–	4	C. 1
†YORK C.B. ...	1	2	1	–	4	C. 1
WALES.						
ANGLESEY ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	*	*	*	*	*	*
Rural Districts:—						
VALLEY	–	1	1	–	1	–
BRECKNOCK ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	*	*	*	*	*	–
CARDIGAN ...	–	–	–	–	1	G. 1
Rural Districts:—						
LAMPETER ...	–	–	–	–	1	G. 1
CARMARTHEN...	–	4	2	–	9	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
CWMAMMAN ...	–	–	–	–	1	–
KIDWELLY ...		–	–	–	2	–
†LLANELLY ...	–	1	–	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	1	–	–	3	–
LLANELLY ...	–	1	2	–	1	–
LLANYBYTHER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ B, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poliomyelitis; G, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	6	2	–	6	E. 1 N. 1
Boroughs and Urban Districts:—						
†Colwyn Bay ...	–	1	–	–	–	–
Denbigh ...	–	–	–	–	2	E. 1
†Wrexham ...	–	–	–	–	1	–
Rural Districts:—						
Ruthin	–	–	2	–	–	–
St. Asaph (Denbigh)	–	1	–	–	–	–
Uwchaled ...	–	–	–	–	–	N. 1
Wrexham ...	–	4	–	–	3	–
FLINT	–	4	1	2	12	–
Boroughs and Urban Districts:—						
Buckley	–	–	–	2	4	–
Holywell ...	–	–	1	–	1	–
Rural Districts:—						
Hawarden ...	–	1	–	–	5	–
Holywell ...	–	–	–	–	2	–
Overton ..	–	2	–	–	–	–
St. Asaph (Flint)	–	1	–	–	–	–
GLAMORGAN ...	7	37	28	–	37	C. 2 D. 1 G. 1 M. 5 N. 5
†Cardiff C.B. ..	–	11	5	–	2	G. 1 M. 1 N. 4
†Merthyr Tydfil C.B.	1	–	2	–	2	–
†Swansea C.B. ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
†Aberdare ...	–	3	1	–	3	–
†Barry	–	1	–	–	3	M. 1
†Caerphilly ..	–	–	4	–	1	–
GLAMORGAN— *cont.*						
Boroughs and Urban Districts— *cont.*						
†Gelligaer ..	5		1	–	1	C. 1
†Maesteg... ...	–	–	1	–	–	D. 1
†Mountain Ash ..	1	5	1	–	4	–
†Neath	–	5	1	–	1	C. 1 M. 2
†Ogmore and Garw	–	4	1	–	–	–
†Penarth ...	–	–	–	–	1	–
†Pontypridd ...	–	–	–	–	2	–
Porthcawl ...	–	–	–	–	1	–
†Port Talbot ...	–	2	1	–	–	–
†Rhondda ..	–	3	4	–	13	M. 1
Rural Districts:—						
Cardiff	–	–	1	–	–	–
Gower	*	*	*	*	*	*
Llantrisant and Llantwit Fardre	–	1	2	–	1	–
Neath	–	–	1	–	1	N. 1
MERIONETH ...	–	4	3	–	1	–
Urban Districts:—						
Bala	*	*	*	*	*	*
Dolgelley ...	–	–	1	–	–	–
Ffestiniog ..	–	–	1	–	1	–
Towyn	–	3	–	–	–	–
Rural Districts:—						
Deudraeth ...	–	1	–	–	–	–
Dolgelley ...	–	–	1		–	–
Penllyn	*	*	*	*	*	*
MONMOUTH ...	33	8	1	1	9	G. 1 M. 1
†Newport C.B. ..	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†Abercarn ...	2	–	–	–	1	–
†Abersychan ...	11	1	–	–	–	–
†Abertillery ...		2	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDWELLTY ..	–	1	–	–		–
†BLAENAVON ...	12	–	–	–	–	–
CHEPSTOW ...	–	–	1	–	–	G. 1
†EBBW VALE ..	–	1	–	–	–	–
†MYNYDDISLWYN	2	–	–	1	–	–
†NANTYGLO AND BLAINA	–	1		–	2	–
†PANTEG	2	–	–	–	–	–
PONTYPOOL ...	3	–	–	–		–
†RISCA	1	–	–	–	–	–
†TREDEGAR ...		–	–	–	3	–
Rural Districts:—						
PONTYPOOL ...	–	1	–	–	–	–
MONTGOMERY...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	–	–	–	1	–
PEMBROKE ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	–	1	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	2	–	–	–	–
NARBERTH ..	–	1	–	–	–	–
Total of Part II. ...	243	1167	497	68	847	C. 35 D. 12 E. 6 G. 29 L. 4 M. 100 N. 79

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEAL	*	*	*	*	*	*
SOUTHAMPTON ...	–	–	–	1	–	D. 1
PORT OF LONDON ...	*	*	*	*	*	*
Total of Part III. ...	–	–	–	1	–	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other ‡
Total of Part I.—London	–	261	171	11	68	C. D. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	243	1167	497	68	847	C. D. E. G. L. M. N.
Total of Part III.—Port Sanitary Districts	–	–	–	1	–	D.
Total (*i.e.*, of returns received), England and Wales ...	243	1428	668	80	915	C. D. E. G. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexi

There were no cases of Cholera Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Aggregate.* { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Mar. 19.	Mar. 26.	Apl. 2.	Apl.* 9.	Apl.* 16.	Apl.* 23.	Apl.* 30.	May* 7.	May* 14.	May* 21.	May* 28.	June* 4.	June* 11.
ON :—													
HS—all ages	1,114	1,068	959	980	944	975	980	959	857	871	787	843	801
0 to 1 year ..	100	105	87	98	94	114	98	79	79	71	54	75	65
T TOWNS, aggre- (including Lon- :—													
S	7,047	6,248	6,935	6.899	6,049	6,619	7,602	7,102	6,994	7,045	6,657	7,106	6,066
HS—all ages	5,327	4,990	4,656	4,625	4,316	4,340	4,253	4,347	4,017	3,947	3,847	3,948	3,683
0 to 1 year ..	588	561	486	560	498	496	459	427	395	376	341	398	341
RIC FEVER—Cases	14	8	22	16	14	22	18	19	20	14	11	22	30
„ Deaths	4	1	2	2	3	1	—	3	—	1	1	1	4
POX—Cases ..	80	82	97	84	70	56	66	73	55	77	81	74	65
„ Deaths ..	—	1	—	—	—	—	—	4	1	—	2†	—	—
ET FEVER—Cases	763	720	766	763	711	700	652	813	840	920	849	973	880
„ Deaths	2	6	5	2	6	4	5	4	5	13	11	5	6
HERIA—Cases ..	681	713	670	677	496	516	493	529	599	593	558	589	451
„ Deaths ..	30	35	25	28	30	27	30	25	30	18	26	25	11
ES—Deaths ..	52	71	79	76	89	81	68	57	57	57	42	35	43
ENZA—Deaths ..	342	224	160	120	96	82	71	57	47	46	43	42	33

For the weeks ended April 9th, and afterwards the figures relate to 107 Great Towns instead of 105, owing to clusion of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)
ncluding 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday 11th June, 1927. (*Supplied by the Meteorological Office.*)

OWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
N	69	43	65·6	46·9	5
(GENWICH).					
ON ..	66	46	60·9	47·9	8
OUTH ..	68	45	63·2	48·6	5
CH (SOUTH- L LODGE).	66	41	61·8	45·1	26
UTH ..	64	43	61·9	48·3	13
L	64	47	60·6	49·1	3
(CLIFTON).					
GHAM	62	43	59·4	45·0	21
(BASTON).					
GHAM ..	63	42	60·6	45·3	18
HEAD	60	45	56·3	46·9	14
BIDSTON).					
ESTER	62	42	57·9	49·4	11
HITWORTH PARK).					
EY	59	34	57·4	41·9	7

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	63	40	58·7	43·6	5
BRADFORD ..	§	§	§	§	§
SHEFFIELD ..	61	44	57·1	45·3	13
YORK (MUSEUM)	63	40	60·0	44·0	8
HULL (PEARSON PARK).	65	40	60·9	44·4	6
TYNEMOUTH ..	58	40	54·3	43·6	16
CARDIFF.. ..	64	44	60·3	46·7	7
EDINBURGH ..	58·0	38·0	55·4	41·3	10
GLASGOW ..	63·0	38·2	58·2	41·2	4
DUBLIN (PHŒNIX PARK).	62·0	34·0	59·9	40·9	19
(FITZWILLIAM SQUARE†).	61·3	42·2	59·1	45·8	11
BELFAST.. ..	62·5	35·0	59·8	41·7	19

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 11th June, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	5	..	29·709	69·0	43·1	25·9	54·7	− 3·7	45·7	9·0	28·7	1·2	71	137·6	30·9	51·0	WSW	SW : SSW.	3·8	0·0	0·1	289	+ 31	0·03
MONDAY -	6	..	29·789	60·0	48·2	11·8	53·0	− 5·3	45·1	7·9	14·1	2·0	75	103·3	44·6	51·1	WSW : NW.	WNW : WSW.	8·2	0·0	0·4	369	+ 110	0·13
TUESDAY -	7	First Quarter.	29·704	63·2	46·2	17·0	54·4	− 3·8	47·4	7·0	15·4	0·8	77	108·1	36·9	51·1	SW	Calm : SW : WSW.	0·6	0·0	0·1	212	− 47	0·01
WEDNESDAY	8	..	29·827	67·2	48·1	19·1	55·7	− 2·4	46·2	9·5	22·6	1·2	70	151·9	37·4	51·2	WNW : WSW.	SW	1·1	0·0	0·1	254	− 3	0·02
THURSDAY -	9	Apogee In Equator	29·905	68·3	44·1	24·2	55·3	− 2·7	41·4	13·9	28·8	0·8	59	146·6	30·1	51·3	WSW : W.	NNW : Calm.	1·5	0·0	0·1	207	− 48	0·00
FRIDAY -	10	..	29·786	67·1	49·1	18·0	57·1	− 1·0	43·9	13·2	24·6	6·6	62	138·3	39·0	51·4	NE : E	ESE : E : ENE.	0·8	0·0	0·1	188	− 64	0·00
SATURDAY -	11	..	29·775	65·5	50·1	15·4	56·2	− 2·0	44·2	12·0	25·6	4·6	64	139·4	45·3	51·5	ENE	ENE : NNE.	4·2	0·0	0·3	354	+ 102	0·00
MEANS -		..	29·785	65·8	47·0	18·8	55·2	− 3·0	44·8	10·4	22·8	2·5	68	132·2	37·7	51·2	Westerly		..	..	..	Sum 1873	Sum + 83	Sum 0·19
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	5	wP till 6h.; mP till 11h., then wP.	5·8	16·3	Cloudy generally till 14h, then overcast generally. Slight rain 14¼h till 22¾h.
MONDAY ..	6	wP till 15h., v till 19½h., then wP.	2·1	16·3	Nearly overcast till 22h.: few clouds by 0h. Slight shower at 9¼h. Occasional showers from 12½h. to 16¼h., then frequent slight rain till 21h.
TUESDAY ..	7	wP till 20¾h., wN till 22h., then wP.	1·2	16·4	Little cloud till 5h.; overcast generally by 7h. Occasional damping in forenoon. Rain 19h. till 20½h., then occasional damping till 24h.
WEDNESDAY	8	wP till 6h., mP. till 11h., then wP.	2·8	16·4	Overcast or nearly so till 15h.; very very cloudy till 20h.; little cloud by 21h. Clouding up 22h., to nearly overcast by 23h. Shower at 0½h.
THURSDAY	9	wP till 7h., mP till 21h., then wP.	9·4	16·4	Nearly overcast, becoming less cloudy by 2h. Clouding up at 7½h.; cloudy by 9h. Overcast generally from 19½h.
FRIDAY ..	10	wP	1·9	16·4	Overcast generally. Cloudy period 2h. till 6h. Mist about 4h. Damping 22½h. till 23½h.
SATURDAY	11	wP	1·9	16·5	Overcast generally till 9h., very cloudy till 12h., becoming overcast generally by 13h.
			Sum 25·1	Sum 114·7	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·76 ins. at the beginning of the week to 29·49 ins. by 1h. on June 6th; increased to 29·84 ins. by 21h. on June 6th; decreased to 29·63 ins. by 2h. on June 8th; increased to 29·91 ins. by 12h. on June 9th; decreased to 29·73 ins. by 3h. on June 11th; increased and was 29·80 ins. by midnight of the same day.

"Guide to Current Official Statistics."

1s. net.

THIS work appears annually. It is an expert survey of, and Guide to, all the statistics published by the Government. It is not a mere catalogue of titles of official publications of statistical interest. Such a catalogue is of course included, but it forms only about one-third of the volume itself. The main portion of the work, and the one to which it owes its unique value and importance, consists of an alphabetical subject index which not only refers the enquirer to all the current official publications containing statistics bearing on his subject, but in addition indicates their nature and mode of analysis and the time and place to which they relate.

AGRICULTURE	PUBLIC FINANCE
DEFENCE	SOCIAL SERVICES
EDUCATION	TRADE
INDUSTRY AND LABOUR	TRANSPORT
MINING	VITAL STATISTICS

are a few of the many subjects on which the official statistics exist. To track them down is a matter of a few minutes when the GUIDE TO CURRENT OFFICIAL STATISTICS occupies the place it should among the reference books on the desk of the business man, journalist, librarian, student and professional worker.

The volumes are prepared by the Permanent Consultative Committee on Official Statistics.

FIRST ISSUE (1922)	...	1*s.*	*Post Free* 1*s.* 2½*d.*
VOLUME TWO (1923)	...	1*s.*	*Post Free* 1*s.* 4*d.*
VOLUME THREE (1924)	...	1*s.*	*Post Free* 1*s.* 3½*d.*
VOLUME FOUR (1925)	...	1*s.*	*Post Free* 1*s.* 3½*d.*

The second volume includes an appendix dealing broadly with selected publications of permanent statistical interest issued mainly since 1900.

HIS MAJESTY'S STATIONERY OFFICE,
LONDON, MANCHESTER, EDINBURGH, CARDIFF.

FOR OFFICIAL USE

1927. No. 24.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 18TH JUNE, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-24-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 18TH JUNE, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the twenty-fourth week of the year numbered 7,425 and corresponded to an annual rate of 19·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,879 and corresponded to an annual rate of 10·4 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·3, 10·5 and 9·8. Infant mortality based on the average weekly number of births during the last 52 weeks, was 52 per 1,000 births against 50, 59 and 50 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,610 births, corresponding to a rate of 18·2 per 1,000, and 852 deaths of civilians, corresponding to an annual rate of 9·6, against 8·9, 9·5 and 9·1 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·3 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 47 as against 35, 49 and 43 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,683 to 3,879, and in London from 801 to 852.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in th week ended 18th June, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
107 GREAT TOWNS ..	19,540,143*	7,425	3,879	349	5	39	6	15	13	48
LONDON	4,605,400*	1,610	852	72	-	1	1	7	4	11
TOWNS IN OUTER RING.										
CROYDON C.B. ..	205,900	73	38	3	-	-	-	-	-	1
WIMBLEDON ..	58,030	11	10	1	-	-	1	-	-	-
EALING	91,783	32	16	-	-	-	-	-	-	-
ACTON	63,040	12	7	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK† ..	56,840	16	8	1	-	-	-	-	-	-
WILLESDEN ..	165,270	46	21	1	-	-	-	-	1	-
HENDON	62,570*	25	9	2	-	-	-	-	-	-
HORNSEY	87,230	21	13	-	-	-	-	-	-	-
WOOD GREEN ..	51,940	7	11	-	-	-	-	-	-	-
TOTTENHAM ..	151,520	45	22	2	-	-	-	-	-	-
EDMONTON	71,700	45	10	2	-	-	-	-	-	1
ENFIELD	63,640	18	16	3	1	-	-	-	-	-
WEST HAM C.B. ..	315,900	144	57	3	-	-	1	-	1	-
EAST HAM C.B. ..	146,600	42	25	1	-	-	-	-	-	-
LEYTON	130,000	34	31	1	-	-	-	-	-	-
WALTHAMSTOW ..	125,500	32	15	1	-	-	-	-	-	-
ILFORD	100,500	41	20	2	-	-	-	-	-	1
GILLINGHAM	47,820*	16	6	1	-	-	-	-	-	-
CANTERBURY C.B ..	23,470*	10	-	-	-	-	-	-	-	-
HASTINGS C.B.	61,340	10	10	1	-	-	-	-	-	-
EASTBOURNE C.B. ..	56,060	8	8	-	-	-	-	-	-	-
BRIGHTON C.B.	139,500*	50	30	4	-	-	-	-	-	1
PORTSMOUTH C.B. ..	231,500*	105	35	4	-	2	-	-	-	-
BOURNEMOUTH C.B. ..	90,100	20	22	3	-	-	-	-	1	-
SOUTHAMPTON C.B. ..	169,300	49	31	2	-	-	-	-	-	1
READING C.B	93,090*	26	18	-	-	-	-	-	-	-
OXFORD C.B.	56,800	20	11	1	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,530*	28	12	2	-	-	-	-	-	-
LUTON	59,240	25	14	5	-	-	-	-	-	1
CAMBRIDGE	58,820	16	4	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	104,300	25	21	1	-	-	-	-	-	-
IPSWICH C.B.	84,140	30	20	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,760	23	9	-	-	-	-	-	-	-
NORWICH C.B.	123,500*	45	14	-	-	2	-	-	-	-
SWINDON	57,320	16	4	-	-	-	-	-	-	-
EXETER C.B.	60,340*	28	17	1	-	-	-	-	-	-
PLYMOUTH C.B. ..	187,300*	71	34	2	-	-	-	-	-	1
BATH C.B.	69,000	11	14	-	-	-	1	-	1	-
BRISTOL C.B.	383,300*	140	88	4	-	-	-	-	-	-
GLOUCESTER C.B. ..	53,050	24	7	1	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	275,600	131	46	5	-	3	-	-	-	-
BURTON-UPON-TRENT C.B.	48,660	17	12	2	-	-	-	-	-	-
WOLVERHAMPTON C.B.‡	131,000	60	37	2	-	-	-	-	-	-
WALSALL C.B.	102,100	40	22	4	-	-	-	-	-	1
WEST BROMWICH C.B.	79,920	39	18	5	-	1	-	1	-	-
DUDLEY C.B.	58,930	32	10	1	-	1	-	-	-	-
WORCESTER C.B. ..	50,660	24	7	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	934,300*	415	158	20	-	3	-	-	1	3
SMETHWICK C.B. ..	76,940	34	9	-	-	-	-	-	-	-
COVENTRY C.B. ..	127,800	44	20	1	-	-	-	-	-	-
LEICESTER C.B. ..	241,700	83	47	3	-	-	-	-	-	-
LINCOLN C.B.	65,760*	25	17	3	-	-	-	-	-	-
GRIMSBY C.B.	88,580	28	19	5	-	-	1	-	-	-
NOTTINGHAM C.B. ..	268,000	82	61	9	-	1	-	-	-	2
DERBY C.B.	136,600*	76	37	6	-	-	-	-	-	-
CHESTERFIELD ..	66,650	23	16	-	-	-	-	-	-	-
STOCKPORT C.B. ..	125,400	39	24	2	-	-	-	-	-	2
CHESTER C.B.	41,710	18	11	1	-	-	-	-	-	-
BIRKENHEAD C.B. ..	158,000	55	26	3	-	-	-	-	-	-
WALLASEY C.B. ..	93,050	21	22	1	-	-	-	-	-	-
LIVERPOOL C.B. ..	862,600	424	199	21	-	4	-	2	-	3
BOOTLE C.B.	84,580	39	18	2	-	-	-	-	-	-
ST. HELENS C.B. ..	110,000	46	26	-	-	4	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from						
					Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
THPORT C.B. ..	77,970	19	19	1	-	-	-	-	-	-	-
GAN C.B.	88,620	37	31	5	-	3	-	-	-	-	-
RRINGTON C.B. ..	76,940*	31	12	1	1	-	-	-	-	-	-
LTON C.B.	177,000	40	39	1	1	-	-	-	-	1	-
RY C.B.	56,840*	15	9	-	-	-	-	-	-	-	-
NCHESTER C.B. ..	752,000	325	178	17	-	2	-	1	1	3	3
FORD C.B.	247,400	122	53	2	-	-	-	-	-	-	2
ITON-UNDER-LYNE§	51,050	19	15	1	-	-	-	-	-	-	-
DHAM C.B.	143,000	43	35	4	-	-	-	1	-	-	1
CHDALE C.B.	91,510	28	24	1	-	-	-	1	-	-	2
RNLEY C.B	99,600	34	28	1	-	-	-	-	-	1	1
ACKBURN C.B. ..	124,400	35	32	3	-	-	-	-	-	-	-
ESTON C.B.	124,200	52	19	1	-	-	-	-	-	-	1
ACKPOOL C.B. ..	88,640	17	31	1	-	-	-	-	-	-	-
RROW-IN-FURNESS B.	70,420	19	18	1	-	1	-	-	-	-	-
DDERSFIELD C.B. ..	111,900	28	25	3	-	-	-	-	-	-	1
LIFAX C.B.	96,130*	33	10	2	-	-	-	-	-	-	-
ADFORD C.B. ..	288,700	117	63	2	-	1	-	-	-	1	-
EDS C.B.	473,400	183	100	14	-	1	-	-	-	2	1
WSBURY C.B. ..	53,630	19	17	1		1	-	-	-	-	-
KEFIELD C.B. ..	53,830	24	11	1	-	-	-	-	-	1	-
RNSLEY C.B. ..	70,760	47	8	2	-	2	-	-	-	-	-
EFFIELD C.B. ..	523,300*	193	95	7	1	-	-	1	-	-	3
THERHAM C.B. ..	70,080	24	19	1	-	-	-	-	-	-	-
NCASTER C.B.‡ ..	55,700	28	9	1	-	-	-	-	-	-	-
RK C.B.	84,430*	33	23	3	-	-	-	-	-	-	-
LL C.B.	294,600	112	66	6	-	-	-	1	1	-	-
DDLESBROUGH C.B.	133,600	83	21	2	-	-	-	-	-	1	-
RLINGTON C.B. ..	79,700	30	15	-	-	-	-	-	-	-	-
CKTON-ON-TEES ..	67,910	28	20	5	1	-	-	-	-	1	-
ST HARTLEPOOL C.B.	71,060	37	13	4	-	-	-	-	1	-	-
NDERLAND C.B. ..	163,800	73	40	2	-	4	-	-	-	-	-
TH SHIELDS C.B. ..	123,900	63	31	2	-	-	-	-	-	1	-
ESHEAD C.B. .	127,700	63	37	6	-	-	-	-	-	-	-
WCASTLE-ON-TYNE B.	284,700*	137	52	3	-	1	-	-	-	-	-
EMOUTH C.B ..	66,560	27	17	4	-	-	-	-	-	3	-
RLISLE C.B.	56,140*	31	10	3	-	-	-	-	-	1	-
WPORT (MON.) C.B.	96,620	37	19	2	-	-	-	-	-	-	-
RDIFF C.B.	225,600*	120	41	2	-	-	-	-	-	-	1
ONDDA	162,500	68	30	2	-	-	-	-	1	1	-
RTHYR TYDFIL C.B.	80,690	30	16	1	-	-	-	-	-	-	2
ERDARE	56,930	14	11	1	-	-	-	-	-	1	-
ANSEA C.B.	163,200	62	45	4	-	1	-	-	-	1	2
EATER LONDON ..	7,791,310*	2,709	1,381	109	2	1	3	9	6	15	5
TER RING	3,185,910*	1,099	529	37	2	-	2	2	2	4	-
GREAT TOWNS IN UTER RING	1,947,963*	644	329	23	1	-	2	-	2	3	-
MAINDER OF OUTER ING	1,237,947*	455	200	14	1	-	-	2	-	1	-
INBURGH†	426,100	155	116	7	-	1	1	1	-	-	2
ASGOW†	1,049,000	461	292	38	-	2	-	4	-	3	3
BLIN (REGISTRATION REA)†	421,000	271	107	22	-	1	1	1	1	1	-
LFAST†	416,000	158	86	13	1	-	-	1	-	5	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and sgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and the addition of deaths of residents reported from elsewhere in Scotland during the week; those in blin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into lic institutions from without the respective areas.

‡ Created County Borough 1st April, 1927.

§ Ashton-under-Lyne M.B as extended 1st April, 1927.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths. born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,605,400	1927. June 18	1610	852	9·6	-	-	1	1	7	4	1
Calcutta and Suburbs	1,077,264	May 14	?	613‖	29·6	?	47	?	?	?	?	1
Bombay§	1,298,708	„ 28	354	463‖	18 5	3	29	3	-	-	-	1
Madras	528,791	„ 21	462	383	37·7	1	-	-	-	-	-	2
Sydney and Suburbs	1,038,950	„ 31 (31 days)										
Brisbane (Metropolitan Area).	274,260	April 30 (30 days)										
Perth (Metropolitan Area).	179,388	April 30										
Auckland (Urban Area).	192,176	„ 30 (30 days)										
Wellington (Urban Area).	121,324	April 30 (30 days)										
Christchurch (Urban Area).	118,408	April 30 (30 days)										
Cape Town	115,348	May 21	29	21	9·5	-	-	-	-	-	-	-
Johannesburg	172,189	„ 21	85	47	14·2	1	-	-	-	-	-	2
Durban	54,738	„ 21	24	14	13·3	-	-	-	-	-	1	-
Paris	2,871,429	„ 31 (11 days)	1409	1227	14·1	5	1	39	7	8	8	23
Antwerp	300,668	May 14	99	60	10·3	-	-	-	-	1	-	-
Amsterdam	728,147	June 4	281	116	8·3	-	-	6	-	-	-	1
Copenhagen	592,000	„ 4	194	134	11·8	1	-	-	-	-	-	-
Stockholm	453,332	May 28	124	97	11·1	-	-	-	-	-	-	1
Gothenburg	231,196	„ 21	?	52	11·7	-	-	-	-	-	1	-
		„ 28	?	44	9·9	-	-	-	-	-	-	-
Oslo (Christiania) ..	254,055	June 11	59	50	10·2	-	-	1	-	-	-	-
Berlin	2 003,000	May 28	361	457	11·9	-	?	1	-	-	6	3
Breslau	564 000	„ 28	169	128	11·8	-	?	-	-	2	-	-
Cologne	716 000	„ 28	226	171	12·4	-	?	2	-	-	1	4
Dresden	626,000	„ 28	150	136	11·3	-	?	-	-	-	-	-
Frankfort-on-Main..	473,000	„ 28	104	73	8 0	-	?	1	-	-	-	-
Hamburg	1,101,000	„ 28	253	207	9 8	-	?	-	-	1	-	-
Leipzig	687,000	„ 28	169	134	10·1	1	?	1	-	-	-	-
Munich	685,000	„ 28	179	134	10·2	-	?	-	-	-	-	1
Vienna	1,872,383	Oct. 31 '26 (31 days)	1926	2010	13·0	2	?	-	1	13	12	25
Prague and Suburbs	725,196	Oct 31 '26 (31 days)										
Budapest	971,169	June 4	348	271	14·5	1	-	1	2	-	2	4
Warsaw	1,028,982	„ 4	?	352	17·8	2	-	5	3	5	-	10
Cairo	874,300	Jan. 14	955	476	28·4	4	?	1	-	-	2	28
Alexandria	501,800	„ 14	514	242	25·1	1	?	-	-	-	1	15
New York	5,924,018	June 4	?	1333	11·7	-	-	1	3	5	22	12
Chicago	3,101,000	„ 3	1177	652	11·0	-	-	3	3	1	12	10

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 85 deaths from Cholera in Calcutta and 5 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 18th June, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	852	72	17	16	23	36	40	52	103	152	192	149
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	7	3	3	1	-	-	-	-	-	-	-	-
Diphtheria	4	1	1	1	1	-	-	-	-	-	-	-
Influenza	5	-	-	-	-	-	-	1	-	-	3	1
Erysipelas	2	1	1	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	3	-	-	-	-	1	-	-	1	1	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	49	-	-	-	2	14	11	9	9	1	2	1
Nervous system	7	3	-	-	3	1	-	-	-	-	-	-
Intestines and peritoneum	2	1	-	-	1	-	-	-	-	-	-	-
Other forms	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	4	-	-	-	-	1	-	1	1	-	-	1
Cancer	133	-	-	-	-	-	4	4	15	38	53	19
Rheumatic fever	5	-	1	1	-	-	-	-	1	1	1	-
Diabetes	11	-	-	-	-	-	-	-	-	3	5	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	-	1	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	40	-	-	-	-	-	1	-	5	8	16	10
Epilepsy	1	-	-	-	-	-	-	-	1	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	32	2	-	1	3	-	-	5	8	6	4	3
Pericarditis	1	-	-	-	-	1	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	2	1	-	-	1	-	-
Other diseases of heart	131	-	-	-	-	3	2	8	17	31	41	29
Other diseases of circulatory system	38	-	-	-	-	-	-	1	5	10	8	14
Bronchitis	24	1	-	-	-	-	1	4	-	4	6	8
Broncho-pneumonia	24	4	3	2	4	1	1	-	1	2	5	1
Lobar-pneumonia	32	3	1	-	2	-	3	2	8	5	3	5
Pneumonia (type not distinguished)	8	1	-	-	-	-	-	1	1	2	1	2
Other diseases of respiratory system	13	-	-	1	-	-	-	-	-	-	5	7
Diarrhœa and enteritis	18	10	1	1	-	1	-	1	1	3	-	-
Appendicitis, Typhlitis	6	-	-	-	2	-	-	1	1	2	-	-
Hernia, Intestinal obstruction	10	2	-	-	1	1	-	-	1	2	3	-
Cirrhosis of liver	6	-	-	-	-	-	-	1	-	4	-	1
Other diseases of digestive system ..	27	-	-	2	2	-	2	3	6	7	3	2
Acute nephritis	2	-	-	-	1	-	1	-	-	-	-	-
Chronic Bright's disease	37	-	-	-	-	1	1	2	3	11	12	7
Other diseases of genito-urinary system.	14	-	-	-	-	-	1	1	4	3	1	4
Puerperal sepsis	2	-	-	-	-	-	1	1	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations	8	8	-	-	-	-	-	-	-	-	-	-
Premature birth	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3	-	-	-	-	-	-	-	-	-	-
Old age	29	-	-	-	-	-	-	-	-	-	5	24
Suicide	12	-	-	-	-	-	1	2	6	-	3	-
Burns and Scalds	3	-	2	-	-	1	-	-	-	-	-	-
Drowning	3	-	-	-	-	-	-	1	2	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	1	-	2	2	1	2	-	4	-
Other deaths by violence	9	-	1	-	-	1	3	-	-	-	3	1
Other specified causes	44	8	2	3	-	4	4	2	4	6	5	6
Ill-defined causes	1	-	-	-	-	-	-	-	-	1	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 18th June, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	1	285	226	8	80	C. 3 D. 3 E. 2 G. 3 M. 20 N 17
†CITY OF LONDON	–	1	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	11	–	7	M. 2
†BERMONDSEY ...	–	23	7	–	1	–
†BETHNAL GREEN	–	8	7	–	2	M. 4
†CAMBERWELL ...	–	10	20	1	3	C. 1 E. 1 M. 1 N. 2
†CHELSEA	–	–	–	–	1	C. 1
†DEPTFORD ...	–	8	7	2	5	–
†FINSBURY ...	–	6	3	–	1	N. 1
†FULHAM	–	6	7	–	2	M. 1 N. 1
†GREENWICH ...	–	13	12	–	2	M. 1 N. 1
†HACKNEY ...	1	14	16	1	–	M. 1 N. 1
†HAMMERSMITH ...	–	9	5	–	4	M. 1
†HAMPSTEAD ...	–	6	1	–	–	–
†HOLBORN... ...	–	1	1	–	1	–
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	21	13	–	6	M. 5 N. 2
†KENSINGTON ...	–	9	9	1	–	D. 1
†LAMBETH ...	–	15	17	–	4	D. 1 G. 1 M. 1 N. 2
†LEWISHAM ...	–	13	2	–	2	N. 1
†PADDINGTON ...	–	3	10	–	1	–
†POPLAR	–	16	9	–	6	D. 1 M. 2
†ST. MARYLEBONE	–	4	4	–	–	–
†ST. PANCRAS ...	–	11	15	–	6	–
†SHOREDITCH ...	–	7	8	–	4	–
†SOUTHWARK ...	–	8	17	1	3	M. 1
†STEPNEY	–	26	12	–	2	G. 1 N. 1
†STOKE NEWINGTON	–	4	–	–	1	–
†WANDSWORTH ...	–	17	9	–	10	G. 1 N. 2
†WESTMINSTER, CITY OF	–	9	2	1	–	N. 2
†WOOLWICH ...	–	9	2	1	5	C. 1 E. 1 N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	3	–	3	E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	4	–	–	–	E. 1 N. 1
BIGGLESWADE ...	–	–	1	–	–	–
†LUTON	–	1	2	–	–	–
SANDY	–	–	–	–	–	M. 1
Rural Districts:—						
BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	–	–	–	2	–
EATON SOCON ...	–	–	–	–	1	–
BERKS	–	6	3	1	1	–
†READING C.B. ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	1	–	–	–
WOKINGHAM ...	–	2	–	–	–	–
Rural Districts:—						
NEWBURY ...	–	–	–	1	–	–
WALLINGFORD ...	–	–	–	–	1	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	7	–	1	4	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	1	–	–	–	–
LINSLADE ...	–	–	–	–	1	–
†WOLVERTON ...	–	2	–	–	1	–
Rural Districts:—						
AYLESBURY ...	–	2	–	–	–	–
BUCKINGHAM ...	–	1	–	–	2	–
ETON	–	1	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	4	–	–	–	G. 1
Rural Districts:—						
LINTON	–	4	–	–	–	–
NEWMARKET ...	–	–	–		–	G. 1
CHESTER ...	–	41	10	–	32	G. 1 M. 3 N. 1
†BIRKENHEAD C.B.	–	3	2	–	11	M. 2 N. 1
†CHESTER C.B. ...	–	–	–	–	3	G. 1
†STOCKPORT C.B.	–	10	2	–	4	–
†WALLASEY C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
ALSAGER	–	–	–	–	1	–
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
COMPSTALL ...	–	–	1	–	1	–
†CONGLETON ...	–	1	–	–	1	–
†CREWE	–	4	–	–	1	M. 1
†ELLESMERE PORT AND WHITBY	–	2	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	2	–		–	–
†HOYLAKE AND WEST KIRBY	–	1	1	–	1	–
†HYDE	–	–	3	–	2	–
†MACCLESFIELD ...	–	–	–	–	1	–
†NORTHWICH ...	–	2	–	–	1	–
†STALYBRIDGE ...		1	–	–		–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	1	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	–	–	–	1	–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	3	–	–	–	–
MACCLESFIELD ...	–	3	1	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	-	19	2	1	2	J. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	5	–	-	-	–
LISKEARD ...	–	–	2	-	–	–
PAUL	–	2	-	1	–	-
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...		1			–	–
ST. IVES	–	5	-	–	–	–
STRATTON AND BUDE	*	*	*	*	*	*
TORPOINT ...	*	*	*	*	*	*
Rural Districts:—						
BODMIN	–	–	–	–	1	–
EAST KERRIER ...	–	1	–	–	–	–
REDRUTH ...			–	–	1	–
ST. AUSTELL ...	–	5	–	–	–	
STRATTON ...	*	*	*	*	*	*
TRURO	–	-	–	–		J. 1
CUMBERLAND...	-	9	2	–	4	M. 1 N. 1
†CARLISLE C.B. ..	–	2		-	3	N. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–		1	–	-	–
HOLME CULTRAM	–	–	–	-	1	–
KESWICK	–	1	–	-		–
PENRITH	-	2	–	–	–	-
Rural Districts:—						
BRAMPTON ...	–	1	–	–		–
CARLISLE ...	-	1	–	-		–
COCKERMOUTH ...	-	-	1		–	–
PENRITH	–	1	–	–	–	M. 1
WIGTON	-	1	–		–	–
DERBY	6	30	17	1	27	C. 1 M. 2 N. 1
†DERBY C.B. .	6	5	5	–	8	C. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON .	-	-	1	-	-	–
†BOLSOVER ...	-	1	1	–	–	–
†CHESTERFIELD ..	–	2	2	-	2	–
†HEANOR	–	–	1	-	1	-
†ILKESTON ...	-	3	–	–	2	M. 1
†LONG EATON ...	–	3	2	-	3	–
†THE MATLOCKS...	*	*	*	*	*	*
Rural Districts:—						
BAKEWELL ...	–	2	–	-	-	–
BELPER	–	–	-	–	1	–
BLACKWELL ..		4	1	-	-	–
CHESTERFIELD .	–	3	2	-	4	-
CLOWNE	–	1	1	1	1	-
HARTSHORN AND SEAL	-	-	-	–	3	-
NORTON	–	1	–	–	–	–
REPTON	–	–	–	–	–	N. 1
SHARDLOW .	–	–	1	-	2	–
SUDBURY... ...	–	5	–		–	–
DEVON	–	12	10	1	6	C. 1 M. 1 N. 1
†EXETER C.B. ...	–	1	4	–	–	–
†PLYMOUTH C.B.	–	2	5	–	4	M. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	-	–	–	–	1	-
BIDEFORD ..	–	1	–	–	-	C. 1
HONITON	–	–	-	-	1	–
LYNTON	–	1	–	–	–	–
†TORQUAY ...		-	1	–	–	–
Rural Districts:—						
BIDEFORD ...	–	2	–	–	–	–
KINGSBRIDGE ...	–	1	–	–	–	–
NEWTON ABBOT...	-	–	–	1	-	–
OKEHAMPTON ...	–	1	–	–	-	–
PLYMPTON ST. MARY	–	3	–	-	–	–
TAVISTOCK ...	*	*	*	*	*	*
TOTNES	–	-	–	-	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	2	–	–	4	G. 2 M. 1
Boroughs and Urban Districts:—						
†POOLE	–	–	–	–	1	–
SWANAGE ...	–	–	–	–	–	G. 1
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	–	M. 1
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
BLANDFORD ...	–	–	–	–	–	G. 1
DORCHESTER ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	–	–	–	2	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM ...	105	40	11		62	C. 2 M. 5 N. 6
†DARLINGTON C.B.	–	5	–	–	7	–
†GATESHEAD C.B.	2	2	3	–	3	C. 1
†SOUTH SHIELDS C.B.	27		–	–	8	–
†SUNDERLAND C.B.	–	1		–	7	N. 4
†WEST HARTLEPOOL C.B.	–	1	–	–	4	M. 2
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	1	1	–	–	–
BENFIELDSIDE ...	–	2	1	–	–	–
†BLAYDON...		–	–	–	2	C. 1
†BRANDON AND BYSHOTTLES	–	–	1	–	–	–
†CHESTER LE STREET	1	–	–		–	–
†CROOK	1	–	–	–		–
†DURHAM	1	–	–		–	M. 1
†FELLING	2	1	–	–	3	–
†HARTLEPOOL ..	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEBBURN ..	2	1	–	–	1	–
†HETTON	7	–	–	–	–	–
†HOUGHTON LE SPRING		–	–	–	1	–
†JARROW	10	–	–	–	8	–
LEADGATE ..	1	–	–	–	1	–
†RYTON	–		–	–	–	N. 1
†SHILDON	1	–	–	–	–	–
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	–	5	1	–	–	–
†STOCKTON ON TEES	1	9	1	–	5	–
†TANFIELD ...	–	1	–	–	–	–
†WASHINGTON ...	–	–	–	–	1	–
†WHICKHAM ...	–	–	–	–	2	–
Rural Districts:—						
AUCKLAND ...	2	2	–	–	–	M. 1
CHESTER LE STREET	6	2	–	–	–	–
EASINGTON ..	7	–	–	–	5	N. 1
HOUGHTON LE SPRING	7	–	1	–	–	–
LANCHESTER ...	2	1	2	–	1	–
SEDGEFIELD ..	14	1	–	–	2	–
SOUTH SHIELDS...	9	–	–	–	–	M. 1
SUNDERLAND ...	–	–	–	–	1	–
WEARDALE ...	–	4	–		–	–
ELY, ISLE OF ...	–	1	–	1	–	–
Boroughs and Urban Districts:—						
ELY	–	1	–		–	–
MARCH	*	*	*	*	*	*
Rural Districts:—						
ELY				1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	-	107	39	5	27	C. 1 D. 1 G. 1 M. 3 N. 6
†EAST HAM C.B. ..	-	15	4	-	3	C. 1 D. 1
†SOUTHEND-ON-SEA C.B.		9		-	1	M. 1 N. 1
†WEST HAM C.B. ..	-	28	15	-	8	M. 1 N. 3
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	4	1	-	1	M. 1
BRAINTREE ...	-	1	-	-	-	-
BRIGHTLINGSEA	-		-	-	2	-
BUCKHURST HILL	-	1	-	-	-	-
†CHELMSFORD ...	-	-	-	1	-	-
CHINGFORD ...		1	-	1	-	-
†COLCHESTER ..	-	1	-		-	-
DAGENHAM ...	-	2	-	-	-	-
†GRAYS THURROCK	-	1	1		-	-
HALSTEAD ...	-	1	-	-	-	-
†HARWICH ..	-	-	-	-	1	-
†HORNCHURCH ...	-	2	-	-	-	-
†ILFORD	-	14	-		1	-
†LEYTON	-	8	8	-	3	G. 1
†ROMFORD ...	-	1	1	-	-	-
TILBURY	-	-	-		1	N. 1
†WALTHAMSTOW...	-	10	4	-	3	N. 1
†WANSTEAD ...	-	2	2	-	-	-
WEST MERSEA ...		1	-	-	-	-
Rural Districts:—						
BILLERICAY ...	-	3	-	-	1	-
BRAINTREE ...	-	2	-	-	-	-
CHELMSFORD ...	-	-	1	-	-	-
EPPING	-			-	1	-
MALDON		-	-	2	-	-
ORSETT	-	-	1		-	-
ROCHFORD ...			1	1	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	-	39	15	-	16	H. 1 L. 1 M. 1
†BRISTOL C.B. ..		22	5	-	8	H. 1 L. 1
†GLOUCESTER C.B.	-	4	7	-	2	M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...		3	2	-	-	-
COLEFORD ...		1	-	-	-	-
†MANGOTSFIELD ...		1	-	-	-	-
STOW ON THE WOLD		1	-	-	-	-
TEWKESBURY	-	-	-	-	1	-
Rural Districts:—						
DURSLEY	-	-		-	1	-
EAST DEAN AND UNITED PARISHES	-	1	-	-	-	-
GLOUCESTER ...	-	-	1	-	1	-
LYDNEY	-	3	-	-	-	-
THORNBURY ...	-	1		-	2	-
WEST DEAN ...	-	1	-	-	1	-
WINCHCOMB(part)	-	1	-	-	-	-
HEREFORD ...	-	-	2	1		-
Boroughs and Urban Districts:—						
†HEREFORD ..	-	-	1	-	-	-
Rural Districts:—						
LEDBURY... ...	-	-	-	1	-	-
LEOMINSTER ...	-	-	1	-	-	-
HERTFORD ...	-	12	3	4	2	M. 2 N. 1
Boroughs and Urban Districts:—						
BALDOCK... ...		-	-	-	1	-
†BARNET	-	-	-	-	-	N. 1
BISHOP'S STORTFORD	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—* *cont.*						
Boroughs and Urban Districts—*cont.*						
BUSHEY	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	2	–	–	–	–
†HERTFORD ...	–	–	–	2	–	–
†ST. ALBANS ...	–	–	2	–	–	–
WARE	–	1	1	–	–	–
†WATFORD ..	–	3	–	–	1	–
Rural Districts:—						
HERTFORD ...	–	1	–	–	–	–
HITCHIN	–	2	–	–	–	M. 2
ST. ALBANS ...	–	–	–	1	–	–
WATFORD ...	–	–	–	1	–	–
HUNTINGDON ...		1	–	–	–	–
Rural Districts:—						
ST. NEOTS ..		1	–	–	–	–
KENT	–	46	37	5	15	F. 1 M. 1
†CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	–
†BECKENHAM ..	–	1	1	1	1	–
†BEXLEY	–	3	–	–		–
†BROADSTAIRS AND ST. PETER'S	–	1	1	–	–	–
†BROMLEY ..	–	1	2		2	–
†CHATHAM ...	–	3	4	–	–	–
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	–	–	1	–	
†DARTFORD ..	–		3	–	–	–
†DOVER	–	2		–	2	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ERITH	–	3	–	–	2	–
†FOLKESTONE ...	–	4	–	–	–	–
†GILLINGHAM ...	–	3	4	–	1	–
†GRAVESEND ...	–	–	3	–	–	–
†MAIDSTONE ..	–	1	–		–	M. 1
†MARGATE ..		8	1	–	–	–
MILTON REGIS ...	–	–	1	–	–	–
†NORTHFLEET ...	–	2	1	–	–	–
†PENGE	–	2	3	–	–	–
†RAMSGATE ...	–	1	–	–	2	–
†ROCHESTER ...	–	–	1	–	1	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	–
SIDCUP	–	–	4	–	–	–
SITTINGBOURNE	–	–	3		–	–
Rural Districts:—						
BRIDGE	–	–	–	–	–	F. 1
BROMLEY ...	–	–	1	–	–	–
DARTFORD ..	–	1	1	–	–	–
ELHAM	–	3	–	–	2	–
HOLLINGBOURNE	–	–	–	–	1	–
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE ...	–	–	–	1	–	–
MALLING	–	–	–	1	–	–
STROOD	–	1	2	1	–	–
TONBRIDGE ...	–	3	–	–	–	–
LANCASTER ...	2	147	79	3	203	C. 3 D. 1 G. 8 L. 3 M. 40 N. 18
†BARROW IN FURNESS C.B	–	–	2	–	2	–
†BLACKBURN C.B.	–	2	1	–	3	M. 2
†BLACKPOOL C.B.	–	2	1	1	1	–
†BOLTON C.B. ...	–	3	–	1	2	N. 3
†BOOTLE C.B. ...	–	9	4	–	4	G. 2 M. 2 N. 3
†BURNLEY C.B. .	–	5	–		3	G. 1

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
I, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†BURY C.B. ...	–	7	–	–	4	N. 1
†LIVERPOOL C.B. ...	–	19	20	–	27	G. 3 M. 17 N. 2
†MANCHESTER C.B.	–	28	11	–	51	C. 2 D. 1 M. 8 N. 5
†OLDHAM C.B. ...	–	2	6	–	1	–
†PRESTON C.B. ...	–	1	5	–	–	M. 1
†ROCHDALE C.B. ...	–	–	3	–	1	M. 1
†ST. HELENS C.B. ...	–	–	–	–	8	M. 1
†SALFORD C.B. ...	–	17	7	–	18	–
†SOUTHPORT C.B.	–	1		–	4	–
†WARRINGTON C.B.	–	1	1	–	6	M. 1 N. 1
†WIGAN C.B. .	2	1	–	–	4	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–	–	3	M. 1
†ASHTON IN MAKERFIELD	–	1	–	–	1	–
†ASHTON UNDER LYNE	–	2		–	2	–
ASPULL	–	–	1	–	1	–
†ATHERTON ...	–	–	–	–	1	–
†BACUP	–	–	–	–	–	M. 1
BLACKROD ...	–	–	–	–	1	–
BRIERFIELD ...	–		1	–	–	–
†CHADDERTON ...	–	1	–	–	1	–
†CHORLEY	–		–	–	2	–
†CLITHEROE ...	–	–	1	–	–	–
†COLNE	–	3	4	–	1	–
†DARWEN	–	–	–	–	1	–
†DENTON	–	5	–	–	–	–
†DROYLSDEN ...	–	–	–	–	4	–
†ECCLES	–	3	–	–	1	–
†FAILSWORTH ..	–	–	–	–	–	M. 1
†FARNWORTH ...	–	2	1	–	1	–
†FLEETWOOD ...	–	–	–	–	1	–
†GREAT CROSBY ...	–	–	–	–	1	–
†HASLINGDEN ...	–	–	1	–	3	–
†HAYDOCK ...	–	–	–	–	1	–
†HEYWOOD ...	–	–	–	–	1	–
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...	–	2	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†INCE IN MAKERFIELD	–	1	–	–	1	–
KEARSLEY ...	–	1		–	–	–
†LANCASTER ...	–	2	2	–	1	M. 1
†LEIGH		–	–	–	4	N. 1
†LITHERLAND ...	–		1		–	–
†LITTLEBOROUGH	–	1	–	–	–	–
LITTLE LEVER ...		1	–	–	–	–
LONGRIDGE ...	–	1	–	–	–	–
MILNROW... ...	–	–	1	–	–	–
†MOSSLEY		–	–	–	1	C. 1 N. 1
†NELSON	–	–	–	–	1	–
NORDEN	–	–		–	1	–
†OSWALDTWISTLE		–	1	–	–	–
POULTON LE FYLDE	*	*	*	*	*	*
PRESCOT	–	1	–	–	–	–
†RADCLIFFE ...	–	1	1	–	1	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	1	–	–	1	–
†ROYTON	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	1	–	–	1	–
†STRETFORD ...	–	1	–	–	1	–
†SWINTON AND PENDLEBURY	–	6	–	–	–	–
THORNTON CLEVELEYS	–	–	–	–	1	–
TOTTINGTON ...	–	–	–	–	2	–
†TURTON	–	–	–	–	–	M. 1
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	1	–
†WESTHOUGHTON	–	–	–	–	1	–
WHITWORTH ...	–	–	–	–	–	M. 1
†WIDNES	–	1	1	–	–	N. 1
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	1	1	G. 1
BURNLEY... ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CLITHEROE ...	–	–	–	–	4	L. 2
FYLDE	–	–	1	–	2	–
LEIGH	–	–	–	–	1	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	1	L. 1 M. 1
WEST LANCASHIRE	–	1	–	–	–	G. 1
WHISTON... ...	–	2	–	–	1	–
WIGAN	–	1	–	–	1	–
LEICESTER ...	–	14	8	–	4	M. 3 N. 2
†LEICESTER C.B. ...	–	6	3	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	1	–	–	–	–
†COALVILLE ...	–	–	2	–	–	–
†LOUGHBOROUGH	–	3	–	–	–	N. 1
MELTON MOWBRAY	–	3	–	–	–	–
QUORNDON ...	*	*	*	*	*	*
Rural Districts:—						
BLABY	–	1	2	–	–	M. 1
CASTLE DONINGTON	–	–	4	–	1	–
LOUGHBOROUGH	–	–	–	–	–	M. 1
LUTTERWORTH ...	–	–	–	–	1	–
MARKET BOSWORTH	–	–	1	–	–	–
MELTON MOWBRAY	*	*	*	*	*	*
LINCOLN (parts of Holland).	–	7	–	–	1	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	–	–	–	1	–
EAST ELLOE ...	–	3	–	–	–	–
SPALDING (part)..	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	1	1	C. 1
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BRANSTON ...	–	–	–	–	–	C. 1
GRANTHAM ...	–	1	–	–	–	–
SLEAFORD ...	–	–	–	1	–	–
LINCOLN (parts of Lindsey).	–	18	3	3	7	G. 1 M. 1
†GRIMSBY C.B. ...	–	7	–	2	4	–
†LINCOLN C.B. ...	–	1	1	1	–	G. 1 M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
†CLEETHORPES ...	–	1	1	–	–	–
†GAINSBOROUGH ...	–	2	–	–	–	–
HORNCASTLE ...	–	1	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	2	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
GRIMSBY	–	1	–	–	–	–
HORNCASTLE ...	–	1		–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	-	41	32	6	28	G. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
†ACTON	-	-	1	-	1	-
†BRENTFORD AND CHISWICK	-	2	-	1	-	-
†EALING	-	6	1	-	2	G. 1
†EDMONTON ...	-	3	7	-	1	-
†ENFIELD	-	2	4	-	1	-
FELTHAM ...	-	1	-	1	-	-
†FINCHLEY ...	-	2	1	-	-	-
†FRIERN BARNET	-	-	-	1	1	-
†HENDON	-	4	3	3	-	M. 2
†HESTON AND ISLEWORTH	-	-		-	7	-
†HORNSEY... ...	-	-	-	-	1	-
†SOUTHALL NORWOOD	-	2	1	-	-	-
†SOUTHGATE ...	-	-	1	-	-	N. 1
†TEDDINGTON ...	-	2	-	-	-	-
†TOTTENHAM ...	-	4	6	-	7	N. 1
†TWICKENHAM ...	-	1	1	-	-	-
†UXBRIDGE ...	-	1	-	-	-	-
†WEALDSTONE ...	-	2	-	-	-	-
†WEMBLEY ...	-	2	-	-	1	-
†WILLESDEN ...	-	5	5	-	6	-
†WOOD GREEN ...	-	-	1	-	-	-
YIEWSLEY ...	-	1	-	-	-	-
Rural Districts:—						
STAINES	-	1	-	-	-	-
NORFOLK ...	-	10	1	3	5	M. 3 N. 1
†GREAT YARMOUTH C.B.	-	3	-	-	-	-
†NORWICH C.B. ...	-	1	-	1	-	M. 1 N. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	1	-	1	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM... ...	-	-	-	-	-	M. 1
BLOFIELD ...	-	-	-	-	1	-
DEPWADE ...	-	-	-	-	1	-
DOWNHAM ...	-	2	-	-	-	-
FREEBRIDGE LYNN	-	-	-	1	-	-
LODDON AND CLAVERING	-	-	-	-	-	M. 1
MITFORD AND LAUNDITCH	-	1	-	-	-	-
ST. FAITH'S ...	-	1	-	-	-	-
SMALLBURGH ...		-	-	-	1	-
WALSINGHAM ...	-	-	-	-	1	-
WAYLAND ...	-	1	1	-	1	-
NORTHAMPTON	-	4	4	-	9	M. 2 N. 2
†NORTHAMPTON C.B.	-	2	2	-	3	M. 1
Boroughs and Urban Districts:—						
BRACKLEY ...	*	*	*	*	*	*
DAVENTRY ...	-	-	-	-	1	-
IRTHLINGBOROUGH	-	-	1	-	-	-
†KETTERING ...	-	1	1	-	1	-
ROTHWELL ...	-	-	-	-	1	-
Rural Districts:—						
BRACKLEY ...	*	*	*	*	*	*
DAVENTRY ...	-	-	-	-	1	-
HARDINGSTONE ...	-	-	-	-	1	-
OXENDON... ...	-	1	-	-	-	-
THRAPSTON (part)	-	-	-	-	-	M. 1 N. 2
WELLINGBOROUGH	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	9	40	9	3	40	C. 2 D. 1 G. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	1	17	3	–	23	C. 1 D. 1
†TYNEMOUTH C.B.	–	5	1	–	2	C. 1 G. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	7	3	–	–	–	–
†BEDLINGTONSHIRE	–	–	–	–	3	–
†BLYTH	1	1	1	–	2	–
HEXHAM	–	–	–	2	–	
†LONGBENTON ...	–	1	–	–	1	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	1	–	–	–	–
SEATON DELAVAL	–	–	–	–	1	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	1	2	–	5	–
WEETSLADE ...	–	–	1	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
BELFORD	–	–	–	–	1	M. 1
CASTLE WARD ...	–	2	–	–	–	–
HEXHAM	–	4	–	1	1	–
ROTHBURY ...	–	1	1	–	–	–
NOTTINGHAM ...	1	25	22	5	14	E. 1 G. 1 M. 4
†NOTTINGHAM C.B.	–	9	19	1	6	E. 1 M. 2
Boroughs and Urban Districts:—						
†BEESTON... ...	–	–	–	–	1	M. 1
†CARLTON	–	2	1	–	–	–
†HUCKNALL ...	–	–	–	–	2	–
†KIRKBY IN ASHFIELD	–	2	–	–	–	–
†MANSFIELD ...	1	3	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†MANSFIELD WOODHOUSE	–	2	–	–	–	–
†NEWARK	–	–	–	4	–	–
†SUTTON IN ASHFIELD	–	1	–	–	1	–
†WORKSOP... ...	–	1	1	–	–	–
Rural Districts:—						
BASFORD	–	2	–	–	1	M. 1
BINGHAM... ...	–	2	–	–	–	–
LEAKE	–	–	–	–	–	G.
NEWARK	–	–	–	–	1	–
WORKSOP... ...		1	–	–	–	–
OXFORD	–	7	–	1	1	E. 1 N. 1
†OXFORD C.B. ..	–	5	–	–	–	N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	–	–	–	E. 1
BICESTER... ...	–	–	–	1	–	–
†HEADINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BANBURY ...	–	1		–	–	–
PETERBOROUGH (Soke of).	–	–	–	–	3	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

', Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND ...	-	-	-	-	-	-
Rural Districts—						
KETTON	*	*	*	*	*	*
SALOP	-	19	1	-	5	M. 2
Boroughs and Urban Districts:—						
DAWLEY	-	-	-	-	-	M. 1
†OAKENGATES ...	-	4	-	-	-	-
†SHREWSBURY ...	-	1	-	-	-	-
Rural Districts:—						
BRIDGNORTH ...	-	-	-	-	1	-
DRAYTON... ...	-	-	1	-	-	-
ELLESMERE ...	-	7	-	-	3	-
SHIFNAL	-	1	-	-	-	-
WELLINGTON ...	-	6	-	-	1	M. 1
SOMERSET ...	-	17	4	-	4	C. 1 M. 1 N. 1
†BATH C.B. ..	-	9	1	-	-	M. 1
Boroughs and Urban Districts:—						
BURNHAM ON SEA	-	-	-	-	1	-
CREWKERNE ...	-	-	1	-	-	-
ILMINSTER ...	-	1	-	-	-	-
MIDSOMER NORTON	-	1	-	-	-	-
†WESTON SUPER MARE	-	-	-	-	1	C. 1 N. 1
Rural Districts:—						
AXBRIDGE ...	-	-	1	-	-	-
BATH	-	1	-	-	-	-
BRIDGWATER ...	-	1	-	-	-	-
CLUTTON... ...	-	-	-	-	1	-
LONG ASHTON ...	-	1	-	-	-	-
TAUNTON ...	-	2	-	-		-
WILLITON ...	-	-	1	-	-	-
YEOVIL	-	1	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON..	1	18	13	2	5	C. 1 G. 1 M. 5 N. 2
†BOURNEMOUTH C.B.	1	1	1	-	2	C. 1 G. 1 M. 1 N. 1
†PORTSMOUTH C.B.	-	5	7	1	-	M. 1
†SOUTHAMPTON C.B.	-	4	2	-	-	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	1	-		-	N. 1
†BASINGSTOKE ...	-	1	-		2	-
CHRISTCHURCH ...	-	-	1	-	-	-
†GOSPORT	-	-	1	-	-	M. 1
Rural Districts:—						
ALTON	-	2	-	-	-	-
BASINGSTOKE ...	-	1	-	1	-	-
DROXFORD ...		-	-	-	1	-
HARTLEY WINTNEY	-	2	-	-	-	-
NEW FOREST ...	-	-	1	-	-	-
PETERSFIELD ...	-	-	-	-	-	M. 1
WHITCHURCH ...	-	1	-		-	-
STAFFORD ...	-	46	19	1	55	C. 1 M. 12 N. 5
†BURTON UPON TRENT C.B.	-	-	-	-	-	M. 1
†SMETHWICK C.B.	-	-	1	-	6	M. 2
†STOKE ON TRENT C.B.	-	5	1	1	18	C. 1 M. 7
†WALSALL C.B. ...	-	3	7	-	5	M. 1
†WEST BROMWICH C.B.	-	3	1	-	2	-
†WOLVERHAMPTON C.B.	-	13	-	-	2	-
Boroughs and Urban Districts:—						
†AUDLEY	-	-	1	-	-	-
BIDDULPH ...	-	-	-	-	1	-
†BILSTON	-	-	-	-	1	-
†BRIERLEY HILL...	-	-	-	-	-	N. 1
†BROWNHILLS ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CANNOCK	-	2	-	-	-	-
†COSELEY		-	1	-	2	
†DARLASTON ...	-	-	-	-	2	-
KIDSGROVE ...	-	-	1	-	2	-
†LEEK		4	-	-	-	-
LICHFIELD ...	-	1	-		-	-
†ROWLEY REGIS ...	-	2	-	-	1	-
†SEDGLEY	-	1	-	-		-
STONE	-	-	1	-	-	-
TETTENHALL ...		-	1	-	-	-
†TIPTON	-	-	1	-	4	-
†WEDNESBURY ...	-	2	-	-	5	M. 1
†WILLENHALL ...	-	1	2	-	1	-
†WOLSTANTON UNITED	-	5	-	-	-	N. 1
Rural Districts:—						
CANNOCK	-	-	-	-	-	N. 1
GNOSALL	-	1	-	-	-	-
KINGSWINFORD ...	-	1	-	-	-	
LEEK		1	-	-	-	N. 1
LICHFIELD ...	-	-	-	-	1	-
NEWCASTLE UNDER LYME	-	1	-	-	-	-
SEISDON	-	-	-	-	-	N. 1
STONE	-	-	1	-	-	-
WALSALL... ...	-	-	-	-	1	-
SUFFOLK, EAST	-	12	4	1	1	E 1 G. 1 N. 1
†IPSWICH C.B. ...	-	4	-	-	-	-
Boroughs and Urban Districts:—						
ALDEBURGH ...	-	1	-	-	-	-
BECCLES	-	1	-	-	-	-
†LOWESTOFT ...	-	-	-	-	-	E. 1 G. 1
WOODBRIDGE ...	-	1	-	-	-	-
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
HOXNE	-	4	-			-
MUTFORD AND LOTHINGLAND	-	-	-	-	1	-
PLOMESGATE ...	-	-	4	-	-	-
SAMFORD... ...	-	-	-	1	-	-
WOODBRIDGE ...	-	1	-	-	-	N. 1
SUFFOLK, WEST	-	3	-	-	2	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	3	-	-	-	-
NEWMARKET ...	-	-			1	-
Rural Districts:—						
COSFORD			-	-	1	-
SURREY	-	45	4	4	13	M. 1 N. 2
†CROYDON C.B. ...	-	17	-	-	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNES	-	2		-	-	-
†CARSHALTON ...	-	1	1	-	-	-
†CHERTSEY ...	-	1	-	-		-
†COULSDON AND PURLEY	-	-	-	-		N. 1
EAST AND WEST MOLESEY	-	-	-	-	1	-
†EGHAM	-	2	1	-	1	-
†ESHER AND THE DITTONS	-	1	-		-	-
GODALMING ...	-	2	-	-	-	-
†GUILDFORD ...	-	-	-	-	1	-
†KINGSTON ON THAMES	-	3	-	1	2	-
†MERTON AND MORDEN	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Mitcham	-	-		1		-
†Richmond ..	-	2	-	-	-	-
†Surbiton ..	-	2	-	-	1	-
Weybridge ...	-	1	-	-	-	-
†Wimbledon ..	-	1	-	-	-	-
†Woking	-	2	-	-	-	-
Rural Districts:—						
Chertsey ...	-	2	1	-	1	-
Epsom	-	-	1	-	-	-
Godstone ...	-	-	-	1	2	-
Hambledon ...	-	-	-	1	-	-
Reigate	-	4	-	-	3	-
SUSSEX, EAST ...	-	8	5	4	3	G. 1 M. 3
†Brighton C.B. ..	-	3	2	1	-	G. 1 M. 3
†Eastbourne C.B	-	1	-	-	1	-
†Hastings C.B. ..	-	1	-	-	-	-
Boroughs and Urban Districts:—						
Burgess Hill ...	-	-	-	-	1	-
†Hove	-	-	2	-	-	-
†Lewes		2	-	-	-	-
Newhaven ...	-	-	1	-	-	-
Rye	-	1	-	-	-	-
Rural Districts:—						
Chailey	-	-	-	-	1	-
Cuckfield ...	-	-	-	3	-	-
SUSSEX, WEST...	-	8	3	-	1	N. 1
Boroughs and Urban Districts:—						
†Bognor	-	-	-	-	-	N. 1
†Chichester ...	-	3	1	-	-	-
†Horsham ...	-	-	1	-	-	-
SUSSEX, WEST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Littlehampton	-	1	-	-	-	-
Shoreham-by-Sea	-	1			-	-
†Worthing ...	-	2	-	-	-	-
Rural Districts:—						
Horsham ...	-	-	-	-	1	-
Westbourne ...	-	-	1	-	-	-
Westhampnett	-	1	-	-	-	-
WARWICK ...	-	44	43	3	48	C. 3 E. 1 G. 3 M. 14 N. 9
†Birmingham C.B.	-	27	34	3	33	C. 3 E. 1 G. 1 M. 13 N. 4
†Coventry C.B. ..	-	4	6		7	G. 1 N. 1
Boroughs and Urban Districts:—						
Bulkington ...	-	1	-	-	-	-
†Nuneaton ...	-	1	-	-	1	-
†Royal Leamington Spa	-	3	-	-	-	-
†Rugby	-	1	1	-	-	-
†Sutton Coldfield	-		-	-	2	-
†Warwick ...	-		-	-	1	N. 1
Rural Districts:—						
Alcester ...	-	2	-		-	-
Atherstone ...	-	-	-	-	1	-
Coventry ...	-	-	2	-	-	-
Farnborough ...	-	-	-	-	-	N. 1
Foleshill ...	-	3	-	-	1	M. 1
Meriden... ...	-	1	-	-	1	N. 2
Solihull ...	-	-	-		1	-
Southam... ...	-	-	-	-	-	G. 1
Tamworth (part)	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
WIGHT, ISLE OF	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	1	–	1	–
WILTS	–	14	–	2	7	C. 2 N. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...		1	–	–	–	–
DEVIZES	–	–	–	1	–	
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	4	–	–	1	–
†SWINDON... ...	–	–	–	–	4	C. 1 N. 1
†TROWBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	1	1	–
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	2	–	–	–	–
HIGHWORTH ...	–	–	–	–	1	–
MALMESBURY ...	–	1	–	–	–	–
PEWSEY	–	1			–	C. 1
SALISBURY ...	–	1	–	–	–	
WILTON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	10	2	–	11	M. 1 N. 1
†DUDLEY C.B. ...	–	–	–	–	1	
†WORCESTER C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
BEWDLEY ...	*	*	*	*	*	*
†HALESOWEN ...	–	–	1	–	–	–
†KIDDERMINSTER	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†MALVERN ...	–	–	1	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	–	–	–	2	–
†STOURBRIDGE ...	–	–	–	–	2	–
STOURPORT ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	5		–	–	–
MARTLEY... ...	–	–	–	–	1	M. 1
PERSHORE ...	–	1	–	–	–	–
SHIPSTON ON STOUR	–	1	–	–	–	N. 1
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	21	20	3	7	G. 1 M. 3
†KINGSTON UPON HULL C.B	–	18	17	–	4	M. 3
Boroughs and Urban Districts:—						
†BEVERLEY ...		–	3	–	1	–
†BRIDLINGTON ...		–	–	2	–	–
HEDON	*	*	*	*	*	*
WITHERNSEA ...	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
BRIDLINGTON ...	–	3	–	–	–	–
DRIFFIELD ...	–	–	–	–	–	G. 1
ESCRICK	–	–	–	1	–	–
HOWDEN	–	–	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	1	18	4	1	11	M. 1 N. 2
†MIDDLESBROUGH C.B.	–	1	1	–	5	M. 1 N. 2
Boroughs and Urban Districts:—						
†ESTON	1	–	2	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
†SCARBOROUGH ...	–	–	–	1	3	–
†SKELTON AND BROTTON	–	3	–	–	1	–
†THORNABY ON TEES	–	4	–	–	–	–
Rural Districts:—						
EASINGWOLD ..	–	1	–	–	1	–
FLAXTON	–	2	1	–	–	–
MIDDLESBROUGH	–	2	–	–	–	–
REETH	–	1	–	–	–	–
STOKESLEY ...	–	3	–	–	1	–
YORKS ... ... (West Riding).	46	113	54	8	146	C. 5 D. 1 E. 1 L. 1 M. 12 N. 13
†BARNSLEY C.B.	–	3	1	–	1	–
†BRADFORD C.B. ...	–	3	5	–	13	E. 1 M 1 N. 2
†DEWSBURY C.B.	–	–	1	1	–	–
†DONCASTER C.B.	12	2	1	–	–	M. 1
†HALIFAX C.B.	–	4	1	–	3	M. 1
†HUDDERSFIELD C.B.	2	5	4	–	5	C. 1 M. 1
†LEEDS C.B.	–	17	8	–	18	C. 1 D. 1 M. 1 N. 2
†ROTHERHAM C.B.	–	1	–	1	7	–
†SHEFFIELD C.B.	5	32	22	2	48	C. 1 M. 5
†WAKEFIELD C.B.	–	2	–	–	2	C. 1 L. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	1	–	3	N. 1
ALTOFTS	–	1	–	–	–	–
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
BAILDON	–	1	–	–	–	–
†BATLEY	–	–	–	–	1	N. 1
†BENTLEY WITH ARKSEY	–	1	1	–	–	–
†BINGLEY	1	1	–	–	–	–
†BOLTON UPON DEARNE	1	–	–	–	–	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
†CONISBROUGH ...	3	–	2	–	1	–
CUDWORTH ...	–	1	1	–	–	M. 1
DARFIELD ..	–	1	–	–	–	–
†DARTON	–	–	–	–	1	–
DODWORTH ...	–	1	–	–	–	–
†FEATHERSTONE ...	–	1	–	–	1	–
†GOLCAR	–	–	–	–	–	C. 1
HEBDEN BRIDGE	–	1	–	–	–	N. 1
HORSFORTH ...	–	–	1	–	–	–
†HOYLAND NETHER	–	1	–	–	2	–
†KEIGHLEY ...	8	1	–	–	1	–
LEPTON	–	–	–	1	1	N. 1
MELTHAM ...	–	–	–	–	–	N. 1
†MEXBOROUGH .	2	–		–	–	–
†MIRFIELD ...	*	*	*	*	*	*
†MORLEY	–	–	–	–	1	–
†NORMANTON ..	–	3	–	–	2	–
RAWDON ...	–	1	–	–	–	–
†RAWMARSH ...	1	–	–	1	–	–
SELBY	–	–	–	1	–	–
SHEPLEY	–	–	–	–	1	–
†SHIPLEY	–	1	–	–	–	–
†SKIPTON	–	1	–	–	–	–
†SOWERBY ...		1	–	–	–	–
†SWINTON	–	–	–	–	2	–
THURNSCOE ...	1	2	–	–	–	–
†TODMORDEN ...	–	1	–	–	3	–
WATH UPON DEARNE	–	–	–	–	–	N. 1
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ..	3	1	–	–	2	
†WORSBOROUGH ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—						
DONCASTER ...	6	–	–	–	5	–
HALIFAX	1	–	–	–	–	–
HEMSWORTH ...	–	2	–	–	5	N. 1
KEIGHLEY ...	–	–	–	–	–	M. 1
KIVETON PARK ...	–	3	1	–	4	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	5	–	–	–	–
RIPON	*	*	*	*	*	
ROTHERHAM ...	–	3	1	–	3	N. 1
TADCASTER ...	–	–	–	1	–	–
THORNE	–	–	–	–	1	–
WAKEFIELD ...	–	2	1	–	2	–
WETHERBY ...	–	1	–	–	3	–
WORTLEY ...	–	1	1	–	3	–
YORK, CITY OF...	–	2	1	–	1	M. 1 N. 1
†YORK C.B. ...	–	2	1	–	1	M. 1 N. 1
WALES.						
ANGLESEY ...	–	1	5	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	1	–	–	–
LLANGEFNI ...	–	–	3	–	–	–
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	–	1	–	–	–
CAERNARVON...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
PORTMADOC ...	–	1	–	–	–	–
Rural Districts:—						
GWYRFAI	–	–	1	–	–	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	2	–	–	–	C. 1
Rural Districts:—						
ABERYSTWYTH (SOUTH)	–	2	–	–	–	C. 1
CARMARTHEN...	–	–	4	–	2	–
Boroughs and Urban Districts:—						
KIDWELLY ...	–	–	–	–	1	–
†LLANELLY ...	–	–	3	–	–	–
Rural Districts:—						
LLANELLY ...	–	–	1	–	1	–
WHITLAND ...	*	*	*	*	*	*
DENBIGH ...	–	5	2	2	5	E. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	1	–
DENBIGH ...	–	–	–	2	–	–
LLANGOLLEN ...	–	–	–	–	–	E. 1
†WREXHAM ...	–	1	–	–	1	–
Rural Districts:—						
CHIRK	–	1	–	–	1	–
RUTHIN	–	1	2	–	2	–
UWCHALED ...	–	1	–	–	–	–
WREXHAM ...	–	1	–	–	–	–
FLINT	–	1	1	1	5	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	1	–
MOLD	–	–	–	1	–	–
Rural Districts:—						
HOLYWELL ...		–	1	–	4	–
OVERTON ..	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	1	43	29	–	37	G. 1 M. 6 N. 4
†CARDIFF C.B. ..	–	11	5	–	2	M. 2 N. 1
†MERTHYR TYDFIL C.B.	–	–		–	6	–
†SWANSEA C.B. ..	–	3	3	–		–
Boroughs and Urban Districts:—						
†ABERDARE ..		2	–	–	3	M. 1
†BARRY		–	1	–	–	N. 1
†CAERPHILLY ..		–	2	–	2	G. 1
†GELLIGAER ...	–	1	1	–	4	–
†MAESTEG... ...	–	–	4	–	1	–
†MOUNTAIN ASH ..	1	–	1	–	2	–
†NEATH	–	4			1	–
†OGMORE AND GARW		2	–	–	–	–
†PONTYPRIDD ...	–	1	–	–	2	M. 1 N. 1
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	4	–	–	–	–
†RHONDDA ...	–	8	7	–	11	M. 2 N. 1
Rural Districts:—						
NEATH	–	5	–	–	2	–
PENYBONT ...	–	1	1	–	–	–
PONTARDAWE ...	–	1	1	–	1	–
SWANSEA... ..	–	–	2		–	–
MERIONETH ...		3	–	–	–	–
Urban Districts:—						
TOWYN	–	3	–	–	–	–
MONMOUTH ...	46	6	2	–	4	C. 2 N. 1
†NEWPORT C.B. ...	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	2	–	–	–	–	–
ABERGAVENNY ...	–	1		–	–	–
†ABERSYCHAN ...	25	–	–	–		–
†ABERTILLERY ...	6	–	–			–
BEDWAS AND MACHEN	–	–	1		1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDWELLTY ...	2	–	–	–	–	–
†BLAENAVON ...	5	–	–	–	–	–
†EBBW VALE ...	–	3	–	–	2	–
†NANTYGLO AND BLAINA	–	1	–	–	–	–
PONTYPOOL ...	5	–	–		–	–
†RHYMNEY ...	–	–	–	–	–	C.
†TREDEGAR ...	–	1	1		1	–
Rural Districts:—						
CHEPSTOW ...	1	–	–	–	–	–
MONTGOMERY...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE ...	–	–	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	*	*	*	*	*	*
NARBERTH ..	*	*	*	*	*	*
Total of Part II. ...	218	1161	534	78	897	C. D. E. F. G. H. J. L. M. 1 N.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

ame of Port itary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ANCE	*	*	*	*	*	*	Port of London ...	–	–	–	1	–	–
HAMPTON ...	–	–	1	–	–	–	Total of Part III. ...	–	–	1	1	–	–

* Returns not received. ‡ Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases‡
Total of Part I.—London	1	285	226	8	80	C. D. E. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	218	1161	534	78	897	C. D. E. F. G. H. J. L. M. N.
Total of Part III.—Port Sanitary Districts	–	–	1	1	–	
Total (*i.e.*, of returns received), England and Wales ...	219	1446	761	87	977	C. D. E. F. G. H. J. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyre

There were no cases of Cholera or Plague notified during the week.

One case of Typhus Fever was notified in Bristol C.B.

5.—London and Great Towns in the REGATE.* — Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

eek ended :—	Mar. 26.	Apl. 2.	Apl.* 9.	Apl.* 16.	Apl.* 23.	Apl.* 30.	May* 7	May* 14.	May* 21.	May* 28.	June* 4	June* 11	June* 18
N :—													
s—all ages	1,068	959	980	944	975	980	959	857	871	787	843	801	852
0 to 1 year ..	105	87	98	94	114	98	79	79	71	54	75	65	72
TOWNS, aggre- (including Lon- —													
.. .. ..	6,248	6,935	6 899	6,049	6,619	7,602	7,102	6,994	7 045	6,657	7 106	6,066	7,425
s—all ages	4,990	4,656	4,625	4,316	4,340	4,253	4,347	4,017	3,947	3,847	3,948	3,683	3 879
0 to 1 year ..	561	486	560	498	496	459	427	395	376	341	398	341	349
IC Fever—Cases	8	22	16	14	22	18	19	20	14	11	22	30	29
„ Deaths	1	2	2	3	1	—	3	—	1	1	1	4	5
Pox—Cases ..	82	97	84	70	56	66	73	55	77	81	74	65	60
Deaths ..	1	—	—	—	—	—	4	1	—	2†	—	—	—
et Fever—Cases	720	766	763	711	700	652	813	840	920	849	973	880	845
„ Deaths	6	5	2	6	4	5	4	5	13	11	5	6	5
heria—Cases ..	713	670	677	496	516	493	529	599	593	558	589	451	559
„ Deaths ..	35	25	28	30	27	30	25	30	18	26	25	11	13
es—Deaths ..	71	79	76	89	81	68	57	57	57	42	35	43	39
enza—Deaths ..	224	160	120	96	82	71	57	47	46	43	42	33	31

or the weeks ended April 9th, and afterwards the figures relate to 107 Great Towns instead of 105, owing to lusion of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)
ncluding 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday 18th June, 1927. (*Supplied by the Meteorological Office.*)

owns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres ‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
N	85	42	71·4	49·4	12	Huddersfield	74	33	66·1	43·4	19
eenwich).						Bradford ..	73	37	53·9	44·7	20
ton ..	70	43	65·4	50·3	19	Sheffield ..	73	38	65·9	46·9	29
outh ..	69	48	66·2	52·3	18	York (Museum)	74	37	65·9	46·6	22
ch (Eaton).	74	42	66·0	49·3	19	Hull (Pearson Park).	71	43	64·3	46·4	25
uth ..	71	51	64·0	54·6	42	Tynemouth ..	66	42	58·0	47·3	11
l (Clifton).	76	46	69·3	51·4	41	Cardiff.. ..	73	44	66·7	50·3	48
ngham (Gbaston).	76	42	66·7	47·7	43	Edinburgh ..	64·0	38·0	61·1	45·4	18
ngham ..	78	44	67·6	48·4	26	Glasgow ..	66·0	40·9	62·1	47·0	33
nhead (Bidston).	73	44	64·1	49·9	29	Dublin (Phœnix Park).	67·0	34·2	63·0	43·4	11
ester (Hitworth Park).	75	40	67·1	47·6	40	(Fitzwilliam Square†).	66·1	43·0	63·4	49·5	11
ey	74	38	64·5	44·4	23	Belfast.. ..	69·5	36·0	63·1	44·4	14

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 18th June, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	12	..	29·809	68·2	47·1	21·1	56·3	− 2·1	46·6	9·7	21·2	2·6	70	144·0	35·0	51·7	NNE: NE.	ENE: ESE.	0·9	0·0	0·1	217	− 31	0·00
MONDAY -	13	..	29·858	72·2	41·8	30·4	57·1	− 1·4	43·4	13·7	33·8	2·1	60	144·0	25·3	51·7	Calm: NNE.	NNE: SSW.	1·0	0·0	0·0	139	− 109	0·00
TUESDAY -	14	..	29·853	68·9	45·7	23·2	57·5	− 1·2	48·9	8 6	18·7	3·4	72	137·9	31·1	51·8	Calm: NE.	E: NE.	0·8	0·0	0·1	200	− 47	0·00
WEDNESDAY	15	Full	30·036	64·0	50·2	13·8	55·9	− 2·9	44·6	11·3	21·3	4·1	65	142 7	46·1	51·9	NE: ENE.	ENE: E.	3·1	0·0	0·3	356	+ 111	0·00
THURSDAY	16	Greatest Declination S.	29·815	84·9	53·5	31·4	69·4	+10·5	55·9	13·5	26·8	3·2	62	157·2	52·4	52·0	E: SE.	SSW	1·8	0·0	0·1	196	− 48	0·00
FRIDAY -	17	..	29·554	67·8	52·0	15·8	58·7	− 0·3	55·2	3·5	13·9	1·3	89	123·3	43·7	52·0	SSW	SSW: SW.	3·6	0·0	0·3	316	+ 73	0·21
SATURDAY -	18	..	29·613	69·1	49·1	20·0	58·3	− 0·9	50·9	7·4	15·4	0·9	77	140·3	38·6	52·1	SW	SW: S.	5·0	0·0	0·6	412	+ 169	0·27
MEANS -		..	29·791	70·7	48·5	22·2	59·0	+ 0·2	49·4	9·7	11·6	2·5	71	141·3	38·9	51·9	Variable		..	..	..	Sum 1836	Sum + 118	Sum 0·48
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	12	wP	5·2	16·5	Overcast generally till 14h., then cloudy generally. Clearing at 17h., to cloudless by 18h. Dew at night.
MONDAY ..	13	wP till 7h.; mP till 13h., then wP.	10·5	16·5	Cloudless or little cloud till 20h., then cloudy, thin cloud, Overcast period about 5h. Mist in morning. Sky hazy during day.
TUESDAY ..	14	wP	1·3	16·5	Cloudy generally till 6h., becoming overcast by 7h. Very cloudy period 15¾h. till 18¾h.
WEDNESDAY	15	wP	7·4	16·5	Overcast or nearly so. Nearly cloudless period 11¼h. till 14h.
THURSDAY	16	wP	9·3	16·5	Overcast till 7½h., few clouds till 14¼h., then cloudy or partially cloudy. Mist in morning.
FRIDAY ..	17	wP till 18h., v. till 19h., then wP.	0·8	16·5	Few clouds till 4h., becoming overcast generally by 6h. Clearing at 21h., to cloudless by 22h. Rain from 9¾h. till 12h. Showers at 18h. and 18½h.
SATURDAY	18	wP	4·9	16·6	Cloudless or little cloud till 6h; variably cloudy till 12h.; then overcast generally. Occasional showers 10¼h. till 15h., and rain 18½h. till 23h. Brisk wind from 21h.
			Sum 39·4	Sum 115·6	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·80 ins. at the beginning of the week to 30·05 ins. by 14h. on June 15th; decreased to 29·53 ins. by 16h. on June 17th; increased to 29·71 ins. by 8h. on June 18th; decreased and was 29·21 ins. by midnight of the same day.

THE 1921

CENSUS

THE decennial census of England and Wales provides a wealth of statistical data relating to an exceptionally wide range of social conditions and activities and so furnishes matter of the greatest value for the solution of a vast number of current political and economic problems.

Encyclopædic in scope, the volumes are a storehouse of information of the most detailed nature and of exceptional accuracy which can be put to an extraordinary range and variety of uses. They have proved, for instance, of signal service in industry and commerce and to advertisers anxious to obtain quantitative data on which to base production and selling campaigns. Each County in England and Wales is surveyed separately and the figures relating to them are published in 52 volumes of foolscap folio size.

Ten general volumes are devoted to a grouping of statistics to illustrate the Industrial and Occupational divisions of the country and such special relationships as Dependency Orphanhood, etc. A general Report on the Census as a whole is in course of preparation.

The complete set of volumes originally cost £34 4s. net and it has been decided to offer the few sets that remain at the exceptionally low price of £12 net, postage extra.

The series may be ordered at this price at any of the sale offices of H.M. Stationery Office.

LONDON: Adastral House, Kingsway, W.C.2.
MANCHESTER: York Street.
EDINBURGH: 120, George Street.
CARDIFF: 1, St. Andrew's Crescent.
BELFAST: 15, Donegall Square West.

FOR OFFICIAL USE

1927. No. 25.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 25TH JUNE, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-25-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 25TH JUNE, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the twenty-fifth week of the year numbered 6,801 and corresponded to an annual rate of 18·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,582 and corresponded to an annual rate of 9·6 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·5, 9·8 and 10·4. Infant mortality based on the average weekly number of births during the last 52 weeks, was 49 per 1,000 births against 59, 50 and 52 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,581 births, corresponding to a rate of 17·9 per 1,000, and 798 deaths of civilians, corresponding to an annual rate of 9·0, against 9·5, 9·1 and 9·6 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·3 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 36 as against 49, 43 and 47 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,879 to 3,582, and in London from 852 to 798.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in t week ended 25th June, 1927.

TOWNS.	ESTIMATED POPULATION, Mid. 1926.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
107 GREAT TOWNS ..	19,540,143*	6,801	3,582	328	1	30	4	19	17	39
LONDON	4,605,400*	1,581	798	55	-	1	-	8	4	3
TOWNS IN OUTER RING.										
CROYDON C.B. ..	205,900	59	47	3	-	-	1	-	-	2
WIMBLEDON ..	58,030	18	11	-	-	-	-	-	-	-
EALING	91,783	19	16	3	-	-	-	-	-	-
ACTON	63,040	19	11	1	-	-	-	-	-	-
BRENTFORD AND CHISWICK† ..	56,840	18	12	2	-	-	-	-	-	-
WILLESDEN ..	165,270	36	32	2	-	-	-	-	-	1
HENDON	62,570*	21	9	-	-	-	-	-	-	-
HORNSEY	87,230	23	11	-	-	-	-	-	-	-
WOOD GREEN ..	51,940	14	5	1	-	-	-	-	-	-
TOTTENHAM ..	151,520	40	17	2	-	-	-	-	-	-
EDMONTON	71,700	35	17	1	-	-	-	-	-	-
ENFIELD	63,840	21	6	3	-	-	-	-	-	-
WEST HAM C.B. ..	315,900	121	61	6	-	-	-	-	-	2
EAST HAM C.B. ..	146,600	25	22	-	-	-	-	-	2	-
LEYTON	130,000	25	23	-	-	-	1	-	-	-
WALTHAMSTOW ..	125,500	42	14	1	-	-	-	-	-	-
ILFORD	100,500	30	12	-	-	-	-	-	-	-
GILLINGHAM	47,820*	21	11	2	-	-	-	-	-	-
CANTERBURY C.B ..	23,470*	7	6	-	-	-	-	-	-	-
HASTINGS C.B.	61,340	21	10	1	-	-	-	-	-	-
EASTBOURNE C.B. ..	56,060	11	10	1	-	-	-	-	-	-
BRIGHTON C.B.	139,500*	34	37	3	-	-	-	-	-	-
PORTSMOUTH C.B. ..	231,500*	91	30	5	-	2	-	-	-	-
BOURNEMOUTH C.B. ..	90,100	19	14	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	163,300	67	31	2	-	-	-	-	-	1
READING C.B	93,090*	30	10	-	-	-	-	-	-	-
OXFORD C.B.	56,800	14	6	1	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,530*	33	16	-	-	-	-	-	1	-
LUTON	59,240	19	9	1	-	-	-	-	-	-
CAMBRIDGE	58,820	14	10	-	-	-	-	-	1	-
SOUTHEND-ON-SEA C.B.	104,300	28	17	-	-	-	-	-	-	-
IPSWICH C.B.	84,140	28	18	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,760	14	16	-	-	-	-	-	-	-
NORWICH C.B.	123,500*	56	19	3	-	-	-	-	-	-
SWINDON	57,320	12	13	-	-	-	-	-	-	-
EXETER C.B.	60,340*	18	7	-	-	-	-		-	-
PLYMOUTH C.B. ..	187,300*	85	38	3	-	-	-	1	1	-
BATH C.B.	69,000	14	12	2	-	-	-	-	-	-
BRISTOL C.B.	383,300*	153	58	3	-	-	-	-	1	1
GLOUCESTER C.B. ..	53,050	21	12	3	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	275,600	111	78	10	-	3	-	2	1	1
BURTON-UPON-TRENT C.B.	48,660	19	15	1	-	-	-	-	-	-
WOLVERHAMPTON C.B.‡	131,000	66	14	2	-	-	-	-	1	1
WALSALL C.B.	102,100	47	20	5	-	-		2	1	-
WEST BROMWICH C.B.	79,920	28	9	4	-	-	-	-	-	1
DUDLEY C.B.	58,930	27	16	2	-	2	-	-	-	-
WORCESTER C.B. ..	50,660	17	4	1	-	-	-	-	1	-
BIRMINGHAM C.B. ..	934,300*	372	151	21	-	-	-	-	-	4
SMETHWICK C.B. ..	76,940	25	13	2	-	-	-	-	-	-
COVENTRY C.B. ..	127,800	50	31	1	-	-	-	-	-	-
LEICESTER C.B. ..	241,700	89	44	2	-	-	-	-	-	-
LINCOLN C.B.	65,760*	28	15	1	1	-	-	-	-	-
GRIMSBY C.B.	88,580	31	21	2	-	-	-	-	-	-
NOTTINGHAM C.B. ..	268,000	94	59	3	-	-	-	-	-	1
DERBY C.B.	136,600*	49	18	-	-	-	1	-	-	-
CHESTERFIELD ..	66,650	21	11	1	-	-	-	-	-	-
STOCKPORT C.B. ..	125,400	50	29	3	-	-	-	-	-	-
CHESTER C.B.	41,710	19	8	1	-	-	-	-	-	-
BIRKENHEAD C.B. ..	158,000	58	38	7	-	-	-	-	-	1
WALLASEY C.B. ..	93,050	26	11	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	862,600	356	184	22	-	7	-	3	-	6
BOOTLE C.B.	84,580	63	17	3	-	1	-	-	-	-
ST. HELENS C.B. ..	110,000	39	22	5	-	1	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† Brentford and Chiswick U.Ds. were united on 1st April, 1927.
‡ Wolverhampton C.B. as extended 1st April, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B. ..	77,970	11	19	2	-	-	-	-	-	-	1
GAN C.B.	88,620	54	11	2	-	1	-	-	-	-	-
ARRINGTON C.B. ..	76,940*	41	11	-	-	-	-	-	-	-	-
LTON C.B.	177,000	53	35	1	-	-	-	-	-	-	1
RY C.B.	56,840*	15	12	-	-	-	-	-	-	-	-
ANCHESTER C.B. ..	752,000	269	131	14	-	-	-	-	1	3	2
LFORD C.B.	247,400	74	43	5	-	-	-	-	-	1	-
HTON-UNDER-LYNE§	51,050	26	43	3	-	-	-	-	-	1	-
DHAM C.B.	143,000	56	34	4	-	-	-	-	-	1	1
CHDALE C.B.	91,510	26	23	-	-	-	-	-	-	-	-
RNLEY C.B	99,600	29	23	4	-	-	-	-	-	2	-
ACKBURN C.B. ..	124,400	42	23	3	-	-	-	-	1	-	1
ESTON C.B.	124,200	47	20	2	-	-	-	-	-	1	-
ACKPOOL C.B. ..	88,640	22	22	-	-	-	-	-	-	-	1
RROW-IN-FURNESS C.B.	70,420	12	20	1	-	-	-	-	-	-	-
DDERSFIELD C.B. ..	111,900	43	20	-	-	-	-	-	-	-	3
LIFAX C.B.	96,130*	30	19	4	-	-	-	-	-	-	-
ADFORD C.B. ..	288,700	96	57	9	-	3	-	1	-	1	1
EDS C.B.	473,400	167	95	7	-	-	1	1	-	-	3
EWSBURY C.B. ..	53,630	8	8	-	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,830	13	12	1	-	-	-	-	-	-	-
RNSLEY C.B. ..	70,760	39	19	3	-	5	-	-	-	-	-
EFFIELD C.B. ..	523,300*	156	88	8	-	-	-	1	-	1	1
THERHAM C.B. ..	70,080	25	6	1	-	-	-	-	-	-	-
NCASTER C.B.‡ ..	55,700	21	13	1	-	-	-	-	-	-	1
RK C.B.	84,430*	19	15	2	-	-	-	-	-	-	-
LL C.B.	294,600	93	57	5	-	-	-	-	-	-	1
DDLESBROUGH C.B.	133,600	68	19	3	-	-	-	-	-	-	-
RLINGTON C.B. ..	70,700	23	9	-	-	-	-	-	-	-	1
OCKTON-ON-TEES ..	67,910	28	19	4	-	-	-	-	-	1	-
EST HARTLEPOOL C.B.	71,060	28	16	3	-	-	-	-	-	-	1
NDERLAND C.B. ..	163,800	71	38	5	-	2	-	-	-	1	-
UTH SHIELDS C.B. ..	123,900	37	19	2	-	-	-	-	-	-	-
TESHEAD C.B. ..	127,700	40	21	3	-	-	-	-	-	-	-
EWCASTLE-ON-TYNE C.B.	284,700*	75	49	4	-	1	-	-	1	-	1
NEMOUTH C.B ..	66,560	26	17	1	-	-	-	-	-	-	-
RLISLE C.B.	56,140*	24	9	-	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,620	37	13	1	-	1	-	-	-	-	-
RDIFF C.B.	225,600*	91	40	3	-	-	-	-	-	-	-
IONDDA	162,500	46	19	1	-	-	-	-	-	-	3
ERTHYR TYDFIL C.B.	80,690	23	19	1	-	-	-	-	-	-	-
ERDARE	56,930	14	10	2	-	-	-	-	-	1	-
ANSEA C.B.	163,200	51	24	4	-	-	-	-	-	-	-
EATER LONDON ..	7,791,310*	2,542	1,313	94	-	1	2	9	6	10	6
TER RING	3,185,910*	961	515	39	-	-	2	1	2	7	3
GREAT TOWNS IN OUTER RING	1,947,963*	566	326	25	-	-	2	-	2	5	2
MAINDER OF OUTER RING	1,237,947*	395	189	14	-	-	-	1	-	2	1
INBURGH†	426,100	156	103	8	-	-	-	-	3	1	2
ASGOW†	1,049,000	456	259	36	-	4	-	12	2	4	4
BLIN (REGISTRATION AREA)†	421,000	197	97	21	-	-	-	-	1	3	-
LFAST†	416,000	191	106	18	-	-	-	2	-	2	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and asgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and the addition of deaths of residents reported from elsewhere in Scotland during the week; those in blin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into blic institutions from without the respective areas.

‡ Created County Borough 1st April, 1927.

§ Ashton-under-Lyne M.B as extended 1st April, 1927.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,605,400	1927. June 25	1581	798	9·0	-	-	1	-	8	4	
Calcutta and Suburbs	1,077,264	May 21	?	617‖	29·8	?	41	?	?	?	?	
Bombay§	1,298,708	June 4	356	452‖	18·1	4	25	1	-	-	-	
Madras	528,791	May 28	504	415	40·8	4	1	-	-	1	-	
Sydney and Suburbs	1,038,950	„ 31 (31 days)										
Brisbane (Metropolitan Area).	274,260	April 30 (30 days)	433	203	8·9	-	-	-	-	-	4	
Perth (Metropolitan Area).	179,388	April 30	68	34	9·6	-	-	-	-	-	-	
Auckland (Urban Area).	192,176	„ 30 (30 days)										
Wellington (Urban Area).	121,324	April 30 (30 days)										
Christchurch (Urban Area).	118,408	April 30 (30 days)										
Cape Town	115,348	May 28	38	18	8·1	-	-	-	-	-	-	
Johannesburg	172,189	„ 28	68	34	10·3	-	-	-	-	-	-	
Durban	54,738	„ 28	25	11	10·5	-	-	-	-	-	1	
Paris	2,871,429	June 10 (10 days)	1218	964	12·2	4	-	24	10	5	9	1
Antwerp	300,668	May 21	105	54	9·6	-	-	1	1	-	1	
Amsterdam	728,147	June 4										
Copenhagen	592,000	„ 11	200	118	10·4	-	-	-	-	1	-	
Stockholm	453,332	„ 4	84	119	13·7	-	-	-	-	-	1	
Gothenburg	231,196	„ 4	?	60	13·5	-	-	-	1	2	-	
Oslo (Christiania) ..	254,055	„ 18	66	47	9·6	-	-	-	-	-	-	
Berlin	2,003,000	„ 4	472	427	11·1	2	?	1	1	-	6	
Breslau	564,000	„ 4	141	142	13·1	-	?	1	1	-	2	
Cologne	716,000	„ 4	254	131	9·5	-	?	5	1	1	2	
Dresden	626,000	„ 4	174	114	9·5	-	?	-	-	-	1	
Frankfort-on-Main..	473,000	„ 4	94	74	8·1	-	?	-	-	-	1	
Hamburg	1,101,000	„ 4	298	189	8·9	-	?	-	-	-	-	
Leipzig	687,000	„ 4	218	133	10·1	-	?	-	-	-	-	
Munich	685,000	„ 4	164	153	11·6	-	?	1	-	-	-	
Vienna	1,872,050	Nov. 30 '26 (30 days)	1651	1901	12·2	7	-	-	3	5	15	24
Prague and Suburbs	725,196	Nov. 30 '26 (30 days)	710	641	10·8	1	-	-	2	5	4	17
Budapest	971,169	June 11	314	193	10·3	-	-	1	-	1	3	
Warsaw	1,028,982	„ 11	?	235	11·9	1	-	-	-	1	-	4
Cairo	874,300	Jan. 14										
Alexandria	501,800	„ 14										
New York	5,924,018	June 11	?	1356	11·9	1	-	1	2	7	16	14
Chicago	3,101,000	„ 10	1041	677	11·4	1	-	2	1	2	6	7

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children* under *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 49 deaths from Cholera in Calcutta and 2 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 25th June, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	798	55	16	14	22	44	35	57	105	117	168	165
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	8	2	4	1	1	-	-	-	-	-	-	-
Diphtheria	4	-	-	1	3	-	-	-	-	-	-	-
Influenza	3	-	-	-	-	-	-	1	1	1	-	-
Erysipelas	3	-	-	-	-	-	-	-	1	1	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	3	-	-	-	-	1	-	1	-	1	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	60	-	-	1	-	21	11	9	11	3	4	-
Nervous system	8	2	-	4	1	1	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	2	-	-	-	-	2	-	-	-	-	-	-
Venereal diseases	3	2	-	-	-	-	-	-	1	-	-	-
Cancer	129	-	-	-	-	-	2	11	24	33	35	24
Rheumatic fever	1	-	-	-	-	-	1	-	-	-	-	-
Diabetes	3	-	-	-	-	-	-	-	-	1	1	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	1	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	40	-	-	-	-	-	-	1	5	4	15	15
Epilepsy	3	-	-	-	-	2	1	-	-	-	-	-
"Convulsions" (not puerperal) ..	5	5	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	20	-	-	1	2	2	-	4	3	5	3	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	2	-	-	1	-	-	1	-	-	-	-	-
Other diseases of heart	133	-	-	-	3	5	1	5	15	18	45	41
Other diseases of circulatory system	32	-	-	-	-	-	-	-	5	3	7	17
Bronchitis	27	1	-	-	-	-	-	-	1	6	4	15
Broncho-pneumonia	20	6	3	1	-	-	-	1	1	2	4	2
Lobar-pneumonia	22	-	1	1	-	1	2	2	4	5	5	1
Pneumonia (type not distinguished)	13	-	2	-	-	-	2	2	-	1	4	2
Other diseases of respiratory system	14	-	1	-	-	2	-	-	3	4	1	3
Diarrhœa and enteritis	9	3	-	-	1	-	1	-	-	2	-	2
Appendicitis, Typhlitis	6	-	-	1	1	-	1	-	-	-	2	1
Hernia, Intestinal obstruction	9	1	1	-	-	-	-	-	3	1	2	1
Cirrhosis of liver	7	-	-	-	-	-	-	2	2	1	2	-
Other diseases of digestive system ..	27	2	-	-	1	-	4	6	3	6	2	3
Acute nephritis	1	-	-	-	1	-	-	-	-	-	-	-
Chronic Bright's disease	27	-	-	-	1	-	1	2	7	5	6	5
Other diseases of genito-urinary system.	11	-	-	-	-	-	-	1	1	1	6	2
Puerperal sepsis	3	-	-	-	-	-	2	1	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations	7	6	-	-	-	-	-	-	1	-	-	-
Premature birth	14	14	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	24	-	-	-	-	-	-	-	-	-	5	19
Suicide	10	-	-	-	-	-	1	3	3	-	3	-
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	10	1	-	-	2	1	-	1	3	2	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	9	-	-	-	1	1	1	1	-	2	2	1
Other deaths by violence	14	1	-	1	-	-	-	-	1	2	2	7
Other specified causes	44	5	2	1	4	5	2	2	6	7	7	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 25th June, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	279	178	14	94	C. 6 E. 2 G. 1 L. 1 M. 11 N 12
†CITY OF LONDON	-	1	-	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	7	12	-	5	M. 1
†BERMONDSEY ...		13	3	-	1	-
†BETHNAL GREEN		12	5	-	1	N. 1
†CAMBERWELL ...		17	8	5	6	M. 1
†CHELSEA	-	3	1	-	2	-
†DEPTFORD ...		8	6	-	3	M. 1
†FINSBURY ...	-	6	1	-	1	C. 1
†FULHAM		6	6	-	3	L. 1
†GREENWICH ...	-	12	9		2	C. 1 M. 1
†HACKNEY ...	-	17	12	1	-	N. 2
†HAMMERSMITH ...	-	9	9	-	4	C. 1
†HAMPSTEAD ...	-	-	-	-	1	-
†HOLBORN... ...	-	2	2	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	14	9	-	5	E. 1
†KENSINGTON ...	-	2	2	1	-	
†LAMBETH ...	-	10	13	2	11	C. 2 M. 1 N. 2
†LEWISHAM ...	-	19	2	1	1	G. 1 M. 2
†PADDINGTON ...	-	5	8	-	2	-
†POPLAR	-	15	7	-	8	C. 1 M. 1
†ST. MARYLEBONE	-	7	3	-	-	N. 1
†ST. PANCRAS ...	-	7	8	1	3	M. 1 N. 1
†SHOREDITCH ...	-	12	8	-	7	N. 1
†SOUTHWARK ...	-	13	8	1	6	N. 2
†STEPNEY		24	15	2	5	M. 1
†STOKE NEWINGTON	-	2	2	-	1	-
†WANDSWORTH ...	-	22	12	-	10	E. 1 N. 1
†WESTMINSTER, CITY OF	-	2	4	-	-	N. 1
†WOOLWICH ...		12	3	-	6	M. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	11	4	-	2	-
Boroughs and Urban Districts:—						
†BEDFORD... ...	-	3	-	-	-	-
†LUTON	-	1	4	-	1	-
SANDY	-	5	-	-	-	-
Rural Districts:—						
BEDFORD ...	-	2	-	-	-	-
BIGGLESWADE ..	-	-	-	-	1	-
BERKS	-	2	-	-	-	-
†READING C.B. .	-	1		-	-	-
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	-	1	-	-	-	-
BUCKINGHAM ...	-	6		-	2	C. 2
Boroughs and Urban Districts:—						
†AYLESBURY ...	-	1		-	-	-
†CHEPPING WYCOMBE	-	2	-		-	
†SLOUGH	-	1	-	-		-
Rural Districts:—						
AYLESBURY ...	-	2	-	-	-	-
HAMBLEDEN ...	-	-	-	-	-	C. 1
NEWPORT PAGNELL ...	-	-	-	-	2	C. 1
CAMBRIDGE ...	-	3	2	1	1	N. 2
Borough:—						
†CAMBRIDGE ..	-	1	2	1	-	N. 1
Rural Districts:—						
CHESTERTON ...	-	2	-	-	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER ...	-	42	7	1	18	G. 3 L. 1 M. 3 N. 4
†BIRKENHEAD C.B.	-	7	-	1	7	-
†CHESTER C.B. ...	-	-	-	-	5	M. 1
†STOCKPORT C.B.	-	7	2	-	-	M. 1 N. 1
†WALLASEY C.B. ...	-	5	2	-	2	G. 1 L. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	1	-	-	-	-
BREDBURY AND ROMILEY	-	-	1	-	-	-
†CONGLETON ...	-	1	-	-	-	G. 1
†CREWE	-	3	-	-	-	-
†DUKINFIELD ...	-	-	-	-	-	G. 1
†ELLESMERE PORT AND WHITBY	-	-	-	-	2	-
HALE	-	1	-	-	1	-
†HAZEL GROVE AND BRAMHALL	-	3	-	-	-	-
†HYDE	-	1	-	-		-
MIDDLEWICH ...	*	*	*	*	*	*
NESTON AND PARKGATE	-		1	-	-	N. 1
†NORTHWICH ...	-	1	-		-	-
†RUNCORN... ...	-	1		-		-
†SALE	*	*	*	*	*	*
†STALYBRIDGE ...	-	2	-	-	-	-
WILMSLOW ...	-	-	-	-	-	N. 1
Rural Districts:—						
BUCKLOW ...	-	1		-	-	-
CHESTER	-	3	-	-	-	-
MACCLESFIELD ...		1		-	-	-
NANTWICH ...	-	1	-	-	-	M. 1
RUNCORN ...	-	2	1	-		-
WIRRAL	-	1	-	-	1	N. 1
CORNWALL ...		12	2	2	-	C. 1 N. 3
Boroughs and Urban Districts:—						
†FALMOUTH ...	-	2	-	-	-	-
FOWEY	-	-	-	2	-	-
HAYLE	-	1	-		-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polic-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Boroughs and Urban Districts—*cont.*						
ST. IVES	–	3	–	–	–	N. 1
ST. JUST	–	1	–	–	–	–
STRATTON AND BUDE	–	–	–	–	–	C. 1
TORPOINT ...	*	*	*	*	*	*
Rural Districts:—						
LISKEARD ...	–	–		–	–	N. 1
REDRUTH ...	–	–	1	–		–
ST. AUSTELL ...	–	2	–	–	–	–
ST. COLUMB MAJOR	–	1	–	–	–	–
ST. GERMANS ...	–	–	1		–	–
STRATTON ...	–	2	–			–
TRURO	–	–	–	–	–	N. 1
CUMBERLAND...	–	5	3	–	3	C. 1 M. 1 N. 4
†CARLISLE C.B. ..	–	2	–	–	2	N. 1
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	–
HOLME CULTRAM	–	1	–	–	1	–
†WHITEHAVEN ...	–	–	–	–	–	M. 1 N. 2
†WORKINGTON ...	–		–	–	–	N. 1
Rural Districts:—						
BRAMPTON ...		1	–	–	–	–
CARLISLE ...	*	*	*	*	*	*
COCKERMOUTH ...	–	1	1	–		C. 1
LONGTOWN ...	–		1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	4	39	15	–	19	M. 3
†DERBY C.B. .	4	5	6		6	–
Boroughs and Urban Districts:—						
†ALFRETON ..	–	–	–	–	3	–
†BELPER		1			–	–
†BOLSOVER ...	–	2	1	–	–	–
†BUXTON		–	–		–	M. 1
†CHESTERFIELD .	–	8	–	–	2	–
DRONFIELD ...	*	*	*	*	*	*
†ILKESTON ...	–	3	–	–	1	M. 1
†LONG EATON ...	–	–	2	–	–	
NEW MILLS ..	–	1	–	–	–	–
SOUTH DARLEY...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT		–	–	–	2	M. 1
†THE MATLOCKS...	–	2	–	–	–	–
Rural Districts:—						
BELPER	*	*	*	*	*	*
BLACKWELL .	–	6	1	–	–	–
CHESTERFIELD .	–	2	2		3	–
CLOWNE		4	1		–	–
HARTSHORN AND SEALE	–	–	1	–	–	–
NORTON	–	1	–	–		–
REPTON	–	2	–		–	–
SHARDLOW .			1	–	–	–
SUDBURY... ...	–	2		–	–	–
CODNOR PARK AND SHIPLEY (Parishes)		–	–	–	2	–
DEVON	–	13	14	1	9	N. 2
†EXETER C.B. ...	–	–	–	–	1	–
†PLYMOUTH C.B...	–	1	10	–	1	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...		–	–	–	1	N. 1
BIDEFORD ..	–	3	–	–	–	–
BRIXHAM... ...	–	–	–	–	–	N. 1
DARTMOUTH ...	–		–	–	2	–
†EXMOUTH ...	–	–	–	–	1	–
KINGSBRIDGE ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
BIDEFORD ...	*	*	*	*	*	*
CREDITON ...	–	2	–	–	–	–
HONITON	–	3	–	–	–	–
NEWTON ABBOT...	–	1	1	–	1	–
OKEHAMPTON ...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	–	3	–	–	–
ST. THOMAS ...		–	–	–	1	–
TOTNES	–	–	–	–	1	–
DORSET		3	1	1	1	G. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
LYME REGIS ...	*	*	*	*	*	*
SHERBORNE ...	–	–	–	1	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
BLANDFORD ...	–	–	1	–	1	G. 1
CERNE	–	1	–	–	–	–
DURHAM ...	126	42	21	1	49	C. 1 M. 4 N. 7
†DARLINGTON C.B.	–	4	–	–	4	–
†GATESHEAD C.B.	4	–	1	–	3	N. 2
†SOUTH SHIELDS C.B.	27	1	–	–	8	–
†SUNDERLAND C.B.	–	1	–	–	8	N. 1
†WEST HARTLEPOOL C.B.	–	3	4	–	5	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	3	–	2	1	–	M. 2
BENFIELDSIDE ...	–	4	–	–	–	–
†BLAYDON... ...	3	1	–	–	1	–
†BRANDON AND BYSHOTTLES	2	–	–	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER LE STREET	–	–		–	2	–
†CONSETT	–	–	2	–	1	–
†CROOK	*	*	*	*	*	*
†FELLING	6	1	–	–	1	–
†HARTLEPOOL ...	–	–	–	–	1	–
†HEBBURN ...	1	–	–	–	–	–
†HETTON	6	–	–	–	3	–
†HOUGHTON LE SPRING	1	–	–		–	–
†JARROW	6	3	–	–	3	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	1	–	–	–
†SHILDON	1	–		–	–	–
†SOUTHWICK ON WEAR	–	–	1	–		–
†SPENNYMOOR ...	2	1	–	–	–	–
†STANLEY	2	1	1	–	–	–
†STOCKTON ON TEES	–	6	–	–	1	N. 1
TOW LAW ...	1	–	1	–	–	–
†WASHINGTON ...	2	1	–	–	–	N. 1
†WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
AUCKLAND ...	1	5	1	–	–	–
CHESTER LE STREET	11	3	1	–	–	M. 1
DURHAM	–	2	2	–	–	N. 1
EASINGTON ...	6	1	–	–	5	C. 1
HOUGHTON LE SPRING	7	–	–	–	1	–
LANCHESTER ...	3	–	2	–	–	–
SEDGEFIELD ..	22	–	1		–	–
SOUTH SHIELDS...	9	–	–	–	–	–
SUNDERLAND ...	–	1	–	–	1	M. 1
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	-	124	49	4	28	C. 2 M. 2 N. 2
†EAST HAM C.B. ...	-	16	5	1	2	M. 1
†SOUTHEND-ON-SEA C.B.	-	11	1	-	-	N. 1
†WEST HAM C.B. ...	-	41	5	-	13	N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN..	-	1	3	1	-	M. 1
BRIGHTLINGSEA	-	-	-	-	2	-
CANVEY ISLAND	-	1	-	-	-	-
†CLACTON	-	-	-	-	1	-
†COLCHESTER ..	-	-	-	-	3	-
DAGENHAM ...	-	3	5	-	1	-
†GRAYS THURROCK	-	-	2	-	-	-
†HORNCHURCH ...	-	5	-	-	-	-
†ILFORD	-	6	1	-		-
†LEYTON	-	8	13		2	-
MALDON	-	-	-	1	-	-
†ROMFORD ...	-	1	-	-	-	-
TILBURY	-	-	-	1	-	-
WALTHAM HOLY CROSS	-	2	-	-	-	-
†WALTHAMSTOW...	-	15	5	-	3	-
†WANSTEAD ...	-	5	1		-	-
WIVENHOE ...	-	1	-		-	-
Rural Districts:—						
BELCHAMP ...	-	-		-	-	C. 1
BILLERICAY ...	-	1	-		-	C. 1
BRAINTREE ...	-	1	-	-	-	-
CHELMSFORD ...	-	-	1	-	-	-
DUNMOW	-	1	-	-	1	-
HALSTEAD ...	-	-	1			-
ONGAR	-	-	6	-	-	-
ORSETT		1	-	-	-	-
ROMFORD... ...	-	1	-	-	-	-
SAFFRON WALDEN	-	1		-	-	-
STANSTED ...	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	-	36	19	2	23	C. 1 G. 1 M. 1 N. 4
†BRISTOL C.B. ...	-	20	14	-	14	C. 1 N. 3
†GLOUCESTER C.B.	-	4	-	-	4	-
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	1	3	2	-	-
COLEFORD ...	-	2	-	-	1	-
†MANGOTSFIELD ...	-	1		-	-	-
Rural Districts:—						
CHIPPING SODBURY	-	1	-	-	-	-
EAST DEAN AND UNITED PARISHES	-	2	-	-	-	-
GLOUCESTER ...	-	-	1	-	1	-
LYDNEY	-	-		-	1	-
NEWENT	-	1	-	-	-	-
NORTHLEACH ...	-	-	1	-	-	-
STROUD	-	2	-	-	-	-
TEWKESBURY (part)	-	-	-	-	1	-
THORNBURY ...			-	-	-	N. 1
WARMLEY ...		-	-	-	1	-
WEST DEAN ...	-	1	-	-	-	G. 1 M. 1
WHEATENHURST		1	-	-	-	-
HEREFORD ...		-	5	-	1	-
Boroughs and Urban Districts:—						
†HEREFORD ...	-	-	2	-	1	-
Rural Districts:—						
HEREFORD ...	-	-	1	-	-	-
LEOMINSTER ...	-		2	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD ...	–	8	3	2	6	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	–
BISHOP'S STORTFORD	–	1	–	1	–	–
†CHESHUNT ...	–	2	–	–	–	N. 1
†HITCHIN	–	–	–	–	–	M. 1
†LETCHWORTH ...	–	–	–	–	1	–
†ST. ALBANS ...	–	–	3	–	–	–
SAWBRIDGEWORTH		1	–	–	–	–
WARE	–	–	–	–	1	–
†WATFORD ...	–	1	–	–	2	–
Rural Districts:—						
†HEMEL HEMPSTEAD	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN	–	–	–	–	2	–
WATFORD ...	–	–	–	1	–	–
HUNTINGDON ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
OLD FLETTON ...	–	–	–	–	1	–
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
ST. IVES	–	–	1	–	–	–
KENT	–	56	27	13	15	C. 1 D. 1 E. 1 G. 2 M. 1 N. 6
Boroughs and Urban Districts:—						
†ASHFORD	–	3	–	2	–	N. 1
†BEXLEY	–	3	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	4	–	–	3	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts— *cont.*						
†CHATHAM ...	–	4	2	–	–	C. 1 N. 2
CHISLEHURST ...	–	–	–	–	1	–
†CRAYFORD ...	–	–	1	–	1	–
†DARTFORD ...	–	3	–	–	–	M. 1
†DOVER	–	4	–	–	2	–
†ERITH	–	2	1	–	1	D. 1
FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	4	1	–	–	–
†GILLINGHAM ...	–	–	–	1	–	–
†GRAVESEND ...	–	2	3	–	–	E. 1 N. 1
†MAIDSTONE ...	–	9	–	3	–	N. 1
†MARGATE ...	–	1	2	–	1	–
†NORTHFLEET ...	–	1	3	–	–	–
†PENGE	–	–	2	–	–	–
†RAMSGATE ...	–	–	2	–	2	–
†ROCHESTER ...	–	–	–	–	–	G. 1
†ROYAL TUNBRIDGE WELLS	–	–	1	2	2	–
†SHEERNESS ...	–	1	–	1	–	–
SIDCUP	–	–	1	–	–	–
SITTINGBOURNE	–	3	3	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BLEAN	–	–	1	1	–	–
BROMLEY ...	–	3	–	–	–	–
DARTFORD ...	–	1		–	–	–
EASTRY	–	1	–	–	–	–
HOLLINGBOURNE	–	2	–	–	–	–
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	2	–	2	–	–
SEVENOAKS ...	–	–	1	–	–	–
STROOD	–	1	2	1	–	–
TONBRIDGE ...	–	–	–	–	1	G. 1
LANCASTER ...	16	172	88	6	179	C. 8 E. 1 G. 9 M. 26 N. 9
†BARROW IN FURNESS C.B.	–	–	1	–	1	–
†BLACKBURN C.B.	–	5	1	–	3	G. 1

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†BLACKPOOL C.B.	–	1	2	–	3	–
†BOLTON C.B. ...	–	7	1	–	4	E. 1 G. 1
†BOOTLE C.B. ...	–	7	2	1	7	M. 1 N. 2
†BURNLEY C.B. ...	–	3	–	–	3	–
†BURY C.B. ...	–	2	1	–	3	–
†LIVERPOOL C.B. ..	1	27	24	4	38	C. 2 G. 3 M. 17 N. 1
†MANCHESTER C.B.	–	41	21	–	43	C. 2 G. 3 M. 1
†OLDHAM C.B. ...	4	4	–	–	–	C. 1
†PRESTON C.B. ...	–	6	1	–	2	–
†ST. HELENS C.B....	–	4	–	–	5	M. 1
†SALFORD C.B. ..	1	13	11	1	13	M. 2 N. 2
†SOUTHPORT C.B.	–	–	2	–	–	–
†WARRINGTON C.B.	–	–	3	–	7	G. 1
†WIGAN C.B. ...	4	–	–	–	5	M. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	2	–
†ACCRINGTON ...	–	–	1	–	–	–
†ASHTON IN MAKERFIELD	5	–	1	–	–	–
†ASHTON UNDER LYNE	–	1	–	–	2	–
ASPULL	–	1	–	–	1	–
†ATHERTON ...	–	1	–	–	–	N. 1
AUDENSHAW ...	–	–	1	–	–	–
†CHADDERTON ...	–	–	1	–	1	–
†CHORLEY	–	1	–	–	–	M. 1
†COLNE	–	–	–	–	1	M. 1
†CROMPTON ...	–	1	–	–	–	–
†DALTON IN FURNESS	–	–	3	–	–	–
†DARWEN	–	5	–	–	3	C. 1
†DENTON	–	1	–	–	–	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	1	–	–	–	–
†FAILSWORTH ...	–	1	–	–	3	–
†FARNWORTH ...	–	2	2	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
FORMBY	–	3	–	–	–	–
GOLBORNE ...	–	–	–	–	1	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	–	–	–	1	–
†HEYWOOD ...	–	1	–	–	2	–
†HINDLEY... ...	–	2	–	–	1	C. 1
†HORWICH ...	–	2	–	–	–	–
IRLAM	–	1	–	–		–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	1	–	–	–	–
LATHOM AND BURSCOUGH	–	–	1	–	1	–
†LEIGH	–	–	1	–	–	–
LITTLE HULTON..	–	–	1	–	–	–
LONGRIDGE ...	*	*	*	*	*	*
†LYTHAM ST. ANNE'S	*	*	*	*	*	*
†MOSSLEY	–	–	–	–	–	C. 1 M. 1
†NELSON	–	3	–	–	1	–
†NEWTON IN MAKERFIELD	–	1	–	–	1	–
ORMSKIRK ...	–	1	–	–	–	–
POULTON LE FYLDE	–	–	–	–	1	–
PRESCOT	–		2	–	–	N. 1
†PRESTWICH ...	–	4	–	–	–	–
†RADCLIFFE ...	–	3	1	–	1	–
RAINFORD ...	–	–	1	–	–	–
†RAMSBOTTOM ...	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	2	–	–	–	–
†STRETFORD ...	–	3	–	–	–	–
†SWINTON AND PENDLEBURY	–	–	–	–	1	–
TOTTINGTON ...	–	1	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
WARDLE	1	–	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	–	–
†WESTHOUGHTON	–	–	–	–	3	–
†WIDNES	–	–	1	–	3	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	-	1	-	-	2	-
BURNLEY	-	1	-	-	-	-
BURY	-	1	-	-	-	-
CHORLEY	-	1	-	-	-	-
CLITHEROE ...	-	-	-	-	1	-
LEIGH	-	-	-	-	1	-
LIMEHURST ...	-	1	-	-	-	-
ULVERSTON ...	-	1	-	-	-	-
WEST LANCASHIRE	-		-	-	-	N. 1
WIGAN	-	-	-	-	1	-
LEICESTER ...	-	14	8	3	12	G. 2 M. 1 N. 2
†LEICESTER C.B. ...	-	4	2	-	4	M. 1 N. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	-	-	-	-	-	G. 2
ASHBY WOULDS...	-	1	-	-	-	-
†COALVILLE ...	-	-	2	-	2	-
WIGSTON MAGNA	-	2	-	-	-	-
Rural Districts:—						
ASHBY DE LA ZOUCH	-	-	1	-	1	-
BELVOIR	-	-	-	3	-	-
BILLESDON ...	-	-	1	-	-	-
CASTLE DONINGTON	-	-	-	-	1	-
HINCKLEY ...	-	1	1	-	3	-
MARKET BOSWORTH	-	5	1	-	-	-
MELTON MOWBRAY	-	1	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).		3	-	-	1	M. 1
Boroughs and Urban Districts:—						
†BOSTON	-	-	-	-	1	-
HOLBEACH ...	-	-	-	-	-	M. 1
Rural Districts:—						
BOSTON	-	3	-	-	-	-
LINCOLN (parts of Kesteven).	-	3	1	-	-	-
Rural Districts:—						
GRANTHAM ...	-	2	1	-	-	-
SLEAFORD ...	-	1	-	-	-	-
LINCOLN (parts of Lindsey).	-	11	9	3	9	-
†GRIMSBY C.B. ...	-	2	3	1	2	-
†LINCOLN C.B. ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	-	-	4	-	-	-
BRIGG	-	-	-	-	1	-
†CLEETHORPES ...	-	1	-	-	-	-
†GAINSBOROUGH ...	-	1	-	-	-	-
LOUTH	-	-	-	1	-	-
†SCUNTHORPE AND FRODINGHAM	-	2	1	1	5	-
Rural Districts:—						
CAISTOR	-	1	1	-	-	-
GAINSBOROUGH ...	-	1	-	-	-	-
GLANFORD BRIGG	-	-	-	-	1	-
LOUTH	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...		61	27	5	28	M. 1 N. 6
Boroughs and Urban Districts:—						
†ACTON	-	1	1	-	1	-
†BRENTFORD AND CHISWICK	-	3	-	1	1	-
†EALING	-	4	-	3	-	N. 1
†EDMONTON ...	-	2	1	-	3	-
†ENFIELD		3	4	-	-	-
†FINCHLEY ...	-	2	1	-	-	-
†FRIERN BARNET	-	1	-		-	-
†HARROW ON THE HILL	-	3	-	-	-	-
†HENDON	-	4	2	-	-	-
†HESTON AND ISLEWORTH	-	3	1	-	4	N. 2
†HORNSEY	-	4	2		2	-
KINGSBURY ...	*	*	*	*	*	*
†SOUTHALL NORWOOD	-	3	-	-		-
†SOUTHGATE ...		3	-	-		N. 1
†TEDDINGTON ...	-	1	-	-	-	-
†TOTTENHAM ...	-	2	3	-	4	N. 1
†TWICKENHAM ...		-	4	-	1	-
†UXBRIDGE ...	-	-	1	-	-	-
†WEALDSTONE ...	-	8		-	-	-
†WEMBLEY ...	-	3	-	1	1	-
†WILLESDEN ...	-	6	6	-	9	M. 1
†WOOD GREEN ...		-	1	-	2	N. 1
Rural Districts:—						
HENDON	-	5	-	-	-	-
NORFOLK ..	-	11	1	-	4	N. 1
†GREAT YARMOUTH C.B.	-	1	1	-	-	-
†NORWICH C.B. ...	-	8	-	-	1	-
Rural Districts:—						
BLOFIELD ...	-	-	-	-	1	-
DEPWADE ...	-	-	-	-	1	-
FOREHOE... ...	-	1	-	-	-	N. 1
MITFORD AND LAUNDITCH	-	1	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	1	6	4	-	8	C. 1 G. 1 M. 1
†NORTHAMPTON C.B.	1	3	1	-	3	C. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	-	-	3	-	-	-
†KETTERING ...	-	1	-	-	-	M. 1
RAUNDS	-	-	-	-	-	G. 1
†RUSHDEN... ...	-	1	-	-	1	-
Rural Districts:—						
HARDINGSTONE ...	-	1	-	-	-	-
KETTERING ...	-	-	-	-	1	-
NORTHAMPTON ...	-	-	-	-	1	-
TOWCESTER ...	-	-	-	-	1	-
WELLINGBOROUGH	-	-	-	-	1	-
NORTHUMBERLAND.	19	38	4	2	29	C. 1 G. 1 M. 5 N. 2
†NEWCASTLE UPON TYNE C.B.	-	13	3	-	15	C. 1 G. 1 M. 4
†TYNEMOUTH C.B.	1	5	-	-	6	N. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	14	2	-	-	-	-
†BEDLINGTONSHIRE	1	-	-	-	1	-
†BLYTH	1	-	-	-	3	M. 1
CRAMLINGTON ...	-	-	-	-	-	N. 1
†EARSDON... ...	1	-		-		-
†GOSFORTH ...	-	1	-	-	-	-
NEWBIGGIN BY THE SEA	-	3	-	-	-	-
†NEWBURN ...	-	1	1		-	-
PRUDHOE... ...	-	1	-	-	-	-
SEATON DELAVAL	-	-	-	-	1	-
†WALLSEND ...	1	-	-	-	2	-
†WHITLEY AND MONKSEATON	-	-	-	-	1	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
ALNWICK	–	1	–	–	–	–
BELFORD	–	–	–	1	–	–
CASTLE WARD ...	–	6	–	–	–	–
HEXHAM	–	2	–	1	–	–
MORPETH ...	–	1	–	–	–	–
ROTHBURY ...	–	2	–	–	–	–
NOTTINGHAM ...	–	26	20	10	15	C. 1 M. 1 N. 1
†NOTTINGHAM C.B	–	20	15	–	8	
Boroughs and Urban Districts:—						
†KIRKBY IN ASHFIELD	–	1	1	–	1	–
†MANSFIELD ...	–	–	1	–	2	N. 1
†MANSFIELD WOODHOUSE	–	2	1	–	–	–
†NEWARK	–	–	–	9	–	–
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP... ...	–	–	–	–	2	–
Rural Districts:—						
BASFORD	–	1	1	–	1	–
BINGHAM... ...	–	–	–	–	–	C. 1
NEWARK	–	–	–	1	–	M. 1
SOUTHWELL ...	–	1	1	–	–	–
WORKSOP... ...	–			–	1	–
OXFORD	–	–	1	–	3	–
Boroughs and Urban Districts:—						
†HEADINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BANBURY ...	–	–	–	–	1	–
THAME	–	–	–	–	1	–
WOODSTOCK ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of).	–	1	–	–	1	D. 1
Borough:—						
†PETERBOROUGH ...	–	1	–	–	1	–
Rural Districts—						
BARNACK... ...	–	–	–	–	–	D. 1
SALOP	–	29	2	–	2	C. 1 N. 2
Boroughs and Urban Districts:—						
†OAKENGATES ...	–	7	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	C. 1
WELLINGTON ...	–	–	1	–	–	–
†WENLOCK ...	–	2	–	–	–	–
WHITCHURCH ...	–	2	–	–		–
Rural Districts:—						
ATCHAM	–	4	–	–	–	–
BRIDGNORTH ...	–	–	–	–	2	N. 1
ELLESMERE ...	–	4	–	–	–	–
LUDLOW	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
WELLINGTON ...	–	6	1	–	–	–
WEM	–	–	–	–	–	N. 1
SOMERSET ...	–	12	2	–	3	E. 1 G. 1 M. 2 N. 1
†BATH C.B. ...	–	7	1	–	–	G. 1
Boroughs and Urban Districts:—						
MIDSOMER NORTON	–	–	–	–	–	E. 1
SHEPTON MALLET	–	–	–	–	1	–
†WESTON SUPER MARE	–	–	–	–	–	M. 1
†YEOVIL	–		–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
T, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
BATH	–	2	–	–	–	–
CLUTTON	–	–		–	1	
FROME	–	–	–	–	–	N. 1
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	–	1			–
WINCANTON ...	–	1	–		–	M. 1
YEOVIL	–	1	–		–	–
SOUTHAMPTON ..	–	42	15	2	5	M. 3 N. 2
†BOURNEMOUTH C.B.	–	2	1	–	–	N. 1
†PORTSMOUTH C.B	–	15	9		–	N. 1
†SOUTHAMPTON C.B	–	8	4	–	1	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	1	1	2	–
†BASINGSTOKE ...	–	3	–	–	–	–
†FAREHAM ...	–	1	–		–	–
†FARNBOROUGH ...	–	–	–	1	–	–
†WINCHESTER ...	–	2	–	–	1	–
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	M. 1
FAREHAM ...	–	2	–	–	–	–
HARTLEY WINTNEY		3	–	–	–	–
HURSLEY		–	–	–	1	–
PETERSFIELD ...	–	–	–	–	–	M. 1
ROMSEY	–	1	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD ...	7	45	28	–	48	C. 1 G. 1 M. 11 N. 4
†BURTON UPON TRENT C.B.	7	–	1	–	–	–
†SMETHWICK C.B.	–	2	2	–	–	–
STAFFORD—*cont.*						
†STOKE ON TRENT C.B.	–	9	5	–	17	C. M.
†WALSALL C.B. ...	–	1	5	–	6	N.
†WEST BROMWICH C.B.	–	–	2	–	2	–
†WOLVERHAMPTON C.B.	–	8	1	–	1	M.
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–		1	N.
†BILSTON	–	2		–	1	M.
†BRIERLEY HILL...	–	–	1	–		–
†BROWNHILLS ...	–	–	–	–	2	–
†CANNOCK	–	2	–	–	3	M.
†COSELEY	–		–	–	2	–
KIDSGROVE ...		–	2	–	–	N.
†LEEK	–	4	–		–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–			–
QUARRY BANK	–		2	–	–	–
†ROWLEY REGIS ...	–	2	1	–	3	–
RUGELEY... ...	–	–	–	–	1	–
STONE	–	–	–	–	1	–
TAMWORTH ...	–	1	–	–		–
†TIPTON	–	–	1	–	1	G 1 N. 1
†WEDNESBURY ...	–	–	–	–	2	M. 1
†WILLENHALL ...	–	–	2	–	2	–
†WOLSTANTON UNITED	–	1	–	–	3	–
Rural Districts:—						
CANNOCK		1	2	–	–	–
KINGSWINFORD ...		4	–	–	–	–
LICHFIELD ...	–	–	1	–	–	–
NEWCASTLE UNDER LYME		1	–	–	–	–
UTTOXETER ...	–	5	–	–	–	–
SUFFOLK, EAST	–	14	2	–	3	C. 1
†IPSWICH C.B. ...	–	2	–	–	1	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST —*cont.*						
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	1	–	–	–
†FELIXSTOWE ...	–	1	–	–	–	–
†LOWESTOFT ...	–	4	–	–	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	1	–
HOXNE	–	5	–	–	–	–
WOODBRIDGE ...	–	2	1	–	–	–
SUFFOLK, WEST	–	4	–	2	3	G. 1 M. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	2	–	–
NEWMARKET ...	–	–	–	–	1	–
SUDBURY... ...	–	–	–	–	1	–
Rural Districts:—						
COSFORD	–	–	–	–	1	–
MELFORD... ...	–	–	–	–	–	G. 1 M. 1
THINGOE	–	3	–	–	–	–
SURREY	–	35	6	5	11	G. 1 M. 2 N. 1
†CROYDON C.B. ...	–	12	2	–	2	–
Boroughs and Urban Districts:—						
†BARNES		1	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CHERTSEY	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COULSDON AND PURLEY	–	1	–	–	–	
†EPSOM	–	–	–	1	–	N. 1
†FARNHAM ...	–	1	–	3	2	–
GODALMING ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	1	–	–	–	–
†MITCHAM... ...	–	–	1	–	–	–
†REIGATE	–	1	–	1	–	–
†RICHMOND ...	–	1	–	–	–	M. 1
†THE MALDENS AND COOMBE	–	–	–	–	2	–
†WALTON UPON THAMES	–	–	–	–	–	M. 1
†WIMBLEDON ...	–	10	1	–	–	–
†WOKING	–	–	–	–	1	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
EPSOM	–	–	2	–	–	–
GUILDFORD ...		1	–	–	–	G. 1
HAMBLEDON ...	–	–	–	–	1	–
REIGATE	–	2	–	–	1	–
SUSSEX, EAST ...	–	15	7	1	5	M. 1 N. 4
†BRIGHTON C.B. ...	–	7	4	1	1	N. 2
†EASTBOURNE C.B.	–	3	–	–	2	–
†HASTINGS C.B. ...	–	–	–	–	1	N. 1
Boroughs and Urban Districts:—						
†HOVE		1	–	–	1	–
†LEWES	–	–	1	–	–	–
NEWHAVEN ...	–	–	–	–	–	M. 1
PORTSLADE BY SEA	–	–	1	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	2	–	–	–	–
EAST GRINSTEAD	–	–	–	–		N. 1
HAILSHAM ...	–	–	1	–	–	–
TICEHURST ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery; M. Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	-	8	-	1	1	C. 1 N. 1
Boroughs and Urban Districts:—						
†BOGNOR	-	1	-	-	-	-
†CHICHESTER ...	-	-	-	1	-	-
†HORSHAM ...	-	4	-	-	-	-
SHOREHAM-BY-SEA	-	1	-	-	-	-
†WORTHING ...	-	-	-	-	-	C. 1 N. 1
Rural Districts:—						
EAST PRESTON ...	-	1	-	-	-	-
HORSHAM ...	-	1	-	-	-	-
THAKEHAM ...	-	-	-	-	1	-
WARWICK ...	-	44	39	1	46	C. 2 G. 1 M. 10 N. 7
†BIRMINGHAM C.B.	-	26	32	-	33	C. 2 G. 1 M. 9 N. 4
†COVENTRY C.B. ...	-	3	1	-	5	-
Boroughs and Urban Districts:—						
KENILWORTH ...	-	-	-	-	-	N. 1
†NUNEATON ...	-	-	-	-	4	-
†ROYAL LEAMINGTON SPA	-	2	-	-	-	-
†STRATFORD ON AVON	-	1	-	-	-	-
†WARWICK ...	-	-	1	-	-	-
Rural Districts:—						
ALCESTER ...	-	2	-	-	1	-
ATHERSTONE ...	-	-	1	-	1	N. 1
BRAILES	-	-	-	1	-	-
COVENTRY ...	-	1	1	-	-	-
FOLESHILL ...	-	2	1	-	-	-
MERIDEN... ...	-	1	1	-	-	-
NUNEATON ...	-	2	-	-	-	-
RUGBY	-	1	-	-	1	N. 1
SOLIHULL ...	-	1	1	-	1	-
SOUTHAM... ...	-	-	-	-	-	M. 1
STRATFORD ON AVON	-	1	-	-	-	-
WARWICK ..	-	1	-	-	-	-
WESTMORLAND	-	2	-	-	1	-
Rural Districts:—						
EAST WESTMORLAND	-	2	-	-	-	-
SOUTH WESTMORLAND	-	-	-	-	1	-
WIGHT, ISLE OF	-	5	1	-	-	-
Boroughs and Urban Districts:—						
†COWES	-	-	1	-	-	-
†RYDE	-	3	-	-	-	-
VENTNOR... ...	-	1	-	-	-	-
Rural Districts:—						
ISLE OF WIGHT	-	1	-	-	-	-
WILTS	-	16	1	-	3	D. 1 N. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	-	-	-	-	-	D. 1
DEVIZES	-	1	-	-	1	-
†SALISBURY ...	-	7	-	-	-	N. 1
†SWINDON... ...	-	-	-	-	2	N. 1
Rural Districts:—						
CALNE	-	-	1	-	-	-
CHIPPENHAM ...	-	1	-	-	-	-
MARLBOROUGH ...	-	1	-	-	-	-
PEWSEY	-	3		-	-	-
WARMINSTER ...	*	*	*	*	*	*
WILTON	-	3	-	-	-	-
WORCESTER ...	-	17	7	-	8	G. 1 M. 1 N. 1
†DUDLEY C.B. ...	-	4	5	-	1	G. 1
†WORCESTER C.B.	-	3	1	-	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts:—						
DROITWICH ...	–	–	1	–	–	–
†HALESOWEN ...	–	1	–	–	1	–
†LYE AND WOLLESCOTE	–	2	–	–	2	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	–			3	N. 1
†STOURBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	3	–	–	–	–
PERSHORE ...	–	2	–	–		–
YORKS ... ... (East Riding).	–	10	12	–	3	C. 1 M. 2 N. 2
†KINGSTON UPON HULL C.B	–	6	11	–	2	C. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
COTTINGHAM ...	–	–	–	–	–	M. 1
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
RICCALL	–	1	–	–	1	–
SCULCOATES ...	–	2	1	–	–	–
YORKS ... ... (North Riding).	–	16	3	–	13	C. 1 N. 1
†MIDDLESBROUGH C.B.	–	7	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	–	–
LOFTUS	–	–	–	–	1	–
MASHAM	–	–	–	–	–	N. 1
†REDCAR	–	1		–	3	–
RICHMOND ...	–	1	–	–	1	–
†SCARBOROUGH ...	–	–	1	–	1	–
†SKELTON AND BROTTON	–	2	1	–	–	–
†WHITBY	–	1	–	–	2	–
Rural Districts:—						
HELMSLEY ...	–	–	1	–	–	–
RICHMOND ...	–	–	–	–	–	C. 1
STOKESLEY ...	–	1	–	–	–	–
WATH	–	–	–	–	1	–
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding).	39	146	41	11	147	C. 8 G. 3 M. 9 N. 12
†BARNSLEY C.B. ...	–	3	–	1	3	–
†BRADFORD C.B. ...	–	6	3	–	14	C. 1 M 2
†DEWSBURY C.B....	–	1	2	–	–	G. 1
†DONCASTER C.B.	1	1	2	–	1	–
†HALIFAX C.B. ...	–	3	1	–	1	C. 1 M. 1
†HUDDERSFIELD C.B.	2	5	4	3	1	C. 1 N. 1
†LEEDS C.B. ...	–	10	7	1	27	C. 3 G. 1 M. 2 N. 2
†ROTHERHAM C.B.	–	1	1	–	5	N. 1
†SHEFFIELD C.B....	7	49	9	–	41	C. 1 G. 1 M. 2 N. 3
†WAKEFIELD C.B.	–	2	3	–	–	N. 1

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–		1	N. 1
ALTOFTS	–	–	–		1	–
†BARNOLDSWICK ...		1	–	–	–	–
†BENTLEY WITH ARKSEY	2	1	1	–	–	
†BINGLEY	1	–	1	–	–	–
†BOLTON UPON DEARNE	–		–	1		M. 1
†BRIGHOUSE ...	–	1	–	–	–	–
†CONISBROUGH ...	2	–	–	–	–	–
CUDWORTH ...	–	–	–	–	1	–
DARFIELD ...	–	–	–	–	–	C. 1
DRIGHLINGTON ...	–	–	–	–	1	–
EARBY	–	1	–	–	–	–
†ELLAND	–	2	–	–	–	–
†FEATHERSTONE ...	–	–	1	–	–	–
GARFORTH ...	–	–	1	–	–	–
GILDERSOME ...	–	–	–	–	1	–
†GOOLE	–	–	–	1	–	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–	1	–		1	–
HEBDEN BRIDGE	–	–	–	–	1	–
†HEMSWORTH ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	1	–	1	1	–
HORSFORTH ...	–	–	1	–	–	–
HOYLAND SWAINE	*	*	*	*	*	*
†KEIGHLEY ...	7	–	–	–	–	–
KIRKBURTON ...	–	–	–	–	–	N. 1
KNARESBOROUGH	–	–	–	–	1	–
†MEXBOROUGH ...	1	–	–	–	–	–
†MORLEY	–	1	1	–	1	–
MYTHOLMROYD ...	–	2	–	–	–	–
NEW MILL ...	–	–	–		1	–
†NORMANTON ...	–	3	–	–	7	–
OTLEY	–	–	–	–	5	
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	1	–	–	–	–
†RAWMARSH ...	–	2	–	–	–	–
†ROTHWELL ...	–	1	–	–	–	–
ROYSTON	–	–	–	1		–
SELBY	–	–	–	–	2	–
SKELMANTHORPE		2	–	–	–	–
†SKIPTON	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SLAITHWAITE ...	–	–	1	–	–	–
†SOWERBY ...	–	2	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	–	M. 1
STOCKSBRIDGE ...	–	1	–	–	–	N. 1
†SWINTON	2	–		–	5	–
THURLSTONE ...	*	*	*	*	*	*
THURNSCOE ...	–	2	–	–	–	–
TICKHILL ...	–	–		–	1	–
†TODMORDEN ...		9	–		1	–
†WOMBWELL ...	1	3	–		1	–
YEADON	–	1		–	1	–
Rural Districts:—						
DONCASTER ...	2	1	1	–	2	–
HEMSWORTH ...	–	–	–	1	7	–
KIVETON PARK ...	–	4	–	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
PATELEY BRIDGE	–	1	–	1	–	–
PONTEFRACT ...	–	3	–	–	–	–
ROTHERHAM ...	–	5	1	–	5	N. 1
SETTLE	–	3	–	–	–	–
TADCASTER ...	–	–	–	–	1	–
THORNE	1	3	–	–	1	–
WAKEFIELD ...	–	1	–	–	2	–
WETHERBY ...	–	–	–	–	1	–
WORTLEY ...	–	2	–	–	–	–
§**YORK, CITY OF**...	–	1	–	–	–	N. 1
†YORK C.B. ..	–	1	–	–	–	N. 1
WALES.						
ANGLESEY ...	–	–	–	–	2	–
Rural Districts:—						
VALLEY	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
CAERNARVON ...	–	1	–	–	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–
CARDIGAN ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
ABERYSTWYTH	–	–	–	–	1	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	–	–	1	–
CARMARTHEN ...	–	2	3	–	2	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
†LLANELLY ...	–	1	3	–	1	–
Rural Districts:—						
LLANELLY ...	–	1	–	–	–	–
DENBIGH ...	–	7	–	1	1	G. 1 N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	4	–	–	–	G. 1
†WREXHAM ...	–	1	–	–	–	–
DENBIGH—*cont.*						
Rural Districts:—						
CHIRK	–	2	–	–	–	–
ST. ASAPH (DENBIGH)	–		–	1	–	–
UWCHALED ...	–	–	–	–		N. 1
WREXHAM ...	–	–	–	–	1	–
FLINT	–	2	1	–	5	–
Boroughs and Urban Districts:—						
BUCKLEY	–	1	–	–	2	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HOLYWELL ...	–	–	1	–	3	–
GLAMORGAN ...	8	36	31	–	28	D. 1 E. 1 F. 1 G. 2 M. 3 N. 4
†CARDIFF C.B. ...	2	7	4	–	3	M. 1 N. 1
†MERTHYR TYDFIL C.B.	1	–	2	–	3	G. 1
†SWANSEA C.B. ...	–	7	4	–	2	D. 1 N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	–	–	2	–
†BARRY	–	2	–	–	–	–
†CAERPHILLY ...	–	–	4	–	2	–
†GELLIGAER ...	5	1	1	–	2	N. 1
†GLYNCORWG ...	–	–	2	–	–	–
†MAESTEG	–	1	2	–	–	–
†MOUNTAIN ASH ...	–	1	1	–	1	F. 1 G. 1
†NEATH	–	2	–	–	1	–
†OGMORE AND GARW	–	–	1	–	1	–
†PONTYPRIDD ...	–	3	–	–	2	E. 1 N. 1
PORTHCAWL ...	–	–	1	–	1	–
†PORT TALBOT ...	–	1	2	–		–
†RHONDDA ...	–	1	5	–	7	M. 1

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
COWBRIDGE ...	–	–	–	–	–	M. 1
LLANTRISANT AND LLANTWIT FARDRE	–	2	–	–		–
NEATH	–	2	–	–	1	–
PONTARDAWE ..	–	2	1	–	–	–
SWANSEA... ...			1	–	–	–
MERIONETH ...	–	3	1	–	–	–
Urban Districts:—						
FESTINIOG ..	–	–	1		–	–
TOWYN	–	1	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	2	–	–	–	–
MONMOUTH ...	39	8	6	–	7	N. 1
†NEWPORT C.B. ...		–	1	–	–	–
Boroughs and Urban Districts:—						
†ABERCARN ...	3	–	–	–	–	–
ABERGAVENNY ...	–	–	1			–
†ABERSYCHAN ..	13	1	–	–	–	–
†ABERTILLERY ..	4		–		–	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	1	1	–	–	–	
†BLAENAVON ...	13		–	–	–	–
†EBBW VALE ..		–	3	–		–
†MYNYDDISLWYN	1	1	–	–	–	N. 1
†NANTYGLO AND BLAINA	–	1	–	–	4	–
†PANTEG	–	1	–	–	–	–
PONTYPOOL ...	4	–	–	–	–	–
†RHYMNEY ..	–	1		–	–	–
†TREDEGAR ...	–	–	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
MAGOR	–	2	–	–	–	–
MONTGOMERY...	–	–	–	–	–	M. 1
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	–	M. 1
PEMBROKE ...	–	4	3	–	1	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	–	1	–	–	–
TENBY	–	1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	3	1	–	–	–
NARBERTH ..	–	–	1	–	–	–
ST. DOGMELLS ...	–	–	–	–	1	–
Total of Part II. ...	259	1273	547	81	819	C. 36 D. 4 E. 4 F. 1 G. 35 L. M. 98 N. 103

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

ort Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
SOUTHAMPTON ...	–	1	–	–	–	–	**Total of Part III.** ...	–	1	–		–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see
Total of Part I.—London	-	279	178	14	94	C. E. G. L. M N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	259	1273	547	81	819	C. D. E. F. G L. M. N.
Total of Part III.—Port Sanitary Districts	-	1	-	-	-	
Total (*i.e.*, of returns received), England and Wales ...	259	1553	725	95	913	C. D. E F. G L. M N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrex

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Aggregate.* — Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Apl. 2.	Apl.* 9.	Apl.* 16.	Apl.* 23.	Apl.* 30.	May* 7.	May* 14.	May* 21.	May* 28.	June* 4.	June* 11	June* 18	June* 25.
DON :—													
THS—all ages	959	980	944	975	980	959	857	871	787	843	801	852	798
0 to 1 year ..	87	98	94	114	98	79	79	71	54	75	65	72	55
AT TOWNS, aggre-e (including Lon-n):—													
HS	6,935	6 899	6,049	6,619	7,602	7,102	6,994	7,045	6,657	7.106	6,066	7,425	6,801
THS—all ages	4,656	4.625	4,316	4,340	4,253	4,347	4,017	3,947	3,847	3,948	3,683	3.879	3,582
0 to 1 year ..	486	560	498	496	459	427	395	376	341	398	341	349	328
ERIC FEVER—Cases	22	16	14	22	18	19	20	14	11	22	30	29	35
„ Deaths	2	2	3	1	—	3	—	1	1	1	4	5	1
LL POX—Cases ..	97	84	70	56	66	73	55	77	81	74	65	60	77
„ Deaths ..	—	—	—	—	—	4	1	—	2†	—	—	—	—
LET FEVER—Cases	766	763	711	700	652	813	840	920	849	973	880	845	897
„ Deaths	5	2	6	4	5	4	5	13	11	5	6	5	4
THERIA—Cases ..	670	677	496	516	493	529	599	593	558	589	451	559	503
„ Deaths ..	25	28	30	27	30	25	30	18	26	25	11	13	17
SLES—Deaths ..	79	76	89	81	68	57	57	57	42	35	43	39	30
UENZA—Deaths ..	160	120	96	82	71	57	47	46	43	42	33	31	33

* For the weeks ended April 9th, and afterwards the figures relate to 107 Great Towns instead of 105, owing to nclusion of Ashton-under-Lyne M.B. and Brentford and Chiswick U.D. (*See* Table 1.)
† Including 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday 25th June, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON REENWICH).	70	46	68·0	50·6	16	HUDDERSFIELD	62	44	59·9	47·6	25
HTON ..	64	49	62·3	52·6	9	BRADFORD ..	61	42	57·3	47·4	43
SMOUTH ..	65	50	64·2	52·9	13	SHEFFIELD ..	63	45	59·7	48·1	29
WICH (EATON).	66	44	63·4	50·1	40	YORK (MUSEUM)	63	40	60·4	47·1	29
MOUTH ..	63	50	61·9	52·0	11	HULL (PEARSON PARK).	66	37	62·0	47·6	30
TOL (CLIFTON).	63	49	60·3	50·7	31	TYNEMOUTH ..	64	44	59·6	48·1	28
INGHAM EDGBASTON).	63	44	60·1	47·6	25	CARDIFF.. ..	61	45	59·6	48·6	33
INGHAM ..	63	44	61·3	49·0	22	EDINBURGH ..	61·0	41·0	56·4	45·1	34
KENHEAD (BIDSTON).	61	47	58·0	49·6	24	GLASGOW ..	59·8	42·0	57·3	46·4	46
CHESTER WHITWORTH PARK).	63	47	59·6	49·4	51	DUBLIN (PHŒNIX PARK).	64·0	40·6	61·3	45·7	20
NLEY	59	42	56·6	47·0	48	(FITZWILLIAM SQUARE†).	64·0	44·3	61·3	48·5	15
						BELFAST.. ..	64·0	42·5	61·3	46·7	37

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 25th June, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	19	..	29·593	67·9	52·8	15·1	57·8	− 1·7	49·6	8 2	21·6	2·8	74	134·1	45·6	52·4	SW: WSW.	WSW	7·9	0·0	1·3	632	+ 388	0·06
MONDAY -	20	..	29·949	70·3	50·1	20·2	60·7	+ 0·8	47·4	13·3	24·6	2·5	61	141·6	42·3	52·6	WSW	W: SW: SSW.	2·2	0·0	0·3	379	+ 133	0·00
TUESDAY -	21	..	29·904	67·0	51·6	15·4	56·6	− 3·7	51·0	5·6	16·3	1·5	82	106·0	44·4	52·6	SSW: SW.	SW: WSW.	4·0	0·0	0·6	418	+ 171	0·04
WEDNESDAY	22	Last Quarter.	30·039	69·8	47·4	22·4	58·2	− 2·4	41·5	16·7	28 2	0·9	54	146·6	38·7	52·9	WSW: WNW.	WSW: SW.	1·7	0·0	0·2	336	+ 87	0·00
THURSDAY -	23	In Equator	29·843	68·0	51·6	16·4	57·4	− 3·5	43·8	13·6	27·3	1·0	60	142·3	40·1	52 8	SW: W.	WSW: SW.	5·6	0·0	0·9	506	+ 256	0·10
FRIDAY -	24	Perigee	29·546	68·4	51·1	17·3	56·5	− 4·7	52·7	3·8	22·4	2·0	87	139·1	43·4	52·9	SW	WSW: NNW.	11·0	0·0	0·9	472	+ 220	0·34
SATURDAY -	25	..	29·662	65·1	46·1	19·0	55·2	− 6·2	47·2	8·0	18·9	1·4	75	131·0	36·9	53·0	NNW: W: SW.	SW	3·2	0·0	0·4	342	+ 89	0·07
MEANS -		..	29·791	68·1	50·1	18·0	57·5	− 3·0	47·6	9·9	22·8	1·7	70	134·4	41·6	52·7	WSW		..	..	..	Sum 3085	Sum +1344	Sum 0·61
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	19	wP till 4h.; variably mP and sN till 16h, then wP.	8·1	16·6	Nearly overcast generally till 16h.; then partially cloudy. Brisk wind 0h to 9h.; and 14h. till 19h. High wind 12h. till 14h. Showers at 12½h., and 20½h. Heavy rain 14½h. till 14¾h.
MONDAY ..	20	wP till 4½h., mP till 17½h., then wP.	11·8	16·6	Partially cloudy generally till 18h., then nearly overcast.
TUESDAY ..	21	wP till 14h.; mP till 22h., then wP.	1·3	16·6	Overcast generally. Shower 10h. Slight damping 11¾h. to 12¾h. Rain 14½h. till 15¾h.
WEDNESDAY	22	wP till 6h.; mP till 12h., then wP.	14·0	16·6	Cloudless till 6½h.; partially cloudy till 18½h.; then variably cloudy.
THURSDAY	23	wP till 4h.; variably sP and sN till 6h.; wP till 8h.; mP till 12h.; then wP.	7·7	16·6	Variably cloudy. Rain 4h. till 5h. Shower 7h. Brisk wind 8h. till 20h.
FRIDAY ..	24	wP till 4½h.; variably wN and wP till 6h.; wP till 8½h.; variably sP and sN till 22h.; then wP.	4·5	16·6	Overcast till 11½h.; variably cloudy till 20½h., then overcast. Damping 4h. Rain 5½h till 11h.: and 20½h. till 23h. Brisk wind 7h. till 13h.; and 15h. till 17h. High wind 13h. to 15h.
SATURDAY	25	wP	5·8	16·6	Partially cloudy till 9h., becoming overcast by 10½h. Rain at 18h.; and from 20¾h.
			Sum 53·2	Sum 116·2	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong, and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·21 ins. at the beginning of the week to 30·00 ins. by 21h. on 20th; decreased to 29·88 ins. by 12h. on 21st; increased to 30·08 ins. by 11h. on 22nd; decreased to 29·48 ins. by 12h. on 24th; increased to 29·82 ins. by 8h. on 25th; decreased and was 29·34 ins. by midnight on the same day.

"Guide to Current Official Statistics."

1s. net.

THIS work appears annually. It is an expert survey of, and Guide to, all the statistics published by the Government. It is not a mere catalogue of titles of official publications of statistical interest. Such a catalogue is of course included, but it forms only about one-third of the volume itself. The main portion of the work, and the one to which it owes its unique value and importance, consists of an alphabetical subject index which not only refers the enquirer to all the current official publications containing statistics bearing on his subject, but in addition indicates their nature and mode of analysis and the time and place to which they relate.

AGRICULTURE	PUBLIC FINANCE
DEFENCE	SOCIAL SERVICES
EDUCATION	TRADE
INDUSTRY AND LABOUR	TRANSPORT
MINING	VITAL STATISTICS

are a few of the many subjects on which the official statistics exist. To track them down is a matter of a few minutes when the GUIDE TO CURRENT OFFICIAL STATISTICS occupies the place it should among the reference books on the desk of the business man, journalist, librarian, student and professional worker.

The volumes are prepared by the Permanent Consultative Committee on Official Statistics.

FIRST ISSUE (1922)	...	1*s.*	*Post Free* 1*s.* 2½*d.*
VOLUME TWO (1923)	...	1*s.*	*Post Free* 1*s.* 4*d.*
VOLUME THREE (1924)	...	1*s.*	*Post Free* 1*s.* 3½*d.*
VOLUME FOUR (1925)	...	1*s.*	*Post Free* 1*s.* 3½*d.*

The second volume includes an appendix dealing broadly with selected publications of permanent statistical interest issued mainly since 1900.

HIS MAJESTY'S STATIONERY OFFICE,
LONDON, MANCHESTER, EDINBURGH, CARDIFF.

FOR OFFICIAL USE

1927. No. 26.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 2ND JULY, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-26-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 2ND JULY, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the births registered in the twenty-sixth week of the year numbered 6,525 and corresponded to an annual rate of 17·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,453 and corresponded to an annual rate of 9·2 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·8, 10·4 and 9·6. Infant mortality based on the average weekly number of births during the last 52 weeks, was 43 per 1,000 births against 50, 52 and 49 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,510 births, corresponding to a rate of 17·1 per 1,000, and 804 deaths of civilians, corresponding to an annual rate of 9·1, against 9·1, 9·6 and 9·0 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·2 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 32 as against 43, 47 and 36 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,582 to 3,453, and in London increased from 798 to 804.

One death from small-pox belonging to Oldham C.B. was registered last week.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 2nd July, 1927.**

Towns.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
107 Great Towns ..	19,540,143*	6,525	3,453†	292	-	27	6	20	16	36
London	4,605,400*	1,510	804	48	-	1	3	8	3	8
Towns in Outer Ring.										
Croydon C.B. ..	205,900	49	30	3	-	-	-	1	-	1
Wimbledon ..	58,030	10	7	-	-	-	-	-	-	-
Ealing	91,783	30	23	3	-	-	-	-	-	-
Acton	63,040	14	9	1	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	18	11	-	-	-	-	-	-	-
Willesden ..	165,270	46	19	2	-	-	-	-	-	-
Hendon	62,570*	16	8	2	-	-	-	-	-	-
Hornsey	87,230	23	15	1	-	-	-	-	-	-
Wood Green ..	51,940	8	5	-	-	-	-	-	-	-
Tottenham ..	151,520	48	22	3	-	-	-	-	-	1
Edmonton	71,700	33	9	1	-	-	-	-	-	-
Enfield	63,640	22	10	1	-	-	-	-	-	-
West Ham C.B. ..	315,900	130	38	3	-	-	-	2	-	-
East Ham C.B. ..	146,600	33	29	-	-	-	1	1	1	-
Leyton	130,000	26	23	1	-	-	-	-	-	1
Walthamstow ..	125,500	32	16	3	-	-	-	-	-	-
Ilford	100,500	38	12	1	-	-	-	-	-	-
Gillingham	47,820*	19	10	-	-	-	-	-	1	-
Canterbury C.B ..	23,470*	7	2	1	-	-	-	-	-	-
Hastings C.B.	61,340	13	15	1	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	10	9	1	-	-	-	-	-	-
Brighton C.B.	139,500*	38	20	1	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	75	29	1	-	-	-	-	-	-
Bournemouth C.B. ..	90,100	29	17	-	-	-	-	-	-	-
Southampton C.B. ..	169,300	53	23	2	-	-	-	-	-	1
Reading C.B	93,090*	27	13	-	-	-	-	-	-	-
Oxford C.B.	56,800	19	16	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	30	16	-	-	-	-	-	-	-
Luton	59,240	14	9	-	-	-	-	-	-	-
Cambridge	58,820	12	10	1	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	35	17	1	-	-	-	-	-	-
Ipswich C.B.	84,140	22	15	-	-	-	-	1	-	-
Great Yarmouth C.B.	57,760	32	12	5	-	-	-	-	-	-
Norwich C.B.	123,500*	46	16	3	-	-	-	-	-	-
Swindon	57,320	15	7	-	-	-	-	-	-	-
Exeter C.B.	60,340*	20	10	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	78	39	3	-	-	-	-	-	-
Bath C.B.	69,000	26	15	-	-	-	-	-	-	-
Bristol C.B.	383,300*	113	46	4	-	-	-	-	-	-
Gloucester C.B. ..	53,050	25	6	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	89	52	10	-	3	-	-	-	-
Burton-upon-Trent C.B.	48,660	14	8	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	49	23	2	-	-	-	-	-	-
Walsall C.B.	102,100	36	19	-	-	1	-	1	1	-
West Bromwich C.B.	79,920	33	14	4	-	1	-	-	-	1
Dudley C.B.	58,930	21	7	1	-	-	-	-	-	-
Worcester C.B. ..	50,660	14	12	2	-	-	-	-	-	1
Birmingham C.B. ..	934,300*	327	155	14	-	-	-	-	2	3
Smethwick C.B. ..	76,940	31	8	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	39	19	1	-	-	-	-	1	1
Leicester C.B. ..	241,700	79	52	3	-	1	-	-	-	-
Lincoln C.B.	65,760*	27	9	1	-	-	-	-	-	-
Grimsby C.B.	88,580	33	16	-	-	-	-	-	-	-
Nottingham C.B. ..	268,000	79	46	3	-	-	-	-	1	-
Derby C.B.	136,600*	47	20	-	-	-	-	-	-	-
Chesterfield ..	66,650	29	5	-	-	-	-	-	-	-
Stockport C.B. ..	125,400	41	21	2	-	-	-	-	-	-
Chester C.B.	41,710	14	8	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	60	32	5	-	-	-	-	-	2
Wallasey C.B. ..	93,050	19	14	1	-	-	-	-	-	-
Liverpool C.B. ..	862,600	345	166	20	-	5	1	-	1	3
Bootle C.B.	84,580	34	10	-	-	-	1	-	-	-
St. Helens C.B. ..	110,000	37	19	3	-	2	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† Including one death from small-pox.

TOWNS.	Estimated Population, Mid. 1926.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
THPORT C.B. ..	77,970	20	11	1	-	-	-	-	-	-	-
AN C.B.	88,620	31	17	3	-	-	-	-	-	-	-
RRINGTON C.B. ..	76,940*	27	15	4	-	-	-	-	-	-	1
TON C.B.	177,000	31	29	2	-	-	-	-	-	1	2
Y C.B.	56,840*	17	14	1	-	-	-	-	-	-	-
NCHESTER C.B. ..	752,000	295	162	20	-	-	-	1	1	5	6
FORD C.B.	247,400	78	44	6	-	1	-	1	-	-	-
TON-UNDER-LYNE	51,050	11	12	-	-	-	-	1	-	-	-
HAM C.B.	143,000	35	33‡	3	-	-	-	-	-	-	-
HDALE C.B.	91,510	19	18	2	-	-	-	-	-	-	-
NLEY C.B	99,600	35	21	6	-	-	-	-	-	-	-
CKBURN C.B. ..	124,400	37	20	2	-	-	-	-	-	-	-
STON C.B.	124,200	25	16	1	-	-	-	-	-	-	-
CKPOOL C.B. ..	88,640	23	16	-	-	-	-	-	-	-	-
ROW-IN-FURNESS B.	70,420	19	11	-	-	-	-	-	-	-	-
DERSFIELD C.B. ..	111,900	33	18	-	-	-	-	-	-	-	-
IFAX C.B.	96,130*	32	18	2	-	-	-	-	-	-	-
DFORD C.B. ..	288,700	81	71	7	-	-	-	1	-	-	1
DS C.B.	473,400	182	89	4	-	-	-	-	-	-	1
VSBURY C.B. ..	53,630	19	10	-	-	-	-	-	-	-	-
KEFIELD C.B. ..	53,830	14	14	1	-	-	-	-	-	-	-
NSLEY C.B. ..	70,760	28	18	4	-	3	-	-	-	-	-
FFIELD C.B. ..	523,300*	150	93	2	-	1	-	1	-	-	1
HERHAM C.B. ..	70,080	28	6	1	-	-	-	-	-	-	-
CASTER C.B. ..	55,700	18	16	2	-	-	-	-	-	-	1
K C.B.	84,430*	29	12	2	-	-	-	-	-	1	1
L C.B.	294,600	108	57	6	-	1	-	-	-	-	-
DLESBROUGH C.B.	133,600	54	29	2	-	-	-	-	-	-	-
LLINGTON C.B. ..	70,700	29	11	-	-	-	-	-	-	-	-
CKTON-ON-TEES ..	67,910	37	11	1	-	-	-	-	-	-	1
T HARTLEPOOL C.B.	71,060	23	18	1	-	-	-	-	-	-	-
DERLAND C.B. ..	163,800	63	44	6	-	2	-	-	-	-	1
TH SHIELDS C.B. ..	123,900	46	27	3	-	-	-	-	-	1	-
ESHEAD C.B. ..	127,700	63	26	6	-	-	-	-	-	2	-
WCASTLE-ON-TYNE B.	284,700*	144	66	9	-	2	-	1	2	1	1
EMOUTH C.B ..	66,560	41	8	1	-	-	-	-	-	-	-
LISLE C.B.	56,140*	12	12	-	-	-	-	-	-	-	-
WPORT (MON.) C.B.	96,620	30	23	3	-	1	-	-	-	-	-
DIFF C.B.	225,600*	75	42	3	-	-	-	-	2	1	1
NDDA	162,500	41	27	3	-	2	-	-	-	1	1
RTHYR TYDFIL C.B.	80,690	24	16	1	-	-	-	-	-	-	-
RDARE	56,930	21	9	-	-	-	-	-	-	-	-
NSEA C.B.	163,200	56	26	2	-	-	-	-	-	-	-
ATER LONDON ..	7,791,310*	2,463	1,316	87	-	1	5	13	5	12	4
ER RING	3,185,910*	953	512	39	-	-	2	5	2	4	1
REAT TOWNS IN UTER RING	1,947,963*	576	286	25	-	-	1	4	1	3	-
AINDER OF OUTER NG	1,237,947*	377	226	14	-	-	1	1	1	1	1
NBURGH†	426,100	157	105	6	-	2	1	1	2	-	-
SGOW†	1,049,000	495	216	33	-	2	-	10	-	3	1
LIN (REGISTRATION REA)†	421,000	195	101	13	-	-	-	-	1	-	-
FAST†	416,000	261	82	8	-	-	-	-	-	1	1

* Population adjusted by the exclusion of non-civilians.
† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and gow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and he addition of deaths of residents reported from elsewhere in Scotland during the week; those in lin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into lic institutions from without the respective areas.
‡ Including 1 death from Small-pox.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
LONDON‡	4,605,400	1927. July 2	1510	804	9·1	-	-	1	3	8	3	
CALCUTTA AND SUBURBS	1,077,264	May 28	?	504‖	24·3	-	28	-	-	-	-	
BOMBAY§	1,298,708	June 11	292	506‖	20·0	4	24	3	-	-	-	1
MADRAS	528,791	„ 4	424	376	37·0	1	-	-	-	1	-	3
SYDNEY AND SUBURBS	1,038,950	May 31 (31 days)	}									
BRISBANE (Metropolitan Area).	274,260	May 31 (31 days)	}									
PERTH (Metropolitan Area).	179,388	May 7	103	49	13·8	-	-	-	-	-	-	
AUCKLAND (Urban Area).	192,176	April 30 (30 days)	}									
WELLINGTON (Urban Area).	121,324	April 30 (30 days)	}									
CHRISTCHURCH (Urban Area).	118,408	April 30 (30 days)	}									
CAPE TOWN	115,348	June 4	51	43	19·4	-	-	-	-	-	1	
JOHANNESBURG	172,189	„ 4	79	42	12·7	-	-	1	-	-	-	
DURBAN	54,738	„ 4	19	11	10·5	-	-	-	-	-	-	
PARIS	2,871,429	„ 20 (10 days)	} 1245	949	12·1	3	1	16	5	4	5	18
ANTWERP	300,668	May 28	111	58	10·0	-	-	-	-	-	-	2
AMSTERDAM	728,147	June 4	281	116	8·3	-	-	6	-	-	-	1
COPENHAGEN	592,000	„ 18	204	148	13·0	-	-	-	-	-	1	-
STOCKHOLM	453,332	„ 11	105	84	9·6	-	-	-	-	-	-	-
GOTHENBURG	231,196	„ 11	?	45	10·1	-	-	-	-	1	-	-
OSLO (CHRISTIANIA) ..	254,055	„ 25	50	42	8·6	-	-	-	-	-	-	-
BERLIN	2,003,000	„ 11	379	411	10·7	-	?	1	2	2	5	1
BRESLAU	564,000	„ 11	155	123	11·3	-	?	-	-	-	-	1
COLOGNE	716,000	„ 11	223	113	8·2	-	?	1	-	2	2	1
DRESDEN	626,000	„ 11	142	98	8·1	-	?	-	-	-	-	-
FRANKFORT-ON-MAIN..	473,000	„ 11	100	68	7·5	-	?	-	-	-	-	-
HAMBURG	1,101,000	„ 11	369	224	10·6	-	?	-	3	-	1	1
LEIPZIG	687,000	„ 11	197	144	10·9	-	?	-	-	1	-	2
MUNICH	685,000	„ 11	164	141	10·7	-	?	-	-	1	-	1
VIENNA	1,871,380	Dec. 31 '26 (31 days)	} 1712	2242	14·4	4	?	-	2	8	12	28
PRAGUE AND SUBURBS	725,196	Dec. 31 '26 (31 days)	} 764	734	12·1	1	-	3	-	2	13	5
BUDAPEST	971,169	June 18	289	233	12·5	2	-	-	2	-	1	4
WARSAW	1,028,982	„ 18	?	260	13·2	4	-	3	2	12	-	18
CAIRO	874,300	Jan. 21	887	514	30·7	4	-	4	-	?	2	31
ALEXANDRIA	501,800	„ 21	525	300	31·2	-	-	-	-	?	2	27
NEW YORK	5,924,018	June 18	?	1301	9·2	-	-	3	-	4	17	14
CHICAGO	3,101,000	„ 17	1298	671	11·3	-	-	2	-	2	5	9

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 31 deaths from Cholera in Calcutta and 3 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 2nd July, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	804	48	14	15	23	31	31	57	106	161	147	171
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	3	-	-	1	2	-	-	-	-	-	-	-
Whooping cough	8	5	2	1	-	-	-	-	-	-	-	-
Diphtheria	3	-	-	3	-	-	-	-	-	-	-	-
Influenza	3	-	-	-	-	-	-	-	-	1	1	1
Erysipelas	6	-	-	-	-	-	-	1	-	3	1	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	1	-	-	-	1	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	67	-	-	-	3	12	12	13	15	11	1	-
Nervous system	7	1	1	5	-	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	4	-	-	-	1	-	1	1	-	1	-	-
Venereal diseases	4	1	-	-	-	-	-	1	-	1	1	-
Cancer	128	1	-	-	-	1	3	9	20	42	31	21
Rheumatic fever	4	-	-	-	1	1	-	-	-	1	-	1
Diabetes	7	-	-	-	-	1	-	-	-	3	3	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	-	1	-	1	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	39	-	-	-	-	1	-	-	5	10	13	10
Epilepsy	2	-	-	-	-	-	-	1	-	-	1	-
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	-	2	1	4	-	1	4	5	5	1	4
Pericarditis	2	-	1	-	-	-	-	-	-	1	-	-
Acute endocarditis	6	-	-	-	-	-	1	2	1	1	-	1
Other diseases of heart	115	-	-	-	-	3	2	3	14	24	26	43
Other diseases of circulatory system	56	-	-	-	-	1	-	1	6	11	18	19
Bronchitis	27	-	1	-	-	-	-	-	2	10	3	11
Broncho-pneumonia	21	3	1	1	2	2	-	-	1	2	3	6
Lobar-pneumonia	15	-	2	-	-	-	-	2	4	3	3	1
Pneumonia (type not distinguished)	9	-	1	-	-	-	1	-	1	3	2	1
Other diseases of respiratory system	9	-	-	1	-	-	2	-	2	-	1	3
Diarrhœa and enteritis	8	8	-	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	8	-	-	-	2	2	-	2	1	-	-	1
Hernia, Intestinal obstruction	5	-	-	-	-	-	-	2	-	2	1	-
Cirrhosis of liver	6	-	-	-	-	-	-	-	-	2	2	2
Other diseases of digestive system ..	25	-	-	-	1	1	1	1	9	4	4	4
Acute nephritis	2	-	-	-	-	-	-	-	-	1	1	-
Chronic Bright's disease	28	-	-	-	-	2	1	3	3	9	5	5
Other diseases of genito-urinary system.	16	-	-	-	-	2	-	2	2	-	5	5
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	5	-	-	-	-	1	2	2	-	-	-	-
Congenital malformations	3	3	-	-	-	-	-	-	-	-	-	-
Premature birth	18	18	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	1	1	-	-	-	-	-	-	-	-	-	-
Old age	30	-	-	-	-	-	-	-	-	1	7	22
Suicide	10	-	-	-	-	-	-	1	4	2	3	-
Burns and Scalds	2	-	1	1	-	-	-	-	-	-	-	-
Drowning	1	-	-	-	-	-	1	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	17	-	-	1	2	1	1	3	2	1	3	3
Other deaths by violence	14	-	-	-	1	-	1	1	2	4	2	3
Other specified causes	27	7	-	-	2	-	1	2	5	2	5	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 2nd July, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	300	179	5	88	C. 7 D. 1 G. 4 L. 3 M. 21 N 11
Metropolitan Boroughs:—						
†BATTERSEA ...	-	14	4	-	6	M. 3
†BERMONDSEY ...	-	15	6	-	3	M. 1 N. 1
†BETHNAL GREEN	-	11	12	-	4	N. 1
†CAMBERWELL ...	-	15	12	-	2	M. 1
†CHELSEA	-	3	-	-	1	-
†DEPTFORD ...	-	11	6	-	1	-
†FINSBURY ...	-	1	3	-	1	-
†FULHAM	-	9	6	-	9	D. 1 L. 3 M. 1
†GREENWICH ...	-	17	9	1	3	-
†HACKNEY ...	-	19	4	1	3	M. 1 N. 2
†HAMMERSMITH ...	-	5	2	-	2	C. 1 N. 1
†HAMPSTEAD ...	-	1	1	-	-	-
†HOLBORN... ...	-	-	2	-	2	N. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	16	5	-	3	C. 1 G. 1 M. 3 N. 1
†KENSINGTON ...	-	8	10	-	3	
†LAMBETH ...	-	14	11	-	9	C. 1 G. 1
†LEWISHAM ...	-	18	9	1	-	M. 1
†PADDINGTON ...	-	7	4	-	4	G. 1 N. 1
†POPLAR	-	25	5	-	9	M. 3
†ST. MARYLEBONE	-	5	2	-	-	M. 1
†ST. PANCRAS ...	-	9	9	-	4	C. 1 G. 1 M. 2
†SHOREDITCH ...	-	3	7	-	-	C. 1
†SOUTHWARK ...	-	10	16	1	2	M. 1 N. 2
†STEPNEY	-	15	20	-	3	C. 1 M. 3
†STOKE NEWINGTON	-	6	2	-	-	-
†WANDSWORTH ...	-	21	5	-	8	C. 1
†WESTMINSTER, CITY OF	-	5	2	1	-	-
†WOOLWICH ...		17	5	-	6	N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	14	4	1	2	N. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	-	2	-	-	-	-
†BEDFORD... ...		6	-	-	-	-
LEIGHTON BUZZARD	-	1		-	-	-
†LUTON	-	-	4	1	-	N. 1
Rural Districts:—						
AMPTHILL ...	-		-		2	-
BEDFORD ..	-	5	-	-	-	-
BERKS	-	11	2	4	1	-
†READING C.B. ...	-	3	-	2	-	-
Boroughs and Urban Districts:—						
ABINGDON ...	-	1	-	-	-	-
†MAIDENHEAD ...	-	4	-			
†NEWBURY ...	-	1		-		-
Rural Districts:—						
BRADFIELD ...	-		1	-		-
COOKHAM ...	-	-	-	2	-	-
EASTHAMPSTEAD	-	1	-	-	-	-
WANTAGE .	-	1	-	-	1	-
WOKINGHAM ...	-	-	1	-	-	-
BUCKINGHAM...		7		1	2	-
Boroughs and Urban Districts:—						
BLETCHLEY ...		-	-	-	1	-
†SLOUGH	-		-	1	-	-
Rural Districts:—						
AMERSHAM ...	-	3	-	-	-	-
AYLESBURY ...	-	1	-	-	-	-
BUCKINGHAM ...		-	-	-	1	-
ETON	-	1	-	-	-	-
WING	-	2	-	-		-
WINSLOW... ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	-	4	1	2	2	N. 1
Borough:—						
†CAMBRIDGE ...	-	3	1	1	1	-
Rural Districts:—						
CHESTERTON ...	-	-	-	-	1	N. 1
LINTON	-	1	-	-	-	-
NEWMARKET ...	-	-	-	1	-	-
CHESTER ...	-	27	20	3	26	C. 4 E. 1 G. 1 M. 2 N. 2
†BIRKENHEAD C.B.	-	-	5	-	13	M. 1
†CHESTER C.B. ...	-	-	2	-	-	-
†STOCKPORT C.B.	-	12	2	-	1	C. 1
†WALLASEY C.B. ...	-	1	3	1	1	-
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	-	-	-	-	N. 1
BOLLINGTON ...	*	*	*	*	*	*
BREDBURY AND ROMILEY	-	-	2	-	-	-
†CHEADLE AND GATLEY	-	-	-	-	1	-
†CONGLETON ...	-	-	1	-	3	-
†CREWE	-	3	-	-		-
†DUKINFIELD ...	-	-	-	-	1	-
†HAZEL GROVE AND BRAMHALL	-	3		-	-	-
†HYDE	-	-	3	-	1	-
†MACCLESFIELD ...	-	-		-	2	-
NANTWICH ...	-	-	-	-		G. 1
NESTON AND PARKGATE	-	-	-	-	-	N. 1
†NORTHWICH ...	-	1	1	-	-	-
†RUNCORN... ...	-	-	-	-	1	-
SANDBACH ...	-	-	-	-	-	C. 1
†STALYBRIDGE ...	-	-	-	-	-	C. 1 M. 1
Rural Districts:—						
CHESTER	-	5	1	-	-	-
NORTHWICH ...	-	1	-	-	-	C. 1
RUNCORN ...	-	1	-		-	-
WIRRAL	-	-	-	2	2	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	8	3	–	1	G. 1 N. 2
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	1	–	–	N. 1
†FALMOUTH ...	–	–	1	–	–	–
LISKEARD ...	–	–	1	–	–	–
PADSTOW ...	–	1	–	–	–	–
REDRUTH ...	–	3	–	–	1	–
ST. IVES	–	1		–	–	–
ST. JUST	–	1	–	–	–	–
Rural Districts:—						
ST. AUSTELL ...	–	2	–		–	–
ST. GERMANS ...	–	–	–	–	–	G. 1 N. 1
CUMBERLAND...	–	4	4	–	4	–
†CARLISLE C.B. ..	–	–	–		2	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
COCKERMOUTH ...	–	1	1	–		–
HOLME CULTRAM	–	1	–	–	2	–
MILLOM	–	1		–	–	–
†WORKINGTON ...			1	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	*	*	*	*	*	*
BRAMPTON ...	–	1	–	–	–	–
CARLISLE ...	*	*	*	*	*	*
PENRITH	–	–	1	–	–	–
DERBY	5	33	25	–	19	G. 1 M. 2 N. 4
†DERBY C.B. ...	2	4	12		4	G. 1 N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ..	–	–	1	–	1	–
ALVASTON AND BOULTON	–	–	1	–	–	–
ASHBOURNE ...	–	1	–	–	1	–
BAKEWELL ...	–	–	–	–	1	–
†BELPER	3	–	–	–	–	–
†BOLSOVER ...	–	1	–		–	–
†CHESTERFIELD ..	–	8	–	–	1	–
†HEANOR	–	1	1	–	1	M. 1
†ILKESTON ...	–	2		–	1	M. 1
†LONG EATON ...	–	1	2	–	–	–
NEW MILLS ...	–	1	–	–	–	–
†THE MATLOCKS...	–	1	–	–		–
WIRKSWORTH ...	–	–	–	–	–	N. 1
Rural Districts:—						
ASHBOURNE ...	–	–		–	1	–
BAKEWELL ...	–	–	–	–	2	–
BELPER	–	1	–	–	–	–
BLACKWELL ..		1	2	–	–	N. 1
CHESTERFIELD ..		7	3	–	–	–
CLOWNE	–	–	–	–	1	–
HARTSHORN AND SEALE	–	–	2	–	1	–
REPTON	–	1	–	–	3	–
SHARDLOW ..	–	1	1	–	1	–
SUDBURY... ...	–	2	–	–	–	–
DEVON	–	24	10	3	6	C. 2 G. 2 M. 1
†EXETER C.B. ...	–	2	–	–	–	–
†PLYMOUTH C.B...		13	7	–	–	C. 2 G. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–		–	3	G. 1
BRIXHAM... ...	–	1	–	–	–	–
†EXMOUTH ...	–	–	–	–	2	–
†NEWTON ABBOT	–	1	–		–	–
†TEIGNMOUTH ...	*	*	*	*	*	*
†TORQUAY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	-	1	-	-	-	-
CREDITON ...		4	2	-	-	-
NEWTON ABBOT...	-	-	-	1	-	-
PLYMPTON ST. MARY	-	1	1	-		-
ST. THOMAS ...	-	-	-	2	1	M. 1
DORSET	-	6	-	-	2	G. 1 N. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	-	-	-	-	-	G. 1
†PORTLAND ..	-	-	-	-	1	-
Rural Districts:—						
BEAMINSTER ...	-	-	-	-	-	N. 1
BLANDFORD ...	-	3	-	-	-	-
POOLE	-	1	-	-	-	-
SHAFTESBURY ...	-	1	-	-	-	-
WEYMOUTH ...	-	1	-	-	1	-
DURHAM ...	120	35	19	1	62	C. 3 E. 1 G. 3 M. 5 N. 1
†DARLINGTON C.B.	-	2	-	-	8	G. 1
†GATESHEAD C.B.	1	6	6	-	1	C. 1
†SOUTH SHIELDS C.B.	42	1	-	-	13	-
†SUNDERLAND C.B.	1	2	2	-	12	M. 1
†WEST HARTLEPOOL C.B.	-	-		-	3	-
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	1	-	1	-	-
BENFIELDSIDE ...	-	4	1	-	-	C. 1
†BISHOP AUCKLAND	-	-	-	-	-	G. 1
†BLAYDON... ...	1	-	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*						
Boroughs and Urban Districts— *cont.*						
†CHESTER LE STREET	1	-	-		-	-
†CROOK	2	-	-	-	-	-
†DURHAM	1	-	-	-	-	-
†FELLING	4	2	-	-	-	C. 1
†HETTON	10	-	-	-	2	-
†HOUGHTON LE SPRING	1	-	1	-	1	-
†JARROW	2	-	1	-	6	-
LEADGATE ...	-	1	1	-	2	-
†RYTON	-	1	-	-	-	-
†SEAHAM HARBOUR	-	2	-	-	-	-
†SHILDON	1	-	-	-	-	-
†SOUTHWICK ON WEAR	-	-	-	-	1	-
†SPENNYMOOR ...	-	1	-	-	-	-
†STANLEY	1	2	1	-	-	-
†STOCKTON ON TEES	-	2	1	-	2	M. 1
†WASHINGTON ...		1	-	-	1	-
†WHICKHAM ...	-	-	1	-	3	-
Rural Districts:—						
AUCKLAND ...	3	-	-	-	-	G. 1
CHESTER LE STREET	11	1	1	-	-	-
DURHAM	1	1	-	-	1	-
EASINGTON ...	6	1	-		2	M. 1 N. 1
HOUGHTON LE SPRING	-	-	1	-	1	-
LANCHESTER ...		1	2	-	-	M. 1
SEDGEFIELD ..	18	-		-	1	E. 1
SOUTH SHIELDS...	11	-	-	-	-	-
SUNDERLAND ...	-	1	-	-	2	M. 1
WEARDALE ...		2	-	-	-	-
ELY, ISLE OF ...	-	-	-	-	2	-
Boroughs and Urban Districts:—						
CHATTERIS ...	-	-	-	-	1	-
WHITTLESEY ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	-	119	58	3	19	C. 1 G. 1 M. 1 N. 7
†EAST HAM C.B. ...	-	12	9	-	1	N. 1
†SOUTHEND-ON-SEA C.B.	-	4	-	1	3	M. 1 N. 1
†WEST HAM C.B. ...	-	44	8	-	5	C. 1 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	3	2		2	-
BRAINTREE ...	-	-	1	-	-	-
BRENTWOOD ...	-	1	-	-	-	-
BUCKHURST HILL	-	1	-	-	-	-
†CHELMSFORD ...	-	2	-	-	-	-
CHINGFORD ...	-	-	-	-	1	-
†CLACTON	-	1	-	-	1	-
†COLCHESTER ...	-	1	1	1	2	-
DAGENHAM ...	-	3	10	-	-	-
†GRAYS THURROCK	-	2	2	-	-	N. 1
†HORNCHURCH ...	-	1	1	-	-	-
†ILFORD	-	12	2	1	-	-
†LEYTON	-	7	14	-	1	G. 1
LOUGHTON ...	-	1	-	-	-	-
TILBURY	-	1	-	-	-	
WALTHAM HOLY CROSS	-	2	-	-	-	-
†WALTHAMSTOW...	-	13	4	-	1	-
Rural Districts:—						
BELCHAMP ...	-	-	-	-	-	N. 1
BILLERICAY ...	*	*	*	*	*	*
EPPING	-	1	-	-	-	-
MALDON	-	-	-	-	1	N. 1
ONGAR	-	-	1	-	1	-
ORSETT	-	3	2	-	-	-
ROCHFORD ...	-	-	1	-	-	-
SAFFRON WALDEN	-	2	-	-	-	-
STANSTED ...	-	1	-	-	-	-
TENDRING ...	-	1	-	-	-	-
GLOUCESTER ...	-	33	10	-	10	C. 2 E. 1 G. 1 L. 1 M. 2 N. 3

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER— *cont.*						
†BRISTOL C.B. ...	-	23	7	-	6	C. 1 L. 1 M. 2 N. 2
†GLOUCESTER C.B.	-	-	-	-	1	-
Boroughs and Urban Districts:—						
CHARLTON KINGS	-	1	-	-	-	-
†CHELTENHAM ...	-	-	1	-	-	-
COLEFORD ...	-	-	-	-	-	G. 1
†MANGOTSFIELD ...	-	1	-	-	-	-
Rural Districts:—						
CAMPDEN... ...	-	1	-	-	-	-
CHELTENHAM ...	-	-	1	-	-	-
CIRENCESTER ...	-	-	-	-	2	-
GLOUCESTER ...	-	2	-	-	-	-
LYDNEY	-	2	-	-	-	C. 1
NORTHLEACH ...	-	-	-	-	-	E. 1
WEST DEAN ...		3	-	-	1	-
WHEATENHURST	-	-	1	-	-	-
WINCHCOMB(part)	-	-	-	-	-	N. 1
HEREFORD ...	-	3	-	-	1	-
Boroughs and Urban Districts:—						
†HEREFORD ...	-	1	-	-	-	-
KINGTON	-	1	-	-	-	-
Rural Districts:—						
BROMYARD ...	-	-	-	-	1	-
HEREFORD ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	-	10	4	-	-	-
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	-		1	-	-	-
GREAT BERKHAMPSTEAD	-	3	-	-	-	-
HARPENDEN ...	-	-	1	-	-	-
†ST. ALBANS ...	-	2	2	-	-	-
SAWBRIDGEWORTH	-	1	-	-	-	-
Rural Districts:—						
†BARNET		1	-	-	-	-
†HEMEL HEMPSTEAD	-	1	-	-	-	-
HERTFORD ...	-	1	-	-	-	-
WARE	-	1	-	-	-	-
HUNTINGDON ...	-	3	-	-	2	-
Boroughs and Urban Districts:—						
GODMANCHESTER	-	-	-	-	1	-
Rural Districts:—						
NORMAN CROSS ...	-	-	-	-	1	-
ST. IVES	-	3	-	-	-	-
KENT	-	54	28	8	6	C. 2 E. 1 G. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...		4	-	-	-	-
†BEXLEY	-	3	-	-	-	-
†BROADSTAIRS AND ST. PETER'S	-	1	-		-	-
†BROMLEY ...	-	1	-	-	-	-
†CHATHAM ...	-	1	4	-	1	N. 1
†DARTFORD ...	-	2	1	-	-	-
†DOVER	-	3		-	-	-
†ERITH	-	2	-	-	2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
FAVERSHAM ...	-	1	-	-	-	-
†FOLKESTONE ...	-	3	1	-	2	-
†GILLINGHAM ...	-	2	3	-	-	-
†GRAVESEND ...	-	3	4	-	-	-
†MAIDSTONE ...	-	5	-	3	-	M. 1
†MARGATE ...	-	4	2	-	-	-
†NORTHFLEET ...	-	-	1	-	-	-
†PENGE	-	1	2	-	-	M. 1
†ROYAL TUNBRIDGE WELLS	-	1	3	-	-	-
SEVENOAKS ...	-	1	-	-	-	-
†SHEERNESS ...	-	2	-	-	-	-
SWANSCOMBE ...	-	1	-	1	-	-
WALMER	*	*	*	*	*	*
WHITSTABLE ...	-	1	-	-	-	-
WROTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BLEAN	-	-	1	-	-	-
BROMLEY ...	-	1	-	1	-	-
DARTFORD ...	-	1	1	-	-	-
EAST ASHFORD ...	-	-	-	-	-	G. 1
EASTRY	-	1	-	-	-	-
ISLE OF THANET	-	-	-	-	-	C. 1
MAIDSTONE ...	-	-	-	-	-	C. 1
MALLING	-	1	2	2	-	-
MILTON	-	-	1	-	-	-
SEVENOAKS ...	-	2	-	1	-	E. 1
STROOD	-	4	2	-	-	-
TENTERDEN ...	-	1	-	-	1	-
TONBRIDGE ...	-	1	-	-	-	-
LANCASTER ...	6	171	85	8	149	C. 6 D. 2 G. 5 M. 22 N. 18
†BARROW IN FURNESS C.B.	-	-	-	-	-	N. 1
†BLACKBURN C.B.	-	2	7	-	5	G. 1
†BLACKPOOL C.B.	1	7	2	2	4	N. 1
†BOLTON C.B. ...	-	3	-	-	2	-
†BOOTLE C.B. ...	-	1	-	-	3	N. 2
†BURNLEY C.B. ...	-	1	-	-	-	-

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†BURY C.B. ...	–	5	–	–	1	–
†LIVERPOOL C.B. ...	–	31	23	–	26	D. 1 M. 12 N. 5
†MANCHESTER C.B.	–	33	16	–	43	C. 2 D. 1 G. 3 M. 5 N. 3
†OLDHAM C.B. ...	2	4	1	–	2	M. 1
†PRESTON C.B. ...	–	4	1	–	–	–
†ROCHDALE C.B. ...	–	–	–	–	1	–
†ST. HELENS C.B. ...	–	3	4	–	3	M. 2 N. 1
†SALFORD C.B. ...	–	22	10	2	7	–
†SOUTHPORT C.B.	–	–	–	–	–	C. 1
†WARRINGTON C.B.	–	1	4	–	4	–
†WIGAN C.B. ...	1	1	1	1	6	C. 1 M. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ..	–	–	1	–	–	–
†ASHTON IN MAKERFIELD	–	–	1	–	–	–
†ASHTON UNDER LYNE	–	2	–	–	–	N. 1
ASPULL	–	1	–	–	1	–
†ATHERTON ...	–	3	1	–	2	N. 1
AUDENSHAW ...	–		–	–	1	–
†BACUP	–	–	–	–	1	M. 1
†CHORLEY	–	–	–	–	2	–
†COLNE	–	2	1	–	4	–
†CROMPTON ...	–	–	1	–	–	–
†DALTON IN FURNESS	–	1	1	–	–	–
†DARWEN	–	4	–	–	1	–
†ECCLES	–	9	1	–	–	–
†FAILSWORTH ...	–		–	2	3	G. 1
†FARNWORTH ...	–	–	–	–	–	C. 2 N. 1
†FLEETWOOD ...	–	–	1	–	2	
GOLBORNE ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	–	–	–	1	–
†HASLINGDEN ...	–	1	–	–	–	–
†HEYWOOD ...	–	2	–	–	–	–
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...	–	4		–	1	–
HUYTON WITH ROBY	*	*	*	*	*	*
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†INCE IN MAKERFIELD	–	–	–	–	4	–
KEARSLEY ...	–	–	–	–	2	–
†LANCASTER ...	–	1	–	–	2	N. 1
LATHOM AND BURSCOUGH	–	2	–	–	–	–
LEES	–	–	–	–		N. 1
†LEIGH	–	–	1	–	2	–
†LITHERLAND ...	–		2		–	–
LITTLE HULTON..	–	–	1	–	–	–
LONGRIDGE ...	–	1	–	–	–	–
†MIDDLETON ...	–	–	–	–	1	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	2	–	–	2	–
†OSWALDTWISTLE	–	1	–		–	–
†PADIHAM... ...	1	–	1	–	–	–
PREESALL ...	–	1	–	–		–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	3	1	–		–
†RAWTENSTALL ...	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	–	–	–	1	–
†SWINTON AND PENDLEBURY	–	5	1	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	1	–
†WESTHOUGHTON	–	–	–	–	1	–
†WORSLEY... ...	–	–	–	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURNLEY... ...	1	–	–	–	–	–
FYLDE	–	2	–	–	1	–
LUNESDALE ...	*	*	*	*	*	*
ULVERSTON ...	–	1	–	1	–	–
WHISTON... ...	–	1		–	–	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever : N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	-	13	12	1	10	M. 1 N. 1
†LEICESTER C.B. ...	-	5	4	-	4	M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	-	-	1	-	2	-
†LOUGHBOROUGH	-	-	1	-		-
Rural Districts:—						
ASHBY DE LA ZOUCH	-	-	-	-	2	-
BARROW UPON SOAR	-	-	1	-	-	-
BLABY	-	1	1	-	-	-
CASTLE DONINGTON	-	-	-	-	1	-
LUTTERWORTH ...	-	-	-	-	1	-
MARKET BOSWORTH	-	7	4	1	-	-
LINCOLN (parts of Holland).		-	2	-	-	-
Boroughs and Urban Districts:—						
†SPALDING ...		-	1	-	-	-
Rural Districts:—						
SPALDING (part)..		-	1	-	-	-
LINCOLN (parts of Kesteven).		2	2	-	-	-
Boroughs and Urban Districts:—						
SLEAFORD ...	-	2	-	-	-	-
Rural Districts:—						
BOURNE	-	-	1	-	-	-
GRANTHAM ...	-	-	1	-	-	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	-	14	4	-	4	M. 3
†GRIMSBY C.B. ...	-	1	1	-	-	-
†LINCOLN C.B. ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	-	1	2	-		-
BRIGG	-	1	-	-	-	-
†CLEETHORPES ...	-	1	-	-	2	M. 2
CROWLE	-	1	-	-	-	-
†GAINSBOROUGH ...	-	-	-	-	1	-
MABLETHORPE AND SUTTON	-	1	-	-	-	-
†SCUNTHORPE AND FRODINGHAM	-	3	-	-	1	M. 1
Rural Districts:—						
GRIMSBY	-	-	1	-	-	-
HORNCASTLE ...	-	3		-	-	-
MIDDLESEX ...	-	69	32	6	18	C. 1 M. 3 N. 2
Boroughs and Urban Districts:—						
†ACTON	-	3	1	-	1	C.
†BRENTFORD AND CHISWICK	-	-	1	-	1	-
†EALING	-	6	1	-	1	-
†EDMONTON ...	-	3	2	-	-	-
†ENFIELD	-	4	3	-	2	-
FELTHAM ...	-	-	-	1	-	-
†FINCHLEY ...	-	1	-	-		-
†FRIERN BARNET	-	1	-	1	-	-
†HAMPTON ...	-	-	-	1	-	-
HAMPTON WICK...	-	-	-	-	1	-
†HARROW ON THE HILL	-	1	-	-	-	M. 1
†HENDON	-	1	1	-	-	-
†HESTON AND ISLEWORTH	-	2	2	-	4	M. 1
†HORNSEY... ...	-	4	1	-	-	N. 2
†SOUTHALL NORWOOD	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHGATE ...	–	9				–
STAINES	–	1	–	–	–	–
†TEDDINGTON ..		1	–	–	–	–
†TOTTENHAM .		10	4	1	4	–
†TWICKENHAM ..	–	–	1	–	–	–
†UXBRIDGE ...	–	–	1	–	1	–
†WEALDSTONE ...	–	9		1	–	–
†WEMBLEY ...	–	1	2	–	1	–
†WILLESDEN ..	–	7	12	1	–	M. 1
Rural Districts:—						
HENDON	–	3	–	–	1	–
STAINES	–	1	–	–	1	–
NORFOLK ..	–	14	3	4	2	D. 1 M. 1 N. 4
†GREAT YARMOUTH C.B.	–	3		–		–
†NORWICH C.B. ...	–	6	1	2	–	M. 1 N. 4
Boroughs and Urban Districts:—						
EAST DEREHAM ...		–	–	1		–
†KING'S LYNN ...	–	1	1	–	–	–
NORTH WALSHAM	–	1		–	–	–
Rural Districts:—						
BLOFIELD ...	–	–	–		1	–
MARSHLAND ...	–	–	1	1	–	–
MITFORD AND LAUNDITCH	–	–	–	–	–	D. 1
ST. FAITH'S ...	–	3	–	–		–
SMALLBURGH ...	–	–	–	–	1	–
NORTHAMPTON	–	3	6	2	8	M. 2 N. 1
†NORTHAMPTON C.B.	–	1	3	–	6	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†KETTERING ...	–	–	2	1	2	–
ROTHWELL ...	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ..	–	–	–	–	–	N. 1
HARDINGSTONE ...	–	–	–	–	–	M. 1
KETTERING ..	–	–	–	1	–	–
NORTHAMPTON ...	–	1	–	–	–	–
OXENDON... ...	–	–	–	–	–	M. 1
WELLINGBOROUGH	–	–	1	–	–	–
NORTHUMBERLAND.	5	40	3	3	33	C. 1 G. 2 L. 1 M. 5 N. 2
†NEWCASTLE UPON TYNE C.B.	1	13	1	1	22	G. 1 M. 2 N. 1
†TYNEMOUTH C.B	–	9	1	–	2	C. 1 M. 2
Boroughs and Urban Districts:—						
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	3	1	–	1	–	–
†BEDLINGTONSHIRE	–	1	–	–		–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	1	–	–	4	–
†EARSDON	–	1	–	–	–	–
HEXHAM	–	–	–	1	–	–
MORPETH... ..	–	–	1	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	–	
PRUDHOE... ...	–	1	–	–	1	–
SEGHILL	–	–	–	–	–	L. 1
†WALLSEND ...	–	3	–	–	1	–
WEETSLADE ...	–	2	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	–	M. 1 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
ALNWICK	–	1	–	–	–	–
BELFORD	*	*	*	*	*	*
BELLINGHAM ...	1	–	–	–	–	–
CASTLE WARD ...	–	1	–	–	–	–
HALTWHISTLE ...	–	–	–	–		G. 1
HEXHAM	–	2	–	–	1	–
MORPETH ...	–	–	–	–	2	–
NOTTINGHAM ...	3	23	10	6	12	M. 4
†NOTTINGHAM C.B.	–	13	8	–	2	–
Boroughs and Urban Districts:—						
†BEESTON... ...	–	3	–	–	1	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	–	–	–	2	–
†MANSFIELD ...	3	–	1	–	1	M. 2
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	–	–	3	–	–
†SUTTON IN ASHFIELD	–	–	–	–	1	–
†WORKSOP... ...	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	3	1	–	–	–
NEWARK	–	–	–	3	1	–
SKEGBY	–	–	–	–	2	–
SOUTHWELL ...	–	2	–			M. 1
STAPLEFORD ...	–	1	–	–	–	M. 1
OXFORD	–	6	1	–	1	–
†OXFORD C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	1	–	–	–
OXFORD—*cont.*						
Rural Districts:—						
CULHAM	–	1	–	–	–	–
HEADINGTON ...	–	3	–	–	–	–
WITNEY	–	–	–	–	1	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	–
SALOP	–	9	1	–	4	C. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
NEWPORT ...	–	–	–	–	1	–
†SHREWSBURY ..	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WHITCHURCH ...	–	2	–	–		–
Rural Districts:—						
ATCHAM	–	1	–	–	1	–
CLEOBURY MORTIMER	–	–	–	–	1	–
ELLESMERE ...	–	3	–	–	–	–
LUDLOW	–	–	–	–	–	C. 1
WELLINGTON ...	–	2	–	–	–	–
SOMERSET ...	–	17	3	1	4	L. 1 M. 1 N. 2
†BATH C.B. ...	–	8	1	–	–	–
Boroughs and Urban Districts:—						
MIDSOMER NORTON	–	3	–	–	–	–
SHEPTON MALLET	–	–	1	–	–	N. 1
STREET	*	*	*	*	*	*
†WESTON SUPER MARE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	-		-	-	1	-
BATH	-	1	1	1	-	-
CHARD	-	-	-	-	1	-
CLUTTON	-	1	-	-	2	N. 1
LONG ASHTON ...	-	1	-	-	-	L. 1
WILLITON ...	-	2	-		-	-
YEOVIL	-	-	-		-	M. 1
SOUTHAMPTON ..	-	39	9	1	3	G. 1 M. 6
†BOURNEMOUTH C.B	-	1	2	1	-	-
†PORTSMOUTH C.B	-	13	4		-	-
†SOUTHAMPTON C.B		11	2	-	1	G. 1 M. 5
Boroughs and Urban Districts:—						
†ALDERSHOT ...	*	*	*	*	*	*
†EASTLEIGH AND BISHOPSTOKE	-	3	-	-	-	-
†GOSPORT	-	1	-		-	-
PETERSFIELD ...	-	1	-	-	-	-
WARBLINGTON ...	-	-	-	-	1	-
†WINCHESTER ...	-	4	-	-	1	-
Rural Districts:—						
FAREHAM ...	-	1	-	-	-	-
NEW FOREST ...	-	1	-	-		-
SOUTH STONEHAM	-	-	1	-		-
STOCKBRIDGE ...	-	2	-	-	-	-
WINCHESTER ...	-	1	-	-	-	M. 1
STAFFORD ...	1	32	16	1	64	C. 2 D. 1 G. 1 L. 4 M. 7 N. 6
†BURTON UPON TRENT C.B.	1	-	-	-	1	M. 1
†SMETHWICK C.B.	-	1	2	-	6	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†STOKE ON TRENT C.B	-	6	2	-	26	M. 4 N. 1
†WALSALL C.B. ..		1	4	-	2	N. 1
†WEST BROMWICH C.B	-	1	-		3	C. 1
†WOLVERHAMPTON C.B.	-	5	-	-	-	D. 1 M. 1
Boroughs and Urban Districts:—						
BIDDULPH ...	-	-	1	-	-	-
†BILSTON	-	1	1		4	-
†BROWNHILLS ..	-	1	-	-	3	
†COSELEY	-	-	-	-	1	-
†DARLASTON ...	-	-	-		2	-
KIDSGROVE ..	-	-	-	-	1	N. 1
†LEEK	-	1	-	-	-	-
QUARRY BANK	-	-	-	1	-	-
†ROWLEY REGIS ...	-	3	-	-	2	-
RUGELEY... ...	-	-	-	-	-	G. 1
†SEDGLEY	-	-	-	-	1	-
SHORT HEATH ..	-	-	2	-	-	-
†TIPTON	-	-	-	-	2	-
†WEDNESBURY ...	-	3	-	-	3	-
†WILLENHALL ..	-	3	2	-	1	-
†WOLSTANTON UNITED	-	-	-	-	2	-
Rural Districts:—						
CANNOCK	-	1	-	-	1	-
CHEADLE... ...		2	2	-	2	L. 4 N. 1
KINGSWINFORD ...	-	1	-	-	-	-
LEEK	-	1	-	-	-	-
LICHFIELD ..	-	-	-	-	-	C. 1 M. 1 N. 1
SEISDON	-	-	-	-	1	N. 1
UTTOXETER ...	-	1	-	-	-	-
SUFFOLK, EAST	-	30	3	-	5	E. 1 N. 2
†IPSWICH C.B. ..	-	9	-	-	1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST —*cont.*						
Boroughs and Urban Districts:—						
ALDEBURGH ...	-	-	1	-	-	-
BECCLES	-	3	-	-	-	-
†FELIXSTOWE ...	-	1	-	-	-	-
†LOWESTOFT .	-	8	2		-	N. 1
SOUTHWOLD ...	-	1	-	-	-	-
STOWMARKET ...	-	-	-	-	1	
Rural Districts:—						
BOSMERE AND CLAYDON	-	4	-	-	-	-
EAST STOW ...	-	-	-	-	1	-
HARTISMERE ...	-	-	-	-	-	E. 1
HOXNE	-	3	-	-	-	-
PLOMESGATE ...	-	-	-	-	1	-
SAMFORD... ...	-	-		-	1	-
WOODBRIDGE ...	-	1	-	-	-	-
SUFFOLK, WEST	-	1	-	1	-	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	-	-	1	-	-
NEWMARKET ...		1	-	-	-	-
SURREY	-	46	16	3	12	C. 2 D. 1 G. 1 M. 3 N. 2
†CROYDON C.B. ...	-	24	7	2	1	G. 1 M. 2
Boroughs and Urban Districts:—						
†BARNES	-	2	-		-	C. 1
†BEDDINGTON AND WALLINGTON	-	1	-	-	-	-
†CARSHALTON ...	-	1	-		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHERTSEY	-	2			1	-
†COULSDON AND PURLEY	-	1	-	-	-	-
EAST AND WEST MOLESEY	-	-	1	1	-	-
†EGHAM	-	-	-	-	2	N. 1
†GUILDFORD ...	-	-		-	3	-
†KINGSTON ON THAMES	-	3	1	-	1	-
LEATHERHEAD ...	-	-	1	-	-	-
†MERTON AND MORDEN	-	1	2	-	-	-
†MITCHAM... ...	-	2	2	-	1	C. 1
†REIGATE	-	-	2	-	-	M. 1
†SURBITON ...	-		-	-	2	-
†SUTTON		1	-			-
†WIMBLEDON ...		6	-		-	D. 1 N. 1
†WOKING		1			-	-
Rural Districts:—						
GODSTONE ...	-	1		-	-	-
REIGATE	-	-	-	-	1	-
SUSSEX, EAST ...	-	14	3	-	1	M. 1
†BRIGHTON C.B. ..	-	5	3	-		-
†EASTBOURNE C.B.	-	2	-	-	1	M. 1
†HASTINGS C.B. ...	-	4	-	-	-	-
Rural Districts:—						
CHAILEY		1	-	-	-	-
CUCKFIELD ...	-	1	-		-	-
UCKFIELD ...		1		-	-	-
SUSSEX, WEST...	-	11	5	1	1	N. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	-	1	2	-	-	-
†HORSHAM ...	-	6	-		-	-
SHOREHAM-BY-SEA	-	-	1	-	-	-
†WORTHING ..	-	3	1	1	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
HORSHAM ..	–	1	–	–	–	–
THAKEHAM ...	–	–	–	–	–	N. 1
WESTHAMPNETT	–	–	1	–	–	–
WARWICK ...	–	63	36	–	29	C. 1 G. 4 M. 4 N. 2
†BIRMINGHAM C.B.	–	32	29	–	22	C. 1 G. 2 M. 2 N. 1
†COVENTRY C.B. ...	–	6	2	–	2	G. 2
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	1	–	1	–
†ROYAL LEAMINGTON SPA	–	2	–	–	–	–
†RUGBY	–	5	–	–	–	–
†STRATFORD ON AVON	–	3	–	–	–	–
†WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	3	3	–	–	–
COVENTRY ...	–	2	–	–	–	–
FOLESHILL ...	–	5	1	–	2	M. 1
NUNEATON ...	–	2	–	–	–	N. 1
SOLIHULL ...	–	2	–	–	–	M. 1
TAMWORTH (part)	–	–	–	–	1	–
WESTMORLAND	–	4	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF	–	4	–	1	–	D. 1
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	–	–	1	–	–
†RYDE	–	2	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	–	D. 1
WILTS	–	20	3	–	3	C. 1 N. 1
Boroughs and Urban Districts:—						
DEVIZES	–	1	–	–	–	–
†SALISBURY ...	–	9	–	–	–	–
†SWINDON... ...	–	–	–		1	–
Rural Districts:—						
AMESBURY ...	–	2	–	–	–	C. 1
CALNE	–	–	3	–	–	–
CHIPPENHAM ...	–	2	–	–	–	–
HIGHWORTH ...	–	–	–	–	2	–
MALMESBURY ...	–	–	–	–	–	N. 1
MELKSHAM ...	–	3	–	–	–	–
MERE	–	1	–	–	–	–
TISBURY	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	16	3	2	10	C. 1 D. 1 G. 1 N. 1
†WORCESTER C.B.	–	3			4	
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	1	2	1	1	C. 1
†LYE AND WOLLESCOTE	–	1	–	–	2	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	–	1	–	–	–
†OLDBURY... ...	–	–	–	–	2	G. 1 N. 1
†REDDITCH ...	–	–	–	1	–	D. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*—cont.*						
Rural Districts:—						
BROMSGROVE ...	–	4	–	–	–	–
DROITWICH ...	–	3	–	–	–	–
EVESHAM... ...	–	3	–	–	–	–
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	12	11	–	2	M. 3
†KINGSTON UPON HULL C.B	–	11	9	–	–	M. 3
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–
HESSLE	*	*	*	*	*	*
Rural Districts:—						
NORTON	*	*	*	*	*	*
RICCALL	–	–	1	–	2	–
SCULCOATES ...	*	*	*	*	*	*
YORKS ... ... (North Riding).	7	14	2	3	5	G. 1
†MIDDLESBROUGH C.B	–	1		–	3	–
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
LOFTUS	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
†REDCAR	–	1	–	–	1	G. 1
SALTBURN BY THE SEA	–	1	–	–	–	–
†SCARBOROUGH ...	2	–	2	–	–	–
†SKELTON AND BROTTON	5	1	–	–	–	–
†WHITBY	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
FLAXTON ...	–	–	–	3	–	–
GUISBOROUGH ...	–	2	–	–	–	–
HELMSLEY ...	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
STOKESLEY ...	–	1	–	–	1	–
YORKS ... ... (West Riding).	29	106	44	8	131	C. 3 G. 4 M. 11 N. 8
†BARNSLEY C.B. ...	–	1	–	–	3	M. 1 N. 1
†BRADFORD C.B. ...	–	4	8	–	19	G. 1 M. 1
†DEWSBURY C.B....	–	1	–		–	M. 1
†DONCASTER C.B.	4	1	3	–	3	
†HALIFAX C.B. ...	–	4	2	–	1	N. 1
†HUDDERSFIELD C.B.	1	3	1	1	–	–
†LEEDS C.B. ...	–	14	6	1	11	N. 1
†ROTHERHAM C.B.	1	3	–	–	8	N. 1
†SHEFFIELD C.B....	1	45	11	–	38	C. 2 G. 1 M. 6 N.
†WAKEFIELD C.B.	–	1	1	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	–	–	–	–
ALTOFTS	–	1	–		1	–
†BENTLEY WITH ARKSEY	1	–	2	–	–	–
†BINGLEY	–	1	–	–	2	–
BIRSTAL	–	1	–	–	–	–
†BOLTON UPON DEARNE	4	–		–	–	–
†BRIGHOUSE ...	1	–	–	–	–	–
†CASTLEFORD ...	–	–	–	1	1	–
†CONISBROUGH ...	–	2	–	–	–	–
CUDWORTH ...	–	–	–	–	–	C. 1
DARFIELD ..	–	1	–		–	–
†DARTON	–	–	1	–	–	–
†FEATHERSTONE ...	–	1	–	–	–	–
FLOCKTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOOLE	-	1	-	-	-	-
GREASBROUGH ...	-	-	-	-	-	G. 1
†HARROGATE ...	-	-	1	-	1	-
HAWORTH ...	2		-	-	-	-
HECKMONDWIKE	1	1	-	-	-	-
†HEMSWORTH ...	-	-	-	-	3	-
†HOLMFIRTH ...	-	1	-	-	1	-
†HOYLAND NETHER	-	-	-		1	M. 1 N. 1
†KEIGHLEY ...	4	-	-	-	-	-
KNOTTINGLEY ...	-		1	-	3	-
†MIRFIELD ...	-	-	-	-	1	G. 1
†MORLEY	-	-	-	-	1	-
†NORMANTON ...	-	-	-	-	6	N. 1
†OSSETT	*	*	*	*	*	*
OTLEY	-	-	-	-	5	-
†PONTEFRACT ...	-	2	-	1	-	-
†RAWMARSH ...	-	3	-	-	-	-
SELBY	-	-	-	-	1	-
SKELMANTHORPE	-	-		-	1	-
†SKIPTON	-	2	-		-	-
SOUTH CROSLAND	1	-	-		-	-
SOUTHOWRAM ...	*	*	*	*	*	*
†SPENBOROUGH ...	-	1	1	1	-	-
SPRINGHEAD ...		2	-	-	-	-
†STANLEY	-	-	-	-	1	-
STOCKSBRIDGE ...			-	-	2	-
†SWINTON	-	1	-	-	-	-
†TODMORDEN ...	-	1	1	-		-
†WOMBWELL ..	-	2	-	-	1	-
†WORSBOROUGH ...	-	-	2	-	-	-
Rural Districts:—						
DONCASTER ..	4	-	1	-	4	-
HALIFAX	2	-	-	-	-	-
HEMSWORTH ...	-	3	1	1	7	N. 1
KIVETON PARK ...	1	-	1	-	-	-
PATELEY BRIDGE	-	-	-	-	1	-
ROTHERHAM ...	-	-	-	-	1	-
SETTLE	-	1	-	-	-	-
WAKEFIELD ...	-	-	-	-	-	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
WHARFEDALE (SOUTH)	-	-	-	1	-	-
WORTLEY ...	-	-	-	1	1	-
§YORK, CITY OF...	-	-	1	1	1	C. 1 D. 1
†YORK C.B. ...	-	-	1	1	1	C. 1 D. 1
WALES.						
BRECKNOCK ...	-	-	1	-	-	-
Boroughs and Urban Districts:—						
BRECKNOCK ...	-	-	1	-	-	-
CAERNARVON...	-	-	1	1	-	-
Boroughs and Urban Districts:—						
CONWAY	-	-	1	-	-	-
†LLANDUDNO ...	-	-	-	1	-	-
CARDIGAN ...	-	3	1	1	1	-
Boroughs and Urban Districts:—						
ABERYSTWYTH	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN—*cont.*						
Rural Districts:—						
CARDIGAN ...	–	2	1	–	–	–
LLANDYSSIL ...	–	1	–	1	–	–
CARMARTHEN ...	–	–	6	–	2	N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–		1	–	1	–
BURRY PORT ...	–	–	1	–	–	–
†LLANELLY ...	–	–	2	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANELLY ...	–	–	1	–		N. 1
LLANYBYTHER ...	–	–	–	–	1	
WHITLAND ...	*	*	*	*	*	*
DENBIGH ...	–	5	7	1		N. 2
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	1	–	–	–	–
DENBIGH ...	*	*	*	*	*	*
RUTHIN	*	*	*	*	*	*
†WREXHAM ...	–	1	–	1	–	–
Rural Districts:—						
LLANSILIN ...		–	–	–	–	N. 1
RUTHIN	–	–	7	–	–	–
WREXHAM ...	–	3	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	1	5	1	4	G. 1 M. 1
Boroughs and Urban Districts:—						
HOLYWELL	–	–	1	–	–	–
MOLD	–	–	–	1	–	–
†RHYL	–	1	2	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	4	G. 1
HOLYWELL ...	–	–	2	–	–	M. 1
GLAMORGAN ...	7	23	24	1	18	M. 3 N. 3
†CARDIFF C.B. ..	2	6	7	–	3	–
†MERTHYR TYDFIL C.B.	–	–	1	–	2	–
†SWANSEA C.B. ..		3	3	–	2	N. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3				–
†CAERPHILLY ...		–	2	–	–	–
†GELLIGAER ...	2	–	1	–	3	–
†MAESTEG... ...	–	2	2	–	1	–
†MOUNTAIN ASH...	3	1	1	1	1	M. 1
†NEATH	–	2	–	–	–	–
†OGMORE AND GARW	–	1	2	–	–	–
†PENARTH ...		–	–	–	1	–
†PONTYPRIDD ..	–	1	–		–	M. 1
PORTHCAWL ...	–	1	–	–	–	–
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	1	3	–	4	M. 1
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE		–	–	–	–	N. 1
NEATH	–		1		–	–
SWANSEA... ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	–	3	1	–	–	N. 1
Urban Districts:—						
FESTINIOG ...	–	1	1	–	–	–
TOWYN	–	2	–	–	–	–
Rural Districts:—						
PENNAL (PARISH)	–	–	–	–	–	N. 1
MONMOUTH ...	45	6	3	–	4	E. 1 G. 1
†NEWPORT C.B. ..	–	2	1	–	1	G. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	17	–	–	–	–	–
†ABERTILLERY ..	1	–	1	–	–	–
†BLAENAVON ...	22	–	–	–	–	–
†EBBW VALE ..	–	3	1	–	1	–
LLANFRECHFA UPPER	–	1	–	–	–	–
†MYNYDDISLWYN	2	–	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	2	E. 1
PONTYPOOL ...	3	–	–	–	–	–
MONTGOMERY...	–	–	–	–	3	N. 1
Boroughs and Urban Districts:—						
MONTGOMERY— *cont.*						
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	2	–
MACHYNLLETH ...	–	–	–	–	–	N.
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE ...	–	4	3	–	1	–
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	3	–	–	–
Rural Districts:—						
HAVERFORDWEST.		3	–	–	–	–
LLANFYRNACH ...		–	–	–	1	–
NARBERTH ..	–	1	–	–	–	–
Total of Part II. ...	228	1234	556	84	712	C. 3 D. E. G. 3 L. M. 9 N. 8

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

nitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HAMPTON ...	–	–	–	–	–	N. 1	TEIGNMOUTH	*	*	*	*	*	*
							Total of Part III. ...	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
Total of Part I.—London	–	300	179	5	88
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	228	1234	556	84	712
Total of Part III.—Port Sanitary Districts	–	–	–	–	–
Total (*i.e.*, of returns received), England and Wales ...	228	1534	735	89	800

‡ The letters in this column denote the following diseases:—A, Cholera; B, Pl
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute
encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Cont
Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyr
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—LONDON and GREAT TOWNS in the REGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSE and DEATHS of INFANTS under 1 YEAR O AGE) and NOTIFIED CASES of certain IN FECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Apl. 9.	Apl. 16.	Apl. 23.	Apl. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.
ON :—													
HS—all ages	980	944	975	980	959	857	871	787	843	801	852	798	804
0 to 1 year ..	98	94	114	98	79	79	71	54	75	65	72	55	48
T TOWNS, aggre- e (including Lon-): — HS	6 899	6,049	6,619	7,602	7,102	6,994	7 044	6,656	7.106	6,066	7,425	6,8 1	6.525
HS—all ages	4,625	4,316	4,340	4,253	4,347	4,017	3,947	3,847	3,948	3,683	3.879	3.582	3,453
0 to 1 year ..	560	498	496	459	427	395	376	341	398	341	349	323	292
RIC FEVER—Cases	16	14	22	18	19	20	14	11	22	30	29	35	28
„ Deaths	2	3	1	—	3	—	1	1	1	4	5	1	—
L POX—Cases ..	84	70	56	66	73	55	77	81	74	65	60	77	61
„ Deaths ..	—	—	—	—	4	1	—	2*	—	—	—	—	1
LET FEVER—Cases	763	711	700	652	813	840	920	849	973	880	845	897	930
„ Deaths	2	6	4	5	4	5	13	11	5	6	5	4	6
THERIA—Cases ..	677	496	516	493	529	599	593	558	589	451	559	503	503
„ Deaths ..	28	30	27	30	25	30	18	26	25	11	13	17	16
SLES—Deaths ..	76	89	81	68	57	57	57	42	35	43	39	30	27
UENZA—Deaths ..	120	96	82	71	57	47	46	43	42	33	31	33	28

* Including 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 2nd July, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON	73	43	66·3	50·1	36	HUDDERSFIELD	68	45	60·1	48·4	15
REENWICH).						BRADFORD ..	65	44	59·7	48·6	11
HTON ..	64	45	61·1	52·0	63	SHEFFIELD ..	65	45	59·7	48·7	32
SMOUTH ..	65	46	62·1	52·8	60	YORK (MUSEUM)	68	46	62·0	49·7	6
WICH (SOUTH- ELL LODGE).	69	46	64·0	50·0	20	HULL (PEARSON PARK).	65	47	60·0	49·3	8
OUTH ..	65	50	61·1	51·9	16	TYNEMOUTH ..	61	46	55·1	49·0	45
TOL (CLIFTON).	69	48	62·3	50·7	30	CARDIFF.. ..	66	46	61·3	49·4	15
MINGHAM EDGBASTON).	67	44	60·4	48·3	25	EDINBURGH ..	59·0	43·0	55·3	46·6	7
TINGHAM ..	68	46	61·3	49·6	42	GLASGOW ..	70·3	43·8	59·8	48·3	12
KENHEAD (BIDSTON).	66	46	58·1	49·6	18	DUBLIN (PHŒNIX PARK).	61·0	43·0	59·0	46·9	25
CHESTER WHITWORTH PARK).	70	46	60·4	50·1	16	(FITZWILLIAM SQUARE†).	60·0	46·1	58·1	49·3	26
NLEY	69	44	58·9	47·7	10	BELFAST.. ..	65·0	44·0	61·6	48·2	19

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 2nd July, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	26	..	29·374	60·2	45·0	15·2	49·6	−11·9	44·3	5·3	16·9	1·4	82	126·1	36·9	52·9	WSW: WNW.	NW: NNW: SW.	6·7	0·0	0·6	432	+ 180	0·07
MONDAY	27	..	29·601	66·2	43·1	23·1	52·4	− 9·2	49·1	3·3	17·4	0·5	88	136·0	34·2	53·0	SW: WSW.	SW: WSW.	1·7	0·0	0·1	273	+ 21	0·12
TUESDAY	28	..	29·704	67·3	49·7	17·6	54·8	− 6·8	52·0	2·8	17·5	1·8	90	145·0	46·1	53·0	WSW: NW.	SW: SSW.	1·3	0·0	0·1	244	− 7	0·15
WEDNESDAY	29	New. Greatest Declination N.	29·560	66·6	50·1	16·5	56·7	− 4·9	53·1	3·6	12·4	0·0	87	116·9	46·0	53·0	S: SSE: SSW.	S	2·1	0·0	0·2	259	+ 10	0·12
THURSDAY	30	..	29·385	73·4	51·2	22·2	60·8	− 0·7	56·5	4·3	16·3	0·0	86	144·1	42·9	53·0	ENE: ESE.	S: Calm.	1·3	0·0	0·1	167	− 81	0·27
JULY. FRIDAY	1	..	29·159	65·8	52·5	13·3	56·9	− 4·6	54·4	2·5	11·9	0·0	91	138·3	42·9	53·0	N: ENE: ESE.	ESE: ENE: NE.	4·1	0·0	0·4	321	+ 73	0·72
SATURDAY	2	..	29·483	63·1	54·1	9·0	57·2	− 4·4	54·3	2·9	10·6	1·3	90	88·6	50·7	53·1	NE: N: NNW.	NNW: W: SSW.	2·3	0·0	0·2	261	+ 13	0·00
MEANS		..	29·467	66·1	49·4	16·7	55·5	− 6·1	52·0	3·5	14·7	0·7	88	127·9	42·8	53·0	Variable		..	..	..	Sum 1957	Sum + 209	Sum 1·45
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	26	wP till 10h.; variably wP and mN till 20h., then wP.	2·1	16·6	Overcast till 19h., then clearing to nearly cloudless by 22h. Brisk wind 5h. till 9h. Shower 9h. Rain 10h till 11¼h.; and 12¼h. till 12¾h. Thunder 18¾h. till 19h.
MONDAY ..	27	wP till 12½h.; variably mP and sN till 17¼h.; then wP.	1·7	16·5	Partially cloudy, becoming nearly overcast by 7h. Showers 7¼h, 8h., 12¾h. and 13¼h. Rain from 14h. till 16h.; 18¼h. to 19¾h.; and 20½h. to 21h.
TUESDAY ..	28	wP till 10¾h.; variably wP and sN till 17h.; then wP.	1·0	16 5	Nearly overcast generally. Damping 4h. till 5h. Showers 8¼h., 10½h., 10¾h., 12¾h. and 14¼h. Rain 15¼h. till 15¾h. Hail 14¾h. Occasional thunder between 14¼h. and 15¼h. Lightning about 15¼h.
WEDNESDAY	29	wP	1·3	16·5	Overcast generally. Rain 3h. till 6h.; and from 13¾h. till 14¾h.; then damping till 19h.
THURSDAY	30	wP till 5¼h.; variably sN and sP till 9h.; then wP.	5·9	16·5	Variably cloudy. Rain 5¼h. till 6h. Solar halos 11¾h. and 15h.
JULY. FRIDAY ..	1	wP till 5h.; variably wP and wN till 9h.; then wP.	1·2	16·5	Variably cloudy becoming overcast by 4h. Rain 5h. till 10½h.; 16½h. till 17¼h.; and 18¼h. till 18¾h. Showers 12½h.; 15h., 19¼h. and 22h.
SATURDAY	2	wP till 5¼h.; mP till 11h., then wP.	0·3	16·5	Overcast with slight breaks between 17h. and 18h. Slight shower 8¼h.
			8hrs 13·5	8hrs 115·6	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·34 ins. at the beginning of the week to 29·25 ins. by 8h. on June 26th; increased to 29·73 ins. by 9h. on June 28th; decreased to 29·13 ins. by 10h. on July 1st; increased and was 29·61 ins. by midnight on July 2nd.

THE 1921

CENSUS

THE decennial census of England and Wales provides a wealth of statistical data relating to an exceptionally wide range of social conditions and activities and so furnishes matter of the greatest value for the solution of a vast number of current political and economic problems.

Encyclopædic in scope, the volumes are a storehouse of information of the most detailed nature and of exceptional accuracy which can be put to an extraordinary range and variety of uses. They have proved, for instance, of signal service in industry and commerce and to advertisers anxious to obtain quantitative data on which to base production and selling campaigns. Each County in England and Wales is surveyed separately and the figures relating to them are published in 52 volumes of foolscap folio size.

Ten general volumes are devoted to a grouping of statistics to illustrate the Industrial and Occupational divisions of the country and such special relationships as Dependency Orphanhood, etc. A general Report on the Census as a whole is now ready and is included in the set offered. It may be obtained separately 5s. (Post Free 5s. 6d.).

The complete set of volumes originally cost £34 4s. net and it has been decided to offer the few sets that remain at the exceptionally low price of £12 net, postage extra.

The series may be ordered at this price at any of the sale offices of H.M. Stationery Office.

LONDON: Adastral House, Kingsway, W.C.2.
MANCHESTER: York Street.
EDINBURGH: 120, George Street.
CARDIFF: 1, St. Andrew's Crescent.
BELFAST: 15, Donegall Square West.

FOR OFFICIAL USE

1927. No. 27.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 9TH JULY, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-27-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 9TH JULY, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the twenty-seventh week of the year numbered 6,758 and corresponded to an annual rate of 18·0 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,667 and corresponded to an annual rate of 9·8 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·4, 9·6 and 9·2. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 52 against 52, 49 and 43 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,560 live births, corresponding to a rate of 17·6 per 1,000, and 781 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·8, against 9·6, 9·0 and 9·1 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·1 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 43 as against 47, 36 and 32 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 3,453 to 3,667, and in London decreased from 804 to 781.

Under the Birth and Death Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered on the 1st and 2nd July was 32 in the Great Towns including 3 in London. During the week ended the 9th July the number was 219 in the Great Towns including 47 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 9th July, 1927.**

Towns.	Estimated Population, Mid. 1926	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,540,143*	6758	219	3667	353	8	36	5	24	26	38	31
London	4,605,400*	1560	47	781	66	2	1	-	2	7	9	6
Towns in Outer Ring.												
Croydon C.B. ..	205,900	76	1	36	4	-	-	-	-	-	1	-
Wimbledon ..	58,030	15	1	11	-	-	-	-	-	-	-	-
Ealing	91,783	41	-	20	5	-	-	-	-	-	-	-
Acton	63,040	18	1	16	1	-	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	17	-	13	1	-	-	-	-	-	-	-
Willesden ..	165,270	46	2	20	1	-	-	-	-	-	-	-
Hendon	62,570*	24	-	9	1	-	-	-	-	-	-	-
Hornsey	87,230	29	-	14	-	-	-	-	-	-	-	-
Wood Green ..	51,940	13	-	12	2	-	-	-	-	-	-	-
Tottenham ..	151,520	41	-	33	-	-	-	-	-	-	-	-
Edmonton	71,700	40	-	6	1	-	-	-	-	-	-	-
Enfield	63,640	14	-	8	1	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	110	4	46	9	1	-	-	3	1	2	1
East Ham C.B. ..	146,600	32	1	23	1	-	-	1	-	1	-	-
Leyton	130,000	33	-	20	3	-	-	-	-	-	2	-
Walthamstow ..	125,500	46	-	27	4	-	-	-	-	2	-	-
Ilford	100,500	28	1	12	2	-	-	-	2	-	-	-
Gillingham	47,820*	20	1	10	2	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	7	-	4	-	-	-	-	-	-	-	-
Hastings C.B.	61,310	15	-	14	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	17	1	11	1	-	-	-	-	-	-	-
Brighton C.B.	139,500*	27	2	20	1	-	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	87	-	49	5	-	1	-	-	1	1	1
Bournemouth C.B. ..	90,100	31	-	21	1	-	-	-	-	-	1	-
Southampton C.B. ..	169,300	67	1	47	7	1	-	2	-	-	-	-
Reading C.B	93,090*	32	3	19	2	-	-	-	-	-	-	-
Oxford C.B.	56,800	26	-	8	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	23	1	20	1	-	-	-	-	1	-	-
Luton	59,240	10	-	6	-	-	-	-	-	-	-	-
Cambridge	58,820	15	1	14	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	25	-	22	1	-	-	-	-	-	-	-
Ipswich C.B.	84,140	32	1	12	2	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	27	2	13	1	-		-	-	-	-	-
Norwich C.B.	123,500*	62	-	34	4	-	-	-	-	-	1	-
Swindon	57,320	20	-	6	-	-	-	-	-		-	-
Exeter C.B.	60,340*	20	1	16	2	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	70	2	32	3	-	-	-	-	-	-	-
Bath C.B.	69,000	12	-	19	-	-	-	-	-	-	-	-
Bristol C.B.	383,300*	147	2	78	5	1	-	-	-	-	-	-
Gloucester C.B. ..	53,050	23	-	9	1			-	-	-	-	-
Stoke-on-Trent C.B.	275,600	105	3	68	14	-	3	-	-	1	1	-
Burton-upon-Trent C.B.	48,660	25	-	9	2		-	-		1	-	-
Wolverhampton C.B.	131,000	43	-	23	3		-	-	1	-	1	-
Walsall C.B.	102,100	39	2	27	4	-	2	-	1	1	1	-
West Bromwich C.B.	79,920	28	2	21	2	-	-	-	-	-	-	-
Dudley C.B.	58,930	23	2	11	2		1	-	-	-	-	-
Worcester C.B. ..	50,660	15	-	11	1	-	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	345	10	163	14	-	-	-	1	1	1	-
Smethwick C.B. ..	76,940	26	-	13	-	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	40	1	21	1	-	-	-	-	-	-	-
Leicester C.B. ..	241,700	97	4	40	3	-	-	1	-	-	-	-
Lincoln C.B.	65,760*	23	-	19	2	-	-	-	-	-	-	-
Grimsby C.B.	88,580	37	1	10	1	-	-	-	-	-	-	-
Nottingham C.B. ..	268,000	93	4	50	7	-	-	-	-	-	2	-
Derby C.B.	136,600*	46	1	18	2	-	-	-	-	-	-	-
Chesterfield ..	66,650	40	1	13	3	-	-	-	-	-	-	-
Stockport C.B. ..	125,400	34	1	17	2	-	-	-	-	-	-	-
Chester C.B.	41,710	10	1	6	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	64	-	35	2	-	-	-	-	-	1	-
Wallasey C.B. ..	93,050	31	-	23	3	-	-	-	-	-	-	-
Liverpool C.B. ..	862,600	361	18	177	18	2	7	-	5	2	4	-
Bootle C.B.	84,580	41	1	13	1	-	-	-	-	-	-	-
St. Helens C.B. ..	110,000	48	3	23	6		2	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	77,970	31	-	17	-	-	-	-	-	-	-	-
WIGAN C.B.	88,620	28	1	25	6	-	1	-	-	-	-	-
WARRINGTON C.B. ..	76,940*	33	-	12	-	-	-	-	-	-	-	-
BOLTON C.B.	177,000	69	2	41	3	-	-	-	-	-	-	1
BURY C.B.	56,840*	19	-	10	1	-	-	-	-	-	-	-
MANCHESTER C.B. ..	752,000	258	10	141	16	-	1	-	1	2	1	2
SALFORD C.B.	247,400	86	6	42	5	-	2	-	-	-	-	1
ASHTON-UNDER-LYNE	51,050	8	-	13	1	-	-	-	1	-	-	-
OLDHAM C.B.	143,000	56	2	32	3	-	-	-	-	-	-	-
ROCHDALE C.B.	91,510	18	1	18	2	-	-	-	-	-	1	-
BURNLEY C.B	99,600	28	2	21	3	-	-	-	-	-	-	-
BLACKBURN C.B. ..	124,400	40	3	17	4	-	-	-	-	-	-	-
PRESTON C.B.	124,200	28	-	30	1	-	1	-	1	-	-	-
BLACKPOOL C.B. ..	88,640	32	-	18	1	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	70,420	24	1	11	1	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	111,900	21	4	25	2	-	-	-	-	-	-	-
HALIFAX C.B.	96,130*	37	1	19	2	-	-	-	-	-	1	-
BRADFORD C.B. ..	288,700	69	2	58	6	-	1	-	-	2	-	-
LEEDS C.B.	473,400	156	6	74	4	-	-	1	-	-	-	1
DEWSBURY C.B. ..	53,630	9	2	8	-	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,830	20	-	12	1	-	-	-	-	-	-	-
BARNSLEY C.B. ..	70,760	32	-	21	5	-	7	-	-	-	-	-
SHEFFIELD C.B. ..	523,300*	160	4	101	8	1	-	-	-	-	2	1
ROTHERHAM C.B. ..	70,080	24	2	14	3	-	-	-	-	-	1	-
DONCASTER C.B. ..	55,700	12	2	12	1	-	-	-	-	-	-	-
YORK C.B.	84,430*	28	2	16	1	-	-	-	1	-	-	-
HULL C.B.	294,600	114	3	63	4	-	-	-	2	-	-	-
MIDDLESBROUGH C.B.	133,600	61	3	28	2	-	1	-	-	2	1	-
DARLINGTON C.B. ..	70,700	26	-	13	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	67,910	32	-	17	3	-	1	-	-	-	-	-
WEST HARTLEPOOL C.B.	71,060	27	2	11	-	-	-	-	-	-	-	1
SUNDERLAND C.B. ..	163,800	65	2	39	4	-	1	-	-	-	-	-
SOUTH SHIELDS C.B. ..	123,900	38	7	23	1	-	3	-	-	-	-	-
GATESHEAD C.B. ..	127,700	43	1	32	5	-	-	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	284,700*	117	7	57	3	-	-	-	1	-	-	-
TYNEMOUTH C.B ..	66,560	32	-	13	3	-	-	-	-	-	-	-
CARLISLE C.B.	56,140*	17	-	15	2	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	96,620	28	2	33	1	-	-	-	1	-	-	-
CARDIFF C.B.	225,600*	86	2	30	4	-	-	-	-	-	1	-
RHONDDA	162,500	52	2	37	3	-	-	-	-	1	1	1
MERTHYR TYDFIL C.B.	80,690	17	1	9	-	-	-	-	-	-	1	-
ABERDARE	56,930	17	-	7	-	-	-	-	-	-	-	-
SWANSEA C.B.	163,200	48	3	30	1	-	-	-	1	-	-	1
GREATER LONDON ..	7,791,310*	2,589	71	1,327	115	3	1	1	7	13	18	8
OUTER RING	3,185,910*	1,029	24	546	49	1	-	1	5	6	9	3
17 GREAT TOWNS IN OUTER RING	1,947,963*	623	11	326	36	1	-	1	5	4	5	3
REMAINDER OF OUTER RING	1,237,947*	406	13	220	13	-	-	-	-	2	4	-
EDINBURGH†	426,100	163	?	104	10	-	-	1	1	3	3	1
GLASGOW†	1,049,000	467	?	259	41	-	-	1	7	-	6	3
DUBLIN (REGISTRATION AREA)†	421,000	238	?	93	13	-	-	-	-	2	1	-
BELFAST†	416,000	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Return not received.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
		1927.											
London‡	4,605,400	July 9	1560	47	781	8·8	2	-	1	-	2	7	9
Calcutta and Suburbs	1,077,264	June 4	?	?	535‖	25·8	-	31	-	-	-	-	-
Bombay§	1,298,708	" 18	303	42	453‖	18·1	1	19	-	-	-	-	22
Madras	528,791	" 11	513	25	369	36·3	2	1	-	-	-	-	23
Sydney and Suburbs	1,038,950	May 31 (31 days)	1949	?	907	10·2	1	-	1	1	5	8	13
Brisbane (Metropolitan Area).	274,260	May 31 (31 days)											
Perth (Metropolitan Area).	179,388	May 14	61	?	33	9·3	-	-	-	-	-	-	-
Auckland (Urban Area).	192,176	April 30 (30 days)											
Wellington (Urban Area).	121,324	April 30 (30 days)											
Christchurch (Urban Area).	118,408	April 30 (30 days)											
Cape Town	115,348	June 11	54	?	24	10·8	1	-	-	-	-	-	-
Johannesburg	172,189	" 11	89	?	34	10·3	-	-	-	-	-	-	-
Durban	54,738	" 11	24	?	17	16·2	-	-	-	-	-	2	2
Paris	2,871,429	" 30 (10 days)	-										
Antwerp	300,668	June 4	109	6	49	8·5	-	-	-	-	1	-	1
Amsterdam	728,147	" 11											
Copenhagen	592,000	" 25	202	12	121	10·7	-	-	1	-	-	-	-
Stockholm	453,332	" 18	91	2	91	10·4	-	-	-	-	-	-	-
Gothenburg	231,196	" 18	?	?	42	9·4	-	-	-	-	1	-	-
Oslo (Christiania) ..	254,055	July 2	62	3	48	9·8	1	-	-	-	-	-	1
Berlin	2,003,000	June 18	430	22	439	11·4	-	?	-	-	4	8	6
Breslau	564,000	" 18	147	14	117	10·8	-	?	2	-	-	2	2
Cologne	716,000	" 18	208	6	115	8·4	-	-	5	1	-	-	2
Dresden	626,000	" 18	154	10	99	8·2	-	-	-	-	-	-	-
Frankfort-on-Main..	473,000	" 18	118	6	73	8·0	-	-	-	-	-	-	-
Hamburg	1,101,000	" 18	296	11	212	10·0	-	-	-	-	1	-	4
Leipzig	687,000	" 18	155	10	122	9·2	-	-	1	-	-	-	1
Munich	685,000	" 18	169	8	142	10·8	9	-	-	-	-	-	1
Vienna	1,871,380	Jan. 31 '27 (31 days)											
Prague and Suburbs	725,196	Jan. 31 '27 (31 days)											
Budapest	971,169	June 25	302	?	225	12·0	1	-	-	-	1	4	2
Warsaw	1,028,982	" 25	?	?	264	13·4	1	-	4	3	9	1	15
Cairo	874,300	Jan. 28	995	34	543	32·4	7	-	1	-	?	1	32
Alexandria	501,800	" 28	576	5	299	31·1	3	-	-	-	?	1	21
New York	5,924,018	June 25	?	?	1253	11·0	1	-	1	2	5	17	18
Chicago	3,101,000	" 24	1164	?	671	11·3	-	-	-	-	1	6	10

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 39 deaths from Cholera in Calcutta and 2 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 9th July, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	781	66	13	14	27	33	42	50	113	118	144	161
Enteric fever	2	-	-	-	-	-	1	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	2	1	-	1	-	-	-	-	-	-	-	-
Diphtheria	7	1	1	1	4	-	-	-	-	-	-	-
Influenza	5	-	-	-	-	-	1	1	1	2	-	-
Erysipelas	1	1	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	-	1	-	-
Meningococcal meningitis	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	50	-	-	-	-	9	12	9	15	5	-	-
Nervous system	4	1	-	-	2	1	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	1	-	-	-	-	-	-	-	-
Other forms	4	-	-	-	2	2	-	-	-	-	-	-
Venereal diseases	6	3	-	-	-	-	-	-	1	1	1	-
Cancer	126	-	1	-	-	-	4	3	33	28	36	21
Rheumatic fever	6	-	-	-	-	-	2	3	-	-	1	-
Diabetes	9	-	-	-	-	-	-	1	-	2	1	5
Alcoholism	1	-	-	-	-	-	-	-	1	-	-	-
Simple meningitis	1	-	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	36	-	-	-	-	-	-	-	4	9	13	10
Epilepsy	4	-	-	-	-	-	-	1	2	1	-	-
"Convulsions" (not puerperal) ..	3	2	-	1	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	20	-	1	1	2	1	4	3	3	4	1	-
Pericarditis	1	-	-	-	-	-	1	-	-	-	-	-
Acute endocarditis	3	-	-	-	-	-	1	1	1	-	-	-
Other diseases of heart	101	-	-	-	4	1	1	8	13	12	28	33
Other diseases of circulatory system	69	-	-	-	-	-	1	-	4	12	26	26
Bronchitis	17	1	-	-	-	-	-	-	1	1	8	6
Broncho-pneumonia	27	10	6	2	-	1	-	-	3	-	1	4
Lobar-pneumonia	19	-	-	-	1	3	-	4	6	3	1	1
Pneumonia (type not distinguished)	10	2	-	-	-	-	2	-	1	2	-	3
Other diseases of respiratory system	5	1	-	1	-	-	-	-	-	1	-	2
Diarrhœa and enteritis	13	9	-	3	-	-	-	-	-	-	-	1
Appendicitis, Typhlitis	4	-	-	1	1	-	-	1	-	-	1	-
Hernia, Intestinal obstruction	10	5	1	-	-	-	-	-	1	1	2	-
Cirrhosis of liver	6	-	-	-	-	-	-	-	3	1	1	1
Other diseases of digestive system ..	28	-	1	2	1	-	3	3	8	3	3	4
Acute nephritis	3	-	-	-	2	-	-	-	1	-	-	-
Chronic Bright's disease	26	-	-	-	-	-	2	2	2	11	8	1
Other diseases of genito-urinary system.	14	-	-	-	-	-	1	-	3	5	5	-
Puerperal sepsis	1	-	-	-	-	1	-	-	-	-	-	-
Other causes incident to childbirth ..	5	-	-	-	-	-	3	2	-	-	-	-
Congenital malformations	2	2	-	-	-	-	-	-	-	-	-	-
Premature birth	11	11	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	1	1	-	-	-			-	-	-		-
Old age	30	-	-		-	-	-	-	-	-	1	29
Suicide	14	-	-	-	-	3	1	2	4	2	1	1
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	3	-	-	-	2	-	-	1	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	18	-	-	-	4	7	-	-	1	4	1	1
Other deaths by violence	17	-	1	-	1	2	1	-	-	4	-	8
Other specified causes	31	14	-	-	1	1	-	3	1	3	4	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 9th July, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	301	189	6	61	C. 2 D. 1 E. 2 G. 7 L. 2 M. 15 N 16
†CITY OF LONDON	-	-	-	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	7	10	-	1	C. 1 D. 1 N. 1
†BERMONDSEY ...	-	17	8	-	3	E. 2 M. 2
†BETHNAL GREEN	-	13	7	-	2	-
†CAMBERWELL ...		14	11	-	1	N. 1
†CHELSEA	-	-	1	1	1	N. 1
†DEPTFORD ...	-	7	4	1	3	G. 1
†FINSBURY ...	-	3	5	-	1	G. 1
†FULHAM	-	13	3	1	3	M. 1 N. 1
†GREENWICH ...	-	16	8	-	1	C. 1
†HACKNEY ...	-	19	11	-	-	M. 2 N. 1
†HAMMERSMITH ...	-	5	7	-	1	L. 2 M. 1
†HAMPSTEAD ...	-	5	2	-	3	N. 1
†HOLBORN... ...	-	-	4	-	2	N. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	20	8	-	5	M. 2 N. 1
†KENSINGTON ...	-	8	3	1	-	G. 1 M. 1
†LAMBETH ...	-	12	16	-	4	G. 1 M. 1 N. 4
†LEWISHAM ...	-	29	7	-	3	N. 2
†PADDINGTON ...	-	2	5	-	1	M. 1
†POPLAR	-	13	3	-	9	M. 1
†ST. MARYLEBONE	-	9	2	-	-	-
†ST. PANCRAS ...	-	14	8	-	1	G. 1 M. 1 N. 1
†SHOREDITCH ...	-	6	5	-	3	-
†SOUTHWARK ...	-	10	15	-	3	G. 1
†STEPNEY	-	28	18	-	3	G. 1 N. 1
†STOKE NEWINGTON	-	2	1	-	-	-
†WANDSWORTH ...	-	17	12	1	5	M. 1
†WESTMINSTER, CITY OF	-	2	1	1	-	-
†WOOLWICH ...	-	10	4	-	2	M. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ..	-	11	10	1	3	M. 2
Boroughs and Urban Districts:—						
†BEDFORD... ...	-	4	1		-	-
DUNSTABLE ...	-	-	1	-	-	-
†LUTON	-	2	8	-	-	M. 1
Rural Districts:—						
AMPTHILL ...	-	1		-	1	-
BEDFORD ...	-	4	-	-	-	-
BIGGLESWADE ..	-	-	-	1	1	-
EATON BRAY ...	-	-		-	-	M. 1
LUTON	-	-	-	-	1	-
BERKS	-	6	3	8	-	N. 2
†READING C.B. ...	-	1	1	5	-	N. 1
Boroughs and Urban Districts:—						
ABINGDON ...	-	-	1	-	-	-
†NEWBURY ...	-	4	-	-	-	-
Rural Districts:—						
ABINGDON ...	-	-	-	-	-	N. 1
BRADFIELD ...	-	-	-	1	-	-
WANTAGE .	-	.	-	1	-	-
WINDSOR... ...	-	1	1	1	-	-
BUCKINGHAM...	-	5	3	-	4	N. 4
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	-	1	1	-	2	N. 1
ETON	-	2	-	-	-	-
MARLOW	*	*	*	*	*	*
†SLOUGH	-	-	1	-	-	-
BUCKINGHAM— *cont.*						
Rural Districts:—						
AYLESBURY ...		-	.	-	-	N. 1
BUCKINGHAM ...	-	1	-	-	2	N. 1
ETON	-	-	1	-	-	.
WYCOMBE ...	-	1	-	-	-	N. 1
CAMBRIDGE ...	-	2	4	-	.	-
Borough:—						
†CAMBRIDGE ..	-	2	3	-	-	-
Rural Districts:—						
CHESTERTON ...	-	-	1	-	-	-
CHESTER ...	-	51	15	1	22	G. 1
†BIRKENHEAD C.B.	-	4	4	-	5	-
†CHESTER C.B. ..	-	1	2	-	-	-
†STOCKPORT C.B.	-	11	-	-	2	-
†WALLASEY C.B. ...	-	6	2	-		-
Boroughs and Urban Districts:—						
ASHTON UPON MERSEY	-	1	-	-	-	-
†BEBINGTON AND BROMBOROUGH	-	-	-	-	3	-
†CHEADLE AND GATLEY	-	2	-	-	2	-
†CONGLETON ...	-	1	-	-		G. 1
†CREWE	-	2	-	-	-	-
†DUKINFIELD ...	-	1	-	-	1	-
†ELLESMERE PORT AND WHITBY	-	2	-	-	-	-
HALE	-	-	1	-	-	-
†HAZEL GROVE AND BRAMHALL	-	5	-	-	-	-
†HYDE	-	-	3	-	1	-
KNUTSFORD ...	-	-	.	-	2	-
MARPLE	-	1	-	-	-	-
NANTWICH ...	-	1	-	-	-	-
†NORTHWICH ...	-	1	-	-	-	-
†RUNCORN... ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SALE	–	1	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	1	–
YEARDSLEY CUM WHALEY	–	2	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	–	–	–	1	–
MACCLESFIELD ...	–	4	–	–	–	–
NANTWICH ...	–	–	1	1	–	–
RUNCORN ...	–	1	1	–	1	–
WIRRAL	–	2	–	–	2	–
CORNWALL ...	–	8	1	–	1	M. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	1	–	–	–	–
LISKEARD ...	–	–	1	–	–	–
ST. IVES	–	1	–	–	–	–
ST. JUST	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
ST. AUSTELL ...	–	3	–	–	–	–
ST. COLUMB MAJOR	–	–	–	–	–	M. 1
ST. GERMANS ...	–	–	–	–	1	–
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND...	–	11	3	–	4	–
†CARLISLE C.B. ..	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
EGREMONT ...	–	–	1	–	–	–
HOLME CULTRAM	–	3	–	–	2	–
KESWICK	–	1	–	–	–	–
†WORKINGTON ...	–	–	–		1	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
CARLISLE ...	*	*	*	*	*	*
COCKERMOUTH ...	–	3	–	–	–	–
PENRITH	–	–	1	–	–	–
WIGTON	–	1	–	–	–	–
DERBY	4	35	5	–	17	C. 2 G. 1 M. 2 N. 1
†DERBY C.B. ..	–	9	3	–	7	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
†BELPER	2	–	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†CHESTERFIELD ..	–	8	1	–	1	G. 1
CLAY CROSS ...	–	1	–	–	–	–
†ILKESTON ...	–	2	–	–	2	–
NEW MILLS ...	–	1	–	–	–	–
†RIPLEY	2	1	–	–	2	–
†SWADLINCOTE DISTRICT	–	–	–	–	1	–
†THE MATLOCKS...	–	1	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BLACKWELL .	–	2	–	–	1	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHESTERFIELD ...	–	5	1	–	1	–
GLOSSOP DALE ...	–	–	–	–	1	–
HARTSHORN AND SEALS	*	*	*	*	*	*
HAYFIELD ..	–	–	–	–	1	–
NORTON	–	–	–	–	–	M. 1
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	23	7	1	4	C. 1 G. 1 M. 2 N. 1
†EXETER C.B. ...	–	2	–	–	–	G. 1
†PLYMOUTH C.B...	–	7	5	–	–	C. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
BAMPTON ...	–	–	–	–	1	–
BIDEFORD ...	–	1	–	–	–	–
BRIXHAM... ...	*	*	*	*	*	*
BUDLEIGH SALTERTON	–	–	1	–	–	–
CREDITON ...	–	1	–	–	–	–
†NEWTON ABBOT		2	1	–	–	–
OKEHAMPTON ...	–	–	–	–	1	–
SALCOMBE ...	*	*	*	*	*	*
TIVERTON ...	–	2	–	–	–	–
†TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
BIDEFORD ...	–	1	–	–	–	–
HONITON	–	1	–	–	–	–
OKEHAMPTON ...	–	3	–	–	1	–
PLYMPTON ST. MARY	–	–	–	–	1	–
ST. THOMAS ...		1	–	1	–	–
TORRINGTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	8	–	–	1	–
Boroughs and Urban Districts:—						
†POOLE	–	1	–	–	–	–
†PORTLAND ..	–	1	–	–	–	–
SHAFTESBURY ...	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
POOLE	–	–	–	–	1	–
SHAFTESBURY ...	–	1	–	–	–	–
WEYMOUTH ...	–	3	–	–	–	–
DURHAM ...	89	51	13	5	58	M. 5 N. 4
†DARLINGTON C.B.	3	–	–	–	3	–
†GATESHEAD C.B.	1	10	3	–	3	M. 1
†SOUTH SHIELDS C.B.	12	2	–	–	11	M. 1
†SUNDERLAND C.B.	–	2	2	–	7	–
†WEST HARTLEPOOL C.B.	–	2	–	–	7	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	6	1	–	–	1	M. 1
BENFIELDSIDE ...	–	1	–	–	–	–
†BISHOP AUCKLAND	2	1	–	–	–	–
†BLAYDON... ...	1	1	–	–	1	M. 1
†BRANDON AND BYSHOTTLES	–	–	3	–	–	–
†CONSETT	–	2	–	–	–	–
†CROOK	–	1	–	–	–	–
†DURHAM		1	–	–	1	–
†FELLING	*	*	*	*	*	*
†HEBBURN ...	4	2	–	–	2	–
†HETTON	8	–	–	–	1	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	1	–	–	–	2	–
†SHILDON	1	–	–	–	–	–
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY	–	3	–	–	–	–
†STOCKTON ON TEES	–	6	2	–	1	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TANFIELD ...	–	–	–	–	1	–
TOW LAW ...	2	–	–	–	–	–
†WASHINGTON ...	–	–		–	1	–
†WHICKHAM ...	2	–	1	–	–	–
Rural Districts:—						
AUCKLAND .	1	3		1	–	–
BARNARD CASTLE	–	1	–		–	–
CHESTER LE STREET	6	2	1	1	2	M. 1
DURHAM	1	.	1	–	–	–
EASINGTON ..	5	2		.	6	–
HOUGHTON LE SPRING	5	2		3	2	–
LANCHESTER ...	–	–	–	–	1	–
SEDGEFIELD ..	17	2	–	–	–	N. 3
SOUTH SHIELDS...	11	1	–	–	1	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ..	–	–	–	–	2	–
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	1	1	1	2	N. 1
Boroughs and Urban Districts:—						
ELY	–	–	–	1	1	–
†WISBECH	–	–	1	–	.	–
Rural Districts:—						
ELY	.	–	–	–	1	–
NORTH WITCHFORD	–	1	–	–	–	N. 1
ESSEX	–	125	64	6	14	G. 1 M. 4 N. 3
†EAST HAM C.B. ...	–	11	8	–	2	M. 2 N. 1
†SOUTHEND-ON-SEA C.B.	–	3	1	2	–	M. 2
†WEST HAM C.B. ...	–	51	12	1	6	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	1	–	1	–	–
BRAINTREE ...	–	–	–	–	1	–
BRIGHTLINGSEA		–	2	–	–	–
CHINGFORD ...	–	2	1	–	–	–
†CLACTON	–	1	–	–	–	–
DAGENHAM ...	–	7	7		–	–
†GRAYS THURROCK	–	2	4	–		–
HALSTEAD ...		1	–	.	–	–
†HARWICH ..	–	–	–	–	–	G. 1
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	14	2	–	1	–
†LEYTON	–	8	12	–	2	–
LOUGHTON ...		1	–	–	–	–
MALDON	–	–	1	–	–	–
SHOEBURYNESS ...	–	–	–	–	1	–
TILBURY	–	1	4	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW ...	–	9	7	1	1	–
†WOODFORD ...	–	2	–	–	–	–
Rural Districts:—						
CHELMSFORD ...	.	5	1	–	–	–
EPPING	–	–	–	–	–	N. 1
MALDON	–	–	–	1	–	–
ORSETT	–	2	2	–	–	–
ROMFORD... ...	–	1	–	–	–	–
STANSTED ...	–	1	–	–	–	–
GLOUCESTER ...	–	30	13	2	8	C. 2 G. 1 M. 3 N. 3
†BRISTOL C.B. ...	–	25	5	1	5	C. 1 N. 2
†GLOUCESTER C.B.	–	–	1	1	–	C. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	4	–	–	–
COLEFORD ...	–	1	–	–	–	–
†MANGOTSFIELD ...	–	1	–	–	–	–
TEWKESBURY ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	–	–	–	–	M. 1
EAST DEAN AND UNITED PARISHES	–	1	1	–	–	–
GLOUCESTER ...	–	–	–	–	–	M. 1
LYDNEY	–	–		–	2	–
STROUD	–	–	1	–	–	–
THORNBURY ...	–	–	–	–	–	M. 1
WEST DEAN ...	–	–	1	–	–	–
HEREFORD ...	–	2	2	–	–	E. 1 M. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	–	E. 1
†HEREFORD ...	–	1	2	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	–	M. 1
LEDBURY... ...	–	1	–	–	–	–
HERTFORD ...	–	15	2	1	–	–
Boroughs and Urban Districts:—						
BUSHEY	–		1	–	–	–
†CHESHUNT ...	–	2	–	1	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	2	–	–	–	–
†HERTFORD ...	–	1	1	–	–	–
SAWBRIDGEWORTH	–	2	–	–	–	–
†WATFORD ...	–	1	–	–	–	–
WELWYN GARDEN CITY		1	–	–	–	–
Rural Districts:—						
HATFIELD ...	–	1	–	–	–	–
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	1	–		–	–
WATFORD ...	–	1	–	–	–	–
WELWYN	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	1	1	–	–	M. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
ST. NEOTS ...	–	–	–	–	–	M. 1
Rural Districts:—						
ST. IVES	–	–	1	–	–	–
KENT	–	49	24	13	7	C. 1 E. 1 N. 2
†CANTERBURY C.B.	–	1	–	1	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	1	–
†BROADSTAIRS AND ST. PETER'S	–	2	–	–	–	–
†BROMLEY ..	–	1	–	1	–	–
†CHATHAM ...	–	–	5	–	–	–
†CRAYFORD ...	–	–	1	1	–	–
†DARTFORD ...	–	2	2	–	–	–
†DOVER	–	5	1	–	–	–
†ERITH	–	5	3	1	1	–
†FOLKESTONE ...	–	2	–	–	1	–
†GILLINGHAM ...	–	2	3	1	2	–
†GRAVESEND ...	–	3	2	–	–	–
†MAIDSTONE ...	–	1	–	1	–	N. 1
†MARGATE ...	–	1	1	1	–	N. 1
†PENGE	–	2	1	–	–	–
†RAMSGATE ...	–	1	–	–	–	E. 1
†ROCHESTER ...	–	1	–	–	2	–
†ROYAL TUNBRIDGE WELLS	–	1		–	–	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	1	–	–	–
WALMER	–	1	–	–	–	–
WHITSTABLE ...	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	2	–	–	–	–
BRIDGE	–	1	–	–	–	–
BROMLEY ...	–	5	–	1	–	–
DARTFORD ..	–	2	–	–	–	–
HOLLINGBOURNE	–	–	–	–	–	C. 1
ISLE OF THANET	–	1	–	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
MALLING	–	–	–	2	–	–
MILTON	–	–	1	–	–	–
ROMNEY MARSH...	–	–	1	–	–	–
SEVENOAKS ...	–	–	1	1	–	–
STROOD	–	2	1	2	–	–
TONBRIDGE ...	–	2	–	–	–	–
LANCASTER ...	1	193	98	4	170	C. 5 D. 1 G. 7 L. 1 M. 18 N. 7
†BARROW IN FURNESS C.B	–	–	–	–	2	–
†BLACKBURN C.B.	–	3	6	–	2	G. 1 M. 2
†BLACKPOOL C.B.	–	7	2		–	–
†BOLTON C.B. ...	–	7	–	2	3	M. 3
†BOOTLE C.B. ...	–	7	4	–	1	N. 2
†BURNLEY C.B. ...	1	1	–		2	–
†BURY C.B. ...	–	2	3	–	2	–
†LIVERPOOL C.B. ...	–	46	29	–	42	C. 1 M. 10 N. 2
†MANCHESTER C.B.	–	27	26	–	41	C. 2 D. 1 G 5 M. 1
†OLDHAM C.B. ...	–	4	1	–	1	–
†PRESTON C.B. ...	–	2	4	–	5	G. 1
†ROCHDALE C.B. ...	–	1	2	–	–	N. 1
†ST. HELENS C.B....	–	6	1	–	4	N. 1
†SALFORD C.B. ...	–	18	3	–	8	–
†SOUTHPORT C.B.	–	–	–	–	2	–
†WARRINGTON C.B.	–	2	2	–	5	C. 1
†WIGAN C.B. ...	–	3	1	–	6	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON UNDER LYNE		–	–	–	1	–
ASPULL	–	2	–		–	–
†ATHERTON ...	–	1	–	–	–	–
†BACUP	–	–	–	–	1	–
BLACKROD ...	–	–	–	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHADDERTON ...	–	–	–	–	1	–
†CHORLEY	–	–	–	–	1	L. 1 M. 1
CHURCH	–	1	–	–	–	–
†COLNE	–	1	1	–	4	–
†DARWEN	–	1	–	–	1	–
†DENTON	–	2	–	–	1	–
†DROYLSDEN ...	–	1	–		2	–
†ECCLES	–	3	2	–	1	–
†FAILSWORTH ...	–	–	1	–	–	–
†FARNWORTH ...	–	4	2	–	4	–
†FLEETWOOD ...	–	1	–	–	–	–
FORMBY	–	1	–	–		–
FULWOOD ...	–	3	–	–	–	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	–	–	–	2	–
†HEYWOOD ...	–	3		1	–	–
†HINDLEY... ...	–	1	–	–	–	–
†HORWICH ...	–	1	1	–	–	–
HUYTON WITH ROBY	–	3	–	–	–	–
†INCE IN MAKERFIELD	–	–	1	–	1	–
IRLAM	–	1	–	–	–	–
LEES	–	–	–	–	1	–
†LEIGH	–	1	–	–	–	–
LEYLAND... ...	–	1	–	–	–	–
†MIDDLETON ...	–	–	1	–	1	–
†MORECAMBE ...	–	1	–	–	1	–
†NELSON	–	1	1	–		–
†NEWTON IN MAKERFIELD	–	–	–	–	2	–
ORMSKIRK ...	–	1	–	–	–	–
ORRELL	–	–	–	–	1	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM... ...	–	1	–	–	–	–
PREESALL ...	–	1	–	–		–
†PRESTWICH ...	–	1	–	–		–
†RADCLIFFE ...	–	4	–	–	–	–
†RAMSBOTTOM ...	–	–	–		1	–
RISHTON	–	–	–	–	2	–
†ROYTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	3	–	–	1	
†STRETFORD ...	–	3	–	–	2	–
†SWINTON AND PENDLEBURY	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever : N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
TOTTINGTON ...	–	1	–	–	–	–
†TURTON	–	–	1	–	–	–
†WALTON LE DALE	–	1	1	–	–	–
†WESTHOUGHTON	–	1	–	–	–	C. 1
WHITEFIELD ...	–	1	–	–	–	–
WHITWORTH ...	–	1	1	–	–	–
†WIDNES	–	1	–	–	6	–
Rural Districts:—						
BURNLEY... ...	–	–	1	–	–	–
CHORLEY... ...	–	–	–	1	–	–
LEIGH	–	–	–	–	1	–
PRESTON	–	–	–	–	1	–
WEST LANCASHIRE	–	–	–	–	–	M. 1 N. 1
WHISTON... ...	–	–	–	–	1	–
LEICESTER ...	–	12	12	–	5	C. 1 E. 1 M. 1 N. 1
†LEICESTER C.B. ...	–	5	3	–	2	–
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	–	1	–	–	–
†HINCKLEY ...	–	–	–	–	–	N. 1
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
QUORNDON ...	*	*	*	*	*	*
WIGSTON MAGNA	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	–
BARROW UPON SOAR	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
BLABY	–	1	–	–	–	–
CASTLE DONINGTON	–	–	–	–	–	E. 1
HALLATON ...	–	–	–	–	–	C. 1
HINCKLEY ...	–	–	1	–	1	–
MARKET BOSWORTH	–	3	5	–	–	M. 1
LINCOLN (parts of Holland).	–	4	1	–	1	M. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	–	M. 1
†SPALDING ...	–	1	1	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	1	–	–	–	–
EAST ELLOE ...	–	1	–	–	1	–
LINCOLN (parts of Kesteven).	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
Rural Districts:—						
CLAYPOLE ...	–	3	–	–	–	–
GRANTHAM ...	–	–	–	–	2	–
LINCOLN (parts of Lindsey).	–	22	5	1	6	C. M. 3
†GRIMSBY C.B. ...	–	6	1	1	1	M. 1
†LINCOLN C.B. ...	–	4	2	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	2	–	–	
†CLEETHORPES ...	–	–	–	–	1	C. 1
†GAINSBOROUGH ...	–	–	–	–	–	M. 1
MARKET RASEN	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	4	–
Rural Districts:—						
HORNCASTLE ...	–	9	–	–	–	–
SPILSBY	*	*	*	*	*	*
MIDDLESEX ...	–	61	37	6	14	D. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
†ACTON ...	–	2	–	–	–	–
†BRENTFORD AND CHISWICK	–	–	2	–	–	–
†EALING	–	4	1	1	–	D. 1 N. 1
†EDMONTON ...	–	8	2	–	–	–
†ENFIELD	–	3	4	–	2	–
†FINCHLEY ...	–	–	2	–	1	–
†FRIERN BARNET	–	2	–	–	1	–
†HARROW ON THE HILL	–	2	–	–	–	–
HAYES	–	3	–	–	–	–
†HENDON	–	3	1	1	–	M. 1
†HESTON AND ISLEWORTH	–	1	1	2	4	–
†HORNSEY... ...	–	2	3	1	–	–
†SOUTHALL NORWOOD	–	3		–	–	–
†SOUTHGATE ...	–	4	2	–	–	–
STAINES	–	–	–	1		–
SUNBURY ON THAMES	–	5	–	–	–	–
†TEDDINGTON ...	*	*	*	*	*	*
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TOTTENHAM ...	–	7	6	–	2	–
†TWICKENHAM ...	–	2	–	–		–
†UXBRIDGE ...	–	1		–	1	–
†WEALDSTONE ...	–	3	–	–	–	–
†WILLESDEN ...	–	3	9	–	1	M. 1
†WOOD GREEN ...	–	1	4	–	2	–
Rural Districts:—						
HENDON	–	2	–	–	–	N. 1
NORFOLK ..	–	13	2	–	3	–
†GREAT YARMOUTH C.B.	–	3	–	–	–	–
†NORWICH C.B. ...	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	2	–	–	–
NORTH WALSHAM	*	*	*	*	*	*
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
DOWNHAM ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	1	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
MARSHLAND ...	–	2	–	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
NORTHAMPTON	–	12	7	2	7	D. 1 M. 1
†NORTHAMPTON C.B.	–	3	2	–	3	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	1	–	–	–
DAVENTRY ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
NORTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
†KETTERING ...	–	–	3	–	–	–
RAUNDS	–	1	–	–	–	–
ROTHWELL ...	–	–	1	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	1	–	–		D. 1 M. 1
KETTERING ..	–	–	–	1	–	–
MIDDLETON CHENEY	–	1	–	–	–	–
NORTHAMPTON ..	–	1	–	–	–	–
THRAPSTON (part)	–	3	–	–	–	–
TOWCESTER ...	–	–	–	1	–	–
WELLINGBOROUGH	–	–	–	–	1	–
NORTHUMBERLAND.	11	43	7	1	38	E. 1 G. 3 M. 4 N. 4
†NEWCASTLE UPON TYNE C.B.	–	12	3	–	20	E. 1 G. 3 M. 2
†TYNEMOUTH C.B	–	7	1	–	2	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	9	3	–	–	–	N. 1
†BEDLINGTONSHIRE	–	–	–	–	2	–
†BERWICK UPON TWEED	–	6	–	–	–	–
†BLYTH	–	1	1	–	9	M. 2 N. 1
CRAMLINGTON ...	2	1	–	–	–	–
†GOSFORTH ...	–	1		–	–	–
HEXHAM	–	–	–	–	–	N. 1
NEWBIGGIN BY THE SEA	–	1		–		–
†NEWBURN ...	–	1	–	–		

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
SEATON DELAVAL	–	1	–	–	1	–
†WALLSEND ...	–	1	1	–	4	N. 1
†WHITLEY AND MONKSEATON	–	1	–	1	–	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
BELFORD	–		1	–	–	–
CASTLE WARD ...	–	5		–	–	–
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	3	15	16	8	10	C. 1 M. 4
†NOTTINGHAM C.B	–	7	14	–	5	C. 1 M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	–	–	–	1	–
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...		2	–		–	
†MANSFIELD ...	2	2	–	–	–	M. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	1	–	–	5	–	–
†SUTTON IN ASHFIELD	–	–	–	–	–	M. 1
†WORKSOP... ...	–		1	–	–	–
Rural Districts:—						
BASFORD	–	1	–	–	1	M. 1
BINGHAM... ...	*	*	*	*	*	*
NEWARK	–	–	–	2	–	–
SOUTHWELL ...	–	–	–	1	–	–
STAPLEFORD ...	–		1	–	1	–
WORKSOP... ...	–	1	–	–	2	–
OXFORD	–	–	1	1	–	N. 1
Rural Districts:—						
BANBURY ...	–	–	1	–	–	N. 1
HEADINGTON ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of).	-	4	-	-	-	-
Borough:—						
†PETERBOROUGH ..	-	4	-	-	-	-
RUTLAND ...	-	-	1	-	-	-
Rural Districts—						
KETTON	-	-	1	-	-	-
SALOP	-	19	4	-	-	C. 1 D. 1 N. 2
Boroughs and Urban Districts:—						
DAWLEY		-	-	-	-	C. 1
MARKET DRAYTON	-	1	-	-	-	-
†OAKENGATES ...	-	5	-	-	-	-
OSWESTRY ...	-	-	2	-	-	-
†SHREWSBURY ...	-	-	1	-	-	N. 1
WELLINGTON ...	-	1	-	-	-	-
†WENLOCK ...	-	1	-	-	-	N. 1
WHITCHURCH ...	-	2	-	-		-
Rural Districts:—						
ATCHAM	-	1	-	-	-	D. 1
BRIDGNORTH ...	-	1	-	-	-	-
LUDLOW	-	1	-	-	-	-
NEWPORT ...	-	3	-	-	-	-
OSWESTRY ...	-	1	-	-	-	-
WELLINGTON ...	-	2	-		-	-
WEM	-	-	1	-	-	-
SOMERSET ...	-	17		-	7	C. 1 M. 1 N. 3
†BATH C.B. ...	-	6	-	-	-	-
Boroughs and Urban Districts:—						
BURNHAM ON SEA	-	-	-	-	-	N. 1
MIDSOMER NORTON	-	2	-	-	-	-
†TAUNTON... ...	-	-	-	-	-	M. 1
WIVELISCOMBE ...	-	-	-	-	1	-
SOMERSET— *cont.*						
Rural Districts:—						
AXBRIDGE ...	-	-	-	-	3	-
BATH	-	4	-	-	-	-
BRIDGWATER ...	-	3	-	-	-	C. 1
CLUTTON	-	-	-	-	2	-
KEYNSHAM ...		1	-	-	-	-
LONG ASHTON ...	-	1	-	-	-	-
TAUNTON ...	-	-	-	-	-	N. 1
WILLITON ...		-	-	-	-	N. 1
WINCANTON ...	-	-	-	-	1	-
YEOVIL	*	*	*	*	*	*
SOUTHAMPTON.	-	41	19	3	9	C. 1 G. 1 M. 3 N. 1
†BOURNEMOUTH C.B.	-	3	1	-	1	C. 1 M. 1
†PORTSMOUTH C.B.	-	6	12	-	1	G. 1
†SOUTHAMPTON C.B	-	11	3	2	3	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	2	-	-	-	-
CHRISTCHURCH ...	-	1	-	-	-	-
†EASTLEIGH AND BISHOPSTOKE	-	7	-	-	-	-
†FAREHAM ...	-	2	-	-	-	-
†GOSPORT	-	2	1	-	3	M. 1
†WINCHESTER ...	-	1	-	-	-	N. 1
Rural Districts:—						
ALTON	-	-	2	-	-	-
CHRISTCHURCH ...	-	1	-	-	-	-
DROXFORD ...	-	1	-	-	-	-
FAREHAM ...	-	-	-	-	1	-
HARTLEY WINTNEY	-	1	-	-	-	-
KINGSCLERE ...	-	-	-	1	-	-
NEW FOREST ...	-	1	-	-	-	-
PETERSFIELD ...	-	1	-	-	-	-
WINCHESTER ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	1	48	21	-	33	E. 1 G. 2 L. 2 M. 8 N. 3
†BURTON UPON TRENT C.B.	1	-	1	-	1	M. 1
†SMETHWICK C.B.	-	-	4	-	1	-
†STOKE ON TRENT C.B	-	19	3	-	9	E. 1 M. 5
†WALSALL C.B. ..	-	2	6	-	2	-
†WEST BROMWICH C.B.	-	5	-	-	2	-
†WOLVERHAMPTON C.B.	-	3	-	-	2	G. 1
Boroughs and Urban Districts:—						
BIDDULPH ..	-	1	-	-	-	-
†BILSTON	-	-	1	-	4	M. 1
†BRIERLEY HILL...	-	-	-	-	1	-
†BROWNHILLS ...	-	2	-	-	-	-
†COSELEY	-	-	-	-	1	-
†DARLASTON ...	-	1	-	-	-	-
KIDSGROVE ...	-	1	-	-	-	-
†ROWLEY REGIS ...	-	2	-	-	1	N. 1
†SEDGLEY	-	-	1	-	2	N. 1
TETTENHALL ...	-	-	-	-	1	-
†TIPTON	-	-	-	-	1	-
†WEDNESBURY ...	-	2	-	-	1	M. 1
WEDNESFIELD ...	-	1	-	-	-	-
†WOLSTANTON UNITED	-	-	1	-	1	-
Rural Districts:—						
CANNOCK	-	3	1	-	-	-
CHEADLE		-	1	-	1	L. 2
KINGSWINFORD ...		2	-	-	1	G. 1
LEEK	-	1	-	-	-	-
LICHFIELD ..	-	1	2	-	-	N. 1
SEISDON	-	2	-	-	-	-
TAMWORTH (part)	-	-	-	-	1	-
SUFFOLK, EAST	-	16	-	-	2	M. 1 N. 1
†IPSWICH C.B. ..	-	3	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST —*cont.*						
Boroughs and Urban Districts:—						
ALDEBURGH ...	-	-	-	-	-	M. 1
BECCLES	-	3	-	-	-	-
†LOWESTOFT ...	-	1	-	-	-	N. 1
SOUTHWOLD ...	-	-	-	-	1	-
WOODBRIDGE ...	-	1	-	-	-	-
Rural Districts:—						
BLYTHING ...	-	-	-	-	1	-
BOSMERE AND CLAYDON		2	-	-	-	-
HOXNE	*	*	*	*	*	*
WANGFORD ...	-	4	-	-	-	-
WOODBRIDGE ...	-	2	-	-	-	-
SUFFOLK, WEST	-	2	-	-	-	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	1	-	-	-	-
Rural Districts:—						
COSFORD	-	1	-	-	-	-
SURREY	-	43	13	4	12	G. 1 M. 1 N. 2
†CROYDON C.B. ...	-	13	5	1	1	G. 1
Boroughs and Urban Districts:—						
†BARNES	-	4	-	-	-	-
†BEDDINGTON AND WALLINGTON	-	-	-	1	-	-
†CHERTSEY	-	3	-	-	-	-
†COULSDON AND PURLEY	-	2	-	-	-	-
†EGHAM	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EPSOM	-	-	-	-	-	M. 1
†GUILDFORD ...	-	-	-	-	1	-
HASLEMERE ...	-	-	-	-	1	-
†KINGSTON ON THAMES	-	1	2	-	1	-
†MERTON AND MORDEN	-	2	1	-	-	-
†MITCHAM... ...	-	2	2	-	2	N. 1
†REIGATE	-	1	-	-	-	-
†SURBITON ...	-	-	-	-	1	-
†SUTTON	-	-	-	2	1	N. 1
†THE MALDENS AND COOMBE	-	1	-	-	1	-
†WIMBLEDON ...	-	4	2	-	1	-
†WOKING	-	1	1	-	-	-
Rural Districts:—						
CHERTSEY ...	-	2	-	-	-	-
EPSOM	-	1	-	-	-	-
FARNHAM ...		1	-	-	-	-
GODSTONE ...	-	1		-	-	-
GUILDFORD ...	-		-	-	1	-
REIGATE	-	3	-	-	1	-
SUSSEX, EAST ...	-	20	2	1	5	M. 1
†BRIGHTON C.B. ...	-	4	-	-		-
†EASTBOURNE C.B.	-	11	-	-	4	-
†HASTINGS C.B. ...		2	-	-	-	-
Boroughs and Urban Districts:—						
†BEXHILL	-	-	-	-	-	M. 1
BURGESS HILL ...	-	-	1	-	-	-
NEWHAVEN ...	-	-	1	-	-	-
Rural Districts:—						
CHAILEY	-	2	-	-	-	-
HAILSHAM ...	-	1	-	1	-	-
UCKFIELD ...	-	-	-	-	1	-
SUSSEX, WEST...	-	6	4	-	1	N. 4
Boroughs and Urban Districts:—						
†HORSHAM ...	-	2	-	-	-	-
†LITTLEHAMPTON	-	1	-	-	-	-
†WORTHING ...		1	1	-	-	N. 1
Rural Districts:—						
EAST PRESTON ...	-	-	-	-	1	-
HORSHAM ...	-	1	-	-	-	-
THAKEHAM ...	-	-	3	-	-	N. 1
WESTBOURNE ...	-	-	-	-	-	N. 2
WESTHAMPNETT	-	1	-	-	-	-
WARWICK ...	-	63	45	1	27	C. 2 L. 1 M. 8 N. 6
†BIRMINGHAM C.B.	-	32	42	-	20	C. 2 L. 1 M. 7 N. 4
†COVENTRY C.B. ...	-	10	1	-	3	-
Boroughs and Urban Districts:—						
†NUNEATON ...	-	1	-	-	2	-
†ROYAL LEAMINGTON SPA	-	2	-	-	-	-
†RUGBY	-	3	1	-	-	-
†STRATFORD ON AVON	-	1	-	-	-	-
Rural Districts:—						
ALCESTER ...	-	1	-	-	1	-
ATHERSTONE ...	-	1	1	-	-	-
FOLESHILL ...	-	4	-	-	-	M. 1
MERIDEN... ...	-	-	-			N. 1
RUGBY	-	3	-	-	-	-
SOLIHULL ...	-	-	-	1	-	-
SOUTHAM... ...	-	1	-	-	-	N. 1
STRATFORD ON AVON	-	4	-	-	-	-
WARWICK ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	-	7	-	-	1	C. 1 N. 1
Boroughs and Urban Districts:—						
†KENDAL	-	-	-	-	-	N. 1
WINDERMERE ...	-	-	-	-	1	-
Rural Districts:—						
EAST WESTMORLAND	-	6	-		-	-
SOUTH WESTMORLAND	-	1	-	-	-	-
WEST WARD ...	-	-	-	-	-	C. 1
WIGHT, ISLE OF	-	6	2	-	-	M. 1
Boroughs and Urban Districts:—						
†RYDE	-	2	-	-	-	-
SANDOWN ...	-	-	2	-	-	-
Rural Districts:—						
ISLE OF WIGHT	-	4	-	-	-	M. 1
WILTS	-	25	4	-	7	G. 1 N. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	-	5	-	-	-	-
CHIPPENHAM ...	-	2	-	-	-	-
†SALISBURY ...	-	5	-	-	-	-
†SWINDON... ...	-	-	1	-	3	-
†TROWBRIDGE ...	-	2	-	-	-	-
WILTON	-	1	-	-		-
Rural Districts:—						
AMESBURY ...	-	2	-	-	-	-
CALNE	-	-	1	-	-	-
CHIPPENHAM ...	-	2	-	-	-	N. 1
DEVIZES	-	3	-	-	-	-
HIGHWORTH ...	-	1	1	-	2	-
MARLBOROUGH ...	-	-	-	-	-	G. 1
MELKSHAM ...	-	-	1	-	-	-
MERE	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts— *cont.*						
SALISBURY ...	-	-	-		1	-
WARMINSTER ...	-	1	-	-	-	-
WILTON	-	1	-	-	-	-
WORCESTER ...	-	17	4	1	11	C. 1 G. 1 M. 2
†DUDLEY C.B. ..	-	-	-	-	2	C. 1
†WORCESTER C.B.	-	5	-	-	5	G. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	-	1		-	-	-
†HALESOWEN ...	-	2	-	-	1	-
NORTH BROMSGROVE	-	1	-	-	-	-
†OLDBURY... ...	-	1	2		1	-
†REDDITCH ...	-	3	-	-	-	-
†STOURBRIDGE ...	-	-		-	1	-
Rural Districts:—						
BROMSGROVE ...	-	-	1	-	-	-
DROITWICH ...	*	*	*	*	*	*
EVESHAM... ...	-	-	-	-	-	M. 2
KIDDERMINSTER	-	-		1	-	-
MARTLEY... ...	-	4	-	-	-	-
PERSHORE ...	-	-	1	-	1	-
YORKS ... ... (East Riding).	-	7	7	-	6	M. 4 N. 1
†KINGSTON UPON HULL C.B	-	6	5	-	6	M. 3 N. 1
Boroughs and Urban Districts:—						
COTTINGHAM ...	-	-	-	-	-	M. 1
HEDON	-	1	-	-	-	-
Rural Districts:—						
BRIDLINGTON ...	-	-	1	-	-	-
POCKLINGTON ...	-	-	1	-	-	-
RICCALL	*	*	*	*	*	*

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	3	12	8	-	18	C. 2 K. 1
†MIDDLESBROUGH C.B	-	1	5	-	2	C. 2
Boroughs and Urban Districts:—						
†ESTON	1	-	-	-	1	-
GUISBOROUGH ...	-	1	1	-	-	-
HINDERWELL ...	-	-	-	-	1	-
MASHAM	-	1	-	-	-	-
†REDCAR	-	1			5	-
RICHMOND ...		2	-	-	-	-
SALTBURN BY THE SEA	-	-	-	-	1	-
†SCARBOROUGH ...	-	1	1	-	2	-
†SKELTON AND BROTTON	1	3	1	-	3	K. 1
†THORNABY ON TEES	1	-	-	-	-	-
Rural Districts:—						
CROFT	-	1	-	-	-	-
HELMSLEY ...	-	-	-	-	1	
RICHMOND ...	-	-	-	-	1	-
THIRSK	-	-	-	-	1	-
WHITBY	-	1	-	-	-	-
YORKS ... ... (West Riding).	47	130	32	12	135	C. 6 D. 1 G. 2 M. 7 N. 7
†BARNSLEY C.B. ...	-	3	2	-	4	D. 1
†BRADFORD C.B. ...	-	8	3	3	18	C. 1 G. 1 M. 1 N. 4
†DEWSBURY C.B....	-	1	-	-	-	C. 1
†DONCASTER C.B.	4	2	-	-	1	M. 1
†HALIFAX C.B. ...	-	4	2	-	3	M. 1
†HUDDERSFIELD C.B.	3	4	1	1	1	M. 1
†LEEDS C.B. ..	-	15	6	-	19	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†ROTHERHAM C.B.	-	3	1	-	8	-
†SHEFFIELD C.B...	5	45	8	3	37	C. 3 M. 1 N. 2
†WAKEFIELD C.B.	-	2	-	-	-	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	2	-	-	-	-
ALTOFTS	-	-	-	-	3	-
BAILDON	-	1	-		-	-
BARKISLAND ...	*	*	*	*	*	*
†BARNOLDSWICK ...	-	-	1	-	-	-
†BENTLEY WITH ARKSEY	-	1	-	-	-	-
†BINGLEY	-	1	-	-	-	-
BIRSTAL	-	-	1	-	-	-
†BOLTON UPON DEARNE	12	1	-	-	-	-
†BRIGHOUSE ...	-	-	-	-	1	-
†CONISBROUGH ...	-	-	-	-	1	-
CUDWORTH ...	-	1	-	-	-	-
DARFIELD ...	-	4	-	-	-	-
†FEATHERSTONE ...	-	1	1	1	-	-
†GOOLE	-	1	-	-	-	-
GREASBROUGH ...	-	1	-		-	-
†HARROGATE ...	-	1	-	-	-	-
HIPPERHOLME ...	-	-	-	-	1	-
†HOLMFIRTH ...	-	1	-	-	3	-
HONLEY	1	-	-	-	-	-
†HOYLAND NETHER	-	1	-	-	-	-
ILKLEY	-	-	-	-	1	-
†KEIGHLEY ...	18	-	1	-	-	
KIRKHEATON ...	-	-	-	-	2	-
KNOTTINGLEY ...	-	1	3	-	1	-
LEPTON		-	-	-	1	-
MALTBY	-	1	-	-	-	G. 1
†MEXBOROUGH ..	1	-	-	-	2	-
†MIRFIELD ...			-	-	2	.
†MORLEY	*	*	*	*	*	*
†NORMANTON ...	-	-	1	-	1	-
†OSSETT	-	-	-	-	-	C. 1
OTLEY	-	-	-	-	2	-
†PONTEFRACT ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAWMARSH ...		2	–	–	–	–
†ROTHWELL ...	–	–	–	–	1	–
†SADDLEWORTH ...	–	2	–	–	–	–
SELBY	*	*	*	*	*	*
SHELLEY	–	–	–	1	–	M. 1
SKELMANTHORPE	–	–	–	–	1	–
SOYLAND	*	*	*	*	*	*
†SPENBOROUGH ...	–	2	–	–	2	–
SPRINGHEAD ...		–	–	–	1	–
†STANLEY	–	–	–	–	1	–
†SWINTON	1	3	–	–	–	–
THURNSCOE ...	–	2	–	–		–
TICKHILL ...	–	1	–	–	–	–
†TODMORDEN ...	–	1	–	1	–	–
†WOMBWELL ..		1	–	–	1	–
YEADON	–	1	–	–	1	–
Rural Districts:—						
DONCASTER ...	1	1	–	–	1	–
GOOLE	*	*	*	*	*	*
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	–	–		2	4	–
KIVETON PARK ...	–	–	1	–	1	–
KNARESBOROUGH	–	2	–	–		–
PATELEY BRIDGE	–	1	–	–	–	–
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ...	1	–	–	–	–	N. 1
RIPON	*	*	*	*	*	*
ROTHERHAM ..	–	–	–	–	4	–
SELBY	*	*	*	*	*	*
TADCASTER ...	*	*	*	*	*	*
THORNE	–	–	–	–	1	–
WAKEFIELD ..	*	*	*	*	*	*
WETHERBY ...	–	2	–	–	3	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ..	–	1	–	–	–	–
§**YORK, CITY OF**...	–	1	3	1	–	N. 1
†YORK C.B. ..	–	1	3	1	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	1	1	1	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	1	1	1	–	–
CAERNARVON...	–	4	–	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	M. 1
BETHESDA ...	–	2	–	–	–	–
CONWAY	–	1	–	–	–	N. 1
PWLLHELI ...	–	–	–	–	1	–
CARDIGAN ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	3	–	–	–	–
Rural Districts:—						
CARDIGAN ...	–	–	1	–		–
CARMARTHEN...	–	3	1	–	3	C. 1 G. 1 N. 2
Boroughs and Urban Districts:—						
LLANDOVERY ...		–	–	–	–	N. 1
†LLANELLY ...	–	1	1	–	–	C. 1
Rural Districts:—						
LLANDILO FAWR	–	–	–	–	–	G. 1
LLANDOVERY ...	–	–	–	–	–	N. 1
LLANELLY ...	–	2	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	7	3	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	3	–	–	–	–
Rural Districts:—						
CHIRK	–	–	1	–	–	–
LLANGOLLEN ...	–	1	–	–	–	–
RUTHIN	–	–	1	–	–	–
ST. ASAPH (DENBIGH)	–	–	1	–	–	–
WREXHAM ...	–	3	–	–	1	C. 1 M. 1
FLINT	–	4	3	–	3	–
Boroughs and Urban Districts:—						
FLINT	–	2	–	–	–	–
PRESTATYN ...	–	1	–	–	–	–
†RHYL	–	1	3	–	–	–
Rural Districts:—						
HOLYWELL ...	–		–	–	3	–
OVERTON ...	*	*	*	*	*	*
GLAMORGAN ...	2	42	35	2	24	C. 3 E. 1 G. 1 M. 3 N. 5
†CARDIFF C.B. ..	–	10	5	–	2	E. 1
†MERTHYR TYDFIL C.B.	–	1	–	–	3	G. 1
†SWANSEA C.B. ..	–	3	4	–	2	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	1	1	1	–	2	–
†CAERPHILLY ...	–	1	5	–		–
†GELLIGAER ...	–	3	2	–		C. 1
†MAESTEG... ...		–	2	–	1	
†MOUNTAIN ASH...	1	2	–	2	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Boroughs and Urban Districts— *cont.*						
†NEATH	–	9	3	–	2	–
†OGMORE AND GARW	–	1	–	–	2	–
†PONTYPRIDD ...	–	3	–	–	–	M. 1 N. 2
†PORT TALBOT ...	–	1	3	–	–	N. 1
†RHONDDA ...	–	4	5	–	5	C. 1 M. 2 N. 1
Rural Districts:—						
GOWER	–		3	–	1	–
LLANTRISANT AND LLANTWIT FARDRE	–	1	–	–	–	–
NEATH	–	–	1	–	3	–
PENYBONT ...	–	1	–	–		–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ..			1		–	–
MERIONETH ...	–	4	–	–	–	N. 1
Urban Districts:—						
FESTINIOG ..		4	–	–	–	–
Rural Districts:—						
PENLLYN	–		–	–	–	N. 1
MONMOUTH ...	24	12	1	1	3	M. 3 N. 1
†NEWPORT C.B. ...		1	–	–	–	N. 1
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	4	–	–	–	–
†ABERSYCHAN ..	9	2	–	–	–	–
†ABERTILLERY ..	–	–	1	–	–	M. 3
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLAENAVON ...	13	-	-	-	-	-
†EBBW VALE ...	-	-	-	-	1	-
LLANFRECHFA UPPER	-	1	-	-	-	-
LLANTARNAM ...	-	1	-	-	-	-
†MYNYDDISLWYN	1	1	-	-	-	-
†NANTYGLO AND BLAINA	-	-	-	1	1	-
PONTYPOOL ...	1	-	-	-	-	-
†TREDEGAR ...	-	1	-	-		-
MONTGOMERY...	-	-	-	-	3	-
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	-		-	-	2	-
WELSHPOOL ...	*	*	*	*	*	*
Rural Districts:—						
FORDEN	-	-	-	-	1	-
PEMBROKE ...	-	1	3	-	-	-
Boroughs and Urban Districts:—						
FISHGUARD ...	-	-	1	-	-	-
HAVERFORDWEST.	-		2	-	-	-
†PEMBROKE ...	-	1		-	-	-
RADNOR	-	-	-	-	1	-
Rural Districts:—						
COLWYN		-		-	1	-
Total of Part II. ...	185	1378	574	89	714	C. 34 D. 5 E. 6 G. 25 K. 1 L. 4 M. 100 N. 79

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRISTOL				1	-	
COWES	*	*	*	*	-	*
DOVER	-	-	-	2		-
PLYMOUTH	-		-	1	2	L. 1
SWANSEA	-		-	1	-	-
PORT OF LONDON ...		-	-	1	-	-
Total of Part III. ...	-	-	-	6	2	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡)
Total of Part I.—London	–	301	189	6	61	C. D. E. G. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	185	1378	574	89	714	C. D. E. G. K. L. M. N.
Total of Part III.—Port Sanitary Districts	–	–	–	6	2	L.
Total (*i.e.*, of returns received), England and Wales ...	185	1679	763	101	777	C. D. E. G. K. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexi

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the EGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

ek ended :—	Apl. 16.	Apl. 23.	Apl. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18	June 25.	July 2.	July 9.
N :—													
S (excluding Still-)—all ages.	944	975	980	959	857	871	787	843	801	852	798	804	781
S—0 to 1 year ..	94	114	98	79	79	71	54	75	65	72	55	48	66
TOWNS, aggre- (including Lon- —													
IRTHS	6,049	6,619	7,602	7,102	6,994	7,044	6,656	7,106	6,066	7,425	6,801	6,525	6,758
RTHS	—	—	—	—	—	—	—	—	—	—	—	32†	219
S (excluding Still-)—all ages	4,316	4,340	4,253	4,347	4,017	3,947	3,847	3,948	3,683	3 879	3 582	3,453	3,667
S—0 to 1 year ..	498	496	459	427	395	376	341	398	341	349	328	292	353
IC FEVER—Cases	14	22	18	19	20	14	11	22	30	29	35	28	36
" Deaths	3	1	—	3	—	1	1	1	4	5	1	—	8
POX—Cases ..	70	56	66	73	55	77	81	74	65	60	77	61	31
Deaths ..	—	—	—	4	1	—	2*	—	—	—	—	1	—
ET FEVER—Cases	711	700	652	813	840	920	849	973	880	845	897	930	976
Deaths	6	4	5	4	5	13	11	5	6	5	4	6	5
HERIA—Cases ..	496	516	493	529	599	593	558	589	451	559	503	503	550
Deaths ..	30	27	30	25	30	18	26	25	11	13	17	16	26
ES—Deaths ..	89	81	68	57	57	57	42	35	43	39	30	27	36
INZA—Deaths ..	96	82	71	57	47	46	43	42	33	31	33	28	31

cluding 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.
egistration of Stillbirths began 1st July, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 9th July, 1927. (*Supplied by the Meteorological Office.*)

WNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
N	79	51	73·6	54·6	23
ENWICH).					
ON ..	71	54	67·3	56·7	3
OUTH ..	71	51	68·4	56·5	6
CH (SOUTH-LODGE).	80	43	71·7	52·0	45
TH ..	73	52	63·9	55·4	48
.	73	51	67·1	55·0	16
CLIFTON).					
GHAM	72	51	66·9	53·7	16
BASTON).					
GHAM ..	74	51	68·9	54·9	33
HEAD	72	52	66·1	55·0	34
BIDSTON).					
ESTER	74	51	69·0	53·8	29
ITWORTH PARK).					
EY	70	45	67·4	51·9	38

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	71	45	68·3	52·3	38
BRADFORD ..	70	46	66·9	52·3	52
SHEFFIELD ..	71	49	66·9	53·3	52
YORK (MUSEUM)	75	43	69·9	51·9	46
HULL (PEARSON PARK).	75	49	70·0	53·1	35
TYNEMOUTH ..	68	47	61·7	51·4	45
CARDIFF.. ..	73	52	66·6	55·0	29
EDINBURGH ..	69·0	48·0	64·1	51·0	23
GLASGOW ..	68·9	50·3	65·0	52·3	27
DUBLIN (PHŒNIX PARK).					
(FITZWILLIAM SQUARE†).	72·2	51·0	65·2	53·9	12
BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 9th July, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	3	..	29·654	70·1	56·1	14·0	61·2	− 0·6	53·2	8·0	15·8	2·0	75	138·1	47·8	53·4	SSW: SW.	SSW: S.	1·8	0·0	0·2	286	+ 36	0·00
MONDAY -	4	..	29·601	75·6	56·6	19·0	64·9	+ 2·8	56·4	8·5	18·8	1·1	74	150·1	44·2	53·6	S: SSW.	SSW: S.	4·6	0·0	0·5	324	+ 72	0·01
TUESDAY -	5	..	29·564	79·2	53·8	25·4	65·2	+ 2·9	55·7	9·5	19·9	0·9	72	151·1	43·0	53·9	SE: S.	SSW: S.	5·3	0·0	0·5	316	+ 63	0·06
WEDNESDAY	6	In Equator Apogee	29·719	71·8	51·2	20·6	60·8	− 1·6	53·6	7·2	19·4	0·0	77	134·0	40·8	53·9	SSE: S.	SSE: Calm.	0·9	0·0	0·1	180	− 75	0·40
THURSDAY -	7	First Quarter.	29·591	71·0	53·0	18·0	61·0	− 1·4	55·2	5·8	16·1	0·0	81	137·6	41·5	54·0	NW: WSW: SW.	S: SSE.	2·0	0·0	0·1	215	− 40	0·39
FRIDAY -	8	..	29·630	75·8	53·2	22·6	65·1	+ 2·7	54·9	10·2	25·3	0·0	70	152·7	42·0	54·4	Calm: NE.	ESE: ENE: NNE.	3·0	0·0	0·2	253	− 1	0·00
SATURDAY -	9	..	29·444	70·9	54·8	16·1	59·9	− 2·5	58·2	1·7	11·2	1·1	95	115·3	51·2	54·4	N	N	3·1	0·0	0·6	404	+ 151	0·04
MEANS -		..	29·600	73·5	54·1	19·4	62·6	+ 0·3	55·3	7·3	18·1	0·7	78	139·8	44·4	53·9	Variable		..	..	..	Sum 1978	Sum + 206	Sum 0·90
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	3	wP	3·8	16·5	Overcast till 8¼h.; partially cloudy till 10¼h., then nearly overcast. Slight shower 20¾h.
MONDAY ..	4	wP	5·0	16·4	Nearly overcast till 18½h., then clearing to cloudless by 21h. Damping 2h. Rain about 4h.
TUESDAY ..	5	wP till 5½h.; variably sP and sN till 6½h.; then wP.	5·9	16·4	Variably cloudy. Rain 5¾h. till 6½h. Shower 13¼h. Thunder 6h. and 6¼h.
WEDNESDAY	6	wP till 20h.; then variably sP and sN.	4·6	16·4	Variably cloudy becoming nearly overcast by 9h. Slight rain 16½h. and 18h. Rain from 20h. Thunder and lightning 23¼h. and 23¾h.
THURSDAY	7	Variably mP and mN till 5h.; wP till 10h.; variably sP and sN till 12h.; then wP.	7·6	16·4	Variably cloudy becoming nearly cloudless by 18½h. Rain till 6h.; from 10½h. till 10¾h.; 11h. till 11¼h. Heavy rain 11½h. till 11¾h. Shower 12¼h.
FRIDAY .	8	wP	8·6	16·4	Partially cloudy till 15h., then becoming overcast by 18h.
SATURDAY	9	wP till 7h.; variably mP and wN till 9h., then wP.	1·4	16·3	Overcast with partially cloudy interval between 19h. and 21h. Rain 7h. till 8¾h.; and 11¼h. till 11¾h. Shower 10¾.
			Sum 36·9	Sum 114·8	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 66 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·61 ins. at the beginning of the week to 29·66 ins. by 9h. on 3rd; decreased to 29·44 ins. by 7h. on 5th; increased to 29·78 ins. by 8h. on 6th; decreased to 29·54 ins. by 2h. on 7th; increased to 29·68 ins. by 8h. on 8th; decreased to 29·38 ins. by 14h. on 9th; increased and was 29·50 ins. by midnight on the same day.

"Guide to Current Official Statistics."

1s. net.

THIS work appears annually. It is an expert survey of, and Guide to, all the statistics published by the Government. It is not a mere catalogue of titles of official publications of statistical interest. Such a catalogue is of course included, but it forms only about one-third of the volume itself. The main portion of the work, and the one to which it owes its unique value and importance, consists of an alphabetical subject index which not only refers the enquirer to all the current official publications containing statistics bearing on his subject, but in addition indicates their nature and mode of analysis and the time and place to which they relate.

AGRICULTURE	PUBLIC FINANCE
DEFENCE	SOCIAL SERVICES
EDUCATION	TRADE
INDUSTRY AND LABOUR	TRANSPORT
MINING	VITAL STATISTICS

are a few of the many subjects on which the official statistics exist. To track them down is a matter of a few minutes when the GUIDE TO CURRENT OFFICIAL STATISTICS occupies the place it should among the reference books on the desk of the business man, journalist, librarian, student and professional worker.

The volumes are prepared by the Permanent Consultative Committee on Official Statistics.

FIRST ISSUE (1922)	...	1*s.*	*Post Free* 1*s.* 2½*d.*
VOLUME TWO (1923)	...	1*s.*	*Post Free* 1*s.* 4*d.*
VOLUME THREE (1924)	...	1*s.*	*Post Free* 1*s.* 3½*d.*
VOLUME FOUR (1925)	...	1*s.*	*Post Free* 1*s.* 3½*d.*

The second volume includes an appendix dealing broadly with selected publications of permanent statistical interest issued mainly since 1900.

HIS MAJESTY'S STATIONERY OFFICE,
LONDON, MANCHESTER, EDINBURGH, CARDIFF.

FOR OFFICIAL USE

1927. No. 28.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 16TH JULY, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-28-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 16TH JULY, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the twenty-eighth week of the year numbered 6,636 and corresponded to an annual rate of 17·7 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,442 and corresponded to an annual rate of 9·2 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·6, 9·2 and 9·8. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 48 against 49, 43 and 52 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,434 live births, corresponding to a rate of 16·2 per 1,000, and 777 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·8, against 9·0, 9·1 and 8·8 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·9 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 45 as against 36, 32 and 43 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 3,667 to 3,442, and in London from 781 to 777.

Under the Birth and Death Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 233 in the Great Towns including 38 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 16th July, 1927.**

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.
107 Great Towns ..	19,540,143*	6636	233	3442	320	2	21	3	14	20	46
London	4,805,400*	1434	38	777	68	1	-	1	5	7	9
Towns in Outer Ring.											
Croydon C.B. ..	205,900	76	3	40	5	-	-	-	-	-	-
Wimbledon ..	58,030	21	-	4	-	-	-	-	-	-	-
Ealing	91,783	30	-	14	-	-	-	-	-	-	-
Acton	63,040	16	1	10	1	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	5	-	8	-	-	-	-	-	-	-
Willesden ..	165,270	58	-	24	1	-	-	-	-	-	-
Hendon	62,570*	19	-	12	1	-	-	-	-	-	-
Hornsey	87,230	21	1	11	1	-	-	-	-	-	-
Wood Green ..	51,940	10	-	5	1	-	-	-	-	-	-
Tottenham ..	151,520	44	-	29	4	-	-	1	-	-	-
Edmonton	71,700	47	-	6	2	-	-	-	-	-	1
Enfield	63,640	22	-	4	1	-	-	-	-	-	-
West Ham C.B. ..	315,900	127	6	33	2	-	-	-	-	-	-
East Ham C.B. ..	146,600	50	-	21	4	-	-	-	-	-	-
Leyton	130,000	27	1	19	1	-	-	-	-	2	-
Walthamstow ..	125,500	30	1	13	-	-	-	-	-	1	-
Ilford	100,500	25	1	17	1	-	-	-	1	-	-
Gillingham	47,820*	19	-	8	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	13	-	4	-	-	-	-	-	-	-
Hastings C.B.	61,340	13	2	8	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	11	-	12	-	-	-	-	-	-	-
Brighton C.B.	139,500*	30	1	24	1	-	-	-	-	-	1
Portsmouth C.B. ..	231,500*	62	2	47	4	-	-	1	-	-	2
Bournemouth C.B. ..	90,100	29	-	13	1	-	-	-	-	-	-
Southampton C.B. ..	169,300	36	-	31	2	-	-	-	-	-	1
Reading C.B	93,090*	28	-	15	1	-	-	-	-	-	-
Oxford C.B.	56,800	23	1	9	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	25	1	22	2	-	-	-	-	-	-
Luton	59,240	17	-	6	-	-	-	-	-	1	-
Cambridge	58,820	19	1	4	1	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	23	-	15	2	-	-	-	-	-	-
Ipswich C.B.	84,140	29	2	10	3	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	21	-	12	-	-	-	-	-	-	-
Norwich C.B.	123,500*	45	-	20	1	-	-	-	-	-	-
Swindon	57,320	25	1	9	1	-	-	-	-	-	-
Exeter C.B.	60,340*	22	-	16	1	-	-	-	-	-	1
Plymouth C.B. ..	187,300*	52	4	36	4	1	-	-	-	1	2
Bath C.B.	69,000	18	1	13	-	-	-	-	-	-	-
Bristol C.B.	383,300*	127	4	69	3	-	-	-	1	-	-
Gloucester C.B. ..	53,050	18	2	8	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	102	5	53	6	-	5	-	-	-	-
Burton-upon-Trent C.B.	48,660	24	1	6	1	-	-	-	-	-	1
Wolverhampton C.B.	131,000	51	-	18	1	-	-	-	-	-	-
Walsall C.B.	102,100	45	-	14	3	-	-	-	-	-	-
West Bromwich C.B.	79,920	44	2	17	4	-	-	-	-	-	2
Dudley C.B.	58,930	22	1	14	4	-	2	-	-	-	-
Worcester C.B. ..	50,660	12	-	12	1	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	376	11	179	24	-	-	-	-	-	6
Smethwick C.B. ..	76,940	26	2	5	1	-	-	-	-	-	-
Coventry C.B. ..	127,800	42	3	17	-	-	-	-	-	-	-
Leicester C.B. ..	241,700	80	5	46	3	-	-	-	-	-	-
Lincoln C.B.	65,760*	21	-	14	1	-	-	-	-	-	-
Grimsby C.B.	88,580	36	2	24	3	-	-	-	-	-	-
Nottingham C.B. ..	268,000	99	3	51	3	-	-	-	1	1	2
Derby C.B.	136,600*	55	2	32	3	-	-	-	-	1	1
Chesterfield ..	66,650	31	2	5	-	-	-	-	-	-	-
Stockport C.B. ..	125,400	43	2	15	-	-	-	-	-	-	-
Chester C.B.	41,710	11	-	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	54	-	26	1	-	1	-	-	-	-
Wallasey C.B. ..	93,050	14	3	15	1	-	-	-	-	-	-
Liverpool C.B. ..	862,600	404	10	155	20	-	4	-	1	-	5
Bootle C.B.	84,580	39	-	20	3	-	-	-	-	-	-
St. Helens C.B. ..	110,000	48	3	22	-	-	1	-	1	1	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
OUTHPORT C.B. ..	77,970	23	1	13	-	-	-	-	-	-	-	1
VIGAN C.B.	88,620	31	2	15	2	-	1	-	-	-	-	1
VARRINGTON C.B. ..	76,940*	28	1	12	-	-	-	-	-	-	-	-
OLTON C.B.	177,000	64	6	41	1	-	1	-	-	-	-	-
URY C.B.	56,840*	26	-	8	-	-	-	-	-	-	-	-
ANCHESTER C.B. ..	752,000	286	11	143	17	-	-	-	2	2	3	-
ALFORD C.B.	247,400	68	1	62	9	-	2	-	-	-	-	-
SHTON-UNDER-LYNE	51,050	21	1	3	-	-	-	-	-	-	-	-
LDHAM C.B.	143,000	41	1	29	2	-	-	-	-	-	1	-
OCHDALE C.B.	91,510	14	1	16	-	-	-	-	-	-	-	-
URNLEY C.B	99,600	20	2	20	2	-	-	-	-	-	-	-
LACKBURN C.B. ..	124,400	42	3	32	3	-	-	-	-	-	1	-
BESTON C.B.	124,200	30	1	18	1	-	-	-	-	-	-	-
LACKPOOL C.B. ..	88,640	24	-	15	-	-	-	-	-	1	-	-
ARROW-IN-FURNESS C.B.	70,420	30	1	8	1	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	111,900	29	1	23	1	-	-	-	-	-	-	-
ALIFAX C.B.	96,130*	28	3	20	3	-	-	-	-	-	-	-
RADFORD C.B. ..	288,700	96	4	66	5	-	-	-	-	-	-	-
EEDS C.B.	473,400	154	10	104	5	-	1	-	-	-	-	2
EWSBURY C.B. ..	53,630	17	1	8	-	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,830	22	-	11	-	-	-	-	-	-	-	1
ARNSLEY C.B. ..	70,760	29	2	7	1	-	-	-	-	-	-	-
HEFFIELD C.B. ..	523,300*	174	4	91	7	-	-	-	1	-	-	3
OTHERHAM C.B. ..	70,080	31	2	10	2	-	-	-	-	-	-	-
ONCASTER C.B. ..	55,700	24	2	14	4	-	-	-	-	-	1	1
ORK C.B.	84,430*	24	-	15	1	-	-	-	-	-	-	-
ULL C.B.	294,600	117	5	56	10	-	-	-	1	1	1	1
IDDLESBROUGH C.B.	133,600	56	-	31	6	-	-	-	-	-	2	-
ARLINGTON C.B. ..	70,700	21	1	16	2	-	-	-	-	-	-	-
OCKTON-ON-TEES ..	67,910	32	2	16	-	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,060	23	1	6	-	-	-	-	-	-	-	-
UNDERLAND C.B. ..	163,800	63	2	35	4	-	2	-	-	-	1	-
OUTH SHIELDS C.B. ..	123,900	40	3	32	2	-	1	-	-	-	-	-
ATESHEAD C.B. ..	127,700	48	5	28	3	-	-	-	-	-	-	-
EWCASTLE-ON-TYNE C.B.	284,700*	122	3	48	3	-	-	-	-	-	-	1
YNEMOUTH C.B ..	66,560	27	1	15	2	-	-	-	-	-	-	-
ARLISLE C.B.	56,140*	14	2	9	1	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,620	35	1	16	5	-	-	-	-	-	-	-
ARDIFF C.B.	225,600*	81	5	34	3	-	-	-	-	-	1	1
HONDDA	162,500	58	1	23	3	-	-	-	-	1	-	-
ERTHYR TYDFIL C.B.	80,690	12	3	13	1	-	-	-	-	-	1	-
BERDARE	56,930	11	2	10	-	-	-	-	-	-	-	-
WANSEA C.B.	163,200	54	4	30	5	-	-	-	-	-	-	-
REATER LONDON ..	7,791,310*	2,412	61	1,232	106	2	-	2	6	12	11	3
UTER RING	3,185,910*	978	23	455	38	1	-	1	1	5	2	3
7 GREAT TOWNS IN OUTER RING	1,947,963*	628	14	270	25	-	-	1	1	3	1	2
EMAINDER OF OUTER RING	1,237,947*	350	9	185	13	1	-	-	-	2	1	1
DINBURGH†	426,100	169	-	109	7	-	-	-	-	2	-	1
LASGOW†	1,049,000	426	-	230	37	-	1	-	9	-	6	2
UBLIN (REGISTRATION AREA)†	421,000	195	-	97	19	-	-	-	2	-	5	1
ELFAST†	416,000	154	-	88	11	-	-	1	-	-	2	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and lasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and y the addition of deaths of residents reported from elsewhere in Scotland during the week; those in ublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into ublic institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last availabl

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*
London‡	4,605,400	1927. July 16	1434	38	777	8·8	1	-	-	1	5	7
Calcutta and Suburbs	1,077,264	June 11	?	?	522‖	25·2	-	35	-	-	-	-
Bombay§	1,298,708	„ 25	339	35	458‖	18·3	1	24	1	-	-	-
Madras	528,791	„ 18	391	11	318	31·3	2	-	-	-	1	-
Sydney and Suburbs	1,038,950	„ 30 (30 days)										
Brisbane (Metropolitan Area).	274,260	June 30 (30 days)										
Perth (Metropolitan Area).	179,388	May 21										
Auckland (Urban Area).	192,176	April 30 (30 days)	297	?	116	7·2	-	-	-	-	-	-
Wellington (Urban Area).	121,324	April 30 (30 days)	143	?	73	7·2	-	-	-	2	-	-
Christchurch (Urban Area).	118,408	April 30 (30 days)	182	?	72	7·3	-	-	-	-	-	-
Cape Town	115,348	June 18	43	?	29	13·1	1	-	1	-	-	11
Johannesburg	172,189	„ 18	90	?	43	13·0	-	-	1	-	1	-
Durban	54,738	„ 18	20	?	18	17·1	-	-	-	-	-	-
Paris	2,871,429	„ 30 (10 days)	1297	80	878	10·8	7	-	14	5	12	6
Antwerp	300,668	June 11	104	6	57	9·9	-	-	-	-	-	-
Amsterdam	728,147	„ 11	284	?	111	8·0	1	-	-	-	1	-
Copenhagen	592,000	July 2	163	4	130	11·5	-	-	-	-	1	-
Stockholm	453,332	June 25	106	4	120	13·8	-	-	1	1	-	-
Gothenburg	231,196	„ 25	?	?	45	10·1	-	-	-	-	-	-
Oslo (Christiania) ..	254,055	July 9	77	-	66	13·5	-	-	-	-	-	-
Berlin	2,003,000	June 25	421	19	433	11·2	-	?	2	-	1	4
Breslau	564,000	„ 25	116	6	98	9·0	-	?	1	-	1	1
Cologne	716,000	„ 25	222	5	128	9·3	1	?	5	2	1	2
Dresden	626,000	„ 25	135	6	92	7·6	-	-	-	-	-	-
Frankfort-on-Main..	473,000	„ 25	104	2	55	6·0	-	-	-	-	-	-
Hamburg	1,101,000	„ 25	253	11	225	10·6	-	-	-	-	-	1
Leipzig	687,000	„ 25	181	14	133	10·1	-	-	-	-	-	-
Munich	685,000	„ 25	176	5	136	10·3	-	-	-	-	1	-
Vienna	1,871,380	Jan. 31 '27 (31 days)										
Prague and Suburbs	725,196	Jan. 31' 27 (31 days)										
Budapest	971,169	July 2										
Warsaw	1,028,982	„ 2	?	?	232	11·8	2	-	2	6	5	-
Cairo	874,300	Feb. 4	953	22	561	33·5	1	-	1	-	?	1
Alexandria	501,800	„ 4	576	8	310	32·2	-	-	-	-	?	1
New York	5,924,018	July 2	?	?	1172	10·3	1	-	4	2	2	22
Chicago	3,048,000	„ 1	1062	?	655	11·0	-	-	-	1	1	7

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 22 deaths from Cholera in Calcutta and 5 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 16th July, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	777	68	14	15	28	32	33	63	106	130	143	145
Enteric fever	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	5	3	1	-	1	-	-	-	-	-	-	-
Diphtheria	7	-	-	4	2	1	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	3	-	-	-	-	-	-	-	1	-	2	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	60	-	1	-	3	12	13	11	12	5	1	2
Nervous system	11	3	1	5	2	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	1	-	-	-	-	-	-	-	-	-
Other forms	5	-	-	1	-	-	1	-	1	-	2	-
Venereal diseases	3	-	-	-	-	-	-	1	2	-	-	-
Cancer	130	-	-	-	-	-	1	13	24	39	33	20
Rheumatic fever	12	-	-	-	4	7	-	-	-	1	-	-
Diabetes	9	-	-	-	-	-	-	1	-	3	3	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	-	-	2	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	22	-	-	-	-	-	-	1	2	4	6	9
Epilepsy	5	-	-	-	-	-	2	1	1	-	1	-
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	25	-	-	-	2	1	3	3	5	6	4	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	1	1	-	2	1	-	-	-
Other diseases of heart	123	-	-	-	-	1	2	4	18	20	36	42
Other diseases of circulatory system	43	-	-	-	-	-	-	-	3	10	12	18
Bronchitis	24	3	-	-	-	-	1	1	4	2	9	4
Broncho-pneumonia	20	11	2	-	-	-	-	1	1	1	3	1
Lobar-pneumonia	15	1	-	-	-	2	2	4	2	4	-	-
Pneumonia (type not distinguished)	8	2	-	-	-	-	1	1	1	-	1	2
Other diseases of respiratory system	7	1	1	1	-	-	-	2	-	-	-	2
Diarrhœa and enteritis	11	8	1	-	-	-	-	-	-	-	-	2
Appendicitis, Typhlitis	3	-	-	-	2	-	-	-	-	-	1	-
Hernia, Intestinal obstruction	8	1	2	-	-	-	-	1	2	-	2	-
Cirrhosis of liver	3	-	-	-	-	-	-	-	2	-	1	-
Other diseases of digestive system ..	22	1	-	-	3	-	-	4	3	5	6	-
Acute nephritis	3	1	-	-	-	-	-	1	-	1	-	-
Chronic Bright's disease	25	-	-	-	-	-	-	2	4	9	6	4
Other diseases of genito-urinary system.	14	-	-	-	-	-	-	2	1	5	1	5
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	1	1	-	-	-	-	-
Congenital malformations	8	8	-	-	-	-	-	-	-	-	-	-
Premature birth	18	18	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	1	1	-	-	-	-	-	-	-	-	-	-
Old age	24	-	-	-	-	-	-	-	-	-	4	20
Suicide	13	-	-	-	-	-	2	2	5	3	1	-
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	6	-	1	-	-	1	-	-	2	2	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	9	-	-	-	1	-	1	1	1	1	2	2
Other deaths by violence	14	-	-	1	-	2	-	2	1	4	1	3
Other specified causes	43	6	1	3	4	2	2	2	7	5	5	6
Ill-defined causes	1	-	1	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 16th July 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	260	178	7	78	C. 4 D. 1 E. 1 G. 2 L. 2 M. 11 N. 20
†CITY OF LONDON	-	-	-	-	-	M. 1
Metropolitan Boroughs:—						
†BATTERSEA ...	-	9	10	-	4	M. 1
†BERMONDSEY ...	-	13	4	-	1	-
†BETHNAL GREEN	-	7	4	-	6	M. 1 N. 1
†CAMBERWELL ...		9	6	-	-	-
†CHELSEA	-	2	-	-	2	N. 1
†DEPTFORD ...	-	8	5	-	4	N. 1
†FINSBURY ...	-	5	4	-	-	G. 1
†FULHAM	-	2	4	-	2	C. 1 N. 2
†GREENWICH ...	-	14	8	-	4	M. 1 N. 1
†HACKNEY ...	-	20	10	-	1	-
†HAMMERSMITH ...	-	12	8	-	1	N. 2
†HAMPSTEAD ...	-	1	-	-	-	-
†HOLBORN... ...	-	1	4	-	1	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	18	9	-	5	C. 2 M. 1 N. 2
†KENSINGTON ...	-	4	4	3	2	-
†LAMBETH ...	-	15	17	1	3	M. 1 N. 2
†LEWISHAM ...	-	12	6	-	2	M. 1 N. 1
†PADDINGTON ...	-	5	1	-	4	C. 1 M. 1 N. 2
†POPLAR	-	12	7	-	6	-
†ST. MARYLEBONE	-	6	4	1	-	-
†ST. PANCRAS ...	-	10	11	-	4	G. 1 L. 2
†SHOREDITCH ...	-	5	3	-	5	-
†SOUTHWARK ...	-	10	9	1	3	N. 2
†STEPNEY	-	22	25	-	6	M. 1 N. 1
†STOKE NEWINGTON	-	3	1	-	-	-
†WANDSWORTH ...	-	17	7	1	9	E. 1 M. 1 N. 1
†WESTMINSTER, CITY OF	-	3	1	-	-	-
†WOOLWICH ...	-	15	6	-	3	D. 1 M. 1 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	6	7	-	2	N. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	-	1	-	-	-	-
†BEDFORD ...		5	1	-	-	-
KEMPSTON ...	-	-	-	-	2	-
†LUTON	-	-	6	-	-	-
Rural Districts:—						
AMPTHILL ...	-	-	-	-	-	N. 1
BERKS	-	14	2	2	-	N. 2
†READING C.B. ...	-	5		1	-	N. 1
Boroughs and Urban Districts:—						
ABINGDON ...	-	-	-	-	-	N. 1
†NEW WINDSOR ...	-	1	-	1	-	-
WOKINGHAM ...	-	1	1	-	-	-
Rural Districts:—						
ABINGDON ...	-	1	-	-	-	-
EASTHAMPSTEAD	-	2	1	-	-	-
NEWBURY ...	-	1	-		-	-
WALLINGFORD ...	-	3	-	-	-	-
BUCKINGHAM ...	-	10	2	-	2	G. 1 N. 1
Boroughs and Urban Districts:—						
BEACONSFIELD ...	-	1	-	-	-	-
†CHEPPING WYCOMBE	-	-		-	1	-
†SLOUGH	-	-	1	-	-	N. 1
Rural Districts:—						
AMERSHAM ...	-	2	-	-	-	-
ETON	-	-	1	-	-	G. 1
NEWPORT PAGNELL	-	3	-	-	1	-
WING	-	4	-		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	-	4	3	1	1	M. 1 N. 1
Borough:—						
†CAMBRIDGE ..	-	3	1	-	-	-
Rural Districts:—						
CAXTON AND ARRINGTON	-	1	-	-	-	M. 1
MELBOURN ...	-	-	-	-	-	N. 1
NEWMARKET ..	-	-	2	1	-	-
SWAVESEY ...		-	-	-	1	-
CHESTER ...	-	43	7	1	20	G. 1 M. 2 N. 4
†BIRKENHEAD C.B	-	9	-	-	2	M. 1 N. 1
†CHESTER C.B. ..	-	3	-	-	2	-
†STOCKPORT C.B.	-	15	-	1	2	-
†WALLASEY C.B ..	-	1	1	-		-
Boroughs and Urban Districts:—						
ALDERLEY EDGE	-	1	-	-	-	-
BREDBURY AND ROMILEY	-	1	-	-	-	-
†CONGLETON ...	-	-	-	-	1	G. 1
†CREWE	-	4	-	-	2	-
†ELLESMERE PORT AND WHITBY	-	-	-	-	1	-
†HAZEL GROVE AND BRAMHALL	-	-	-	-	1	-
HOLLINGWORTH	*	*	*	*	*	*
HOOLE	-	-	-	-	1	-
†HYDE	-	-	1	-	2	-
KNUTSFORD ...	-	-	-	-	-	M. 1
LYMM	-	1	-	-	-	-
†MACCLESFIELD ...		-	1	-	2	-
MIDDLEWICH ...	-	-	1	-	-	-
†RUNCORN... ...	-	1	-	-	-	-
Rural Districts:—						
BUCKLOW ...		1	-	-	-	-
CHESTER	-	1	3	-	1	-
MACCLESFIELD ...	-	1	-	-	1	-
NORTHWICH ...		-	-	-	-	N. 1
RUNCORN ...		2	-	-	1	N. 1
WIRRAL ...	-	2	-	-	1	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	9	6	–	–	C. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
LISKEARD ...	–	–	2	–	–	–
LUDGVAN ...	–	3	–	–	–	–
MADRON	–	1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	–	–	3	–	–	–
TORPOINT ...	–	1	–	–	–	–
Rural Districts:—						
BODMIN	–	1	–	–	–	–
EAST KERRIER ...	–	1	–	–	–	–
LISKEARD ...	–	–	–	–	–	M. 1 N. 2
ST. AUSTELL ...	–	2	–	–	–	–
ST. COLUMB MAJOR	–	–	1	–	–	C. 1
ST. GERMANS ...	–	–	–	–	–	N. 1
WEST PENWITH...	*	*	*	*	*	*
CUMBERLAND...	–	6	6	–	2	C. 1 N. 1
†CARLISLE C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
PENRITH	–	–	–	–	–	C. 1
†WHITEHAVEN ...	–	1	1	–	–	N. 1
Rural Districts:—						
BOOTLE	–	1	–	–	–	–
BRAMPTON ...	*	*	*	*	*	*
CARLISLE ...	–	–	1	–	–	–
COCKERMOUTH ...	–	1	1	–	–	–
PENRITH	–	–	1	–	1	–
WHITEHAVEN ...	–	–	2	–	–	–
WIGTON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	2	33	19	–	22	M. 1 N. 1
†DERBY C.B. ...	–	13	6	–	6	–
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
ASHBOURNE ...	–	–	–	–	1	–
†BOLSOVER ...	–	1	–	–	1	–
†BUXTON	–	1	–	–	–	N. 1
†CHESTERFIELD ...	–	5	2	–	3	–
†GLOSSOP	–	–	1	–	–	–
†HEANOR	–	–	1	–	3	M. 1
†ILKESTON ...	–	3	–	–	1	–
†LONG EATON ...	–	–	1	–	–	–
†RIPLEY	2	–	–	–	2	–
†SWADLINCOTE DISTRICT	–	1	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	–	1	–	–	–
BELPER	–	–	–	–	1	–
BLACKWELL ...	–	3	2	–	1	–
CHESTERFIELD ...	–	5	2	–	1	–
CLOWNE	–	1	3	–	–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
DEVON	–	15	8	3	10	C. 1 N. 1
†EXETER C.B. ...	–	–	–	–	2	–
†PLYMOUTH C.B....	–	7	5	1	1	C. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	3	–
BRIXHAM... ...	–	–	–	–	1	–
CREDITON ...	–	1	–	–	–	–
†EXMOUTH ...	–	–	–	–	1	–
GREAT TORRINGTON	*	*	*	*	*	*
HONITON... ...	–	–	–	1	–	–
OKEHAMPTON ...	–	–	–	–	1	–
TIVERTON ...	–	2	–	–	–	–
†TORQUAY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
CREDITON ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	–	1	–	–
NEWTON ABBOT...	–	1	2	–	–	–
PLYMPTON ST. MARY	–	–	1	–	–	–
ST. THOMAS ...	–	–	–	–	1	–
TAVISTOCK ...	–	–	–	–	–	N. 1
TORRINGTON ...	*	*	*	*	*	*
DORSET	–	17	–	–	4	M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–	–	1	–
†POOLE	–	–	–	–	2	–
†PORTLAND ..	–	4	–	–	–	–
SHERBORNE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
BLANDFORD ...	–	2	–	–	–	–
BRIDPORT ...	–	1	–	–	–	–
CERNE	–	1	–	–	–	M. 1
POOLE	–	2	–	–	–	–
SHAFTESBURY ...	–	3	–	–	–	–
WIMBORNE AND CRANBORNE	–	3	–	–	–	–
DURHAM ...	59	30	20	2	45	C. 2 G. 1 M. 14 N. 4
†DARLINGTON C.B.	–	2	1	–	2	–
†GATESHEAD C.B.	1	6	6	–	2	–
†SOUTH SHIELDS C.B.	13	–	2	–	5	C. 1 G. 1
†SUNDERLAND C.B.	1	3	–	–	6	M. 5 N. 1
†WEST HARTLEPOOL C.B.	1	1	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	2	–
BENFIELDSIDE ...	–	3	–	–	–	–
†BLAYDON... ..	1	–	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	1	–	–	–
†CHESTER LE STREET	–	–	–	–	1	M. 1
†DURHAM	–	–	–	–	1	–
†FELLING	2	–	–	–	–	–
†HARTLEPOOL ...	–	–	–	–	1	–
†HETTON	6	–	–	–	1	–
†JARROW	–	–	–	–	6	M. 1
LEADGATE ...		1	–	–	1	–
†RYTON	–	2	–	–	–	N. 1
†SEAHAM HARBOUR	–	2	–	1	1	M. 3
†SHILDON	–	1	1	–	–	–
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	–	3	–	1	1	M. 1
†STOCKTON ON TEES	–	2	1	–	1	C. 1 M. 1
†TANFIELD ...	–	–	1	–	2	–
TOW LAW ...	1	–	–	–	–	–
†WASHINGTON ...	1	–	–	–	–	–
Rural Districts:—						
AUCKLAND ...	1	–	1	–	–	–
CHESTER LE STREET	2	–	–	–	–	N. 1
EASINGTON ...	1	–	2	–	8	M. 1 N. 1
HOUGHTON LE SPRING	4	–	–	–	–	–
LANCHESTER ...	–	–	2	–	–	–
SEDGEFIELD ...	16	1	–	–	2	–
SOUTH SHIELDS...	7	2	–	–	–	M. 1
ELY, ISLE OF ...	–	–	2	–	3	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Rural Districts:—						
ELY	–	–	–	–	1	–
NORTH WITCHFORD	–	–	–	–	1	–
WISBECH	–	–	2	–	1	–
ESSEX	–	137	55	5	14	C. 1 E. 1 G. 1 L. 1 M. 2 N. 4
†EAST HAM C.B. ...	–	15	6	–	1	–
†SOUTHEND-ON-SEA C.B.	–	3	–	1	3	G. 1 M. 1
†WEST HAM C.B. ...	–	50	12	–	4	N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	–	–	1	–
BRIGHTLINGSEA	–	–	1	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	3	–	–	–	–
†COLCHESTER ...	–	2	–	1		M. 1
DAGENHAM ...	–	5	7	–	2	E. 1
†GRAYS THURROCK	–	1	4	–	–	–
HALSTEAD ...	–	1	–	–	–	–
†HORNCHURCH ...	–	–	–	–	–	N. 1
†ILFORD	–	13	4	–	–	L. 1
†LEYTON	–	13	8	–	1	N. 1
TILBURY		–	2	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW...	–	17	6	1	1	–
†WOODFORD ...	–	1	–		–	N. 1
Rural Districts:—						
CHELMSFORD ...	–	1	–	–	–	C. 1
DUNMOW	–	1	1	–	–	–
EPPING	–	–	3	1	–	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
LEXDEN AND WINSTREE	–	–	–	1	–	
MALDON	–	1	–	–	–	–
ONGAR	*	*	*	*	*	*
ORSETT	–	5	–	–	1	–
ROCHFORD ...	–	–	1	–	–	–
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	37	7	3	9	G. 1 M. 3 N. 1
†BRISTOL C.B. ...	–	21	5	–	4	G. 1 M. 1 N. 1
†GLOUCESTER C.B.	–	1	–	1	3	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	1	1	–	M. 1
CIRENCESTER ...	–	1	–	–	1	–
†KINGSWOOD ...	–	1	–	–	–	–
STOW ON THE WOLD	–	1	–	–	–	–
STROUD	–	1	–	–	–	M. 1
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
GLOUCESTER ...	–	–	–	1	–	–
LYDNEY	–	1	–	–	–	–
NEWENT	–	2	–	–	–	–
NORTHLEACH ...	–	–	1	–	–	–
STOW ON THE WOLD (part)	*	*	*	*	*	*
STROUD	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	1	–	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	4	2	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	2	2	–	1	–
Rural Districts:—						
HEREFORD ...	–	2	–	–	1	–
HERTFORD ...	–	9	5	1	1	C. 1 G. 2 L. 2
Boroughs and Urban Districts:—						
BUSHEY	–	–	–	–	–	G. 1
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	1	1	–	–	–
HODDESDON ...	–	–	3	–	–	–
†ST. ALBANS ...	–	–	1	1	–	–
SAWBRIDGEWORTH	–	1	–	–	–	–
STEVENAGE ...	–	–	–	–	–	G. 1
†WATFORD ...	–	5	–	–	–	–
Rural Districts:—						
WATFORD ...	–	1	–	–	1	C. 1 L. 2
KENT	–	50	13	6	8	C. 2 M. 2 N. 2
Boroughs and Urban Districts:—						
†BECKENHAM ...	–		–	1	–	–
†BEXLEY	–	2	–	–	–	–
†CHATHAM ...	–	1	1	–	–	–
†CRAYFORD ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARTFORD ...	–	3	–	–	–	M. 1
†DOVER	–	2	1	–	2	–
†ERITH	–	3	2	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	5	–	–	–	–
†GILLINGHAM ...	–	2	–	–	1	–
†GRAVESEND ...	–	1	2	–	–	–
†MARGATE ...	–	4	–	–	2	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	–	1	–	1	N. 1
†RAMSGATE ...	–	2	–	–	1	M. 1
†ROCHESTER ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SEVENOAKS ...	–	2	–	–	–	–
SWANSCOMBE ...	–	1	–	1	–	–
†TONBRIDGE ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BRIDGE	–	5	–	–	–	–
BROMLEY ...	–	1	1	–	–	–
CRANBROOK ...	–	–	–	1	–	–
DARTFORD ...	–	–	1	–	–	–
EASTRY	–	1	–	–	–	–
ELHAM	–	–	–	–	1	–
FAVERSHAM ...	–	2	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
MAIDSTONE ...	–	–	–	–	–	C. 1
ROMNEY MARSH...	–	1	–	–	–	–
SEVENOAKS ...	–	–	–	2	–	N. 1
STROOD	–	1	1	1	–	–
TENTERDEN ...	–	–	–	–	–	C. 1
TONBRIDGE ...	–	2	1	–	–	–
WEST ASHFORD...	–	1	–	–	–	–
LANCASTER ...	1	178	105	3	113	C. 7 D. 2 G. 6 L. 3 M. 23 N. 20
†BARROW IN FURNESS C.B.	–	2	–	–	–	D. 1
†BLACKBURN C.B.	–	4	3	–	1	C. 1 N. 1

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BLACKPOOL C.B.	-	2	3	-	1	M. 1
†BOLTON C.B. ...	-	7	2	-	1	N. 2
†BOOTLE C.B. ..	-	4	1		2	M. 2
						N. 1
†BURNLEY C.B. ..	-	-	2	-	1	-
†BURY C.B. ...	-	2	1		-	-
†LIVERPOOL C.B. ..	-	27	31	-	17	C. 2
						G 1
						M. 9
						N. 1
†MANCHESTER C.B.	-	21	20	-	37	C. 2
						M. 4
						N. 6
†OLDHAM C.B. ..	-	-	1	-	1	-
†PRESTON C.B. ...	-	2	5	-	2	-
†ROCHDALE C.B. ...	-	2	1	-		-
†ST. HELENS C.B....	-	4	2	-	3	N. 1
†SALFORD C.B. ...	-	20	8	-	10	G. 1
						M. 1
†SOUTHPORT C.B.	-	6	1	-	1	-
†WARRINGTON C.B.	-	2	2	-	2	G. 1
						M. 1
						N. 3
†WIGAN C.B. ..	-	2	-	-	2	-
Boroughs and Urban Districts:—						
†ACCRINGTON ..	-	1	-	-	-	-
†ASHTON IN MAKERFIELD	-	-	-	-	2	-
†ASHTON UNDER LYNE	-	1	-	-	-	-
†ATHERTON ...	-	2	-	-	-	
†BACUP	-	-	-	-	2	-
BARROWFORD ...	-	1	-	-	-	-
BILLINGE AND WINSTANLEY	-	-	-	-	1	-
BLACKROD ...	-	2	-	-		-
†CHADDERTON ...	-	2	1	-	1	-
†CHORLEY	-	1	-	-	1	
CHURCH	-	2	-	-	-	-
†CROMPTON ...	-	1	-	-		M. 1
†DARWEN	-	1	-	-	1	N. 1
†DENTON	-	1	-	-	2	-
†DROYLSDEN ...	-	2		-	1	-
†ECCLES	-	6	-	-	-	-
†FAILSWORTH ..	-	-	1	-	1	-
†FARNWORTH ...	-	-	-	-	1	D. 1
						N. 1
†FLEETWOOD ...	-	1	-	-	-	
FULWOOD ...	1	-	-	-	-	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
GOLBORNE ...	-	-	1	-	-	-
†GREAT CROSBY ...	-	-	-	1	-	-
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	-	2	-	-	1	-
†HAYDOCK ...	-	2	-	-	1	-
†HEYWOOD ...	-	3	-	-	-	M. 1
†HINDLEY... ...	-	3		-	-	-
†HORWICH ...	-	1	-	-	-	C. 1
HUYTON WITH ROBY	-	1	-	-	-	-
†INCE IN MAKERFIELD	-	1	-	-	2	-
†LANCASTER ...	-	7	1	-	-	M. 1
LATHOM AND BURSCOUGH	-	-	1	-	-	-
†LEIGH	-	-	1	-	-	-
LEYLAND... ...	-	1	-	-	1	-
†LITHERLAND ...	-	1	-	-	-	N. 1
LONGRIDGE ...	-	1	-	-	-	-
†MIDDLETON ...	-	-	1	-	-	-
†NELSON	-	-	1	1	-	N. 1
†NEWTON IN MAKERFIELD	-	1	-	-	1	-
ORMSKIRK ...	-	1	-	-	-	-
†OSWALDTWISTLE	-	1	-	-	2	M. 1
†PADIHAM... ...	-	1	4	-	-	-
PREESALL ...	-	1	-	-	-	-
PRESCOT	-	2	2	-	-	-
†PRESTWICH ...	-	2	-	-	-	G. 1
†RADCLIFFE ...	-	1	1	-	-	-
†RAMSBOTTOM ...	-	1	-	-	-	-
†RAWTENSTALL ...	-	1	-	-	1	-
†ROYTON	-	-	-	-	1	-
STANDISH WITH LANGTREE	-	2	-	-	-	-
†STRETFORD ...	-	3	1	-	-	-
†SWINTON AND PENDLEBURY	-	-	-	-	2	-
TOTTINGTON ...	-	1	1	-	-	-
URMSTON... ..	-	1	-	-	-	-
†WALTON LE DALE	-	1	-	-	-	-
†WATERLOO WITH SEAFORTH	-	1	-	-		M. 1
WHITEFIELD ...	-	-	1	-	1	-
WHITWORTH ...	-	1	-	-	-	-
†WIDNES	-	-	-	-	5	-
†WORSLEY... ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BURNLEY	–	–	–	–	–	G. 1
CHORLEY	–	–	–	–	–	N. 1
CLITHEROE ...	–	–	–	–	–	L. 2
FYLDE	–	–	–	1	–	–
GARSTANG ...	–	–	–	–	–	G. 1
LEIGH	–	–	1	–	–	–
ULVERSTON ...	–	1	–	–	–	L. 1
WARRINGTON ...	–	–	1	–	–	–
WEST LANCASHIRE	–	1	–	–	1	–
WHISTON	–	–	1	–	–	–
LEICESTER ...	–	14	5	1	7	M. 2
†LEICESTER C.B. ...	–	4	3	–	5	M. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
†COALVILLE ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	1	–	–	–	–
OADBY	–	1	–	1	–	–
THURMASTON ...	–	1	–	–	–	–
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	–	–	–	1	–
BLABY	–	3	–	–	–	–
MARKET BOSWORTH	–	2	2	–	–	–
LINCOLN (parts of Holland).	–	3	–		2	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	2	–	–	–	–
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	–	–	–	2	–
EAST ELLOE ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	–	E. 1 N. 1
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	–	E. 1
Rural Districts:—						
CLAYPOLE ...	–	1	–	–		–
GRANTHAM ...	–	–	1	–	–	N. 1
LINCOLN (parts of Lindsey).	–	8	2	6	1	C. 1 E. 1 N. 2
†GRIMSBY C.B. ...	–	1	–	5	1	N. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	1	1	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	–	E. 1 N. 1
SKEGNESS ...	–	1	–	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	–		–	–	C. 1
GLANFORD BRIGG	–	1	–	–	–	–
HORNCASTLE ...	–	3	–		–	–
LOUTH	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	70	24	6	13	E. 1 G. 1 M. 2 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	3	–	1	–	E. 1
†BRENTFORD AND CHISWICK	–	1	–	–	–	–
†EALING	–	6	–	1	1	N. 1
†EDMONTON ...	–	4	4	–	–	–
†ENFIELD		3	2	–	–	–
FELTHAM ...		1	–	1		–
†FINCHLEY ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	2	1	–	–	–
HAYES	–	1	–	1	–	–
†HENDON	–	2	2	–	1	–
†HESTON AND ISLEWORTH	–	–	1	–	1	–
†HORNSEY... ...	–	2	–	–	1	–
RUISLIP NORTHWOOD	–	–	–	1	1	–
†SOUTHALL NORWOOD	–	2	–	–		–
SUNBURY ON THAMES	–	1			–	–
†TOTTENHAM ...	–	7	3	–	3	–
†TWICKENHAM ...	–	–	–	–	1	–
†UXBRIDGE ...	–	2	–		–	–
†WEALDSTONE ...	–	4		–	–	G. 1 M. 1
†WEMBLEY ...	–	3	–	1	–	N. 1
†WILLESDEN ...	–	16	9	–	3	M. 1 N. 2
†WOOD GREEN ...	–	5	2	–	1	–
Rural Districts:—						
HENDON	–	2	–	–	–	–
STAINES	–	2	–	–	–	–
NORFOLK ...	–	22	–	2	5	M. 1
†GREAT YARMOUTH C.B.	–	1	–	1	–	–
†NORWICH C.B. ...	–	7	–	–	–	M. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	1	–	–	1	–
DEPWADE ...	–	–	–	–	1	–
FOREHOE ...	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING	–	–	–	–	1	–
MARSHLAND ...	–	4	–	–	–	–
MITFORD AND LAUNDITCH	–	–	–	–	1	–
ST. FAITH'S ...	–	8	–	–	–	–
NORTHAMPTON	–	4	4	5	6	E. 1 M. 2
†NORTHAMPTON C.B.	–	2	–	–	3	M. 2
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	3	2	–	–
DAVENTRY ...	–	–	–	–	1	–
FINEDON	–	–	–	2	–	–
†KETTERING ...	–	1	–	–	–	–
OUNDLE	–	–	1	–	–	–
ROTHWELL ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	–	–	–	–	E. 1
Rural Districts:—						
HARDINGSTONE ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	–	1	–	–
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND.	5	47	6	2	23	E. 1 M. 2 N. 4
†NEWCASTLE UPON TYNE C.B.	–	16	4	–	18	E. 1 M. 2
†TYNEMOUTH C.B.	3	10	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	3	–	–	–	N. 1
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	2	–	–	–	–
CRAMLINGTON ...	–	–	–	–	–	N. 1
†EARSDON	–	–	–	–	1	–
†GOSFORTH ...	–	3	–	–	–	–
HEXHAM	–	–	–	1	–	–
†LONGBENTON ...	–	–	–	–	1	–
†NEWBURN ...	–	3	–	–	–	–
†WALLSEND ...	–	1	–	–	1	–
WEETSLADE ...	–	1	–	–	–	
†WHITLEY AND MONKSEATON	–	–	1	–	–	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
CASTLE WARD ...	–	1	–	–	–	N. 1
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM	–	1	–	1	–	–
MORPETH ...	–	–	–	–	–	N. 1
NORHAM AND ISLANDSHIRES	–	3	–	–	–	–
NOTTINGHAM ...	4	10	14	2	15	M. 2 N. 1
†NOTTINGHAM C.B.	–	4	11	–	6	M. 2 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	1	–
†CARLTON	–	1	–	–	1	–
†HUCKNALL ...	–	–	–	–	3	–
†MANSFIELD ...	–	–	1	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†WORKSOP... ...	4	–	2	–	–	–
Rural Districts:—						
BASFORD	–	–	–	–	1	–
BINGHAM... ...	*	*	*	*	*	*
EAST RETFORD ...	–	1	–	–	1	–
MISTERTON ...	–	–	–	–	1	–
NEWARK	–	–	–	1	–	–
SOUTHWELL ...	–	2	–	1	–	–
STAPLEFORD ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	4	–	–	–	G. 2
†OXFORD C.B. ...	–	–	–	–	–	G. 1
Boroughs and Urban Districts:—						
WITNEY	–	1	–	–	–	–
Rural Districts:—						
BANBURY ...	–	–	–	–	–	G. 1
HENLEY	–	1	–	–	–	–
THAME	–	2	–	–	–	–
PETERBOROUGH (Soke of).	–	2	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	2	–	–	–	–
RUTLAND ...	–	1	–	–	–	–
Rural Districts—						
OAKHAM	–	1	–	–	–	–
SALOP	–	16	2	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
†OAKENGATES ...	–	3	–	–	–	–
OSWESTRY ...	–	–	1	–	–	–
†SHREWSBURY ...	–	3	–	–	–	–
WELLINGTON ...	–	1	–	–	1	–
†WENLOCK ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
CLEOBURY MORTIMER	–	2	–	–	–	–
CLUN	–	–	–	–	1	–
ELLESMERE ...	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
WELLINGTON ...	–	2	–	–	–	–
WEM	–	1	–	–	–	C. 1. N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	-	11	3	3	2	E. 1 N. 1
†BATH C.B.	-	5	1	-	-	N. 1
Boroughs and Urban Districts:—						
†TAUNTON... ...	-	1	-	-	-	-
WELLS	-	-	-	1	-	-
Rural Districts:—						
AXBRIDGE ...	-	-	-	1	1	-
BATH	-	1	-	-	-	-
BRIDGWATER ...	-	-	1	-	-	-
CHARD	-	-	-	-	1	-
KEYNSHAM ...	-	4	-	-	-	-
SHEPTON MALLET	-	-	-	-	-	E. 1
WELLS	-	-	-	1	-	-
WINCANTON ...	*	*	*	*	*	*
YEOVIL	-	-	1	-	-	-
SOUTHAMPTON.	-	46	21	1	3	C. 4 D. 1 M. 6 N. 5
†BOURNEMOUTH C.B	-	2	4	-	-	C. 2 N. 2
†PORTSMOUTH C.B	-	10	13	-	-	D. 1 M. 1
†SOUTHAMPTON C.B	-	6	3	-	-	M. 3 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	1	-	-	-	-
ANDOVER... ...	-	-	-	-	-	N. 1
†EASTLEIGH AND BISHOPSTOKE	-	3	-	-	-	-
†FAREHAM ...	-	2	-	-	-	-
HAVANT	-	1	-		-	-
†WINCHESTER ...	-	10	-	-	1	-
SOUTHAMPTON —*cont.*						
Rural Districts:—						
ALTON	-	1	1	-	-	N. 1
FAREHAM ...	-	3	-	-	-	-
HARTLEY WINTNEY	-	-	-	-	-	C. 1
HURSLEY... ...	-	1	-	-	2	C. 1
KINGSCLERE ...	-	-	-	1	-	-
LYMINGTON ...	-	2	-	-	-	-
ROMSEY	-	1	-		-	M. 2
WHITCHURCH ...	-	2	-	-	-	-
WINCHESTER ...	-	1	-	-	-	-
STAFFORD ...	-	42	26	-	39	G. 1 M. 8 N. 4
†BURTON UPON TRENT C.B.	-	1	-	-	-	-
†SMETHWICK C.B.	-	-	2	-	2	-
†STOKE ON TRENT C.B.	-	9	3	-	10	M. 5
†WALSALL C.B. ...	-	6	10	-	3	M. 1
†WEST BROMWICH C.B.	-	-	2	-	1	-
†WOLVERHAMPTON C.B.	-	5	1	-	-	M. 1 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	-	-	-	-	1	-
†BILSTON	-	2	-	-	2	-
†BRIERLEY HILL...	-	-	1	-	1	-
†BROWNHILLS ...	-	-	-	-	7	-
†CANNOCK	-	-	1	-	-	-
†COSELEY	-	-	1	-	-	-
†DARLASTON ...	-	-	-	-	1	-
KIDSGROVE ...	-	-	-	-	2	-
†LEEK	-	1	-	-	-	-
NEWCASTLE UNDER LYME	-	2	-		1	-
QUARRY BANK	-	-	1	-		-
†ROWLEY REGIS ...	-	-	-	-	2	-
†SEDGLEY	-	-	-	-	1	-
TAMWORTH ...	-	-	1	-	-	N. 1
†TIPTON	-	-	1	-	2	-
†WEDNESBURY ...	-	2	-	-	1	-
†WILLENHALL ...	-	1	-	-	-	-
†WOLSTANTON UNITED	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
BLORE HEATH ...	–	1	–	–	–	–
CANNOCK	–	3	–	–	–	–
CHEADLE... ...	–	–	–	–	2	M. 1 N. 1
GNOSALL	–	3	–	–	–	N. 1
LEEK	–	1	–	–	–	–
LICHFIELD ..	–	1	1	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
TUTBURY... ...	–	–	–	–	–	G. 1
WALSALL... ...	–	2	1	–	–	–
SUFFOLK, EAST	–	9	1	–	2	C. 3 N. 2
†IPSWICH C.B. ..	–	1	1	–	–	C. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	–	N. 1
BUNGAY	–	1	–	–	–	–
EYE	–	1	–	–	–	–
HALESWORTH ...	–	–	–	–	–	C. 1
†LOWESTOFT ...	–	–	–	–	–	N. 1
Rural Districts:—						
HARTISMERE ...	–	5	–	–	–	–
HOXNE	–	1	–	–	–	–
SAMFORD... ...	–	–	–	–	1	C. 1
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST	–	4	–	–	–	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	–	N. 1
NEWMARKET ...	–	1	–	–	–	–
SUDBURY... ...	–	1	–	–	–	–
Rural Districts:—						
COSFORD	–	1	–	–	–	–
MOULTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	47	22	3	10	G. 1 M. 1 N. 8
†CROYDON C.B. ...	–	14	5	1	2	–
Boroughs and Urban Districts:—						
†BARNES	–	4	–	1	–	N. 1
†CHERTSEY	–	2	–	–	1	–
†COULSDON AND PURLEY	–	3	2	–	–	–
†EGHAM	–	2	–	–	1	–
†ESHER AND THE DITTONS	–	2	–	–	–	–
†FARNHAM ...	–	–	–	–	1	–
†FRIMLEY	–	–	1	–	–	–
GODALMING ...	–	3	–	–	1	–
†GUILDFORD ...	–	1	–	–	2	N. 1
†KINGSTON ON THAMES	–	1	2	–	–	G. 1 N. 1
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	1	5	–	–	M. 1
†REIGATE	–	–	2	–	–	–
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	–	–	1	–	–
†THE MALDENS AND COOMBE	–	2	–	–	–	–
†WALTON UPON THAMES	–	2	2	–	1	–
†WIMBLEDON ...	–	6	2	–	–	–
†WOKING	–	–	–	–	–	N. 2
Rural Districts:—						
EPSOM	–	1	–	–	–	N. 1
FARNHAM ...	–	–	1	–	–	N. 1
GODSTONE ...	–	1	–	–	–	–
HAMBLEDON ...	–	–	–	–	1	–
REIGATE	–	–	–	–	–	N. 1
SUSSEX, EAST ...	–	13	4	–	2	G. 1 J. 1 N. 3
†BRIGHTON C.B. ...	–	5	2	–	2	G. 1 N. 1
†EASTBOURNE C.B.	–	3	–	–	–	–
†HASTINGS C.B. ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	1	–	–	–
†HOVE	–	1	–	–	–	N. 1
NEWHAVEN ...	–	–	–	–	–	N. 1
PORTSLADE BY SEA	–	–	1	–	–	–
Rural Districts:—						
CHAILEY	–	–	–	–	–	J. 1
CUCKFIELD ...	–	1	–	–	–	–
HAILSHAM ...	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST...	–	9	2	–	4	N. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	–	–	1	–
†LITTLEHAMPTON	–	–	1	–	–	–
SHOREHAM-BY-SEA	–	1	–	–	–	–
†WORTHING ...	–	3	–	–	1	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	2	–
HORSHAM ...	–	1	–	–	–	–
THAKEHAM ...	–	–	1	–	–	–
WESTHAMPNETT	–	4	–	–	–	N. 1
WARWICK ...	–	55	58	–	38	C. 2 M. 6 N. 2
†BIRMINGHAM C.B.	–	34	45	–	27	C. 2 M. 5 N. 1
†COVENTRY C.B. ...	–	5	2	–	4	–
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	1	–	–	–
†NUNEATON ...	–	2	2	–	1	M. 1
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	1	–	–	–	–
†STRATFORD ON AVON	–	3	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
†WARWICK ...	–	1	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	1	N. 1
ATHERSTONE ...	–	1	4	–	–	–
FOLESHILL ...	–	3	3	–	3	–
RUGBY	–	1	1	–	–	–
SOLIHULL ...	–	–	–	–	1	–
SOUTHAM... ...	–	1	–	–	–	–
WESTMORLAND	–	4	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	4	–	–	–	–
WIGHT, ISLE OF	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
WILTS	–	11	–	–	4	N. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
†SALISBURY ...	–	5	–	–	–	–
†SWINDON... ...	–	–	–	–	2	–
†TROWBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
BRADFORD ON AVON	–	1	–	–		–
HIGHWORTH ...	–	–	–	–	2	–
MARLBOROUGH ...	–	–	–	–	–	N. 1
SALISBURY ...	–	1	–	–	–	–
TISBURY	–	2	–	–	–	–
WILTON	–	–	–	–	–	N. 1
WORCESTER ...	–	29	2	–	4	M. 2 N. 3
†DUDLEY C.B. ...	–	1	1	–	–	–
†WORCESTER C.B.	–	4	–	–	1	N. 2
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†HALESOWEN ...	–	5	–	–	2	–
†KIDDERMINSTER	–	2	–	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	–	N. 1
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	2	–	–	–	–
†OLDBURY... ...	–	2	1	–	–	M. 2
†REDDITCH ...	–	2	–	–	–	–
†STOURBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	2	–	–	–	–
FECKENHAM ...	–	2	–	–	–	–
MARTLEY... ...	–	1	–	–	–	–
UPTON ON SEVERN	–	1	–	–	1	–
YORKS ... ... (East Riding).	–	15	14	–	5	M. 1 N. 1
†KINGSTON UPON HULL C.B	–	10	13	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
HEDON	*	*	*	*	*	*
HESSLE	–	–	–	–	1	–
WITHERNSEA ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
HOWDEN	–	2	–	–	–	–
SCULCOATES ...	–	–	–	–	2	–
YORKS ... ... (North Riding).	4	13	4	–	13	C. 1 M. 1 N. 2
†MIDDLESBROUGH C.B.	–	2	2	–	4	M. 1 N. 2
Boroughs and Urban Districts:—						
†ESTON	*	*	*	*	*	*
LOFTUS	–	–	1	–	1	–
MASHAM	–	1	–	–	–	–
†REDCAR	–	2	–	–	2	–
RICHMOND ...	–	1	–	–	–	–
SALTBURN BY THE SEA	–	–	–	–	1	–
†SCARBOROUGH ...	–	1	1	–	4	–
†SKELTON AND BROTTON	4	1	–	–	–	–
WHITBY	–	1	–	–	–	–
Rural Districts:—						
EASINGWOLD ..	–	1	–	–	–	C. 1
FLAXTON	–	1	–	–	–	–
STOKESLEY ...	–	2	–	–	1	–
YORKS ... ... (West Riding).	33	116	39	8	81	C. 5 G. 3 L. 1 M. 9 N. 12
†BARNSLEY C.B. ...	–	2	–	–	–	–
†BRADFORD C.B. ...	–	7	3	1	2	N. 2
†DEWSBURY C.B....	–	1	–	–	–	–
†DONCASTER C.B.	10	2	–	–	–	M. 1 N. 1
†HALIFAX C.B. ...	–	1	–	–	1	–
†HUDDERSFIELD C.B	–	6	5	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†LEEDS C.B. ...	-	15	5	-	11	C. 1 G. 1 M. 3 N. 3
†ROTHERHAM C.B.	-	3	-	-	5	-
†SHEFFIELD C.B. ..	1	43	18	2	25	C. 2 M. 3 N. 4
†WAKEFIELD C.B.	-	1	1	-	2	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	1	1	-	1	-
ALTOFTS	-	1	-	-	3	-
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BARKISLAND ...	*	*	*	*	*	*
†BARNOLDSWICK ...	-	-	-	-	-	G. 1
†BATLEY	-	-	-	-	1	-
†BINGLEY	-	-	-	-	2	-
†BRIGHOUSE ...	2	-	-	-	-	-
†CONISBROUGH ...	2	-	-	-	-	C. 1
CUDWORTH ...	-	2	-	-	1	-
DARFIELD ...	1	-	-	-	-	-
†DARTON	-	-	-	-	2	-
DRIGHLINGTON ...	-	-	-	-	2	-
FARSLEY	-	-	-	1	-	-
†FEATHERSTONE ...	-	2	-	-	1	-
GILDERSOME ...	-	-	-	-	1	-
†GOOLE	-	1	-	-	-	-
†HEMSWORTH ...	-	-	-	-	-	L. 1
†HOYLAND NETHER	-	1	-	-	-	-
ILKLEY	-	1	-	-	-	-
†KEIGHLEY ...	5	1	-	-	-	-
LEPTON	-	-	-	-	1	-
LUDDENDEN FOOT	-	-	-	-	-	N. 1
MARSDEN... ...	-	-	-	1	-	-
METHLEY ...	-	-	-	1	-	-
†MEXBOROUGH ...	-	1	-	-	1	-
†MORLEY	-	-	-	-	1	-
†NORMANTON ...	-	1	-	-	2	-
OTLEY	-	-	-	-	2	-
PENISTONE ...	-	-	-	-	-	M. 1
†PUDSEY	-	-	1	-	-	-
†RAWMARSH ...	-	1	-	-	-	-
†ROTHWELL ...	-	-	-	-	1	-
SHELLEY	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SKIPTON	-	-	-	-	-	M. 1
†SOWERBY ...	-	2	-	-	-	-
SOYLAND	*	*	*	*	*	*
THURNSCOE ...	-	2	-	-	-	-
†TODMORDEN ...	-	1	-	-	-	-
WHITLEY UPPER		2	-	-	-	-
†WOMBWELL ..	9	1	-	-	3	-
†WORSBOROUGH ...	-	2	-	-	-	-
YEADON	-	-	-	1	-	-
Rural Districts:—						
DONCASTER ...	1	2	1	1	-	-
GREAT OUSEBURN	-	-	-	-	-	C. 1
HEMSWORTH ...	-	1	1	-	1	G. 1
HUNSLET... ...	-	-	1	-	-	-
KIVETON PARK ...	1	1	-	-	-	-
PATELEY BRIDGE	-	1	-	-	-	-
PONTEFRACT ...	-	1	-	-	-	-
ROTHERHAM ..	-	-	1	-	2	-
SETTLE	1	-	-	-	-	-
SKIPTON	-	1	-	-	-	-
THORNE	-	1	-	-	2	-
WAKEFIELD ...	-	2	-	-	-	-
WETHERBY ...	-	2	-	-	1	-
WHARFEDALE (SOUTH)	-	-	-	-	1	-
WORTLEY ...	-	-	1	-	1	N. 1
§YORK, CITY OF...	-	3	3	1	-	-
†YORK C.B. ...	-	3	3	1	-	-
WALES.						
ANGLESEY ...	-	-	1	-	-	-
Boroughs and Urban Districts:—						
AMLWCH	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ANGLESEY—*cont.*						
Rural Districts:—						
TWRCELYN ...	*	*	*	*	*	*
VALLEY	–	–	1	–	–	–
BRECKNOCK ...	–	1	–	–	–	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	1	–	–	–	–
CAERNARVON...	–	2	–	2	1	–
Boroughs and Urban Districts:—						
†BANGOR	–	–	–	1	–	–
BETHESDA ...	–	1	–	–	–	–
†LLANDUDNO ...	–	1	–	1	1	–
CARMARTHEN...	–	2	2	–	6	M. 1
Boroughs and Urban Districts:—						
†LLANELLY ...	–	–	1	–	4	–
Rural Districts:—						
LLANELLY ...	–	2	1	–	1	M. 1
LLANYBYTHER ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	2	1	2	2	–
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	1	–	–	–	–
†WREXHAM ...	–	–	1	1	–	–
Rural Districts:—						
WREXHAM ...	–	1	–	1	2	–
FLINT	–	2	5	1	3	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	1	–	–	–
†RHYL		–	3	–	–	–
Rural Districts:—						
HOLYWELL ...	–	–	–	–	2	–
OVERTON ..	–	1	1	1	–	–
ST. ASAPH (FLINT)	–	1	–	–	1	–
GLAMORGAN ...	2	37	29	1	19	C. 2 E. 2 M. 7 N. 2
†CARDIFF C.B. ...	–	4	7	–	3	E. 1 M. 3
†MERTHYR TYDFIL C.B.	–	1	1	–	1	C. 1
†SWANSEA C.B. ..	–	8	2	–	2	M. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	1	–
†BARRY	–	–	1	–	1	–
†CAERPHILLY ..	–	1	4	–	1	–
†GELLIGAER ..	–	–	1	–	1	–
†GLYNCORWG ...	–	1	2	–	1	–
†MAESTEG... ...	–	–	2	–	1	M. 1
†MOUNTAIN ASH ...	2	–	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEATH	–	1	1	–	1	–
†PENARTH ...	–	–	–	–	–	N. 1
†PONTYPRIDD ...		1	–	–	–	E. 1
†PORT TALBOT ...	–	4	–	–	–	M. 1
†RHONDDA ...	–	8	3	–	6	C. 1
Rural Districts:—						
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	4	1	–	–	N. 1
NEATH	–	1	2	–	–	–
PENYBONT ...	–	–	1	1	–	–
MERIONETH ...	–	3	–	–	–	–
Urban Districts:—						
FESTINIOG ...	–	3	–	–	–	–
MONMOUTH ...	46	6	3	–	8	G. 3 M. 1
†NEWPORT C.B. ...	–	1	–	–	4	–
Boroughs and Urban Districts:—						
†ABERCARN ...	4	–	–	–	–	–
ABERGAVENNY ...	–	1	–	–	–	M. 1
†ABERSYCHAN ...	6	–	–	–	–	G. 1
†ABERTILLERY ...	2	–	1	–	–	G. 1
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	3	–	1	–	–	–
†BLAENAVON ...	26	–	–	–	–	–
CAERLEON ...	–	1	–	–	–	–
CHEPSTOW ...	–	–	–	–	–	G. 1
†EBBW VALE ..	–	1	–	–	1	–
†MYNYDDISLWYN	3	1	–	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†PANTEG	–	1	–	–	–	–
PONTYPOOL ...	2	–	–	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
USK	*	*	*	*	*	*
Rural Districts:—						
CHEPSTOW ...	–	–	–	–	1	–
PONTYPOOL ..	*	*	*	*	*	*
PEMBROKE ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
TENBY	–	–	–	–	1	–
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
RADNOR	–	1	–	–	–	–
Rural Districts:—						
RHAYADER ...	–	1	–	–	–	–
Total of Part II. ...	156	1290	567	73	579	C. D. E. G. J. L. M.1 N.1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

rt Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
TTLEHAMPTON ...	*	*	*	*	*	*	SOUTHAMPTON ...	-	1		-	-	-
VERPOOL	-	1	-	3	-	L. 1	PORT OF LONDON ...	-		1	1	2	-
WESTOFT	-	-	1	-	-	-							
YMOUTH	-	1	-	-	-	-	Total of Part III. ...	-	3	2	4	2	L. 1

* Returns not received. ‡ Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	
Total of Part I.—London	–	260	178	7	78	C I I C I I N
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	156	1290	567	73	579	C I I C J I I I
Total of Part III.—Port Sanitary Districts	–	3	2	4	2	I
Total (*i.e.*, of returns received), England and Wales ...	156	1553	747	84	659	C I I C J I I N

‡ The letters in this column denote the following diseases:—A, Cholera; B, Pl
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute
encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Cont
Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyr
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Aggregate. — Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Apl. 23.	Apl. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18	June 25.	July 2.	July 9.	July 16.
OON :—													
THS (excluding Stillths)—all ages.	975	980	959	857	871	787	843	801	852	798	804	781	777
THS—0 to 1 year ..	114	98	79	79	71	54	75	65	72	55	48	66	68
AT TOWNS, aggre- e (including Lon-):—													
BIRTHS	6,613	7,602	7,102	6,994	7,044	6,656	7,106	6,066	7,495	6,801	6,525	6,758	6,636
LBIRTHS	—	—	—	—	—	—	—	—	—	—	32†	219	233
THS (excluding Stillths)—all ages	4,340	4,253	4,347	4,017	3,947	3,847	3,948	3,683	3,879	3,582	3,453	3,667	3,442
THS—0 to 1 year ..	496	459	427	395	376	341	398	341	349	328	292	353	320
ERIC FEVER—Cases	22	18	19	20	14	11	22	30	29	35	28	36	26
„ Deaths	1	—	3	—	1	1	1	4	5	1	—	8	2
L POX—Cases ..	56	66	73	55	77	81	74	65	60	77	61	31	30
„ Deaths ..	—	—	4	1	—	2*	—	—	—	—	1	—	—
LET FEVER—Cases	700	652	813	840	920	849	973	880	845	897	930	976	913
„ Deaths	4	5	4	5	13	11	5	6	5	4	6	5	3
THERIA—Cases ..	516	493	529	599	593	558	589	451	559	503	503	550	535
„ Deaths ..	27	30	25	30	18	26	25	11	13	17	16	26	20
SLES—Deaths ..	81	68	57	57	57	42	35	43	39	30	27	36	21
UENZA—Deaths ..	82	71	57	47	46	43	42	33	31	33	28	31	21

* Including 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.
† Registration of Stillbirths began 1st July, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 16th July, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON	81	53	69·0	55·1	14	HUDDERSFIELD	80	48	70·7	52·3	7
REENWICH).						BRADFORD ..	76	50	65·4	52·9	5
HTON ..	81	54	66·9	58·0	11	SHEFFIELD ..	78	52	66·4	54·3	0·4
TSMOUTH ..	80	53	67·7	57·3	9	YORK (MUSEUM)	78	53	66·9	53·6	0
WICH	76	54	65·3	55·0	5	HULL (PEARSON PARK).	78	52	64·1	53·3	0
(EATON).											
MOUTH ..	72	55	68·0	57·9	5	TYNEMOUTH ..	61	53	57·6	53·4	1
TOL	77	55	68·6	57·1	40	CARDIFF.. ..	76	56	68·3	57·4	20
(CLIFTON).											
MINGHAM	80	53	67·3	54·7	26						
EDGBASTON).						EDINBURGH ..	72·0	51·0	64·3	52·7	4
TINGHAM ..	79	53	66·3	54·7	0	GLASGOW ..	72·7	51·0	67·8	54·1	25
KENHEAD	72	54	65·7	55·4	47	DUBLIN (PHŒNIX PARK).	72·0	42·9	67·6	51·6	—
(BIDSTON).											
CHESTER	78	52	69·7	55·3	8	(FITZWILLIAM SQUARE†).	68·2	51·2	66·1	55·0	—
WHITWORTH PARK).											
NLEY.. ..	78	48	68·9	52·3	14	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 16th July, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	10	..	29·681	80·9	55·4	25·5	67·3	+ 4·8	58·2	9·1	22·4	1·4	73	157·0	50·0	54·9	N: NNW.	NNE: NE: Calm.	1·2	0·0	0·1	222	− 29	0·00
MONDAY -	11	..	29·835	81·2	56·1	25·1	66·3	+ 3·6	59·4	6·9	20·9	1·2	79	148·6	45·7	55·0	Calm	SE: Calm: ENE.	1·0	0·0	0·0	117	− 131	0·10
TUESDAY -	12	..	29·836	65·1	58·1	7·0	60·7	− 2·2	58·0	2·7	6·8	0·6	91	97·2	51·8	55·0	ENE	Calm: E.	0·2	0·0	0·0	139	− 106	0·00
WEDNESDAY	13	..	29·885	62·8	56·1	6·7	58·4	− 4·7	55·7	2·7	7·2	0·0	91	82·1	56·1	55·1	Calm: ENE.	Calm: ENE: E.	0·3	0·0	0·0	149	− 94	0·00
THURSDAY -	14	Greatest Declination S. Full	29·958	59·1	53·6	5·5	55·4	− 7·9	54·2	1·2	5·2	0·7	95	76·6	52·7	55·2	ENE: NNE.	NNE	0·8	0·0	0·0	180	− 62	0·43
FRIDAY -	15	..	30·038	69·2	53·1	16·1	58·8	− 4·6	54·0	4·8	15·6	1·3	84	124·8	51·6	55·2	N: NNE.	N: NNE.	1·0	0·0	0·1	214	− 29	0·03
SATURDAY -	16	..	30·029	64·8	52·6	12·2	56·5	− 6·9	53·6	2·9	8·9	1·0	90	92·7	48·7	55·3	NNE	NNE	1·2	0·0	0·1	202	− 42	0·00
MEANS -		...	29·895	69·0	55·0	14·0	60·5	− 2·6	56·2	4·3	12·4	0·9	86	111·3	50·9	55·1	NNE		..	..	..	Sum 1223	Sum − 493	Sum 0·56
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	10	wP till 21h.; then mP.	10·3	16·3	Variably cloudy. Haze in morning. Lightning about 22h.
MONDAY ..	11	wP till 13h.; variably sN and sP till 18h.; then wP.	8·3	16·3	Variably cloudy becoming nearly overcast by 15h. Solar halo 11¾h. Frequent thunder and occasional lightning 13½h. till 15¾h. Rain 14¼h. till 16h.
TUESDAY ..	12	wP	0·0	16·2	Overcast throughout. Damping 20¾h. till 21h.
WEDNESDAY	13	wP till 2¾h.; variably mP and mN till 5h., then wP.	0·0	16·2	Overcast throughout. Damping 2¾h. till 4h. Rain 9¾h. till 10¼h.
THURSDAY	14	wP till 6h.; variably wP and mN till 11h., then wP.	0·0	16·2	Overcast throughout. Rain generally from 6¾h. till 22h.
FRIDAY ..	15	wP till 6h.; variably wP and mN till 10h.; then wP.	1·3	16·1	Overcast with slight break about 15h. Rain about 5h., and from 6½h. till 7½h. Occasional slight showers between 9h. and 12h.
SATURDAY	16	wP	0·1	16·1	Overcast. Damping about 4h.; 13½h. till 13¾h.: and 15h. till 16½h. Slight rain 14¼h. till 15h.
			Sum 20·0	Sum 113·4	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·50 ins. at the beginning of the week to 30·06 ins. by 21h. on 15th; decreased and was 29·99 ins. by midnight on the 16th.

THE 1921

CENSUS

THE decennial census of England and Wales provides a wealth of statistical data relating to an exceptionally wide range of social conditions and activities and so furnishes matter of the greatest value for the solution of a vast number of current political and economic problems.

Encyclopædic in scope, the volumes are a storehouse of information of the most detailed nature and of exceptional accuracy which can be put to an extraordinary range and variety of uses. They have proved, for instance, of signal service in industry and commerce and to advertisers anxious to obtain quantitative data on which to base production and selling campaigns. Each County in England and Wales is surveyed separately and the figures relating to them are published in 52 volumes of foolscap folio size.

Ten general volumes are devoted to a grouping of statistics to illustrate the Industrial and Occupational divisions of the country and such special relationships as Dependency Orphanhood, etc. A general Report on the Census as a whole is now ready and is included in the set offered. It may be obtained separately 5s. (Post Free 5s. 6d.).

The complete set of volumes originally cost £34 4s. net and it has been decided to offer the few sets that remain at the exceptionally low price of £12 net, postage extra.

The series may be ordered at this price at any of the sale offices of H.M. Stationery Office.

LONDON: Adastral House, Kingsway, W.C.2.
MANCHESTER: York Street.
EDINBURGH: 120, George Street.
CARDIFF: 1, St. Andrew's Crescent.
BELFAST: 15, Donegall Square West.

FOR OFFICIAL USE

1927. No. 29.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 23RD JULY, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-29-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 23RD JULY, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the twenty-ninth week of the year numbered 6,875 and corresponded to an annual rate of 18·3 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,424 and corresponded to an annual rate of 9·1 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·2, 9·8 and 9·2. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 47 against 43, 52 and 48 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,625 live births, corresponding to a rate of 18·4 per 1,000, and 768 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·7, against 9·1, 8·8 and 8·8 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·9 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 34 as against 32, 43 and 45 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 3,442 to 3,424, and in London from 777 to 768.

Under the Birth and Death Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 242 in the Great Towns including 36 in London.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } BIRTHS and DEATHS registered in the week ended 23rd July, 1927.

TOWNS.	Estimated Population, Mid. 1926	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	1
107 GREAT TOWNS ..	19,540,143*	6875	242	3424	314	2	29	3	24	30	38	
LONDON	4,605,400*	1625	36	768	51	1	3	3	4	8	7	
TOWNS IN OUTER RING:												
CROYDON C.B. ..	205,900	74	2	28	5	-	-	-	1	-	-	
WIMBLEDON ..	58,030	16	-	6	-	-	-	-	-	-	-	
EALING	91,783	24	-	12	1	-	-	-	-	1	-	
ACTON	63,040	20	1	10	-	-	-	-	1	-	-	
BRENTFORD AND CHISWICK ..	56,840	15	-	11	-	-	-	-	-	-	-	
WILLESDEN ..	165,270	51	1	24	1	-	-	-	-	-	-	
HENDON	62,570*	21	-	7	-	-	-	-	-	-	-	
HORNSEY	87,230	23	-	19	2	-	-	-	-	-	-	
WOOD GREEN ..	51,940	24	-	8	-	-	-	-	-	-	-	
TOTTENHAM ..	151,520	34	2	22	3	-	-	-	-	-	1	
EDMONTON	71,700	35	1	5	-	-	-	-	-	1	-	
ENFIELD	63,640	15	1	7	1	-	-	-	-	-	1	
WEST HAM C.B. ..	315,900	126	7	59	3	-	-	-	-	1	-	
EAST HAM C.B. ..	146,600	39	3	28	2	-	-	-	-	1	-	
LEYTON	130,000	33	-	18	1	-	-	-	-	-	-	
WALTHAMSTOW ..	125,500	41	-	19	3	-	-	-	1	-	-	
ILFORD	100,500	44	2	14	2	-	-	-	-	-	-	
GILLINGHAM	47,820*	11	-	9	1	-	-	-	-	-	-	
CANTERBURY C.B ..	23,470*	5	-	5	1	-	-	-	-	-	-	
HASTINGS C.B.	61,340	17	-	10	-	-	-	-	-	-	-	
EASTBOURNE C.B. ..	56,060	20	-	4	-	-	-	-	-	-	-	
BRIGHTON C.B.	139,500*	46	-	24	1	-	-	-	-	-	-	
PORTSMOUTH C.B. ..	231,500*	83	-	39	3	-	1	-	-	1	-	
BOURNEMOUTH C.B. ..	90,100	20	-	21	1	-	-	-	-	1	-	
SOUTHAMPTON C.B. ..	169,300	59	-	28	2	-	-	-	-	-	-	
READING C.B	93,090*	30	1	15	-	-	-	-	-	-	-	
OXFORD C.B.	56,800	13	1	8	-	-	-	-	-	-	-	
NORTHAMPTON C.B. ..	93,530*	17	-	13	2	-	-	-	-	-	-	
LUTON	59,240	11	1	4	-	-	-	-	-	-	-	
CAMBRIDGE	58,820	23	-	9	1	-	-	-	-	-	-	
SOUTHEND-ON-SEA C.B.	104,300	31	2	12	-	-	-	-	-	-	-	
IPSWICH C.B.	84,140	34	2	17	-	-	-	-	-	-	-	
GREAT YARMOUTH C.B.	57,760	19	1	8	1	-	-	-	-	-	1	
NORWICH C.B.	123,500*	43	1	22	-	-	-	-	-	-	-	
SWINDON	57,320	17	-	3	-	-	-	-	-	-	-	
EXETER C.B.	60,340*	19	2	11	3	-	-	-	2	-	1	
PLYMOUTH C.B. ..	187,300*	58	2	46	1	-	-	-	1	-	-	
BATH C.B.	69,000	18	-	12	1	-	-	-	-	-	-	
BRISTOL C.B.	383,300*	126	7	60	2	-	-	-	-	-	-	
GLOUCESTER C.B. ..	53,050	18	2	11	-	-	-	-	-	-	-	
STOKE-ON-TRENT C.B.	275,600	119	4	58	5	-	2	-	-	1	-	
BURTON-UPON-TRENT C.B.	48,660	26	-	6	1	-	-	-	-	-	-	
WOLVERHAMPTON C.B.	131,000	49	4	20	2	-	-	-	-	-	-	
WALSALL C.B.	102,100	51	-	16	4	-	-	-	1	1	1	
WEST BROMWICH C.B.	79,920	41	1	13	1	-	-	-	-	-	-	
DUDLEY C.B.	58,930	23	-	9	1	-	1	-	-	-	-	
WORCESTER C.B. ..	50,660	17	-	10	2	-	-	-	-	-	-	
BIRMINGHAM C.B. ..	934,300*	367	16	161	10	-	-	-	-	2	2	
SMETHWICK C.B. ..	76,940	22	1	9	-	-	-	-	-	-	-	
COVENTRY C.B. ..	127,800	40	1	28	3	-	-	-	-	1	-	
LEICESTER C.B. ..	241,700	90	4	51	6	-	-	-	-	-	1	
LINCOLN C.B.	65,760*	27	-	11	1	-	-	-	-	-	1	
GRIMSBY C.B.	88,580	34	1	18	3	-	-	-	-	-	-	
NOTTINGHAM C.B. ..	268,000	105	5	46	11	-	-	-	-	1	2	
DERBY C.B.	136,600*	56	4	24	4	-	-	-	-	1	-	
CHESTERFIELD ..	66,650	30	4	8	2	-	-	-	-	1	-	
STOCKPORT C.B. ..	125,400	39	-	26	2	-	-	-	-	-	-	
CHESTER C.B.	41,710	14	-	8	-	-	-	-	-	-	-	
BIRKENHEAD C.B. ..	158,000	76	2	21	3	-	1	-	-	-	1	
WALLASEY C.B. ..	93,050	22	-	17	1	-	-	-	-	-	-	
LIVERPOOL C.B. ..	862,600	387	13	149	17	-	2	-	5	1	1	
BOOTLE C.B.	84,580	35	1	9	4	-	-	-	-	-	2	
ST. HELENS C.B. ..	110,000	48	4	10	4	-	1	-	-	-	-	

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
OUTHPORT C.B. ..	77,970	23	1	22	-	-	-	-	-	-	-	-
IGAN C.B.	88,620	32	2	27	2	-	-	-	2	-	-	-
ARRINGTON C.B. ..	76,940*	37	2	8	1	-	-	-	-	-	-	-
OLTON C.B.	177,000	63	2	37	3	1	-	-	-	-	1	1
URY C.B.	56,840*	11	1	12	2	-	-	-	-	-	-	-
ANCHESTER C.B. ..	752,000	276	15	146	13	-	-	-	2	-	4	2
ALFORD C.B.	247,400	100	5	61	1	-	1	-	1	1	1	1
SHTON-UNDER-LYNE	51,050	10	-	8	1	-	-	-	-	-	-	-
LDHAM C.B.	143,000	36	2	29	1	-	-	-	-	-	-	1
OCHDALE C.B.	91,510	23	2	16	2	-	-	-	-	-	-	-
URNLEY C.B	99,600	50	2	24	1	-	-	-	-	-	1	-
LACKBURN C.B. ..	124,400	17	-	19	2	-	-	-	-	-	-	-
RESTON C.B.	124,200	37	-	21	4	-	-	-	-	1	-	-
LACKPOOL C.B. ..	88,640	18	1	19	3	-	-	-	-	-	-	-
ARROW-IN-FURNESS C.B.	70,420	27	3	11	-	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	111,600	40	3	18	3	-	-	-	1	-	-	-
ALIFAX C.B.	96,130*	36	1	21	1	-	-	-	-	-	-	-
RADFORD C.B. ..	288,700	86	2	63	5	-	-	-	1	1	-	-
EEDS C.B.	473,400	162	10	92	14	-	-	-	-	-	-	1
EWSBURY C.B. ..	53,630	11	-	9	-	-	-	-	-	-	-	1
AKEFIELD C.B. ..	53,830	12	-	10	1	-	-	-	-	-	-	-
ARNSLEY C.B. ..	70,760	24	-	12	-	-	6	-	-	-	-	-
HEFFIELD C.B. ..	523,300*	148	7	79	11	-	-	-	-	1	-	1
OTHERHAM C.B. ..	70,080	29	1	9	1	-	1	-	-	-	-	-
ONCASTER C.B. ..	55,700	25	1	16	2	-	-	-	-	-	2	-
ORK C.B.	84,430*	31	-	16	3	-	-	-	-	1	-	-
ULL C.B.	294,600	104	10	59	6	-	2	-	-	-	-	-
IDDLESBROUGH C.B.	133,600	46	2	38	10	-	-	-	-	1	2	-
ARLINGTON C.B. ..	70,700	18	-	13	1	-	-	-	-	-	-	-
TOCKTON-ON-TEES ..	67,910	28	-	16	3	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,060	27	2	16	1	-	1	-	-	-	-	-
UNDERLAND C.B. ..	163,800	62	2	31	4	-	2	-	-	-	-	-
OUTH SHIELDS C.B. ..	123,900	36	1	20	1	-	-	-	-	1	-	-
ATESHEAD C.B. ..	127,700	52	4	33	2	-	-	-	-	-	1	-
EWCASTLE-ON-TYNE C.B.	284,700*	103	3	42	4	-	-	-	-	-	-	-
YNEMOUTH C.B ..	66,560	34	-	12	1	-	-	-	-	-	-	-
ARLISLE C.B.	56,140*	15	-	9	2	-	1	-	-	-	1	-
EWPORT (MON.) C.B.	96,620	35	-	18	4	-	1	-	-	-	1	-
ARDIFF C.B.	225,600*	84	5	48	8	-	-	-	-	-	-	-
HONDDA	162,500	66	1	28	2	-	3	-	1	-	1	-
ERTHYR TYDFIL C.B.	80,690	26	1	15	4	-	-	-	-	-	1	-
BERDARE	56,930	12	2	11	-	-	-	-	-	-	-	-
WANSEA C.B.	163,200	47	3	26	2	-	-	-	-	-	-	1
REATER LONDON ..	7,791,310*	2,674	68	1,227	85	1	3	3	7	14	9	6
UTER RING	3,185,910*	1,049	32	459	34	-	-	-	3	6	2	2
GREAT TOWNS IN OUTER RING	1,947,963*	635	20	297	24	-	-	-	3	4	2	2
EMAINDER OF OUTER RING	1,237,947*	414	12	162	10	-	-	-	-	2	-	-
DINBURGH†	426,100	117	-	80	8	-	1	-	1	-	1	-
LASGOW†	1,049,000	423	-	254	39	-	4	-	7	2	4	-
UBLIN (REGISTRATION AREA)†	421,000	207	-	102	15	-	-	-	3	-	3	-
ELFAST†	416,000	225	-	74	16	-	-	-	1	-	1	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and lasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and y the addition of deaths of residents reported from elsewhere in Scotland during the week; those in ublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into ublic institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,605,400	1927. July 23	1625	36	768	8·7	1	–	3	3	4	8	
Calcutta and Suburbs	1,077,264	June 18	?	?	512‖	24·8	–	24	–	–	–	–	
Bombay§	1,298,708	July 2	397	28	466‖	18·6	4	18	1	–	–	–	
Madras	528,791	June 25	564	37	320	31·4	1	1	–	–	2	–	
Sydney and Suburbs	1,098,950	„ 30 (30 days)											
Brisbane (Metropolitan Area).	274,260	June 30 (30 days)											
Perth (Metropolitan Area).	179,388	May 21	80	?	42	11·3	–	–	–	–	–	–	
Auckland (Urban Area).	201,220	May 31 (31 days)	278	?	167	10·0	–	–	–	–	–	2	
Wellington (Urban Area).	126,310	May 31 (31 days)	181	?	70	6·6	–	–	–	–	–	1	
Christchurch (Urban Area).	121,780	May 31 (31 days)	173	?	81	8·0	–	–	–	–	–	–	
Cape Town	115,348	June 25	57	?	29	13·1	1	–	–	–	1	1	
Johannesburg	172,189	„ 25	98	?	61	18·4	–	–	–	–	–	–	
Durban	54,738	„ 25	23	?	15	14·3	–	–	–	–	–	–	
Paris	2,871,429	July 10 (10 days)	1257	98	903	11·5	9	2	16	6	9	10	
Antwerp	300,777	June 18	102	9	49	8·5	–	–	–	–	–	–	
Amsterdam	729,159	„ 18	264	?	116	8·3	–	–	1	–	–	–	
Copenhagen	592,000	July 9	211	3	134	11·8	–	–	–	–	–	–	
Stockholm	453,332	„ 2	105	2	102	11·7	–	–	–	–	–	–	
Gothenburg	231,196	„ 2	?	?	43	9·7	–	–	–	–	–	–	
Oslo (Christiania) ..	254,055	„ 16	43	2	50	10·2	–	–	–	–	–	–	
Berlin	2,003,000	„ 2	396	19	401	10·4	–	?	1	1	–	9	
Breslau	564,000	„ 2	147	6	104	9·6	–	?	–	–	1	1	
Cologne	716,000	„ 2	213	3	104	7·6	–	?	2	1	–	–	
Dresden	626,000	„ 2	124	4	110	9·1	–	?	–	–	–	–	
Frankfort-on-Main..	473,000	„ 2	100	5	58	6·4	–	?	–	–	–	–	
Hamburg	1,101,000	„ 2	205	11	192	9·1	–	?	–	1	–	–	
Leipzig	687,000	„ 2	196	6	114	8·6	–	?	–	–	–	–	
Munich	685,000	„ 2	183	2	139	10·6	–	?	–	–	–	–	
Vienna	1,871,380	Jan. 31 '27 (31 days)											
Prague and Suburbs	725,196	Jan. 31 '27 (31 days)											
Budapest	971,169	July 2	288	?	296	11·0	1	–	–	–	1	–	
Warsaw	1,028,962	„ 9	?	?	268	13·6	2	1	7	1	5	–	
Cairo	874,300	Feb. 11	918	32	502	29·9	2	–	–	–	–	3	
Alexandria	501,800	„ 11	547	11	317	32·9	–	–	–	–	–	1	
New York	5,924,018	July 9	?	?	1184	10·4	1	–	1	1	6	20	
Chicago	3,048,000	„ 8											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under one year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 43 deaths from Cholera in Calcutta and 7 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 23rd July, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	768	51	13	11	31	37	37	51	100	131	172	134
Enteric fever	1	-	-	-	1	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	2	-	-	1	-	-	-	-	-	-
Scarlet fever	3	-	-	1	2	-	-	-	-	-	-	-
Whooping cough	4	2	1	1	-	-	-	-	-	-	-	-
Diphtheria	8	-	-	2	6	-	-	-	-	-	-	-
Influenza	4	-	-	-	-	-	-	1	-	-	2	1
Erysipelas	1	-	-	-	-	-	-	1	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-		-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	69	-	2	-	1	15	15	8	15	9	4	-
Nervous system	5	-	-	-	4	1	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	-	1	1	-	-	-	-	-
Other forms	7	-	1	1	2	1	-	-	-	-	-	2
Venereal diseases	2	-	-	-	-	-	-	-	-	-	1	1
Cancer	126	-	-	-	-	-	-	7	24	38	40	17
Rheumatic fever	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes	6	-	-	-	-	-	-	-	1	1	1	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	-	2	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	21	-	-	-	-	-	-	-	-	3	10	8
Epilepsy	1	-	-	-	-	-	1	-	-	-	-	-
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	23	-	-	1	1	2	-	-	9	3	3	4
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	7	-	-	-	-	1	2	3	1	-	-	-
Other diseases of heart	124	-	-	-	-	1	5	10	10	32	30	36
Other diseases of circulatory system	49	-	-	-	-	-	-	1	4	9	17	18
Bronchitis	23	-	1	-	1	-	-	-	4	4	9	4
Broncho-pneumonia	13	3	1	1	1	-	-	1	1	2	3	-
Lobar-pneumonia	16	1	1	-	-	1	1	2	1	2	4	3
Pneumonia (type not distinguished)	4	1	-	-	-	-	-	-	1	-	2	-
Other diseases of respiratory system	6	-	-	-	-	2	1	-	1	-	-	2
Diarrhœa and enteritis	11	7	-	1	1	-	-	-	-	-	1	1
Appendicitis, Typhlitis	5	-	-	-	-	1	1	-	1	2	-	-
Hernia, Intestinal obstruction	12	-	-	-	-	-	1	-	3	2	3	3
Cirrhosis of liver	4	-	-	-	-	-	-	-	2	2	-	-
Other diseases of digestive system ..	27	1	-	-	4	-	2	4	5	5	6	-
Acute nephritis	1	-	-	-	-	-	-	-	-	-	1	-
Chronic Bright's disease	41	-	-	-	1	1	2	2	9	6	16	4
Other diseases of genito-urinary system.	15	-	-	1	-	-	-		2	1	8	3
Puerperal sepsis	1	-	-	-	-	-	-	1	-	-	-	-
Other causes incident to childbirth ..	3	-		-	-	-	1	2	-	-	-	-
Congenital malformations	6	6	-	-	-	-	-	-	-	-	-	-
Premature birth	20	20			-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	-	-			-				-	-	-	-
Old age	19	-	-					-	-	-	2	17
Suicide	4	-	-			-	-	1	1	1	1	-
Burns and Scalds	1	1	-	-	-	-	-	-	-	-	-	-
Drowning	4	-	-	-	-	1	3	-	-	-	-	-
Suffocation in bed	-	-	-		-	-	-	-	-	-	-	-
Vehicles and horses	10	-	-	-	3	5	-	1	-	-	1	-
Other deaths by violence	9	-	-	1		1	-	2	1	1	1	2
Other specified causes	42	9	2	1	1	1	1	4	4	8	6	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 23rd July, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	294	201	8	53	C. 6 G. 2 M. 19 N. 15
Metropolitan Boroughs:—						
†BATTERSEA ...	-	12	19	-	3	C. 1 M. 3
†BERMONDSEY ...	-	12	8	-	-	N. 1
†BETHNAL GREEN	-	22	3	-	4	-
†CAMBERWELL ...	-	10	18	-	1	N. 1
†CHELSEA	-	1	6		1	-
†DEPTFORD ...	-	9	7	-	4	-
†FINSBURY ...	-	5	4	-	1	M. 1
†FULHAM	-	12	8	-	6	-
†GREENWICH ...	-	13	8	-	1	-
†HACKNEY ...	-	13	13	-	2	N. 1
†HAMMERSMITH ...	-	5	3	3	-	-
†HAMPSTEAD ...	-	1		-	-	-
†HOLBORN... ...	-					-
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	20	7	-	4	C. 2 M. 3 N. 1
†KENSINGTON ...	-	3	2	-	1	
†LAMBETH ...	-	12	16	1	4	M. 4
†LEWISHAM ...		18	9	-	-	-
†PADDINGTON ...	-	9	4	1	-	G. 1 N. 1
†POPLAR	-	20	9	-	4	G. 1 M. 3
†ST. MARYLEBONE		7	1	-	-	-
†ST. PANCRAS ...		9	4	1	3	C. 1 N. 3
†SHOREDITCH ...	-	4	5	-	-	C. 1 N. 1
†SOUTHWARK ...	-	13	16	-	1	C. 1 M. 2 N. 1
†STEPNEY		15	13	-	3	N. 1
†STOKE NEWINGTON	-	2	2	-	-	-
†WANDSWORTH ...	-	27	7	1	5	M. 1
†WESTMINSTER, CITY OF		10	3	1	1	-
†WOOLWICH ...	-	10	2	-	4	M. 2 N. 4

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	10	2	1	1	G. 2 N. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	*	*	*	*	*	*
†BEDFORD ..	-	3	-	-	-	-
BIGGLESWADE .	-		-	-		N. 1
DUNSTABLE ...	-	1	-		-	-
LEIGHTON BUZZARD	-	1	-	-	-	-
†LUTON	-	1	-	-	-	G. 2
SANDY	-	1		-	1	-
Rural Districts:—						
AMPTHILL ...		2	-	-	-	-
BIGGLESWADE ...	-	1	-	1	-	-
LUTON	-		2	-		-
BERKS		15	3	3	1	N. 2
†READING C.B.		7	1	1	-	N. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	-	1	-	-	-	-
†NEWBURY ...	-	2	1			-
†NEW WINDSOR ...	-	-	1	1		-
WOKINGHAM ...	-	1		-	-	-
Rural Districts:—						
ABINGDON ...		-		-	-	N. 1
BRADFIELD ..	-	1	-	-	1	-
COOKHAM ...	-	1	-	-		-
EASTHAMPSTEAD		2		1		-
BUCKINGHAM ...		7	3	3	5	-
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	-	-	-	-	1	-
ETON	-	1		1	-	
MARLOW	-	1	-	-	-	-
†SLOUGH	-	-	2	-		-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	-	2	-		4	-
AYLESBURY ...		1	-	-		-
ETON	-	-	1	2	-	-
LONG CRENDON...		1	-	-	-	-
WYCOMBE ...	-	1		-	-	-
CAMBRIDGE ...	-	1	3	-	-	-
Borough:—						
†CAMBRIDGE ...	-	1	-		-	-
Rural Districts:—						
CHESTERTON ...	-	-	3		-	-
CHESTER ...		38	15	2	21	D. 2 E. 1 G. 1 M. 4 N. 1
†BIRKENHEAD C.B	-	5	6	-	15	D. 1 M. 1
†CHESTER C.B. ...	-	1	-	-		-
†STOCKPORT C.B.	-	10	2	-	-	D. 1 E. 1 M. 1
†WALLASEY C.B ...	-	4	2	-	-	M. 1
Boroughs and Urban Districts:—						
BOWDON	-	1	-	-	-	-
BREDBURY AND ROMILEY		1	-	-	-	-
†CONGLETON ..	-	-	-	-	1	-
†CREWE	-	2	1	-		N. 1
†DUKINFIELD ..	-	-	-			M. 1
†ELLESMERE PORT AND WHITBY	-	2		-		-
†HYDE	-	-	-	-	1	-
MOTTRAM IN LONGDENDALE	-		-	-	2	-
†SALE	-	-	1	-		-
†WINSFORD ...	-	2	-	1	2	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ..	–	1	–		–	–
CHESTER	–	–	–	1	–	G. 1
CONGLETON ..	–	–	1	–	–	–
MACCLESFIELD ...	–	4	–	–	–	–
MALPAS		–	1	–	–	–
NORTHWICH ...		2	–			–
WIRRAL ...		3	1	–		
CORNWALL ...	–	4	3		1	M. 1 N. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...		1	1	–	–	
LISKEARD ...	–	–	1	–	–	–
PHILLACK ...	–	1	–	–	–	–
ST. JUST		1	–		–	–
Rural Districts:—						
HELSTON	–	–	–	–	–	N. 1
LISKEARD ...	–	1	–		1	–
REDRUTH ...			1	–	–	–
STRATTON ...	–	–	–	–	–	M. 1
CUMBERLAND...	–	6	3	–	1	–
†CARLISLE C.B. ...		2	–	–	–	–
Boroughs and Urban Districts:—						
MILLOM	–	2	–	–	–	–
†WHITEHAVEN ..	–	2	–	–	–	–
Rural Districts:—						
CARLISLE ...	–	–	2	–		–
COCKERMOUTH ...	–	–	–	–	1	–
PENRITH	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	6	27	18	–	16	C. 2 M. 2 N. 3
†DERBY C.B.	–	1	4	–	7	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON .	–	–	–	–	3	–
ALVASTON AND BOULTON	–	–	–	–	1	–
ASHBOURNE ...	–	–	–	–	1	–
†BELPER	3	–	–		–	–
†BOLSOVER ...	–	1	–	–	–	–
†CHESTERFIELD ..	–	3	–		–	–
CLAY CROSS ...	–	1	–	–	–	–
DRONFIELD ...	–	–	1	–	–	–
†GLOSSOP	–	1	3	–	–	–
HEAGE	–	–	1	–	–	–
†HEANOR	–	2	1	–	1	N. 1
†ILKESTON ...		3		–		M. 1
†LONG EATON ...	–	1	1	–	–	–
NEW MILLS ...	–	2	–	–	–	–
†RIPLEY	2	–	1		1	N. 1
†THE MATLOCKS...	–	1	2	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	–	C. 1
BELPER	1	1	–	–	–	–
BLACKWELL ..		4	1	–	–	–
CHESTERFIELD ...	–	2	3	–	–	N. 1
CLOWNE	–	1	–	–	–	–
GLOSSOP DALE ...	–	–	–	–	1	–
HARTSHORN AND SEALE	–	–	–	–	1	–
SHARDLOW ...	–	3	–			–
DEVON	–	12	6	1	4	G. 1
†PLYMOUTH C.B...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–		–	2	–
BIDEFORD ...		2	–	–	–	–
†NEWTON ABBOT	–	1	–	–	–	–
SIDMOUTH ...	–	–	–	–	1	–
TAVISTOCK ...	–	1		–	–	–
TOTNES	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	2	–	–	–	–
BIDEFORD ...	–	–	–	1	–	–
HOLSWORTHY (part)	–	–	–	–	1	–
NEWTON ABBOT...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	4	–	–	–
TORRINGTON ...	–	2	–	–	–	–
DORSET	–	9	3	1	1	N. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
LYME REGIS ...	–	–	–	1	–	–
†POOLE	–	1	–	–	–	–
†PORTLAND ..	–	–	–	–	–	N. 1
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	2	–	–	–	–
BRIDPORT ...	*	*	*	*	*	*
CERNE	–	3	–	–	–	–
SHAFTESBURY ...	–	1	2	–	–	–
STURMINSTER ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM ...	65	39	25	–	49	C. 2 E. 1 G. 1 M. 3 N. 5
†DARLINGTON C.B.	–	2	–	–	4	E. 1
†GATESHEAD C.B.	1	6	8	–	2	–
†SOUTH SHIELDS C.B.	11	6	–	–	5	C. 1
†SUNDERLAND C.B.	–	2	4	–	11	–
†WEST HARTLEPOOL C.B.	–	1	–	–	2	N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	–	–	1	–
BENFIELDSIDE ...	–	–	2	–	1	–
†BISHOP AUCKLAND	2	1	–	–	–	–
†BLAYDON... ...	1	1	–	–	–	N. 1
†BRANDON AND BYSHOTTLES	–	–	1	–	–	–
†CHESTER LE STREET	2	–	–	–	–	–
†CONSETT	–	1	–	–	–	–
†CROOK	1	1	–	–	–	–
†DURHAM	–	–	–	–	2	–
†FELLING	7	1	1	–	–	–
†HEBBURN ...	–	–	1	–	2	–
†HETTON	8	1	–	–	4	–
†HOUGHTON LE SPRING	–	1	–	–	–	–
†JARROW	–	3	–	–	2	M. 1
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	1	–
†SHILDON	1	–	–	–	–	–
†SPENNYMOOR ...	–	–	1	–	–	–
†STANLEY	7	2	3	–	–	–
†STOCKTON ON TEES	–	1	2	–	2	G. 1 N. 1
TOW LAW ...	1	–	–	–	–	–
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	1	–	–	1	–
Rural Districts:—						
AUCKLAND ...	4	–	–	–	–	–
BARNARD CASTLE	–	–	1	–	–	–
CHESTER LE STREET	–	–	–	–	1	–
DURHAM	1	1	–	–	–	–
EASINGTON ...	5	2	–	–	3	C. 1
HOUGHTON LE SPRING	3	–	–	–	–	M. 1
LANCHESTER ...	–	1	1	–	1	–
SEDGEFIELD ...	3	1	–	–	–	–
SOUTH SHIELDS...	7	–	–	–	–	–
SUNDERLAND ...	–	–	–	–	4	M. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	-	1	-	-	1	-
Rural Districts:—						
ELY	-	-	-	-	1	-
NORTH WITCHFORD	-	1	-	-	-	-
ESSEX	-	159	68	6	20	C. 1 M. 1 N. 6
†EAST HAM C.B. ...	-	29	10	-	2	C. 1
†SOUTHEND-ON-SEA C.B.	-	3	-	-	3	-
†WEST HAM C.B. ..	-	55	16	-	7	N. 4
Boroughs and Urban Districts:—						
BRENTWOOD ...	-	-	1	-	-	M. 1
BUCKHURST HILL	-	2	-	-	-	-
†CHELMSFORD ...	-	10	-	1	-	-
†COLCHESTER ...	-	-	-	-	1	-
DAGENHAM ...	-	2	5	-	1	-
†GRAYS THURROCK	-	2	4	-	-	-
†HORNCHURCH ...	-	3	-	-	-	-
†ILFORD	-	20	2	-	1	-
†LEYTON	-	5	13	-	2	-
MALDON	-	1	-	-	-	-
TILBURY	-	-	1	-	-	-
WALTHAM HOLY CROSS	-	-	1	-	-	-
†WALTHAMSTOW...	-	15	9	3	3	N. 1
†WANSTEAD ...	-	1	-	-	-	-
†WOODFORD ...	-	1	-	1	-	-
Rural Districts:—						
BILLERICAY ...	-	3	-	-	-	N. 1
BRAINTREE ...	-	-	1	-	-	-
CHELMSFORD ...	-	1	-		-	-
EPPING	-	1	2	-	-	-
ORSETT	-	1	2	-	-	-
ROCHFORD ...	-	2	-	-	-	-
ROMFORD... ...	-	1	1	1	-	-
SAFFRON WALDEN	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	-	38	14	4	7	N. 1
†BRISTOL C.B. ...	-	17	4	3	3	-
†GLOUCESTER C.B.	-	1	1	-	2	-
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	-	1	-	-	-
†KINGSWOOD ...	-	2	-	-	-	-
STOW ON THE WOLD	-	1	-	-	-	-
TEWKESBURY ...	-	1	-	-	-	-
Rural Districts:—						
CAMPDEN... ...	-	9	-	-	-	-
CHIPPING SODBURY	-	1	-	-	-	-
DURSLEY... ...	-	-	5	-	-	-
EAST DEAN AND UNITED PARISHES	-	-	-	-	-	N. 1
GLOUCESTER ...	-	1	-	-	-	-
NEWENT	-	-	-	1	-	-
STROUD	-	2	1	-	-	-
THORNBURY ...	-	1	-	-	1	-
WARMLEY ...	-	-	1	-	-	-
WEST DEAN ...	-	1	1	-	1	-
WINCHCOMB(part)	-	1	-	-	-	-
HEREFORD ...	-	1	1	1	1	-
Boroughs and Urban Districts:—						
†HEREFORD ...	-	-	1	-	1	-
Rural Districts:—						
HEREFORD ...	-	1	-	1	-	-
HERTFORD ...	-	7	2	2	2	L. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	-	-	-	-	1	-
†CHESHUNT ...	-		-	1	-	-
†EAST BARNET VALLEY	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ST. ALBANS ...	–	–	–	1	–	–
SAWBRIDGEWORTH	–	1	–	–	–	–
†WATFORD ...	–	4	–	–	1	–
WELWYN GARDEN CITY	–	–	2	–	–	–
Rural Districts:—						
HATFIELD ...	–	1	–	–	–	–
WATFORD ...	–	–	–	–	–	L. 1
HUNTINGDON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	1	–	–	–	–
Rural Districts:—						
ST. IVES	–	1	–	–	–	–
KENT	–	139	29	14	9	C. 1 D. 1 G. 1 M. 1 N. 4
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	–
†BEXLEY	–	1	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	–	1	5	2	–
†CHATHAM ...	–	1	3	–	1	M. 1
CHISLEHURST ...	–	–	1	–	–	–
†DARTFORD ...	–	2	–	–	1	–
†DOVER	–	5	2	–	–	–
†ERITH	–	–	3	–	–	–
†FOLKESTONE ...	–	5	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GILLINGHAM ...	–	2	1	1	–	–
†GRAVESEND ...	–	1	2	–	–	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	–	–	–	1	D. 1
†MARGATE ...	–	3	–	–	–	N. 1
†PENGE	–	1	–	–	1	–
†RAMSGATE ...	–	3	2	–	–	N. 1
†ROCHESTER ...	–	–	–	–	–	N. 1
†ROYAL TUNBRIDGE WELLS	–	–	1	–	1	–
SANDGATE ...	–	–	–	1	–	–
SEVENOAKS ...	–	3	–	–	–	–
†SHEERNESS ...	–	–	–	1	1	G. 1
SWANSCOMBE ...	–	1	–	–	–	–
†TONBRIDGE ...	–	–	–	–	–	C. 1
WALMER	*	*	*	*	*	*
WHITSTABLE ...	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BROMLEY ...	–	–	2	–	–	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	–	3	2	2	–	–
DOVER	*	*	*	*	*	*
EAST ASHFORD ...	–	–	–	1	–	–
ELHAM	–	2	–		–	–
HOO	*	*	*	*	*	*
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	–	5	2	–	–
SEVENOAKS ...	–	–	–	1	–	–
STROOD	–	1	1	–	–	–
WEST ASHFORD...	–	–	–	–	–	N. 1
LANCASTER ...	4	171	124	37	121	C. 2 D. 1 E. 2 G. 9 M. 21 N. 13
†BARROW IN FURNESS C.B.	–	4	–	–	1	M. 1
†BLACKBURN C.B.	–	3	–	–	1	N. 1
†BLACKPOOL C.B.	–	6	6	–	–	E. 1

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†BOLTON C.B. ...	–	2	–		–	–
†BOOTLE C.B. ...	–	4	–	–	–	–
†BURNLEY C.B. ..	–	1	–	–	1	M. 1
†BURY C.B. ...	–	2	–	–	–	M. 1
†LIVERPOOL C.B. ..	–	35	28	2	28	D. 1 G 2 M. 11 N. 6
†MANCHESTER C.B.	–	48	45	2	32	C. 2 G. 4 M. 3 N. 3
†OLDHAM C.B. ...	–	1	1	–	2	–
†PRESTON C.B. ...	–	3	2	–	2	–
†ROCHDALE C.B. ...	–	1	2	–	–	–
†ST. HELENS C.B....	–	5	1	–	2	G. 1 M. 1
†SALFORD C.B. ...	–	8	7	–	10	G. 1 M. 1
†SOUTHPORT C.B.	–	2	–	–	2	–
†WARRINGTON C.B.	–	1	3	–	1	N. 1
†WIGAN C.B. ..	–	–	–	–	6	–
Boroughs and Urban Districts:—						
†ACCRINGTON ..	–	1	–	–	–	G. 1
†ASHTON UNDER LYNE	–	1	–	–	–	–
BARROWFORD ...	–	1	–	–	–	–
BRIERFIELD ...	–	–	–	–	1	–
†CHADDERTON ...	–	1	–	–	1	–
†CHORLEY	–	–	1	–	1	–
CLAYTON LE MOORS	–	1	–	–	–	–
†CLITHEROE ...	–	–	3	–	–	–
†DALTON IN FURNESS	–	–	3	–	–	–
†DARWEN	–	2	–	–	–	–
†DENTON	–	1	–	–	1	–
†DROYLSDEN ...	–	2	–	1	–	–
†ECCLES	–	1	2	–	–	–
†FAILSWORTH ...	–	–	–	–	2	–
†FARNWORTH ...	–	–	1	–	2	–
FORMBY	–	1	–	–	–	–
GOLBORNE ...	–	1	–	–	–	–
†GREAT HARWOOD	4	–	–	–	–	–
†HASLINGDEN ...	*	*	*	*	*	*
†HAYDOCK ...	–	–	–	–	1	–
†HEYWOOD ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†HINDLEY... ...	–	1	–	–	3	–
†HORWICH ...	–	2	–	–	1	M. 1
†INCE IN MAKERFIELD	–	1	1	–	–	–
IRLAM	–	6	–	–	–	–
†LANCASTER ...	–	3	1	–	–	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	–	1	–	1	–
LONGRIDGE ...	–	1	–	–	–	–
†MORECAMBE ...	–	1	2	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	–	N. 1
†PADIHAM... ...	–	–	3	–	–	–
PREESALL ...	–	1	–	–	–	–
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	–	–	–	1	–
†ROYTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	2	–	–	3	–
†SWINTON AND PENDLEBURY	–	1	–	–	–	N. 1
THORNTON CLEVELEYS	–	1	–	–	1	–
TOTTINGTON ...	–	1	–	–	–	–
†TURTON	–	–	2	1	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	1	1	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	2	–	–	M. 1
†WESTHOUGHTON	–	3	–	–	1	–
WHITEFIELD ...	–	–	1	–	–	–
†WIDNES	–	1	1	30	5	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
CHORLEY... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever: N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CLITHEROE ...	-	-	-	-	1	-
WARRINGTON ...	-	-	1	-	1	-
WHISTON... ...	-	-	1	-	-	-
WIGAN	-	-	-	-	1	E. 1
LEICESTER ...	-	9	9	1	8	G. 1 M. 1 N. 1
†LEICESTER C.B. ...	-	8	5	-	2	G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	-	-	-	-	2	-
†COALVILLE ...	-	-	1	-	1	-
†HINCKLEY ...	-	-	-	-	1	-
MELTON MOWBRAY	-	1	-	-	-	-
QUORNDON ...	*	*	*	*	*	*
WIGSTON MAGNA	-	-	-	-	1	-
Rural Districts:—						
ASHBY DE LA ZOUCH	-	-	1	-	-	-
HINCKLEY ...	-	-	1	-	-	-
MARKET BOSWORTH	-	-	1	1	1	-
LINCOLN (parts of Kesteven).	1	1	1	-	1	-
Boroughs and Urban Districts:—						
†GRANTHAM ...	1	-	-	-	-	-
STAMFORD ...	-	-	1	-	-	-
Rural Districts:—						
BOURNE	-	1	-	-	-	-
SLEAFORD ...	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	-	12	3	4	2	C. 1 M. 1 N. 1
†GRIMSBY C.B. ...		1	-	2	-	-
†LINCOLN C.B. ...	-	-	-	-	-	C. 1 M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	-	-	3	-	-	-
BRIGG	-	1	-	-	-	-
†CLEETHORPES ...	-	-	-	1	-	N. 1
†GAINSBOROUGH ...	-	-	-	-	1	-
HORNCASTLE ...	-	1	-	-	-	-
MARKET RASEN	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	-		-	1		-
SKEGNESS ...	-	1	-	-	-	-
Rural Districts:—						
CAISTOR	-	1	-	-	-	-
GAINSBOROUGH ...	-	-	-	-	1	-
GLANFORD BRIGG	-	3	-	-	-	-
GRIMSBY... ...	*	*	*	*	*	*
HORNCASTLE ...	-	3	-	-	-	-
WELTON	-	1	-	-	-	-
MIDDLESEX ...	-	61	40	1	8	C. 1 E. 1 G. 2 M. 4 N. 2
Boroughs and Urban Districts:—						
†ACTON	-	6	3	-	-	G. 1 M. 1
†BRENTFORD AND CHISWICK	-	2	-	-		-
†EALING	-	6	2	-	-	-
†EDMONTON ...	-	7	3	-	-	E. 1 G. 1
†ENFIELD	-	1	2	-	-	-
†FINCHLEY ...	-	4	-	-	2	M. 1
†FRIERN BARNET	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HARROW ON THE HILL	–	2	–		1	–
HAYES		2	–	–		–
†HENDON	–	3	–	–	–	–
†HESTON AND ISLEWORTH		2	–		–	–
†HORNSEY	–	3	6	–	–	–
†SOUTHALL NORWOOD	–	1				–
†SOUTHGATE ...		1	4	1	–	–
†TEDDINGTON ...	–	2	1		1	–
†TOTTENHAM ...	–	6	11	–	1	M. 1
†UXBRIDGE ...	–	1		–	–	–
†WEALDSTONE ...	–	1		–	–	N. 1
†WEMBLEY ...	–	3		–	–	–
†WILLESDEN ...	–	4	4	–	2	C. 1 M. 1 N. 1
†WOOD GREEN ...	–	–	1	–	1	–
YIEWSLEY ...		1	2	–		–
Rural Districts:—						
HENDON	–	1		–	–	–
STAINES	–	1	1	–	–	–
NORFOLK ..	–	12	3	1	2	E. 2 M. 2 N. 1
†GREAT YARMOUTH C.B.	–	1	2	1	1	–
†NORWICH C.B. ...	–	6	–	–	–	E. 1 M. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	–	M. 1
NEW HUNSTANTON	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
ERPINGHAM ...	–	1	–	–	–	–
LODDON AND CLAVERING	–	–	–	–	–	E. 1
MITFORD AND LAUNDITCH	–	1	–		–	–
ST. FAITH'S ...	–	2	–	–	–	–
SMALLBURGH ...	–	1	–		–	–
SWAFFHAM ...			–	–	1	N. 1
NORTHAMPTON	–	4	2	2	6	M. 2 N. 1
†NORTHAMPTON C.B.	–	–	1	–	5	–
Boroughs and Urban Districts:—						
†KETTERING ...		1		1	–	M. 1
ROTHWELL ...		–	1	–	–	–
†WELLINGBOROUGH	–	–			–	N. 1
Rural Districts:—						
BRIXWORTH ...	–	–	–	–		M. 1
HARDINGSTONE ...	–	2		–	–	–
KETTERING ..	–	–	–	1	–	–
OXENDON... ...	–	–	–	–	1	–
TOWCESTER ...	–	1	–		–	–
NORTHUMBERLAND.	9	34	2	1	19	G. 1 M. 3 N. 3
†NEWCASTLE UPON TYNE C.B.	–	14	2	–	10	G. 1 M. 2 N. 2
†TYNEMOUTH C.B	–	2	–	–	1	N. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	5	8	–	–	–	–
†BEDLINGTONSHIRE	2	3	–		2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H. Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	*	*	*	*	*	*
†BLYTH	–	–	–		3	–
†GOSFORTH ...	–	1	–	–		
†LONGBENTON ...	–	1	–	–	–	–
MORPETH... ...	*	*	*	*	*	*
NEWBIGGIN BY THE SEA	–	2		–	–	–
†NEWBURN ...	–	1	–	–	2	–
†WALLSEND ...	–	1	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	–	1	–	M. 1
Rural Districts:—						
ALNWICK... ...	*	*	*	*	*	*
CASTLE WARD ...	–	1	–	–	–	–
MORPETH ...	2	–	–	–	–	–
NOTTINGHAM ...	43	19	16	4	17	C. 1 E. 1 M. 4 N. 1
†NOTTINGHAM C.B	–	2	10	–	7	E. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	1			1	–
†BEESTON... ...	–	–	–	–	1	–
†CARLTON... ...	–	3	–	–	4	–
†EAST RETFORD ...	1	–	1	–	–	
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	–	1	–	–	–
†MANSFIELD ...	–	3	2	1	1	–
†MANSFIELD WOODHOUSE	–	2	–	–	–	–
†NEWARK	–	2	–	2	–	–
†SUTTON IN ASHFIELD	–	–	1		–	M. 2
WARSOP	–	2	–	–	–	–
†WORKSOP... ...	39	–	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	1	–	1	–	–
LEAKE	–	1	–	–	–	–
NEWARK	–	–	1	–	–	–
SOUTHWELL ...	–	2	–	–	1	C. 1
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	3	–	–	–	–	–
OXFORD	–	1	–	–	–	N. 1
†OXFORD C.B. ...	–	–	–	–	–	N. 1
Rural Districts:—						
BANBURY ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	–	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	–		–	1	–
SALOP	–	13	1	–	1	G. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	–	G. 1
†OAKENGATES ...	–	3	–	–	–	–
OSWESTRY ..	–	1	–	–	–	–
†SHREWSBURY ..		3	–	–	–	–
WELLINGTON ...	–	2	–	–		–
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
BRIDGNORTH ...	–	1	1	–	–	–
CLEOBURY MORTIMER	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	-	22	14	-	-	M. 1 N. 2
†BATH C.B. ...	-	6	-	-	-	-
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	-	-	-	-	N. 1
CLEVEDON ...	-	2	-		-	-
GLASTONBURY ...	-	-	1	-	-	-
MIDSOMER NORTON	-	1	-	-	-	-
STREET	*	*	*	*	*	*
†TAUNTON... ...	-	-	1	-	-	-
WATCHET ...	*	*	*	*	*	*
WELLS		1	-	-	-	-
†WESTON SUPER MARE		1		-	-	M. 1
Rural Districts:—						
AXBRIDGE ...	-		2	-	-	-
BATH	-	2	-	-	-	-
CLUTTON	-	2	-	-	-	N. 1
KEYNSHAM ...	-	1	-	-	-	-
LONG ASHTON ...	-	2		-	-	-
TAUNTON ...	-	1	-	-	-	-
WINCANTON ...	-	2	-	-	-	-
YEOVIL	-	1	10	-	-	-
SOUTHAMPTON.	-	33	19	2	3	C. 2 M. 2
†BOURNEMOUTH C.B	-	2	-			-
†PORTSMOUTH C.B	-	4	11	-	-	C. 1 M. 2
†SOUTHAMPTON C.B	-	7	4	-	-	C. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	-	1	-	-	-
†BASINGSTOKE ...	-	-	-	1		-
†FAREHAM ..	-	5	-	-	-	-
†GOSPORT	-	1	1	-	1	-
PETERSFIELD ...	-	-	1	-	-	-
†WINCHESTER ...	-	5	-	1	-	-
SOUTHAMPTON —*cont.*						
Rural Districts:—						
ALTON	-	1	1	-	-	-
CHRISTCHURCH ...	-	1	-		-	
DROXFORD ...		1	-	-	-	-
FAREHAM ...	-	2	-	-	-	-
HURSLEY... ...	-	-	-	-	1	-
NEW FOREST ...	-	1	-	-	-	-
WHITCHURCH ...	-	2	-	-	-	-
WINCHESTER ...	-	1	-	-	1	-
STAFFORD ...	-	52	22	-	38	C. 1 G. 1 L. 2 M. 2 N. 6
†BURTON UPON TRENT C.B.	-	1	1	-	-	-
†SMETHWICK C.B.	-	1	2	-	5	-
†STOKE ON TRENT C.B	-	9	6	-	14	N. 1
†WALSALL C.B. ..	-	-	6	-	4	M. 1
†WEST BROMWICH C.B.	-	2	-	-	-	M. 1
†WOLVERHAMPTON C.B	-	3	-	-	-	-
Boroughs and Urban Districts:—						
†AUDLEY		1	-	-	-	N. 1
†BILSTON	-	2	-	-	-	-
†BRIERLEY HILL...	-	1	-	-	1	-
†BROWNHILLS ...	-	-	-	-	3	-
†CANNOCK	-	3	-	-	1	-
†DARLASTON ...		2	-	-	1	-
†LEEK	-	4	1	-	-	-
LICHFIELD ...	-	1	-	-	-	-
†NEWCASTLE UNDER LYME	-	-	-	-	1	-
QUARRY BANK		-	-	-	-	N. 1
†ROWLEY REGIS ...	-	7	1	-	1	N. 2
†SEDGLEY	-	-		-	1	-
†STAFFORD ...	-	-	-	-	1	N. 1
TAMWORTH ...	-	1	-	-	-	-
†TIPTON		1	2	-	-	G. 1
WEDNESFIELD ...		1	-	-	-	-
†WILLENHALL ...		-	2	-		C. 1
†WOLSTANTON UNITED	-	1	1	-	2	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK	–	3	–	–	–	–
CHEADLE	–	–	–	–	–	L. 2
LICHFIELD ...	–	3	–	–	1	–
NEWCASTLE UNDER LYME	–	1	–	–	–	–
STAFFORD ...	–	3	–	–	2	–
UTTOXETER ...	–	1	–	–	–	–
SUFFOLK, EAST	–	9	5	–	3	C. 1
†IPSWICH C.B. ...	–	6	–	–	–	–
Boroughs and Urban Districts:—						
EYE	–	–	–	–	–	C. 1
†LOWESTOFT ...	–	–	1	–	2	–
WOODBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BLYTHING ...	*	*	*	*	*	*
EAST STOW ...	–	1	–	–	–	–
SAMFORD... ...	–	–	–	–	1	–
WOODBRIDGE ...	–	–	4	–	–	–
SUFFOLK, WEST	–	3	–	3	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	1	–	–
Rural Districts:—						
MOULTON ...	–	1	–	–	–	–
THEDWASTRE ...	–	1	–	2	–	–
THINGOE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	49	11	3	2	G. 1 M. 1 N. 5
†CROYDON C.B. ...	–	17	3	–	–	N. 1
Boroughs and Urban Districts:—						
†BARNES	–	8	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	2	–	–	–
†CARSHALTON ...	–	–	–	–	–	M. 1
†CHERTSEY	–	1	–	–	–	–
†EPSOM	–	–	–	–	–	N. 1
†FRIMLEY	–	1	–	–	–	N. 1
†GUILDFORD ...	–	1	–	–	1	–
HAM	–	1	–	–	–	–
†KINGSTON ON THAMES	–	4	1	–	–	–
†MERTON AND MORDEN	–	2	–	–	–	N. 1
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	1	–	3	–	–
†THE MALDENS AND COOMBE	–	2	1	–	–	N. 1
†WALTON UPON THAMES	–	1	–	–	–	G. 1
WEYBRIDGE ...	–	1	–	–	–	–
†WIMBLEDON ...	–	2	2	–	–	–
Rural Districts:—						
CHERTSEY ...		1	–	–	–	–
EPSOM	–	2	1	–	1	–
GODSTONE ...	–	–	1	–		–
HAMBLEDON ...	–	2	–	–	–	–
REIGATE	–	1	–	–	–	–
SUSSEX, EAST ...	–	12	7	–	3	M. 1 N. 1
†BRIGHTON C.B. ..	–	3	3	–	–	–
†EASTBOURNE C.B.	–	3	–	–	–	N. 1
†HASTINGS C.B. ..	–	–	–	–	1	M. 1
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
BURGESS HILL ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOVE	–	1	–	–	–	–
†LEWES	–	–	1	–	–	–
PORTSLADE BY SEA	–	–	1	–	–	–
Rural Districts:—						
CHAILEY	–	1	–	–	1	–
TICEHURST ...	–	2	–	–	–	–
UCKFIELD ...	–	1	–	–	1	–
SUSSEX, WEST...	–	10	3	–	1	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	2	–	–	–	–
HORSHAM ...	–	1	1	–	–	–
†LITTLEHAMPTON	–	–	1	–	–	–
SHOREHAM-BY-SEA	–	3	–	–	–	–
SOUTHWICK ...	–	–	1	–	–	–
†WORTHING ...	–	1	–	–	1	–
Rural Districts:—						
THAKEHAM ...	–	1	–	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK ...	–	67	56	8	24	C. 3 G. 5 L. 1 M. 5 N. 2
†BIRMINGHAM C.B.	–	45	37	3	19	C. 3 G. 3 L. 1 M. 4 N. 1
†COVENTRY C.B. ...	–	4	4	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	1	–	–	–
KENILWORTH ...	–	–	–	1	–	–
†NUNEATON ...	–	–	–	1	1	N. 1
†ROYAL LEAMINGTON SPA	–	1	–	–	1	–
†RUGBY	–	3	1	3	–	–
†STRATFORD ON AVON	–	2	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	4	6	–	–	–
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ...	–	–	3	–	–	G. 2
NUNEATON ...	–	–	–	–	1	–
SOLIHULL ...	–	4	–	–	1	–
TAMWORTH (part)	–	3	4	–	–	–
WESTMORLAND	–	–		1	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	1	1	–
WIGHT, ISLE OF	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
WILTS	–	21	2	–	4	C. 1 M. 2
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
CALNE	–	–	1	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
†SALISBURY ...	–	12	1	–	1	–
†SWINDON... ...	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CHIPPENHAM ...	-	2	-	-	-	-
DEVIZES	-	2	-	-	-	-
HIGHWORTH ...	-	1	-	-	-	M. 2
MALMESBURY ...	-	-	-	-	-	C. 1
MELKSHAM ...	-	-	-	-	1	-
WORCESTER ...	-	12	1	1	7	M. 2 N. 2
†DUDLEY C.B. ...	-	1	-	-	1	N. 1
†WORCESTER C.B.	-	2	-	-	1	-
Boroughs and Urban Districts:—						
†HALESOWEN ...	-	4	1	-	1	-
†LYE AND WOLLESCOTE	-	-	-	-	-	M. 1
†MALVERN ...	-	-	-	1	1	-
†OLDBURY... ...	-	2	-	-	3	-
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	-	-	-	-	-	M. 1
Rural Districts:—						
BROMSGROVE ...	-	1	-	-	-	-
PERSHORE ...	-	-	-	-	-	N. 1
SHIPSTON ON STOUR	-	1	-	-	-	-
UPTON ON SEVERN	-	1	-	-	-	-
YORKS ... ... (East Riding).	-	11	6	-	4	M. 3 N. 1
†KINGSTON UPON HULL C.B.	-	7	6	-	3	M. 3
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BRIDLINGTON ...	-	2	-	-	-	-
DRIFFIELD ...	-	-	-	-	1	-
NORTON	*	*	*	*	*	*
RICCALL	-	2		-	-	-
SCULCOATES ...	-	-	-	-	-	N. 1
YORKS ... ... (North Riding).	6	8	3	-	5	C. 1
†MIDDLESBROUGH C.B	-	3	-	-	3	C. 1
Boroughs and Urban Districts:—						
†ESTON	-	1	-	-	-	-
GUISBOROUGH ...	2	1	-	-	-	-
LOFTUS	-	-	1	-	-	-
MALTON	*	*	*	*	*	*
†REDCAR	-	1	-	-	-	-
SALTBURN BY THE SEA	-	1	-	-	-	-
†SCARBOROUGH ...	1	-	1	-	-	-
†SKELTON AND BROTTON	3	-	-	-	1	-
Rural Districts:—						
FLAXTON	-	-	1	-	-	-
HELMSLEY ...	-	-	-	-	1	
MALTON	*	*	*	*	*	*
THIRSK	-	1	-	-	-	-
YORKS ... ... (West Riding).	31	156	45	14	85	C. 8 D. 1 E. 2 F. 1 G. 5 M. 1 N. 7
†BARNSLEY C.B.	-	2	1	-	1	N. 1
†BRADFORD C.B. .	-	7	8	2	9	G. 3 N. 1

* Returns not received. † Population over 10,000

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†DEWSBURY C.B....	–	2	–	–	1	–
†DONCASTER C.B.	9	2	1	1	–	G. 1
†HALIFAX C.B. ...	–	8	1	–	1	–
†HUDDERSFIELD C.B.	–	14	2	2	–	–
†LEEDS C.B. ...	1	11	5	1	13	G. 1
						N. 1
†ROTHERHAM C.B.	–	3	–	–	6	–
†SHEFFIELD C.B....	4	60	13	1	21	C. 7
						D. 1
						E. 2
						F. 1
						M. 1
						N. 1
†WAKEFIELD C.B.	–	2	1	–	3	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	3	1	–	–	–	–
ALTOFTS	–	–	–	1	–	–
BAILDON	–	2	–	–	–	–
†BINGLEY	–	–	–	–	1	–
BIRSTAL	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	–	1	–	–	–
†BRIGHOUSE ...	1	–	–	1	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	3	2	1	1	–	–
CUDWORTH ...	–	–	1	–	1	–
DARFIELD ...	–	1	–	–	–	–
†DARTON	–	–	–	1	1	–
†ELLAND	–	–	–	–	–	N. 1
†FEATHERSTONE ...	1	1	–	–	1	–
GILDERSOME ...	–	–	–	–	1	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	1	–	–	–	–
†HARROGATE ...	–	–	1	–	–	–
†HOLMFIRTH ...	–	1	–	–	1	–
†HOYLAND NETHER	–	–	–	1	2	–
†KEIGHLEY ...	2	–	–	–	–	–
LEPTON	–	–	–	–	1	–
LINTHWAITE ...	–	–	1	1	–	–
MARSDEN... ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	1	1	–	–	–
†MIRFIELD ...	–	–	–	–	1	–
MYTHOLMROYD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NORMANTON ...	–	1	–	–	1	–
OTLEY	–	–	–	–	3	–
RAWDON	–	–	–	–	1	–
†RAWMARSH ...	–	2	–	–	–	–
RIPON	–	–	1	–	–	–
†SADDLEWORTH ...	–	–	–	–	1	–
†SHIPLEY	–	1	1	–	–	–
SKELMANTHORPE	–	1	–	–	–	–
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	–	–
†SWINTON... ...	1	–	–	–	2	–
THURNSCOE ...	*	*	*	*	*	*
THURSTONLAND AND FARNLEY TYAS	–	–	–	1	–	–
†TODMORDEN ...	–	1	–	–	–	–
WATH UPON DEARNE	–	–	2	–	–	–
WHITLEY UPPER	–	3	–	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	2	2	–	–	2	–
†WORSBOROUGH ...	–	1	1	–	–	–
Rural Districts:—						
DONCASTER ...	3	1	–	–	2	–
GOOLE	–	–	–	–	–	N. 1
HEMSWORTH ...	–	4	1	–	1	–
KIVETON PARK ...	1	–	–	–	1	–
RIPON	–	2	–	–	–	–
ROTHERHAM ...	–	2	1	–	2	–
SEDBERGH ...	–	1	–	–	–	–
TADCASTER ...	–	–	–	–	1	–
THORNE	–	1	–	–	–	C. 1
						N. 1
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	–	–	–	2	–
WORTLEY ...	–	3	–	–	1	–
§YORK, CITY OF...	–	2	2	–	1	–
†YORK C.B. ..	–	2	2	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia	Other Diseases (see † note below).
WALES.						
ANGLESEY ...	-	1	1	-	-	-
Boroughs and Urban Districts:—						
MENAI BRIDGE ...		1	-	-		-
Rural Districts:—						
VALLEY	-	-	1	-	-	-
BRECKNOCK ...	-	1	-	-	-	N. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	-	1	-	-	-	-
Rural Districts:—						
YSTRADGYNLAIS	-	-		-	-	N. 1
CAERNARVON ...	-	3	-	-	-	-
Boroughs and Urban Districts:—						
PENMAENMAWR...	-	1	-			
PWLLHELI ...	-	1	-	-		-
Rural Districts:—						
LLEYN	-	1	-			-
CARDIGAN ...	-	-	1	1	-	-
Boroughs and Urban Districts:—						
†ABERYSTWYTH	-	-	1	1		-
LAMPETER ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
CARMARTHEN...	-	7	3	-	1	M. 2 N. 2
Boroughs and Urban Districts:—						
AMMANFORD ...	-	-	2	-	-	-
KIDWELLY ...	-	1	-	-	-	-
LLANDILO ...	-	-	-	-	-	M. 1
†LLANELLY ...	-	2	-	-	1	-
Rural Districts:—						
CARMARTHEN ...	-	-	-	-	-	N 1
LLANDILO FAWR	-	-	-	-	-	N. 1
LLANELLY ...	-	4	1	-	-	M. 1
WHITLAND ...	*	*	*	*	*	*
DENBIGH ...	-		2	-	1	D. 1 N. 1
Boroughs and Urban Districts:—						
†WREXHAM ...		-	1	-	-	-
Rural Districts:—						
RUTHIN		-	1	-	-	-
ST. ASAPH (DENBIGH)	-	-	-	-	-	D. 1
WREXHAM ...		-	-	-	1	N. 1
FLINT	-	7	4	1	3	-
Boroughs and Urban Districts:—						
FLINT	-	2	-	-	-	-
HOLYWELL ...		-	1	-	-	-
†RHYL	-	-	2	-	-	-
Rural Districts:—						
HAWARDEN ...	-	1	-	1	-	-
HOLYWELL ...	-	1	1	-	3	-
ST. ASAPH (FLINT)	-	3	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	3	26	38	–	31	D. 1 G. 1 M. 4 N. 4
†CARDIFF C.B.	–	4	7	–	3	G. 1 M. 1
†MERTHYR TYDFIL C.B.	–		2		1	
†SWANSEA C.B.	–	6	3	–	4	N. 1
Boroughs and Urban Districts:—						
†ABERDARE	–	2	–	–	2	
†BARRY ...	–		1	–	2	M. 1
†CAERPHILLY	–	–	4		–	D. 1 N. 2
†GELLIGAER		1	2	–	1	–
†GLYNCORWG ...	–	–		–	1	–
†MAESTEG...	–	1	5	–	1	–
†MOUNTAIN ASH	3	1	–		2	–
†NEATH ...		1	1		2	–
†OGMORE AND GARW	–	–	2	–		–
†PONTYPRIDD	–	–	1	–	1	M. 1
PORTHCAWL	–	1	–		–	–
†PORT TALBOT	–	1	2	–	–	–
†RHONDDA	–	4	7	–	8	M. 1 N. 1
Rural Districts:—						
COWBRIDGE ...	–	1				–
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT FARDRE			1	–	–	–
NEATH ...		–		–	3	–
SWANSEA... ...	–	3	–	–	–	
MONMOUTH ...	27	7	5	–	3	C. 2
†NEWPORT C.B.			1		–	C. 1
Boroughs and Urban Districts:—						
†ABERCARN	1				–	–
†ABERSYCHAN	7		–			–
†ABERTILLERY ...	1	–	1	–		–
BEDWAS AND MACHEN	–		–		1	–
†BEDWELLTY ...	2	3	2		–	–
†BLAENAVON ...	12			–	–	–
†EBBW VALE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
MONMOUTH— *cont.*						
Boroughs and Urban Districts— *cont.*						
MONMOUTH ..		1	–	–	–	–
†NANTYGLO AND BLAINA	–		–	–	1	–
PONTYPOOL ...	4	–	–	–	–	–
†RHYMNEY ...	–	–	1		–	
†RISCA ...		–	–	–	–	G. 1
†TREDEGAR ...	–	–	–	–	1	–
Rural Districts:—						
ST. MELLONS ...		1	–	–		–
MONTGOMERY...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
MONTGOMERY ...	–	–		–	1	–
NEWTOWN AND LLANLLWCHAIARN ...		–	–	–	2	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
PEMBROKE ...		7	2		–	–
Boroughs and Urban Districts:—						
†PEMBROKE ...		1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	3		–	–	–
NARBERTH		3	–		–	–
ST. DOGMELLS ..	–	–	2	–	–	–
Total of Part II. ...	195	1280	651	123	549	C. 3 D. E. 1 F. G. 3 L. M. 7 N. 8

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Encephalitis; D, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

ort Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
IVERPOOL	–	1	–	–	8	–	PORT OF LONDON ...	–	–		1	2	L. 1
LYMOUTH	–	–			–	L. 1	Total of Part III. ...	–	1	–	1	10	L. 2

* Returns not received. ‡ Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡
Total of Part I.—London	-	294	201	8	53	C. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	195	1280	651	123	549	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	-	1	-	1	10	L.
Total (*i.e.*, of returns received), England and Wales ...	195	1575	852	132	612	C. D. E. F. G L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrex

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the GREGATE. — Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Apl. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2	July 9.	July 16.	July 23.
DON :—													
HS (excluding Stillhs)—all ages.	980	959	857	871	787	843	801	852	798	804	781	777	768
HS—0 to 1 year ..	98	79	79	71	54	75	65	72	55	48	66	68	51
AT TOWNS, aggre- (including Lon-):—													
BIRTHS	7.602	7.102	6,994	7,044	6,656	7,106	6,066	7,425	6,801	6,525	6,758	6,636	6,875
BIRTHS	—	—	—	—	—	—	—	—	—	32†	219	233	242
HS (excluding Stillhs)—all ages	4,253	4,347	4,017	3,947	3,847	3,948	3,683	3,879	3,582	3,453	3,667	3,442	3,424
HS—0 to 1 year ..	459	427	395	376	341	398	341	349	328	292	353	320	314
RIC FEVER—Cases	18	19	20	14	11	22	30	29	35	28	36	26	33
„ Deaths	—	3	—	1	1	1	4	5	1	—	8	2	2
L POX—Cases ..	66	73	55	77	81	74	65	60	77	61	31	30	26
„ Deaths ..	—	4	1	—	2*	—	—	—	—	1	—	—	—
LET FEVER—Cases	652	813	840	920	849	973	880	845	897	930	976	913	955
„ Deaths	5	4	5	13	11	5	6	5	4	6	5	3	3
THERIA—Cases ..	493	529	599	593	558	589	451	559	503	503	550	535	574
„ Deaths ..	30	25	30	18	26	25	11	13	17	16	26	20	30
LES—Deaths ..	68	57	57	57	42	35	43	39	30	27	36	21	29
ENZA—Deaths ..	71	57	47	46	43	42	33	31	33	28	31	21	25

Including 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.
Registration of Stillbirths began 1st July, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 23rd July, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ON (GREENWICH).	74	47	68·6	52·6	9	HUDDERSFIELD	68	48	65·0	52·1	7
						BRADFORD ..	64	49	62·9	52·0	29
ITON ..	67	49	64·9	54·6	6	SHEFFIELD ..	67	49	63·9	52·7	6
MOUTH ..	71	51	67·0	56·1	3	YORK (MUSEUM)	68	44	65·4	50·7	17
ICH (EATON).	71	44	64·4	52·6	7	HULL (PEARSON PARK).	71	48	64·0	52·7	19
OUTH ..	70	50	67·1	56·3	7	TYNEMOUTH ..	64	48	59·3	51·7	49
OL (CLIFTON).	76	50	68·1	54·6	14	CARDIFF.. ..	73	50	67·0	54·0	28
NGHAM (OBASTON).	69	50	65·6	52·1	7						
						EDINBURGH ..	67·0	47·0	62·9	51·6	20
NGHAM ..	68	51	65·0	53·3	5	GLASGOW ..	74·1	48·9	66·9	53·1	23
NHEAD (BIDSTON).	68	52	64·4	54·3	5	DUBLIN (PHŒNIX PARK).	73·3	43·0	68·3	51·1	43
HESTER (BITWORTH PARK).	69	51	66·4	54·3	5	(FITZWILLIAM SQUARE†).	72·0	51·1	66·7	54·7	43
LEY.. ..	67	45	64·0	51·6	50	BELFAST.. ..	75·0	48·0	70·6	52·8	16

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 23rd July, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	17	..	29·912	61·2	51·8	9·4	55·7	− 7·7	51·6	4·1	8·6	2·6	86	91·2	44·5	55·3	NNE: NNW.	NNW	1·3	0·0	0·1	215	− 30	0·00
MONDAY -	18	..	29·986	68·6	48·6	20·0	59·3	− 4·0	51·4	7·9	14·9	1·2	75	138·1	39·6	55·4	NNW	N: NE: ENE.	1·2	0·0	0·1	176	− 69	0·00
TUESDAY -	19	Perigee	30·057	69·0	50·9	18·1	58·4	− 4·8	51·0	7·4	15·2	3·3	77	144·1	41·2	55·4	Calm: ENE.	ENE: E.	1·0	0·0	0·1	166	− 80	0·00
WEDNESDAY	20	In Equator	29·957	65·4	47·1	18·3	57·0	− 6·2	56·5	0·5	6·9	1·0	98	105·2	36·1	55·2	Calm	Calm: S.	0·3	0·0	0·0	106	− 141	0·09
THURSDAY -	21	Last Quarter.	29·687	69·3	56·6	12·7	61·5	− 1·7	59·0	2·5	8·0	1·0	92	106·1	49·7	55 5	S	SSW: SW.	1·9	0·0	0·2	268	+ 19	0·08
FRIDAY -	22	..	29·514	73·9	55·8	18·1	62·4	− 0·7	53·1	9·3	19·0	1·8	72	151·0	50·1	55·5	SW: WSW.	WSW	4·5	0·0	0·5	382	+ 130	0·00
SATURDAY -	23	..	29·663	72·0	53·6	18·4	61·4	− 1·6	52·0	9·4	18·0	1·0	71	142·8	49·0	55·5	WSW: W.	W: WNW: WSW.	2·4	0·0	0·3	357	+ 103	0·17
MEANS -		..	29·825	68·5	52·1	16·4	59·4	− 3·8	53·5	5·9	12·9	1·7	82	125·5	44·3	55·4	Variable		..	..	..	Sum 1670	Sum − 68	Sum 0·34
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	17	wP	0·0	16·1	Overcast. Damping 11½h. till 12h.; and occasionally between 15h. and 21h.
MONDAY ..	18	wP	8·0	16·0	Partially cloudy till 10h., becoming nearly overcast by 12h.
TUESDAY ..	19	wP	8·3	16·0	Nearly overcast till 12h., becoming partially cloudy by 14½h.
WEDNESDAY	20	wP	0·1	16·0	Cloudless till 2h.; then becoming overcast by 5h. Rain about 9½h.; and from 10½h. till 12½h. Occasional damping between 20h. and 20½h.
THURSDAY	21	wP	0·2	15·9	Overcast till 15h., then partially cloudy. Rain 4h. till 6h. Occasional damping between 9h. and 15h.
FRIDAY ..	22	wP	4·1	15·9	Nearly overcast with cloudy intervals. Brisk wind 14h. till 19h.
SATURDAY	23	wP till 3h.; variably wP and wN till 6h., then wP.	4·6	15·8	Very cloudy generally, becoming overcast by 17h. Rain 3¼h. till 6h.; and 15¾h. till 16h.
			Sum 25·3	Sum 111·7	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong, and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·99 ins. at the beginning of the week to 29·90 ins. by by 17h. on 17th; increased to 30·07 ins. by 8h. on 19th; decreased to 29·49 ins. by 13h. on 22nd; increased and was 29·81 ins. by midnight on the 23rd.

"Guide to Current Official Statistics."

1s. net.

THIS work appears annually. It is an expert survey of, and Guide to, all the statistics published by the Government. It is not a mere catalogue of titles of official publications of statistical interest. Such a catalogue is of course included, but it forms only about one-third of the volume itself. The main portion of the work, and the one to which it owes its unique value and importance, consists of an alphabetical subject index which not only refers the enquirer to all the current official publications containing statistics bearing on his subject, but in addition indicates their nature and mode of analysis and the time and place to which they relate.

AGRICULTURE	PUBLIC FINANCE
DEFENCE	SOCIAL SERVICES
EDUCATION	TRADE
INDUSTRY AND LABOUR	TRANSPORT
MINING	VITAL STATISTICS

are a few of the many subjects on which the official statistics exist. To track them down is a matter of a few minutes when the GUIDE TO CURRENT OFFICIAL STATISTICS occupies the place it should among the reference books on the desk of the business man, journalist, librarian, student and professional worker.

The volumes are prepared by the Permanent Consultative Committee on Official Statistics.

FIRST ISSUE (1922)	...	1*s.*	*Post Free* 1*s.* 2½*d.*
VOLUME TWO (1923)	...	1*s.*	*Post Free* 1*s.* 4*d.*
VOLUME THREE (1924)	...	1*s.*	*Post Free* 1*s.* 3½*d.*
VOLUME FOUR (1925)	...	1*s.*	*Post Free* 1*s.* 3½*d.*

The second volume includes an appendix dealing broadly with selected publications of permanent statistical interest issued mainly since 1900.

HIS MAJESTY'S STATIONERY OFFICE,
LONDON, MANCHESTER, EDINBURGH, CARDIFF.

FOR OFFICIAL USE

1927. No. 30.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 30TH JULY, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-30-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 30TH JULY, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the thirtieth week of the year numbered 6,901 and corresponded to an annual rate of 18·4 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,510 and corresponded to an annual rate of 9·4 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·8, 9·2 and 9·1. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 58 against 52, 48 and 47 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,470 live births, corresponding to a rate of 16·6 per 1,000, and 763 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·6, against 8·8, 8·8 and 8·7 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·7 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 43 as against 43, 45 and 34 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 3,424 to 3,510, and in London decreased from 768 to 763.

Under the Birth and Death Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 254 in the Great Towns including 47 in London.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in th week ended 30th July, 1927.

TOWNS.	Estimated Population, Mid. 1926	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis under 2 years.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.
107 GREAT TOWNS ..	19,540,143*	6901	254	3510	390	1	25	9	12	21	68
LONDON	4,605,400*	1470	47	763	65	-	2	1	1	4	8
TOWNS IN OUTER RING: CROYDON C.B. ..	205,900	69	2	33	1	1	-	-	-	-	-
WIMBLEDON ..	58,030	15	1	5	1	-	-	-	-	-	-
EALING	91,783	24	2	14	2	-	-	-	-	1	-
ACTON	63,040	22	-	8	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	56,840	15	-	8	1	-	-	-	-	-	-
WILLESDEN ..	165,270	48	1	21	3	-	-	-	-	-	-
HENDON	62,570*	13	2	7	-	-	-	-	-	-	-
HORNSEY	87,230	19	1	14	-	-	-	-	-	-	-
WOOD GREEN ..	51,940	12	1	8	1	-	-	-	-	-	-
TOTTENHAM ..	151,520	33	-	27	3	-	-	-	-	1	-
EDMONTON	71,700	33	-	8	-	-	-	-	-	-	-
ENFIELD	63,640	29	1	16	-	-	-	-	-	-	-
WEST HAM C.B. ..	315,900	122	6	50	5	-	-	1	-	-	-
EAST HAM C.B. ..	146,600	31	-	19	5	-	-	-	-	-	-
LEYTON	130,000	34	2	23	2	-	-	-	-	-	-
WALTHAMSTOW ..	125,500	38	1	28	-	-	-	-	-	2	1
ILFORD	100,500	31	-	16	-	-	-	-	-	-	-
GILLINGHAM	47,820*	27	5	11	2	-	-	-	-	1	-
CANTERBURY C.B ..	23,470*	7	1	4	-	-	-	-	-	-	-
HASTINGS C.B.	61,340	19	-	11	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	56,060	17	1	11	-	-	-	-	-	-	-
BRIGHTON C.B.	139,500*	34	3	26	2	-	-	-	-	-	-
PORTSMOUTH C.B. ..	231,500*	87	2	43	6	-	-	-	1	-	1
BOURNEMOUTH C.B. ..	90,100	28	-	20	4	-	-	-	-	-	1
SOUTHAMPTON C.B. ..	162,300	67	2	37	5	-	-	-	-	-	1
READING C.B	93,090*	33	-	14	3	-	-	-	-	-	-
OXFORD C.B.	56,800	17	-	6	2	-	-	-	-	-	1
NORTHAMPTON C.B. ..	93,530*	24	2	13	1	-	-	-	-	-	-
LUTON	59,240	26	-	14	4	-	-	-	-	-	-
CAMBRIDGE	58,820	19	1	9	1	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	104,300	25	-	20	1	-	-	-	-	-	-
IPSWICH C.B.	84,140	26	2	13	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,760	19	1	11	-	-	-	-	-	-	-
NORWICH C.B.	123,500*	42	1	20	2	-	1	-	-	-	-
SWINDON	57,320	10	1	3	-	-	-	-	-	-	-
EXETER C.B.	60,340*	20	-	8	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	187,300*	62	5	39	3	-	-	-	1	-	-
BATH C.B.	69,000	17	-	13	-	-	-	-	-	-	-
BRISTOL C.B.	383,300*	156	7	73	13	-	-	-	1	-	2
GLOUCESTER C.B. ..	53,050	16	-	13	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	275,600	131	3	68	13	-	3	-	-	-	-
BURTON-UPON-TRENT C.B.	48,660	18	2	11	4	-	-	-	-	-	-
WOLVERHAMPTON C.B.	131,000	57	1	15	2	-	-	-	-	-	1
WALSALL C.B.	102,100	50	-	14	5	-	-	-	1	-	2
WEST BROMWICH C.B.	79,920	35	2	15	1	-	-	-	-	-	1
DUDLEY C.B.	58,930	27	-	21	2	-	4	-	-	-	-
WORCESTER C.B. ..	50,660	19	-	10	1	-	-	-	-	-	-
BIRMINGHAM C.B. ..	934,300*	376	12	154	23	-	-	-	-	1	8
SMETHWICK C.B. ..	76,940	28	1	10	1	-	-	-	-	-	-
COVENTRY C.B. ..	127,800	40	1	11	1	-	-	-	-	-	-
LEICESTER C.B. ..	241,700	106	2	55	7	-	-	-	-	-	2
LINCOLN C.B.	65,760*	34	1	14	1	-	-	-	-	-	1
GRIMSBY C.B.	88,580	26	1	13	-	-	1	-	-	-	-
NOTTINGHAM C.B. ..	268,000	94	2	45	7	-	-	-	-	-	1
DERBY C.B.	136,600*	47	3	31	1	-	-	-	-	-	-
CHESTERFIELD ..	66,650	22	-	9	-	-	-	1	-	-	-
STOCKPORT C.B. ..	125,400	41	1	21	1	-	-	-	-	-	-
CHESTER C.B.	41,710	15	-	3	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	158,000	62	1	33	4	-	1	-	-	-	2
WALLASEY C.B. ..	93,050	30	1	16	1	-	-	-	-	-	-
LIVERPOOL C.B. ..	862,600	396	15	169	32	-	2	-	3	2	5
BOOTLE C.B.	84,580	42	-	10	1	-	-	-	-	-	-
ST. HELENS C.B. ..	110,000	55	3	19	3	-	-	1	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
OUTHPORT C.B. ..	77,970	20	2	13	-	-	-	-	-	-	-	-
/IGAN C.B.	88,620	35	-	13	5	-	-	-	1	-	2	-
ARRINGTON C.B. ..	76,940*	30	1	13	3	-	-	-	-	-	-	-
OLTON C.B.	177,000	54	2	34	3	-	-	-	-	-	1	-
URY C.B.	56,840*	10	-	8	-	-	-	-	-	-	-	-
LANCHESTER C.B. ..	752,000	286	10	159	20	-	-	1	-	2	7	-
ALFORD C.B.	247,400	74	2	65	7	-	-	1	-	-	1	-
SHTON-UNDER-LYNE	51,050	12	-	6	1	-	-	1	-	-	1	-
LDHAM C.B.	143,000	48	3	28	3	-	-	-	-	-	-	-
OCHDALE C.B.	91,510	26	2	25	2	-	-	-	-	-	-	1
URNLEY C.B	99,600	36	1	24	1	-	-	-	-	-	-	-
LACKBURN C.B. ..	124,400	51	3	21	5	-	-	-	-	-	1	-
RESTON C.B.	124,200	45	1	26	2	-	-	-	-	-	-	-
LACKPOOL C.B. ..	88,640	22	-	28	-	-	-	-	-	2	-	-
ARROW-IN-FURNESS C.B.	70,420	22	-	17	-	-	1	-	-	-	-	-
UDDERSFIELD C.B. ..	111,900	28	2	30	3	-	-	-	-	-	-	-
ALIFAX C.B.	96,130*	41	2	20	3	-	-	-	-	1	1	-
RADFORD C.B. ..	288,700	89	5	53	4	-	1	-	-	1	1	-
EEDS C.B.	473,400	178	13	82	6	-	-	-	1	2	-	3
EWSBURY C.B. ..	53,630	21	2	13	1	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,830	16	1	10	-	-	-	-	-	-	-	-
ARNSLEY C.B. ..	70,760	24	3	14	1	-	2	-	-	-	-	-
HEFFIELD C.B. ..	523,300*	187	3	94	14	-	-	2	-	-	2	-
OTHERHAM C.B. ..	70,080	20	1	10	4	-	2	-	1	-	2	-
ONCASTER C.B. ..	55,700	21	1	10	1	-	-	-	-	-	-	-
ORK C.B.	84,430*	18	3	19	1	-	-	-	-	-	-	-
ULL C.B.	294,600	94	5	58	4	-	-	-	-	-	1	-
IDDLESBROUGH C.B.	133,600	65	1	22	4	-	-	-	-	-	-	-
ARLINGTON C.B. ..	70,700	27	-	6	-	-	1	-	-	-	-	-
OCKTON-ON-TEES ..	67,910	32	2	5	-	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,060	30	1	12	1	-	3	-	-	-	-	-
UNDERLAND C.B. ..	163,800	62	3	38	3	-	1	-	-	-	2	-
OUTH SHIELDS C.B. ..	123,900	41	2	22	1	-	-	-	-	-	-	1
ATESHEAD C.B. ..	127,700	52	1	34	10	-	-	-	-	-	2	1
EWCASTLE-ON-TYNE C.B.	284,700*	146	4	43	9	-	-	-	-	-	2	-
YNEMOUTH C.B ..	66,560	40	3	18	5	-	-	-	-	-	1	-
ARLISLE C.B.	56,140*	21	1	11	-	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,620	33	1	19	-	-	-	-	-	-	-	-
ARDIFF C.B.	225,600*	93	5	31	3	-	-	-	-	-	1	-
HONDDA	162,500	54	1	27	5	-	-	-	-	-	-	-
ERTHYR TYDFIL C.B.	80,690	20	2	19	4	-	-	-	-	-	2	-
BERDARE	56,930	18	-	12	-	-	-	-	-	-	-	-
WANSEA C.B.	163,200	52	6	31	2	-	-	-	1	1	-	-
REATER LONDON ..	7,791,310*	2,483	76	1,241	97	1	2	2	1	8	9	6
UTER RING	3,185,910*	1,013	29	478	32	1	-	1	-	4	1	4
GREAT TOWNS IN OUTER RING	1,947,963*	588	20	305	24	1	-	1	-	4	1	2
EMAINDER OF OUTER RING	1,237,947*	425	9	173	8	-	-	-	-	-	-	2
DINBURGH†	426,100	127	105	6	-	-	1	-	-	-	1	-
LASGOW†	1,049,000	489	248	35	-	-	4	-	7	-	8	1
UBLIN (REGISTRATION AREA)†	421,000	192	89	15	-	-	-	-	-	-	3	1
ELFAST†	416,000	173	74	12	-	-	-	1	1	-	3	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and lasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and y the addition of deaths of residents reported from elsewhere in Scotland during the week; those in ublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into ublic institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,605,400	1927. July 30	1470	47	763	8·6	–	–	2	1	1	4	8
Calcutta and Suburbs	1,077,264	June 25	?	?	508‖	24·5	?	21	?	?	?	?	?
Bombay§	1,298,708	July 2	347	33	507‖	20·3	–	17	2	–	–	–	46
Madras	528,791	„ 2	428	17	290	28·5	–	2	–	?	1	–	17
Sydney and Suburbs	1,038,950	June 30 (30 days)											
Brisbane (Metropolitan Area).	274,260	May 30 (30 days)											
Perth (Metropolitan Area).	179,388	May 28	62	?	42	11·3	?	?	?	?	?	?	2
Auckland (Urban Area).	201,220	June 30 (30 days)											
Wellington (Urban Area).	126,310	June 30 (30 days)											
Christchurch (Urban Area).	121,780	June 30 (30 days)											
Cape Town	115,348	July 2	51	?	31	14·0	–	–	–	–	–	–	3
Johannesburg	172,189	„ 2	82	?	57	17·2	1	–	–	–	–	1	–
Durban	54,738	„ 2	17	?	8	7·6	–	–	–	–	–	–	–
Paris	2,871,429	„ 20 (10 days)	1178	63	818	10·4	5	–	10	–	8	5	2
Antwerp	300,777	June 25	87	4	61	10·5	–	–	–	–	–	1	1
Amsterdam	729,159	„ 25	242	?	109	7·8	1	–	1	–	1	1	1
Copenhagen	592,000	July 16	194	5	117	10·0	–	–	–	–	1	–	–
Stockholm	453,332	„ 9	79	4	111	12·7	1	–	2	–	–	–	1
Gothenburg	231,196	„ 9	?	?	40	9·0	–	–	–	–	1	–	1
Oslo (Christiania) ..	254,055	„ 23	69	2	48	9·8	–	–	–	–	–	–	1
Berlin	2,003,000	„ 9	375	10	441	11·4	–	?	1	2	3	9	2
Breslau	564,000	„ 9	146	7	108	10·0	–	?	1	1	1	–	1
Cologne	716,000	„ 9	235	5	142	10·3	–	?	2	–	1	2	3
Dresden	626,000	„ 9	142	7	126	10·5	–	?	1	–	–	1	2
Frankfort-on-Main ..	473,000	„ 9	79	4	72	7·9	–	?	–	–	–	–	1
Hamburg	1,101,000	„ 9	299	11	201	9·5	–	?	–	–	–	–	1
Leipzig	687,000	„ 9	151	11	135	10·2	–	?	–	–	1	–	2
Munich	685,000	„ 9	152	6	141	10·7	–	?	2	–	–	–	–
Vienna	1,871,380	Jan. 31 (31 days)											
Prague and Suburbs	725,196	Jan. 31 (31 days)											
Budapest	971,169	July 9	366	?	199	10·7	1	–	–	1	1	–	4
Warsaw	1,028,982	„ 16	?	?	262	13·3	–	–	5	3	3	1	29
Cairo	874,300	Feb. 18	908	23	499	29·8	1	–	–	–	–	3	27
Alexandria	501,800	„ 18	483	12	264	27·4	–	–	–	–	?	2	18
New York	5,924,018	July 16	?	?	1222	10·8	–	–	–	1	6	12	12
Chicago	3,048,000	„ 8	1148	?	575	9·7	3	–	–	–	–	8	10

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 31 deaths from Cholera in Calcutta and 5 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 30th July, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	763	65	9	20	16	50	37	54	93	127	159	133
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	1	-	1	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	3	1	-	-	-	-	-	-	-
Influenza	2	1	-	-	-	-	-	-	-	-	-	1
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	1	1	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	69	-	1	2	-	22	13	13	9	6	3	-
Nervous system	12	2	2	3	2	3	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	-	-	-	1	-	-
Other forms	7	-	-	-	-	3	2	1	1	-	-	-
Venereal diseases	6	1	-	-	-	-	1	-	2	2	-	-
Cancer	127	-	-	-	-	1	2	6	26	34	39	19
Rheumatic fever	3	-	-	-	-	1	1	-	-	-	1	-
Diabetes	8	-	-	-	-	-	-	-	-	3	4	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	30	-	-	-	-	1	-	-	5	2	17	5
Epilepsy	6	-	-	-	-	2	3	1	-	-	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	20	1	-	1	1	2	1	4	3	5	1	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	-	2	1	1	-	-	-
Other diseases of heart	125	-	-	-	3	4	3	7	12	26	35	35
Other diseases of circulatory system	41	-	-	-	-	-	-	2	4	11	9	15
Bronchitis	24	1	-	-	-	-	-	-	2	2	8	11
Broncho-pneumonia	22	8	2	3	-	-	-	1	-	1	4	3
Lobar-pneumonia	13	1	-	2	1	1	1	1	3	2	1	-
Pneumonia (type not distinguished)	4	2	1	-	-	-	-	-	-	1	-	-
Other diseases of respiratory system	4	-	-	-	-	-	-	-	1	-	1	2
Diarrhœa and enteritis	11	8	-	-	1	1	-	1	-	-	-	-
Appendicitis, Typhlitis	3	-	-	1	1	-	1	-	-	-	-	-
Hernia, Intestinal obstruction	13	2	-	-	-	1	1	2	-	3	2	2
Cirrhosis of liver	9	-	-	-	-	-	-	1	3	1	4	-
Other diseases of digestive system ..	24	1	1	1	1	1	1	1	4	7	4	2
Acute nephritis	2	-	-	-	-	1	-	-	1	-	-	-
Chronic Bright's disease	28	-	-	-	1	-	-	-	4	8	8	7
Other diseases of genito-urinary system.	11	-	-	-	-	-	-	1	2	2	4	2
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	-	-	2	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	15	15	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	-	-	-	-	-		-	-	-	-		-
Old age	23	-	-	-	-	-	-	-	-	-	1	22
Suicide	11	-	-	-		1	-	-	4	2	4	-
Burns and Scalds	3	-	1	-	-	-	-	-	-	-	2	-
Drowning	2	1	-	-	-	-	-	-	1	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	17	-	-	3	2	3	3	-	1	1	3	1
Other deaths by violence	5	-	-	-		-	-	2	1	1	1	-
Other specified causes	37	11	1	-	1	2	1	6	2	6	3	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 30th July, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	306	170	6	66	C. 7 D. 1 E. 2 M. 4 N. 15
Metropolitan Boroughs:—						
†BATTERSEA ...	-	6	9	1	7	N. 1
†BERMONDSEY ...	-	13	5	-	2	C. 2 D. 1 E. 1
†BETHNAL GREEN	-	27	4	-	-	M. 1
†CAMBERWELL ...	-	26	17	-	-	-
†CHELSEA	-	3	-	1	2	-
†DEPTFORD ...	-	7	6	-	2	-
†FINSBURY ...	-	1	4	-	2	N. 2
†FULHAM	-	12	10	-	2	-
†GREENWICH ...	-	11	2	-	2	-
†HACKNEY ...	-	14	10	-	2	-
†HAMMERSMITH ...	-	7	4	-	1	-
†HAMPSTEAD ...	-	1		-	-	N. 1
†HOLBORN... ...	-	2	-	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	20	6	-	2	M. 1
†KENSINGTON ...	-	7	3	-	3	-
†LAMBETH ...	-	11	16	-	6	C. 1 M. 1
†LEWISHAM ...	-	10	8	-	2	-
†PADDINGTON ...	-	8	6	-	3	-
†POPLAR	-	14	6	-	9	M. 1 N. 1
†ST. MARYLEBONE	-	3	4	-	-	N. 1
†ST. PANCRAS ...	-	21	6	2	-	C. 2 E. 1 N. 2
†SHOREDITCH ...	-	8	11	-	4	-
†SOUTHWARK ...	-	15	8	-	1	N. 2
†STEPNEY	-	24	8	-	3	-
†STOKE NEWINGTON	-	1	1	-	-	N. 1
†WANDSWORTH ...	-	19	9	-	8	C. 1 N. 1
†WESTMINSTER, CITY OF	-	5	3	1	-	C. 1 N. 3
†WOOLWICH ...	-	10	4	1	3	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	7	3	-	1	M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	-	3	-	-	-	-
†LUTON	-	2	-	-	-	-
SANDY	-	1	-	-	-	-
Rural Districts:—						
†BEDFORD... ...	-	1	1	-	-	-
BIGGLESWADE ...	-	-	-	-	1	-
LUTON	-	-	2	-	-	M. 1
BERKS	-	5	4	1	1	M. 3
†READING C.B. ...	-	2	1	-	1	M. 3
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	-	-	1	-	-	-
†NEWBURY ...	-	3	-	-	-	-
Rural Districts:—						
ABINGDON ...	-	-	1	-		-
EASTHAMPSTEAD	-	-	1	-	-	-
WOKINGHAM ...	-	-	-	1	-	-
BUCKINGHAM...	-	7	4	2	-	M. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	-	1	-	-	-	-
MARLOW	-	-	3	-	-	-
†WOLVERTON ...	-	1	-	-	-	-
Rural Districts:—						
AMERSHAM ...	-	1	-		-	-
AYLESBURY ...		1		-	-	M. 1
ETON	-	2		2	-	-
HAMBLEDEN ...	-	1	-	-	-	-
WING	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	-	7	5	1	-	C. 1 G. 1 N. 4
Borough:—						
†CAMBRIDGE ...	-	7	4	1	-	N. 2
Rural Districts:—						
CAXTON AND ARRINGTON	-	-	-	-	-	C. 1
MELBOURN ...	-	-	1	-	-	-
NEWMARKET ...	-	-	-	-	-	N. 2
SWAVESEY ...		-	-	-	-	G. 1
CHESTER ...	-	35	12	2	18	M. 2 N. 2
†BIRKENHEAD C.B.	-	-	-	1	5	-
†CHESTER C.B. ...	-	1	-	-	3	-
†STOCKPORT C.B.	-	10	2	-	1	-
†WALLASEY C.B. ...	-	3	-	-	2	-
Boroughs and Urban Districts:—						
ALSAGER	-	-	1	-	-	-
†ALTRINCHAM ...	-	1	-	-	-	-
BREDBURY AND ROMILEY	-	2	-	-	2	-
†CONGLETON ...	-	2	-		1	M. 1
†CREWE	-	1	-	-	-	-
†DUKINFIELD ...		1	-		3	-
†HAZEL GROVE AND BRAMHALL	-	1	-	-	-	-
†HOYLAKE AND WEST KIRBY	-	-	1	-	-	-
†HYDE	-	1	-	-	1	-
KNUTSFORD ...	-	1	-			-
LYMM	-	1	-	-	-	-
†MACCLESFIELD ...	-	-	3	-	-	-
MARPLE	-	-	-	1	-	-
†NORTHWICH ...	-	1	-	-	-	M. 1 N. 1
†STALYBRIDGE ...	-	-	1	-	-	-
WILMSLOW ...	-	1	-	-	-	-
†WINSFORD ...	-	2	-	-	-	-
Rural Districts:—						
MACCLESFIELD ...	-	2		-	-	-
NANTWICH ...	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NORTHWICH ...	–	–	–	–	–	N 1
RUNCORN ...	–	1	4	–	–	–
WIRRAL	–	1	–	–	–	–
CORNWALL ...	–	14	3	1	1	C. 1 N. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	1	–	–	–
LISKEARD ...	–	–	1	–	–	–
LUDGVAN ...	–	1	–	–	–	–
PAUL	–	1	–	–	–	–
PHILLACK ...	–	4	–	–	–	–
REDRUTH ...	–	–	–	–	1	C. 1
ST. AUSTELL ...	–	–	1	–	–	–
ST. IVES	–	1	–	–	–	N. 1
ST. JUST	–	2	–	–	–	–
TORPOINT ...	*	*	*	*	*	*
Rural Districts:—						
BODMIN	–	3	–	–	–	–
WEST PENWITH...	–	2	–	1	–	–
CUMBERLAND...	–	3	2	–	–	C. 1 G. 2
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	–	–	–	–	G. 1
HOLME CULTRAM	–	1	–	–	–	–
†WHITEHAVEN ...	–	–	2	–	–	–
Rural Districts:—						
PENRITH	–	–	–	–	–	C. 1
WHITEHAVEN ...	–	–	–	–	–	G. 1
WIGTON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	9	31	10	–	12	C. 1 E. 1 F. 1 M. 2 N. 5
†DERBY C.B. ...	2	7	1	–	2	M. 1 N. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	1	–
ALVASTON AND BOULTON	–	–	–	–	–	F. 1
†BELPER	2	1	–	–	–	–
†BOLSOVER ...	–	1	1	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	–	1	–	2	C. 1
†GLOSSOP		1	1	–	–	–
†HEANOR	–	2	–	–	–	–
†ILKESTON ...	–	4	–	–	–	–
†LONG EATON ...	–	3	–	–	–	–
NEW MILLS ...	–	1	–	–	–	–
†RIPLEY	1	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	4	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	–	N. 1
BELPER	–	1	–	–	–	–
BLACKWELL ...	4	1	–	–	3	E. 1
CHESTERFIELD ...	–	–	2	–	1	M. 1 N. 2
CLOWNE	–	2	1	–	–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
REPTON	–	1	1	–	–	–
SHARDLOW ...	–	1	1	–	–	–
DEVON	–	15	10	2	5	G. 1 M. 2 N. 3
†EXETER C.B. ...	–	1	–	–	1	M. 1
†PLYMOUTH C.B....	–	1	5	–	1	N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1		–	–	–
BIDEFORD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
HOLSWORTHY ...	–	–	–	–	–	N. 1
†NEWTON ABBOT	–	–	1	–	–	–
OKEHAMPTON ...	–	–	–	–	–	N. 1
SIDMOUTH ...	–	–	–	1	–	–
†TEIGNMOUTH ...	–	–	–	1	–	–
Rural Districts:—						
AXMINSTER ...	–	1	–	–	–	–
BARNSTAPLE ...	–	1	–	–	1	–
BIDEFORD ...	–	1	–	–	–	–
BROADWOOD WIDGER	–	–	–	–	1	–
OKEHAMPTON ...	–	3	–	–	–	–
PLYMPTON ST. MARY	–	–	3	–	1	–
ST. THOMAS ...	–	–	–	–	–	M. 1
SOUTH MOLTON ...	–	–		–	–	G. 1
TAVISTOCK ...	–	–	1	–	–	–
TIVERTON ...	–	1	–	–	–	–
TORRINGTON ...	–	3	–	–	–	–
DORSET	–	11	1	1	1	G. 1 N. 2
Boroughs and Urban Districts:—						
BRIDPORT ...	–	1	–	–	–	–
†POOLE	–	1	1	–	–	–
†PORTLAND ...	–	–	–	–	–	G. 1
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	4	–	–	–	–
BLANDFORD ...	–	1	–	–	–	N. 1
BRIDPORT ...	–	2	–	–	–	–
POOLE	–	–	–	–	–	N. 1
SHAFTESBURY ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	–	–	1	–	–
WEYMOUTH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM ...	56	42	32	–	46	C. 1 E. 1 M. 7 N. 2
†DARLINGTON C.B.	3	5	–	–	1	–
†GATESHEAD C.B.	2	3	5	–	1	–
†SOUTH SHIELDS C.B	10	2	1	–	7	M. 1
†SUNDERLAND C.B.	1	2	1	–	9	C. 1
†WEST HARTLEPOOL C.B.	–	2	2	–	3	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	–
BENFIELDSIDE ...	–	2	4	–	–	–
BILLINGHAM ...	–	–	1	–	–	–
†BISHOP AUCKLAND	–	–	1	–	–	–
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	2	–	–	–
†CHESTER LE STREET	2	1	–	–	–	–
†CONSETT	–	1	–	–	2	–
†CROOK	1	–	–	–	–	–
†DURHAM	–	–	–	–	–	M. 1
†FELLING	1	1	–	–	1	–
†HEBBURN ...	1	3	1	–	1	–
†HETTON	1	1	–	–	–	M. 1 N. 1
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	–	–	–	2	E. 1 N. 1
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	–	–
†SHILDON	1	1	–	–	–	–
†SOUTHWICK ON WEAR	–	–	1	–	–	–
†SPENNYMOOR ...	2	1	–	–	–	–
†STANLEY	4	–	3	–	–	–
†STOCKTON ON TEES	5	4	2	–	1	M. 1
†TANFIELD ...	–	–	1	–	1	–
TOW LAW ...	1	–	–	–	–	–
†WHICKHAM ...	–	–	1	–	2	–
WILLINGTON ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
AUCKLAND ...	1	1	2	–	–	–
CHESTER LE STREET	1	1	–	–	1	–
EASINGTON ...	2	2	–	–	6	–
HARTLEPOOL ...	*	*	*	*	*	*
HOUGHTON LE SPRING	5	–	–	–	4	–
LANCHESTER ...	–	–	2	–	–	–
SEDGEFIELD ...	1	–	–	–	–	–
SOUTH SHIELDS...	11	–	1	–	1	–
SUNDERLAND ...	–	–	–	–	2	M. 2
ELY, ISLE OF ...	–	2	–	1	–	–
Rural Districts:—						
NORTH WITCHFORD	–	1	–	–	–	–
WISBECH	–	1	–	1	–	–
ESSEX	–	132	49	3	13	C. 2 L. 1 M. 2 N. 2
†EAST HAM C.B. ...	–	16	9	–	1	–
†SOUTHEND-ON-SEA C.B.	–	6	1	–	1	–
†WEST HAM C.B. ...	–	56	14	–	3	C. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	4	–	1	M. 1
BRENTWOOD ...	–	1	–	–	–	–
BUCKHURST HILL	–	1	–	–	–	–
†CHELMSFORD ...	–	6	–	–	–	–
DAGENHAM ...	–	4	3	–	1	–
FRINTON ON SEA	–	1	–	–	–	–
†GRAYS THURROCK	–	1	1	2	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	6	4	–	2	–
†LEYTON	–	6	5	–	1	–
LOUGHTON ...	–	–	1	–	–	–
†ROMFORD ...	–	2	–	–	–	–
SHOEBURYNESS ...	–	–	–	1	–	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
TILBURY	–	–	–	–	–	N. 1
†WALTHAMSTOW...	–	8	1	–	3	–
WEST MERSEA ...	–	1	–	–	–	–
†WOODFORD ...	–	–	–	–	–	C. 1
Rural Districts:—						
BILLERICAY ...	–	5	2	–	–	–
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
EPPING	–	–	–	–	–	N. 1
HALSTEAD ...	–	1	–	–	–	–
ORSETT	–	1	4	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	2	–	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
STANSTED ...	–	1	–	–	–	–
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	33	28	3	11	C. 3 E. 1 M. 1 N. 4
†BRISTOL C.B. ...	–	25	13	3	6	E. 1 N. 2
†GLOUCESTER C.B.	–	–	1	–	4	C. 1
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	1	–	–	–	N. 1
†CHELTENHAM ...	–	2	4	–	–	C. 1
†KINGSWOOD ...	–	1	–	–	–	–
TETBURY... ...	–	–	–	–	–	N. 1
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	–	1	–	–	–
DURSLEY... ...	–	–	1	–	1	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
GLOUCESTER ...	–	–	1	–	–	M. 1
STROUD	–	2	5	–	–	–
WEST DEAN ...	–	–	–	–	–	C. 1
WHEATENHURST	–		2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	2	–	1	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	2	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	1	–	–
HERTFORD ...	–	11	2	1	3	–
Boroughs and Urban Districts:—						
BUSHEY	–	1	–	–	–	–
†CHESHUNT ...	–	2	–	–	–	–
†EAST BARNET VALLEY	–	2	–	–	–	–
HERTFORD ...	–	–	2	–	–	–
†ST. ALBANS ...	–	–	–	–	3	–
SAWBRIDGEWORTH	–	1	–	–	–	–
†WATFORD ...	–	2	–	–	–	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	1	–	–	–	–
†HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WATFORD ...	–		–	1	–	–
HUNTINGDON ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	3	–	–	–	–
Rural Districts:—						
OUNDLE (part) ...	*	*	*	*	*	*
KENT	–	44	22	6	1	C. 3 E. 1 M. 2 N. 1
†CANTERBURY C.B.	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	1	1	–
†BEXLEY	–	1	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	4	–	–	–	–
†BROMLEY ...	–	1	–	–	–	C. 1
†CHATHAM ...	–	3	3	–	–	–
†DARTFORD ...	–	1	1	–	–	–
†DEAL	–	–	–	–	–	N. 1
†DOVER	–	2	–	–	–	–
†ERITH	–	3	4	1	–	–
†FOLKESTONE ...	–	4	–	–	–	–
†GILLINGHAM ...	–	2	1	–	–	M. 1
†GRAVESEND ...	–	–	1	–	–	–
†MAIDSTONE ...	–	3	–	1	–	–
†MARGATE ...	–	–	2	–	–	–
†NORTHFLEET ...	–	–	–	–	–	M. 1
†PENGE	–	1	–	–	–	–
†RAMSGATE ..	–	–	1	–	–	–
†ROCHESTER ...	–	–	–	1	–	–
SANDGATE ...	–	1	–	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
SWANSCOMBE ...	–	–	2	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	1	1	–	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	–	2	–	–	–	–
ELHAM	–	–	–	1	–	–
FAVERSHAM ...	–	2	–	–	–	–
ISLE OF THANET	–	–	–	–	–	E. 1
MAIDSTONE ...	–	–	–	–	–	C. 1
MALLING	–	2	3	–	–	–
SHEPPEY	–	1	–	–	–	–
STROOD	–	1	–	–	–	–
TENTERDEN ...	–	–	–	–	–	C. 1
TONBRIDGE ...	–	1	–	–	–	–
LANCASTER ...	7	179	93	11	99	C. 9 G. 5 M. 20 N. 7
†BARROW IN FURNESS C.B	–	2	–	–	–	M. 1
†BLACKBURN C.B.	–	–	1	–	1	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†BLACKPOOL C.B.	1	6	6	2	–	C. 1 N. 1
†BOLTON C.B. ...	–	5	1		1	N. 1
†BOOTLE C.B. ...	–	3	2	–	2	M. 1
†BURNLEY C.B. ...	3	1	2	–	2	C. 1
†BURY C.B. ...	–	5	1	–	2	–
†LIVERPOOL C.B. ...	–	27	15	2	19	C. 1 G 1 M. 12
†MANCHESTER C.B.		34	28	2	24	C. 4 M. 2 N. 3
†OLDHAM C.B. ...	–	4	4	–	2	G. 1
†PRESTON C.B. ...	–	2	–	–	2	M. 1
†ROCHDALE C.B. ...	–	2	5	–		–
†ST. HELENS C.B. ...	–	5	–	–	5	–
†SALFORD C.B. ...	–	9	5	–	4	C. 1 M. 1 N. 1
†SOUTHPORT C.B.	–	1	–	–	3	M. 1
†WARRINGTON C.B.	–	3	1	–	3	–
†WIGAN C.B. ...	–	2	–	–	6	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–	–	1	M. 1
ADLINGTON ...	–	–	–	–	1	–
†ASHTON UNDER LYNE	–	3	–	1	–	–
ASPULL	*	*	*	*	*	*
†ATHERTON ...	–	1	1	–	–	–
AUDENSHAW ...	–	2	–	–	–	–
†BACUP	–	–	–	–	1	–
BARROWFORD ...	–	–	–	–	1	–
BRIERFIELD ...	–	1	–	–	–	–
†CHADDERTON ...	–	4	4	–	1	–
†CHORLEY	–	1	–	–	–	–
†COLNE	–	4	–	–	1	G. 1
†DALTON IN FURNESS	–	–	–	1	–	–
†DARWEN	–	6	–	–	–	–
†DROYLSDEN ...	–	1	–	–	1	–
†ECCLES	–	2	–	–	–	–
†FAILSWORTH ...	–	1	–	–	1	–
†FARNWORTH ...	–	2	–	–	–	–
†FLEETWOOD ...	–	1	–	–	2	–
FULWOOD ...	1	–	–	–	–	–
†GREAT HARWOOD	1	–	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
HUYTON WITH ROBY	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	–	N. 1
IRLAM	–	1	1	–	–	–
KEARSLEY ...	–	–	–	–	1	–
†LANCASTER ...	–	6	–	–	–	–
†LEIGH	–	2	2	–	–	–
†LITHERLAND ...	–		1	–	–	–
†LYTHAM ST. ANNE'S	–	2	3	–	–	–
†MIDDLETON ...	–	1	–	–	1	–
†MORECAMBE ...	1	–	–	–	–	–
†NELSON	–	2	–	–	2	–
†PADIHAM... ...		1	1	–	–	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	3	–	–	–	–
†RADCLIFFE ...	–	1	1	–	1	–
†RAWTENSTALL ...	–	–	1	1	–	–
†ROYTON	–	–	1	–	–	–
†STRETFORD ...	–	4	–	–	–	C. 1
†SWINTON AND PENDLEBURY	–	1	–	–	1	–
TOTTINGTON ...	–	1	–	–	–	–
†TURTON	–	–	1	–	–	–
†WALTON LE DALE	–	2	–	–	–	–
WARDLE	–	–	1	–	–	–
†WESTHOUGHTON	–	–	–	–	1	–
†WIDNES	–	–	2	2	2	–
Rural Districts:—						
BURY	–	–	–	–	–	G. 1
CHORLEY... ...	–	–	–	–	–	G. 1
CLITHEROE ...	–	–	–	–	1	–
FYLDE	–	–	1	–	–	–
LANCASTER ...	–	2	–	–	–	–
LEIGH	–	–	–	–	1	–
LUNESDALE ...	–	1	–	–	–	–
PRESTON	–	2	–	–	–	–
SEFTON	–	1	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	1	–	–	–
WEST LANCASHIRE	–	2	–	–	–	–
WHISTON... ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever : N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	14	7	–	7	G. 1 N. 2
†LEICESTER C.B. ...	–	6	5	–	4	G. 1 N. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	2	–	1	–
†LOUGHBOROUGH	–	3	–	–	–	–
QUORNDON ...	*	*	*	*	*	*
THURMASTON ...	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	1	–
BARROW UPON SOAR	–	1	–	–	1	–
LUTTERWORTH ...	–	1	–	–	–	–
MARKET BOSWORTH	–	–	–	–	–	N. 1
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	1	–	1	–	N. 1
Boroughs and Urban Districts:—						
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	1	–	1	–	–
CROWLAND ...	–	–	–	–	–	N. 1
LINCOLN (parts of Kesteven).	–		–	1		–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	1	–	–
LINCOLN (parts of Lindsey).	1	12	3	–	2	–
†LINCOLN C.B. ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
†GAINSBOROUGH ...	1	–	–	–	–	–
MARKET RASEN	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	1	–
Rural Districts:—						
GLANFORD BRIGG	–	2	–	–	1	–
GRIMSBY... ...	–	–	1	–	–	–
HORNCASTLE ...	–	8	–	–	–	–
SPILSBY	–	1	–	–	–	–
MIDDLESEX ...	–	62	36	5	9	L. 1 M. 3 N. 3
Boroughs and Urban Districts:—						
†ACTON	–	1	2	1	–	–
†EALING	–	6	6	–	–	N. 1
†EDMONTON ...	–	4	4	–	–	–
†ENFIELD	–	3	3	–	–	–
†FINCHLEY ...	–	1	–	–	–	–
†FRIERN BARNET	–	–	–	–	2	–
†HAMPTON ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	2	–	1	–	–
HAYES	–	1	–	–	–	–
†HENDON	–	4	1	1	–	M. 1
†HESTON AND ISLEWORTH	–	5	1	–	1	M. 1
†HORNSEY... ...	–	2	–	–	–	–
†SOUTHALL NORWOOD	–	3	–	–	–	–
†SOUTHGATE ...	–	1	–	–	2	–
STAINES	–	1	–	–	–	–
†TEDDINGTON ...	–	2	–	1	–	–
†TOTTENHAM ...	–	3	5	–	1	M. 1
†TWICKENHAM ...	–	2	1	–	–	N. 1
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	2	1	–	1	–
†WEMBLEY ...	–	1	–	–	–	L. 1
†WILLESDEN ...	–	10	10	1	2	N. 1
†WOOD GREEN ...	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
STAINES	–	1	–	–	–	–
UXBRIDGE ...	–	2	1	–	–	–
NORFOLK ...	–	28	1	–	3	C. 1 E. 1 G. 1 N. 1
†GREAT YARMOUTH C.B.	–	5	–	–	–	G. 1
†NORWICH C.B. ...	–	11	–	–	2	C. 1
Boroughs and Urban Districts:—						
CROMER	–	–	–	–	1	–
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
EAST AND WEST FLEGG	–	1	–	–	–	–
ERPINGHAM ...	–	–	–	–	–	E. 1
FOREHOE ...	–	2	–	–	–	–
HENSTEAD ...	–	1	–	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	–	4	–	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
THETFORD ...		3	–	–	–	–
WALSINGHAM ...	–	–	–	–	–	N. 1
NORTHAMPTON	–	6	5	2	3	M. 1 N. 2
†NORTHAMPTON C.B.	–	1	1	–	2	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	–	1	–	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	–	1	–	–	N. 1
OUNDLE	–	–	1	–	–	–
ROTHWELL ...	–	–	2	–	–	–
†RUSHDEN... ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	1	–	–	–	–
NORTHAMPTON—*cont.*						
Rural Districts:—						
DAVENTRY ...	–	–	–	–	–	M. 1
HARDINGSTONE ...	–	1	–	–	–	–
KETTERING ..		1	–	1	–	–
OUNDLE (part) ...	–	–	–	–	–	N. 1
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND.	5	45	2	2	18	C. 1 D. 1 G. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	1	20	–	–	10	C. 1 G. 1 M. 1
†TYNEMOUTH C.B	–	9	1	–	1	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	4	2	–	–	–	–
†BEDLINGTONSHIRE	–	–	–	1	1	–
†BERWICK UPON TWEED	–	3	–	–	–	–
†BLYTH	–	1	–	–	4	–
CRAMLINGTON ...	–	2	–	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	2	–	–	–	–
SEATON DELAVAL	–	–	–	1	–	–
†WALLSEND ...	–	–	1	–	1	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	–	–
GLENDALE ...	–	1	–	–	–	–
HEXHAM	–	1	–	–	–	D. 1 M. 1
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	71	22	19	–	9	M. 4
†NOTTINGHAM C.B	–	10	17	–	6	M. 3

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts:—						
†BEESTON... ...	–	–	1	–	–	–
†CARLTON... ...	–	3	1	–	1	–
HUTHWAITE ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	1	1	–	–	–	M. 1
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–
WARSOP	–	1	–	–	–	–
†WORKSOP... ...	66	–	–	–	–	–
Rural Districts:—						
BASFORD	–	1	–	–	–	–
MISTERTON ...	–	2	–	–	–	–
SOUTHWELL ...	–	2	–	–	–	–
WORKSOP... ...	4	–	–	–	–	–
OXFORD	–	3	1	1	2	E. 1
†OXFORD C.B. ...	–	–	1	1	1	–
Boroughs and Urban Districts:—						
†HEADINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
HEADINGTON ...	–	–	–	–	–	E. 1
THAME	–	1	–	–	–	–
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of).	–	3	2	–	–	–
Borough:—						
†PETERBOROUGH..	–	2	–	–	–	–
Rural Districts—						
PETERBOROUGH...	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND ...	–	2	–	–	1	–
Rural Districts:—						
UPPINGHAM ...	–	2	–	–	1	–
SALOP	–	28	1	1	3	M. 2
Boroughs and Urban Districts:—						
DAWLEY	–	1	–	–	–	–
NEWPORT ...	–	–	–	–	–	M. 1
†OAKENGATES ...	–	12	–	–	–	–
OSWESTRY ...	–	–	–	–	–	M. 1
†WENLOCK ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	2	–	–	1	–
CLEOBURY MORTIMER	–	1	–	–	–	–
DRAYTON... ...	–	–	–	–	1	–
ELLESMERE ...	–	1	–	1	–	–
NEWPORT ...	–	4	–	–	1	–
OSWESTRY ...	–	1	1	–	–	–
WELLINGTON ...	–	5	–	–	–	–
SOMERSET ...	–	13	3	–	3	E. 1 G. 1 N. 1
†BATH C.B. ...	–	4	1	–	2	–
Boroughs and Urban Districts:—						
BURNHAM ON SEA	–	–	–	–	–	G. 1
CREWKERNE ...	–	1	–	–	–	–
GLASTONBURY ...	–	1	–	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
†TAUNTON... ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	1	–	–	–	–
Rural Districts:—						
BATH	–	3	–	–	–	–
CLUTTON... ...	–	–	–	–	1	N. 1
FROME	–	1	–	–	–	–
LANGPORT ...	–	–	1	–	–	–
SHEPTON MALLET	–	–	1	–	–	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON.	–	18	58	2	2	C. 2 G. 1 M. 2 N. 2
†BOURNEMOUTH C.B.	–	3	2	–	–	–
†PORTSMOUTH C.B	–	3	3	–	–	G. 1 N. 1
†SOUTHAMPTON C.B.	–	2	6	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
†FARNBOROUGH ...	–	2	–	1	–	N. 1
†GOSPORT	–	–	1	–	–	–
HAVANT	*	*	*	*	*	*
PETERSFIELD ...	–	–	1	–	–	–
†WINCHESTER ...	–	–	–	–	1	–
Rural Districts:—						
ALTON	–	–	43	–	–	M. 1
BASINGSTOKE ...	–	2	–	–	–	–
DROXFORD ...	–	3	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	C. 1
HAVANT	–	–	1	–	–	–
NEW FOREST ...	–	–	1	1	–	–
STAFFORD ...	1	49	24	1	38	C. 1 E. 1 M. 7 N. 2
†BURTON UPON TRENT C.B.	1	1	–	–	–	–
†SMETHWICK C.B.	–	3	4	–	2	–
†STOKE ON TRENT C.B.	–	8	3	1	21	M. 4
†WALSALL C.B. ...	–	7	3	–	2	–
†WEST BROMWICH C.B.	–	2	–	–	–	–
†WOLVERHAMPTON C.B.	–	5	–	–	–	C. 1 M. 2
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	1	–	–	–
†AUDLEY	–	1	–	–	–	–
†BILSTON	–	2	–	–	1	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRIERLEY HILL...	–	–	–	–	1	–
†BROWNHILLS ...	–	2	–	–	–	–
†CANNOCK	–	2	1	–	–	–
†COSELEY	–	–	–	–	2	–
†DARLASTON ...	–	–	–	–	1	–
KIDSGROVE ...	–	2	–	–	–	–
†LEEK	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	–	2	–	–	–	–
QUARRY BANK	–	–	5	–	–	–
†ROWLEY REGIS ...	–	1	–	–	1	–
†SEDGLEY	–	–	1	–	–	–
†STAFFORD ...	–	–	–	–	–	N. 1
TAMWORTH ...	–	–		–	1	–
†TIPTON	–	–	–	–	3	–
†WEDNESBURY ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	–	–	–	1	M. 1
Rural Districts:—						
BLORE HEATH ...	–	1	–	–	–	–
CANNOCK	–	3	–	–	–	–
KINGSWINFORD ...	–	1	–	–	–	–
LICHFIELD ...	–	1	2	–	–	N. 1
MAYFIELD ...	–	2	–	–	–	–
NEWCASTLE UNDER LYME	–	–	1	–	–	–
STAFFORD ...	–	–	–	–	1	–
TUTBURY... ...	–	1	–	–	–	–
WALSALL... ...	–	–	3	–	–	E. 1
SUFFOLK, EAST	–	14	1	–	–	C. 2 G. 1 M. 1 N. 1
†IPSWICH C.B. ...	–	4	–	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
EYE	–	1	–	–	–	–
†FELIXSTOWE ...	–	1	–	–	–	G. 1
†LOWESTOFT ...	–	2	–	–	–	N. 1
SOUTHWOLD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST —*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	-	5	-	-	-	C. 1
HOXNE	-	1	-	-	-	-
WOODBRIDGE ...	-	-	1	-	-	-
SURREY	-	60	17	1	2	G. 3 M. 3 N. 5
†CROYDON C.B. ...	-	16	4	-	-	G. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES	-	9	-		-	-
†BEDDINGTON AND WALLINGTON	-	1	-	-	-	-
†CATERHAM ...	-	-	1	-		-
†CHERTSEY	-	1	-	-	-	-
†COULSDON AND PURLEY	-	2	-	-	-	G. 1
†EGHAM	-	1	-	-	-	M. 1
†EPSOM	-	-	-	-	1	-
†ESHER AND THE DITTONS	-	1	-	-	-	-
†FARNHAM ...	-	-	1	-	-	-
†GUILDFORD ...	-	-	-	1	1	-
†KINGSTON ON THAMES	-	2	1	-	-	-
LEATHERHEAD ...	-	-	-	-	-	G. 1
†MITCHAM... ...	-	8	1	-	-	N. 1
†REIGATE	-	2	2	-	-	N. 1
†RICHMOND ...	-	1	-	-	-	M. 1
†SURBITON ...	-	4	-	-	-	-
†THE MALDENS AND COOMBE		1	-	-	-	-
†WALTON UPON THAMES	-	1	-	-	-	-
†WIMBLEDON ...	-	4	3	-	-	N. 2
Rural Districts:—						
CHERTSEY ...	-	1	-	-	-	-
EPSOM	-	-	2	-	-	-
GODSTONE ...	-	-	1	-	-	-
HAMBLEDON ...	-	4	1	-	-	-
REIGATE	-	1	-	-	-	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	-	12	8	-	1	C. 1 D. 1 E. 1 L. 1
†BRIGHTON C.B. ...	-	3	5	-	-	C. 1
†EASTBOURNE C.B.	-	1	1	-	-	E. 1
†HASTINGS C.B. ...	-	1	-	-	1	-
Boroughs and Urban Districts:—						
BURGESS HILL ...	-	-	2	-	-	-
†HOVE		-	-	-	-	D. 1
NEWHAVEN ...	*	*	*	*	*	*
Rural Districts:—						
CHAILEY	-	1	-	-	-	-
HAILSHAM ...	-	-	-	-	-	L. 1
HASTINGS ...	-	1	-	-	-	-
UCKFIELD ...	-	5	-	-	-	-
SUSSEX, WEST...	-	3	-	-	1	-
Boroughs and Urban Districts:—						
†HORSHAM ...	-	1	-	-	-	-
†WORTHING ...	-	-	-	-	1	-
Rural Districts:—						
HORSHAM ...	-	2	-	-	-	-
WARWICK ...	1	51	42	2	24	C. 3 D. 1 E. 1 G. 3 M. 6 N. 2
†BIRMINGHAM C.B.	-	36	31	-	19	C. 2 D. 1 G. 2 M. 3
†COVENTRY C.B. ...	1	4	2	-	-	G. 1
Boroughs and Urban Districts:—						
BULKINGTON ...	-	-	-	-	-	N. 1
†NUNEATON ...	-	2	1	-	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L Dysentery : M, Ophthalmia Neonatorum ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROYAL LEAMINGTON SPA	–	1	–	1	–	M. 1
†RUGBY	–	2	2	–	–	–
†STRATFORD ON AVON	–	2	–	–	–	–
†SUTTON COLDFIELD	–	–	1	–	–	–
†WARWICK ...	–	1	–	–	–	M. 1
Rural Districts:—						
ALCESTER ...	–	–	–	–	–	E. 1
ATHERSTONE ...	–	–	1	–	1	–
COVENTRY ...	–	–	1	–	–	–
FOLESHILL ...	–	–	2	–	–	–
MERIDEN... ...	–	–	1	–	–	–
RUGBY	–	–	–	1	–	
SOLIHULL ...	–	1	–	–	–	C. 1
SOUTHAM... ...	–	–	–	–	1	N. 1
TAMWORTH (part)	–	1	–	–	–	–
WARWICK ...	–	1	–		2	–
WESTMORLAND	–	3	–	–	–	–
Boroughs and Urban Districts:—						
APPLEBY	–	2	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	7	–	–	–	M. 1 N. 1
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	1	–	–	–	M. 1 N. 1
SANDOWN ...	–	2	–	–	–	–
VENTNOR... ...	–	3	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	15	2	–	6	N. 3
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
CHIPPENHAM ...	–	2	–	–	–	–
†SALISBURY ...	–	4	–	–	–	N. 1
†SWINDON... ...	–	3	–	–	4	N. 1
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
CHIPPENHAM ...	–	–	1	–	–	–
DEVIZES	–	3	–	–	–	–
MELKSHAM ...		2	1	–	1	–
PEWSEY	–	–	–	–	–	N. 1
WORCESTER ...	–	10	4	–	7	C. 1 N. 1
†WORCESTER C.B.	–	3	1	–	3	N. 1
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	1	–	–	–
BROMSGROVE ...	–	1	–	–	–	–
†HALESOWEN ...	–	1	–	–	–	–
†KIDDERMINSTER	–	–	1	–	–	–
†OLDBURY... ...	–	1	1	–	3	–
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
DROITWICH ...	–	1	–	–	–	–
SHIPSTON ON STOUR	–	1	–	–	–	–
UPTON ON SEVERN	–	2	–	–	–	C. 1
YORKS ... ... (East Riding).	–	15	5	–	2	C. 1 D. 1
†KINGSTON UPON HULL C.B.	–	4	5	–	1	C. 1
Boroughs and Urban Districts:—						
HESSLE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
HOWDEN	–	10	–	–	–	–
PATRINGTON ...	–	–	–	–	–	D. 1
POCKLINGTON ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	4	16	5	1	7	M. 1
†MIDDLESBROUGH C.B.	–	5	2	–	5	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	1	–
GUISBOROUGH ...	4	–	–	–	–	–
†REDCAR	–	1	1	–	–	–
RICHMOND ...	–	1	–	–	–	–
†SCARBOROUGH ...	–	–	1	1	1	–
†THORNABY ON TEES	–	1	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	–	–
GUISBOROUGH ...	–	4	–	–	–	–
LEYBURN... ...	–	–	1	–	–	–
STARTFORTH ...	–	1	–	–	–	–
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding).	15	163	36	9	101	C. 2 E. 6 G. 1 M. 9 N. 13
†BARNSLEY C.B. ..	–	2	1	–	1	–
†BRADFORD C.B. ...	–	7	3	3	10	C. 1 M. 4
†DEWSBURY C.B....	–	1	1	–	1	–
†DONCASTER C.B.	8	3	1	–	3	M. 1
†HALIFAX C.B. ...	–	7	–	–	1	–
†HUDDERSFIELD C.B	–	5	2	–	–	N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†LEEDS C.B. ..	1	13	11	–	21	E. 3 M. 2 N. 4
†ROTHERHAM C.B.	–	2	2	1	6	–
†SHEFFIELD C.B....	–	67	7	–	35	E. 1 N. 2
†WAKEFIELD C.B.	–	3	–	–	1	N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	3	–	–	–	–
ALTOFTS	–	1	–	–	–	–
BAILDON	–	3	–	–	–	–
†BATLEY	–	–	–	–	1	–
†BINGLEY	–	–	–	1	–	–
BIRSTAL	–	1	–	–	–	–
†BOLTON UPON DEARNE	2	–	–	–	–	E. 2
†BRIGHOUSE ...	–	–	–	1	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	–	1	–	1	–
DARFIELD ...	*	*	*	*	*	*
†FEATHERSTONE ...	–	–	–	–	1	–
FLOCKTON ...	–	1	–	–	–	–
†GOOLE	–	1	–	–	2	–
GREASBROUGH ...	–	1	–	–	–	–
GREETLAND ...	*	*	*	*	*	*
GUISELEY ...	–	1	–	–	–	–
†HARROGATE ...	–	–	2	–	–	–
†HEMSWORTH ...	–	–	–	–	3	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	2	–	–	1	–
HORSFORTH ...	–	–	–	–	1	–
†HOYLAND NETHER	–	2	1	2	–	–
ILKLEY	–	1	–	–	–	–
†KEIGHLEY ...	1	–	–	–	–	–
KIRKBURTON ...	–	–	–	–	1	–
KIRKHEATON ...	*	*	*	*	*	*
KNARESBOROUGH	–	1	–	–	–	–
LEPTON	–	–	1	–	–	–
MALTBY	–	–	–	–	1	–
†MEXBOROUGH ...	–	2	2	–	1	–
†NORMANTON ...	–	–	–	–	1	–
OTLEY	–	–	–	–	1	–
†PONTEFRACT ...	–	1	–	–	–	–
†PUDSEY	–	–	–	1	–	N. 1
RAWDON	–	1	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAWMARSH ...	–	2	–	–	–	–
RIPON	–	1	–	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–
SELBY	–	–	–	–	–	M. 1
†SHIPLEY	–	2	–	–	–	–
SKELMANTHORPE	–	1	–	–	–	–
SOUTHOWRAM ...	–	–	–	–	1	–
†SOWERBY ...	–	1	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	–	N. 2
THURNSCOE ...	1	–	–	–	–	–
WATH UPON DEARNE	1	–	–	–	1	–
WHITLEY UPPER	–	2	–	–	–	–
†WOMBWELL ...	–	4	–	–	–	G. 1
YEADON	–	1	–	–	–	–
Rural Districts:—						
DONCASTER ...	–	1	–	–	1	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	4	–	–	–	M. 1
KIVETON PARK ...	1	–	–	–	–	N. 1
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
RIPON	–	–	–	–	–	C. 1
ROTHERHAM ...	–	1	1	–	3	–
SEDBERGH ...	–	1	–	–	–	–
THORNE	–	2	–	–	–	–
WETHERBY ...	–	1	–	–	–	–
WORTLEY ..	–	2	–	–	–	–
§YORK, CITY OF...	–	2	1	–	–	D. 1
†YORK C.B. ..	–	2	1	–	–	D. 1
WALES.						
ANGLESEY ...	–	3	1	–	–	N. 1
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	1	–	–	–
ANGLESEY—*cont.*						
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	2	–	–	–	N. 1
BRECKNOCK ...	–	–	2	1	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	–	1	–	–
Rural Districts:—						
LLANWRTHWL (parish)	*	*	*	*	*	*
YSTRADFELLTE (parish)	–	–	2	–	–	–
CAERNARVON...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	1	–	–	–	–
CARDIGAN ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH	–	–	3	–	–	–
CARMARTHEN...	–	4	3	–	5	–
Boroughs and Urban Districts:—						
LLANDOVERY ...	*	*	*	*	*	*
†LLANELLY ...	–	1	1	–	2	–
NEWCASTLE EMLYN	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Rural Districts:—						
LLANDILO FAWR	–	2	–	–	3	–
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	1	2	–	–	–
NEWCASTLE IN EMLYN	*	*	*	*	*	*
DENBIGH ...	–	5	–	1	1	–
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	3	–	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	–	–	1	–	–
WREXHAM ...	–	2	–	–	1	–
FLINT	–	4	14	–	3	E. 1
Boroughs and Urban Districts:—						
BUCKLEY... ...	*	*	*	*	*	*
FLINT	–	1	–	–	–	–
HOLYWELL ...	–	–	–	–	1	–
MOLD	*	*	*	*	*	*
†RHYL	–	3	6	–	–	E. 1
Rural Districts:—						
HOLYWELL ...	–	–	6	–	2	–
OVERTON ...	*	*	*	*	*	*
ST. ASAPH (FLINT)	–	–	2	–	–	–
GLAMORGAN ...	–	28	36	1	18	D. 1 E. 1 M. 2 N. 7
†CARDIFF C.B. ...	–	4	2	–	1	D. 1 E. 1 N. 4
†MERTHYR TYDFIL C.B.	–	–	1	–	–	–
†SWANSEA C.B. ...	–	3	4	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	1	–	–	–
†CAERPHILLY ...	–	1	3	–	–	–
†GELLIGAER ...		1	–	–	–	–
†MAESTEG... ...	–	3	6	–	–	–
†MOUNTAIN ASH...	–	3	2	–	4	N. 1
†NEATH	–	3	–	–	1	–
†OGMORE AND GARW	–	–	2	1	–	M. 1
†PONTYPRIDD ...	–	1	1	–	1	–
†PORT TALBOT ...	–	2	3	–	–	N. 1
†RHONDDA ...	–	4	5	–	8	–
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	–	2	–	–	–
NEATH	–	–	–	–	1	–
PENYBONT ...	–	–	–	–	1	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	2	3	–	–	–
MERIONETH ...	–	2	1	–	–	–
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
Rural Districts:—						
DEUDRAETH ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	15	8	5	–	4	C. 1 M. 1 N. 1
†NEWPORT C.B. ...	1	–	3	–	–	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	1	–	–	–	–	–
ABERGAVENNY ...	–	2	–	–	–	–
†ABERSYCHAN ...	6	–	–	–	–	–
†ABERTILLERY ...	–	1	2	–	–	–
†BEDWELLTY ...	1	1	–	–	–	–
†BLAENAVON ...	5	–	–	–	–	–
†EBBW VALE ...	–	–	–	–	1	–
†MYNYDDISLWYN	–	2	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	3	–
PONTYPOOL ...	1	–	–	–	–	–
†TREDEGAR ...	–	2	–	–	–	–
MONTGOMERY...	–	–	–	–	1	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	2	2	–	1	M. 1
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	–	–	–	M. 1
†PEMBROKE ...	–	1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	1	–
NARBERTH ..	–	–	2	–	–	–
RADNOR	–	–	–	–	–	–
Rural Districts:—						
RHAYADER ...	*	*	*	*	*	*
Total of Part II. ...	185	1317	630	68	496	C. 3 D. E. 1 F. G. 2 L. M. 8 N. 8

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N. Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

rt Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
ARTLEPOOL	*	*	*	*	*	*	PORT OF LONDON ...	–	–	1	–	–	–
IVERPOOL	–	–	–	2	–	–							
EWHAVEN	*	*	*	*	*	*	Total of Part III. ...	–		1	4	–	–
LYMOUTH	–	–	–	2	–	–							

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	‡
Total of Part I.—London	-	306	170	6	66	C. D. E. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	185	1317	630	68	496	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	-	-	1	4	-	
Total (*i.e.*, of returns received), England and Wales ...	185	1623	801	78	562	C. D. E. F. G. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrex

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE. } { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

eek ended :—	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.
N:—													
S (excluding Still-s)—all ages.	959	857	871	787	843	801	852	798	804	781	777	768	763
S—0 to 1 year ..	79	79	71	54	75	65	72	55	48	66	68	51	65
TOWNS, aggre- (including Lon- —													
IRTHS	7,102	6,994	7,044	6,656	7,106	6,066	7,425	6,801	6,525	6,758	6,636	6,875	6,901
IRTHS	—	—	—	—	—	—	—	—	32†	219	233	242	254
S (excluding Still-)—all ages	4,347	4,017	3,947	3,847	3,948	3,683	3 879	3,582	3,453	3,667	3,442	3,424	3,510
S—0 to 1 year ..	427	395	376	341	398	341	349	328	292	353	320	314	390
O FEVER—Cases	19	20	14	11	22	30	29	35	28	36	26	33	27
" Deaths	3	—	1	1	1	4	5	1	—	8	2	2	1
POX—Cases ..	73	55	77	81	74	65	60	77	61	31	30	26	41
Deaths ..	4	1	—	2*	—	—	—	—	1	—	—	—	—
T FEVER—Cases	813	840	920	849	973	880	845	897	930	976	913	955	942
Deaths	4	5	13	11	5	6	5	4	6	5	2	3	9
ERIA—Cases ..	529	599	593	558	589	451	559	503	503	550	535	574	497
Deaths ..	25	30	18	26	25	11	13	17	16	26	21	30	21
S—Deaths ..	57	57	57	42	35	43	39	30	27	36	21	29	25
NZA—Deaths ..	57	47	46	43	42	33	31	33	28	31	21	25	15

cluding 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.
gistration of Stillbirths began 1st July, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 30th July, 1927. (*Supplied by the Meteorological Office.*)

WNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ENWICH).	78	51	73·6	55·6	7
ON ..	67	53	65·3	58·7	2
OUTH ..	68	52	67·1	58·3	7
H	75	50	72·3	54·9	1
(EATON).					
TH ..	69	56	65·1	58·3	27
	72	54	67·9	57·3	32
LIFTON).					
HAM	70	49	67·0	53·6	17
BASTON).					
HAM ..	72	48	69·3	53·4	17
HEAD	71	51	67·0	55·0	16
IDSTON).					
SSTER	74	50	68·6	53·9	5
ITWORTH PARK).					
Y	70	48	66·5	53·4	17

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°		
HUDDERSFIELD	73	49	69·7	53·6	7
BRADFORD ..	70	51	67·9	54·0	11
SHEFFIELD ..	§	§	§	§	§
YORK (MUSEUM)	72	52	69·9	54·6	32
HULL (PEARSON PARK).	75	50	70·9	54·7	23
TYNEMOUTH ..	72	52	67·0	55·1	7
CARDIFF.. ..	70	53	66·6	55·9	51
EDINBURGH ..	70·0	51·0	66·6	54·3	8
GLASGOW ..	69·0	51·3	65·6	53·7	13
DUBLIN (PHŒNIX PARK).	71·5	45·0	69·4	52·0	18
(FITZWILLIAM SQUARE†).	70·3	54·2	67·8	56·3	14
BELFAST.. ..	72·0	49·0	69·4	52·7	19

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 30th July, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	24	..	29·849	70·8	50·6	20·2	60·6	− 2·3	53·5	7·1	20·6	1·3	77	126·1	40·1	55·7	SW : WSW.	SW	2·2	0·0	0·3	322	+ 68	0·00
MONDAY -	25	..	29·877	77·6	56·2	21·4	65·6	+ 2·9	55·7	9·9	20·7	0·8	71	156·0	46·1	55·8	WSW : SW.	SW : SSW.	1·8	0·0	0·1	257	+ 5	0·00
TUESDAY -	26	Greatest Declination N.	29·743	74·6	56·2	18·4	64·0	+ 1·5	55·5	8·5	18·8	2·4	74	146·3	47·7	55·9	SSW	SSW	2·3	0·0	0·2	251	+ 1	0·00
WEDNESDAY	27	..	29·447	72·6	54·3	18·3	61·9	− 0·5	57·2	4·7	14·0	1·0	84	148·1	44·4	56·0	SSE : SSW.	SSW	6·0	0·0	0·5	341	+ 95	0·23
THURSDAY -	28	New	29·504	73·3	55·3	18·0	62·6	+ 0·3	54·4	8·2	16·0	2·2	74	143·7	47·1	56·1	SW	SW : SSW.	2·6	0·0	0·4	354	+ 112	0·04
FRIDAY -	29	..	29·700	71·9	52·2	19·7	62·6	+ 0·3	56·9	5·7	12·4	0·8	82	128·8	44·0	56·2	SSW	SSW	0·7	0·0	0·1	196	− 44	0·00
SATURDAY -	30	..	29·735	72·9	56·0	16·9	63·1	+ 0·8	58·9	4·2	11·6	1·5	87	122·1	46·5	56·4	SSW : S.	SSW : SW.	2·3	0·0	0·2	273	+ 33	0·00
MEANS -		..	29·694	73·4	54·4	19·0	62·9	+ 0·4	56·0	6·9	16·3	1·4	78	138·7	45·1	56·0	SSW		..	..	..	Sum 1994	Sum + 270	Sum 0·27
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	24	Instrument out of order.	3·4	15·8	Cloudless till 2h.; then partially cloudy becoming overcast by 10½h. Rain about 19h.
MONDAY ..	25	"	13·9	15·7	Partially cloudy generally.
TUESDAY ..	26	"	3·6	15·7	Nearly overcast till 14h., then very cloudy becoming cloudless by 22½h
WEDNESDAY	27	"	6·6	15·6	Variably cloudy. Rain 5h. till 5½h.; and frequently between 8h. and 12h. Slight showers at 14h. and 14½h. Slight thunderstorm with heavy rain and hail 13h. till 13¼h. Brisk wind 14h. till 18h.
THURSDAY	28	"	5·9	15·6	Variably cloudy. Rain 2¾h. till 3h. Shower 13¼h.
FRIDAY ..	29	"	4·9	15·5	Variably cloudy becoming nearly overcast by 9½h. Damping 12h. till 12½h.
SATURDAY	30	"	2·4	15·5	Overcast generally, with cloudy intervals. Occasional damping 10h. till 12h.; and 14½h. till 21h.
			Sum 40·7	Sum 109·4	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·81 ins. at the beginning of the week to 29·90 ins. by 7h. on 25th; decreased to 29·39 ins. by 0h. on 28th; increased generally and was 29·79 ins. by midnight on the 30th

THE 1921

CENSUS

THE decennial census of England and Wales provides a wealth of statistical data relating to an exceptionally wide range of social conditions and activities and so furnishes matter of the greatest value for the solution of a vast number of current political and economic problems.

Encyclopædic in scope, the volumes are a storehouse of information of the most detailed nature and of exceptional accuracy which can be put to an extraordinary range and variety of uses. They have proved, for instance, of signal service in industry and commerce and to advertisers anxious to obtain quantitative data on which to base production and selling campaigns. Each County in England and Wales is surveyed separately and the figures relating to them are published in 52 volumes of foolscap folio size.

Ten general volumes are devoted to a grouping of statistics to illustrate the Industrial and Occupational divisions of the country and such special relationships as Dependency Orphanhood, etc. A general Report on the Census as a whole is now ready and is included in the set offered. It may be obtained separately 5s. (Post Free 5s. 6d.).

The complete set of volumes originally cost £34 4s. net and it has been decided to offer the few sets that remain at the exceptionally low price of £12 net, postage extra.

The series may be ordered at this price at any of the sale offices of H.M. Stationery Office.

LONDON: Adastral House, Kingsway, W.C.2.
MANCHESTER: York Street.
EDINBURGH: 120, George Street.
CARDIFF: 1, St. Andrew's Crescent.
BELFAST: 15, Donegall Square West.

FOR OFFICIAL USE

1927. No. 31.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 6TH AUGUST, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-31-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 6TH AUGUST, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the thirty-first week of the year numbered 5,798 and corresponded to an annual rate of 15·4 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,303 and corresponded to an annual rate of 8·8 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·2, 9·1 and 9·4. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 49 against 48, 47 and 58 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,369 live births, corresponding to a rate of 15·5 per 1,000, and 714 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·1, against 8·8, 8·7 and 8·6 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·6 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 32 as against 45, 34 and 43 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 3,510 to 3,303, and in London decreased from 763 to 714.

Under the Birth and Death Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 241 in the Great Towns including 42 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in th week ended 6th August, 1927.**

TOWNS.	Estimated Population, Mid. 1926	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.
107 Great Towns ..	19,540,145*	5798	241	3303	326	3	31	2	13	24	45
London	4,805,400*	1369	42	714	49	1	1	-	3	5	7
Towns in Outer Ring.											
Croydon C.B. ..	205,900	47	1	33	1	-	-	-	1	-	1
Wimbledon ..	58,030	13	1	7	-	-	-	-	-	-	-
Ealing	91,783	33	-	13	1	-	-	-	-	-	-
Acton	63,040	21	-	13	2	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	14	1	5	-	-	-	-	-	-	-
Willesden ..	165,270	44	3	18	2	-	-	-	-	-	-
Hendon	62,570*	15	-	9	-	-	-	-	-	1	-
Hornsey	87,230	18	-	13	1	-	-	-	-	-	1
Wood Green ..	51,940	7	-	5	-	-	-	-	-	-	-
Tottenham ..	151,520	30	1	20	3	-	1	-	-	-	-
Edmonton	71,700	25	-	12	-	-	-	-	-	-	-
Enfield	63,640	12	-	9	1	-	-	-	-	-	-
West Ham C.B. ..	315,900	120	3	36	1	-	-	-	-	2	1
East Ham C.B. ..	146,600	32	-	11	1	-	-	-	-	1	-
Leyton	130,000	34	-	25	-	-	-	-	-	-	-
Walthamstow ..	125,500	23	1	20	-	-	-	-	-	-	-
Ilford	100,500	36	1	11	1	-	-	-	-	-	-
Gillingham	47,820*	11	1	7	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	5	-	7	-	-	-	-	-	-	-
Hastings C.B.	61,340	17	-	13	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	12	-	7	-	-	-	-	-	-	-
Brighton C.B.	139,500*	27	2	22	2	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	82	4	47	5	-	-	-	1	-	-
Bournemouth C.B. ..	90,100	31	2	18	1	-	-	-	-	1	-
Southampton C.B. ..	169,300	49	1	21	-	-	-	-	-	-	-
Reading C.B	93,090*	29	-	15	1	-	-	-	-	-	-
Oxford C.B.	56,800	24	-	4	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	27	1	22	2	-	-	-	-	-	-
Luton	59,240	15	-	6	-	-	-	-	-	-	-
Cambridge	58,820	21	1	11	1	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	15	2	17	-	-	-	-	-	-	-
Ipswich C.B.	84,140	31	1	14	1	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	12	2	9	1	-	-	-	-	-	-
Norwich C.B.	123,500*	38	-	17	-	-	-	-	-	-	-
Swindon	57,320	25	2	7	-	-	-	-	-	-	-
Exeter C.B.	60,340*	19	1	7	1	-	-	-	-	1	-
Plymouth C.B. ..	187,300*	41	5	30	2	-	-	-	-	2	-
Bath C.B.	69,000	15	-	14	-	-	-	-	-	1	-
Bristol C.B.	383,300*	106	6	61	9	-	-	-	-	1	1
Gloucester C.B. ..	53,050	29	1	10	2	-	-	-	-	-	1
Stoke-on-Trent C.B.	275,600	76	5	66	9	-	7	-	1	-	1
Burton-upon-Trent C.B.	48,660	11	-	6	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	44	2	27	6	-	-	-	-	-	-
Walsall C.B.	102,100	21	-	13	6	-	1	-	-	-	1
West Bromwich C.B.	79,920	24	1	10	2	-	-	-	-	-	-
Dudley C.B.	58,930	18	-	6	1	-	-	-	-	-	-
Worcester C.B. ..	50,660	13	-	8	-	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	282	9	163	12	-	-	-	-	-	4
Smethwick C.B. ..	76,940	17	-	7	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	37	1	22	2	-	-	-	-	2	-
Leicester C.B. ..	241,700	59	2	44	1	-	-	-	-	-	-
Lincoln C.B.	65,760*	18	1	16	3	-	-	-	-	-	-
Grimsby C.B.	88,580	19	1	12	1	-	-	-	-	-	-
Nottingham C.B. ..	268,000	80	3	57	4	-	1	-	-	1	2
Derby C.B.	136,600*	37	-	17	2	-	-	-	-	-	-
Chesterfield ..	66,650	23	1	12	1	-	-	-	-	-	-
Stockport C.B. ..	125,400	18	-	21	1	-	-	-	-	-	-
Chester C.B.	41,710	12	1	3	1	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	53	2	28	2	-	-	-	-	-	-
Wallasey C.B. ..	93,050	17	1	13	1	-	-	-	1	-	-
Liverpool C.B. ..	862,600	355	17	144	27	-	5	-	1	1	8
Bootle C.B.	84,580	34	1	10	2	-	-	-	-	-	-
St. Helens C.B. ..	110,000	48	2	29	5	-	2	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B. ..	77,970	15	-	11	-	-	-	-	-	-	-	-
GAN C.B.	88,620	16	3	22	1	-	-	-	1	-	1	-
RRINGTON C.B. ..	76,940*	32	1	11	1	-	-	-	-	-	-	-
LTON C.B.	177,000	51	4	33	10	-	-	-	-	-	1	1
RY C.B.	56,840*	16	-	15	3	-	-	-	-	-	-	-
NCHESTER C.B. ..	752,000	233	16	135	12	1	-	-	1	1	3	-
LFORD C.B.	247,400	75	6	35	4	-	2	-	-	-	-	-
ITON-UNDER-LYNE	51,050	15	-	9	-	-	-	-	-	-	-	1
DHAM C.B.	143,000	37	2	38	5	-	-	-	-	-	-	-
CHDALE C.B.	91,510	20	2	19	1	-	-	-	-	-	-	-
RNLEY C.B	99,600	30	1	22	6	-	-	-	-	-	1	-
ACKBURN C.B. ..	124,400	29	1	22	3	-	2	-	-	-	-	-
ESTON C.B.	124,200	33	2	21	2	-	-	-	-	-	-	-
ACKPOOL C.B. ..	88,640	15	-	26	3	1	-	-	-	-	1	-
RROW-IN-FURNESS .B.	70,420	19	-	11	-	-	-	-	-	-	-	-
DDERSFIELD C.B. ..	111,900	24	-	25	-	-	-	-	-	-	-	-
LIFAX C.B.	96,130*	34	4	27	3	-	-	-	-	-	-	-
ADFORD C.B. ..	288,700	73	3	67	7	-	-	-	1	-	-	-
EDS C.B.	473,400	109	7	84	4	-	-	-	-	-	-	1
WSBURY C.B. ..	53,630	16	-	12	-	-	1	-	-	-	-	-
KEFIELD C.B. ..	53,830	21	1	8	-	-	-	-	-	-	-	-
RNSLEY C.B. ..	70,760	29	1	11	1	-	1	-	-	-	1	-
FFIELD C.B. ..	523,300*	144	7	91	9	-	-	1	-	1	-	-
HERHAM C.B. ..	70,080	24	-	17	2	-	3	-	1	-	-	-
NCASTER C.B. ..	55,700	16	1	5	-	-	-	-	-	-	-	-
RK C.B.	84,430*	21	1	18	5	-	-	-	-	-	-	-
LL C.B.	294,600	121	5	49	7	-	1	-	-	-	1	1
DLESBROUGH C.B.	133,600	67	3	22	4	-	-	-	-	-	-	-
RLINGTON C.B. ..	70,700	13	1	6	1	-	-	-	-	-	-	-
CKTON-ON-TEES ..	67,910	18	2	10	4	-	-	-	-	-	1	-
ST HARTLEPOOL C.B.	71,060	36	-	26	4	-	1	-	-	-	1	-
DERLAND C.B. ..	163,800	59	3	40	8	-	1	-	-	1	-	-
TH SHIELDS C.B. ..	123,900	48	3	21	7	-	1	-	-	1	3	-
TESHEAD C.B. ..	127,700	33	1	32	5	-	-	-	1	-	1	-
WCASTLE-ON-TYNE B.	284,700*	113	5	51	7	-	-	-	-	-	-	-
EMOUTH C.B ..	66,560	26	2	6	1	-	-	-	-	-	1	-
LISLE C.B.	56,140*	13	1	17	3	-	-	-	-	-	-	-
VPORT (MON.) C.B.	96,620	30	3	13	2	-	-	-	-	-	-	-
DIFF C.B.	225,600*	58	4	36	2	-	-	-	-	-	-	-
NDDA	162,500	44	2	22	5	-	-	1	-	-	1	1
THYR TYDFIL C.B.	80,690	26	2	17	2	-	-	-	-	1	-	-
RDARE	56,930	9	1	11	1	-	-	-	-	-	-	-
NSEA C.B.	163,200	49	4	30	1	-	-	-	-	-	-	-
ATER LONDON ..	7,791,310*	2,176	66	1,156	74	1	2	-	4	13	11	7
ER RING	3,185,910*	807	24	442	25	-	1	-	1	8	4	1
REAT TOWNS IN TER RING	1,947,963*	524	12	260	14	-	1	-	1	4	3	-
AINDER OF OUTER NG	1,237,947*	283	12	182	11	-	-	-	-	4	1	1
NBURGH†	426,100	131	-	109	9	-	2	-	-	-	-	1
SGOW†	1,049,000	408	-	226	25	2	2	-	5	1	2	2
LIN (REGISTRATION EA)†	421,000	202	-	73	14	-	-	-	1	1	4	-
FAST†	416,000	166	-	85	11	-	-	-	-	-	2	2

* Population adjusted by the exclusion of non-civilians.

The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and gow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and he addition of deaths of residents reported from elsewhere in Scotland during the week; those in lin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into ic institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last availabl

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,605,400	1927. Aug. 1	1369	42	714	8·1	1	–	1	–	3	5	
Calcutta and Suburbs	1,077,264	July 2‖	?	?	573	27·7	?	11	?	?	?	?	
Bombay§	1,298,708	„ 16											
Madras	528,791	„ 9											
Sydney and Suburbs	1,038,950	June 30 (30 days)											
Brisbane (Metropolitan Area).	274,260	May 30 (30 days)											
Perth (Metropolitan Area).	179,388	June 4	71	?	20	8·1	?	?	?	?	?	?	
		„ 11	74	?	25	7·1	?	?	?‖	?	?	?	
Auckland (Urban Area).	201,220	June 30 (30 days)											
Wellington (Urban Area).	126,310	June 30 (30 days)											
Christchurch (Urban Area).	121,780	June 30 (30 days)											
Cape Town	115,348	July 9	49	?	26	11·7	–	–	–	–	–	–	
Johannesburg	172,189	„ 9	74	?	61	18·4	1	–	1	–	–	1	
Durban	54,738	„ 9	31	?	17	16·2	–	–	–	–	–	–	
Paris	2,871,429	„ 30 (10 days)											
Antwerp	300,777	July 2	98	1	45	7·8	–	–	1	–	1	–	
Amsterdam	729,159	„ 2	286	?	112	8·0	1	–	3	–	1	–	
Copenhagen	592,000	July 23	165	5	94	8·3	–	–	–	–	–	1	
Stockholm	453,332	„ 16	89	1	100	11·5	–	–	–	–	1	–	
Gothenburg	231,196	„ 16	?	?	48	10·8	–	–	–	–	–	–	
Oslo (Christiania) ..	254,055	„ 30	64	–	45	9·2	–	–	–	–	–	–	
Berlin	2,003,000	„ 16	388	14	411	10·7	–	?	4	–	1	6	
Breslau	563,000	„ 16	121	6	108	10·0	–	?	1	2	–	–	
Cologne	718,000	„ 16	186	5	123	8·9	–	?	4	2	2	–	
Dresden	625,000	„ 16	133	4	93	7·7	–	?	–	–	–	–	
Frankfort-on-Main..	474,000	„ 16	83	1	57	6·3	–	?	–	–	–	–	
Hamburg	1,105,000	„ 16	255	7	197	9·3	–	?	–	–	–	–	
Leipzig	687,000	„ 16	214	6	122	9·2	–	?	1	–	–	–	
Munich	685,000	„ 16	182	3	110	8·4	–	?	–	–	–	–	
Vienna	1,871,380	Jan. 31 (31 days)											
Prague and Suburbs	725,196	Jan. 31 (31 days)											
Budapest	971,169	July 16	328	8	203	10·9	1	–	–	–	–	–	
Warsaw	1,028,982	„ 23	?	13	286	14·5	5	?	–	3	–	4	
Cairo	374,300	Feb. 25											
Alexandria	501,800	„ 25											
New York	5,924,018	July 23	?	?	1151	10·1	5	–	1	1	1	9	
Chicago	3,048,000	„ 15	1285	?	648	10·9	1	–	–	–	4	7	
New Orleans	433,000	May 30 (30 days)	798	44	723	20·0	5	–	3	1	4	8	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *childr year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 21 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 6th August, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	714	49	9	10	19	33	20	65	92	132	156	129
Enteric fever..	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	1	2	2	-	-	-	-	-	-	-
Influenza	6	-	1	-	1	1	-	-	-	1	2	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	3	-	-	-	-	1	-	2	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	55	-	-	-	-	13	8	12	9	6	4	3
Nervous system	3	-	1	1	1	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	5	2	1	1	-	-	-	-	1	-	-	-
Venereal diseases	5	-	-	-	-	-	-	1	2	1	1	-
Cancer	130	-	-	-	1	-	1	10	24	36	36	22
Rheumatic fever	2	-	-	-	-	1	-	1	-	-	-	-
Diabetes	12	-	-	-	-	-	-	1	3	3	4	1
Alcoholism	1	-	-	-	-	-	-	-	-	1	-	-
Simple meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	41	-	-	-	-	-	-	1	7	6	17	10
Epilepsy	1	-	-	-	-	-	-	-	-	-	1	-
"Convulsions" (not puerperal) ..	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	24	1	-	-	2	3	2	3	6	4	2	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	6	-	-	-	-	-	1	3	2	-	-	-
Other diseases of heart	111	-	-	-	2	1	2	5	11	31	27	32
Other diseases of circulatory system	44	-	-	-	-	-	-	1	3	10	11	19
Bronchitis	16	-	-	1	-	-	-	-	1	2	7	5
Broncho-pneumonia	18	8	3	-	-	-	-	-	-	1	4	2
Lobar-pneumonia	11	-	-	-	1	1	-	2	-	2	3	2
Pneumonia (type not distinguished)	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of respiratory system	14	-	-	1	-	1	-	6	1	1	3	1
Diarrhœa and enteritis	9	7	-	-	-	-	-	-	-	-	1	1
Appendicitis, Typhlitis	3	-	-	-	-	1	1	-	-	-	-	1
Hernia, Intestinal obstruction	6	1	-	-	-	-	-	1	-	-	4	-
Cirrhosis of liver	4	-	-	-	-	-	-	-	1	1	2	-
Other diseases of digestive system ..	25	-	-	2	-	1	2	5	6	5	4	-
Acute nephritis	1	-	-	-	-	-	-	1	-	-	-	-
Chronic Bright's disease	29	-	-	-	-	-	-	-	6	10	6	7
Other diseases of genito-urinary system.	11	-	-	-	-	-	-	3	-	2	3	3
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	-	-	-	1	-	-	-
Congenital malformations	3	3	-	-	-	-	-	-	-	-	-	-
Premature birth	10	10	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	1	1	-	-	-	-	-	-	-	-	-	-
Old age	19	-	-	-	-	-	-	-	-	2	2	15
Suicide	10	-	-	-	1	1	2	3	1	-	2	-
Burns and Scalds	1	-	-	-	-	1	-	-	-	-	-	-
Drowning	4	-	-	1	1	1	-	1	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	17	-	-	1	3	5	-	2	3	2	1	-
Other deaths by violence	14	1	2	-	1	-	-	1	1	1	5	2
Other specified causes	23	8	-	-	2	-	1	-	3	4	3	2
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 6th August, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	181	150	6	63	C. 7 D. 1 E. 2 G. 2 L. 1 M. 15 N. 12
†CITY OF LONDON	-	1	-	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	1	4	-	1	C. 1
†BERMONDSEY ...		6	5	-	2	-
†BETHNAL GREEN		17	9	-	-	M. 1
†CAMBERWELL ...		8	10	-	-	E. 1 G. 1
†CHELSEA	-	-	5	-	-	-
†DEPTFORD ...		6	5	-	1	C. 1
†FINSBURY ...	-	1	1	-	1	M. 2
†FULHAM		1	6	-	5	N. 1
†GREENWICH ...		1	4	-	3	C 1. M. 2
†HACKNEY ...	-	13	9	1	-	M. 2 N. 2
†HAMMERSMITH ...		4	4	-	-	-
†HAMPSTEAD ...	-	-		1	-	C. 1 L 1
†HOLBORN... ...		1	-	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	18	11	-	3	C. 2 N. 2 M. 4
†KENSINGTON ...	-	1	3	-	1	N. 1
†LAMBETH ...	-	9	11	-	6	N. 1
†LEWISHAM ...	-	16	4	-	3	E. 1
†PADDINGTON ...	-	3	4	1	5	C. 1 N. 1
†POPLAR	-	12	6	-	8	-
†ST. MARYLEBONE	-	5	4	1	-	-
†ST. PANCRAS ...	-	4	8	1	2	D. 1 G. 1 M. 2
†SHOREDITCH ...	-	8	8	-	1	M. 1 N. 2
†SOUTHWARK ...	-	14	12	-	5	N. 2
†STEPNEY	-	12	9	1	8	-
†STOKE NEWINGTON	-	4	2	-	-	-
†WANDSWORTH ...	-	12	5	-	4	-
†WOOLWICH ...	-	3	1	-	4	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	11	11	-	2	E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BEDFORD ...		5	1	-	-	E. 1
KEMPSTON ...	-	1	-	-	-	-
LEIGHTON BUZZARD	-	-	-	-	1	-
†LUTON	-	-	2	-	-	-
SANDY	-	1	-	-	-	-
Rural Districts:—						
AMPTHILL ...	-		2	-	-	-
BEDFORD... ...	-	1	2	-	-	-
BIGGLESWADE ...	-	2	1	-	-	M. 1
EATON SOCON ...	-	1		-	-	N. 1
LUTON	-	-	3	-	1	-
BERKS	-	11	2	1	-	M. 1 N. 1
†READING C.B. ...	-	1	-	-	-	M. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	-	1	-	-	-	-
†NEWBURY ...	-	1	-		-	-
†NEW WINDSOR ...	-	1	-	-	-	-
Rural Districts:—						
COOKHAM ...	-	3	-	-	-	-
EASTHAMPSTEAD	-	4	-	-	-	-
FARINGDON (part)	-	-	1	-	-	-
HUNGERFORD ...		-	-	-		N. 1
WINDSOR... ...	-	-	1	-		-
WOKINGHAM ...	-	-	-	1	-	-
BUCKINGHAM...	-	7	1	-	1	N. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
ETON		1	-			
MARLOW	*	*	*	*	*	*
†SLOUGH		-	-		-	N. 1
†WOLVERTON ...	-	2	-	-		-
Rural Districts:—						
AYLESBURY ...	-	-	-	-	1	-
ETON	-	2	-	-	-	-
WING	-	2	-	-	-	-
CAMBRIDGE ...		5	2	-	-	N. 1
Borough:—						
†CAMBRIDGE ...	-	3	2	-	-	-
Rural Districts:—						
CHESTERTON ...	-	1		-	-	N. 1
LINTON	-	1	-		-	-
CHESTER ...	-	44	8	2	11	C. 1 D. 1 M. 5 N. 2
†BIRKENHEAD C.B	-	4	1		3	-
†STOCKPORT C.B.	-	6	1		1	M. 1
†WALLASEY C.B...	-	3	2	-	2	N 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	1	-	-	-	M. 1
BREDBURY AND ROMILEY	-	2		-	-	-
†CHEADLE AND GATLEY	-	2	-	-	-	N. 1
†CONGLETON ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CREWE	–	2	–	1	–	–
†DUKINFIELD ...	–			–	1	M. 2
†ELLESMERE PORT AND WHITBY	–	4		–	–	–
HALE	–	1		–		–
†HYDE	–	1				–
LYMM	–	1	–	–	–	–
†NORTHWICH ...	–	1	–		–	–
†RUNCORN... ...		–	–	–	1	–
SANDBACH ...		1	–			–
†STALYBRIDGE ...	–	1	2	–	–	–
WILMSLOW ...		1	–	–	–	–
†WINSFORD ...	–	2	–	–	–	–
Rural Districts:—						
CHESTER	–		–		–	C. 1
NANTWICH ...		1	1	–	–	
NORTHWICH ...	–	–		1	–	–
RUNCORN ...		7	–		1	D. 1
TARVIN			–	–	1	–
WIRRAL		3	–		1	M. 1
CORNWALL ...	–	3	1	–	2	L. 3
Boroughs and Urban Districts:—						
BODMIN	–	–	–	–	–	L. 3
†FALMOUTH ...	–	1	–	–	–	–
LAUNCESTON ...	–	–		–	1	–
LISKEARD ...	–	–	1	–	–	–
LOOE	*	*	*	*	*	*
PHILLACK ...	–	1	–	–	–	
WADEBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
CAMELFORD ...	–	1	–	–	–	–
LAUNCESTON ...		–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	2	–	–	–	M. 3
†CARLISLE C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
KESWICK	–	–	–	–	–	M. 1
†WHITEHAVEN ...	–	–	–	–	–	M. 1
†WORKINGTON ...	–	–	–	–	–	M. 1
Rural Districts:—						
WIGTON	–	1	–	–	–	–
DERBY	4	21	11	2	9	C. 2 E. 1 F. 1 M. 1
†DERBY C.B. ...	2	3	–	–		C. 1 E. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	1	–
ALVASTON AND BOULTON	–	–	–	1		–
†CHESTERFIELD .	–		1	–	1	C. 1
†GLOSSOP	–	–	3	–	–	–
†HEANOR	–	–	1	1	1	–
†LONG EATON ...	–	1	1	–	–	–
NEW MILLS ...		4	–		–	–
†RIPLEY	–	–	1		–	
SOUTH DARLEY...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	–		–	1	–
Rural Districts:—						
BLACKWELL ...	1	2	2	–	1	F. 1
CHAPEL EN LE FRITH		3		–		–
CHESTERFIELD ...	–	2	1	–	2	M. 1
CLOWNE	1	4		–	–	–
HARTSHORN AND SEALS	–	1	–	–	–	–
REPTON	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	13	4	2	3	–
†EXETER C.B. ...	–	1	–	–	–	–
†PLYMOUTH C.B....	–	4	4	–	2	–
Boroughs and Urban Districts:—						
BIDEFORD ...	–	2	–	–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*
HONITON... ...	–	–	–	1	–	–
OTTERY ST. MARY	–	1	–	–	–	–
†PAIGNTON ...	–	1	–	–	–	–
Rural Districts:—						
BIDEFORD ...	–	2	–	–	–	–
KINGSBRIDGE ...	–	1	–	–	1	–
NEWTON ABBOT...	–	1	–	1	–	–
DORSET	–	12	1	–	2	–
Boroughs and Urban Districts:—						
LYME REGIS ...	–	1	–	–	–	–
†POOLE	–	1	–	–	–	–
†PORTLAND ..	–	1	–	–	–	–
SHERBORNE ...	–	–	–		1	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	1	–
DORCHESTER ...	–	1	–	–	–	–
SHAFTESBURY ...	–	2	–	–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	–	5	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	1	–	–	–
DURHAM ...	61	29	22	1	40	C. 3 E. 1 G. 1 M. 2 N. 7
†DARLINGTON C.B.	2			–	–	–
†GATESHEAD C.B.	3	4	4	–	3	–
†SOUTH SHIELDS C.B.	25	2	2	–	7	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†SUNDERLAND C.B.	–	–	2	–	7	N. 2
†WEST HARTLEPOOL C.B.	–	2	–	–	2	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	–	–	–	–	N. 1
BENFIELDSIDE ...	–	2	–	–	–	–
BILLINGHAM ...	–	–	1	–	–	–
†BLAYDON... ...	–	2	2	–	2	–
†BRANDON AND BYSHOTTLES	–	–	2	–	–	–
†CHESTER LE STREET	1	–	–	–	2	–
†CROOK	–	–	1	–	–	–
†DURHAM	–	–	–	–	1	–
†FELLING	2	–	–	–	1	–
†HEBBURN ...	–	1	–	–	1	–
†HETTON	1	–		–	1	–
†HOUGHTON LE SPRING	–	–	1	–	1	–
†JARROW	–	–	–	–	2	N. 1
†SEAHAM HARBOUR	–	3	–	–	1	–
†SHILDON	–	1	–	–	–	–
†SPENNYMOOR ...	1	1	–	–	–	–
†STANLEY	6	–	1	–	1	N. 1
†STOCKTON ON TEES	–	4	3	–	3	M. 1
†WASHINGTON ...	–	–		–	–	C. 1
†WHICKHAM ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	2	–	–	–	–
BARNARD CASTLE	–	–	1	–	–	–
CHESTER LE STREET	3	2	–	–	–	C. 1
DURHAM	–	–	1	–	–	–
EASINGTON ...	3	1	–	–	2	M. 1
HARTLEPOOL ...	–	–	–	–	1	–
HOUGHTON LE SPRING	2	–	–	–	1	G. 1
LANCHESTER ...	–	–	–	–		N. 1
SEDGEFIELD ...	2	–	1	–	–	–
SOUTH SHIELDS...	8	–	–	–	–	E. 1
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	–	–
WEARDALE ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	-	1	-	-	-	-
Rural Districts:—						
ELY	-	1	-	-	-	-
THORNEY... ...	*	*	*	*	*	*
ESSEX	-	117	59	2	7	C. 1 D. 1 E. 2 L. 1 M. 2 N. 2
†EAST HAM C.B. ...	-	11	13	-	-	C. 1
†SOUTHEND-ON-SEA C.B.	-	4	-	-	1	-
†WEST HAM C.B. ...	-	49	19	-	-	D. 1 E. 1 L. 1
Boroughs and Urban Districts:—						
†BARKING TOWN..	-	2	1	-	1	-
BRAINTREE ...	-	1	-	-	-	-
BRIGHTLINGSEA	-	-	1	-	2	-
BUCKHURST HILL		1	-	-	-	-
†CHELMSFORD ...	-	1	-	-	-	-
CHINGFORD ...	-	1	-	-	-	-
†COLCHESTER ...	-	-	-	-	1	E. 1
DAGENHAM ...	-	7	4	-	-	-
†GRAYS THURROCK	-	-	1	-	-	M. 2 N. 1
†HORNCHURCH ...		1	-	-	-	-
†ILFORD	-	6	5	-	-	-
†LEYTON	-	6	5	-	-	N. 1
MALDON	-	1	1	-	-	-
SAFFRON WALDEN	-	1	-		-	-
SHOEBURYNESS ...	-	4		1	-	-
TILBURY	-	1	2	-	-	-
WALTHAM HOLY CROSS		1	-	-	-	-
†WALTHAMSTOW...	-	7	4	-	1	-
†WANSTEAD ...	-	1	-	-	-	-
†WOODFORD ...		3	-		-	-
Rural Districts:—						
BILLERICAY ...	-	3	-	-		-
ONGAR	-	-	1			-
ESSEX—*cont.*						
Rural Districts—*cont.*						
ORSETT	-	-	1	-	-	-
ROCHFORD ...		3	-	-	1	-
ROMFORD... ..	-	-	-	1	-	-
STANSTED ...	-	2	-	-	-	-
TENDRING ...	-	-	1	-	-	-
GLOUCESTER ...	-	17	12	5	5	G. 2 M. 2 N. 1
†BRISTOL C.B. ...	-	10	8	1	2	G. 1 N. 1
†GLOUCESTER C.B.	-	1	2	1	-	G. 1 M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	-	1	-	1	-
†KINGSWOOD ...	-	1	-		-	-
TEWKESBURY ...	-	1	-	-	-	-
WESTBURY ON SEVERN	-	1	-	-	-	-
Rural Districts:—						
CHIPPING SODBURY	-	-	-	1	-	-
EAST DEAN AND UNITED PARISHES	-	1	-	-	-	-
GLOUCESTER ...	-	1	-	1	-	-
PEBWORTH ...	*	*	*	*	*	*
STROUD	-	-	-	1		-
THORNBURY ...	-	1	-	-	-	-
WEST DEAN ...	-	-	-	-	1	M. 1
WHEATENHURST	-	-	-	-	1	-
WINCHCOMB(part)		-	1	-	-	-
HEREFORD ...	-	3	2	-	-	-
Boroughs and Urban Districts:—						
†HEREFORD ...	-	1	1		-	-
LEDBURY... ...	-	-	1	-	-	-
Rural Districts:—						
LEOMINSTER ...	-	2	-	-		-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	4	4	1	1	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–		M. 1
BISHOP'S STORTFORD	–	–	1	1	–	–
BUSHEY	–	–	1	–	–	–
†EAST BARNET VALLEY	–	2		–	–	
HARPENDEN ...	*	*	*	*	*	*
†HERTFORD ...	–	–	1	–	–	C. 1
Rural Districts:—						
ASHWELL ...		1	–	–	–	–
HATFIELD ...	–	–	1	–		
HITCHIN	–	–	–	–	–	N. 1
ST. ALBANS ...	–	–	–	–	1	–
KENT	–	53	23	6	9	D. 1 E. 1 M. 2 N. 4
†CANTERBURY C.B.	–	–	3	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	–	–
†BECKENHAM ...	–	–	2	1	–	–
†BEXLEY	–	1	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	3	–		–
†BROMLEY ..	–	1	–	–	3	D. 1 M. 1
†CHATHAM ...	–	6	1	–	–	M. 1 N. 1
CHISLEHURST ...	–	2	–	–		
†DARTFORD ..	–	2	3	–	–	–
†ERITH	–		–	–	2	
†FOLKESTONE ...	–	1	–	–	–	N. 1
†GILLINGHAM ...	–	4	–	2	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAVESEND ...	–	4	1	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	2	1	1	–	E. 1
†MARGATE ...	–	3	1	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†RAMSGATE ...	–	–	–	–	3	–
†ROCHESTER ...	–	1	–	–	–	
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	–
SEVENOAKS ...	–	2	–	–	–	–
†SHEERNESS ...	–	–	–	1	–	–
SITTINGBOURNE	–	1	–	–	–	–
SOUTHBOROUGH	–	1		–	–	–
SWANSCOMBE ...	–	1	–	–	–	–
†TONBRIDGE ...	–	5	1	–	–	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	N. 1
DARTFORD ...	–	1		–	–	–
DOVER	–	1	1	–		–
ELHAM	–	–	–	–	1	–
FAVERSHAM ...	–	2	–		–	–
MAIDSTONE ...	–	–	1		–	–
MALLING	–	1	–	1	–	N. 1
MILTON	–	–	1	–	–	–
ROMNEY MARSH...	–	–	1	–	–	–
SHEPPEY	–	1	1	–		–
STROOD	–	1	–	–	–	–
TONBRIDGE ...	–	3	–	–	–	–
LANCASTER ...	2	146	82	3	86	C. 3 D. 3 E. 1 G. 5 M. 27 N. 12
†BARROW IN FURNESS C.B	–	1	–	–	–	–
†BLACKBURN C.B.	–	1	–	–		–
†BLACKPOOL C.B.	–	6	2	–	1	–
†BOLTON C.B. ...	–	4			1	M. 1 N. 1

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M. Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BOOTLE C.B. ...	–	1	2			N. 1
†BURNLEY C.B. ...	2	9	–	–		–
†BURY C.B. ...		4	–		–	M. 1
†LIVERPOOL C.B. ...	–	27	29	1	19	C. 1
						D. 2
						G 2
						M. 12
						N. 3
†MANCHESTER C.B.		21	20	–	23	C. 2
						M. 5
						N. 2
†OLDHAM C.B. ...	–	3	4	–	2	
†PRESTON C.B. ...		1	1	–	3	M. 1
†ROCHDALE C.B. ...	–	2	2	–	1	–
†ST. HELENS C.B. ...	–	2	–	–	–	–
†SALFORD C.B. ...		13	7	–	6	M. 1
						N. 1
†SOUTHPORT C.B.	–	5	–	–	–	M. 1
†WARRINGTON C.B.		2	–	–	3	M. 2
†WIGAN C.B. ..	–	1	1	–	6	N. 1
Boroughs and Urban Districts:—						
ABRAM	–	1	–		–	–
†ASHTON UNDER LYNE	–	2		–		–
ASPULL	–	–	1	–	–	–
†ATHERTON ...	–	1	–		–	M. 1
†BACUP	–	–	–	1	–	–
†CHADDERTON ...	–	2	–	–		–
†CHORLEY	–	2	–	–		–
CLAYTON LE MOORS	–	–	–		–	E. 1
†CLITHEROE ...		–	2	–	–	
†COLNE	–	1	–	–	2	–
†CROMPTON ...	–	1	–		–	–
†DARWEN	–	1	–	–		–
†DENTON	–	1		–	–	D. 1
†ECCLES	–	2		–	1	N. 1
†FAILSWORTH ..		–	1	–	4	G. 2
						M. 1
†FLEETWOOD ...	–		1		–	–
†GREAT CROSBY ...	–	–	–	–	1	–
†GREAT HARWOOD		1	–		–	
†HASLINGDEN ...	–	1	–	–	–	
†HAYDOCK ...		1	–		–	–
†INCE IN MAKERFIELD	–	–	–		1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
IRLAM	–	3		–	–	–
†LANCASTER ...	–	1	–	–	3	G. 1
†LEIGH		–	1	–	–	–
LITTLE HULTON ..	–		1	–	–	–
†LYTHAM ST. ANNE'S	–	2	1	–	–	–
†MIDDLETON ...	–	2	–	–	–	–
†MORECAMBE ...	–	–	1	–	–	–
NORDEN	–	–	–		1	–
†PADIHAM... ...	–		1	–	–	N. 1
PRESCOT		1	–	–	–	–
†RADCLIFFE ...	–	–	2	–	–	–
STANDISH WITH LANGTREE	–	2	–	–	–	–
†STRETFORD ..	–	1		–	1	M. 1
†SWINTON AND PENDLEBURY	–	2			–	–
TOTTINGTON ...	–	–	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
URMSTON... ..	–	1		–	–	–
†WATERLOO WITH SEAFORTH	–	2	1	–	1	–
†WESTHOUGHTON	–	–	–	–	1	
WHITEFIELD ...	–		1		–	–
†WIDNES	–	1	–	–	2	–
Rural Districts:—						
BARTON UPON IRWELL	–	2		–	–	–
BLACKBURN ...	–	1		–	–	–
BURY		1	–	–	–	–
FYLDE	–	1	–	–	–	–
PRESTON	–	–	–	1	–	–
ULVERSTON ...		1	–	–	1	–
WARRINGTON ...	–	–	–	–	1	N. 1
WHISTON... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LEICESTER ...	–	14	5	–	2	M. 1
†LEICESTER C.B. ...	–	6	1	–	1	M. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	1	–	–	–	–
MARKET HARBOROUGH ...	*	*	*	*	*	*
QUORNDON ...	*	*	*	*	*	*
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
BARROW UPON SOAR	–	1	–	–	–	–
BLABY	–	1	–	–	–	–
HINCKLEY ...	–	2	1	–	–	–
LOUGHBOROUGH	–	–	1	–	–	–
LUTTERWORTH ...	–	–	1	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	1	–	1	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	1	–	–
HOLBEACH ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	4	–	1	2	N. 2
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	N. 1
SLEAFORD ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LINCOLN (parts of Kesteven)— *cont.*						
Rural Districts:—						
BRANSTON ...	–	–	–	1	–	N. 1
CLAYPOLE ...		1			–	–
GRANTHAM ..	–	1	–	–	–	–
SLEAFORD ...	–	–	–		1	–
LINCOLN (parts of Lindsey).	–	8	9	2	1	C. 1
†GRIMSBY C.B. ..	–	1	1	–	1	–
†LINCOLN C.B. ..	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	3	–	–	–
†CLEETHORPES ...	–	3	1	1	–	–
†SCUNTHORPE AND FRODINGHAM	–	3	3	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	–	C. 1
LOUTH	–		–	1	–	–
WELTON	–	–	1	–	–	–
MIDDLESEX ...	–	35	26	5	8	C. 2 G. 1 M. 3 N. 2
Boroughs and Urban Districts:—						
†ACTON ...	–	3	–	–	–	–
†BRENTFORD AND CHISWICK	–	3	–	1	1	M. 2
†EALING	–	3	–		1	C. 1 G. 1
†EDMONTON ...	–	1	2	–	–	–
†ENFIELD	–		7	–		
†FINCHLEY ..	–	2	5	–	–	–

* Returns not received. † Population over 10,000.

C Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HARROW ON THE HILL	-		-	1	-	
HAYES	-	1				-
†HENDON	-	2	1	1	-	N. 1
†HESTON AND ISLEWORTH		-	2	2	-	-
†HORNSEY... ...	-	1	1	-	1	-
†SOUTHALL NORWOOD	-	2	-	-	-	M. 1
†SOUTHGATE ...	-	-	1		-	-
†TEDDINGTON ...	-	1		-	-	-
†TOTTENHAM ...	-	5	2	-	1	-
†TWICKENHAM ...	-	1	-	-	1	-
†UXBRIDGE ...	-	1		-	-	-
†WEMBLEY ...		1	1	-	2	-
†WILLESDEN ...	-	5	4	-	1	C. 1
†WOOD GREEN ...			-	-	-	N. 1
Rural Districts:—						
HENDON	-	1	-		-	-
STAINES	-	1	-		-	-
UXBRIDGE ...	-	1	-	-	-	-
NORFOLK ...	-	12	5	2	7	-
†GREAT YARMOUTH C.B	-	2	1	-	-	-
†NORWICH C.B. ...	-	3	2	2	1	-
Boroughs and Urban Districts:—						
CROMER		-	-	-	1	-
NEW HUNSTANTON	-	-	2	-	-	-
Rural Districts:—						
DEPWADE ...	-	-	-	-	2	-
DOWNHAM ...		-	-	-	2	-
FOREHOE ...	-	1	-	-	-	-
LODDON AND CLAVERING	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
MARSHLAND ...	-	2	-	-	-	-
MITFORD AND LAUNDITCH	-	1	-	-	-	-
THETFORD ...	-	1	-		-	-
WALSINGHAM ...	-	-		-	1	-
NORTHAMPTON	-	8	3	-	4	C. 1
†NORTHAMPTON C.B.	-	4	1	-	3	-
Boroughs and Urban Districts:—						
BURTON LATIMER	-	-	1	-	-	C. 1
DESBOROUGH ...	-	1	-		-	-
†WELLINGBOROUGH	-	1	-	-	-	-
Rural Districts:—						
DAVENTRY ...	-	-	1	-	-	-
HARDINGSTONE ...	-	2		-	-	-
OXENDON... ...	*	*	*	*	*	*
POTTERSPURY ...	-	-		-	1	-
NORTHUMBERLAND.	7	34	3	5	21	C. 2 D. 1 M. 4 N. 1
†NEWCASTLE UPON TYNE C.B.	1	11	-	2	17	C. 1 D. 1 M. 2
†TYNEMOUTH C.B.	3	9	1	-	-	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	4	-	2	-	-
†BEDLINGTONSHIRE	-	-	-	-	1	-
†BLYTH	-	-	-	-	1	M. 1
†NEWBURN ...	-	3	-	1	-	
SEATON DELAVAL	-	-	-	-	-	C. 1
†WALLSEND ...	1	5	2	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	1	N. 1
HEXHAM	–	1	–	–	–	
NOTTINGHAM ...	48	12	20	–	8	G. 1 M. 1
†NOTTINGHAM C.B.	–	3	15	–	4	–
Boroughs and Urban Districts:—						
†ARNOLD	–	1	1	–	–	–
†CARLTON	–	–	1	–	–	–
†EAST RETFORD ...	2	–	1	–	–	G. 1
†HUCKNALL ...	–	–		–	2	–
†MANSFIELD ...	–	4	–	–	1	–
†WEST BRIDGFORD	–		1	–	–	–
†WORKSOP... ...	46	–	–	–	–	M. 1
Rural Districts:—						
BASFORD	–	1	1	–	–	–
SOUTHWELL ...	–	2	–	–	–	
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	–	1		–	–	–
OXFORD	–	–	–	–	1	G. 2
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	–	–	–	G. 1
Rural Districts:—						
WITNEY	–	–	–	–	1	G. 1
PETERBOROUGH (Soke of).	–	–			–	–
Rural Districts—						
PETERBOROUGH...	*	*	*	*	*	*
SALOP	1	13	3	–	1	N. 2
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
ELLESMERE ...	–	–	–	–	–	N. 1
†OAKENGATES ...		9	–	–		–
OSWESTRY ...	*	*	*	*	*	*
WELLINGTON ...	1	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
BRIDGNORTH ...	–	–	–	–	1	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	–	1	–	–	–
WELLINGTON ...	–	1	1	–	–	N. 1
SOMERSET ...	–	13	2	–	2	M. 2 N. 1
†BATH C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
MIDSOMER NORTON	–	1	–	–	–	–
RADSTOCK ...	–	–	–	–	–	N. 1
†WESTON SUPER MARE	–	1	–	–	–	–
†YEOVIL	–	2	–	–	–	M. 1
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	M. 1
BATH	–	4		–	–	–
CLUTTON... ...	–	–	1	–	1	–
YEOVIL	–	–	–	–	1	–
SOUTHAMPTON.	–	30	20	1	2	C. 1 M. 1 N. 2
†BOURNEMOUTH C.B.	–	2	2		–	C. 1
†PORTSMOUTH C.B.	–	6	13	–	–	–
†SOUTHAMPTON C.B.	–	14	4	–	–	N. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
ALTON	–	–	–	–	–	M. 1
†FAREHAM ...	–	1	–	–	–	–
†GOSPORT	–	–	–	–	1	–
PETERSFIELD ...	–	–	1	–	–	–
†WINCHESTER ...	–	1	–	–	1	–
Rural Districts:—						
ALRESFORD ...	–	1	–	1	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	1	–	–	–	–
KINGSCLERE ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
STAFFORD ...	–	35	18	2	27	M. 9 N. 1
†BURTON UPON TRENT C.B.	–	–	1	–	–	–
†SMETHWICK C.B.	–	–	1	1	–	–
†STOKE ON TRENT C.B	–	7	–	1	11	M. 4
†WALSALL C.B. ..	–	3	3	–	1	M. 1
†WEST BROMWICH C.B	–	–	–	–	2	–
†WOLVERHAMPTON C.B.	–	4	1	–	–	M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	2	1	–		N. 1
BIDDULPH ..	–	1	–	–	1	–
†BILSTON	–	–	–		1	–
†BROWNHILLS ..	–	2	–	–	–	–
†CANNOCK	–	1	2	–	–	–
†COSELEY	–	1	–	–	1	–
†DARLASTON ...	–	–	1	–	–	–
KIDSGROVE ...	–	–	–	–	1	M. 1
†LEEK	–	2	–		–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts— *cont.*						
QUARRY BANK	–	1	–	–	2	–
†ROWLEY REGIS ...	–	4	–	–	1	–
†SEDGLEY	–	–	2	–	1	–
†STAFFORD ...	–	–		–	1	–
†TIPTON	–	2		–	1	–
UTTOXETER ..	*	*	*	*	*	*
†WEDNESBURY ...	–	–	–	–	1	–
WEDNESFIELD ...	–	1	1	–	–	–
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	–	1	–	–	–
Rural Districts:—						
BLORE HEATH ...	–	–	1	–	–	–
CANNOCK	–	1	–	–	–	–
CHEADLE	–	–	–		1	–
KINGSWINFORD ...	–	–	1	–	–	–
LEEK	–	1	–	–	–	–
NEWCASTLE UNDER LYME	–	–	1		–	–
SEISDON	–	1	–	–	–	–
UTTOXETER ...	*	*	*	*	*	*
WALSALL... ...	–	–	1	–		–
SUFFOLK, EAST	–	11	–	–	1	M. 1
†IPSWICH C.B. .	–	7	–	–	–	M. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
†FELIXSTOWE ...		1	–	–	–	–
†LOWESTOFT ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
HARTISMERE ..	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	5	–	3	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2	–	1	–	–
NEWMARKET ...	–	2	–		–	–
Rural Districts:—						
MILDENHALL ...	–	–	–	1	–	–
THEDWASTRE ...		–		1	–	–
THINGOE	–	1	–	–	–	–
SURREY		38	12	2	4	M. 1 N. 1
†CROYDON C.B. ..	–	17	–	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	–	–
†BEDDINGTON AND WALLINGTON		1	–	–	–	–
†CARSHALTON ...	–	1	1	–	–	–
EAST AND WEST MOLESEY	*	*	*	*	*	*
†EGHAM	–	1	–	–		–
†ESHER AND THE DITTONS	–	–	–	–	1	–
†FARNHAM ...	–	–	1	–		–
GODALMING ...	–	–		1	–	–
†GUILDFORD ...	–	2		–	1	–
†KINGSTON ON THAMES	–	2	–	–		–
†MITCHAM... ...	–	6	–		1	–
†REIGATE	–	1	5	–	–	–
†RICHMOND ..	–	–	1	–	–	–
†SUTTON	–	1	–		–	–
†THE MALDENS AND COOMBE	–		1	1	1	–
†WIMBLEDON ..	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–		1	–	–	–
EPSOM	–	3	2	–	–	–
GUILDFORD ...	–	–	–	–	–	N. 1
HAMBLEDON ...	–		–		–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	6	9	1	3	G. 1 N. 1
†BRIGHTON C.B. ...	–	1	6	–	–	–
†EASTBOURNE C.B.	–	1	–	–	1	G. 1
†HASTINGS C.B. ..	–	–	–	–	1	N. 1
Boroughs and Urban Districts:—						
†HOVE	–			–	1	–
PORTSLADE BY SEA	–	–	3	–	–	–
Rural Districts:—						
CHAILEY	–	2	–	–	–	–
TICEHURST ...	–	1	–		–	–
UCKFIELD ...	–	1	–	1	–	–
SUSSEX, WEST...	–	1	4	–	–	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–		–	–
†CHICHESTER ...	–	–	1		–	–
SOUTHWICK ...	–	–	2	–	–	–
Rural Districts:—						
WESTHAMPNETT	–	–	1	–		–
WARWICK ...	–	41	39	2	32	C. 4 G. 2 M. 5
†BIRMINGHAM C.B.	–	27	27	–	24	C. 3 G. 2 M. 4
†COVENTRY C.B. ..		1	1	–	1	M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...		3	1	–	2	–
†ROYAL LEAMINGTON SPA	–	1	2	–		C. 1
†RUGBY	–	1	1	2	–	–
†SUTTON COLDFIELD	–		–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	–	2	–	1	–
COVENTRY ...	–	–	1	–	–	–
FOLESHILL ...	–	2	–	–	1	–
MERIDEN... ...	–	–	2	–	1	–
RUGBY	–	–	–	–	1	
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	5	–	–	–	–
TAMWORTH (part)	–	–	2		–	–
WESTMORLAND	–	4	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	3	–	–	–	–
WEST WARD ...	–	1	–		–	–
WIGHT, ISLE OF	–	3	–	–	–	–
Boroughs and Urban Districts:—						
VENTNOR... ...	–	1	–		–	–
Rural Districts:—						
ISLE OF WIGHT	–	2	–	–	–	–
WILTS	–	6	2	–	1	M. 1 N. 2
Boroughs and Urban Districts:—						
MELKSHAM ...		1	–	–	–	–
†SALISBURY ...	–	3	1	–	–	–
†SWINDON... ...	–	–	–		–	N. 2
WARMINSTER ...	–	–	–	–	–	M. 1
Rural Districts:—						
DEVIZES		–	1	–	–	–
PEWSEY		–	–	–	1	–
SALISBURY ...	–	1	–	–		–
WILTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	8	2	–	2	N. 1
†DUDLEY C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
DROITWICH ...	*	*	*	*	*	*
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†OLDBURY... ...	–	2	–	–	–	N. 1
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	1	–	–	1	–
Rural Districts:—						
DROITWICH ...	–	3	–	–	–	–
UPTON ON SEVERN	–	–	1	–	–	–
YORKS ... ... (East Riding).	–	18	8	3	2	C. 1 D. 1 E. 1
†KINGSTON UPON HULL C.B.	–	8	4	1	2	C. 1 D. 1 E. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–
FILEY	–	1	–	–		–
GREAT DRIFFIELD		–	–	1	–	–
HESSLE	–	–	2	1	–	
WITHERNSEA ...	–	–	1	–	–	–
Rural Districts:—						
ESCRICK	–	1	–	–	–	–
HOWDEN	–	1	–			–
RICCALL		6	–	–	–	–
YORKS ... ... (North Riding).	–	9	4	–	9	E. 2 N. 1
†MIDDLESBROUGH C.B.	–	5	2	–	5	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†REDCAR	–	1	–	–	–	–
SCALBY	–	1	–	–	–	–
†SCARBOROUGH ...	–	–	–	–	1	
†WHITBY	–	1	–	–	–	E. 1
Rural Districts:—						
BEDALE	–	–	–	–	–	E. 1
EASINGWOLD ...	–	–	–	–	1	–
GUISBOROUGH ...		1	–	–		
HELMSLEY ...	–	–	1	–	–	–
PICKERING ...	–	–	–	–	1	–
SCARBOROUGH ...	*	*	*	*	*	*
STOKESLEY ...		–			–	N. 1
THIRSK	–	–	–	–	1	–
WATH	–	–	1	–	–	
YORKS ... ... (West Riding).	30	126	32	9	86	C. 5 E. 1 G. 1 M. 7 N. 9
†BARNSLEY C.B. ...	–	2	–	–	6	–
†BRADFORD C.B. ...	–	1	3	1	11	N. 2
†DEWSBURY C.B....	–	2	–	–	–	–
†DONCASTER C.B.	4	1	1	–	–	M. 1
†HALIFAX C.B. ...	–	1	2	1	1	G. 1
†HUDDERSFIELD C.B	1	2	5	–	–	–
†LEEDS C.B. ...	–	14	3	–	9	N. 5
†ROTHERHAM C.B.	–	3	2	–	8	M. 1
†SHEFFIELD C.B...	2	41	6	2	26	C. 2 E. 1 M. 1 N. 1
†WAKEFIELD C.B	–	–	1	1	2	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	3	–	1	–	–	–
ALTOFTS	–	1	–	–	–	–
BAILDON	–	1	–	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BATLEY	–	–	–	–	2	–
†BENTLEY WITH ARKSEY	–	2	–	1	–	–
†BINGLEY	–	–	–	–	1	–
BIRSTAL	–	1	–	–	–	M. 1
†BRIGHOUSE ...	1	–	–	–	–	M. 1
CLAYTON	–	2	–	–	–	–
DARFIELD ...	–	1	–	–	–	–
FARSLEY		1	–	–	–	–
†FEATHERSTONE ...	–	–		1	–	–
†GOOLE	–	–		–	1	C. 1
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	1	–	2	C. 1
HIPPERHOLME ...	–	1	–	–	–	–
†HOLMFIRTH ...	1	1	–	–	–	–
†HOYLAND NETHER		–	–	–	1	–
†KEIGHLEY ...	2	1	1	–	–	–
KIRKBURTON ...	–	–	–	–	1	–
KNARESBOROUGH		1		–	–	–
MALTBY	6	1	–	–	–	–
MARSDEN... ...	–	1	–	1	–	–
†MEXBOROUGH ...		2	–	–	–	–
†MORLEY	–	1	–	–	3	C. 1
†NORMANTON ...	–	3	–	–	2	–
†OSSETT		1	–	–	–	–
†RAWMARSH ...	–	2	1	–	1	–
SHEPLEY	–	–	–	–	1	–
†SHIPLEY		1	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	3	–
†SWINTON... ...	1	3	–	–	2	–
THURNSCOE ...	1	–	–	–		–
†TODMORDEN ...		2	–	–	1	–
†WOMBWELL ...	2	3	–	–	–	
YEADON	–	–	–	–	–	N. 1
Rural Districts:—						
DONCASTER ...	1	3	–	–	–	–
HEMSWORTH ...	–	3	–		–	–
HUNSLET... ...		1	1	–	–	–
KIVETON PARK ...	3	–	1	–	1	M. 1
KNARESBOROUGH	–	1	–	–	–	–
RIPON	–	1	–	–	–	–
ROTHERHAM ...	–	3	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
SETTLE	–	2	–	–	–	–
TADCASTER ...	–	–	3	–	–	–
THORNE	2	1	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WETHERBY ...	–	5	–		–	–
WORTLEY ..	–	3	–	1	–	–
§**YORK, CITY OF**...	–	–	1	–	–	M. 1
†YORK C.B. ...	–	–	1	–	–	M. 1
WALES.						
ANGLESEY ...	–	–	2	–	–	–
Rural Districts:—						
AETHWY	–	–	1	–	–	
DWYRAN	–	–	1	–	–	–
BRECKNOCK ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON...	–	4	3	–	–	–
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	–	1	–	–	–
PENMAENMAWR...	–	3	–	–	–	–
PWLLHELI ...	–	1	–	–	–	–
Rural Districts:—						
CONWAY	–	–	2	–	–	–
CARDIGAN ...	–	–	1	–	–	G. 1
Boroughs and Urban Districts:—						
LAMPETER ...	–	–	1	–	–	–
Rural Districts:—						
TREGARON ...	–	–	–	–	–	G. 1
CARMARTHEN...	–	3	2	–	3	C. 1 E. 1
Boroughs and Urban Districts:—						
KIDWELLY ...	–	–	–	–	1	–
†LLANELLY ...	–	2	–	–	1	E. 1
Rural Districts:—						
LLANDILO FAWR	–	–	–	–	1	–
LLANDOVERY ...	–	–	–	–	–	C. 1
LLANELLY ...	–	1	2	–	–	–
DENBIGH ...	–	5	4	1	–	–
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	–	–	2	–	–	–
†COLWYN BAY ...	–	1	–		–	–
DENBIGH ...	*	*	*	*	*	*
†WREXHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DENBIGH—*cont.*						
Rural Districts:—						
ST. ASAPH (DENBIGH)	–	–	1	–	–	–
WREXHAM ...	–	4	–	1	–	–
FLINT	–	–	4	–	–	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	1	–	–	–
†RHYL	–	–	3	–	–	–
GLAMORGAN ...	1	36	29	–	15	C. 2 G. 1 M. 4 N. 2
†CARDIFF C.B. ..	–	5	1	–	2	M. 1
†MERTHYR TYDFIL C.B.	–	1	5	–	2	N. 1
†SWANSEA C.B. ...	–	2	–	–	2	C. 2 N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	2	–	2	G. 1
†BARRY	–	2	–	–	–	
†CAERPHILLY ...	–	–	6	–		–
†GELLIGAER ...	1	2	–		–	–
†GLYNCORWG ...		–	1	–	–	–
†MAESTEG... ...	–	4	5	–	–	–
†MOUNTAIN ASH ...	–	2	–	–	1	–
†NEATH	–	1	–	–	–	M. 1
†OGMORE AND GARW	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PONTYPRIDD ..		2	1	–	–	–
PORTHCAWL ..	–	–	–	–	1	–
†PORT TALBOT ...	–	4	–	–	–	–
†RHONDDA ...	–	5	5	–	3	M. 2
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	–	–
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT FARDRE	*	*	*	*	*	*
NEATH	–	–	1	–	2	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ...	–	1		–		–
MERIONETH ...	–	2	–	–	–	–
Urban Districts:—						
FFESTINIOG ..	–	2	–	–	–	–
MONMOUTH ...	18	4	4	–	2	G. 1 M. 1
†NEWPORT C.B. ..		–		–	1	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	3	–	–	–	–	–
†ABERTILLERY ...	1	–	2	–	–	M. 1
†BEDWELLTY ...	5	1	1	–	–	–
†BLAENAVON ...	6	–	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EBBW VALE ..	–	–	–	–	–	G. 1
LLANFRECHFA UPPER	–			–	1	–
†MYNYDDISLWYN	1	–	–	–	–	–
PONTYPOOL ...	2	–	–	–	–	–
†TREDEGAR ...	–	1	1	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
CHEPSTOW ...	–	1	–	–		–
MONTGOMERY...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	*	*	*	*	*	*
WELSHPOOL ...	–	2	–	–	–	–
MONTGOMERY—*cont.*						
Rural Districts:—						
LLANFYLLIN ...		–	–	–	1	–
PEMBROKE ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
†PEMBROKE ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST.	–	2	–	–	–	–
Total of Part II. ...	172	1053	521	65	425	C. 3 D. [illegible] E. 1[illegible] F. [illegible] G. 1[illegible] L. [illegible] M. 8[illegible] N. 6[illegible]

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
ERNARVON	*	*	*	*	*	*	PORT OF LONDON ...	-	–	-	2	–	–
ERPOOL	–	–		–	1	L. 1							
MOUTH		–		-	–	L. 1	Total of Part III. ...	–		–	2	1	L. 2

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	
Total of Part I.—London	-	181	150	6	63	
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	172	1053	521	65	425	
Total of Part III.—Port Sanitary Districts	-	-	-	2	1	
Total (*i.e.*, of returns received), England and Wales ...	172	1234	671	73	489	

‡ The letters in this column denote the following diseases:—A, Cholera; B, Pl
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute
encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Cont
Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyr
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

ble 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug 6.
ONDON :—													
EATHS (excluding Still-births)—all ages.	857	871	787	843	801	852	798	804	781	777	768	763	71
EATHS—0 to 1 year ..	79	71	54	75	65	72	55	48	66	68	51	65	4
REAT TOWNS, aggregate (including London):—													
IVE BIRTHS	6,994	7,044	6,656	7,106	6,066	7,425	6,801	6,525	6,758	6,636	6,875	6,901	5 79
TILLBIRTHS	—	—	—	—	—	—	—	32†	219	233	242	259	24
EATHS (excluding Still-births)—all ages	4,017	3,947	3,847	3,948	3,683	3 879	3,582	3,453	3,667	3,442	3,424	3,510	3,30
EATHS—0 to 1 year ..	395	376	341	398	341	349	328	292	353	320	314	390	32
NTERIC FEVER—Cases	20	14	11	22	30	29	35	28	36	26	33	27	2
„ Deaths	—	1	1	1	4	5	1	—	8	2	2	1	
MALL POX—Cases ..	55	77	81	74	65	60	77	61	31	30	26	41	4
„ Deaths ..	1	—	2*	—	—	—	—	1	—	—	—	—	—
CARLET FEVER—Cases	840	920	849	973	880	845	897	930	976	913	955	942	67
„ Deaths	5	13	11	5	6	5	4	6	5	2	3	9	
IPHTHERIA—Cases ..	599	593	558	589	451	559	503	503	550	535	574	497	44
„ Deaths ..	30	18	26	25	11	13	17	16	26	21	30	21	2
IEASLES—Deaths ..	57	57	42	35	43	39	30	27	36	21	29	25	3
NFLUENZA—Deaths ..	47	46	43	42	33	31	33	28	31	21	25	15	1

* Including 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.
† Registration of Stillbirths began 1st July, 1927.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 6th August, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	78	49	74·3	54·1	19
BRIGHTON ..	77	50	69·1	57·4	8
PORTSMOUTH ..	76	52	69·7	57·5	13
NORWICH (EATON).	79	50	73·1	55·6	22
PLYMOUTH ..	76	49	69·7	56·1	5
BRISTOL (CLIFTON).	76	52	71·4	55·1	10
BIRMINGHAM (EDGBASTON).	75	50	70·1	54·0	2
NOTTINGHAM ..	77	50	71·7	54·0	2
BIRKENHEAD (BIDSTON).	76	52	70·1	56·1	5
MANCHESTER (WHITWORTH PARK).	78	51	72·3	55·6	5
BURNLEY	73	49	68·0	53·1	1

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°	
HUDDERSFIELD	75	50	70·9	52·6	1
BRADFORD ..	70	50	66·9	54·1	3
SHEFFIELD ..	74	51	69·9	54·4	3
YORK (MUSEUM)	76	50	70·6	54·9	20
HULL (PEARSON PARK).	74	50	71·6	53·4	20
TYNEMOUTH ..	69	52	65·7	54·0	18
CARDIFF.. ..	74	49	69·7	53·7	5
EDINBURGH ..	69·0	52·0	67·1	55·1	13
GLASGOW ..	70·9	50·1	66·8	55·2	18
DUBLIN (PHŒNIX PARK).	71·9	46·8	69·1	50·4	12
(FITZWILLIAM SQUARE†).	71·0	52·1	68·5	55·3	13
BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 6th August, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	31	..	29·818	74·8	53·6	21·2	62·9	+ 0·7	57·1	5·8	17·5	1·3	81	149·6	43·1	56·5	SSW	SSW	1·7	0·0	0·2	247	+ 6	0·01
AUGUST. MONDAY -	1	..	29·749	61·9	52·6	9·3	57·0	− 5·2	54·7	2·3	5·8	0·0	91	82·0	49·1	56·7	Calm	NNW: WNW: SW.	0·5	0·0	0·0	143	− 100	0·30
TUESDAY -	2	..	29·990	74·1	51·1	23·0	62·0	− 0·1	50·8	11·2	22·4	0·6	67	139·1	42·1	56·8	SW: WSW.	WNW: WSW: SW.	0·8	0·0	0·1	195	− 52	0·00
WEDNESDAY	3	In Equator Apogee	30·145	78·0	49·0	29·0	64·3	+ 2·2	51·4	12·9	26·6	2·0	63	154·1	38·2	56·9	Calm	ESE: Calm.	0·6	0·0	0·0	119	− 131	0·00
THURSDAY -	4	..	30·022	75·5	52·9	22·6	64·6	+ 2·5	54·1	10·5	23·0	0·8	69	145·0	41·8	56·9	E	E: ENE.	2·5	0·0	0·3	251	− 1	0·00
FRIDAY -	5	First Quarter.	29·768	76·2	55·2	21·0	64·9	+ 2·8	61·3	3·6	12·9	0·4	88	138·9	46·2	57·0	Calm	ESE: ENE.	0·4	0·0	0·0	143	− 111	0·01
SATURDAY -	6	..	29·530	77·2	61·9	15·3	68·1	+ 5·9	63·0	5·1	10·7	0·8	84	143·7	57·5	57·0	ENE: Calm: SE.	SSW: S.	1·0	0·0	0·1	194	− 62	0·41
MEANS -		..	29·860	74·0	53·8	20·2	63·4	+ 1·3	56·1	7·3	17·0	0·8	78	136·1	45·4	56·8	Variable		..	..	..	Sum 1292	Sum − 451	Sum 0·73
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	31	Instrument out of order till 17h. on Aug. 5th.	7·9	15·5	Cloudless till 2h.; variably cloudy till 7½h.; overcast till 11¾h.; very cloudy generally till 20¾h., then overcast. Showers at 8½h. and 10h.
AUGUST. MONDAY ..	1	"	0·0	15·4	Overcast till 21½h., clearing to nearly cloudless by 22½h. Rain 0½h. till 3h.; and generally from 8¾h. till 20h.
TUESDAY ..	2	"	11·0	15·4	Nearly cloudless till 9h.; partially cloudy till 12h.; then variably cloudy. Dew at night.
WEDNESDAY	3	"	12·8	15·3	Cloudless, with partially cloudy period between 9h. and 12h. Haze 6h. till 15h.
THURSDAY	4	"	9·4	15·3	Cloudless till 4h.; nearly overcast till 12h.; then partially cloudy clearing from 15h. to cloudless by 17½h. Frequent solar halos between 8h. and 15h.
FRIDAY ..	5	wP from 17h. till 22h.; then variably mP and mN.	1·2	15·2	Nearly overcast. Fog about 4h., then mist till 9h. Slight rain about 14½h. and 15h.; and from 23h. Lightning from 21½h. Distant thunder from 22h.
SATURDAY	6	Variably sP and sN till 7h.; then wP.	5·9	15·1	Nearly overcast generally with partially cloudy interval 7h. till 10½h. Lightning till 2h Rain 2½h. till 3h.; and heavy rain 5h. till 6¾h. Thunderstorm 6h. till 6½h.
			Sum 48·2	Sum 107·2	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·79 ins. at the beginning of the week to 29·83 ins. by 23h. on July 31st; decreased to 29·72 ins. by 15h. on August 1st; increased to 30·17 ins. by 8h, on August 3rd; decreased and was 29·47 ins. by midnight on August 6th

STATISTICAL REVIEW.

The Registrar General's Statistical Review of England and Wales for the Year 1926.

TABLES. PART I. MEDICAL.

This volume of nearly 500 closely printed pages contains classified in 31 separate 'Tables,' a wealth of Statistical data relating to public mortality. The figures given for the year 1926 give exhaustive information relating to the mortality of the population for more than 200 diseases &c. analysed by sex into age groups, together with a mass of other figures on other aspects of public health, e.g., infectious diseases, infant mortality, violent deaths, &c., &c.

Price 15s. net. *Post Free 15s. 6d.*

STATUTORY RULES AND ORDERS

1927. No. 485.

THE Registration (Births, Still-births, Deaths and Marriages) Consolidated Regulations, 1927, dated 31st May, 1927, made by the Registrar-General with the approbation and concurrence of the Minister of Health.

Price 1s. 3d. *Post Free 1s. 4d.*

HIS MAJESTY'S STATIONERY OFFICE.

LONDON : Adastral House, Kingsway, W.C.2.

FOR OFFICIAL USE

1927. No. 32.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 13TH AUGUST, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-32-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 13TH AUGUST, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the thirty-second week of the year numbered 6,771 and corresponded to an annual rate of 18·0 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,406 and corresponded to an annual rate of 9·1 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·1, 9·4 and 8·8. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 49 against 47, 58 and 49 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,521 live births, corresponding to a rate of 17·2 per 1,000, and 793 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 9·0, against 8·7, 8·6 and 8·1 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·6 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 46 as against 34, 43 and 32 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 3,303, to 3,406 and in London increased from 714 to 793.

Under the Birth and Death Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 239 in the Great Towns including 48 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in t week ended 13th August, 1927.**

Towns.	Estimated Population, Mid. 1926	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.
107 Great Towns ..	19,540,143*	6771	239	3406	328	2	19	4	15	20	54
London	4,605,400*	1521	48	793	69	-	3	-	4	6	10
Towns in Outer Ring.											
Croydon C.B. ..	205,900	74	3	37	2	-	-	-	1	-	1
Wimbledon ..	58,030	13	1	7	1	-	-	-	-	-	-
Ealing ..	91,783	33	-	9	1	-	-	-	-	-	-
Acton	63,040	26	-	9	1	-	-	1	-	-	-
Brentford and Chiswick ..	56,840	10	-	11	-	-	-	-	-	-	-
Willesden ..	165,270	41	1	20	2	-	-	-	1	-	-
Hendon	62,570*	16	1	8	1	-	-	-	-	-	-
Hornsey	87,230	17	1	14	-	-	-	-	-	-	-
Wood Green ..	51,940	12	-	8	-	-	-	-	-	-	-
Tottenham ..	151,520	33	-	27	2	-	-	-	-	-	-
Edmonton	71,700	36	1	6	1	-	-	-	-	-	-
Enfield	63,640	24	-	7	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	153	4	46	5	-	-	-	-	2	1
East Ham C.B. ..	146,600	37	1	19	2	-	-	-	-	1	-
Leyton	130,000	28	-	30	-	-	-	-	-	-	-
Walthamstow ..	125,500	35	-	14	-	-	-	-	-	-	-
Ilford	100,500	36	-	12	1	-	-	-	-	-	-
Gillingham	47,820*	19	-	8	-	-	-	1	-	-	-
Canterbury C.B ..	23,470*	9	-	2	-	-	-	-	-	-	-
Hastings C.B.	61,340	17	2	24	2	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	14	1	11	-	-	-	-	-	-	-
Brighton C.B.	139,500*	39	3	33	2	-	-	-	-	-	1
Portsmouth C.B. ..	231,500*	85	2	38	2	-	1	-	-	-	-
Bournemouth C.B. ..	90,100	27	1	16	4	-	-	-	-	-	-
Southampton C.B. ..	169,300	69	1	28	-	1	-	-	-	-	-
Reading C.B	93,090*	25	-	11	-	-	-	-	-	-	-
Oxford C.B.	56,800	23	-	6	1	-	-	-	-	-	-
Northampton C.B. ..	93,530*	34	-	13	1	-	-	-	-	-	1
Luton	59,240	25	-	10	2	-	-	-	-	1	2
Cambridge	58,820	19	-	8	-	-	-	-	-	1	-
Southend-on-Sea C.B.	104,300	29	-	14	-	-	-	-	-	-	-
Ipswich C.B.	84,140	30	1	14	2	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	27	-	11	1	-	-	-	-	-	-
Norwich C.B.	123,500*	59	1	27	3	-	-	1	-	-	1
Swindon	57,320	18	2	5	-	-	-	-	-	1	-
Exeter C.B.	60,340*	20	-	11	1	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	68	2	38	4	-	-	-	-	-	-
Bath C.B.	69,000	20	-	4	-	-	-	-	-	-	-
Bristol C.B.	383,300*	127	7	65	4	-	-	-	-	-	2
Gloucester C.B. ..	53,050	18	-	14	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	137	9	47	5	-	2	-	-	-	1
Burton-upon-Trent C.B.	48,660	16	1	6	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	34	1	14	1	-	-	-	-	-	-
Walsall C.B.	102,100	45	2	25	4	-	-	-	2	-	-
West Bromwich C.B.	79,920	32	3	9	1	-	-	-	-	-	-
Dudley C.B.	58,930	23	-	11	2	-	-	-	-	-	-
Worcester C.B. ..	50,660	15	-	4	-	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	389	6	174	24	-	-	-	-	-	1
Smethwick C.B. ..	76,940	22	-	5	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	37	-	15	1	-	-	-	-	-	-
Leicester C.B. ..	241,700	81	4	34	6	-	-	-	-	-	-
Lincoln C.B.	65,760*	23	-	12	1	-	-	-	-	-	-
Grimsby C.B.	88,580	25	-	16	1	-	-	-	-	-	1
Nottingham C.B. ..	268,000	91	6	40	2	-	1	-	-	-	1
Derby C.B.	136,600*	51	3	14	1	-	-	-	-	1	-
Chesterfield ..	66,650	28	1	6	-	-	-	-	-	-	-
Stockport C.B. ..	125,400	45	-	27	3	-	-	-	-	-	-
Chester C.B.	41,710	15	-	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	57	5	23	1	-	-	-	-	-	-
Wallasey C.B. ..	93,050	18	1	12	3	-	-	-	1	-	-
Liverpool C.B. ..	862,600	382	18	190	34	-	3	-	1	3	12
Bootle C.B.	84,580	29	-	17	1	-	-	1	-	-	2
St. Helens C.B. ..	110,000	59	1	19	2	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B. ..	77,970	11	1	12	-	-	-	-	-	-	-	1
GAN C.B.	88,620	29	1	14	2	-	-	-	-	-	-	-
ARRINGTON C.B. ..	76,940*	31	2	10	2	-	-	-	-	-	-	-
LTON C.B.	177,000	47	5	32	4	-	-	-	-	-	1	-
RY C.B.	56,840*	12	1	10	1	-	-	-	-	-	-	-
ANCHESTER C.B. ..	752,000	260	15	138	15	-	-	-	1	1	2	1
LFORD C.B.	247,400	98	4	42	5	-	-	-	-	-	-	-
HTON-UNDER-LYNE	51,050	13	-	11	-	-	-	-	-	-	-	-
DHAM C.B.	143,000	48	3	30	4	-	-	-	-	-	1	-
OCHDALE C.B.	91,510	19	-	28	1	-	-	-	-	-	-	2
RNLEY C.B	99,600	32	1	23	2	-	-	-	-	1	-	-
ACKBURN C.B. ..	124,400	33	3	23	-	-	-	-	-	-	-	-
ESTON C.B.	124,200	19	3	31	3	-	-	-	-	-	1	1
ACKPOOL C.B. ..	88,640	16	-	21	-	-	-	-	-	-	-	-
ARROW-IN-FURNESS C.B.	70,420	17	1	10	-	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	111,900	27	1	19	2	-	2	-	-	-	-	-
ALIFAX C.B.	96,130*	20	-	17	2	-	-	-	-	-	-	-
ADFORD C.B. ..	288,700	91	1	71	7	-	1	-	-	-	-	-
EDS C.B.	473,400	153	7	95	8	-	-	-	1	-	2	-
SWSBURY C.B. ..	53,630	24	-	14	1	-	-	-	-	-	-	1
AKEFIELD C.B. ..	53,830	26	-	7	-	-	-	-	-	-	-	-
RNSLEY C.B. ..	70,760	28	-	14	2	-	1	-	1	-	-	-
EFFIELD C.B. ..	523,300*	159	8	71	3	1	1	-	-	-	-	1
OTHERHAM C.B. ..	70,080	26	1	9	1	-	1	-	-	-	-	-
ONCASTER C.B. ..	55,700	20	1	12	1	-	-	-	-	-	-	-
ORK C.B.	84,430*	28	2	13	1	-	-	-	-	-	-	1
ULL C.B.	294,600	112	1	53	6	-	-	-	2	-	1	-
DDLESBROUGH C.B.	133,600	59	3	26	3	-	-	-	-	-	1	1
ARLINGTON C.B. ..	70,700	14	2	14	1	-	1	-	-	1	-	-
OCKTON-ON-TEES ..	67,910	23	1	16	1	-	-	-	-	-	1	1
EST HARTLEPOOL C.B.	71,060	25	-	18	5	-	-	-	-	-	-	-
NDERLAND C.B. ..	163,800	69	2	28	4	-	-	-	-	-	2	-
UTH SHIELDS C.B. ..	123,900	38	2	21	-	-	-	-	-	-	-	1
ATESHEAD C.B. ..	127,700	46	-	34	6	-	-	-	-	1	1	-
EWCASTLE-ON-TYNE C.B.	284,700*	133	1	59	6	-	-	-	-	-	-	2
NEMOUTH C.B ..	66,560	28	1	13	2	-	-	-	-	-	-	-
ARLISLE C.B.	56,140*	22	2	10	1	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,620	52	2	12	3	-	-	-	-	-	-	-
ARDIFF C.B.	225,600*	89	4	35	3	-	-	-	-	-	-	-
HONDDA	162,500	45	3	38	7	-	2	-	-	-	3	1
ERTHYR TYDFIL C.B.	80,690	25	2	10	-	-	-	-	-	-	-	-
BERDARE	56,930	26	1	9	-	-	-	-	-	-	-	-
VANSEA C.B.	163,200	58	6	23	3	-	-	-	-	-	1	-
REATER LONDON ..	7,791,310*	2,541	74	1,255	96	-	4	1	6	9	14	7
UTER RING	3,185,910*	1,020	26	462	27	-	1	1	2	3	4	4
GREAT TOWNS IN OUTER RING	1,947,963*	624	13	284	19	-	-	1	2	3	2	3
EMAINDER OF OUTER RING	1,237,947*	396	13	178	8	-	1	-	-	-	2	1
DINBURGH†	426,100	141	-	96	12	-	-	-	3	-	2	-
LASGOW†	1,049,000	447	-	239	39	-	3	-	11	1	8	-
UBLIN (REGISTRATION AREA)†	421,000	285	-	75	15	-	-	-	-	1	5	2
ELFAST†	416,000	204	-	79	13	2	-	-	1	-	7	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and lasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and y the addition of deaths of residents reported from elsewhere in Scotland during the week; those in ublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into ublic institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases.
		1927.											
London‡	4,605,400	Aug. 13	1521	48	793	9·0	–	–	3	–	4	6	
Calcutta and Suburbs	1,077,264	July 9‖	?	?	497	24·0	?	10	?	?	?	?	
Bombay§	1,298,708	„ 23	399	32	529	21·1	6	10	2	–	–	1	
Madras	528,791	„ 16	519	31	431	42·4	4	–	–	–	1	–	
Sydney and Suburbs	1,038,950	June 30 (30 days)											
Brisbane (Metropolitan Area).	274,260	May 30 (30 days)	523	?	245	10·7	1	–	2	–	2	3	
Perth (Metropolitan Area).	179,388	June 18	99	?	36	10·0	?	?	?	?	?	?	
		„ 25	62	?	62	17·5	?	?	?	?	?	?	
Auckland (Urban Area).	201,220	June 30 (30 days)											
Wellington (Urban Area).	126,310	June 30 (30 days)											
Christchurch (Urban Area).	121,780	June 30 (30 days)											
Cape Town	115,348	July 16	44	?	24	10·8	–	–	–	–	–	–	
Johannesburg	172,189	„ 16	89	?	53	16·0	–	–	1	–	–	1	
Durban	54,738	„ 16	31	?	13	12·4	–	–	–	–	–	–	
Paris	2,871,429	„ 31 (10 days)	1310	100	929	11·8	3	–	16	–	19	5	
Antwerp	300,777	July 9	91	2	40	6·9	–	–	–	–	–	–	
Amsterdam	729,159	„ 9	264	11	101	7·2	–	–	–	1	–	1	
Copenhagen	592,000	July 30	182	4	111	9·8	–	–	–	–	1	–	
Stockholm	453,332	„ 23	77	8	129	14·8	–	–	–	–	–	–	
Gothenburg	231,196	„ 23	?	?	42	9·4	–	–	–	–	–	–	
Oslo (Christiania) ..	254,055	Aug. 6	46	3	37	7·6	–	–	–	–	–	–	
Berlin	2,003,000	July 23	362	19	341	8·9	–	?	3	2	–	4	
Breslau	563,000	„ 23	149	4	97	9·0	1	?	–	–	–	–	
Cologne	718,000	„ 23	214	7	116	8·4	–	?	–	–	3	–	
Dresden	625,000	„ 23	117	14	119	9·9	–	?	–	–	–	–	
Frankfort-on-Main..	474,000	„ 23	113	6	59	6·5	1	?	–	–	–	–	
Hamburg	1,105,000	„ 23	235	12	174	8·2	–	?	1	–	–	–	
Leipzig	687,000	„ 23	166	5	124	9·4	–	?	–	–	–	–	
Munich	685,000	„ 23	141	–	138	10·5	–	?	–	–	1	–	
Vienna	1,871,380	Jan. 31 (31 days)											
Prague and Suburbs	725,196	Jan. 31 (31 days)											
Budapest	971,169	July 23	298	9	201	10·8	–	–	–	–	2	4	
Warsaw	1,028,982	„ 30	?	11	249	12·6	3	–	1	3	6	1	
Cairo	874,300	Feb. 25	969	24	403	24·0	2	1	1	–	?	6	
Alexandria	501,800	„ 25	587	15	282	29·3	2	–	–	–	?	2	
New York	5,924,018	July 30	?	?	1151	10·1	3	–	2	–	10	6	
Chicago	3,048,000	„ 22	1342	37	534	9·0	–	–	–	2	2	10	
New Orleans	433,000	June 30 (30 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 12 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 13th August, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	793	69	9	20	13	43	38	58	125	116	146	156
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	2	1	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	4	2	1	1	-	-	-	-	-	-	-	-
Diphtheria	6	1	-	3	2	-	-	-	-	-	-	-
Influenza	3	-	-	-	-	1	-	-	-	-	2	-
Erysipelas	3	-	-	-	-	1	-	-	1	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	1	-	-	1	-		-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	70	1	-	2	1	16	17	12	9	7	4	1
Nervous system	3	-	2	-	-	1	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	1	-	-	-	-	-	-	-	-
Other forms	5	-	-	-	2	1	-	-	1	-	1	-
Venereal diseases	1	-	-	-	-	-	-	-	1	-	-	-
Cancer	131	-	-	-	-	1	-	9	24	36	30	31
Rheumatic fever	4	-	-	-	1	1	1	-	1	-	-	-
Diabetes	3	-	-	-	-	-	-	-	-	1	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	28	-	-	-	-	-	-	2	6	8	6	6
Epilepsy	1	-	-	1	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal) ..	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	28	1	-	1	1	1	1	3	7	5	5	3
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	3	-	-	-	-	-	-	2	1	-	-	-
Other diseases of heart	132	-	-	-	-	2	1	7	24	19	40	39
Other diseases of circulatory system	52	-	-	-	-	-	-	-	7	7	16	22
Bronchitis	15	2	-	1	-	-	-	-	1	2	4	5
Broncho-pneumonia	18	-	3	1	1	-	-	-	7	1	1	4
Lobar-pneumonia	13	-	-	-	-	2	1	-	1	3	3	3
Pneumonia (type not distinguished)	3	-	-	-	-	1	-	-	1	-	1	-
Other diseases of respiratory system	7	-	-	-	-	-	-	-	2	1	3	1
Diarrhœa and enteritis	11	10	-	-		-	-	-	-	-	1	-
Appendicitis, Typhlitis	4	-	-	-	1	-	1	1	1	-	-	-
Hernia, Intestinal obstruction	8	-	-	-	-	3	1		-	1	2	1
Cirrhosis of liver	7	-	-	-	-	-	-	1	2	2	1	1
Other diseases of digestive system ..	21	1	-	1	-	1	1	8	4	4	-	1
Acute nephritis	2	-	-	-	-	-	-	-	1	1	-	-
Chronic Bright's disease	22	-	-	-	-	1	2	-	6	3	7	3
Other diseases of genito-urinary system.	14	-	-	-	-	-	-	3	2	1	5	3
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth ..	3	-		-	-	-	2	1	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	30	30		-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3		-	-		-	-	-	-		-
Old age	24	-	-	-	-	-	-	-	-	-	2	22
Suicide	14	-	-	-	-	1	2	3	4	1	3	-
Burns and Scalds	1	-	-	1	-	-	-	-	-	-	-	-
Drowning	2	-		-	1	-	-	1	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	17	-	-	4	3	1	2	-	2	3	1	1
Other deaths by violence	18	-	-	-	-	6	1	4	3	1	1	2
Other specified causes	40	8	-	1	-	2	3	1	6	7	5	7
Ill-defined causes	-	-	-	-	-		-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 13th August, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	191	167	6	50	C. 3 E. 3 F. 1 G. 4 M. 14 N. 20
†CITY OF LONDON	-	1		-	-	G. 1
Metropolitan Boroughs:—						
†BATTERSEA ...	-	6	12	-	6	G. 1 M. 1 N. 1
†BERMONDSEY ...		16	6	-	1	G. 1 M. 1
†BETHNAL GREEN		12	4	-	-	M. 1 N. 1
†CAMBERWELL ...		8	13	-	-	E. 1 M. 1
†CHELSEA	-	4	1	-	1	-
†DEPTFORD ...		3	1	-	2	M. 1
†FINSBURY ...	-	8	2	-	1	-
†FULHAM		4	4	-	4	N. 1
†GREENWICH ...	-	7	4	-	2	N. 1
†HACKNEY ...	-	7	14	-	-	-
†HAMMERSMITH ...		9	3	-	1	-
†HAMPSTEAD ...	-	2		-	-	E. 1 F. 1 N. 1
†HOLBORN... ...		-	2	-	-	M. 1 N. 1
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	9	8	-	2	C. 1 M. 2 N. 2
†KENSINGTON ...	-	2	4	-	2	G. 1 N. 1
†LAMBETH ...	-	16	8	-	2	C. 1 M. 3 N. 2
†LEWISHAM ...	-	4	2	-	-	-
†PADDINGTON ...	-	6	6	2	3	N. 2
†POPLAR	-	10	8	1	3	M. 1
†ST. MARYLEBONE	-	1	2	-	-	
†ST. PANCRAS ...	-	5	7	-	1	N. 2
†SHOREDITCH ...	-	7	7	-	2	N. 2
†SOUTHWARK ...	-	13	12	-	7	E. 1
†STEPNEY	-	14	17	1	5	N. 1
†STOKE NEWINGTON	-	1	2	-	-	-
†WANDSWORTH ...	-	10	10	1	3	M. 2 N. 1
†WESTMINSTER, CITY OF	-	1	5	1	1	-
†WOOLWICH ...		5	3	-	1	C. 1 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; E, Encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	9	3	-	-	G. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	-	6	-	-	-	-
†LUTON	-	2	-	-	-	G. 1
Rural Districts:—						
AMPTHILL ...	-		1	-	-	-
BEDFORD... ...	-	1	-	-	-	-
BIGGLESWADE ...	-	-	1	-	-	-
LUTON	-		1	-	-	-
BERKS	-	12	1	2	1	-
†READING C.B. ...	-	3	1	1	-	-
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	-	-	-	1	-	-
Rural Districts:—						
BRADFIELD ...	-	-	-	-	1	-
EASTHAMPSTEAD	-	5	-	-	-	-
NEWBURY ...	-	1	-	-	-	-
WALLINGFORD ...	-	3	-	-	-	-
BUCKINGHAM ...	-	5	1	-		-
Boroughs and Urban Districts:—						
BUCKINGHAM ...	*	*	*	*	*	*
†CHEPPING WYCOMBE		1	-	-	-	-
†SLOUGH	-	-	1	-	-	-
Rural Districts:—						
AYLESBURY ...	-	1	-		-	-
ETON	-	2	-	-	-	-
WYCOMBE ...	-	1	-	-		-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...		1	2	-	-	G. 1
Borough:—						
†CAMBRIDGE ...	-	1	2	-	-	-
Rural Districts:—						
NEWMARKET ...			-	-		G. 1
CHESTER ...		36	9	-	13	G. 2 L. 1 M. 5 N. 1
†BIRKENHEAD C.B		3	1		4	G. 1 L. 1 M. 2
†CHESTER C.B. ...	-	1	-		1	M. 1
†STOCKPORT C.B.	-	3	2	-	2	-
†WALLASEY C.B. ...	-	5	2	-	-	-
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	1	-	-		-
ASHTON UPON MERSEY	-	1	-			-
†BEBINGTON AND BROMBOROUGH	-	1	-	-	-	-
BUGLAWTON ...	-	-	1	-	-	-
†CHEADLE AND GATLEY		1	-	-	-	M. 1
†CREWE	-	2	-	-	1	G. 1
†ELLESMERE PORT AND WHITBY		1	-	-	-	-
†HYDE	-	-	1	-	3	-
†RUNCORN... ...	-	1	1	-	-	-
†SALE	*	*	*	*	*	*
†STALYBRIDGE ...	-	-	-	-	1	-
WILMSLOW ...	-	1	-		-	-
†WINSFORD ...	-	5		-	-	-
YEARDSLEY CUM WHALEY	-	-		-	1	-
Rural Districts:—						
BUCKLOW ...	-	1	-	-	-	-
CONGLETON ...	-	1	-	-	-	-
DISLEY	-	1	-	-	-	-
MACCLESFIELD ...	-	1	-	-	-	N. 1
NANTWICH ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NORTHWICH ...	–	3	–	–	–	–
RUNCORN ...	–	2	1	–	–	–
WIRRAL	–	–	–	–	–	M. 1
CORNWALL ...	–	1	4	–	–	L. 1 N. 2
Boroughs and Urban Districts:—						
BODMIN	–	–	–	–	–	L. 1
†FALMOUTH ...	*	*	*	*	*	*
LAUNCESTON ...	–	–	–	–	–	N. 1
LISKEARD ...	–	–	1	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	*	*	*	*	*	*
†TRURO	–	–	1	–	–	–
Rural Districts:—						
CAMELFORD ...	–	–	–	–	–	N. 1
LAUNCESTON ...	–	1	–	–	–	–
LISKEARD ...	–	–	1	–	–	–
ST. GERMANS ...	–	–	1	–	–	–
CUMBERLAND...	–	11	–	–	6	–
†CARLISLE C.B. ...	–	3	–	–	6	–
Boroughs and Urban Districts:—						
ASPATRIA ...	*	*	*	*	*	*
KESWICK	–	1	–	–	–	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	1	–	–	–	–
Rural Districts:—						
CARLISLE ...	–	1	–	–	–	–
COCKERMOUTH ...	–	2	–	–	–	–
PENRITH	–	1	–	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
WIGTON	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	3	27	14	–	15	G. 1 M. 1
†DERBY C.B. ...	–	1	10	–	4	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	1	–
ALVASTON AND BOULTON	–	1	–	–	–	–
†BELPER	1	–	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	–	–	–	1	–
†GLOSSOP	–	3	–	–	–	–
HEAGE	–	–	–	–	–	G. 1
†HEANOR	1	1	–	–	–	–
†LONG EATON ...	–	2	–	–	1	–
NEW MILLS ...	–	5	–	–	–	–
†RIPLEY	1	–	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	–	–	3	–
Rural Districts:—						
BELPER	–	–	–	–	–	M. 1
BLACKWELL ...	–	2	1	–	–	–
CHAPEL EN LE FRITH	–	–	–	–	1	–
CHESTERFIELD ...	–	5	3	–	2	–
CLOWNE	–	2	–	–	–	–
GLOSSOP DALE ...	–	1	–	–	–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	–	–	–	1	–
DEVON	–	16	6	3	10	N. 1
†EXETER C.B. ...	–	2	–	1	–	–
†PLYMOUTH C.B....	–	1	5	–	4	N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	1	–
BIDEFORD ...	–	2	–	–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*
DARTMOUTH ...	–	1	–	–	–	–
DAWLISH... ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORTHAM ...	–	1	–	–	–	–
SOUTH MOLTON...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	2	–	–	–	–
†TORQUAY ...	–	2	–	–	–	–
TOTNES	–	1	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
BIDEFORD ...	–	1	–	–	–	–
NEWTON ABBOT...	–	–	–	–	1	–
OKEHAMPTON ...	–	1	–	–	1	–
PLYMPTON ST. MARY	–	–	1	–	1	–
ST. THOMAS ...	–	–	–	–	1	–
TAVISTOCK ...	–	1	–	1	–	–
DORSET	–	5	–	–	1	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	–
†POOLE	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BLANDFORD ...	–	1	–	–	–	–
SHAFTESBURY ...	–	2	–	–	–	–
DURHAM ...	52	48	25	1	48	C. 1 E. 1 G. 4 M. 4 N. 2
†DARLINGTON C.B.	–	1	1	–	2	–
†GATESHEAD C.B.	–	2	6	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†SOUTH SHIELDS C.B.	16	5	–	1	11	–
†SUNDERLAND C.B.	–	1	2	–	6	G. 1 M. 1
†WEST HARTLEPOOL C.B.	–	1	1	–	8	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
BENFIELDSIDE ...	–	5	1	–	–	–
BILLINGHAM ...	1	–	–	–	1	–
†BLAYDON... ...	1	3	1	–	–	–
†CHESTER LE STREET	–	3	–	–	–	–
†CONSETT	–	1	–	–	–	–
†CROOK	–	1	1	–	–	E. 1
†DURHAM	–	–	–	–	2	M. 1
†FELLING	–	1	–	–	–	–
†HARTLEPOOL ...	–	–	–	–	1	–
†HEBBURN ...	–	1	1	–	–	–
†HOUGHTON LE SPRING	1	–	–	–	–	–
†JARROW	1	2	–	–	3	–
LEADGATE ...	–	–	1	–	–	–
†SHILDON	3	–	–	–	–	–
†SOUTHWICK ON WEAR	–	–	1	–	1	–
†SPENNYMOOR ...	–	1	–	–	–	–
STANHOPE ...	*	*	*	*	*	*
†STANLEY	5	1	–	–	1	–
†STOCKTON ON TEES	4	3	3	–	–	G. 1
†TANFIELD ...	–	1	–	–	–	–
TOW LAW ...	–	2	–	–	–	–
†WHICKHAM ...	–	–	–	–	2	–
WILLINGTON ...	–	–	2	–	–	–
Rural Districts:—						
AUCKLAND ...	1	2	–	–	–	–
BARNARD CASTLE	–	–	1	–	–	–
CHESTER LE STREET	3	1	–	–	2	C. 1
DARLINGTON ...	–	–	1	–	–	–
DURHAM	–	–	–	–	1	G. 1
EASINGTON ...	6	1	–	–	1	G. 1
HARTLEPOOL ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
HOUGHTON LE SPRING	–	–	–	–	1	–
LANCHESTER ...	–	1	2	–	1	–
SEDGEFIELD ...	5	–	–	–	–	–
SOUTH SHIELDS...	5	2	–	–	–	–
STOCKTON ...	–	3	–	–		N. 1
SUNDERLAND ...	–	–	–	–	3	N. 1
ELY, ISLE OF ...	–	2	–	–	–	–
Rural Districts:—						
WISBECH	–	2	–	–	–	–
ESSEX	–	85	41	3	19	C. 2 E. 1 M. 3 N. 3
†EAST HAM C.B. ...	–	13	3	–	1	–
†SOUTHEND-ON-SEA C.B.	–	3	1	–	–	–
†WEST HAM C.B. ...	–	21	13	–	12	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	4	2	1	1	C. 1
BRIGHTLINGSEA	–	1	1	–	–	–
†CHELMSFORD ...	–	5	–	–	–	–
CHINGFORD ...	–	–	–	–	1	–
DAGENHAM ...	–	5	3	–	–	M. 1
†GRAYS THURROCK	–	1	2	–	–	–
†ILFORD	–	7	1	1	1	N. 1
†LEYTON	–	6	8	–	–	–
TILBURY	–	–	2	–	1	–
†WALTHAMSTOW...	–	9	1	–	1	M. 1 N. 1
†WANSTEAD ...	–	–	–	–	–	E. 1
WEST MERSEA ...	–	1	–	–	–	–
†WOODFORD ...	–	2	–	1	–	–
ESSEX—*cont.*						
Rural Districts:—						
BILLERICAY ...	–	3	–	–	–	–
BRAINTREE ...	–	1	–	–	–	–
DUNMOW	–	1	–	–	–	–
EPPING	–	–	1	–	–	–
ORSETT	–		2	–	–	–
ROCHFORD ...	–	–	1	–	–	–
ROMFORD... ...	–	–	–	–	–	C. 1
STANSTED ...	–	2	–	–	–	–
TENDRING ...	–	–	–	–	1	–
GLOUCESTER ...	–	30	17	2	5	N. 3
†BRISTOL C.B. ...	–	17	9	–	3	N. 2
†GLOUCESTER C.B.	–	2	–	1	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	3	1	–	–
†KINGSWOOD ...	–	2	–	–	–	–
STOW ON THE WOLD	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
NEWENT	–	1	–	–	–	–
STROUD	–	2	2	–	1	–
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	–	N. 1
WARMLEY ...	–	1	1	–	–	–
WHEATENHURST	–	–	1	–	–	–
WINCHCOMB(part)	–	–	1	–	–	–
HEREFORD ...	1	4	4	–	–	G. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	4	–	–	–	G. 1
LEOMINSTER ...	–	–	1	–	–	–
ROSS	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
LEOMINSTER ...	–	–	1	–	–	–
WEOBLEY... ...	–	–	1	–	–	–
WIGMORE ...	1	–	–	–	–	–
HERTFORD ...	–	7	3	–	–	C. 1
Boroughs and Urban Districts:—						
BUSHEY	–	1	–	–	–	–
†ST. ALBANS ...	–	–	2	–	–	–
†WATFORD ...	–	5	–	–	–	–
Rural Districts:—						
BERKHAMPSTEAD.	–	–	–	–	–	C. 1
HADHAM	–	–	1	–	–	–
HEMEL HEMPSTEAD	–	1	–	–	–	–
HUNTINGDON ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
ST. IVES	–	1	–	–	–	–
KENT	–	36	34	15	7	M. 1 N. 4
†CANTERBURY C.B.	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	–	1	–	–	–
†BECKENHAM ...	–	–	–	1	–	M. 1
†BROADSTAIRS AND ST. PETER'S	–	–	2	–	–	–
†BROMLEY ...	–	1	–	1	–	N. 1
†CHATHAM ...	–	3	6	–	–	–
†CRAYFORD ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARTFORD ...	–	–	1	–	–	–
†DOVER	–	1	3	–	–	–
†ERITH	–	2	2	4	1	–
†GILLINGHAM ...	–	1	1	–	–	–
†GRAVESEND ...	–	2	2	–	–	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	3	–	1	–	–
†MARGATE ...	–	2	–	–	1	–
MILTON REGIS ...	–	–	1	–	–	–
NEW ROMNEY ...	–	–	–	–	1	–
†PENGE	–	–	2	–	–	–
†RAMSGATE ...	–	2	1	–	1	–
†ROCHESTER ...	–	–	2	1	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	N. 1
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
SITTINGBOURNE	–	–	1	–	2	–
SWANSCOMBE ...	–	–	1	–	–	–
TENTERDEN ...	–	–	–	5	–	N. 1
†TONBRIDGE ...	–	3	–	–	–	–
WALMER	*	*	*	*	*	*
WHITSTABLE ...	–	1	–	–	–	–
WROTHAM ...	–	–	–	1	–	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BROMLEY ...	–	–	1	–	–	–
DOVER	–	1	–	–	–	–
FAVERSHAM ...	–	1	–	–	–	–
ISLE OF THANET	–	1	–	–	–	–
MALLING... ...	–	–	1	–	–	N. 1
MILTON	–	–	1	–	–	–
SEVENOAKS ...	–	–	1	1	–	–
STROOD	–	–	1	–	–	–
TONBRIDGE ...	–	5	–	–	–	–
LANCASTER ...	5	130	88	4	124	C. 9 G. 5 M. 24 N. 10
†BARROW IN FURNESS C.B.	–	2	–	–	–	N. 1
†BLACKBURN C.B.	–	1	3	–	2	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†BLACKPOOL C.B.	3	7	4	–	1	–
†BOLTON C.B. ...	–	4	1	·	2	G 1
†BOOTLE C.B. ...	–	3	2	–	4	–
†BURNLEY C.B. ..	1	8	3	–	3	G. 1
						M. 1
†BURY C.B. ...	–	2	–	–	–	C. 1
†LIVERPOOL C B. ..	–	9	21	2	25	M. 14
						N. 3
†MANCHESTER C.B.		20	16	–	27	C. 7
						M. 2
						N. 1
†OLDHAM C.B. ...	–	5	2	–	2	C. 1
†PRESTON C.B. ..	–	2	6	–	–	M. 1
†ROCHDALE C.B. ...	–	2	5	–	–	–
†ST. HELENS C.B....	–	3	3	–	2	–
†SALFORD C.B. ...	–	10	5	1	8	G. 1
						M. 1
†SOUTHPORT C.B.	–	4	2	·	2	M. 1
†WARRINGTON C.B.	–	2	–	–	2	–
†WIGAN C.B. ...	–	–	–	–	7	–
Boroughs and Urban Districts:—						
ABRAM	–	2	–	–	–	·
†ACCRINGTON ...	–	2	–		–	–
†ASHTON IN MAKERFIELD	–	1	–	–	1	–
†ASHTON UNDER LYNE	–	4	–	–	1	M. 1
						N. 1
†ATHERTON ...	–	–	–	–	–	N. 1
†BACUP	–	–	–		1	–
BLACKROD ...	–	–	–	–	–	N. 1
†CHORLEY	–	–	–	–	2	–
†CLITHEROE ...	–		1	–	–	–
†COLNE	–	3	2	–	1	M. 1
†CROMPTON ...	–	–	–	–	1	–
†DARWEN	–	1	–	–	–	–
†DENTON	–	1	–	–	–	
†DROYLSDEN ...	–	–	2	–	–	–
†ECCLES	–	1	–		1	–
†FAILSWORTH ..		1	–		3	–
†FARNWORTH ...	–	–	–	–	2	M. 1
†FLEETWOOD ...	–	–	–	·	1	–
FULWOOD ...	1	–	–	–	2	–
†HAYDOCK ...	–	3		–	2	–
†HEYWOOD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†HORWICH ...	–	2	–	–	–	–
IRLAM	–	3	–	–	–	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	1	–	–	–	N. 1
LATHOM AND BURSCOUGH	–	–	–	–	–	G. 2
LEES	–	–	–	–	1	–
†LEIGH	–	–	–	–	2	–
†LITHERLAND ...	–	1	–	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
†MIDDLETON ...	–	1	–	–	–	–
†MORECAMBE ...	–	2	–	–	–	–
†MOSSLEY	–	2	–	–	1	–
†NELSON	–	5	–	–	1	–
†PADIHAM... ...	–	–	2	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	–	1	–	–	–
†RAWTENSTALL ...	–	–	–	–	–	M. 1
RISHTON	–	–	–	–	2	–
STANDISH WITH LANGTREE	–	1	–	–	–	–
†STRETFORD ...	*	*	*	*	*	*
†SWINTON AND PENDLEBURY	–	2	–		3	–
TOTTINGTON ...	–	–	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	2	–
†WIDNES	–	–	1	–	2	N. 1
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	2	–
BURNLEY... ...	–	–	4	·	2	–
BURY	*	*	*	*	*	*
LIMEHURST ...	–	–	1	–	–	–
SEFTON	–	–	1	–	·	–
WARRINGTON ...	–	1	–	1	–	–
WHISTON... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	18	4	1	5	C. 1 G. 1
†LEICESTER C.B. ...	–	8	1	–	4	C. 1 G. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	4	–	–	–	–
THURMASTON ...	–	1	–	–	–	–
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
BILLESDON ...	–	–	2	–	–	–
MARKET BOSWORTH	–	2	1	–	–	–
MARKET HARBOROUGH	–	–	–	1	–	–
LINCOLN (parts of Holland).	–	1	2	–	–	M. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	1	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	M. 1
EAST ELLOE ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	–	–
Rural Districts:—						
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	10	4	–	2	C. 1 E. 2 M. 3
†GRIMSBY C.B.	–	2	1	–	1	M. 1
†LINCOLN C.B. ..	–	2	–	–	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)— *cont.*						
Boroughs and Urban Districts:—						
†GAINSBOROUGH ...	–	–	–	–	–	C. 1 M. 1
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	–	–
SKEGNESS ...	–	1	–	–	–	–
Rural Districts:—						
CAISTOR	–	1	–	–	–	–
GLANFORD BRIGG	–	1	1	–	–	–
GRIMSBY... ...	–	–	1	–	–	–
HORNCASTLE ...	–	–	–	–	–	E. 1
LOUTH	–	1	–	–	–	–
SPILSBY	–	–	–		–	M. 1
WELTON	–	–	1	–		–
MIDDLESEX ...	–	28	31	3	10	C. 1 E. 1 L. 1 N. 3
Boroughs and Urban Districts:—						
†ACTON ...	–	1	–	1	–	L. 1
†BRENTFORD AND CHISWICK	–	2	–	–	–	–
†EALING	–	2	–	–	1	C. 1
†ENFIELD	–	4	–	–	1	–
†FINCHLEY ..	–	–	3	–	–	–
†FRIERN BARNET	–	–	–	–	1	–
†HAMPTON ...	–	1	–		–	–
†HARROW ON THE HILL			–	1	–	–
HAYES	–	2	–	–	–	–
†HENDON	–	–	–	–	1	–
†HESTON AND ISLEWORTH	–	1	–	–	–	N. 2
†HORNSEY... ...	–	4		–		–
RUISLIP NORTHWOOD		–	–	–	1	–
†SOUTHALL NORWOOD		–	2	–	1	–

* Returns not received. † Population over 10,000.

C Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L. Dysentery , M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHGATE ...	–	1	–	–	–	–
†TOTTENHAM ...	–	1	2	–	1	E. 1
†TWICKENHAM ...	–	1	–	–	–	–
†WEALDSTONE ...	–	–	1	–	–	–
†WILLESDEN ...	–	4	19	–	3	–
†WOOD GREEN ...	–	3	1	–	–	–
YIEWSLEY ...	–	–	2	–	–	–
Rural Districts:—						
HENDON	–	–	–	1	–	N. 1
SOUTH MIMMS ...	–	1	–	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK ..	–	13	2	5	4	C. 2 M. 1 N. 2
†GREAT YARMOUTH C.B	–	5	–	–	–	C. 1
†NORWICH C.B. ...	–	4	1	1	–	C. 1 M. 1
Boroughs and Urban Districts:—						
CROMER	–	–	–	–	1	–
DISS	–	3	–	–	–	–
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
DOCKING	–	1	–	3	–	–
DOWNHAM ...	–	–	–	–	2	–
MITFORD AND LAUNDITCH	–	–	–	–	–	N. 1
ST. FAITH'S ...	–	–	–	1	–	–
SMALLBURGH ...	–	–	–	–	1	–
WALSINGHAM ...	–	–	–	–	–	N. 1
NORTHAMPTON	–	2	1	1	2	G. 1 N. 1
†NORTHAMPTON C.B.	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	1	–	–	–
KETTERING ...	–	–	–	–	–	G. 1
OUNDLE	*	*	*	*	*	*
†WELLINGBOROUGH	–	–	–	–	–	N. 1
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
BRIXWORTH ...	–	1	–	–	–	–
†KETTERING ...	–	–	–	1	–	–
OUNDLE (part) ...	*	*	*	*	*	*
NORTHUMBERLAND.	1	26	5	2	29	D. 1 G. 2 M. 2 N. 1
†NEWCASTLE UPON TYNE C.B.	1	13	5	–	18	G. 1
†TYNEMOUTH C.B	–	2	–	–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	4	–	–	–	M. 1
†BLYTH	–	–	–	–	5	M. 1
CRAMLINGTON ...	–	1	–	–	–	–
HEXHAM	–	–	–	1	–	–
NEWBIGGIN BY THE SEA	–	–	–	–	–	D. 1
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	1	–	–	2	–
†WHITLEY AND MONKSEATON	–	–	–	1	2	–
Rural Districts:—						
BELLINGHAM ...	–	3	–	–	1	–
CASTLE WARD ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	22	17	11	3	8	D. 1 E. 1 G. 1 M. 2 N. 1
†NOTTINGHAM C.B	–	7	5	–	5	M. 1 N. 1
Boroughs and Urban Districts:—						
†CARLTON	–	–	3	–	1	–
†MANSFIELD ...	1	5	–	1	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	–	–	–	1	G. 1
WARSOP	–	2	–	–	–	–
†WORKSOP... ...	19	–	–	–	–	–
Rural Districts:—						
BASFORD	–	–	3	–	1	E. 1
BINGHAM... ...	–	–	–	1	–	D. 1
NEWARK	–	–	–	1	–	–
SKEGBY	–	–	–	–	–	M. 1
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	1	–	–	–	–
WORKSOP... ...	2	–	–	–	–	–
OXFORD	–	4	1	–	–	–
†OXFORD C.B. ...	–	3	1	–	–	–
Rural Districts:—						
HEADINGTON ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	1	1	–	–	–
Borough:—						
†PETERBOROUGH...	–	–	1	–	–	–
Rural Districts—						
PETERBOROUGH...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	5	8	1	–	C. 1 N. 1
Boroughs and Urban Districts:—						
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	2	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	1	–	C. 1
CHURCH STRETTON	–	1	–	–	–	–
CLUN	–	–	–	–	–	N. 1
LUDLOW	–	–	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
SHIFNAL	–	–	3	–	–	–
WELLINGTON ...	–	1	2	–	–	–
SOMERSET ...	–	13	3	2	4	E. 1 G. 1 J. 1 N. 2
†BATH C.B. ...	–	4	–	–	1	E. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	–	N. 1
CHARD	–	–	1	–	–	–
†FROME	–	–	–	–	1	–
MIDSOMER NORTON	–	–	–	–	–	G. 1
RADSTOCK ...	–	–	1	–	–	–
STREET	–	–	–	–	–	J. 1
†TAUNTON... ...	–	1	–	–	–	–
WIVELISCOMBE ...	–	–	–	1	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	1	–	–	–	–
CLUTTON... ...	–	2	–	–	–	–
KEYNSHAM ...	–	–	1	1	1	–
LONG ASHTON ...	–	–	–	–	–	N. 1
WELLS	–	1	–	–	–	–
YEOVIL	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON.	–	44	18	3	4	C. 1 G. 1 M. 3 N. 2
†BOURNEMOUTH C.B.	–	–	–	–	1	C. 1 N. 1
†PORTSMOUTH C.B	–	9	8	–	–	G. 1 M. 1
†SOUTHAMPTON C.B	–	13	5	2	3	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...		–	1	–	–	–
†BASINGSTOKE ...	–	–	1	–	–	M. 1
CHRISTCHURCH ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	5	–	–	–	–
†FAREHAM ...	–	2	–	–	–	–
†GOSPORT	–	3	1	–	–	–
†WINCHESTER ...	–	2	–	–	–	N. 1
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	2	–	–	–	–
HARTLEY WINTNEY	–	–	1	–	–	–
LYMINGTON ...	–	1	–	–	–	–
NEW FOREST ...	–	–	1	1	–	–
PETERSFIELD ...	–	4	–	–	–	–
STAFFORD ...	–	41	18	–	28	C. 1 G. 1 L. 1 M. 6 N. 1
†BURTON UPON TRENT C.B.	–	2	2	–	–	–
†SMETHWICK C.B	–	1	–	–	3	–
†STOKE ON TRENT C.B	–	8	1	–	11	C. 1 M. 2
†WALSALL C.B. ..	–	4	4		–	–
STAFFORD—*cont.*						
†WEST BROMWICH C.B.	–	1	–	–	4	–
†WOLVERHAMPTON C.B.	–	2	–	–	1	M. 2 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	1	–
BRIERLEY HILL...	–	–	5	–	–	–
†BROWNHILLS ...	–	2	–	–	–	–
†CANNOCK	–	6	–	–	1	–
†COSELEY	–	1	–	–	2	
KIDSGROVE ...	–	1	–	–	–	–
LICHFIELD ...	–	–	–	–	–	M. 1
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS ...	–	5	1	–	–	–
†SEDGLEY	–		–	–	2	M. 1
SHORT HEATH ...	–	–	–	–	1	–
†TIPTON	–	1	1	–	1	–
†WOLSTANTON UNITED	–	1	–	–	–	–
Rural Districts:—						
BLORE HEATH ...	–	–	3	–	–	–
CANNOCK	–	1	–	–	–	–
CHEADLE... ...	–	–	–	–	–	L. 1
KINGSWINFORD ...	–	–	1	–	–	G. 1
LEEK	–	2	–	–	–	–
LICHFIELD ...	–	2	–	–	–	–
SEISDON	–	–	–	–	1	–
SUFFOLK, EAST	–	11	–	1	–	C. 1
†IPSWICH C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	1	–	–	–	–
†LOWESTOFT ...	–	4	–	–	–	C. 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	–	1	–	–
SAMFORD... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	3	–	–	–	–
Boroughs and Urban Districts:—						
HADLEIGH ...	*	*	*	*	*	*
Rural Districts:—						
MELFORD... ...	–	2	–	–	–	–
THINGOE	–	1	–	–	–	–
SURREY	–	38	11	2	8	C. 1 D. 1 E. 1 M. 1 N. 8
†CROYDON C.B. ..	–	9	2	–	–	N. 1
Boroughs and Urban Districts:—						
†BARNES	–	4	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CHERTSEY	–	2	–	–	–	D. 1
EAST AND WEST MOLESEY	*	*	*	*	*	*
†EGHAM	–	–	1	–	1	–
†EPSOM	–	–	–	1	–	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FRIMLEY	–	–	–	–	–	N. 1
†GUILDFORD ...	–	2	–	–	1	C. 1
HASLEMERE ...	–	–	–	–	1	–
†KINGSTON ON THAMES	–	1	–	–	–	–
†MERTON AND MORDEN	–	–	1	–	–	–
†MITCHAM... ..	–	8	2	–	1	N. 2
†REIGATE	–	–	–	–	–	E. 1
†RICHMOND ..		1	–	–	–	–
†SURBITON ...	–	1	–	–	1	–
†THE MALDENS AND COOMBE	–		–	–	–	N. 2
†WALTON UPON THAMES	–	–	–	–	–	N. 1
†WIMBLEDON ..	–	3	–	1	–	–
†WOKING	–		1		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	2	–	–	–	–
DORKING	–	2	–	–	–	–
EPSOM	–	1	–	–	–	N. 1
GODSTONE ...	–	–	–	–	1	–
GUILDFORD ...	–	–	2	–	–	–
HAMBLEDON ...	–	–	–	–	1	M. 1
REIGATE	–	–	–	–	1	–
SUSSEX, EAST ...	–	13	5	2	3	M. 1 N. 4
†BRIGHTON C.B. ...	–	4	1	–	–	M. 1 N. 3
†EASTBOURNE C.B.	–	2	–	–	2	–
†HASTINGS C.B. ...	–	1	2	–	1	–
Boroughs and Urban Districts:—						
NEWHAVEN ...	–	2	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1	1	–	–	–
HAILSHAM ...	–	–	1	–	–	N 1
UCKFIELD ...		3	–	2	–	–
SUSSEX, WEST...	–	4	1	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	–	–	–	M. 1
SHOREHAM-BY-SEA	–	1	–	–	–	–
†WORTHING ..	–	1	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	1	–		–	–
†HORSHAM ...	–	1	–	–	–	–
WESTBOURNE ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	–	37	41	–	37	C. 3 D. 1 G. 4 M. 8
†BIRMINGHAM C.B.	–	23	26	–	25	C. 3 D. 1 G. 3 M. 5
†COVENTRY C.B. ...	–	3	–	–	2	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	1	–	4	–
†ROYAL LEAMINGTON SPA	–	–	–	–	–	M. 1
†RUGBY	–	2	3	–	–	–
†STRATFORD ON AVON	–	–	–	–	2	–
†SUTTON COLDFIELD	–	2	–	–	1	G. 1
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	2	8	–	2	–
COVENTRY ...	–	–	1	–	–	–
FOLESHILL ...	–	–	2	–	1	–
MERIDEN... ...	–	–	–	–	–	M. 1
SOUTHAM... ...	–	2	–	–	–	M. 1
TAMWORTH (part)	–	1	–	–	–	
WESTMORLAND	–	3	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†COWES	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	13	–	–	6	–
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	3	–	–	–	–
†SALISBURY ...	–	5	–	–	–	–
†SWINDON... ...	–	1	–	–	5	–
Rural Districts:—						
DEVIZES	–	2	–	–	–	–
HIGHWORTH ...	–	2	–	–	1	–
WORCESTER ...	–	7	1	2	4	N. 3
†WORCESTER C.B.	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
DROITWICH ...	*	*	*	*	*	*
†KIDDERMINSTER	–	–	–	–	–	N. 1
†MALVERN ...	–	–	–	–	1	–
†OLDBURY... ...	–	3	–	–	–	–
†REDDITCH ...	–	1	–	2	–	–
†STOURBRIDGE ...	–	–	–	–	–	N. 1
Rural Districts:—						
BROMSGROVE ...	–	–	–	–	1	–
MARTLEY... ...	–	1	–	–	–	–
SHIPSTON ON STOUR	–	1	–	–	–	–
UPTON ON SEVERN	–	1	–	–	2	–
YORKS ... ... (East Riding).	–	11	13	–	–	E. 2 G. 1
†KINGSTON UPON HULL C.B.	–	8	10	–	–	G. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
HESSLE	–	–	–	–	–	E. 1
HORNSEA	–	1	–	–	–	–
WITHERNSEA ...	–	–	–	–	–	E. 1
Rural Districts:—						
BRIDLINGTON ...	–	1	1	–	–	–
NORTON	*	*	*	*	*	*
YORKS ... ... (North Riding).	4	12	1	1	10	C. 1 M. 1 N. 2
†MIDDLESBROUGH C.B.	1	4	–	–	5	C. 1
Boroughs and Urban Districts:—						
†ESTON	–	–	–	–	–	M. 1
GUISBOROUGH ...	2	–	–	–	–	
MALTON	*	*	*	*	*	*
†REDCAR	–	–	–	–	3	–
SALTBURN BY THE SEA	–	2	–	–	–	–
†SCARBOROUGH ...	–	–	–	–	1	–
†SKELTON AND BROTTON	–	3	1	–	–	–
Rural Districts:—						
BEDALE	1	–	–	–	–	–
EASINGWOLD ...	–	–	–	–	–	N. 1
FLAXTON ...	–	–	–	1	–	–
GUISBOROUGH ...	–	2	–	–	–	–
MALTON	*	*	*	*	*	*
RICHMOND ...	–	1	–	–	–	–
STOKESLEY ...	–	–	–	–	1	–
THIRSK	–	–	–	–	–	N. 1
YORKS ... ... (West Riding).	28	274	42	6	83	C. 4 E. 3 G. 1 M. 10 N. 10
†BARNSLEY C.B. ...	–	5	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†BRADFORD C.B. ...	–	3	5	–	3	C. 1 G. 1
†DEWSBURY C.B....	–	1	–	–	–	–
†DONCASTER C.B.	1	2	–	–	1	–
†HALIFAX C.B. ...	–	3	–	–	1	–
†HUDDERSFIELD C.B.	–	7	3	–	–	–
†LEEDS C.B. ...	–	9	3	–	14	M. 3 N. 2
†ROTHERHAM C.B.	–	2	1	–	4	M. 1
†SHEFFIELD C.B....	–	188	12	–	33	C. 2 E. 2 M. 3 N. 3
†WAKEFIELD C.B.	–	2	1	1	–	N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	1	–	1	–
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
†BATLEY	–	1	2	–	1	–
†BENTLEY WITH ARKSEY	–	1	1	1	–	–
†BINGLEY	–	1	–	–	1	–
†BOLTON UPON DEARNE	9	–	–	–	–	–
CLAYTON	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	1	–	–	–	–
DARFIELD ...	–	1	–	–	–	–
†DARTON	–	–	–	–	1	E. 1
DENHOLME ...	2	–	–	–	–	–
DODWORTH ...	–	2	–	–	–	–
†FEATHERSTONE ...	–	1	1	–	–	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	2	–	–	–	–
GREASBROUGH ...	–	1	–	–	–	–
GUISELEY ...	–	–	–	–	1	–
†HARROGATE ...	–	–	–	–	2	–
HEBDEN BRIDGE	–	1	–	1	–	–
HECKMONDWIKE	–	–	–	–	–	N. 1
†HEMSWORTH ...	–	1	–	–	–	–
†HOLMFIRTH ...	–	–	–	–	–	M. 1
HONLEY	–	–	–	–	–	N. 1
†HOYLAND NETHER	–	–	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KEIGHLEY ...	1	1	–	–	–	–
LEPTON	–	–	–	1	–	–
MALTBY	2	1	–	–	–	–
MELTHAM ...	–	1	–	–	–	–
METHLEY ...	–	–	1	–	–	–
†MEXBOROUGH ...	–	4	–	–	–	–
†MORLEY	–	–	–	–	2	–
MYTHOLMROYD ...	–	1	–	–	–	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	–	–	1	3	–
OTLEY	–	1	–	–	2	–
†PONTEFRACT ...	–	1	–	–	–	–
†PUDSEY	–	–	1	–	1	–
†RAWMARSH ...	–	4	–	–	1	–
†SKIPTON	–	2	–	–	–	–
†SOWERBY ...	–	2	–	–	–	–
SOYLAND	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	1	–	–	–
STAINLAND ...	–	1	–	–	–	–
†STANLEY	–	–	–	–	2	–
THURNSCOE ...	3	–	–	–	–	–
TICKHILL ...	–	–	–	–	–	C. 1
†TODMORDEN ...	–	2	–	–	–	–
†WATH UPON DEARNE	4	–	–	–	–	–
†WORSBOROUGH ...	–	2	–	–	1	–
Rural Districts:—						
BISHOPTHORPE ...	–	–	–	1	–	–
DONCASTER ...	3	1	3	–	–	N. 1
HEMSWORTH ...	1	–	–	–	–	N. 1
KIVETON PARK ...	1	–	1	–	2	–
PONTEFRACT ...	–	–	–	–	1	
ROTHERHAM ...	–	4	4	–	1	–
THORNE	1	2	–	–	–	M. 1
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	2	1	–	1	–
§**YORK, CITY OF**...	–	1	3	–	–	N. 3
†YORK C.B. ...	–	1	3	–	–	N. 3

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WALES.						
ANGLESEY ...	*	*	*	*	*	*
Boroughs and Urban Districts:—						
†HOLYHEAD ...	*	*	*	*	*	*
BRECKNOCK ...	–	–	–	–	–	G. 1
Rural Districts:—						
BUILTH	–	–	–	–	–	G. 1
CAERNARVON...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	1	1	–	–	–
PENMAENMAWR...	–	2	–	–	–	–
CARMARTHEN...	–	3	1	–	5	–
Boroughs and Urban Districts:—						
†CARMARTHEN ...	–	–	–	–	1	–
†LLANELLY ...	–	1	1	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	–	–	–	1	–
LLANDILO FAWR	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Rural Districts—*cont.*						
LLANELLY ...	–	2	–	–	–	–
LLANYBYTHER ...	–	–	–	–	1	–
DENBIGH ...	–	4	3	1	–	–
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	–	1	–	–	–	–
RUTHIN	*	*	*	*	*	*
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
RUTHIN	–	–	1	–	–	–
WREXHAM ...	–	2	2	1	–	–
FLINT	–	1	2	1	1	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	1	–
HOLYWELL ...	*	*	*	*	*	*
†RHYL	–	–	2	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	1	–	–
OVERTON ...	*	*	*	*	*	*
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	37	32	–	9	C. 2 M. 2 N. 3
†CARDIFF C.B. ...	–	5	4	–	1	C. 2 M. 1 N. 3
GLAMORGAN—*cont.*						
†MERTHYR TYDFIL C.B.	–	–	3	–	–	–
†SWANSEA C.B. ...	–	5	2	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	–	–	–	–
†BARRY	–	–	3	–	–	–
†CAERPHILLY ...	–	–	3	–	–	–
†GLYNCORWG ...	–	–	1	–	–	–
†MAESTEG... ...	–	1	5	–	–	–
†MOUNTAIN ASH ...	–	5	1	–	1	–
†NEATH	–	2	1	–	2	–
†OGMORE AND GARW	–	–	1	–	–	–
†PONTYPRIDD ...	–	2	–	–	–	M. 1
†PORT TALBOT ...	–	3	–	–	–	–
†RHONDDA ...	–	7	5	–	3	–
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	3	2	–	–	–
NEATH	–	–	1	–	1	–
PONTARDAWE ...	–	1	–	–	1	–
MERIONETH ...	–	–	5	–	–	G. 1
Urban Districts:—						
BARMOUTH ...	–	–		–	–	G. 1
FFESTINIOG ...	–	–	5	–	–	–
MONMOUTH ...	11	7	11	–	7	–
†NEWPORT C.B. ...	2	1	2	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERCARN ...	3	–	–	–	–	–
†ABERTILLERY ...	1	–	–	–	1	–
†BEDWELLTY ...	–	1	3	–	–	–
†BLAENAVON ...	5	–	–	–	–	–
†EBBW VALE ...	–	–	1	–	–	–
LLANTARNAM ...	–	1	–	–	–	
†MYNYDDISLWYN	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†RHYMNEY ...	–	–	2	–	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	1	–	–		–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
CHEPSTOW ...	–	–	–	–	2	–
MAGOR	–	–	–	–	1	–
MONMOUTH ...	–	–	1	–	–	–
PONTYPOOL ..	–	1	–	–	–	–
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY...	–	–	–	–	1	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–
PEMBROKE ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
Rural Districts:—						
NARBERTH ..	–	2	–	–	–	–
RADNOR	–	–	–	–	1	–
Rural Districts:—						
NEW RADNOR ...	–	–	–	–	1	–
Total of Part II. ...	127	1174	534	67	522	C. 34 D. 4 E. 12 G. 31 J. 1 L. 4 M. 80 N. 73

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

ort Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
JARDIFF	–	–	–	1	1	–	PLYMOUTH	–	–	–	–	1	–
							Total of Part III. ...	–	–	–	1	2	–

* Returns not received. ‡ Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases ‡
Total of Part I.—London	1	191	167	6	..50	C. E. F. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	127	1174	534	67	522	C. D. E. G. J. L. M. N.
Total of Part III.—Port Sanitary Districts	–	–	–	1	2	
Total (*i.e.*, of returns received), England and Wales ...	127	1365	701	74	574	C. D. E. F. G J. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyre

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

e 5.—London and Great Towns in the GREGATE. } Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.
DON :—													
THS (excluding Stillths)—all ages.	871	787	843	801	852	798	804	781	777	768	763	714	793
THS—0 to 1 year ..	71	54	75	65	72	55	48	66	68	51	65	49	69
AT TOWNS, aggre-e (including Lon-n):—													
BIRTHS	7,044	6,656	7,106	6,066	7,425	6,801	6,525	6,758	6,636	6,875	6,901	5 798	6,771
LBIRTHS	—	—	—	—	—	—	32†	219	233	242	259	241	239
THS (excluding Stillths)—all ages	3,947	3,847	3,948	3,683	3 879	3,582	3,453	3,667	3,442	3,424	3,510	3,303	3,406
THS—0 to 1 year ..	376	341	398	341	349	328	292	353	320	314	390	326	328
ERIC FEVER—Cases	14	11	22	30	29	35	28	36	26	33	27	25	20
„ Deaths	1	1	1	4	5	1	—	8	2	2	1	3	2
LL POX—Cases ..	77	81	74	65	60	77	61	31	30	26	41	45	29
„ Deaths ..	—	2*	—	—	—	—	1	—	—	—	—	—	—
LET FEVER—Cases	920	849	973	880	845	897	930	976	913	955	942	677	814
„ Deaths	13	11	5	6	5	4	6	5	2	3	9	2	4
THERIA—Cases ..	593	558	589	451	559	503	503	550	535	574	497	444	455
„ Deaths ..	18	26	25	11	13	17	16	26	21	30	21	24	20
SLES—Deaths ..	57	42	35	43	39	30	27	36	21	29	25	31	19
UENZA—Deaths ..	46	43	42	33	31	33	28	31	21	25	15	16	26

* Including 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.
† Registration of Stillbirths began 1st July, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 13th August, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON	75	53	72·7	58·9	21	HUDDERSFIELD	75	47	69·0	54·0	26
(REENWICH).						BRADFORD ..	72	49	65·9	54·9	41
HTON ..	69	59	66·1	60·1	28	SHEFFIELD ..	72	49	69·3	55·9	41
TSMOUTH ..	71	59	68·2	59·8	11	YORK (MUSEUM)	73	49	68·4	55·3	26
WICH (EATON).	73	52	70·4	57·0	32	HULL (PEARSON PARK).	76	52	71·4	56·3	37
MOUTH ..	68	57	66·6	58·9	18	TYNEMOUTH ..	70	52	65·4	55·6	51
TOL (CLIFTON).	72	55	67·9	57·1	36	CARDIFF.. ..	70	55	66·6	57·7	59
INGHAM (EDGBASTON).	71	52	68·0	55·0	12	EDINBURGH ..	71·0	49·0	66·3	54·1	65
FINGHAM ..	75	51	70·6	55·7	24	GLASGOW ..	67·6	48·8	66·2	55·6	68
KENHEAD (BIDSTON).	73	53	67·6	56·6	26	DUBLIN (PHŒNIX PARK).	72·0	51·6	68·9	55·0	22
CHESTER WHITWORTH PARK).	75	53	69·7	57·7	24	(FITZWILLIAM SQUARE†).	69·7	55·9	67·4	57·2	26
NLEY	71	54	66·8	56·6	45	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 13th August, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	7	..	29·532	75·5	59·8	15·7	65·2	+ 3·0	57·9	7·3	17·9	1·6	78	150·5	52·2	57·0	S : SSW	SSW : SE.	2·3	0·0	0·3	269	+ 13	0·04
MONDAY -	8	..	29·487	74·7	56·4	18·3	62·5	+ 0·2	59·3	3·2	15·6	0·7	90	140·3	48·2	57·0	Calm	SW : SSW : S.	3·1	0·0	0·1	194	− 62	0·42
TUESDAY -	9	..	29·526	72·2	56·3	15·9	63·5	+ 1·2	56·3	7·2	14·6	0·6	77	139·2	48·1	57·2	S : SSW	SSW	3·2	0·0	0·5	365	+ 109	0·07
WEDNESDAY	10	Greatest Declination S.	29·6·2	73·3	56·8	16·5	63·3	+ 1·0	56·0	7·3	17·2	0·8	77	140·3	49·3	57·4	SSW	SW	4·0	0·0	0·3	321	+ 64	0·13
THURSDAY	11	..	29·688	70·7	54·8	15·9	60·7	− 1·7	52·4	8·3	17·5	2·6	74	137·2	47·7	57 7	SW	SW : SSW.	2·0	0·0	0·3	318	+ 61	0·00
FRIDAY	12	..	29·632	71·6	53·2	18·4	61·2	− 1·3	55·4	5·8	15·1	1·3	82	134·4	44·9	57·7	SSW : SW.	SW	4·6	0·0	0·4	366	+ 109	0·11
SATURDAY -	13	Full	29·700	71·3	57·2	14·1	62·4	− 0·1	58·6	3·8	14·6	1·8	87	134·9	54·1	57·8	SW	SSW	1·9	0·0	0·2	273	+ 16	0·10
MEANS -		..	29·601	72·8	56·4	16·4	62·7	+ 0·3	56·6	6·1	16·1	1·3	81	139·5	49·2	57·4	SSW		..	..	..	Sum 2106	Sum + 310	Sum 0·87
No. of Column		8	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	7	wP	8·0	15·1	Overcast till 10½h., then variably cloudy. Damping 2h. till 3h. Rain 6¾h. till 7½h.; and 10h. till 10¼h. Shower at 16½h. Lightning 21½h.
MONDAY ..	8	wP, till 3h.; variably wP and wN till 12h.; then wP.	6·7	15·0	Overcast till 12h.; partially cloudy till 22h., then nearly overcast. Rain 4h. till 12h. Slight shower 12¼h.
TUESDAY ..	9	wP	10·2	15·0	Variably cloudy. Damping 5h. Rain 6¾h. till 7h. Shower 10¼h. Dew at night.
WEDNESDAY	10	Loss of register till 9h., then wP.	7·9	14·9	Variably cloudy, becoming nearly cloudless by 21h. Rain 5¼h. till 6h.; and 12h. till 12½h. Dew at night.
THURSDAY	11	wP	5·6	14·8	Variably cloudy. Dew at night.
FRIDAY ..	12	wP till 17h.; variably sP and sN till 20h.; then wP.	5·9	14·8	Cloudless till 3h.; overcast till 11¾h.; partially cloudy till 14½h., then overcast. Showers 3¼h. and 11¾h., and occasionally between 15h. and 19h. Rain 19h. to 20¼h.; and 22h. till 22½h. Brisk wind 13h. till 16h.
SATURDAY	13	wP	3·4	14·8	Overcast till 7h.; partially cloudy till 11h., then overcast. Damping 1h.; and 19¾h. Rain from 12h. till 17½h.
			Sum 47·7	Sum 104·4	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive: N, negative: w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·47 ins. at the beginning of the week to 29·46 ins. by 3h. on 7th; increased to 29·56 ins. by 21h. on 7th; decreased to 29·47 ins. by 14h. on 8th; increased to 29·70 ins. by 23h. on 11th; decreased to 29·61 ins. by 17h. on 12th; increased to 29·73 ins. by 10h. on 13th; decreased and was 29·63 ins. by midnight on the same day

STATISTICAL REVIEW.

The Registrar General's Statistical Review of England and Wales for the Year 1926.

TABLES. PART I. MEDICAL.

This volume of nearly 500 closely printed pages contains classified in 31 separate 'Tables,' a wealth of Statistical data relating to public mortality. The figures given for the year 1926 give exhaustive information relating to the mortality of the population for more than 200 diseases &c. analysed by sex into age groups, together with a mass of other figures on other aspects of public health, e.g., infectious diseases, infant mortality, violent deaths, &c., &c.

Price 15s. net. *Post Free 15s. 6d.*

STATUTORY RULES AND ORDERS

1927. No. 485.

THE Registration (Births, Still-births, Deaths and Marriages) Consolidated Regulations, 1927, dated 31st May, 1927, made by the Registrar-General with the approbation and concurrence of the Minister of Health.

Price 1s. 3d. *Post Free 1s. 4d.*

HIS MAJESTY'S STATIONERY OFFICE.

LONDON : Adastral House, Kingsway, W.C.2.

FOR OFFICIAL USE

1927. No. 33.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 20TH AUGUST, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-33-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 20TH AUGUST, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the thirty-third week of the year numbered 6,314 and corresponded to an annual rate of 16·8 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,244 and corresponded to an annual rate of 8·7 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·4, 8·8 and 9·1. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 42 against 58, 49 and 49 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,436 live births, corresponding to a rate of 16·2 per 1,000, and 727 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·2, against 8·6, 8·1 and 9·0 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·5 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 28 as against 43, 32 and 46 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 3,406, to 3,244, and in London decreased from 793 to 727.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 246 in the Great Towns including 52 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 20th August, 1927.**

	Towns.	Estimated Population, Mid. 1926	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
	Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	1
	107 Great Towns ..	19,540,143*	6314	246	3244	280	2	19	8	13	13	50	
	London	4,605,400*	1436	52	727	42	1	-	5	5	2	8	
Towns in Outer Ring.	Croydon C.B. ..	205,900	59	-	30	1	-	-	-	-	-	-	
	Wimbledon ..	58,030	8	-	14	-	-	-	-	-	-	-	
	Ealing	91,783	38	-	18	3	-	-	-	-	-	-	
	Acton	63,040	18	-	6	1	-	-	-	-	-	-	
	Brentford and Chiswick ..	56,840	16	-	16	4	-	-	-	-	-	1	
	Willesden ..	165,270	47	2	21	3	-	-	-	-	-	-	
	Hendon	62,570*	15	-	8	-	-	-	-	-	-	-	
	Hornsey	87,230	24	-	9	2	-	-	-	-	-	-	
	Wood Green ..	51,940	9	-	4	-	-	-	-	-	1	-	
	Tottenham ..	151,520	29	-	23	2	-	-	-	-	-	-	
	Edmonton	71,700	33	4	11	-	-	-	-	-	-	-	
	Enfield	63,640	20	-	7	1	-	-	-	-	-	-	
	West Ham C.B. ..	315,900	134	8	49	6	-	-	1	-	-	1	
	East Ham C.B. ..	146,600	28	-	25	1	-	-	-	-	1	-	
	Leyton	130,000	18	-	25	1	-	-	-	-	-	-	
	Walthamstow ..	125,500	34	1	21	1	-	-	-	-	-	-	
	Ilford	100,500	36	-	12	-	1	-	-	-	-	-	
	Gillingham	47,820*	17	3	10	2	-	-	-	-	-	1	
	Canterbury C.B ..	23,470*	10	-	2	-	-	-	-	-	-	-	
	Hastings C.B.	61,340	12	-	15	-	-	-	-	-	-	-	
	Eastbourne C.B. ..	56,060	8	1	12	-	-	-	-	-	-	-	
	Brighton C.B.	139,500*	29	1	27	2	-	-	-	-	-	3	
	Portsmouth C.B. ..	231,500*	85	2	46	2	-	-	-	-	-	-	
	Bournemouth C.B. ..	90,100	25	3	11	-	-	-	-	-	-	-	
	Southampton C.B. ..	169,300	47	2	24	4	-	-	-	1	-	1	
	Reading C.B	93,090*	35	-	12	-	-	-	-	-	-	-	
	Oxford C.B.	56,800	21	-	5	1	-	-	-	-	-	-	
	Northampton C.B. ..	93,530*	18	-	13	1	-	-	-	-	-	-	
	Luton	59,240	24	2	13	-	-	-	-	-	-	-	
	Cambridge	58,820	14	-	5	-	-	-	-	-	-	-	
	Southend-on-Sea C.B.	104,300	22	-	15	1	-	-	-	-	-	-	
	Ipswich C.B.	84,140	18	2	11	1	-	-	-	-	-	-	
	Great Yarmouth C.B.	57,760	24	1	10	1	-	-	-	-	-	-	
	Norwich C.B.	123,500*	38	1	28	1	-	-	-	-	-	-	
	Swindon	57,320	19	1	6	-	-	-	-	-	-	-	
	Exeter C.B.	60,340*	31	1	13	-	-	-	-	-	-	-	
	Plymouth C.B. ..	187,300*	66	2	40	1	-	-	-	-	1	-	
	Bath C.B.	69,000	20	-	11	-	-	-	-	-	-	-	
	Bristol C.B.	383,300*	126	4	59	9	-	-	-	-	-	3	
	Gloucester C.B. ..	53,050	21	-	5	1	-	-	-	-	-	1	
	Stoke-on-Trent C.B.	275,600	105	4	35	4	-	5	-	-	-	-	
	Burton-upon-Trent C.B.	48,660	13	2	12	-	-	-	-	-	-	-	
	Wolverhampton C.B.	131,000	49	2	19	2	-	-	-	-	-	-	
	Walsall C.B.	102,100	34	-	24	2	-	-	-	-	-	1	
	West Bromwich C.B.	79,920	30	3	12	2	-	-	-	-	2	-	
	Dudley C.B.	58,930	16	1	8	1	-	-	-	-	-	-	
	Worcester C.B. ..	50,660	14	1	10	-	-	-	-	-	-	-	
	Birmingham C.B. ..	934,300*	317	11	138	11	-	-	-	-	1	1	
	Smethwick C.B. ..	76,940	16	-	5	1	-	-	-	-	-	-	
	Coventry C.B. ..	127,800	34	1	19	2	-	-	-	-	-	-	
	Leicester C.B. ..	241,700	74	1	39	1	-	-	-	-	1	-	
	Lincoln C.B.	65,760*	15	-	11	3	-	-	-	-	-	-	
	Grimsby C.B.	88,580	27	1	19	-	-	-	-	-	-	-	
	Nottingham C.B. ..	268,000	96	3	51	5	-	-	-	-	1	-	
	Derby C.B.	136,600*	66	2	24	1	-	1	-	-	-	-	
	Chesterfield ..	66,650	26	5	12	-	-	-	-	-	-	-	
	Stockport C.B. ..	125,400	16	3	21	-	-	-	-	-	-	-	
	Chester C.B.	41,710	9	1	5	1	-	-	-	-	-	-	
	Birkenhead C.B. ..	158,000	47	1	16	-	-	-	-	-	-	-	
	Wallasey C.B. ..	93,050	26	-	14	1	-	-	-	-	-	-	
	Liverpool C.B. ..	862,600	388	11	152	34	-	1	-	1	1	9	
	Bootle C.B.	84,580	48	2	13	2	-	-	1	-	-	-	
	St. Helens C.B. ..	110,000	40	1	18	2	-	-	-	-	-	-	

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	77,970	17	2	11	-	-	-	-	-	-	-	-
Wigan C.B.	88,620	26	4	12	4	-	-	-	-	-	-	1
Warrington C.B. ..	76,940*	43	-	14	3	-	-	-	-	-	-	-
Bolton C.B.	177,900	48	5	33	1	-	-	-	-	-	-	-
Bury C.B.	56,840*	23	-	12	1	-	-	-	-	-	-	-
Manchester C.B. ..	752,000	234	15	124	8	-	1	-	-	-	4	2
Salford C.B.	247,400	57	-	46	7	-	2	-	1	-	1	1
Ashton-under-Lyne	51,050	21	-	7	-	-	-	-	-	-	-	-
Oldham C.B.	143,000	37	4	17	1	-	-	-	-	-	-	-
Rochdale C.B.	91,510	23	3	22	2	-	-	-	-	-	-	-
Burnley C.B	99,600	27	2	13	2	-	-	-	-	-	-	-
Blackburn C.B. ..	124,400	41	-	19	2	-	-	-	-	-	-	1
Preston C.B.	124,200	40	2	18	3	-	-	-	-	-	-	-
Blackpool C.B. ..	88,640	18	-	15	1	-	-	-	-	-	1	-
Barrow-in-Furness C.B.	70,420	24	-	15	-	-	-	-	-	-	-	-
Huddersfield C.B. ..	111,900	31	3	28	4	-	1	-	-	-	-	-
Halifax C.B.	96,130*	37	1	30	1	-	-	-	-	-	1	-
Bradford C.B. ..	288,700	85	3	53	4	-	-	-	-	-	-	-
Leeds C.B.	473,400	155	8	75	7	-	-	-	1	-	4	2
Dewsbury C.B. ..	53,630	14	-	16	1	-	-	-	-	-	-	1
Wakefield C.B. ..	53,830	15	3	8	1	-	-	-	-	-	-	-
Barnsley C.B. ..	70,760	23	2	16	1	-	2	-	-	-	-	1
Sheffield C.B. ..	523,300*	178	6	96	7	-	-	1	1	-	2	-
Rotherham C.B. ..	70,080	28	1	18	1	-	2	-	-	-	-	-
Doncaster C.B. ..	55,700	26	1	11	-	-	-	-	-	-	-	-
York C.B.	84,430*	22	-	13	2	-	-	-	-	-	-	-
Hull C.B.	294,600	101	1	49	5	-	-	-	2	-	2	-
Middlesbrough C.B.	133,600	43	-	26	6	-	-	-	-	-	1	-
Darlington C.B. ..	79,700	23	1	13	1	-	1	-	1	-	-	-
Stockton-on-Tees ..	67,910	15	1	9	-	-	-	-	-	-	-	-
West Hartlepool C.B.	71,060	31	3	13	1	-	1	-	-	-	-	-
Sunderland C.B. ..	163,800	74	4	36	7	-	-	-	-	-	2	-
South Shields C.B. ..	123,900	52	3	23	2	-	-	-	-	-	-	-
Gateshead C.B. .	127,700	39	2	21	3	-	-	-	-	-	-	1
Newcastle-on-Tyne C.B.	284,700*	134	1	63	9	-	-	-	-	-	1	1
Tynemouth C.B ..	66,560	22	1	7	-	-	1	-	-	-	-	-
Carlisle C.B.	56,140*	14	-	17	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,620	20	1	14	1	-	-	-	-	-	-	-
Cardiff C.B.	225,600*	72	4	31	3	-	-	-	-	-	1	-
Rhondda	162,500	63	4	32	5	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	80,690	27	2	14	-	-	1	-	-	1	-	-
Aberdare	56,930	11	2	8	-	-	-	-	-	1	-	-
Swansea C.B.	163,200	42	2	30	3	-	-	-	-	-	-	-
Greater London ..	7,791,310*	2,371	77	1,204	79	2	-	6	6	4	12	2
Outer Ring	3,185,910*	935	25	477	37	1	-	1	1	2	4	1
17 Great Towns in Outer Ring	1,947,963*	566	15	299	26	1	-	1	-	2	2	1
Remainder of Outer Ring	1,237,947*	369	10	178	11	-	-	-	1	-	2	-
Edinburgh†	426,100	145	-	71	5	-	1	-	-	1	-	-
Glasgow†	1,049,000	448	-	221	17	-	4	2	7	2	1	1
Dublin (Registration Area)†	421,000	165	-	88	16	-	-	-	-	1	6	-
Belfast†	416,000	170	-	84	16	-	-	-	-	-	4	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
London‡	4,605,400	1927. Aug. 20	1436	52	727	8·2	1	–	–	5	5	2	8
Calcutta and Suburbs	1,077,264	July 16	?	?	563	27·2	?	13	?	?	?	?	?
Bombay§	1,298,708	„ 30	385	27	578	23·1	3	6	1	–	–	–	33
Madras	528,791	„ 23	566	35	567	55·8	1	–	–	–	1	–	62
Sydney and Suburbs	1,038,950	June 30 (30 days)	1861	?	973	10·9	–	–	–	4	3	8	6
Brisbane (Metropolitan Area).	274,260	June 30 (30 days)											
Perth (Metropolitan Area).	179,388	July 2											
Auckland (Urban Area).	201,220	June 30 (30 days)											
Wellington (Urban Area).	126,310	June 30 (30 days)											
Christchurch (Urban Area).	121,780	June 30 (30 days)											
Cape Town	115,348	July 23	60	?	23	10·4	–	–	–	–	–	–	1
Johannesburg	172,189	„ 23	80	?	50	15·1	–	–	3	–	2	–	–
Durban	54,738	„ 23	30	?	9	8·6	–	–	–	–	–	–	–
Paris	2,871,429	Aug. 10 (10 days)											
Antwerp	300,777	July 16	74	6	46	8·0	–	–	–	–	–	–	3
Amsterdam	729,159	„ 16	273	7	112	8·1	–	–	1	–	–	1	–
Copenhagen	592,000	Aug. 6	207	6	87	7·7	–	–	–	–	–	–	1
Stockholm	453,332	July 30	91	7	72	8·3	–	–	–	–	–	–	–
Gothenburg	231,196	„ 30	?	?	21	4·8	–	–	–	–	–	–	–
Oslo (Christiania) ..	254,055	Aug. 13	42	1	34	7·0	–	–	–	–	–	–	–
Berlin	2 003,000	July 30	398	16	425	11·0	–	?	–	6	3	9	8
Breslau	563,000	„ 30	147	3	115	10·6	–	?	–	–	–	–	3
Cologne	718,000	„ 30	191	4	134	9·7	–	?	1	–	–	2	8
Dresden	625,000	„ 30	159	10	113	9·4	–	?	–	–	–	–	2
Frankfort-on-Main..	474,000	„ 30	86	3	60	6·6	–	?	2	–	–	–	–
Hamburg	1,105 000	„ 30	244	4	189	8·9	–	?	–	1	1	–	–
Leipzig	687,000	„ 30	169	2	122	9·2	–	?	–	–	–	–	4
Munich	685,000	„ 30	177	3	122	9·3	–	?	–	–	–	–	1
Vienna	1,871,380	Jan. 31 (31 days)											
Prague and Suburbs	738,132	Jan. 31 (31 days)	819	31	1007	16·4	2	–	6	3	6	17	7
Budapest	971,189	July 30	298	14	219	11·7	1	–	–	–	2	1	14
Warsaw	1,028,982	Aug. 6	269	12	321	16·3	1	–	–	6	4	2	57
Cairo	874,300	Feb. 25											
Alexandria	501,800	„ 25											
New York	5,924,018	Aug. 6	?	?	1114	9·3	2	–	1	3	9	10	12
Chicago	3,048,000	July 29	1246	30	584	9·8	2	–	1	1	4	10	10
New Orleans	433,000	June 30 (30 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under one year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 13 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 20th August, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	727	42	16	17	20	37	34	52	97	118	143	151
Enteric fever..	1	-	-	-	-	-	-	-	-	1	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	5	-	3	1	-	1	-	-	-	-	-	-
Whooping cough	5	2	2	1	-	-	-	-	-	-	-	-
Diphtheria	2	-	1	1	-	-	-	-	-	-	-	-
Influenza	1	-	-	-	-	-	-	-	1	-	-	-
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	62	-	-	-	2	16	10	11	12	7	3	1
Nervous system	6	-	1	3	2	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	8	-	4	2	1	-	1	-	-	-	-	-
Venereal diseases	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	116	-	-	1	-	-	2	5	24	34	36	14
Rheumatic fever	8	-	-	1	1	1	-	3	1	1	-	-
Diabetes	8	-	-	-	1	1	-	1	2	2	1	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	1	1	-	1	2	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	23	-	-	-	-	-	-	-	3	6	6	8
Epilepsy	2	-	-	-	-	-	-	-	-	-	2	-
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	1	-	1	2	1	2	5	5	4	3	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	8	-	-	-	1	2	3	-	1	-	1	-
Other diseases of heart	137	-	-	-	-	4	3	4	14	26	33	53
Other diseases of circulatory system	36	-	-	-	-	-	-	-	3	6	10	17
Bronchitis	13	-	-	-	-	-	-	1	1	3	4	4
Broncho-pneumonia	24	4	3	1	1	-	-	2	3	5	4	1
Lobar-pneumonia	6	-	-	1	-	1	-	-	1	1	2	-
Pneumonia (type not distinguished)	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of respiratory system	3	-	-	-	-	-	-	1	-	1	-	1
Diarrhœa and enteritis	13	8	-	1	1	-	-	-	2	-	-	1
Appendicitis, Typhlitis	9	-	-	1	-	-	1	2	4	1	-	-
Hernia, Intestinal obstruction	5	-	-	-	-	-	-	1	1	-	2	1
Cirrhosis of liver	6	-	-	-	-	-	1	-	2	1	2	-
Other diseases of digestive system ..	20	-	-	1	2	2	2	1	4	3	2	3
Acute nephritis	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Bright's disease	27	-	-	-	-	1	2	3	3	4	11	3
Other diseases of genito-urinary system.	7	-	-	-	-	-	-	1	-	-	1	5
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	2	2	-	-	-	-	-	-	-	-	-	-
Premature birth	14	14	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	1	1	-	-	-	-	-	-	-	-	-	-
Old age	25	-	-	-	-	-	-	-	-	-	3	22
Suicide	19	-	-	-	-	1	-	6	4	4	4	-
Burns and Scalds	4	-	1	1	-	-	-	-	-	-	1	1
Drowning	4	-	-	-	2	-	1	-	1	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	-	-	-	3	1	-	2	2	1	1	1
Other deaths by violence	14	1	-	-	-	-	1	1	1	3	5	2
Other specified causes	31	6	-	-	-	1	2	2	2	4	5	9
Ill-defined causes	1	1	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infecti Diseases notified in week ended 20th Aug 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	172	144	4	37	C. 5 E. 1 G. 2 M. 18 N. 16
Metropolitan Boroughs:—						
†BATTERSEA ...	–	2	6	–	2	G. 1 M. 1 N. 1
†BERMONDSEY ...	–	10	4	–	1	M. 1
†BETHNAL GREEN	–	9	4	–	–	M. 1
†CAMBERWELL ...	–	9	12	1	1	M. 1 N. 2
†CHELSEA	–	1	–	–	1	M. 1
†DEPTFORD ...	–	5	5	–	2	–
†FINSBURY ...	–	6	3	–	1	–
†FULHAM	–	2	6	–	3	N. 1
†GREENWICH ...	–	5	–	–	2	C. 1
†HACKNEY ...	–	17	10	–	2	M. 3 N. 2
†HAMMERSMITH ...	–	4	6	1	1	N. 2
†HAMPSTEAD ...	–	3	1	–	–	–
†HOLBORN... ...	–	1	–	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	18	10	–	1	C M
†KENSINGTON ...	–	4	4	–	–	N
†LAMBETH ...	–	4	8	–	–	M
†LEWISHAM ...	–	7	2	–	1	
†PADDINGTON ...	–	–	3	–	–	
†POPLAR	–	12	7	–	6	
†ST. MARYLEBONE	–	2	–	–	–	E
†ST. PANCRAS ...	–	10	7	1	3	C G M N
†SHOREDITCH ...	–	6	7	–	4	
†SOUTHWARK ...	–	7	11	–	–	N
†STEPNEY		12	12	–	2	
†STOKE NEWINGTON	–	2	2	–	–	M
†WANDSWORTH ...	–	6	5	1	1	M N
†WESTMINSTER, CITY OF	–	5	6	–	–	M
†WOOLWICH ...	–	3	3	–	3	N

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fe N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	11	8	-	-	M. 1 N. 1
Boroughs and Urban Districts:—						
†BEDFORD ..	-	4	-	-	-	-
BIGGLESWADE ...	-	1	-	-	-	-
LEIGHTON BUZZARD	-	1	-	-	-	M. 1
†LUTON	-	-	3	-	-	N. 1
SANDY	-	4	-	-	-	-
Rural Districts:—						
BEDFORD... ...	-	1	-	-	-	-
BIGGLESWADE ..	-	-	1	-	-	-
LUTON	-	-	4	-	-	-
BERKS	-	6	6	2	1	E. 1 N. 1
†READING C.B. ..	-	-	1	2	-	N. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	-	1	-	-	-	-
†NEWBURY ...	-	1	-	-	-	-
†NEW WINDSOR ...	-	-	-	-	-	E. 1
WOKINGHAM ..	-	-	2	-	-	-
Rural Districts:—						
COOKHAM ...	-	2	-	-	-	-
EASTHAMPSTEAD	-	2	-	-	-	-
WANTAGE ...	-	-	1	-	-	-
WINDSOR... ...	-	-	1	-	-	-
WOKINGHAM ...	-	-	1	-	1	-
BUCKINGHAM...	-	5	1	2	2	N. 1
Boroughs and Urban Districts:—						
BUCKINGHAM ...	*	*	*	*	*	*
CHESHAM... ...	-	1	-	1	1	-
†SLOUGH	-	-	1	-	-	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	-	2	-	1	-	-
AYLESBURY ...	-	1	-	-	-	-
WYCOMBE ...	-	1	-	-	1	-
CAMBRIDGE ...	-	10	2	-	-	M. 1
Borough:—						
†CAMBRIDGE ...	-	1	1	-	-	-
Rural Districts:—						
CAXTON AND ARRINGTON	-	6	-	-	-	-
CHESTERTON ...	-	2	-	-	-	-
LINTON	-	-	1	-	-	-
MELBOURN ...		-	-	-	-	M. 1
NEWMARKET ...	-	1	-	-	-	-
CHESTER ...	-	42	6	-	19	C. 3 G. 2 M. 2 N. 3
†BIRKENHEAD C.B.	-	4	1	-	5	-
†CHESTER C.B. ...	-	1	-		1	-
†STOCKPORT C.B.	-	7	1	-	2	N. 1
†WALLASEY C.B. ...	-	3	-	-	-	M. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	1	-	-	1	-
†CHEADLE AND GATLEY	-	-	1	-	-	-
†CREWE	-	7	-	-	1	G. 2
†ELLESMERE PORT AND WHITBY	-	2	-	-	-	-
HOOLE	-	1	-	-	-	-
†HYDE	-	-	2	-	2	N. 1
†MACCLESFIELD ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MOTTRAM IN LONGDENDALE	–	–	–	–	1	–
†RUNCORN	–	–	–	–	3	C. 1
SANDBACH ..	–	–	–	–	–	C. 1
†STALYBRIDGE ..	–	1	–		1	–
WILMSLOW ...	–	–	–	–	–	C. 1
†WINSFORD ..	–	2		–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER	–	–	–	–	1	–
CONGLETON ..	–	–	1	–	–	M. 1
NANTWICH ..	–	3		–	–	–
NORTHWICH ...	–	2	–	–	–	–
RUNCORN ..	–	4		–	–	N. 1
TARVIN	–	1	–	–	–	–
WIRRAL	–	1	–	–	1	–
CORNWALL ...	–	5	2	2	2	N. 2
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–		–
†FALMOUTH ...	*	*	*	*	*	*
LAUNCESTON ...	–	–	–	1	–	–
MADRON	–	1	–	–	–	–
PHILLACK ...		1	–		–	–
REDRUTH ..	*	*	*	*	*	*
ST. IVES	–	–	–	1	1	–
TORPOINT ...	–	–	–	–	1	–
Rural Districts:—						
REDRUTH ...	–	–	1	–	–	N. 2
STRATTON ...	–	1	1	–	–	–
WEST PENWITH...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	6	3	1	4	M. 1
†CARLISLE C.B. ...	–	2	1	–	3	–
Boroughs and Urban Districts:—						
HARRINGTON ...	–	1	–	1	–	–
MILLOM	–	–	–	–	1	–
†WHITEHAVEN ..	–	1	–	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1		–	–	–
COCKERMOUTH ...	–	1	–	–		M. 1
LONGTOWN ...	–	–	1	–	–	–
WIGTON	–	–	1	–	–	–
DERBY	4	20	15	2	10	G. 1
						M. 2
						N. 1
†DERBY C.B.	–	1	4	–	5	N. 1
Boroughs and Urban Districts:—						
†ALFRETON	2	–	–	–		–
†BOLSOVER ...	–	2	1	–	–	–
†CHESTERFIELD ..	–	3	1	–	3	–
DRONFIELD ...	–	1	–	–	–	–
†GLOSSOP	–	3	–	–	–	–
HEAGE	1	–		–	–	–
†ILKESTON ..	–	1		–	–	–
†LONG EATON ...	–	1	1	1	–	–
NEW MILLS ..	–	1		–	–	–
NORTH DARLEY...	–		1	–	–	–
†SWADLINCOTE DISTRICT		–	–	–	–	G. 1
Rural Districts:—						
BELPER	–	1	–	1	–	M. 1
BLACKWELL ..		2	2	–	–	M. 1
CHAPEL EN LE FRITH	–	–	2	–	–	–
CHESTERFIELD .	1	1	1	–	1	
CLOWNE	*	*	*	*	*	*
HARTSHORN AND SEAL		1	–	–	–	–
REPTON	–	2	1	–	1	–
SHARDLOW ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	9	8	2	4	–
†EXETER C.B. ...	–	–	1	–	–	–
†PLYMOUTH C.B. ..	–	3	7	–	–	–
Boroughs and Urban Districts:—						
DARTMOUTH ...	–	–	–	–	1	–
LYNTON	*	*	*	*	*	*
†NEWTON ABBOT	–	1	–	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
SALCOMBE ...	–	–	–	1	–	–
TAVISTOCK ...	–	–	–	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	2	–	–	–	–
OKEHAMPTON ...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	1	–
ST. THOMAS ...	–	–	–	–	1	–
TAVISTOCK ...	–	–	–	1	–	–
DORSET	–	5	–	–	2	M. 1
Boroughs and Urban Districts:—						
†POOLE	–	–	–	–	1	–
†PORTLAND ..	–	1	–	–	–	–
SHERBORNE ...	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	*	*	*	*	*	*
BLANDFORD ...	–	–	–	–	–	M. 1
DORCHESTER ...	–	2	–	–	–	–
WEYMOUTH ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM ...	31	34	18	1	29	C. 2 M. 2 N. 1
†DARLINGTON C.B.	1	3	–	–	2	–
†GATESHEAD C.B.	1	2	5	–	–	–
†SOUTH SHIELDS C.B.	5	2	1	–	10	M. 1
DURHAM—*cont.*						
†SUNDERLAND C.B.	–	1	2	–	4	C. 1 M. 1
†WEST HARTLEPOOL C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	3	4	2	–	–	–
BENFIELDSIDE ...	–	2	1	–	–	–
BILLINGHAM ...	–	–	–	–	1	–
†BRANDON AND BYSHOTTLES	–	–	–	–	–	C. 1
†CHESTER LE STREET	1	–	–	–	–	–
†CONSETT	–	–	1	–	–	–
†CROOK		1	–	–	–	N. 1
†DURHAM	1	–	–	–	–	–
†HARTLEPOOL ...	–	–	–	–	1	–
†HEBBURN ...	–	–	2	–	1	–
†HETTON	1	2	–	–	2	–
†JARROW	–	3	–	–	–	–
†RYTON	–	–	–	1	–	–
†SEAHAM HARBOUR	1	2	–	–	1	–
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	3	2	–	–	1	–
†STOCKTON ON TEES	–	3	1	–	–	–
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	1	–	–	–	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	2	1	–	–	–
EASINGTON ...	2	–	–	–	1	–
HOUGHTON LE SPRING	–	–	–	–	1	–
LANCHESTER ...	–	–	2	–	1	–
SEDGEFIELD ...	1	–			–	–
SOUTH SHIELDS...	10	–	–	–	1	–
SUNDERLAND ...	–	1	–	–	1	–
ELY, ISLE OF ...	–	1	–	–	–	–
Rural Districts:—						
NORTH WITCHFORD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	84	45	1	9	C. 1 E. 1 M. 1 N. 5
†EAST HAM C.B. ...	–	13	16	–	1	–
†SOUTHEND-ON-SEA C.B.	–	2	1	–	1	N. 1
†WEST HAM C.B. ...	–	34	9	1	1	C. 1 E. 1 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	4	–	–	–	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	–	1	–	–	N. 1
†CHELMSFORD ...	–	2	–	–	–	–
CHINGFORD ...	–	–	1	–	–	–
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	*	*	*	*	*	*
DAGENHAM ...	–	1	3	–	2	–
†GRAYS THURROCK	–	1	1	–	1	–
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	5	2	–	–	–
†LEYTON	–	7	2	–	–	M. 1
†WALTHAMSTOW...	–	5	8	–	1	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BELCHAMP ...	–	1	–	–	–	–
BRAINTREE ...	–	–	–	–	–	N. 1
BUMPSTEAD ...	–	1	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW	–	–	–	–	1	–
EPPING	–	1	–	–	–	–
ROCHFORD ...	–	1	–	–	1	–
STANSTED ...	–	2	–	–	–	–
GLOUCESTER ...	–	25	15	4	5	D. 1 G. 2 M. 1
†BRISTOL C.B. ...	–	15	10		2	–
†GLOUCESTER C.B.	–	3	1	3	–	G. 1 M. 1
Boroughs and Urban Districts:—						
AWRE	–	1	–	–	–	–
†CHELTENHAM ...	–	2	1	–	–	–
COLEFORD ...	–	–	–	–		D. 1
TEWKESBURY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER— *cont.*						
Rural Districts:—						
CAMPDEN ...	–	–	1	–	–	–
CHELTENHAM ...	–	1	–	–	–	–
CIRENCESTER ...	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	G. 1
GLOUCESTER ...	–	1	–	1	–	–
TEWKESBURY (part)	–	–	–	–	1	–
THORNBURY ...	–	–	–	–	2	–
WHEATENHURST	–	–	1	–	–	–
HEREFORD ...	–	9	4	1	2	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	4	2	–	–	–
LEDBURY... ...	–	–	1	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	1	–	–
LEOMINSTER ...	–	3	–	–	1	–
WEOBLEY... ...	–	1	1	–	–	–
WIGMORE ...	–	1	–	–	–	–
HERTFORD ...	–	7	1	–	4	E. 1 N. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–		–	N. 1
BUSHEY	–	–	1	–	–	–
†EAST BARNET VALLEY	–	1	–	–	1	–
GREAT BERKHAMPSTEAD	–	2		–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†WATFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BUNTINGFORD ...	–	–	–	–	1	–
HADHAM	–	–	–	–	–	E. 1
HITCHIN	–	1	–	–	1	–
WATFORD ...	–	–	–	–	1	–
HUNTINGDON ...	–	1	1	–	–	N. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	1	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	–	N. 1
NORMAN CROSS ...	–	1	–	–	–	–
SIBSON CUM STIBBINGTON (parish).	*	*	*	*	*	*
KENT	–	39	26	24	8	G. 1 M. 2 N. 1
†CANTERBURY C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	–
†BECKENHAM ...	–	–	2	1	–	–
†BEXLEY	–	2	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†CHATHAM ...	–	6	5	–	–	–
†DARTFORD ...	–	1	2	–	–	–
†DOVER	–	–	1	–	–	–
†EBITH	–	3	2	–	3	–
†FOLKESTONE ...	–	5	–	–	–	
†GILLINGHAM ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAVESEND ...	–	–	2	–	–	–
†MAIDSTONE ...	–	3	–	–	–	N. 1
†MARGATE ...	–	–	1	–	–	M. 1
MILTON REGIS ...	–	–	2	–	–	–
†NORTHFLEET ...	–	–	–	–	–	G. 1
†RAMSGATE ...	–	1	2	–	1	–
†ROCHESTER ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	1	–	–
SEVENOAKS ...	–	2	–	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
SOUTHBOROUGH	–	–	–	1	–	–
SWANSCOMBE ...	–	1	–	–	–	–
TENTERDEN ...	–	–	–	20	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BLEAN	–	1	–	–	–	–
DARTFORD ...	–	1	–	–	–	M. 1
DOVER	–	1	–	–	–	–
EAST ASHFORD ...	–	–	–	–	1	–
EASTRY	–	–	1	–	–	–
HOLLINGBOURNE	–	–	–	–	1	–
MALLING	–	1	1	–	–	–
MILTON	–	1	–	–	–	–
STROOD	–	1	2	–	–	–
TENTERDEN ...	–	–	–	1	–	–
TONBRIDGE ...	–	4	–	–	–	–
LANCASTER ...	3	118	94	5	97	C. 6 E. 1 G. 9 L. 1 M. 17 N. 11
†BLACKBURN C.B.	–	3	–	–	3	–
†BLACKPOOL C.B.	–	4	1	1	2	–
†BOLTON C.B. ...	–	3	4	1	1	M. 1 N. 1
†BOOTLE C.B. ...	–	2	1	–	2	–
†BURNLEY C.B. ...	3	4	1	–	3	G 2
†BURY C.B. ...	–	1	–	–	1	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†LIVERPOOL C.B. ..	–	12	23	–	13	C. 1 M. 12 N. 5
†MANCHESTER C.B.	–	24	20	–	25	C. 1 G. 3 N. 1
†OLDHAM C.B. ...	–	–	2	–	–	–
†PRESTON C.B. ...	–	2	3	–	–	N. 2
†ROCHDALE C.B. ...	–	2	3	–	–	M. 1
†ST. HELENS C.B. ...	–	1	2	–	1	C. 2
†SALFORD C.B. ...	–	8	5	–	9	E. 1 L. 1
†SOUTHPORT C.B.	–	2	1	–	5	–
†WARRINGTON C.B.	–	1	–	–	–	–
†WIGAN C.B. ...	–	2	2	–	5	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	–	–	1	–
†ASHTON UNDER LYNE	–	–	–	–	2	–
†ATHERTON ...	–	–	1	–	–	–
AUDENSHAW ...	–	–	–		–	M. 1
†BACUP	–	–	–	–	1	–
BARROWFORD ...	–	1	–	–	–	–
†CHADDERTON ...	–	1	2	–	–	–
†CHORLEY	–	–	–	–	1	–
†CLITHEROE ...	–	–	2	–	–	–
†CROMPTON ...	–	1	–	–	–	–
†DARWEN	–	1	–	–	–	–
†DENTON	–	1	–	–	–	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	5	4	–	–	C. 1
†FAILSWORTH ...	–	–	–	1	3	–
†FLEETWOOD ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	–	–	–	–	G. 1
†HASLINGDEN ...	–	1	2	1	1	–
†HAYDOCK ...	–	–	–	–	1	N. 1
†HEYWOOD ...	–	1	–	1	–	G. 1
IRLAM	–	1	–	–	–	–
†LANCASTER ...	–	7	–	–	–	G. 1
LATHOM AND BURSCOUGH	–	1	–	–	–	–
†LEIGH	–	–	–	–	2	G. 1
LEYLAND	–	1	–	–	–	–
†LITHERLAND ...	–	3	1	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LITTLEBOROUGH	–	–	1	–	–	–
†LYTHAM ST. ANNE'S	–	–	1	–	–	–
†MIDDLETON ...	–	–	1	–	–	–
†MOSSLEY	–	2	–	–	–	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	–	–	1	–
ORRELL	–	–	–	–	1	–
†OSWALDTWISTLE	–	1	2	–	–	–
†PADIHAM... ...	–	–	2	–	–	–
PRESCOT	–	1	1	–	–	–
†RADCLIFFE ...	–	3	1	–	–	–
†RAWTENSTALL ...	–	–	1	–	–	–
RISHTON	*	*	*	*	*	*
†STRETFORD ...	–	1	–	–	–	C. 1
†SWINTON AND PENDLEBURY	–	1	2	–	3	–
THORNTON CLEVELEY	–	–	1	–	–	–
TOTTINGTON ...	–	–	–	–	1	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
†WESTHOUGHTON	–	2	–	–	3	–
WHITEFIELD ...	–	1	–	–	–	–
†WIDNES	–	–	–	–	2	N. 1
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURNLEY... ...	–	2	–	–	–	M. 2
CHORLEY... ...	–	–	–	–	1	–
CLITHEROE ...	–	1	–	–	–	–
LEIGH	–	–	–	–	1	–
WARRINGTON ...	–	1	–	–	–	–
LEICESTER ...	–	13	10	–	1	M. 1
†LEICESTER C.B. ...	–	8	5	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever: N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
†COALVILLE ...	-	-	1	-	-	M. 1
†LOUGHBOROUGH	-	1	-	-	-	-
MELTON MOWBRAY	-	1	-	-	-	-
QUORNDON ...	*	*	*	*	*	*
THURMASTON ...	-	-	-	-	1	-
Rural Districts:—						
ASHBY DE LA ZOUCH	-	1	1	-	-	-
BARROW UPON SOAR	-	1	-	-	-	-
BLABY	-	-	1	-	-	-
MARKET BOSWORTH	-	1	2	-	-	-
LINCOLN (parts of Holland).	-	2	3	-	-	-
Boroughs and Urban Districts:—						
†SPALDING ...	-	-	2	-	-	-
Rural Districts:—						
BOSTON	-	2	1	-	-	-
LINCOLN (parts of Kesteven).	-	2	-	-	1	E. 2 G. 2 M. 1 N. 1
Boroughs and Urban Districts:—						
BOURNE	-	-	-	-	-	M. 1
RUSKINGTON ...	-	-	-	-	1	-
Rural Districts:—						
BOURNE	-	1	-	-	-	G. 1
CLAYPOLE ...	-	-	-	-	-	E. 2
SLEAFORD ...	-	1	-	-	-	G. 1 N. 1
UFFINGTON ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	-	15	6	1	4	E. 2 G. 1
†GRIMSBY C.B. ...	-	1	2	-	-	-
†LINCOLN C.B. ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
†CLEETHORPES ...	-	2	2	-	2	-
CROWLE	-	1	-	-	-	-
LOUTH	-	-	-	1	-	-
MABLETHORPE AND SUTTON	-	1	-	-	-	-
†SCUNTHORPE AND FRODINGHAM	-	5	1	-	-	E. 2
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
CAISTOR	-	1	-	-	-	-
GAINSBOROUGH ...	-	-	-	-	1	G. 1
GLANFORD BRIGG	-	-	1	-	1	-
SIBSEY	-	1	-	-	-	-
WELTON	-	1	-	-	-	-
MIDDLESEX ...	-	28	27	5	12	C. 2 D. 1 G. 1 M. 2 N. 5
Boroughs and Urban Districts:—						
†ACTON	-	1	2	-	-	-
†BRENTFORD AND CHISWICK	-	1	2	-	-	N. 1
†EALING	-	1	1	-	1	-
†EDMONTON ...	-	-	3	-	-	G. 1 N. 1
†ENFIELD	-	1	1	-	-	-
†FINCHLEY ...	-	1	-	1	-	-
†FRIERN BARNET	-	1	-	-	-	-
†HARROW ON THE HILL	-	-	-	-	-	C. 1
†HENDON	-	-	2	-	-	-
†HESTON AND ISLEWORTH	-	-	-	1	-	C. 1
†HORNSEY... ...	-	6	1	-	5	-

* Returns not received. † Population over 10,000.

C Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
RUISLIP NORTHWOOD	–	–	–	–	1	–
†SOUTHALL NORWOOD	–	1	–		–	–
†SOUTHGATE ..	–	2	1	–	–	–
†TEDDINGTON ...	–	–	–	–	1	N. 1
†TOTTENHAM ...		10	3	1	1	D. 1 N. 1
†TWICKENHAM ..	–	–	–	–	–	M. 1
†WILLESDEN ...	–	2	8	–	3	M. 1 N. 1
†WOOD GREEN ..		–	3	1	–	–
Rural Districts:—						
HENDON	–	1	–	–	–	–
STAINES	–	–	–	1	–	–
NORFOLK ...	–	11	3	1	–	M. 2
†GREAT YARMOUTH C.B	–	1	1	–	–	–
†NORWICH C.B. ..	–	6	–	–	–	M. 2
Boroughs and Urban Districts:—						
DISS	–	1		–		–
†KING'S LYNN ..		–	1	–		–
NORTH WALSHAM	–	2	–	–	–	–
Rural Districts:—						
MITFORD AND LAUNDITCH	–	–	–	1	–	–
SMALLBURGH ..	–	–	1	–	–	–
THETFORD ..	–	1	–		–	–
NORTHAMPTON	–	7	5	1	6	–
†NORTHAMPTON C.B.	–	3	1	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	–	–	1	–	–
†KETTERING ...	–	1	2	–	–	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
EASTON-ON-THE-HILL	*	*	*	*	*	*
HARDINGSTONE ...	–		1	–	–	–
NORTHAMPTON ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	1	–	–	–
TOWCESTER ...		–	–	–	1	–
NORTHUMBERLAND.	3	34	5	3	31	C. 2 G. 1 M. 1 N. 1
†NEWCASTLE UPON TYNE C.B.	–	15	5	2	16	C. 2 M. 1
†TYNEMOUTH C.B		7	–	–	2	G. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	2	–	–	–	–
†BEDLINGTONSHIRE	–	2	–	–	3	–
†BERWICK UPON TWEED	–		–	–	1	
†BLYTH	–	1	–	–	2	N. 1
CRAMLINGTON ...	–	1	–	1	–	–
†LONGBENTON ...	–	1	–	–	–	–
†NEWBURN ..	–	3	–	–	2	–
†WALLSEND ...	1	–	–	–	3	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
CASTLE WARD ...	–	–	–	–	2	–
HEXHAM	–	1		–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	16	18	14	3	8	N. 2
†NOTTINGHAM C.B	–	8	13	-	3	N. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	1	1	–	–	–
†BEESTON... ...	–	–	–	–	1	–
†CARLTON	–	1	–	–	–	–
†EAST RETFORD ...	–	1	–	–	-	–
†HUCKNALL ...	–	–	–	–	1	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	-	–	2	-	–
†WORKSOP... ...	15	–	–	–	–	–
Rural Districts:—						
BINGHAM... ...	–	–	–	–	1	–
EAST RETFORD ...	–	2	–	1	–	-
LEAKE	–	–	–	–	1	–
SKEGBY	–	1	-	–	–	–
SOUTHWELL ...	–	2	–	–	–	–
STAPLEFORD ...	–	1	–	–	1	–
WORKSOP... ...	1	–	–	–	–	–
OXFORD	–	–	–	–	2	C. 1
Rural Districts:—						
BANBURY ...	–	–	–	–	–	C. 1
WOODSTOCK ...	-	–	–	–	2	-
PETERBOROUGH (Soke of).	-	4	–	–	–	–
Rural Districts—						
BARNACK... ...	*	*	*	*	*	*
PETERBOROUGH...	–	4	–	–	–	–
RUTLAND ...	–	1	–	-	–	–
Rural Districts:—						
KETTON	*	*	*	*	*	*
OAKHAM	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	12	2	–	–	E. 1
Boroughs and Urban Districts:—						
DAWLEY	-	1	–	–	–	–
†OAKENGATES ...	-	3	–	-	–	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	2	–	-	–	–
†WENLOCK ...	–	–	–	–	–	E. 1
Rural Districts:—						
BRIDGNORTH ...	–	-	1	–	–	–
DRAYTON... ...	–	1	-	–	-	–
NEWPORT ...	–	1	-	–	–	–
OSWESTRY ...	–	3	1	–	–	–
SOMERSET ...	–	21	2	1	3	M. 1
†BATH C.B. ...	–	6	-	–	–	–
Boroughs and Urban Districts:—						
CHARD	–	-	1	–	–	–
WATCHET ...	*	*	*	*	*	*
†WESTON SUPER MARE	–	1	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	-	1	–	-	–	–
BATH	–	4	–	1	1	–
CLUTTON... ...	–	-	–	–	1	M. 1
LONG ASHTON ...	–	3	–	–	–	–
WELLINGTON ...	-	1	–	–	–	–
WILLITON ...	–	4	–	–	–	–
WINCANTON ...	–	1	-	–	–	–
YEOVIL	-	-	1	–	-	-
SOUTHAMPTON.	–	36	19	1	2	M. 6 N. 1
†BOURNEMOUTH C.B.	–	1	–		1	-
†PORTSMOUTH C.B.	–	7	8	1	–	M. 2
†SOUTHAMPTON C.B.	–	13	8	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	–
†GOSPORT	–	–	1	–	–	M. 1
†WINCHESTER ...	–	4	–	–	1	M. 1
Rural Districts:—						
ANDOVER... ...	–	–	–	–	–	M. 1
HARTLEY WINTNEY	–	–	–	–	–	N. 1
HAVANT	–	1	–	–	–	–
KINGSCLERE ...	–	2	–	–	–	–
NEW FOREST ...	–		1	–	–	–
ROMSEY	–	1	–	–	–	–
SOUTH STONEHAM	–	3	–	–	–	–
WINCHESTER ...	–	2	1	–	–	–
STAFFORD ...	–	49	36	–	33	C. 1 G. 2 L. 10 M. 7 N. 8
†BURTON UPON TRENT C.B.	–	1	–	–	1	G. 1
†SMETHWICK C.B	–	–	2	–	3	L 8
†STOKE ON TRENT C.B	–	8	2	–	12	M. 4 N. 1
†WALSALL C.B. ...	–	4	6	–	1	–
†WEST BROMWICH C.B.	–	–	8	–	–	N. 2
†WOLVERHAMPTON C.B.	–	4	1	–	1	C. 1 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
†BILSTON	–	–	3	–	–	–
BRIERLEY HILL...	–	–	3	–	–	–
†BROWNHILLS ...	–	1	–	–	5	–
†CANNOCK	–	4	1	–	–	–
†COSELEY	–	–	–	–	4	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARLASTON ...	–	–	–	–	–	N. 1
KIDSGROVE ...	–	–	–	–	1	–
†LEEK	–	2	4	–	–	N. 1
LICHFIELD ...	–	3	–	–	–	M. 1
†NEWCASTLE UNDER LYME	–	1	–	–	–	M. 1
QUARRY BANK	–	–	1	–	–	–
†ROWLEY REGIS ...	–	10	1	–	1	–
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	–	–	–	–	N. 1
†TIPTON	–	2	–	–	–	N. 1
†WEDNESBURY ...	–	1	–	–	–	–
†WILLENHALL ...	–	1	1	–	1	M. 1
Rural Districts:—						
BLORE HEATH ...	–	–	3	–	–	–
CHEADLE... ...	–	1	–	–	–	L. 2
KINGSWINFORD ...	–	1	–	–	–	G. 1
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	1	–	–	1	–
SEISDON	–	–	–	–	1	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST	–	16	–	–	3	–
†IPSWICH C.B. ..	–	3	–	–	2	–
Boroughs and Urban Districts:—						
BUNGAY	–	1	–	–	–	–
†FELIXSTOWE ...	–	1	–	–	–	–
†LOWESTOFT ...	–	7	–	–	–	–
Rural Districts:—						
HOXNE	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	-	4	-	-	-	M. 1
Boroughs and Urban Districts:—						
HAVERHILL ...	-	2	-	-	-	-
SUDBURY... ...	-	-	-	-	-	M. 1
Rural Districts:—						
MELFORD... ...	-	1	-	-	-	-
THINGOE	-	1	-	-	-	-
SURREY	-	26	9	5	2	C. 1 E. 1 M. 6 N. 7
†CROYDON C.B. ..	-	6	2	2	-	M. 2 N. 2
Boroughs and Urban Districts:—						
†BARNES	-	1	1	-	1	N. 1
†CATERHAM ...	-	1	-	-	-	-
†CHERTSEY	-	2	-	-	-	-
†COULSDON AND PURLEY	-	-	-	-	-	E. 1
†EGHAM	-	1	-	-	-	M. 1
†FARNHAM ...		1	-	-	-	M. 1
†GUILDFORD ...	-	1	-	1	-	N. 1
†KINGSTON ON THAMES	-	1	-	-	-	-
†MERTON AND MORDEN	-	1	1		-	-
†MITCHAM... ...	-	4	2	1	-	C. 1 M. 1 N. 2
†REIGATE	-	1	2	-	-	-
†RICHMOND ...	-	1	-	-	-	M. 1
†SUTTON	-	2	-	-	-	-
†WIMBLEDON ...	-	2	1	-	-	-
Rural Districts:—						
EPSOM	-	1	-	1	-	-
FARNHAM ...	-	-	-	-	-	N. 1
REIGATE	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	-	8	4	1	2	G. 1 N. 1
†BRIGHTON C.B. ...	-	3		-	1	N. 1
†EASTBOURNE C.B.	-		2	-	-	-
Boroughs and Urban Districts:—						
†HOVE	-	2	-	-	1	-
PORTSLADE BY SEA	-	-	1	-	-	-
Rural Districts:—						
CHAILEY	-	1	-	1	-	-
CUCKFIELD ...	-	1	-	-		
EASTBOURNE ...			-	-	-	G. 1
HAILSHAM ...	-	1	1	-	-	-
SUSSEX, WEST...	-	1	2	-	1	-
Boroughs and Urban Districts:—						
†CHICHESTER ...	-	-		-	1	-
†WORTHING ...	-	-	1	-		-
Rural Districts:—						
STEYNING WEST	-	-	1	-	-	
WESTHAMPNETT	-	1	-		-	-
WARWICK ...	1	34	29	8	23	C. 2 G. 3 M. 15 N. 3
†BIRMINGHAM C.B.	1	23	23	4	16	C. 2 G. 3 M. 14 N. 2
†COVENTRY C.B. ...	-	3	1	1	-	M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	-	-	-	-	1	N. 1
†RUGBY	-	1	1	3	-	-
†SUTTON COLDFIELD	-		-	-	1	-
†WARWICK ...	-	2	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L Dysentery : M, Ophthalmia Neonatorum ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	1	1	–	–	–
COVENTRY ...	–	–	–	–	1	–
MERIDEN... ...	–	1	–	–	–	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	–	1	–	1	
SOUTHAM... ...	–	3	–	–	1	–
TAMWORTH (part)	–	–	1	–	–	–
WESTMORLAND	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	1	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	4	2	2	–	–
Boroughs and Urban Districts:—						
†COWES	–	–	1	2	–	–
†RYDE	–	–	1	–		–
SHANKLIN ...	*	*	*	*	*	*
Rural Districts:—						
ISLE OF WIGHT	–	4	–	–	–	–
WILTS	–	10	2	1	3	M. 1 N. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	1	–	1	–	–
†SWINDON... ...	–	1	–	–	2	–
†TROWBRIDGE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
BRADFORD-ON-AVON	–	–	2	–	–	–
DEVIZES	–	3	–	–	–	–
HIGHWORTH ...	–	2	–	–	1	M. 1
MELKSHAM ...	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WILTON	–	–	–	–	–	N. 1
WORCESTER ...	–	2	3	–	9	N. 3
†DUDLEY C.B. ..	–	–	2	–	–	–
†WORCESTER C.B.	–	1	–	–	4	–
Boroughs and Urban Districts:—						
EVESHAM... ...	*	*	*	*	*	*
†KIDDERMINSTER	–	–	–	–	–	N. 1
†LYE AND WOLLESCOTE	–	1	1	–	–	–
†MALVERN ...	–	–	–	–	1	–
†OLDBURY... ...	–	–		–	2	N. 2
†REDDITCH ...	–	–	–	–	1	–
†STOURBRIDGE ...			–	–	1	–
YORKS ... ... (East Riding).	–	10	9	1	3	E. 8 G. 2 N. 1
†KINGSTON UPON HULL C.B.	–	6	8	–	2	E. 6 G. 1 N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	–	–	–	–	E. 1
FILEY	–	1	–	–	–	G. 1
HESSLE	–	–	–	1	–	–
WITHERNSEA ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
HOWDEN	–	3	–	–	1	–
NORTON	–	-	–	–	-	E. 1
YORKS ... ... (North Riding).	-	13	3	1	8	–
†MIDDLESBROUGH C.B.	–	3	1	–	6	–
Boroughs and Urban Districts:—						
†ESTON			1	–	–	-
NORTHALLERTON	-	3	-	-	-	–
†REDCAR	–	2	–	–	–	–
†SCARBOROUGH ...	-	–	1	1	1	-
Rural Districts:—						
KIRKBY MOORSIDE	–	1	–	–	–	–
MALTON	–	2	–	–	–	
MIDDLESBROUGH	–	2	–	–	-	–
†WHITBY	–	–	–	–	1	–
YORKS ... ... (West Riding).	37	176	28	7	53	C. 5 D. 2 E. 2 M. 11 N. 5
†BARNSLEY C.B. ...	–	1	–	–	–	–
†BRADFORD C.B. ...	–	3	1	–	10	M. 1
†DEWSBURY C.B....	–	1		–	–	–
†DONCASTER C.B.	1	1	–	–	–	–
†HALIFAX C.B. ...	-	1	1	-	–	D. 1 M. 1
†HUDDERSFIELD C.B	4	4	–	2	1	D. 1 M. 2 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†LEEDS C.B. ..	3	11	5	–	6	C. 2 M. 3 N. 2
†ROTHERHAM C.B.	–	11	2	–	5	–
†SHEFFIELD C.B....	7	89	7	2	14	C. 1 E. 1 M. 1
†WAKEFIELD C.B.	-	1	–	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	4	–	–	–	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BENTLEY WITH ARKSEY	–	2	3	–	–	–
BIRSTAL	-	1	–	–	–	–
†BOLTON UPON DEARNE	7	–	1	–	–	–
†BRIGHOUSE ...	4	–	–	–	–	–
†DARTON	–	1	1	–	3	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
DENHOLME ...	–	–	1	–	–	–
DODWORTH ...	–	1	–	–	–	–
†ELLAND	–		1	–	–	–
†HARROGATE ...	–		-	–	–	C. 1
HEBDEN BRIDGE	–	1	-	–	–	–
HORBURY ...	–	–	1	–	-	–
†HOYLAND NETHER	–	3	–	–	1	–
HUNSWORTH ...	–	1	–	–	–	–
†KEIGHLEY ...	4	-	–	–	–	–
KNOTTINGLEY ...	-	-	–	–	1	–
LUDDENDEN FOOT	–	–	–	–	1	
MALTBY	1	3	–	–	–	–
MARSDEN... ...		1	–	–	–	–
MELTHAM ...	-	1	–	–	–	–
†MEXBOROUGH ...	1	3	–	–	1	-
†MORLEY	–	–	–	–	–	M. 1
MYTHOLMROYD ...	–	1	–	–	-	–
†NORMANTON ..		4	–	–	–	–
OTLEY	1	–	1	–	–	–
†PONTEFRACT ...	–	1	–	–	-	–
†RAWMARSH ...	–	2	-	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
ROYSTON	-	1	-	-	-	-
SOUTHOWRAM ...	-	-	-	-	1	-
†SOWERBY ...	-	1	-	-	-	-
SOYLAND	-	1	-	-	-	-
†SPENBOROUGH ...	-	1	-	-	-	-
†SWINTON... ...	-	1	-	-	-	-
†TODMORDEN ...	-	-	1		-	C. 1
†WATH UPON DEARNE	-	-	-		1	-
†WOMBWELL ...	-	3	-	1	-	-
YEADON	-	-	-	1	-	-
Rural Districts:—						
BOWLAND ...	-	3	-	-	-	-
DONCASTER ...	-	2	2	-	-	-
GREAT OUSEBURN	-	-	-	1	-	-
HEMSWORTH ...	-	2	-	-	2	-
HUNSLET... ...	1	-	-		-	-
KIVETON PARK ...	-	2	-	-	-	-
KNARESBOROUGH	-	-	-	-	-	M. 1
PONTEFRACT ...	3	-	-	-	-	-
ROTHERHAM ...	-	1	-	-	-	-
TADCASTER ...		-	-	-	1	-
THORNE	-	2	-	-	1	-
WAKEFIELD ...	-	1	-	-	-	-
WETHERBY ...	-	-	-		-	E. 1
WHARFEDALE (SOUTH)	-	-	-		2	-
WORTLEY ..		2	-	-	1	-
YORK, CITY OF ...	-	3	-		1	M. 1 N. 1
†YORK C.B. ..	-	3	-	-	1	M. 1 N. 1
WALES.						
ANGLESEY ...	-	1	-	-	-	
Rural Districts:—						
AETHWY	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	-	-	1	-	-	-
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
YSTRADGYNLAIS	-	-	1	-	-	-
CAERNARVON...	-	10	-	-	-	-
Boroughs and Urban Districts:—						
†BANGOR	-	1	-	-	-	-
†LLANDUDNO ...	-	1	-	-	-	-
PENMAENMAWR...	-	8	-	-	-	-
CARDIGAN ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	-	2	-	-	-	-
CARMARTHEN...	-	4	1	-	-	G. 1
Boroughs and Urban Districts:—						
†LLANELLY ...	-	3	1	-	-	-
Rural Districts:—						
LLANDOVERY ...	-	1	-	-	-	-
WHITLAND ...	-	-	-	-	-	G. 1
DENBIGH ...	-	1	2	1	-	N. 2
Boroughs and Urban Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
LLANRWST ...	-	-	1	-	-	-
†WREXHAM ...	-	-	-	1	-	N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DENBIGH—*cont.*						
Rural Districts:—						
CHIRK	–	1	–	–	–	–
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN	–	–	1	–	–	–
FLINT	–	6	2	–	1	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	1	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ..	–	2	–	–	–	–
HOLYWELL ...	–	4	–	–	–	–
ST. ASAPH (FLINT)	–		1	–	–	–
GLAMORGAN ...	–	35	35	–	13	C. 2 M. 4 N. 2
†CARDIFF C.B. ..	–	4	2	–	1	C. 2 M. 1
†MERTHYR TYDFIL C.B.	–	–	2	–	–	–
†SWANSEA C.B. ..	–	4	3	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ..	–	1	1	–	–	–
†BARRY	–	–	1	–	–	N. 1
†CAERPHILLY ..	–	–	4	–	1	–
†GELLIGAER ..	–	4	2	–	–	–
†GLYNCORWG ..	–	1	2	–	–	–
†MAESTEG... ..	–	1	6		–	–
†MOUNTAIN ASH ..	–	4	4	–	–	–
†NEATH	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OGMORE AND GARW	–	1	–	–	–	M. 1
†PONTYPRIDD ..	–	–	–	–	1	–
†PORT TALBOT ...	–	2	2	–	–	–
†RHONDDA ..	–	8	2	–	7	M. 1 N. 1
Rural Districts:—						
COWBRIDGE ...	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT FARDRE	–	–	1	–	–	M. 1
NEATH	–	–	–	–	3	–
PONTARDAWE ..	–	2	–	–	–	–
SWANSEA... ..	–		2	–	–	–
MERIONETH ...	–	–	1	–	–	–
Urban Districts:—						
DOLGELLEY ...	–	–	1	–		–
MONMOUTH ...	8	4	5	–	5	C. 2 N. 1
†NEWPORT C.B. ..	–	–	2		1	C. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	1	–	–	–	–	–
ABERGAVENNY ...	–	–	–	–	–	N. 1
†ABERSYCHAN ..	2	1	–	–	–	–
†ABERTILLERY ..	–	–	1	–	–	–
†BEDWELLTY ..	–	1		–	–	–
†BLAENAVON ...	4	–	–	–	–	–
CHEPSTOW ...	–	–	2		1	–
†EBBW VALE ..	–	1	–	–	2	–
LLANTARNAM ..	–	1	–	–	–	–
PONTYPOOL ...	1	–	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
CHEPSTOW ...	-	-	-	-	1	C. 1
MONTGOMERY...	-	-	-	1	-	-
Boroughs and Urban Districts:—						
LLANFYLLIN ...	-	-	-	1	-	-
PEMBROKE ...	-	1	1	-	-	-
Rural Districts:—						
HAVERFORDWEST.	-	1	-	-	-	-
ST. DOGMELLS ...	-	-	1	-	-	-
Total of Part II. ...	103	1063	527	91	428	C. 30 D. 4 E. 20 G. 29 L. 11 M. 91 N. 74

PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FALMOUTH AND TRURO	-	-	-	1	-	-
LIVERPOOL	-	-	-	-	1	-
PLYMOUTH	-	-	-	-	-	L. 1
SOUTHAMPTON ...	-	-	1	-	-	-
PORT OF LONDON ...	-	1	-	-	-	L. 1
Total of Part III. ...	-	1	1	1	1	L. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	172	144	4	37	C. 5 E. 1 G. 2 M. 18 N. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	103	1063	527	91	428	C. 30 D. 4 E. 20 G. 29 L. 11 M. 91 N. 74
Total of Part III.—Port Sanitary Districts	–	1	1	1	1	L. 2
Total (*i.e.*, of returns received), England and Wales ...	103	1236	672	96	466	C. 35 D. 4 E. 21 G 31 L. 13 M. 109 N. 90

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.
LONDON:—													
DEATHS (excluding Stillbirths)—all ages.	787	843	801	852	798	804	781	777	768	763	714	793	727
DEATHS—0 to 1 year ..	54	75	65	72	55	48	66	68	51	65	49	69	42
GREAT TOWNS, aggregate (including London):—													
LIVE BIRTHS	6,656	7,106	6,066	7,425	6,801	6,525	6,758	6,636	6,875	6,901	5,798	6,773	6,314
STILLBIRTHS	—	—	—	—	—	32†	219	233	242	259	241	239	246
DEATHS (excluding Stillbirths)—all ages	3,847	3,948	3,683	3,879	3,582	3,453	3,667	3,442	3,424	3,510	3,303	3,406	3,244
DEATHS—0 to 1 year ..	341	398	341	349	328	292	353	320	314	390	326	328	280
ENTERIC FEVER—Cases	11	22	30	29	35	28	36	26	33	27	25	20	28
" Deaths	1	1	4	5	1	—	8	2	2	1	3	2	1
SMALL POX—Cases ..	81	74	65	60	77	61	31	30	26	41	45	29	26
" Deaths ..	2*	—	—	—	—	1	—	—	—	—	—	—	—
SCARLET FEVER—Cases	849	973	880	845	897	930	976	913	955	942	677	814	677
" Deaths	11	5	6	5	4	6	5	2	3	9	2	4	[illegible]
DIPHTHERIA—Cases ..	558	589	451	559	503	503	550	535	574	497	444	455	44[illegible]
" Deaths ..	26	25	11	13	17	16	26	21	30	21	25	20	1[illegible]
MEASLES—Deaths ..	42	35	43	39	30	27	36	21	29	25	31	19	1[illegible]
INFLUENZA—Deaths ..	43	42	33	31	33	28	31	21	25	15	16	26	2[illegible]

* Including 1 death belonging to Hendon which occurred during the week ended 14th May, 1927.
† Registration of Stillbirths began 1st July, 1927.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 20th August, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	74	49	68·9	54·4	40	HUDDERSFIELD	70	49	65·3	51·4	67
BRIGHTON ..	66	55	65·4	57·4	56	BRADFORD ..	66	49	62·6	52·3	76
PORTSMOUTH ..	68	52	66·1	55·6	33	SHEFFIELD ..	69	49	64·9	52·9	59
NORWICH (EATON).	74	49	63·4	53·7	22	YORK (MUSEUM)	71	50	65·0	53·0	41
PLYMOUTH ..	67	51	65·1	55·1	49	HULL (PEARSON PARK).	71	49	66·0	53·1	50
BRISTOL (CLIFTON).	68	51	65·3	54·1	43	TYNEMOUTH ..	65	48	60·7	52·7	31
BIRMINGHAM (EDGBASTON).	67	49	64·0	52·0	69	CARDIFF.. ..	67	49	64·1	52·9	70
NOTTINGHAM ..	72	46	66·0	52·4	36	EDINBURGH ..	65·0	46·0	60·1	49·6	64
BIRKENHEAD (BIDSTON).	70	51	62·4	53·9	69	GLASGOW ..	64·4	46·6	60·6	50·7	25
MANCHESTER (WHITWORTH PARK).	§	46	§	53·3	50	DUBLIN (PHŒNIX PARK).	68·2	40·0	64·7	49·9	73
BURNLEY	68	46	62·5	51·6	68	(FITZWILLIAM SQUARE†).	66·1	47·8	63·1	52·4	99
						BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 20th August, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	14	..	29·488	73·8	57·2	16·6	63·5	+ 1·0	56·5	7·0	14·5	1·8	78	142·3	52·0	57·9	SSW: SW.	SW	3·9	0·0	0·3	355	+ 100	0·01
MONDAY -	15	Perigee	29·398	68·8	54·5	14·3	59·3	— 3·1	54·4	4·9	15·4	0·0	84	128·4	50·6	57·9	SW	SW	5·0	0·0	0·5	448	+ 196	0·38
TUESDAY -	16	In Equator	29·605	65·4	51·4	14·0	57·3	— 5·0	52·3	5·0	11·9	0·2	83	116·7	43·5	57·9	WSW: NNW: NW.	WSW	2·6	0·0	0·2	279	+ 30	0·07
WEDNESDAY	17	..	29·674	72·3	49·1	23·2	60·0	— 2·1	48·0	12·0	25·5	0·4	64	144·1	40·1	57·9	SW	SSW: SSE: ESE.	1·6	0·0	0·1	184	− 62	0·00
THURSDAY -	18	..	29·383	70·3	52·8	17·5	58·8	− 3·1	54·0	4·8	18·4	0·9	84	140·1	42·1	57·9	E: ESE: S.	SSW: SSE.	3·2	0·0	0·2	258	+ 15	0·62
FRIDAY -	19	Last Quarter.	29·611	65·8	52·8	13·0	56·9	− 4·8	52·3	4·6	12·8	0·0	85	108·7	44·4	57·8	Calm: NW.	W: WSW.	2·3	0·0	0·1	265	+ 23	0·08
SATURDAY -	20	..	29·548	66·3	53·0	13·3	57·6	− 3·9	57·6	0·0	6·8	0·0	100	91·6	47·9	57·8	SW: SSW: S.	SSW: SW.	3·1	0·0	0·4	339	+ 98	0·43
MEANS -		..	29·530	69·0	53·0	16·0	59·1	— 3·0	53·6	5·5	15·0	0·5	83	124·6	45·8	57·9	SW		..	..	..	Sum 2128	Sum + 400	Sum 1·59
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	14	wP	6·5	14·7	Nearly overcast generally till 20h ; little cloud till 22h ; cloudy by 23h. Damping at 3h., and frequent slight showers 13h. till 20h.
MONDAY ..	15	wP	1·7	14·6	Cloudy till 1h ; overcast generally from 2h. Shower 12h. 15m. Rain 12h. 50m. till 23h. 10m.
TUESDAY ..	16	wP till 15h.; variably wP and wN till 19h. ; then wP.	1·6	14 6	Overcast generally. Nearly cloudless period at 23h. Rain at 3h., 4h. 20m. till 5h., and 15h. 50m. till 18h. 30m.
WEDNESDAY	17	wP till 23½h. ; then mN.	10·5	14·5	Cloudy, then cloud till 7h. ; little cloud till 10h. 30m. ; partially cloudy till 15h. ; overcast generally from 17h. Dew in morning and evening. Rain from 23h. 45m. Solar halo 18h.
THURSDAY	18	Variably mN and wP till 3h. ; variably wP and wN till 10h. ; wP till 23½h. : then v.	6·7	14·5	Overcast till 10h. 30m., becoming partially cloudy by 13h. Cloudy 18h. 30m. till 22h., then overcast. Rain till 9h. 45m., and frequently from 21h. 45m.
FRIDAY ..	19	v till 0½h., then wP	3·7	14·4	Overcast generally till 15h. 45m, then little cloud. Rain till 0h. 15m., 9h. 50m. till 11h., and 15h. 15m. till 15h. 45m. Mist in morning.
SATURDAY	20	wP	0·2	14·3	Becoming overcast by 1h. Rain 7h. till 14h. 45m., and occasional slight rain from 18h. 15m.
			Sum 30·9	Sum 101·6	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea : no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon. 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive : N. negative : w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·63 ins. at the beginning of the week to 29·33 ins. by 0h. on 16th ; increased to 29·73 ins. by 9h. on 17th ; decreased to 29·37 ins. by 11h, on 18th; increased to 29·79 ins. by 1h. on 20th ; decreased and was 29·45 ins. by midnight of the same day.

FOR OFFICIAL USE

1927. No. 34.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 27TH AUGUST, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-34-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 27TH AUGUST, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the thirty-fourth week of the year numbered 6,575 and corresponded to an annual rate of 17·5 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,343 and corresponded to an annual rate of 8·9 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 8·8, 9·1 and 8·7. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 52 against 49, 49 and 42 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,439 live births, corresponding to a rate of 16·3 per 1,000, and 759 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·6, against 8·1, 9·0 and 8·2 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·5 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 37 as against 32, 46 and 28 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 3,244, to 3,343, and in London increased from 727 to 759.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 306 in the Great Towns including 48 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 27th August, 1927.**

Towns.	Estimated Population, Mid. 1926	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	1
107 Great Towns ..	19,540,143*	6575	306	3343	344	-	16	4	8	15	72	
London	4,605,400*	1439	48	759	55	-	1	2	3	2	8	
Towns in Outer Ring.												
Croydon C.B. ..	205,900	90	2	24	-	-	-	-	-	-	-	
Wimbledon ..	58,030	17	-	9	-	-	-	-	-	1	-	
Ealing	91,783	38	3	15	-	-	-	-	-	-	-	
Acton	63,040	18	2	10	1	-	-	-	-	-	-	
Brentford and Chiswick ..	56,840	17	-	5	2	-	-	-	-	-	1	
Willesden ..	165,270	38	3	22	-	-	-	-	-	-	-	
Hendon	62,570*	17	-	8	1	-	-	-	-	-	-	
Hornsey	87,230	15	1	16	-	-	-	-	-	-	-	
Wood Green ..	51,940	13	-	6	1	-	-	-	-	-	-	
Tottenham ..	151,520	32	-	19	-	-	-	-	-	1	-	
Edmonton	71,700	24	-	14	2	-	-	-	-	-	-	
Enfield	63,640	20	2	10	-	-	-	-	-	-	-	
West Ham C.B. ..	315,900	115	5	46	3	-	-	-	-	-	-	
East Ham C.B. ..	146,600	36	3	21	-	-	-	-	-	2	-	
Leyton	130,000	32	-	13	-	-	-	-	-	-	-	
Walthamstow ..	125,500	40	2	16	-	-	-	-	-	-	-	
Ilford	100,500	38	-	9	1	-	-	-	-	-	1	
Gillingham	47,820*	22	-	6	2	-	-	-	2	-	-	
Canterbury C.B. ..	23,470*	5	-	6	1	-	-	-	-	-	-	
Hastings C.B.	61,340	18	-	14		-	-	-	-	-	-	
Eastbourne C.B. ..	56,060	12	-	12	1	-	-	-	-	-	-	
Brighton C.B.	139,500*	38	3	25	1	-	-	1	-	-	-	
Portsmouth C.B. ..	231,500*	85	2	49	4	-	-	-	-	1	-	
Bournemouth C.B. ..	90,100	22	3	17	3	-	-	-	-	-	-	
Southampton C.B. ..	169,300	54	1	28	2	-	-	-	-	-	1	
Reading C.B	93,090*	26	1	19	4	-	-	-	-	-	-	
Oxford C.B.	56,800	35	-	8	-	-	-	-	-	-	-	
Northampton C.B. ..	93,530*	24	2	15	3	-	-	-	-	-	-	
Luton	59,240	15	-	10	3	-	-	-	-	-	-	
Cambridge	58,820	19	-	12	-	-	-	-	-	-	-	
Southend-on-Sea C.B.	104,300	34	1	17	1	-	-	-	-	-	-	
Ipswich C.B.	84,140	30	-	11	1	-	-	-	-	-	1	
Great Yarmouth C.B.	57,760	21	-	14	-	-	-	-	-	-	-	
Norwich C.B.	123,500*	47	1	19	3	-	-	-	-	-	1	
Swindon	57,320	15	-	8	1	-	-	-	-	1	-	
Exeter C.B.	60,340*	22	-	8	-	-	-	-	-	-	-	
Plymouth C.B. ..	187,300*	78	1	42	1	-	-	-	-	-	-	
Bath C.B.	69,000	11	1	11	1	-	-	-	-	-	-	
Bristol C.B.	383,300*	114	6	56	4	-	-	-	-	-	1	
Gloucester C.B. ..	53,050	23	2	13	2	-	-	-	-	-	1	
Stoke-on-Trent C.B.	275,600	139	3	45	9	-	1	-	-	-	1	
Burton-upon-Trent C.B.	48,660	21	-	10	3	-	-	-	-	-	-	
Wolverhampton C.B.	131,000	37	5	24	5	-	-	-	-	-	1	
Walsall C.B.	102,100	37	-	20	2	-	-	-	-	-	1	
West Bromwich C.B.	79,920	34	1	12	4	-	-	-	-	-	1	
Dudley C.B.	58,930	16	2	15	1	-	1	-	-	-	-	
Worcester C.B. ..	50,660	23	1	9	1	-	-	-	-	-	1	
Birmingham C.B. ..	934,300*	354	20	137	16	-	-	-	-	2	3	
Smethwick C.B. ..	76,940	30	-	8	-	-	-	-	-	-	1	
Coventry C.B. ..	127,800	45	2	26	3	-	-	-	-	-	-	
Leicester C.B. ..	241,700	76	8	36	-	-	-	-	-	-	-	
Lincoln C.B.	65,760*	22	2	7		-	-	-	-	-	-	
Grimsby C.B.	88,580	27	2	17	2	-	-	-	-	-	-	
Nottingham C.B. ..	268,000	93	7	57	8	-	-	-	-	1	5	
Derby C.B.	136,600*	35	2	24	3	-	-	-	-	1	-	
Chesterfield ..	66,650	26	1	17	1	-	-	-	-	-	-	
Stockport C.B. ..	125,400	46	-	23	1	-	-	-	-	-	-	
Chester C.B.	41,710	12	1	4	-	-	-	-	-	-	-	
Birkenhead C.B. ..	158,000	65	5	27	6	-	-	-	-	-	3	
Wallasey C.B. ..	93,050	25	1	12	1	-	-	-	1	-	1	
Liverpool C.B. ..	862,600	366	25	173	35	-	1	-	1	-	12	
Bootle C.B.	84,580	36	1	11	1	-	-	-	-	-	-	
St. Helens C.B. ..	110,000	44	3	14	3	-	-	-	-	-	-	

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ESTIMATED POPULATION, Mid. 1926.	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	77,970	11	2	21	2	-	-	-	-	-	-	-
WIGAN C.B.	88,620	35	2	14	1	-	-	-	-	-	-	1
WARRINGTON C.B. ..	76,940*	36	3	12	2	-	-	-	-	-	1	-
BOLTON C.B.	177,000	51	2	32	3	-	-	-	-	-	1	-
BURY C.B.	56,840*	26	2	12	3	-	-	-	-	-	-	-
MANCHESTER C.B. ..	752,000	271	17	160	22	-	-	-	-	-	4	-
SALFORD C.B.	247,400	91	1	42	5	-	3	-	-	1	1	-
ASHTON-UNDER-LYNE	51,050	9	2	9	-	-	-	-	1	-	-	-
OLDHAM C.B.	143,000	42	3	30	2	-	-	-	-	-	-	-
ROCHDALE C.B.	91,510	17	1	19	-	-	-	-	-	-	-	-
BURNLEY C.B	99,600	30	2	27	4	-	-	-	-	-	-	-
BLACKBURN C.B. ..	124,400	42	1	21	3	-	-	-	-	-	-	-
PRESTON C.B.	124,200	41	1	26	4	-	-	-	-	-	-	1
BLACKPOOL C.B. ..	88,640	21	1	19	1	-	-	-	-	-	-	1
BARROW-IN-FURNESS C.B.	70,420	27	2	11	1	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	111,900	38	3	31	1	-	-	-	-	-	-	-
HALIFAX C.B.	96,130*	38	2	20	1	-	-	-	-	-	-	-
BRADFORD C.B. ..	288,700	95	4	46	2	-	-	-	-	-	1	-
LEEDS C.B.	473,400	153	12	99	13	-	-	-	-	-	7	2
DEWSBURY C.B. ..	53,630	23	1	14	-	-	-	-	-	-	1	-
WAKEFIELD C.B. ..	53,830	18	-	7	1	-	-	-	-	-	1	-
BARNSLEY C.B. ..	70,760	22	4	14	4	-	4	-	-	-	-	-
SHEFFIELD C.B. ..	523,300*	135	12	84	11	-	-	-	-	1	3	-
ROTHERHAM C.B. ..	70,080	25	-	13	3	-	1	-	-	-	-	-
DONCASTER C.B. ..	55,700	22	1	7	1	-	-	-	-	-	-	-
YORK C.B.	84,430*	27	-	18	2	-	1	1	-	-	1	-
HULL C.B.	294,600	87	1	42	7	-	-	-	-	-	2	-
MIDDLESBROUGH C.B.	133,600	65	2	32	4	-	-	-	-	-	-	-
DARLINGTON C.B. ..	70,700	22	-	11	-	-		-	-	-	-	-
STOCKTON-ON-TEES ..	67,910	27	1	12	-	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	71,060	37	3	11	1	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	163,800	74	5	26	8	-	-	-	-	-	2	-
SOUTH SHIELDS C.B. ..	123,900	46	1	17	1	-	-	-	-	-	-	-
GATESHEAD C.B. .	127,700	41	3	28	6	-	-	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	284,700*	121	2	50	5	-	1	-	-	-	-	-
TYNEMOUTH C.B ..	66,560	27	1	16	2	-	1	-	-	-	1	-
CARLISLE C.B.	56,140*	28	2	9	1	-	-	-	-	1	-	-
NEWPORT (MON.) C.B.	96,620	30	2	14	1	-	-	-	-	-	-	-
CARDIFF C.B.	225,600*	76	3	38	2	-	-	-	-	-	-	2
RHONDDA	162,500	38	5	19	1	-	1	-	-	-	-	-
MERTHYR TYDFIL C.B.	80,690	27	2	11	1	-	-	-	-	-	1	-
ABERDARE	56,930	14	-	8	-	-	-	-	-	-	-	-
SWANSEA C.B.	163,200	61	5	21	3	-	-	-	-	-	-	-
GREATER LONDON ..	7,791,310*	2,439	89	1,190	81	-	1	4	5	7	10	10
OUTER RING	3,185,910*	1,000	41	431	26	-	-	2	2	5	2	5
17 GREAT TOWNS IN OUTER RING	1,947,963*	600	23	263	11	-	-	-	-	4	2	2
REMAINDER OF OUTER RING	1,237,947*	400	18	168	15	-	-	2	2	1	-	3
EDINBURGH†	426,100	155	-	93	8	-	1	1	2	1	1	-
GLASGOW†	1,049,000	434	-	209	37	-	1	-	4	2	5	-
DUBLIN (REGISTRATION AREA)†	421,000	216	-	75	14	-	-	-	-	-	7	-
BELFAST†	416,000	182	-	86	15	1	-	-	-	-	10	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
LONDON‡	4,605,400	1927. Aug. 27	1439	48	759	8·6	-	-	1	2	3	2	
CALCUTTA AND SUBURBS	1,077,264	July 23‖	?	?	513	24·8	?	8	?	?	?	?	
BOMBAY§	1,298,708	Aug. 6‖	412	43	654	26·1	-	7	3	-	-	-	
MADRAS	528,791	July 30‖	413	23	772	75·9	1	1	-	-	-	-	
SYDNEY AND SUBURBS	1,038,950	June 30 (30 days)											
BRISBANE (Metropolitan Area).	274,260	June 30 (30 days)	549	?	282	12·4	1	-	1	1	1	3	
PERTH (Metropolitan Area).	179,388	July 2	33	?	23	6·5	?	?	?	?	?	?	
AUCKLAND (Urban Area).	201,220	June 30 (30 days)											
WELLINGTON (Urban Area).	126,310	June 30 (30 days)											
CHRISTCHURCH (Urban Area).	121,780	June 30 (30 days)											
CAPE TOWN	115,348	July 30	48	?	37	16·7	-	-	-	-	1	-	
JOHANNESBURG	172,189	„ 30	71	?	43	13·0	1	-	1	-	-	-	
DURBAN	54,738	„ 30	17	?	12	11·4	-	-	-	-	-	-	
PARIS	2,871,429	Aug. 10 (10 days)	1605	79	854	10·9	9	-	13	6	15	2	3
ANTWERP	300,242	July 23	108	7	40	6·9	-	-	1	-	-	-	
AMSTERDAM	729,159	„ 23	297	6	107	7·7	-	-	-	-	1	-	
		„ 30	289	10	104	7·4	-	-	1	-	-	1	
COPENHAGEN	592,000	Aug. 13	183	3	113	10·0	-	-	-	-	-	-	
STOCKHOLM	453,332	„ 6	91	-	101	11·6	-	-	-	-	-	-	
GOTHENBURG	231,196	„ 6											
OSLO (CHRISTIANIA) ..	254,055	„ 20	44	1	32	6·6	-	-	-	-	-	-	
BERLIN	2,003,000	„ 6	376	17	361	9·4	1	?	-	1	-	3	
BRESLAU	563,000	„ 6	127	4	103	9·5	-	?	1	-	-	-	
COLOGNE	718,000	„ 6	254	8	124	9·0	-	?	3	-	2	1	
DRESDEN	625,000	„ 6	115	8	110	9·2	-	?	-	-	-	1	
FRANKFORT-ON-MAIN..	474,000	„ 6	86	6	57	6·3	-	?	-	-	-	1	
HAMBURG	1,105,000	„ 6	245	12	163	7·7	-	?	-	-	-	-	
LEIPZIG	687,000	„ 6	160	4	120	9·1	1	?	1	1	1	-	
MUNICH	685,000	„ 6	151	1	138	10·5	-	?	-	-	-	-	
VIENNA	1,871,380	Jan. 31 (31 days)											
PRAGUE AND SUBURBS	738,132	Feb. 28 (28 days)	770	24	906	14·7	2	-	10	4	1	10	12
BUDAPEST	971,169	Aug. 6	307	9	233	12·5	-	-	-	1	2	4	17
WARSAW	1,028,982	„ 13	357	18	360	18·2	5	-	2	6	6	1	83
CAIRO	874,300	Feb. 25	969	24	403	24·0	2	1	1	-	?	6	19
		Mar. 4	866	26	351	20·9	1	-	1	-	?	1	17
ALEXANDRIA	501,800	Feb. 25	587	15	282	29·3	2	-	-	-	?	2	10
		Mar. 4	537	9	251	26·1	1	-	-	-	?	3	18
NEW YORK	5,924,018	Aug. 13	?	?	1126	9·9	2	-	-	1	1	7	16
CHICAGO	3,048,000	„ 5	1395	30	575	9·7	-	-	1	-	1	4	7
NEW ORLEANS	433,000	June 30 (30 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in his column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 11 deaths from Cholera in Calcutta, 14 in Bombay, 105 in Madras, and 3 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 27th August, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	759	55	6	12	15	35	40	52	104	142	149	149
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	-	-	1	1	-	-	-	-	-	-
Whooping cough	3	2	-	1	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	1	-	1	-	-	-	-	-
Influenza	5	-	-	-	-	1	2	-	1	-	1	-
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	1	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	72	-	-	-	-	11	17	14	16	7	6	1
Nervous system	4	-	-	1	2	-	1	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	1	-	-	-	-	-	-	-
Other forms	2	-	-	-	-	1	-	1	-	-	-	-
Venereal diseases	9	1	-	-	-	-	-	3	5	-	-	-
Cancer	117	-	-	-	-	3	1	4	18	31	45	15
Rheumatic fever	1	-	-	-	-	-	-	-	-	-	1	-
Diabetes	6	-	-	-	-	-	-	1	-	3	1	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	1	-	-	-	-	-	-	-	1	-
Cerebral hæmorrhage, &c., Apoplexy	30	-	-	-	-	-	-	-	4	7	7	12
Epilepsy	4	-	-	-	-	1	1	-	-	2	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	14	-	-	2	-	1	1	2	3	2	1	2
Pericarditis	1	-	-	-	-	-	-	-	1	-	-	-
Acute endocarditis	4	-	-	-	-	1	1	2	-	-	-	-
Other diseases of heart	121	-	-	-	-	1	3	8	11	26	32	40
Other diseases of circulatory system	53	-	-	-	-	-	-	1	7	15	8	22
Bronchitis	18	1	-	-	1	-	-	1	2	6	2	5
Broncho-pneumonia	13	1	1	1	-	-	-	2	2	2	2	2
Lobar-pneumonia	14	1	-	1	-	1	-	1	3	2	5	-
Pneumonia (type not distinguished)	5	-	1	-	-	-	-	1	1	-	-	2
Other diseases of respiratory system	11	-	1	-	-	1	-	1	1	2	4	1
Diarrhœa and enteritis	9	8	-	-	-	-	-	-	-	-	-	1
Appendicitis, Typhlitis	2	-	-	-	-	-	-	1	1	-	-	-
Hernia, Intestinal obstruction	7	-	-	-	-	1	1	1	1	-	2	1
Cirrhosis of liver	11	-	-	-	-	-	-	1	4	5	-	1
Other diseases of digestive system ..	28	1	1	-	-	2	-	2	10	11	-	1
Acute nephritis	4	-	-	-	-	-	1	1	-	1	1	-
Chronic Bright's disease	31	-	-	-	1	2	1	-	5	6	11	5
Other diseases of genito-urinary system.	17	1	-	-	1	1	1	-	1	2	4	6
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	8	7	-	1	-	-	-	-	-	-	-	-
Premature birth	14	14	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	2	2	-	-	-	-	-	-	-	-	-	-
Old age	23	-	-	-	-	-	-	-	-	-	4	19
Suicide	7	-	-	-	-	-	2	1	-	1	1	2
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	3	-	-	-	-	-	1	1	-	1	-	-
Suffocation in bed	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	19	-	-	3	4	5	2	1	3	-	1	-
Other deaths by violence	14	-	-	-	1	-	1	-	1	1	6	4
Other specified causes	36	10	1	-	2	1	1	1	3	2	3	5
Ill-defined causes	1	-	-	1	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectio Diseases notified in th week ended 27th Augus 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	201	171	9	34	C. 6 D. 4 E. 3 M. 13 N. 21
Metropolitan Boroughs:—						
†BATTERSEA ...	-	4	11	-	4	E. 1 M. 1
†BERMONDSEY ...	-	13	5	-	1	D. 1 N. 1
†BETHNAL GREEN	-	11	6	-	2	M. 4
†CAMBERWELL ...	-	9	8	-	-	N. 1
†CHELSEA	-	4	-	-	-	D. 1
†DEPTFORD ...	-	-	4	-	1	M. 1
†FINSBURY ...	-	5	2	-	2	-
†FULHAM	-	5	4	-	-	C. 1
†GREENWICH ...	-	5	2	-	1	-
†HACKNEY ...	-	12	10	-	-	N. 1
†HAMMERSMITH ...	-	5	4	1	1	-
†HAMPSTEAD ...	-	4	1	-	-	C. 1 M. 1 N. 1
†HOLBORN... ...	-	1	1	-	-	D. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	19	12	-	1	E. N.
†KENSINGTON ...	-	3	12	-	-	N.
†LAMBETH ...	-	10	11	-	3	C. M. N.
†LEWISHAM ...	-	5	4	1	1	N.
†PADDINGTON ...	-	4	10	-	2	-
†POPLAR	-	9	4	-	8	E. N.
†ST. MARYLEBONE	-	5	1	4	-	D. N.
†ST. PANCRAS ...	-	12	5	-	-	M. N.
†SHOREDITCH ...	-	11	10	-	-	-
†SOUTHWARK ...	-	6	14	-	2	N.
†STEPNEY	-	17	14	-	3	N.
†STOKE NEWINGTON	-	-	4	2	-	M.
†WANDSWORTH ...	-	12	8	-	-	C. M.
†WESTMINSTER, CITY OF	-	1	1	-	-	-
†WOOLWICH ...	-	9	3	1	2	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Feve N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	-	11	6	-	2	-
Boroughs and Urban Districts:—						
†BEDFORD ...	-	5	-	-	-	-
BIGGLESWADE ...	-	1	1	-	-	-
DUNSTABLE ...	-	-	1	-	-	-
LEIGHTON BUZZARD	-	1	-	-	-	-
†LUTON	-	2	-	-	2	-
SANDY	-	-	1	-	-	-
Rural Districts:—						
BEDFORD... ...	-	2	1	-	-	-
LUTON	-	-	2	-	-	-
BERKS	-	2	2	1	-	M. 1
†READING C.B. ...	-	1	1	1	-	-
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	-	-	1	-	-	-
†NEWBURY ...		1	-	-	-	-
Rural Districts:—						
WOKINGHAM ...		-	-	-	-	M. 1
BUCKINGHAM...	-	9	2	-	3	N. 2
Boroughs and Urban Districts:—						
BEACONSFIELD ...	*	*	*	*	*	*
BUCKINGHAM ...	-	-	-	-	-	N. 1
†CHEPPING WYCOMBE	-	2	-	-	3	N. 1
Rural Districts:—						
LONG CRENDON...	-	1	-	-	-	-
WING	-	1	-	-	-	-
WYCOMBE ...	-	5	2	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
CAMBRIDGE ...	-	3	1	-	-	-
Borough:—						
†CAMBRIDGE ...	-	2	-	-	-	-
Rural Districts:—						
CHESTERTON ...	-	1	-	-	-	-
LINTON	-	-	1	-	-	-
CHESTER ...	-	39	16	1	15	M. 2 N. 2
†BIRKENHEAD C.B	-	10	3	-	7	M. 1
†CHESTER C.B. ...	-	2	1	-	-	-
†STOCKPORT C.B.	-	6	3	1	-	-
†WALLASEY C.B. ...	-	-	-	-	1	-
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	-	1	-	-	-	-
BOLLINGTON ...	-	1	-	-	-	-
BOWDON	-	-	-	-	-	N. 1
BREDBURY AND ROMILEY	-	-	1	-	-	-
†CHEADLE AND GATLEY	-	1	-	-	-	-
†CONGLETON ...	-	-	2	-	-	-
†CREWE	-	2	1	-	1	-
†DUKINFIELD ...	-	-	-	-	2	
†HYDE	-	-	3	-	1	N. 1
LYMM	-	1	-	-	-	-
†MACCLESFIELD ...	-	2	-	-	-	-
NANTWICH ...	-	-	1	-	-	-
†NORTHWICH ...	-	2	-	-	-	-
†RUNCORN... ...	-	-	-	-	1	-
†SALE	-	1	-	-	-	-
†STALYBRIDGE ...	-	1	-	-	-	-
YEARDSLEY CUM WHALEY	-	1	-		-	-
Rural Districts:—						
BUCKLOW ...	-	4	-	-	-	-
CONGLETON ...	-	1	-	-	-	-
MACCLESFIELD ...	-	2	-	-	-	-
NORTHWICH ...	-	1	-	-	-	-
RUNCORN ...	-	-	1	-	-	-
WIRRAL	-	-	-	-	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	2	–	–	2	G. 1 M. 1
Boroughs and Urban Districts:—						
REDRUTH ..	–	–	–	–	–	G. 1
ST. AUSTELL ..		1	–	–	–	–
ST. IVES	–	1	–	–	1	–
Rural Districts:—						
ST. AUSTELL ...	–	–	–	–	–	M. 1
TRURO	–	–	–	–	1	–
CUMBERLAND...	–	9	6	–	2	–
†CARLISLE C.B. ..	–	2	2	–	2	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	1	–	–	–
EGREMONT ..	–	2	–	–	–	–
HARRINGTON ...	–	–	1	–	–	–
†MARYPORT ...	–	1	–	–	–	–
MILLOM	–	2	–	–	–	–
†WHITEHAVEN ...		1	–	–	–	–
Rural Districts:—						
BOOTLE	–	–	1	–	–	–
CARLISLE ...	–	1	–	–	–	–
WIGTON	–	–	1	–	–	–
DERBY	6	36	12	–	6	C. 2 N. 2
†DERBY C.B.	–	3	2	–	–	C. 1
Boroughs and Urban Districts:—						
ALVASTON AND BOULTON	*	*	*	*	*	*
ASHBOURNE ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts— *cont.*						
BASLOW AND BUBNELL	–	1	–	–	–	–
†BELPER	2	–	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†BUXTON	–	–	–		–	N. 1
†CHESTERFIELD ...	1	6	1	–	1	–
†HEANOR	–	2	–	–	–	–
†ILKESTON ...	–	2	–	–	1	–
†LONG EATON ...	–	1	1	–		–
NEW MILLS ...	–	1	–	–	–	C. 1
NORTH DARLEY...	–	–	1	–	–	N. 1
†SWADLINCOTE DISTRICT	–	–		–	1	–
Rural Districts:—						
BELPER	1	1		–	–	–
BLACKWELL ...	1	3	3	–	1	–
CHAPEL EN LE FRITH		1	–	–	–	–
CHESTERFIELD ...	–	6	2	–	1	–
CLOWNE	–	2	2	–	–	–
HARTSHORN AND SEALS	–	2	–	–	–	–
REPTON	1	–	–	–	1	–
SHARDLOW ...	–	2	–	–	–	–
SUDBURY... ...	–	2	–	–	–	–
DEVON	–	6	4	3	3	C. 1 G. 1 M. 1 N. 2
†EXETER C.B. ...	–	–	–	–	1	–
†PLYMOUTH C.B...	–	2	3	1	–	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	1	1	–
†NEWTON ABBOT	–		–	1	–	–
†PAIGNTON ...	–	1	–	–	–	–
TAVISTOCK ...	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Rural Districts:—						
Newton Abbot...	-	-	1	-	-	-
Plympton St. Mary		1		-	-	N. 1
Tavistock ...	-	1	-	-	1	
Totnes	-	1	-	-	-	-
DORSET	-	5	-	-	-	-
Boroughs and Urban Districts:—						
†Portland ..	-	1	-	-	-	-
Shaftesbury ...	-	2	-	-	-	-
Rural Districts:—						
Blandford ...	-	1	-	-	-	-
Bridport ...	-	1		-	-	-
DURHAM ...	76	39	17	3	27	C. 3 E. 1 M. 6 N. 2
†Gateshead C.B.	-	5	4	-	4	-
†South Shields C.B.	16	1	-	1	9	M. 1
†Sunderland C.B.	1	2	2	-	1	M. 3
†West Hartlepool C.B.	-	3	1	1	1	-
Boroughs and Urban Districts:—						
†Annfield Plain	7	-	-	-	1	E. 1
Barnard Castle	-	-	1	-		
Benfieldside ...	-	1	-	-	-	-
†Bishop Auckland	1	1	-		-	-
†Blaydon... ..		1	1	-	-	-
†Consett	-	3	1	-	-	N. 1
†Crook	1			-	-	-
†Felling	3	-		-	2	-
†Hartlepool ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hebburn ...	1	1	-	-	2	-
†Hetton	1	1	-	-	-	-
†Jarrow	-	2	-	-	1	M. 1
Leadgate ...	-	1	-	-	-	-
†Ryton	-	3	-	-	-	-
†Southwick on Wear	-	-	-	-	1	-
†Spennymoor ...	1	1	-	-	-	-
†Stanley	11	1	-	-	-	N. 1
†Stockton on Tees	-	1	1	-	-	-
†Tanfield ...	1	-	1		-	-
†Washington ...	-	2	-	-	-	C. 1
Rural Districts:—						
Auckland ...	4	1	2	-	-	C. 1
Chester le Street	3	1	-	1	2	-
Durham	1	-	-		-	-
Easington ...	3	1	-	-	2	-
Houghton le Spring	-	1	-	-	-	C. 1
Lanchester ...	-	-	1	-	-	M. 1
Sedgefield ...	21	-	1		-	-
South Shields...	-	2	-	-	-	-
Stockton ...		1	-	-	-	-
Sunderland ...	-	1	1	-	1	-
ELY, ISLE OF ...	-	1	-	-	-	-
Rural Districts:—						
Wisbech	-	1	-	-	-	-
ESSEX	-	97	33	3	9	C. 3 E. 2 M. 2 N. 1
†East Ham C.B. ..	-	22	3	-	-	N. 1
†Southend-on-Sea C.B.	-	5	-	-	-	-
†West Ham C.B. ..	-	23	11	-	2	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	6	2	-	-	-
BRENTWOOD ...	-	1	-	-	-	-
BRIGHTLINGSEA	-	-	-	-	1	-
CANVEY ISLAND	-	5	-	-	-	-
†CHELMSFORD ...	-	-	-	1	-	-
CHINGFORD ...	-	-	-	-	-	C. 1
†CLACTON	-	2	-	-	-	-
†COLCHESTER ...	-	-	-	-	-	E. 1
DAGENHAM ...	-	1	3	-	-	-
†GRAYS THURROCK	-	2	2	-	-	M. 1
†HORNCHURCH ...	-	2	-	-	-	-
†ILFORD	-	4	-	2	-	-
†LEYTON	-	5	3	-	2	C. 1
TILBURY	-	1	-	-	-	-
WALTHAM HOLY CROSS	-	-	1	-	-	-
†WALTHAMSTOW...	-	7	3	-	2	M. 1
WEST MERSEA ...	-	-	-	-	-	E. 1
†WOODFORD ...	-	1	1	-	-	-
Rural Districts:—						
BRAINTREE ...	-	4	-	-	-	-
CHELMSFORD ...	-	1	-	-	-	-
DUNMOW	-	2	-	-	-	-
EPPING	-	-	1	-	-	-
LEXDEN AND WINSTREE	-	1	-	-	-	-
ONGAR	-	1	-	-	-	-
ROCHFORD ...	-	1	2	-	-	-
ROMFORD... ...	-	-	1	-		-
TENDRING ...	-	-	-	-	2	-
GLOUCESTER ...	-	25	14	1	2	C. 1 J. 1 M. 1 N. 5
†BRISTOL C.B. ...	-	19	8	1	-	C. 1 M. 1 N. 4
†GLOUCESTER C.B.	-	1	-	-	2	-
Boroughs and Urban Districts:—						
†KINGSWOOD ...	-	-	-	-		J. 1
STROUD	-	1	-	-	-	-
TEWKESBURY ...	-	1	-	-	-	N. 1
GLOUCESTER—*cont.*						
Rural Districts:—						
CIRENCESTER ...	-	-	6	-	-	-
DURSLEY	-	1	-	-	-	-
EAST DEAN AND UNITED PARISHES	-	1	-	-	-	-
WHEATENHURST	-	1	-	-	-	-
HEREFORD ...	-	6	-	-	1	-
Boroughs and Urban Districts:—						
†HEREFORD ...	-	2	-	-	-	-
ROSS	-	-	-	-	1	-
Rural Districts:—						
LEDBURY... ...	-	1	-	-	-	-
LEOMINSTER ...	-	3	-	-	-	-
HERTFORD ...	-	6	4	2	-	D. 1 M. 1 N. 4
Boroughs and Urban Districts:—						
BUSHEY	-	-	-		-	N. 1
†CHESHUNT ...	-	1	-	-	-	-
†EAST BARNET VALLEY	-	-	1	-		N. 2
GREAT BERKHAMPSTEAD	-	1	-	-	-	-
†HERTFORD ...	-	-		-	-	N. 1
HODDESDON ...	-		2	-	-	-
RICKMANSWORTH	-	2		-	-	-
ST. ALBANS ...		1	1	1	-	-
WARE	-	1	-	-	-	-
†WATFORD ...	-	-	-	1	-	D. 1
Rural Districts:—						
ASHWELL ..	-	-	-	-	-	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	-	2	-	-	-	-
Rural Districts:—						
NORMAN CROSS ...	-	1	-	-	-	-
ST. IVES	-	1		-	-	-
SIBSON CUM STIBBINGTON (parish).	*	*	*	*	*	*
KENT	-	41	37	14	-	G. 1 M. 3
Boroughs and Urban Districts:—						
†BECKENHAM ...	-	1	-	-	-	-
†BEXLEY	-	1	-		-	-
†BROADSTAIRS AND ST. PETER'S	-	2	-	-	-	-
†BROMLEY ...	-	1	1	-	-	-
†CHATHAM ...	-	3	9	-	-	-
CHERITON ...	-	2	-	-	-	-
†CRAYFORD ...	-	1	1	-	-	-
†DARTFORD ...	-	-	2	-	-	-
†DOVER	-	2	-		-	-
†ERITH	-	1	4	-	-	-
†FOLKESTONE ...	-	1	-	-	-	-
†GRAVESEND ...	-	-	1	-	-	M. 2
HYTHE	-	1	-	-	-	-
†MAIDSTONE ...	-	6	-		-	M. 1
†MARGATE ...	-	1	-	-	-	
†NORTHFLEET ...	-	-	1	-	-	-
†RAMSGATE ...	-	3	1	-	-	-
†ROCHESTER ...	-	3	1	-	-	-
†ROYAL TUNBRIDGE WELLS	-	-	1	-	-	-
SEVENOAKS ...	-	1	-	-	-	-
†SHEERNESS ...	-	1	-	-	-	-
SWANSCOMBE ...	-	-	1	-	-	-
TENTERDEN ...	-	-	-	12	-	-
WHITSTABLE ...	-	-	8	-	-	G. 1
Rural Districts:—						
BLEAN	-	-	2	-	-	-
CRANBROOK ...	-	1	-	-	-	-
DARTFORD ...	-	1	2	-	-	-
EAST ASHFORD ...	-	1		-	-	-
EASTRY	-	-	1	-	-	-
ELHAM	-	1	-	-	-	-
FAVERSHAM ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
HOLLINGBOURNE	-	-	-	1	-	-
ISLE OF THANET	-	1	-	-	-	-
MALLING	-	-	1	-	-	-
ROMNEY MARSH...	-	2	-	-	-	-
STROOD	-	1	-	-	-	-
TENTERDEN ...	-	-	-	1	-	-
TONBRIDGE ...	-	2	-	-	-	
LANCASTER ...	7	184	91	10	65	C. 5 E. 1 G. 4 L. 4 M. 28 N. 12
†BARROW IN FURNESS C.B.	-	1	-	-	-	-
†BLACKBURN C.B.	-	4	4	-	-	N. 1
†BLACKPOOL C.B.	3	4	1	-	1	N. 1
†BOLTON C.B. ...	-	7	-	-	2	M. 1
†BOOTLE C.B. ...	-	5	-	-	2	M. 2 N. 1
†BURNLEY C.B. ...	1	-	2	-	2	N. 3
†BURY C.B. ...	-	2	1	-	-	-
†LIVERPOOL C.B. ...	-	53	25	5	15	G. 2 L. 2 M. 14 N. 1
†MANCHESTER C.B.	-	30	18	-	21	C. 3 G. 1 M. 3 N. 1
†OLDHAM C.B. ...	-	1	3	-	2	-
†PRESTON C.B. ...	-	4	-	-	1	C. 1
†ROCHDALE C.B. ...	-	-	2	-	-	-
†ST. HELENS C.B....	-	1	2	-	1	-
†SALFORD C.B. ...	-	10	8	-	2	N. 1
†SOUTHPORT C.B.	-	2	2	-	-	M. 1
†WARRINGTON C.B.	-	2	1	-	-	-
†WIGAN C.B. ...	-	3	3	-	2	M. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	-	-	-	-	1	-
ADLINGTON ...	-	-	-	-	-	M. 1
†ASHTON IN MAKERFIELD	-	2	-	-	-	-

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
G, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON UNDER LYNE	-	1	-	-	-	-
†ATHERTON ...	-	1	-	-	1	M. 1
BARROWFORD ...	-	1	-		1	-
BRIERFIELD ...	-		1	-		-
†CHADDERTON ...			4	-	-	-
†CHORLEY	-	1	-	-	1	-
CHURCH	-	-	1	-	-	-
CLAYTON LE MOORS	*	*	*	*	*	*
†COLNE	-	2	-	-		-
†DALTON IN FURNESS	-	1	-	-	-	-
†DARWEN	-	1	-	-	1	-
†DENTON	*	*	*	*	*	*
†ECCLES	-	4	1		1	-
†FARNWORTH ...	-	-	-	-	1	-
†FLEETWOOD ...	-	-	-	-	-	C. 1
†GREAT CROSBY ...	-	-	1	-	-	-
†HASLINGDEN ...	1	-	-	-	-	-
†HEYWOOD ...	-	2	-	-	-	-
†HINDLEY... ...	-	-	-	-	1	-
†HORWICH ...	-	1	-	-	-	-
IRLAM	-	3	-	-		-
KEARSLEY ...	-	-	-	-	1	-
†LANCASTER ...	-	7	-	1	-	M. 1
LATHOM AND BURSCOUGH		-	-	1	-	-
LEES	-	1	-	-	-	-
†LEIGH	-	3	1	1	-	M. 1
LEYLAND... ...		-	1	-	-	-
LITTLE CROSBY...	*	*	*	*	*	*
LITTLE HULTON..	-	1	-	-	-	-
†MORECAMBE ...	-	-	-	-	1	-
†MOSSLEY	-	2	-	-	-	-
†NELSON	-	3	-	-	-	-
†OSWALDTWISTLE	-	2	1	-	-	-
†PADIHAM... ...	-	1	4	-	-	-
†RADCLIFFE ...	-	1	-	-	-	-
†RAMSBOTTOM ...	-	-	-	-	-	N. 2
RISHTON	-	3	-	-	-	-
STANDISH WITH LANGTREE	-	-	-	-	-	E. 1
†STRETFORD ...	-	1	-	-	-	M. 1 N. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON AND PENDLEBURY	-		-		-	G. 1
TOTTINGTON ...	-	-	-	-	1	-
TRAWDEN ...	-	-	-	1	-	-
†TURTON	-	3	-	-	-	-
†TYLDESLEY WITH SHAKERLEY	-	-	1	-	1	-
URMSTON... ...	-	1	-	-	-	-
†WATERLOO WITH SEAFORTH	-	2	-	-	-	M. 1
†WESTHOUGHTON	-	-	1	-	1	-
WHITEFIELD ...	-	3	1	-	-	-
†WIDNES	-	-	1	-	-	-
†WORSLEY... ...	-	1	-	-	-	-
Rural Districts:—						
BURNLEY... ...	2	-	-	1	-	-
CLITHEROE ...	-	-	-	-	-	L. 2
SEFTON	*	*	*	*	*	*
WARRINGTON ...	-	-	-	-	1	-
LEICESTER ...	1	15	9	2	2	L. 1 M. 1 N. 2
†LEICESTER C.B. ...	1	6	4	1		L. 1 N. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	-	2	-	-	-	-
†COALVILLE ...	-	1	1	-		M. 1
†LOUGHBOROUGH	-	1	-	-	-	-
MELTON MOWBRAY	-	-	1	-	-	-
WIGSTON MAGNA	-	1	1	-	-	-
Rural Districts:—						
ASHBY DE LA ZOUCH	-	-		-	1	-
BARROW UPON SOAR	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever : N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
BELVOIR	–	–	–	1	–	–
BILLESDON ...	–	1		–	–	–
BLABY	–	–	1	–	–	–
HINCKLEY ...	–	–	1	–	1	–
MELTON MOWBRAY	–	1	–		–	–
LINCOLN (parts of Holland).	–	2	3	–	1	M. 1
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
†SPALDING ...	–	–	2	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	1	M. 1
EAST ELLOE ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	1	–
Rural Districts:—						
GRANTHAM ...	–	1	–	–	1	–
SLEAFORD ...	–	1	–	–	–	–
UFFINGTON ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	–	13	10	2	5	C. 1 G. 1
†GRIMSBY C.B. ..	–	1	1	–	–	C. 1
†LINCOLN C.B. ..	–	3	–	–	–	
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	3	–	1	–
†CLEETHORPES ..	–	–	3		–	–
CROWLE	–	1	–	–	–	–
LOUTH		1	–		–	–
†SCUNTHORPE AND FRODINGHAM	–	5	–	2	3	–
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR	–	1	–	–	–	–
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY	–	–	3	–	–	–
LOUTH	–	1	–	–	–	–
SPILSBY	–	–	–	–	–	G. 1
MIDDLESEX ...	–	36	25	8	7	E. 1 F. 1 G. 1 M. 3 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	–	–	–	–	E. 1 F. 1
†EALING		4	3	–	–	N. 2
†EDMONTON ...	–	1	3	–	–	M. 1
†ENFIELD	–	–	1	–	–	G. 1
†FINCHLEY ...	–	1	1	2	–	–
†FRIERN BARNET	–	1	–	1	1	N. 1
†HARROW ON THE HILL	–	4	–	–	–	–
†HENDON	–	6	1	–	2	–
†HESTON AND ISLEWORTH	–	1	2	1	1	N. 1
†HORNSEY	–	2	–	3	–	–
†SOUTHALL NORWOOD	–	1	1	–	–	–
†SOUTHGATE ...	–	3	–		–	–
SUNBURY ON THAMES		–	–	1	–	–
†TEDDINGTON ...	–	3	–	–	–	N. 1
†TOTTENHAM ...	–	–	4	–	2	–
†WEALDSTONE ...	–	2	–	–	–	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	5	8	–	1	M. 2 N. 1
Rural Districts:—						
SOUTH MIMMS ...	–	–	1	–	–	–
STAINES	–	1		–	–	–

* Returns not received. † Population over 10,000.

C Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK ..	-	8	3	1	3	C. 1 F. 1 G. 3
†GREAT YARMOUTH C.B	-	3	-	-	-	-
†NORWICH C.B. ...	-	3	-	1	1	C. 1 G. 2
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	-	1	-	-	-
NEW HUNSTANTON	-	-	1	-	-	
WELLS	-	-	-	-	-	G. 1
Rural Districts:—						
ERPINGHAM ...	-	-	-	-	1	F. 1
FREEBRIDGE LYNN	-	1	-	-	-	-
MITFORD AND LAUNDITCH	-	-	-	-	1	-
SMALLBURGH ...	-	-	1	-	-	-
THETFORD ..	-	1	-	-	-	-
NORTHAMPTON	-	5	3	1	3	-
†NORTHAMPTON C.B.	-	1	-		-	-
Boroughs and Urban Districts:—						
†KETTERING ..	-	-	2	-	-	-
RAUNDS	-	-	-	-	1	-
ROTHWELL ...	-	1	1	-	-	-
Rural Districts:—						
BRACKLEY ...	-	2	-	-	-	-
DAVENTRY ...	-	-	-	1	-	-
EASTON-ON-THE-HILL	*	*	*	*	*	*
KETTERING ..	-	1	-	-	-	-
THRAPSTON (part)	-	-	-	-	1	-
TOWCESTER ...	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	-	35	6	3	10	G. 1 M. 4 N. 4
†NEWCASTLE UPON TYNE C.B.	-	19	3	-	5	M. 1 N. 2
†TYNEMOUTH C.B.	-	5	1	-	-	-
Boroughs and Urban Districts:—						
†ASHINGTON ...	-	3	-	-	-	-
†BEDLINGTONSHIRE	-	3	-	-	1	G. 1 M. 1
†BERWICK UPON TWEED	-	1	-	-	1	-
†BLYTH	-	1	1	-	1	M. 2 N. 1
NEWBIGGIN BY THE SEA	-	1		-	-	-
†NEWBURN ...	*	*	*	*	*	*
†WALLSEND ...	-	1	-		2	-
WEETSLADE ...	-	-	1	1	-	-
Rural Districts:—						
ALNWICK... ...	-	-	-	-	-	N. 1
BELFORD	-	1	-	-	-	-
CASTLE WARD ...	-	-	-	1	-	-
GLENDALE ...	-	-	-	1	-	-
MORPETH ...	*	*	*	*	*	*
NOTTINGHAM ...	25	22	11	4	4	E. 1 G. 1 M. 1 N. 2
†NOTTINGHAM C.B	-	12	9	-	1	N. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	-	1	-	-	-	N. 1
†CARLTON	-	-	1	-	1	M. 1
†EAST RETFORD ...	1	-	-	-	-	-
†KIRKBY IN ASHFIELD	-	1	-	-	-	-
†MANSFIELD ...	2	1	-	-	1	E. 1
†MANSFIELD WOODHOUSE	-	2			-	-
†NEWARK			-	3	-	-
†WORKSOP... ...	22	-	-	-	-	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	1	–	–	–	–
BINGHAM... ...	–	1	–	1	1	–
SKEGBY	–	1	–	–	–	–
SOUTHWELL ..	–	2	–	–	–	–
STAPLEFORD ...	–	–	1	–	–	–
OXFORD	–	2	2	–	–	E. 1 M. 2 N. 1
†OXFORD C.B. ...	–	1	–	–	–	N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	1	–	–	E. 1
BICESTER... ...	–	–	–	–	–	M. 1
Rural Districts:—						
BANBURY ...	–	–	1	–	–	–
THAME	–	–	–	–	–	M. 1
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	–	–	–	–	–
Rural Districts—						
BARNACK... ...	*	*	*	*	*	*
RUTLAND ...	–	–	–	–	–	–
Rural Districts:—						
KETTON	*	*	*	*	*	*
SALOP	–	10	2	1	1	–
Boroughs and Urban Districts:—						
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	–	1	–	–	–
†SHREWSBURY ...	–	2	–	–	–	–
†WENLOCK ...	–	–	1	–	–	–
WHITCHURCH ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	–	–	1	1	–
BRIDGNORTH ...	–	2	–	–	–	–
CHIRBURY ...	–	1	–	–	–	–
CHURCH STRETTON	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
SOMERSET ...	–	17	4	2	1	C. 1 M. 1 N. 7
†BATH C.B.	–	3	1	1	–	N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	–	N. 1
BURNHAM ON SEA	–	–	–	–	–	N. 1
MIDSOMER NORTON	–	1	–	–	–	–
†TAUNTON... ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	2	–	–	–	N. 1
†YEOVIL	–	1		–	–	–
Rural Districts:—						
AXBRIDGE ...	–	2	1	–	–	–
BATH	–	1	2	–	–	–
CLUTTON... ...	–	–	–	–	1	C. 1 M. 1
FROME	–	–	–	–	–	N. 1
KEYNSHAM ...	–	–	–	–	–	N. 1
LANGPORT ...	–	–	–	–	–	N. 1
LONG ASHTON ...	–	3	–	–	–	–
TAUNTON ...	–	1	–	–	–	–
WELLS	–	–	–	1	–	–
WILLITON ...	–	1	–	–	–	–
YEOVIL	–	1	–	–	–	–
SOUTHAMPTON.	–	26	15	2	5	C. 1 D. 2 G. 2 M. 3
†BOURNEMOUTH C.B.	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
†PORTSMOUTH C.B.	–	6	9	–	–	C. 1 G. 1 M. 1
†SOUTHAMPTON C.B.	–	4	3	–		–
Boroughs and Urban Districts:—						
CHRISTCHURCH ...	–	–	–	–	–	M. 2
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	1	–	–	–	–
†GOSPORT	–	1	1	–	1	–
†WINCHESTER ...	–	3	–	–	2	D. 1
Rural Districts:—						
ALTON		–	–	–	–	G. 1
CATHERINGTON ...	–	–	1	–	–	–
FAREHAM ...	–	3	–	–	1	–
HARTLEY WINTNEY	–	–	–	–	–	D. 1
HURSLEY	–	–	–		1	–
NEW FOREST ...	–	5	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
RINGWOOD ...	*	*	*	*	*	*
STOCKBRIDGE ...	–	–	–	1	–	–
WHITCHURCH ...	–	–	–	1	–	–
STAFFORD ...	1	34	16	5	26	C. 4 E. 1 G. 1 L. 1 M. 10 N. 2
†BURTON UPON TRENT C.B.	–	1	2	–	1	–
†SMETHWICK C.B.	–	–	–	2	3	–
†STOKE ON TRENT C.B.	1	3	1	1	4	C. 3 M. 7
†WALSALL C.B. ..	–	2	4	–	2	C 1 N. 1
†WEST BROMWICH C.B.		4	2		2	–
†WOLVERHAMPTON C.B.	–	6	–	–	–	E. 1
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–		1	–
†BILSTON	–	–	–	–	1	–
†BRIERLEY HILL...	–	–	2	1	–	–
†BROWNHILLS ...	–	1		–	3	–
†CANNOCK	–	1	–	–	–	–
†DARLASTON ...	–	–	1	–	1	G. 1
KIDSGROVE ...	–	–	–	–	2	–
†LEEK	–	1	–	–	–	–
LICHFIELD ...	–	2	–	–		–
QUARRY BANK	–	–	1	–	1	–
†ROWLEY REGIS ...	–	3	–	–	–	–
†SEDGLEY	–	1	1	–	–	–
†STAFFORD ...	–	–		1	–	–
TAMWORTH ...	–	2	–	–		–
†TIPTON	–	2	1	–		–
†WEDNESBURY ...	–	–	–	–	–	M. 1
†WOLSTANTON UNITED	–	–	–		1	–
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE	–	–	–	–	2	L. 1 M. 1
KINGSWINFORD ...	–	–	–	–	–	M. 1
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	–	–	–	2	N. 1
NEWCASTLE UNDER LYME	–	–	1	–	–	–
STONE		1	–	–	–	–
SUFFOLK, EAST	–	7	2	1	2	G. 1
†IPSWICH C.B. ..	–	3	–	–	1	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
†FELIXSTOWE ...	–	1		–		–
†LOWESTOFT ..	–	2	1	–	–	–
SOUTHWOLD ..	–	1		–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON				1	–	G. 1
HOXNE	*	*	*	*	*	*
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	1	–	2	–	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	1	–	–
HADLEIGH ...	*	*	*	*	*	*
HAVERHILL ...	–	1	–	–	–	–
Rural Districts:—						
MELFORD... ...	–	–	–	–	–	N. 1
THINGOE	–	–	–	1	–	
SURREY		23	7	3	4	M. 2 N. 7
†CROYDON C.B. ...	–	9	1	–	1	N. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	–		–	N. 1
†COULSDON AND PURLEY	–	1	–	–	–	–
†EGHAM	–	–	2	–	1	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	–	1	–	–	–
†MITCHAM... ...	–	1	1		1	–
†RICHMOND ...	–	1	1	1	–	–
†SURBITON ...	–	1	–	–	–	N. 2
†THE MALDENS AND COOMBE	–	1	–		–	M. 1 N. 1
†WALTON UPON THAMES	–	1	–	–		–
†WIMBLEDON ...	–	4	–	1	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING... ...	–	–	–		–	N. 1
GODSTONE ...	*	*	*	*	*	*
GUILDFORD ...	–	–	–	–	–	M. 1
HAMBLEDON ...	–	–	–	–	1	–
REIGATE	–	–	–	1	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	10	4	1	2	E. 1 M. 2 N. 1
†BRIGHTON C.B. ...	–	6	1	–	–	M. 1 N. 1
†EASTBOURNE C.B.	–	1	1		1	M. 1
†HASTINGS C.B. ...	–		–	–	1	–
Boroughs and Urban Districts:—						
†HOVE	–	–	2	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	–	E. 1
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	–	1	–	–
RYE	*	*	*	*	*	*
TICEHURST ...	–	2	–	–	–	–
SUSSEX, WEST...	–	6	13	2	–	M. 2
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†HORSHAM ...	–	1	–	–	–	–
SHOREHAM-BY-SEA	–	1	–	–	–	–
†WORTHING ...	–	–	11	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	1	–	–	M. 1
HORSHAM ...	–	1	–		–	–
MIDHURST ...	–	–	–	–	–	M. 1
PETWORTH ...	–	2	–		–	–
WESTBOURNE ...	–	–	–	2	–	–
WESTHAMPNETT	–	–	1	–	–	–
WARWICK ...	–	51	43	5	18	C. 3 G. 1 M. 13 N. 4
†BIRMINGHAM C.B.	–	27	30	3	14	C. 3 G. 1 M. 11 N. 4
†COVENTRY C.B.	–	5	4	–	–	M. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	–	–	–	1	–
†ROYAL LEAMINGTON SPA	–	–	1	–	–	–
†RUGBY	–	3	1	–	–	–
†STRATFORD ON AVON	–	2	–	–	–	–
†SUTTON COLDFIELD	–	–	–	1	–	–
†WARWICK ...	–	–	1	–		–
Rural Districts:—						
ATHERSTONE ...	–	3	3	–	–	–
COVENTRY ...	–	4	–	–	–	–
FARNBOROUGH ...	–	–	–	–	1	–
FOLESHILL ...	–	1	–	–	–	–
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	–	–	1	1	–
SOUTHAM... ...	–	2	–	–	–	–
TAMWORTH (part)	–	3	3	–	–	–
WESTMORLAND	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–		–
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF	–	1	1	–	1	C. 1
Boroughs and Urban Districts:—						
†COWES	–	1	1	–	–	
EAST COWES ...	–		–	–	1	–
Rural Districts:—						
ISLE OF WIGHT	–	–		–	–	C. 1
WILTS	–	11	2	1	8	G. 1 N. 1
Boroughs and Urban Districts:—						
MARLBOROUGH ...	–	–	1	–	–	–
†SALISBURY ...	–	1	–	–	–	–
†SWINDON... ...	–	–	1	–	4	–
†TROWBRIDGE ...	–	3	–	–		–
Rural Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	G. 1
HIGHWORTH ...	–	1	–	1	1	–
MARLBOROUGH ...	–	1	–	–	–	–
PEWSEY	–	2	–	–	2	–
TISBURY	–	–	–	–	1	N. 1
WORCESTER ...	–	12	3	2	8	N. 2
†DUDLEY C.B. ..	–	1	2	–	1	–
†WORCESTER C.B.	–	3	1	–	1	–
Boroughs and Urban Districts:—						
BEWDLEY ...		1	–	–	–	–
†HALESOWEN ...	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	1	N. 1
†MALVERN ...	–	1	–	–	–	–
†OLDBURY... ...	–	2	–	1	1	–
†STOURBRIDGE ...	–	–	–	1	3	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
KIDDERMINSTER	–	1	–	–	1	–
PERSHORE ...	–	–	–	–	–	N. 1
YORKS ... ... (East Riding).	–	6	10	–	–	E. 13 M. 2 N. 3
†KINGSTON UPON HULL C.B.	–	5	8	–	–	E. 7 M. 2 N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	-	-	-	-	E. 1
COTTINGHAM ...	-	-	-	-	-	N. 1
FILEY	-	-	-	-	-	E. 1
HORNSEA... ...	-	-	-	-	-	E. 1
Rural Districts:—						
BRIDLINGTON ...			1	-	-	-
HOWDEN	-	1	-	-	-	-
PATRINGTON ...	-		-	-	-	E. 2
SCULCOATES ...	-	-	1	-	-	
SKIRLAUGH ...	-	-	-	-	-	E. 1
YORKS ... ... (North Riding).	1	10	3	1	12	E. 1 N. 1
†MIDDLESBROUGH C.B.	1	2	2	-	6	N. 1
Boroughs and Urban Districts:—						
†ESTON	-	1	1	-		E. 1
LOFTUS	-	-	-	-	1	-
†REDCAR	-	2	-	-	-	-
†SCARBOROUGH ...	-	1	-	-	3	-
†SKELTON AND BROTTON	-	1	-	-	-	-
Rural Districts:—						
FLAXTON ...	-		-	1	-	-
GUISBOROUGH ...			-	-	2	-
LEYBURN... ...	-	1	-	-	-	-
STARTFORTH ...	-	1	-	-	-	-
†WHITBY	-	1	-	-	-	-
YORKS ... ... (West Riding).	41	187	45	4	58	C. 5 E. 2 F. 2 G. 2 M. 8 N. 11
†BARNSLEY C.B. ..	-	2	-	-	-	-
†BRADFORD C.B. ..	-	7	7	-	6	C. 1 G. 1 M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding)—*cont.*						
†DONCASTER C.B.	3	1	-	-	-	-
†HALIFAX C.B. ...		2	1	-	1	M. 1
†HUDDERSFIELD C.B.	2	8	2	1	1	-
†LEEDS C.B. ..	5	12	4	-	14	E. 1 G. 1 M. 1 N. 1
†ROTHERHAM C.B.		2	-	-	5	N. 1
†SHEFFIELD C.B....	3	77	17	1	14	C. 2 M. 4 N. 4
†WAKEFIELD C.B.	-	4	2	-		C. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	3	-	-	-	F. 2
ARDSLEY, EAST AND WEST	-	1	-	-	-	-
†BATLEY	-		2	-	-	-
†BENTLEY WITH ARKSEY	-	1	1	-	-	-
†BINGLEY	-	1	-	-	-	-
†BOLTON UPON DEARNE	2	-	-	-	-	-
†BRIGHOUSE ...	2	1	-	-	1	-
CALVERLEY ...	-	1	-	-	-	-
†CASTLEFORD ...	-	-	-	-		N. 1
CLAYTON	-	2	-	-	-	-
†CONISBROUGH ...	-		-	-	1	-
CUDWORTH ...	-		1	-		-
DARFIELD ...	-	2	-	-	-	-
†DARTON	-	2	-	-	-	-
GILDERSOME ...	-		-	-	-	N
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	-	1	-	-	-	-
†HEMSWORTH ...	-	2	-	-	1	-
†HOLMFIRTH ...	-	2	-	1	-	C. 1
HORBURY ...	-	1	-	-	-	-
HORSFORTH ...	-	1		-	-	-
†HOYLAND NETHER	-	-	-	-	-	E N. 1
HOYLAND SWAINE	*	*	*	*	*	*
ILKLEY	-	1	-	-	-	-
†KEIGHLEY ...	8	-	-	-	-	-

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
LINTHWAITE ...		1	–	–	–	–
MALTBY	2	2	–	–	–	–
MARSDEN... ...	–	1	–	–	–	–
†MEXBOROUGH ..	–	1	–		–	–
†MIRFIELD ...	–	–	–	–	1	
†NORMANTON ..		4	1	–	–	–
†OSSETT	–	1		–	–	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	2	1	–	1	–
QUEENSBURY ...	–	–	–		1	–
†RAWMARSH ...	–	5	–	–	–	–
†ROTHWELL ...	–	–	1	–	2	–
SELBY	–	1	–	–	–	–
†SHIPLEY	–	2	–	–	–	–
SOUTH CROSLAND	*	*	*	*	*	*
SOUTHOWRAM ...	–	1	–	–		–
†SPENBOROUGH ..	–	–	–	–	1	–
STOCKSBRIDGE ...		1	–		–	–
†SWINTON... ...	–	1	–		–	–
THURNSCOE ...	1	1		–	1	–
†TODMORDEN ...		2	–	–	–	–
†WATH UPON DEARNE	6	1	–	–	–	–
†WOMBWELL ...	4	4	2	–	–	–
†WORSBOROUGH ...	–	–	1	–	–	–
Rural Districts:—						
BOWLAND ...	–	2	–	–	–	–
DONCASTER ..	1	4	–	–	1	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH .	1	4	–	–	–	N. 1
KIVETON PARK ...	–	–	–	–	2	–
PONTEFRACT ..	–	1	–	1	–	–
ROTHERHAM .	–	3	1	–	4	N. 1
SETTLE	1	–	–	–	–	–
SKIPTON	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	1	–	–	–
WORTLEY	–	3	–	–	–	–
YORK, CITY OF ...	–	8	1	–	–	C. 1 N. 1
†YORK C.B. ..	–	8	1	–	–	C. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
BEAUMARIS ...	*	*	*	*	*	*
Rural Districts:—						
DWYRAN	–	–	3	–	–	–
BRECKNOCK ...	–	–	1	–	–	–
Rural Districts:—						
VAYNOR AND PENDERYN	–	–	1	–	–	–
CAERNARVON...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	1	–	–	–	–
PENMAENMAWR...	–	1	–	–		–
Rural Districts:—						
CONWAY	–	3	–	–	–	–
CARDIGAN ...	–	–	2	1	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	1	–	–
Rural Districts:—						
CARDIGAN ...	–	–	1	–	–	–
LLANDYSSIL ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
CARMARTHEN...	–	3	4	–	2	N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	2	–	–	–
CWMAMMAN ...	–	–	2	–	–	–
†LLANELLY ...	–	–	–	–	1	–
Rural Districts:—						
LLANDILO FAWR	–	–	–	–	1	–
LLANELLY ...	–	2	–	–	–	–
WHITLAND ...	–	–	–	–	–	N. 1
DENBIGH ...	–	2	2	1	2	M. 1
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	–	–	1	–	–	–
†COLWYN BAY ...	–	–	–	–	1	
DENBIGH ...	–	–	–	1	–	M. 1
†WREXHAM ...	–	–	–	–	1	–
Rural Districts:—						
RUTHIN	–	–	1	–	–	–
ST. ASAPH (DENBIGH)	–	1	–	–	–	–
WREXHAM ...	–	1	–	–	–	–
FLINT	–	1	3	–	3	M. 1
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	–	–	–	1	–
HOLYWELL ...	–	–	–	–	1	–
†RHYL	–	–	2	–	1	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	–	M. 1
HOLYWELL ...	–	–	1	–	–	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	1	35	23	–	20	C. 2 E. 1 G. 1 J. 1 L. 1 M. 5 N. 3
†CARDIFF C.B. ..	–	5	10	–	3	C. 1 E. 1 L. 1 M. 2 N. 2
†MERTHYR TYDFIL C.B.	–	1	–	–	–	–
†SWANSEA C.B. ..	–	6	1	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	–	–	2	–
†BARRY	–	–	–	–	2	–
†CAERPHILLY ...	–	1		–	–	–
†GELLIGAER ...	–	1	3		–	C. 1
†GLYNCORWG ...	–	1	1	–	–	–
†MOUNTAIN ASH ..	1	3		–	5	–
†NEATH	–	4	–	–	–	–
†OGMORE AND GARW	–	1	–	–	–	G. 1
†PORT TALBOT ...	–	1	1	–		N. 1
†RHONDDA ...	–	4	1	–	7	M. 2
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT FARDRE	–	1	1	–	–	J. 1
NEATH	–	2	1	–		–
PENYBONT ...	–	1	2	–		–
PONTARDAWE ...	–	1	1	–		–
SWANSEA... ..	–	–	1	–	–	–
MERIONETH ...	–	1	2	–	–	–
Urban Districts:—						
FFESTINIOG ..	–	–	2	–	–	–
Rural Districts:—						
PENLLYN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria	Enteric Fever.	Pneumonia	Other Diseases (*see* ‡ note below).
MONMOUTH ...	7	12	4	–	2	M. 1 N. 1
†NEWPORT C.B. ..	–	–	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	6	1	–	–	–	–
†ABERTILLERY ...	–	2	1	–	–	–
BEDWAS AND MACHEN	–	–	–	–	–	N. 1
†BEDWELLTY ...	–	4	–	–	–	–
CHEPSTOW ...	–	–	1	–	–	–
†EBBW VALE ...	–	5	1	–	–	–
PONTYPOOL ...	1	–	–	–	–	–
†RISCA	–	–	1	–	–	–
MONTGOMERY...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
MACHYNLLETH ...	–	–	1	–	–	–
PEMBROKE ...	–	6	1	1	–	N. 1
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	1	–	–	–
MILFORD HAVEN	–	1	–	–	–	–
†PEMBROKE ...	–	3	–	–	–	N. 1
Rural Districts:—						
HAVERFORDWEST.	–	2	–	–	–	–
LLANFYRNACH ...	–	–	–	1	–	–
Total of Part II. ...	166	1151	534	94	349	C. 35 D. 3 E. 26 F. 4 G. 23 J. 2 L. 7 M. 109 N. 94

PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SOUTHAMPTON ...	–	–	–	–	1	–
PORT OF LONDON ...	–	2	–	–	–	–
Total of Part III. ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia ;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	-	201	171	9	34	C 6 D. 4 E. 3 M. 13 N. 21
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	166	1151	534	94	349	C. 35 D. 3 E. 26 F. 4 G 23 J. 2 L. 7 M. 109 N. 94
Total of Part III.—Port Sanitary Districts	-	2	-	-	1	-
Total (*i.e.*, of returns received), England and Wales ...	166	1354	705	103	384	C. 41 D. 7 E 29 F. 4 G 23 J. 2 L. 7 M. 122 N. 115

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6	Aug. 13.	Aug. 20.	A 2
LONDON :—													
DEATHS (excluding Stillbirths)—all ages.	843	801	852	798	804	781	777	768	763	714	793	727	
DEATHS—0 to 1 year ..	75	65	72	55	48	66	68	51	65	49	69	42	
GREAT TOWNS, aggregate (including London):—													
LIVE BIRTHS	7,106	6,066	7,425	6,801	6,525	6,758	6,636	6,875	6.901	5,798	6,773	6,314	6,
STILLBIRTHS	—	—	—	—	32†	219	233	242	259	241	239	245	
DEATHS (excluding Stillbirths)—all ages	3,948	3,683	3,879	3,582	3,453	3,667	3,442	3,424	3,510	3,303	3,406	3,244	3,
DEATHS—0 to 1 year ..	398	341	349	328	292	353	320	314	390	326	328	280	
ENTERIC FEVER—Cases	22	30	29	35	28	36	26	33	27	25	20	28	
" Deaths	1	4	5	1	—	8	2	2	1	3	2	2	
SMALL POX—Cases ..	74	65	60	77	61	31	30	26	41	45	29	26	
" Deaths ..	—	—	—	—	1	—	—	—	—	—	—	—	
SCARLET FEVER—Cases	973	880	845	897	930	976	913	955	942	677	814	677	
" Deaths	5	6	5	4	6	5	2	3	9	2	4	8	
DIPHTHERIA—Cases ..	589	451	559	503	503	550	535	574	497	444	455	449	
" Deaths ..	25	11	13	17	16	26	21	30	21	25	20	13	
MEASLES—Deaths ..	35	43	39	30	27	36	21	29	25	31	19	19	
INFLUENZA—Deaths ..	42	33	31	33	28	31	21	25	15	16	26	21	

† Registration of Stillbirths began 1st July, 1927.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 27th August, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	73	47	70·1	52·0	10
BRIGHTON ..	67	49	64·9	54·1	11
PORTSMOUTH ..	68	50	65·8	55·2	5
NORWICH (EATON).	71	46	67·4	51·6	10
PLYMOUTH ..	66	47	64·0	53·3	13
BRISTOL (CLIFTON).	68	47	65·4	52·7	25
BIRMINGHAM (EDGBASTON).	68	48	65·1	50·9	10
NOTTINGHAM ..	69	45	64·9	51·1	14
BIRKENHEAD (BIDSTON).	64	51	61·9	53·4	33
MANCHESTER (WHITWORTH PARK).	66	47	63·0	52·0	23
BURNLEY	65	47	62·1	52·4	32

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres
	°	°	°	°	
HUDDERSFIELD	68	49	65·1	52·3	22
BRADFORD ..	64	49	62·1	52·4	15
SHEFFIELD ..	67	50	64·3	52·4	24
YORK (MUSEUM)	69	49	66·0	52·3	22
HULL (PEARSON PARK).	70	49	66·6	52·1	36
TYNEMOUTH ..	67	49	62·4	53·1	19
CARDIFF.. ..	66	48	64·4	52·7	14
EDINBURGH ..	66·0	46·0	62·6	51·1	25
GLASGOW ..	64·3	44·8	62·4	50·6	40
DUBLIN (PHŒNIX PARK).	66·3	43·4	64·6	50·4	39
(FITZWILLIAM SQUARE†).	66·0	47·1	63·1	56·2	35
BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 27th August, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	21	..	29·354	72·5	57·0	15·5	61·7	+ 0·4	55·4	6·3	16·5	2·0	80	140·4	50·5	57·8	SSW : SW.	SW : SSW.	3·7	0·0	0·5	374	+ 134	0·11
MONDAY -	22	..	29·327	69·2	56·8	12·4	61·5	+ 0·4	54·3	7·2	15·3	3·2	77	135·5	49·9	57·8	SSW	SW	10·4	0·0	1·5	532	+ 290	0·04
TUESDAY -	23	Greatest Declination N.	29·636	71·8	53·4	18·4	60·6	− 0·3	52·3	8·3	18·5	3·0	74	144·1	42·9	57·8	SW : WSW.	WSW : SW.	3·4	0·0	0·4	362	+ 117	0·00
WEDNESDAY	24	..	29·727	71·1	48·0	23·1	56·8	− 4·0	52·2	4·6	19·2	0·9	85	142·0	35·7	57·8	SW	SW : Var : Calm.	8·8	0·0	0·1	199	− 50	0·23
THURSDAY	25	..	29·895	67·2	47·1	20·1	55·4	− 5·3	51·4	4·0	15·0	0·0	86	124·9	37·8	57·7	Calm : NNW.	N : NNW.	3·7	0·0	0·1	200	− 57	0·02
FRIDAY -	26	..	30·034	66·2	46·9	19·3	57·1	− 3·6	50·5	6·6	15·4	1·0	79	108·0	35·3	57·7	SW : W.	W : SW : WSW.	1·9	0·0	0·1	269	+ 3	0·00
SATURDAY -	27	New	29·911	73·0	54·0	19·0	61·4	+ 0·8	53·1	8·3	18·7	2·2	74	142·3	46·0	57·7	SW	SW : SSW.	3·3	0·0	0·6	388	+ 116	0·00
MEANS -		..	29·698	70·1	51·9	18·3	59·2	− 1·8	52·7	6·5	16·9	1·8	79	133·9	42·6	57·8	Westerly		..	..	..	Sum 2324	Sum + 553	Sum 0·40
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	21	wP till 13½h.; v till 14½h.; then wP.	8·0	14·3	Overcast generally, with partial clearance at 5h. to 7½h., 15h. to 18½h. and 22h. to 23h. Rain from 14½h. to 15½h. and 18½h. to 19h.
MONDAY ..	22	wP	7·5	14·2	Very cloudy throughout. Frequent showers from 7½h. to 9h. Shower at 12¾h. Brisk wind from 7h. to 21h., with high wind at times between 12h. and 17h.
TUESDAY ..	23	wP	9·2	14·2	Overcast, gradually clearing after 6h. Nearly cloudless from 17h. Dew at night.
WEDNESDAY	24	wP till 3h.; loss of register till 9h.; wP till 13h., v till 20h.; then wP.	7·1	14·1	Clouding up gradually after 5h. Overcast from 12½h. Rain from 13½h. to 14½h. and from 14¾h. to 16h. Thunderstorms 13h. to 15½h. Dew in the morning and at night.
THURSDAY	25	wP till 15h.; v till 16h.; then wP.	3·1	14·0	Generally overcast, or nearly so, until 20h., then cloudless. Thunder at 13h. and 15½h. Rain from 10h. to 11h. and 15¼h. to 15½h. Dew at night.
FRIDAY	26	wP	3·0	13·9	Gradually clouding from 5h. to nearly overcast by 9h. Then overcast generally. Dew and mist in the morning.
SATURDAY	27	wP	9·8	13·9	Very cloudy till 9h. Less cloudy till 21h., then clearing to cloudless. Dew at night.
			Sum 47·7	Sum 98·6	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·45 ins. at the beginning of the week to 29·28 ins. by 7h. on Aug. 22nd; increased to 30·07 ins. by 9h. on Aug. 26th; decreased generally and was 29·92 ins. by midnight on Aug. 28th.

FOR OFFICIAL USE

1927. No. 35.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 3RD SEPTEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-137-35-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 3RD SEPTEMBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the thirty-fifth week of the year numbered 6,703 and corresponded to an annual rate of 17·8 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,381 and corresponded to an annual rate of 9·0 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·1, 8·7 and 8·9. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 50 against 49, 42 and 52 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,431 live births, corresponding to a rate of 16·2 per 1,000, and 773 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·8, against 9·0, 8·2 and 8·6 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·7 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 45 as against 46, 28 and 37 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 3,343, to 3,381, and in London increased from 759 to 773.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 267 in the Great Towns including 49 in London.

One death from small-pox belonging to Doncaster C.B. was registered last week.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 3rd September, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	1
107 GREAT TOWNS ..	19,540,143*	6703	267	3381§	330	1	13	2	18	22	52	
LONDON	4,605,400*	1431	49	773	67	-	1	1	5	1	11	
TOWNS IN OUTER RING.												
CROYDON C.B. ..	205,900	60	2	27	2	-	-	-	-	-	-	
WIMBLEDON ..	58,030	14	-	9	-	-	-	-	-	-	-	
EALING	91,783	33	-	16	-	-	-	-	-	-	-	
ACTON	63,040	13	2	5	-	-	-	-	-	-	-	
BRENTFORD AND CHISWICK ..	56,840	21	-	8	1	-	-	-	-	-	-	
WILLESDEN ..	165,270	53	1	32	1	-	-	-	-	-	-	
HENDON	62,570*	12	-	17	2	-	-	-	-	-	-	
HORNSEY	87,230	19	1	19	-	-	-	-	-	1	-	
WOOD GREEN ..	51,940	9	1	4	-	-	-	-	-	-	-	
TOTTENHAM ..	151,520	41	2	23	4	-	-	-	-	-	2	
EDMONTON	71,700	35	4	6	1	-	-	-	-	-	-	
ENFIELD	63,640	16	-	7	-	-	-	-	-	-	-	
WEST HAM C.B. ..	315,900	138	1	46	6	-	-	-	-	1	-	
EAST HAM C.B. ..	146,600	38	2	32	3	-	-	-	-	2	-	
LEYTON	130,000	39	1	21	3	-	-	-	-	-	-	
WALTHAMSTOW ..	125,500	34	1	14	3	-	-	-	1	-	-	
ILFORD	100,500	29	2	13	-	-	-	-	-	-	-	
GILLINGHAM	47,820*	25	-	12	-	-	-	-	-	-	-	
CANTERBURY C.B ..	23,470*	6	-	4	-	-	-	-	-	-	-	
HASTINGS C.B.	61,340	27	-	3	-	-	-	-	-	-	-	
EASTBOURNE C.B. ..	56,060	10	2	16	-	-	-	-	-	-	-	
BRIGHTON C.B.	139,500*	45	2	22	-	-	-	-	-	-	-	
PORTSMOUTH C.B. ..	231,500*	72	2	49	3	-	-	-	-	1	-	
BOURNEMOUTH C.B. ..	90,100	19	-	12	1	-	-	-	-	-	-	
SOUTHAMPTON C.B. ..	169,300	68	2	30	3	-	-	-	-	-	-	
READING C.B	93,090*	24	-	28	-	-	-	-	-	1	-	
OXFORD C.B.	56,800	24	2	11	-	-	-	-	-	-	-	
NORTHAMPTON C.B. ..	93,530*	28	2	12	1	-	-	-	-	-	-	
LUTON	59,240	18	1	11	-	-	-	-	-	-	-	
CAMBRIDGE	58,820	24	1	7	1	-	-	-	-	-	-	
SOUTHEND-ON-SEA C.B.	104,300	18	-	15	1	-	-	-	-	-	-	
IPSWICH C.B.	84,140	35	-	17	2	-	-	-	-	-	-	
GREAT YARMOUTH C.B.	57,760	23	1	15	2	-	-	-	-	-	-	
NORWICH C.B.	123,500*	34	1	12	-	-	-	-	-	-	-	
SWINDON	57,320	12	1	11	2	-	-	-	-	-	-	
EXETER C.B.	60,340*	19	-	6	-	-	-	-	-	-	-	
PLYMOUTH C.B. ..	187,300*	70	5	31	3	-	-	-	-	2	-	
BATH C.B.	69,000	16	1	10	-	-	-	-	-	-	-	
BRISTOL C.B.	383,300*	104	4	83	8	-	-	1	-	-	-	
GLOUCESTER C.B. ..	53,050	23	-	7	-	-	-	-	-	-	-	
STOKE-ON-TRENT C.B.	275,600	112	11	51	9	-	2	-	-	-	-	
BURTON-UPON-TRENT C.B.	48,660	24	3	8	-	-	-	-	-	-	-	
WOLVERHAMPTON C.B.	131,000	55	3	21	3	-	-	-	-	1	-	
WALSALL C.B.	102,100	52	3	10	-	-	-	-	-	-	-	
WEST BROMWICH C.B.	79,920	30	-	17	3	-	-	-	-	-	1	
DUDLEY C.B.	58,930	25	-	10	1	-	-	-	-	-	-	
WORCESTER C.B. ..	50,660	12	-	13	2	-	-	-	-	-	-	
BIRMINGHAM C.B. ..	934,300*	376	10	160	15	-	1	-	1	1	1	
SMETHWICK C.B. ..	76,940	18	1	9	2	-	-	-	-	-	-	
COVENTRY C.B. ..	127,800	40	1	27	-	-	-	-	-	1	-	
LEICESTER C.B. ..	241,700	79	4	37	6	-	-	-	-	-	-	
LINCOLN C.B.	65,760*	28	3	12	2	-	-	-	1	-	-	
GRIMSBY C.B.	88,580	29	1	20	4	-	-	-	-	-	1	
NOTTINGHAM C.B. ..	268,000	90	4	48	7	-	-	-	-	-	4	
DERBY C.B.	136,600*	42	1	21	2	-	1	-	-	1	-	
CHESTERFIELD ..	66,650	33	-	6	-	-	-	-	-	-	-	
STOCKPORT C.B. ..	125,400	48	1	19	2	-	-	-	-	-	-	
CHESTER C.B.	41,710	19	2	4	-	-	-	-	-	-	-	
BIRKENHEAD C.B. ..	158,000	55	-	30	3	-	-	-	-	-	-	
WALLASEY C.B. ..	93,050	28	1	19	1	-	-	-	1	-	-	
LIVERPOOL C.B. ..	862,600	357	12	178	30	-	-	-	1	1	8	
BOOTLE C.B.	84,580	46	2	8	1	-	-	-	-	-	1	
ST. HELENS C.B. ..	110,000	42	3	23	5	-	-	-	-	-	1	

* Population adjusted by the exclusion of non-civilians.
§ Including 1 death from small-pox.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	77,970	22	-	14	-	-	-	-	-	-	-	-
Wigan C.B.	88,620	29	-	25	-	-	-	-	3	-	-	-
Warrington C.B. ..	76,940*	35	-	9	1	-	-	-	-	-	1	-
Bolton C.B.	177,000	56	6	29	3	-	-	-	-	-	-	-
Bury C.B.	56,840*	19	-	11	1	-	-	-	-	-	-	1
Manchester C.B. ..	752,000	285	21	130	14	-	2	-	-	2	3	-
Salford C.B.	247,400	94	1	47	5	-	2	-	1	2	1	-
Ashton-under-Lyne	51,050	16	2	11	-	-	-	-	-	-	-	-
Oldham C.B.	143,000	24	2	22	2	-	-	-	-	-	-	-
Rochdale C.B.	91,510	23	-	22	6	-	1	-	-	1	1	1
Burnley C.B.	99,600	33	2	12	1	-	-	-	-	-	-	-
Blackburn C.B. ..	124,400	28	5	21	1	-	-	-	-	-	-	-
Preston C.B.	124,200	36	2	20	2	-	-	-	-	-	-	1
Blackpool C.B. ..	88,640	26	2	20	1	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	70,420	20	-	5	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	111,900	31	2	22	2	-	-	-	1	-	-	-
Halifax C.B.	96,130*	26	1	25	2	-	-	-	-	-	1	-
Bradford C.B. ..	288,700	94	4	53	1	-	-	-	-	-	1	-
Leeds C.B.	473,400	157	6	90	11	-	-	-	-	-	3	-
Dewsbury C.B. ..	53,630	19	-	7	1	-	-	-	-	-	-	-
Wakefield C.B. ..	53,830	15	1	4	1	1	-	-	-	-	-	-
Barnsley C.B. ..	70,760	41	2	13	3	-	2	-	-	-	-	-
Sheffield C.B. ..	523,300*	183	8	99	10	-	-	-	1	2	2	2
Rotherham C.B. ..	70,080	37	1	5	-	-	-	-	-	-	-	-
Doncaster C.B. ..	55,700	35	2	4§	1	-	-	-	-	-	1	-
York C.B.	84,430*	28	1	18	1	-	-	-	-	-	-	-
Hull C.B.	294,600	106	4	67	8	-	-	-	-	1	2	-
Middlesbrough C.B.	133,600	63	1	20	6	-	-	-	-	-	1	1
Darlington C.B. ..	70,700	37	1	13	-	-		-	-	-	-	-
Stockton-on-Tees ..	67,910	32	-	9	2	-	-	-	1	-	-	-
West Hartlepool C.B.	71,060	37	2	10	3	-	-	-	-	-	-	-
Sunderland C.B. ..	163,800	59	2	40	5	-	-	-	-	-	2	-
South Shields C.B. ..	123,900	45	3	23	4	-	1	-	-	-	-	2
Gateshead C.B. ..	127,700	49	4	14	4	-	-	-	-	-	-	-
Newcastle-on-Tyne C.B.	284,700*	118	4	35	3	-	-	-	-	-	1	-
Tynemouth C.B ..	66,560	29	-	9	-	-	-	-	-	-	-	-
Carlisle C.B.	56,140*	15	2	15	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,620	28	1	22	3	-	-	-	-	-	1	-
Cardiff C.B.	225,600*	89	4	40	3	-	-	-	-	-	-	-
Rhondda	162,500	47	2	25	1	-	-	-	1	-	1	-
Merthyr Tydfil C.B.	80,690	26	1	17	1	-	-	-	-	-	-	-
Aberdare	56,930	18	1	12	-	-	-	-	-	-	-	-
Swansea C.B.	163,200	74	2	25	2	-	-	-	-	-	-	-
Greater London ..	7,791,310*	2,455	78	1,271	105	-	1	1	8	5	15	4
Outer Ring	3,185,910*	1,024	29	498	38	-	-	-	3	4	4	2
17 Great Towns in Outer Ring	1,947,963*	604	20	299	26	-	-	-	1	4	2	1
Remainder of Outer Ring	1,237,947*	420	9	199	12	-	-	-	2	-	2	1
Edinburgh†	426,100	127	?	97	14	-	1	-	1	-	-	-
Glasgow†	1,049,000	430	?	241	39	-	6	1	6	3	8	1
Dublin (Registration Area)†	421,000	256	?	96	20	-	-	-	3	-	7	1
Belfast†	416,000	163	?	103	20	-	-	-	-	-	13	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Including 1 death from small-pox.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,605,400	1927. Sept. 3	1431	49	773	8·8	-	-	1	1	5	1	1
Calcutta and Suburbs	1,077,264	July 30‖	?	?	505	24·4	?	7	?	?	?	?	
Bombay§	1,298,708	Aug. 13‖	437	40	601	24·0	2	3	2	-	-	-	9
Madras	528,791	„ 6‖	532	20	710	69·8	4	-	-	-	3	-	4
Sydney and Suburbs	1,038,950	June 30 (30 days)	1861	?	973	10·9	-	-	-	4	3	8	
Brisbane (Metropolitan Area).	274,260	July 31 (31 days)											
Perth (Metropolitan Area).	179,388	July 9	89	?	44	12·4	?	?	?	?	?	?	
Auckland (Urban Area).	201,220	June 30 (30 days)	263	?	143	8·5	-	-	-	-	-	2	
Wellington (Urban Area).	126,310	June 30 (30 days)	163	?	93	8·9	-	-	-	1	-	-	
Christchurch (Urban Area).	121,780	June 30 (30 days)	142	?	102	10·1	-	-	1	-	-	-	
Cape Town	115,348	Aug. 6	53	1	24	10·8	-	-	-	-	-	-	
Johannesburg	172,189	„ 6	71	?	51	15·4	-	-	1	-	-	-	
Durban	54,738	„ 6	26	?	18	17·1	-	-	-	-	-	1	
Paris	2,871,429	„ 20 (10 days)	1102	79	753	9·6	4	-	7	3	7	6	3
Antwerp	300,242	July 30	78	6	59	10·2	1	-	-	-	-	-	
Amsterdam	729,159	Aug. 6	291	5	112	8·0	-	-	2	-	1	-	
Copenhagen	592,000	„ 20	217	3	92	8·1	-	-	-	-	-	-	
Stockholm	453,332	„ 13	121	3	83	9·5	-	-	-	-	-	-	
Gothenburg	231,196	„ 6											
Oslo (Christiania) ..	254,055	„ 27	65	3	48	9·8	1	-	-	-	-	-	
Berlin	2,003,000	„ 13	349	16	381	9·9	-	?	1	2	1	2	
Breslau	563,000	„ 13	156	11	103	9·5	-	?	1	-	1	-	
Cologne	718,000	„ 13	197	10	101	7·3	-	?	-	-	-	2	
Dresden	625,000	„ 13	111	8	117	9·7	-	?	-	-	-	-	
Frankfort-on-Main..	474,000	„ 13	101	3	67	7·3	-	?	1	-	-	-	
Hamburg	1,105,000	„ 13	249	11	196	9·2	1	?	-	-	-	-	
Leipzig	687,000	„ 13	162	7	112	8·5	-	?	2	-	-	-	
Munich	685,000	„ 13	171	4	128	9·7	1	?	-	-	-	-	
Vienna	1,871,380	Jan. 31 (31 days)											
Prague and Suburbs	738,132	Mar. 31 (31 days)	863	28	806	13·1	3	-	18	3	4	12	
Budapest	971,169	Aug. 13	293	16	268	14·3	5	-	-	1	3	3	1
Warsaw	1,028,982	„ 20	359	12	263	13·3	1	-	5	8	7	1	5
Cairo	874,300	Mar. 11	987	19	384	22·9	3	-	1	-	?	4	2
Alexandria	501,800	„ 11	496	13	238	24·7	3	-	-	-	?	1	1
New York	5,924,018	Aug. 20	?	?	1067	9·4	4	-	2	1	6	10	3
Chicago	3,048,000	„ 12	1089	47	628	10·6	-	-	-	-	3	8	1
New Orleans	433,000	June 30 (30 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.

† The deaths in his column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children* t *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 12 deaths from Cholera in Calcutta, 11 in Bombay, 92 in Madras, and 3 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 3rd September, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	773	67	11	12	19	38	39	39	84	134	170	160
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	5	3	-	1	1	-	-	-	-	-	-	-
Diphtheria	1	-	-	1	-	-	-	-	-	-	-	-
Influenza	2	-	-	-	-	-	-	-	1	-	1	-
Erysipelas	1	-	-	-	1	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	1	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	1	-	-	-	-	-
Meningococcal meningitis	2	1	-	-	-	-	-	-	1	-	-	-
Tuberculosis :—												
Respiratory system	66	-	1	1	2	20	13	6	11	8	4	-
Nervous system	3	-	-	-	1	1	-	-	-	1	-	-
Intestines and peritoneum	3	1	-	-	1	-	-	1	-	-	-	-
Other forms	6	-	1	1	-	-	-	-	-	1	2	1
Venereal diseases	2	1	-	-	-	-	-	-	-	1	-	-
Cancer	135	-	-	-	-	1	2	7	22	32	45	26
Rheumatic fever	4	-	-	-	1	3	-	-	-	-	-	-
Diabetes	9	-	-	-	-	-	-	-	-	3	2	4
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	1	-	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	36	-	-	-	-	-	-	-	2	7	16	11
Epilepsy	3	-	-	-	-	-	2	1	-	-	-	-
"Convulsions" (not puerperal) ..	2	1	-	-	-	-	1	-	-	-	-	-
Other diseases of nervous system ..	29	3	1	1	2	2	3	4	1	7	3	2
Pericarditis	1	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	9	-	-	-	2	3	1	1	1	-	-	1
Other diseases of heart	123	1	-	-	1	1	5	2	15	20	34	44
Other diseases of circulatory system	54	-	-	-	-	-	-	2	4	7	21	20
Bronchitis	8	1	-	-	-	-	-	-	1	3	1	2
Broncho-pneumonia	18	6	2	-	-	-	-	-	1	3	1	5
Lobar-pneumonia	8	1	-	-	-	-	2	2	1	1	1	-
Pneumonia (type not distinguished)	5	1	-	-	1	1	-	1	-	-	1	-
Other diseases of respiratory system	8	-	-	-	1	-	-	1	-	-	4	2
Diarrhœa and enteritis	16	9	2	-	1	-	-	-	1	1	-	2
Appendicitis, Typhlitis	5	-	-	-		1	1	-	3	-	-	-
Hernia, Intestinal obstruction	13	1	-	1	1	-	-	1	4	3	1	1
Cirrhosis of liver	4	-	-	-	-	-	-	1	1	-	1	1
Other diseases of digestive system ..	20	-	-	-	1	2	3	1	2	6	5	-
Acute nephritis	2	-	-	1	-	-	-	-	-	1	-	-
Chronic Bright's disease	30	-	-	1	-	1	-	-	5	11	5	7
Other diseases of genito-urinary system.	15	-	-	-	-	-	-	2	-	-	8	5
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	6	6	-	-	-	-	-	-	-	-	-	-
Premature birth	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	2	2	-	-	-	-	-	-	-	-	-	-
Old age	17	-	-	-	-	-	-	-	-	-	2	15
Suicide	11	-	-	-	-	-	1	-	2	5	2	1
Burns and Scalds	2	-	1	-	1	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	1	-	1	-	-	1	3	1	1
Other deaths by violence	14	-	1	-	-	1	1	1	1	2	2	5
Other specified causes	35	7	1	-	1	-	1	3	3	8	7	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 3rd September, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	255	172	15	36	C. 5 D. 2 E. 3 F. 1 G 1 L. 1 M. 12 N. 18
Metropolitan Boroughs:—						
†BATTERSEA ...	–	12	7	1	1	F. 1 N. 2
†BERMONDSEY ...	–	13	6	–	2	–
†BETHNAL GREEN	–	13	6	–	1	C. 1 M. 1
†CAMBERWELL ...	–	13	4	–	–	–
†CHELSEA	–	3	1	–	2	N. 1
†DEPTFORD ...	–	10	8	–	1	–
†FINSBURY ...	–	7	7	–	1	–
†FULHAM		5	9	–	4	E. 1 L. 1
†GREENWICH ...	–	11	6	1	1	–
†HACKNEY ...	–	31	10	–	–	N. 2
†HAMMERSMITH ...	–	3	8	–	–	C. 1
†HAMPSTEAD ...	–	1	–	1	–	–
†HOLBORN... ...	–	3	3	–	–	–
†ISLINGTON ...	–	18	11	2	1	C. 1 M. 4 N. 4

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	4	4	–	2	N. 1
†LAMBETH ...	–	8	10	–	4	C. 1 M. 3
†LEWISHAM ...	–	7	4	–	1	N. 1
†PADDINGTON ...	–	6	7	–	2	–
†POPLAR	–	17	7	1	4	M. 1
†ST. MARYLEBONE	–	5	–	1	–	E. 1 N. 2
†ST. PANCRAS ...	–	14	6	1	4	E. 1 M. 1 N. 2
†SHOREDITCH ...	–	6	11	1	–	–
†SOUTHWARK ...	–	7	16	–	2	–
†STEPNEY	–	17	7	2	–	C. 1 D. 1 G. 1 M. 1 N. 1
†STOKE NEWINGTON	–	4	3	–	–	–
†WANDSWORTH ...	–	7	10	2	2	M. 1 N. 1
†WESTMINSTER, CITY OF	–	1	1	1	–	N. 1
†WOOLWICH ...		9	–	1	1	D. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ..	-	7	4	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
Ampthill ...	*	*	*	*	*	*
†Bedford ...	–	3	1	–	–	–
Biggleswade ...	–		1	–	–	–
†Luton	–	3	1	–	–	M. 1
Rural Districts:—						
Bedford... ...	-	1	–		1	-
Biggleswade ..	–	–	–	–	1	N. 1
Luton	–	–	1	–	–	–
BERKS		8	2		–	E. 1 M. 1
†Reading C.B. ...	–	3	–	-	–	–
Boroughs and Urban Districts:—						
†Maidenhead ...	–	3	–	-	–	–
Rural Districts:—						
Cookham ...	–	1	–		–	–
Easthampstead	–	1	–	–	–	E. 1
Faringdon (part)		-	–	–		M. 1
Hungerford ...	–	-	1	–		–
Windsor... ...		–	1	–	–	–
BUCKINGHAM...	–	5	1	1	–	–
Boroughs and Urban Districts:—						
Beaconsfield ...		1	-	-	-	–
†Chepping Wycombe		3	–	-		–
Rural Districts:—						
Eton	–	-	–	1	–	–
Wycombe ...	-	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	-	-	–	1	C. 2 N. 3
Rural Districts:—						
Chesterton ...	–	–	–		1	C. 2 N. 2
Linton	–	-	–	–	–	N. 1
CHESTER ...	–	43	10	–	9	C. 1 G. 2 M. 3 N. 2
†Birkenhead C.B.	-	4	2	-	5	N. 1
†Chester C.B. ..		–	–	-	1	C. 1
†Stockport C.B.		10	1	-	–	M. 2
†Wallasey C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Ashton upon Mersey		1	–		-	–
†Bebington and Bromborough	–	1	-			–
Bollington ...	–	1	–	–	–	–
Bredbury and Romiley	-	1	–	–	–	–
†Cheadle and Gatley	–	2		–	-	–
†Crewe	-	5	1	–	–	–
†Dukinfield ...		–	–		1	–
†Ellesmere Port and Whitby	–	–		-	1	–
Hoole	-	1	-		–	–
†Hyde	–	1	1	–		-
Lymm	–	1	–	–	–	G. 1
†Macclesfield ...	-	2	1	-	–	–
†Northwich ...	–	1	–		–	–
†Sale	-	-	1	–		–
Wilmslow ...		1	-	–	–	–
†Winsford ...	-	1	1	-	1	N. 1
Rural Districts:—						
Bucklow ...	–	2		–	–	–
Chester	-	1	–	–	–	–
Congleton ...		-	1	–	-	–
Nantwich ...	–	1	–	–		G. 1
Northwich ...	–	1	-	-	–	M. 1
Runcorn ...	–	3			–	–
Wirral	-	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	7	1	2	1	G. 1 N. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–	–	–
LOOE	–	1	–	–	–	
ST. JUST		1		–	–	–
TORPOINT ...	–	–	–	1	1	–
†TRURO	–	1	–	–	–	–
WADEBRIDGE ...	–			1		–
Rural Districts:—						
BODMIN	–	–		–	–	G. 1
EAST KERRIER ...	–	–	1	–	–	
LISKEARD ...		1			–	–
ST. AUSTELL ...	–	1	–	–	–	
ST. GERMANS ...	–	1	–		–	N. 1
CUMBERLAND...		9	2	1	3	–
†CARLISLE C.B ...	–	3	–	1	1	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	1	–	–	–
HARRINGTON ...		2	–	–	–	–
MILLOM	–	1		–	1	–
†WORKINGTON ...	–	–		–	1	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
PENRITH		1	–	–	–	
WHITEHAVEN ...	–	1	–	–	–	–
WIGTON	–	–	1	–	–	–
DERBY	10	34	17	1	6	C. 2 E. 1 M. 2
†DERBY C.B.	–	6	6	–	–	C. 2 E. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	–	–
†BELPER	4	–	–			–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts— *cont.*						
†BUXTON	*	*	*	*	*	*
†CHESTERFIELD .	–	3	–	1	1	–
CLAY CROSS ...	–	1	–		–	–
†HEANOR	1	–	–	–	1	–
†ILKESTON ...	–	3				–
†LONG EATON ...	–	1	1	–		–
NEW MILLS ...	–	1		–	–	–
NORTH DARLEY...	–	2	1	–	2	–
†RIPLEY	4	–	1	–		–
Rural Districts:—						
BLACKWELL ...		5	2	–	1	–
CHAPEL EN LE FRITH		–	1	–	–	–
CHESTERFIELD ...	1	4	2	–	–	M. 1
CLOWNE	–	3	1	–	–	–
HARTSHORN AND SEALE	–	2	1	–	–	–
NORTON		1	–	–		–
REPTON		1	–		–	–
SHARDLOW	–		–	–	1	–
SUDBURY... ...	–	1	–	–	–	–
DEVON	1	6	8	–	1	C. 1 G. 2
†PLYMOUTH C.B....	–	4	7	–	1	C. 1 G. 1
Boroughs and Urban Districts:—						
BIDEFORD .	–	1	–	–	–	–
CREDITON ...		1	–	–	–	–
†ILFRACOMBE ...	1	–			–	–
Rural Districts:—						
KINGSBRIDGE ...	–		–	–	–	G. 1
PLYMPTON ST. MARY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
DORSET		12		1	1	C. 1 N. 1
Boroughs and Urban Districts:—						
LYME REGIS ...		–	–	1	–	–
†POOLE	–	1		–	–	–
†PORTLAND		5	–	–		–
SHERBORNE ...		1	–	–	1	
WAREHAM ...	–	–	–	–	–	C. 1
Rural Districts:—						
BEAMINSTER ...		1	–	–	–	–
BLANDFORD ...	–	4		–	–	–
SHERBORNE ...	–	–	–	–		N. 1
DURHAM ...	38	53	23	1	23	C. 1 G. 1 J. 1 M. 6 N. 4
†DARLINGTON C.B.	1			1	2	–
†GATESHEAD C.B.	1	1	5	–	1	–
†SOUTH SHIELDS C.B.	11	7	1	–	4	–
†SUNDERLAND C.B.	–	1	3		4	M. 2
†WEST HARTLEPOOL C.B.	–	2	–	–	2	M. 2 N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	4	–	–	–		N. 1
BENFIELDSIDE ...	–	6	–	–	1	–
†BISHOP AUCKLAND	1			–	–	–
†BLAYDON... ...	–	1		–	–	M. 1 N. 1
†BRANDON AND BYSHOTTLES	–	–	1		–	–
†CHESTER LE STREET	–	1	–	–		–
†CONSETT		2	1		–	–
†DURHAM	–	1	–	–	–	–
†FELLING	1	–	–		–	–
†HARTLEPOOL ...	–	–		–	1	–
†HEBBURN ...	–	1	1	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HETTON ...	–	1	–	–	1	–
†JARROW ...		2	1	–	3	–
LEADGATE ...		1	–		–	–
†SOUTHWICK ON WEAR	–	–	2	–	–	–
†SPENNYMOOR ...		2	–	–	–	–
†STANLEY	3	–	–		–	G. 1
†STOCKTON ON TEES		3	3	–	1	–
†WASHINGTON ...	2	1		–	–	–
†WHICKHAM ...	–	3		–	–	–
Rural Districts:—						
AUCKLAND ...	–	3	1	–	–	–
CHESTER LE STREET	2		–	–	–	–
DARLINGTON ...	–	2	–	–	–	–
DURHAM ...	–	1	–	–	1	–
EASINGTON ...	–	6	2	–	1	–
HOUGHTON LE SPRING			–	–	–	C. 1 N. 1
LANCHESTER ...	–	4	1	–	–	–
SEDGEFIELD ...	6	–	1			J. 1
SOUTH SHIELDS...	6		–		–	–
SUNDERLAND	–		–	–	1	–
WEARDALE ...		1	–	–	–	–
ELY, ISLE OF ...	–	1	–	–	–	–
Rural Districts:—						
WISBECH	–	1	–	–	–	–
ESSEX	–	89	37	3	11	C. 1 M. 6 N. 1
EAST HAM C.B. ...	–	15	7		–	–
SOUTHEND-ON-SEA C.B.	–	7	2	2	2	–
WEST HAM C.B. ...	–	26	12	–	3	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...		5	2		-	M. 3
BRAINTREE ...	-	-	-	1	-	-
CANVEY ISLAND	-	-	1	-	-	-
DAGENHAM ...	-	3	2	-	-	M. 1
†GRAYS THURROCK		1	-	-		-
†HORNCHURCH ...	-	2	-	-	-	-
†ILFORD	-	7	3	-	-	N. 1
†LEYTON	-	12	2	-	-	-
†ROMFORD ...	-	1	-	-	-	-
TILBURY	-		-	-	1	M. 1
WALTHAM HOLY CROSS	-	-	1	-		
†WALTHAMSTOW...		6	3	-	3	M. 1
Rural Districts:—						
CHELMSFORD ...	-	1	-	-	-	-
EPPING		1	-	-	-	-
ONGAR	-		-	-	1	-
ORSETT	-	2	2	-	-	-
ROCHFORD ...	-	-	-	-	1	-
GLOUCESTER ...	-	45	26	-	8	G. 1 M. 1 N. 5
†BRISTOL C.B. ...		32	10	-	7	G. 1 N. 1
†GLOUCESTER C.B.	-	3	-	-	-	-
Boroughs and Urban Districts:—						
AWRE	-		1		-	-
†CHELTENHAM ...		1	1		-	N. 1
COLEFORD ...	-	-	-		1	-
†KINGSWOOD ...	-	2	-	-		
STROUD	-	-		-	-	N. 1
Rural Districts:—						
CAMPDEN ...	-	-	1	-	-	N. 1
CHIPPING SODBURY	-	-	3	-	-	-
CIRENCESTER ...	-	1	6	-	-	-
DURSLEY		1	1			-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
EAST DEAN AND UNITED PARISHES	-	1	-	-	-	M. 1 N. 1
LYDNEY	-	1	-	-	-	-
NEWENT	-	1	-	-	-	-
STROUD	-	-	1	-	-	-
TEWKESBURY (part)	-	1		-	-	-
THORNBURY ...	-	-	1	-	-	-
WHEATENHURST	-	1	1	-	-	-
HEREFORD ...	-	3	4	1	-	-
Boroughs and Urban Districts:—						
LEDBURY... ...	-	-	1	-	-	-
LEOMINSTER ...		-	1	-	-	-
ROSS	-	-	1	-	-	-
Rural Districts:—						
LEDBURY... ...	-	2	1			-
WEOBLEY... ...	-	-	-	1	-	-
WHITCHURCH ...	*	*	*	*	*	*
WIGMORE ...	-	1		-		-
HERTFORD ...	-	5	5	2	1	M. 1
Boroughs and Urban Districts:—						
BUSHEY	-	-	-	1		-
†HITCHIN	-			1		-
ROYSTON	*	*	*	*	*	*
†ST. ALBANS ...	-	1	3	-	-	M. 1
SAWBRIDGEWORTH	-	1		-	-	-
TRING		1	-		-	-
WARE	-	1	1	-	-	
†WATFORD ...	-	1	-		-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	*	*	*	*	*	*
HADHAM			1	–		–
HITCHIN	*	*	*	*	*	*
WATFORD ...	–	–	–	–	1	–
HUNTINGDON ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	1	–		–
OLD FLETTON ...	–	1	–	–	–	–
Rural Districts:—						
ST. NEOTS ...	–	–	–	–	1	–
SIBSON CUM STIBBINGTON (parish).	*	*	*	*	*	*
KENT	–	40	43	17	3	E. 1 M. 1 N. 3
†CANTERBURY C.B.	–	2	1	–		–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1			–	–
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	4	–		–
†BROMLEY ...	–	2	1		–	
†CHATHAM ...	–	1	10	1		–
†DARTFORD ...		1	1	–	–	
†DOVER	–	1	–		–	–
†EBITH	–	2	3		–	–
†GILLINGHAM ...	–		2	1		–
†GRAVESEND ...		4	2	1	–	N. 1
†HERNE BAY ..	–	–	–	–	1	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ..	–	–	1	–	–	N. 1
NEW ROMNEY ...	–	–	–	3	–	N. 1
†NORTHFLEET ..	–	1	2	–	–	E. 1
†RAMSGATE ...	–	2	1		–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROCHESTER ...		1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	7	–		
SANDWICH ...	–	–		1	–	–
SEVENOAKS ...		1	–	–	–	–
SIDCUP	–	1	–	–	–	
SWANSCOMBE ...	–	2	–	–	–	–
TENTERDEN ...	–	–		7	–	–
WHITSTABLE ...	–	–	3	–	1	–
Rural Districts:—						
BROMLEY ...	–	2	–	1		–
CRANBROOK ...	–	1		1	–	–
DOVER	–	1	–	–		–
EAST ASHFORD ...	–	2	–	–	–	
ELHAM	–	1	–	–	–	–
HOO	*	*	*	*	*	*
MAIDSTONE ...	–	2	–	–	–	–
MALLING	–	1	3	–	–	–
MILTON	–	1		–	–	–
ROMNEY MARSH...		–	–	–	1	–
STROOD	–	–	1	–	–	–
TONBRIDGE ..	–	3	–	–	–	–
WEST ASHFORD...	–	–	–	1		–
LANCASTER ...	4	153	127	7	76	C. 8 E. 1 G. 9 L. 3 M. 20 N. 9
†BARROW IN FURNESS C.B	–	–	3	–	–	N. 1
†BLACKBURN C.B.	–	2	2	–	–	–
†BLACKPOOL C.B.	–	3	–	–	–	E. 1
†BOLTON C.B. ..		3	2	–	–	C. 1 M. 1
†BOOTLE C.B. ..	–	1	1	–	3	N. 1
†BURNLEY C.B. ...	–	2	3	–	2	C. 3 G. 1

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†BURY C.B. ...	-	5	-	-	2	-
†LIVERPOOL C.B	-	21	38	3	13	G. 1 M. 11 N. 1
†MANCHESTER C.B	-	36	23	-	26	C. 2 G. 2 M. 2 N. 2
†OLDHAM C.B. .	-	2	3	-	2	G. 1
†PRESTON C.B. .	-	2	6	-	1	-
†ROCHDALE C.B. ..	-	2	4	-	-	-
†ST. HELENS C.B...	-	6	2	-	2	-
†SALFORD C.B. ..	-	16	9	-	3	M. 2
†SOUTHPORT C.B.	-	3	2	-		-
†WARRINGTON C.B	-	2	3	-	1	N. 1
†WIGAN C.B. .	-		1	-		-
Boroughs and Urban Districts:—						
ABRAM	-	-	1	-	-	-
†ACCRINGTON ..	-	1	-	-	-	-
†ASHTON IN MAKERFIELD	-	-	-	-	1	-
†ASHTON UNDER LYNE	-	-	-	-	-	N. 1
†ATHERTON ..	-	-	1	-	1	-
AUDENSHAW ..	-	-	-	-	1	-
BLACKROD ...	-	-		-	2	-
BRIERFIELD ...	-	-	-	-		G. 1
†CHADDERTON .	-	-	-	-	1	G. 1
†CHORLEY	-	1		-	-	-
†CLITHEROE ...	-	-	1	-	-	C. 1
†DENTON	-	2	-	-	1	
†DROYLSDEN ..	-	1	-	-	-	-
†ECCLES	-	4	-		1	-
†FAILSWORTH ..	-	-	-	-	-	M. 1
FORMBY	-	1	-		-	-
FULWOOD ...	1	-	-	1	1	-
†GREAT HARWOOD	1	-		-	-	-
†HASLINGDEN ...	2	-	-	-	-	-
†HAYDOCK ...		1	-	-	-	-
†HEYWOOD ...	-	1	-	-	-	-
IRLAM	-	3	-	-		-
KEARSLEY ...	-	-	-	-	1	-
†LANCASTER ..	-	4		1	-	M. 1
†LEIGH ...	-		1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†LITHERLAND ..	-	1	-		-	N. 1
†LITTLEBOROUGH	-	-	1	-	-	-
†LYTHAM ST. ANNE'S	-	-	1	-	-	-
†MIDDLETON ...	-	1	-	-	2	-
MILNROW... ...	-		-		1	-
†MOSSLEY	-	1	-	-		-
†NELSON	-	2	1	-	-	-
†NEWTON IN MAKERFIELD			1	-	-	-
ORMSKIRK ...		-	1	-		-
ORRELL	-	1	-		1	-
†OSWALDTWISTLE	-	1	2	-	-	-
†PADIHAM... ...	-	-	9	-	-	-
†PRESTWICH ...	-		1	-	-	-
†RADCLIFFE ...	-	1	-		-	-
†RAWTENSTALL ...	-	1	1	-	-	-
†ROYTON	-	2	2	-	-	-
†STRETFORD ..	-	3		-	-	M. 1
†SWINTON AND PENDLEBURY	-	1	-		2	C. 1 G. 2
TOTTINGTON ...	-	-	-	-	1	-
†TYLDESLEY WITH SHAKERLEY	-	-	-	2	-	-
†ULVERSTON ...	-	1	-	-	-	-
URMSTON... ..	-	1	-		-	M. 1
†WATERLOO WITH SEAFORTH	-	1	-	-	-	-
†WESTHOUGHTON	-	1	-	-	-	-
WHITEFIELD ...	-	2	1	-		-
WHITWORTH ...	-	1			-	-
†WIDNES	-	-	-	-	1	-
Rural Districts:—						
BARTON UPON IRWELL	-	2	-	-	1	-
CHORLEY	-	2	-	-	-	-
CLITHEROE ...	-	-	-	-	-	L. 3
LUNESDALE ...	-	1			-	-
PRESTON	-	1		-		-
WARRINGTON ...	-	-	-	-	2	-
WEST LANCASHIRE	-	-	-	-	-	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever : N. Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	21	8	1	3	G. 1 N. 2
†LEICESTER C.B. ...	–	14	3	–	3	N. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	1	–	1	–	–
MELTON MOWBRAY	–	2	–	–	–	–
WIGSTON MAGNA	–	1	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–		G. 1
BILLESDON ...	–	–	–	–	–	N. 1
BLABY	–	1		–	–	–
HINCKLEY ...		–	1	–	–	–
MARKET BOSWORTH	–	1	1	–		–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	3	–	–	2	E. 1
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
†SPALDING ...	–	–	–	–	–	E. 1
Rural Districts:—						
BOSTON	–	–	–	–	2	–
SPALDING (part)..	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	7	–	–	–	–
Boroughs and Urban Districts:—						
STAMFORD ...	–	2	–	–	–	–
LINCOLN (parts of Kesteven)— *cont.*						
Rural Districts:—						
BOURNE	–	1	–		–	–
GRANTHAM ...	–	4	–	–	–	–
LINCOLN (parts of Lindsey).	–	17	3	1	1	F. 1 G. 1 M. 3 N. 1
†GRIMSBY C.B. ..	–	2	1	–	–	F. 1 M. 2
†LINCOLN C.B. ..	–	4	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	2	–	–	–
†CLEETHORPES ...	–	3	–		–	M. 1
LOUTH	–	–		–	–	N. 1
†SCUNTHORPE AND FRODINGHAM	–	5	–	–	–	–
Rural Districts:—						
CAISTOR	–	1	–	1	–	
GAINSBOROUGH ...	*	*	*	*	*	*
GRIMSBY	–		–	–	1	–
LOUTH	–	2	–	–	–	G. 1
MIDDLESEX ...	–	32	33	–	7	C. 1 D. 1 E. 1 F. 1 G. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†ACTON	–	4	1	–	–	F. 1 M. 1
†EALING	–	–	2	–	–	
†EDMONTON ...	–	–				M. 1
†ENFIELD	–	2	2	–	–	–
†FINCHLEY ..		2	1	–	–	–
†FRIERN BARNET	–	1	–		2	–

* Returns not received. † Population over 10,000.

C Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	1	5	–	1	–
†HESTON AND ISLEWORTH	–	–	1	–	–	C. 1
†HORNSEY... ...	–	3	2	–	–	D. 1
RUISLIP NORTHWOOD	–	1	–		–	–
†SOUTHGATE ...	–	2	1	–	–	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	1	1	–	–	–
†TOTTENHAM ...	–	3	7	–	1	–
†TWICKENHAM ...	–	–	1	–		–
†WEALDSTONE ...	–	3	–		–	–
†WEMBLEY ...	–	2	–	–	2	
†WILLESDEN ...	–	2	7	–	1	E. 1
†WOOD GREEN ...	–	2	–	–	–	–
Rural Districts:—						
HENDON	–	1		–		N. 1
SOUTH MIMMS ...	–	–	1	–	–	–
STAINES	–	–	1	–	–	G. 1
NORFOLK ..	–	13	2	2	3	E. 1 M. 1 N. 1
†GREAT YARMOUTH C.B.	–	4	–	1	–	–
†NORWICH C.B. ...	–	6	2	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
CROMER	–	–	–	–	1	–
Rural Districts:—						
DEPWADE ...	–	1	–	–	1	–
FREEBRIDGE LYNN	–	2	–	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	–	–	1	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	4	3	1	1	–
†NORTHAMPTON C.B.	–	2	2		1	–
Boroughs and Urban Districts:—						
†KETTERING ..		–	1	–	–	–
ROTHWELL ...	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	1		–	–	–
WELLINGBOROUGH	–	–	–	1	–	–
NORTHUMBERLAND.	3	40	9	3	16	C. 2 M. 2 N. 1
†NEWCASTLE UPON TYNE C.B.	–	16	7	1	10	C. 2
†TYNEMOUTH C.B.	–	4	–	–	2	M. 2 N. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	4	–	–	–	–
†BEDLINGTONSHIRE	–	3		1	2	–
†BERWICK UPON TWEED	–	1	–	–	–	–
CRAMLINGTON ...	–	1	–	–	–	–
HEXHAM	–	–	–	1	–	–
NEWBIGGIN BY THE SEA	1	2	–	–	–	–
†NEWBURN ...	–	3	–	–	–	
†WALLSEND ...	–	3	–	–	2	–
WEETSLADE ...	–	1	1	–	–	–
Rural Districts:—						
HEXHAM	–	–	1	–	–	–
MORPETH ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	21	18	19	–	5	D. 1 E. 2 M. 2 N. 2
†NOTTINGHAM C.B.	–	7	17	–	2	M. 2 N 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	1	–	–		–
†CARLTON... ...	–	2	1	–		–
†HUCKNALL ...	–	–	–	–	1	N. 1
†MANSFIELD ...	–	1	–	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	–	–	–		D. 1
†SUTTON IN ASHFIELD		1	–	–	–	–
†WORKSOP... ...	21	1	–	–	–	–
Rural Districts:—						
BASFORD	–	–	1	–	–	–
BINGHAM... ...	–	2	–	–	–	E. 1
NEWARK	–	2	–		–	–
SOUTHWELL ...	–	–	–	–	–	E. 1
STAPLEFORD ...	–	–			2	–
OXFORD	–	2	2	–	2	M. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	1	–	–	–
Rural Districts:—						
BANBURY ...	–	–	–	–	1	
BICESTER... ...	–	–	–		–	M. 1
CROWMARSH ...	–	1		–	–	
WITNEY	–	–	–	–	1	–
WOODSTOCK ...	–	1	1	–	–	–
PETERBOROUGH (Soke of).	–	–	3	–	1	–
Borough:—						
†PETERBOROUGH...	–	–	2	–	1	–
Rural Districts—						
PETERBOROUGH...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND ...	–	1	–	–	–	–
Rural Districts:—						
OAKHAM	–	1	–		–	–
SALOP	–	17	–	3	–	C. 1
Boroughs and Urban Districts:—						
†OAKENGATES ..	–	11	–	–		–
†WENLOCK ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	2	–	3	–	–
CLUN	–	–	–	–	–	C. 1
SHIFNAL	–	2	–	–	–	–
WHITCHURCH ...		1	–	–	–	–
SOMERSET ...	–	10	11	1	2	M. 1
†BATH C.B. ...	–	3	10	1	1	–
Boroughs and Urban Districts:—						
CREWKERNE ...	–	1	–	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–
RADSTOCK ...	–	1		–	–	–
†WESTON SUPER MARE	–	–	–	–	–	M. 1
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	1	–	–	–	–
CLUTTON... ...	–	1	–		–	–
KEYNSHAM ...	–	1	–	–	–	–
TAUNTON ...	–		1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON.	–	22	11	4	2	M. 3 N. 3
†BOURNEMOUTH C.B.	–	–	1	–	–	M. 1
†PORTSMOUTH C.B.	–	7	7		–	M. 1 N. 1
†SOUTHAMPTON C.B	–	9	2	–	1	N. 1
Boroughs and Urban Districts:—						
†FAREHAM ...	–	1	–	–		–
†GOSPORT	–	–	–	–	1	–
PETERSFIELD ...	–	–		1	–	–
†WINCHESTER ...	–	2	–	2	–	–
Rural Districts:—						
ALRESFORD ...	–	–	1	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
DROXFORD ...	–	1		–	–	–
HARTLEY WINTNEY	–	–	–	–	–	N. 1
HURSLEY	–	1	–	–	–	–
NEW FOREST ...	–	–		–	–	M. 1
STOCKBRIDGE ...	–	–	–	1	–	–
STAFFORD ...	–	49	28	2	20	C. 3 G. 2 L. 1 M. 5 N. 2
†SMETHWICK C.B.	–	4	3		2	N. 1
†STOKE ON TRENT C.B	–	9	3	1	6	C. 3 M. 3
†WALSALL C.B. ..	–	4	7	–	–	–
†WEST BROMWICH C.B.	–	2	2		1	–
†WOLVERHAMPTON C.B.	–	8	1	–	–	N. 1
Boroughs and Urban Districts:—						
†BRIERLEY HILL...	–	–	1		–	–
†BROWNHILLS ...	–	1			2	–
†DARLASTON ...	–	–	2	–	2	–
†LEEK	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts— *cont.*						
†NEWCASTLE UNDER LYME	–	1	1	–	2	–
QUARRY BANK	–	–	1			–
†ROWLEY REGIS ...	–	6	1		–	–
†SEDGLEY	–	1	–	–	–	M. 1
TAMWORTH ...			3	–	–	–
†TIPTON	–	1		–	2	G. 1
†WEDNESBURY ...	–	3		–	1	G. 1
†WOLSTANTON UNITED	–	1	–	–	–	–
Rural Districts:—						
CANNOCK	–	1	–	1	–	–
CHEADLE... ...	–	–	–	–	–	L. 1
LEEK	–	1	1	–	–	–
LICHFIELD ..	–	1	–	–	–	M. 1
NEWCASTLE UNDER LYME	–	1	–	–	–	–
SEISDON	–	–	–	–	2	–
STAFFORD ...	–	1	–	–	–	–
WALSALL... ...	–	–	2	–	–	–
SUFFOLK, EAST	–	10	3	2	–	C. 1 M. 1
†IPSWICH C.B.	–	1	1	1	–	–
Boroughs and Urban Districts:—						
BECCLES	–	1				–
†FELIXSTOWE ...	–			1	–	
†LOWESTOFT .	–	5	1	–	–	C. 1
STOWMARKET ...	–	–	–	–	–	M. 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND		1	–	–	–	–
PLOMESGATE ...	–	1		–		–
WOODBRIDGE ...	–	–	1	–		–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
Rural Districts:—						
THINGOE	*	*	*	*	*	*
SURREY	–	29	12	5	4	C. 1 G. 1 M. 1 N. 3
†CROYDON C.B. ..	–	9	2	3	2	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	4	–	–	–	N. 1
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†EGHAM	–	1	–	–		–
†EPSOM	–	2	–	–	–	–
†FARNHAM ...	–	1	–	–	–	
†GUILDFORD ...	–	–	2	–	–	–
†KINGSTON ON THAMES	–	2	–	–	–	–
†MITCHAM... ...	–	2	1	–	1	N. 2
†REIGATE			2	–	–	–
†RICHMOND ...	–	1	2	–	–	–
†SURBITON ...	–	1	–		–	–
†SUTTON	–	–	–	1	–	–
†WALTON UPON THAMES	–	1	–	–		–
†WIMBLEDON ...		1	1	–	–	–
WINDLESHAM ...	–	–	–		–	G. 1
Rural Districts:—						
DORKING... ...	–	1	–	–	–	–
EPSOM	–	1		–	1	–
GODSTONE ...	–	1	–	–	–	
GUILDFORD ...	–	–	2	–	–	M. 1
REIGATE	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	8	6	2	1	E. 1 M. 3 N. 3
†BRIGHTON C.B. ...	–	3	1	1	–	E. 1 M. 1 N. 3
†EASTBOURNE C.B.	–	2	–	–	1	–
†HASTINGS C.B. ..	–	–		1		–
Boroughs and Urban Districts:—						
†BEXHILL		1	–	–	–	–
BURGESS HILL ...	–	–	1			–
†LEWES	–	1	–	–	–	–
PORTSLADE BY SEA	–	–	2		–	–
UCKFIELD ...	–		1	–	–	–
Rural Districts:—						
EASTBOURNE ...	–	1	–			–
NEWHAVEN ...	–		1	–		–
TICEHURST ...	–	–	–	–	–	M. 1
UCKFIELD ...	–	–	–	–	–	M. 1
SUSSEX, WEST...	–	4	2	–	1	E. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
†BOGNOR	*	*	*	*	*	*
†HORSHAM ...	–	3	–	–		E. 1
†WORTHING ..	–	–	2	–	–	G. 1 N. 1
Rural Districts:—						
HORSHAM ...	–	–	–	–	1	–
WESTHAMPNETT	–	1	–		–	–
WARWICK ...	–	44	38	9	17	C. 3 E. 1 G. 5 M. 2 N. 2
†BIRMINGHAM C.B.	–	22	27	3	14	C. 3 E. 1 G. 2 M. 2 N. 2
†COVENTRY C.B. ...	–	10	4	–	–	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	1	–		–
†NUNEATON ..	–	1	–		–	G. 1
†ROYAL LEAMINGTON SPA	–	2	–	3	1	–
†RUGBY	–	1	1	3	1	–
†STRATFORD ON AVON	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	3	3	–	–	–
COVENTRY ...	–	1	1	–	–	
FOLESHILL ...	–	1	1			–
SOUTHAM... ...	–	1	–	–		
TAMWORTH (part)	–	–	–	–	–	G. 1
WARWICK ...	–	1	–	–	–	–
WESTMORLAND	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	3	–	–	1	E. 1
Boroughs and Urban Districts:—						
†COWES ...	–	–	–	–	1	–
SANDOWN ...	–	1	–	–		–
Rural Districts:—						
ISLE OF WIGHT	–	2	–	–	–	E. 1
WILTS	–	15	3	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
DEVIZES	–	1		–		–
MARLBOROUGH ...	–	–	1	–	–	–
†SALISBURY ...	–	3	1	–		–
†SWINDON... ...	–	3	–	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ..	–	1	–	–	–	–
CALNE		–	1	–	–	–
HIGHWORTH ..	–	1	–	–	1	N. 1
PEWSEY	–	3	–	–	–	–
TISBURY	–	3	–	–	–	–
WORCESTER ...	–	7	–	–	10	C. 2 G. 1 N. 2
†DUDLEY C.B. ..		–			2	N. 1
†WORCESTER C.B.	*	*	*	*	*	*
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	3	–	–	2	C. 1 N. 1
†LYE AND WOLLESCOTE	–	–	–	–	4	–
†OLDBURY... ...	–	1	–	–		
†REDDITCH ...	–	1	–	–	–	
†STOURBRIDGE ...	–	–	–	–	1	C. 1
Rural Districts:—						
DROITWICH ...	–	1	–		–	–
KIDDERMINSTER	–	–	–	–	–	G. 1
MARTLEY... ...	–	–	–	–	1	
TEWKESBURY (part)	–	1		–	–	–
YORKS ... ... (East Riding).	1	13	17	–	1	C. 1 E. 20 G. 2 M. 1 N. 2
†KINGSTON UPON HULL C.B.	–	12	17	–	1	C. 1 E. 18 G. 2 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	-	-	-	-	E. 1
COTTINGHAM ...	-	-		-	-	N. 1
GREAT DRIFFIELD	1	-	-	-	-	-
HESSLE	-	1		-	-	
WITHERNSEA ...	-	-	-	-		E. 1
Rural Districts:—						
BEVERLEY ...	-	-	-	-	-	N. 1
YORKS ... ... (North Riding).	-	13	3	1	9	N. 3
†MIDDLESBROUGH C.B.	-	7		-	4	N. 2
Boroughs and Urban Districts:—						
†ESTON	-	-	1	-	-	-
GUISBOROUGH ...	-	1	-	-	1	-
LOFTUS	-	1	-	-		-
†REDCAR	-	1	-		-	-
SCALBY	-		-	-	1	-
†SCARBOROUGH ...		1	1	-	1	
†SKELTON AND BROTTON	-		-	1	-	-
†THORNABY ON TEES	-	1	-	-	-	N. 1
Rural Districts:—						
GUISBOROUGH ...	-	1			-	-
HELMSLEY ...	-		-	-	1	-
LEYBURN... ...	-	-	1	-	-	-
NORTHALLERTON		-		-	1	-
WHITBY	*	*	*	*	*	*
YORKS ... ... (West Riding).	27	232	63	5	68	C. 2 E. 2 G. **1** M. **6** N. 12
†BARNSLEY C.B. ...	-	3	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†BRADFORD C.B. ...	-	16	7		6	C. 1
†DEWSBURY C.B...	-	1	-	-	-	M. 1
†DONCASTER C.B.	2	2	1	-	-	-
†HALIFAX C.B. ..		5	7	-	-	-
†HUDDERSFIELD C.B.	1	7	2		-	-
†LEEDS C.B. ...	3	20	11	-	10	M. 2 N. 3
†ROTHERHAM C.B.	-	8	1		6	N. 1
†SHEFFIELD C.B...	-	95	15	1	19	C. 1 M. 2 N. **2**
†WAKEFIELD C.B.	-	2	4			-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	6	1		-	G. 1
†BATLEY	-	-	-	1	2	N. 1
†BENTLEY WITH ARKSEY	1	4	4	-	2	-
†BINGLEY	-	2	1	-	2	-
†BOLTON UPON DEARNE	4	2	-	-	1	-
†BRIGHOUSE ...	2	-	-		-	-
†CONISBROUGH ...	1	1		-	1	-
†DARTON		2	-			-
DENBY AND CUMBERWORTH	-		-	-	-	-
DODWORTH ...	-	1	-		-	-
†ELLAND		1	-	-	-	-
FARSLEY	-	2		-	-	-
†FEATHERSTONE ...			-	-	1	-
GILDERSOME ...	-	-	-	-	-	N. 1
†GOLCAR	-	-	-	-	1	-
GREASBROUGH ...	-	1	-	-	-	-
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HEMSWORTH ...	-	1		-	-	-
HIPPERHOLME ...		1		-	-	-
HORBURY ...	1			-		-
†HOYLAND NETHER	-	4	-		2	M. 1 N. 1
HUNSWORTH ...	-	1	-	-	-	-
†KEIGHLEY ..	4	-			-	-
LEPTON	*	*	*	*	*	*
MALTBY	2	-	-	-	-	-

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MEXBOROUGH ...		1	–	–	–	–
MYTHOLMROYD ...	–	–	–	–	1	–
NEW MILL ...	–	1	–	–	–	–
†NORMANTON ...	–	1	–	–	4	–
†OSSETT	–	2		–	–	–
OTLEY		2		–	1	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	1	2		–	–	
†RAWMARSH ...	–	2	1	–	–	
SELBY	–	1	–		–	–
SHEPLEY			–	–	2	–
†SPENBOROUGH ...	–	–		–	–	E. 1 N. 1
SPRINGHEAD ...	–	–	2	–		
THURLSTONE ...		1		–	–	–
THURNSCOE ...	2	–	–	–	–	–
THURSTONLAND AND FARNLEY TYAS	–	–		1	–	–
†TODMORDEN ...	–	1		–	1	–
†WATH UPON DEARNE	1	1	–	–	–	
WHITLEY UPPER	*	*	*	*	*	*
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	1	3	1		–	E. 1
†WORSBOROUGH ...	–	1	–	–	–	–
YEADON		1	–		–	–
Rural Districts:—						
DONCASTER ...	–	3	4	–	1	–
GOOLE	–	1	–	–	–	–
GREAT OUSEBURN	–	2	–		–	–
HEMSWORTH ...		2	–	–	–	–
KIVETON PARK ..	1	–	–	–	–	–
KNARESBOROUGH	–	2			–	–
PONTEFRACT	–	1	–	2	–	–
RIPON	–	1			–	
ROTHERHAM	–	2			5	
SKIPTON	*	*	*	*	*	*
TADCASTER ...	–	–	1		–	
THORNE		5		–	–	N. 1
WETHERBY ...	–	1		–	–	–
WORTLEY ...	–	3	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK, CITY OF ...	–	4	–	–	–	–
†YORK C.B. ..	–	4	–	–	–	–
WALES.						
ANGLESEY ...	–	–	2		–	M. 1 N. 1
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	–	–	–	M. 1 N. 1
Rural Districts:—						
AETHWY	–	–	2	–	–	–
DWYRAN	*	*	*	*	*	*
BRECKNOCK ...	–	–	3	–	1	–
Boroughs and Urban Districts:—						
HAY	–	–	2	–		–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
YSTRADFELLTE (parish)	–	–	1	–	1	–
CAERNARVON...	–	1	1	–		
Boroughs and Urban Districts:—						
CAERNARVON ...	*	*	*	*	*	*
CRICCIETH ...	*	*	*	*	*	*
PORTMADOC ...	*	*	*	*	*	*
PWLLHELI ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON—*cont.*						
Rural Districts:—						
CONWAY	*	*	1	–	–	
GLASLYN	*	*	*	*	*	*
GWYRFAI	*	*	*	*	*	*
LLEYN	*	*	*	*	*	*
OGWEN	–	1	–	–	–	–
CARMARTHEN ...	–	3	1	1	1	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	1		–	–
KIDWELLY ...			–	1	–	–
†LLANELLY ...	–	2	–		–	–
Rural Districts:—						
LLANDILO FAWR	–		–	–	1	–
LLANELLY ...	–	1	–	–	–	–
DENBIGH ...		3	3	–	4	M. 1
Rural Districts:—						
CHIRK	–	–	1	–	–	–
LLANGOLLEN ...	–	–	1	–	–	–
RUTHIN		–	1	–	2	–
WREXHAM ...	–	3	–	–	2	M. 1
FLINT	–	–	–	2	1	–
Rural Districts:—						
HAWARDEN ..	–	–	–	2		–
HOLYWELL ...	–	–	–		1	
OVERTON ..	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	32	36	2	7	C. 1 G. 1 M. 1 N. 2
†CARDIFF C.B. ...	–	4	9	–	–	M. 1
†SWANSEA C.B.	–	3	3	–	2	G. 1
Boroughs and Urban Districts:—						
†ABERDARE ..	–	1	–	–	1	–
†BARRY		3	1	–	1	–
BRIDGEND ...	–	–	–	1	–	–
†CAERPHILLY ...	–		4	–	–	–
†GELLIGAER .		1	2	–	–	N. 1
†GLYNCORWG ...	–	–	2	–	–	–
†MAESTEG	–	1	3	–	–	–
†MOUNTAIN ASH ...	–	2	1	–	–	C. 1
†NEATH	–	2	–	–	–	–
†OGMORE AND GARW	–	1	2	–	–	–
†PONTYPRIDD ..	–	1	–	–	–	–
†PORT TALBOT ...	–	4	4	–		–
†RHONDDA ...	–	4	4	–	3	–
Rural Districts:—						
CARDIFF	–	–	–	1	–	–
COWBRIDGE ...	–	–	1	–	–	–
NEATH		1	–	–	–	–
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	3	–	–	–	–
SWANSEA... ...	–	–	–	–	–	N. 1
MERIONETH ...	–	1	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	*	*	*	*	*	*
PENLLYN	–	1	–	–		
MONMOUTH ...	6	5	4	4	2	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	5	–	–	–	–	–
BEDWAS AND MACHEN	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLAENAVON ...	1	–	–	–	–	–
†EBBW VALE ..		1	1	–	–	–
MONMOUTH ...	*	*	*	*	*	*
†MYNYDDISLWYN		–	1	1	–	–
†NANTYGLO AND BLAINA	–	–	–	2	–	–
PONTYPOOL ...	–	1	–	–	–	–
†RISCA	–	–	2	1	–	–
Rural Districts:—						
ABERGAVENNY ...	–	3	–	–	–	–
MONMOUTH ...	*	*	*	*	*	*
MONTGOMERY...	–	–	–	1	–	G. 1
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	1	–	–
MONTGOMERY—*cont.*						
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	–	G. 1
PEMBROKE ...	–	–	3	–	–	–
Rural Districts:—						
NARBERTH ..	–	–	2	–	–	–
ST. DOGMELLS ...	–	–	1	–	–	–
Total of Part II. ...	111	1206	643	89	342	C. 35 D. 2 E. 35 F. 2 G. 34 J. 1 L. 4 M. 80 N. 75

PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PENZANCE	*	*	*	*	*	*
PLYMOUTH	–	–	–	–	1	–
PORT OF LONDON ...	–	–	–	–	1	L
Total of Part III. ...	–	–	–	–	2	L

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).	
Total of Part I.—London	–	255	172	15	36	C.	5
						D.	2
						E.	3
						F.	1
						G.	1
						L.	1
						M.	12
						N.	18
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	111	1206	643	89	342	C.	35
						D.	2
						E.	35
						F.	2
						G.	34
						J.	1
						L.	4
						M.	80
						N.	75
Total of Part III.—Port Sanitary Districts	–	–	–	–	2	L.	1
Total (*i.e.*, of returns received), England and Wales ...	111	1461	815	104	380	C.	40
						D.	4
						E	38
						F.	3
						G	35
						J.	1
						L.	6
						M.	92
						N.	93

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague. C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRTI WEEKS.

Week ended :—	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Se
LONDON :—													
DEATHS (excluding Still-births)—all ages.	801	852	798	804	781	777	768	763	714	793	727	759	7
DEATHS—0 to 1 year ..	65	72	55	48	66	68	51	65	49	69	42	55	
GREAT TOWNS, aggregate (including London):—													
LIVE BIRTHS	6,066	7,425	6,801	6,525	6,758	6,636	6,875	6,901	5,798	6,773	6,314	6,575	6,7
STILLBIRTHS	—	—	—	32†	219	233	242	259	241	239	245	306	2
DEATHS (excluding Still-births)—all ages	3,683	3,879	3,582	3,453	3,667	3,442	3,424	3,510	3,303	3,406	3,244	3,343	3,5
DEATHS—0 to 1 year ..	341	349	328	292	353	320	314	390	326	328	280	344	5
ENTERIC FEVER—Cases	30	29	35	28	36	26	33	27	25	20	28	36	
" Deaths	4	5	1	—	8	2	2	1	3	2	2	—	
SMALL POX—Cases ..	65	60	77	61	31	30	26	41	45	29	26	38	
" Deaths ..	—	—	—	1	—	—	—	—	—	—	—	—	
SCARLET FEVER—Cases	880	845	897	930	976	913	955	942	677	814	677	774	8
" Deaths	6	5	4	6	5	2	3	9	2	4	8	4	
DIPHTHERIA—Cases ..	451	559	503	503	550	535	574	497	444	455	449	453	5
" Deaths ..	11	13	17	16	26	21	30	21	25	20	13	15	
MEASLES—Deaths ..	43	39	30	27	36	21	29	25	31	19	19	16	
INFLUENZA—Deaths ..	33	31	33	28	31	21	25	15	16	26	21	20	

† Registration of Stillbirths began 1st July, 1927.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 3rd September, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	77	48	72·7	55·0	0
BRIGHTON ..	74	51	69·3	58·4	1
PORTSMOUTH ..	76	54	71·4	58·9	1
NORWICH (EATON).	75	50	70·3	54·4	0·3
PLYMOUTH ..	72	55	67·4	56·9	2
BRISTOL (CLIFTON).	75	54	69·1	53·9	0·2
BIRMINGHAM (EDGBASTON).	72	52	68·1	55·9	2
NOTTINGHAM ..	72	53	68·1	56·0	1
BIRKENHEAD (BIDSTON).	71	51	66·0	55·3	12
MANCHESTER (WHITWORTH PARK).	?74	47	69·1	54·9	15
BURNLEY	69	42	65·8	52·4	12

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfa in Milli-metres
	°	°	°	°	
HUDDERSFIELD	72	41	67·9	52·6	9
BRADFORD ..	69	43	65·0	52·7	12
SHEFFIELD ..	71	46	68·0	54·7	1
YORK (MUSEUM)	72	43	67·4	53·6	1
HULL (PEARSON PARK).	74	44	68·6	53·7	1
TYNEMOUTH ..	71	47	63·1	52·7	5
CARDIFF.. ..	71	54	68·1	57·0	3
EDINBURGH ..	70·0	48·0	65·4	51·6	7
GLASGOW ..	68·7	47·0	64·3	50·3	13
DUBLIN (PHŒNIX PARK).	70·0	37·6	67·0	45·8	0·3
(FITZWILLIAM SQUARE†).	68·4	47·0	65·3	51·6	0·7
BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly: 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 3rd September, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	28	..	29·898	70·3	49·8	20·5	59·4	− 1·0	51·7	7·7	18·6	0·2	76	140·5	39·3	57·6	SSW : SW.	SSW : Calm.	3·3	0·0	0·3	288	+ 13	0·00
MONDAY -	29	..	29·959	77·2	48·3	28·9	63·9	+ 3·6	55·1	8·8	21·6	0·2	73	138·3	38·0	57·4	SSE : Calm : W.	WSW : N : NE.	0·6	0·0	0·0	165	− 111	0·00
TUESDAY -	30	In Equator	30·112	71·9	58·1	13·8	64·0	+ 3·9	59·2	4·8	10·1	1·0	85	130·5	53·6	57·3	ENE : E	E : ENE	1·3	0·0	0·2	252	− 21	0·00
WEDNESDAY	31	Apogee	30·000	77·1	58·3	18·8	64·9	+ 5·0	62·0	2·9	14·3	1·0	91	145·1	47·0	57·4	ENE	E : Calm.	0·6	0·0	0·1	200	− 68	0·00
SEPTEMBER. THURSDAY	1	..	29·960	70·3	56·7	13·6	62·4	+ 2·3	60·5	1·9	8·0	0·2	93	96·3	46·1	57·7	SW : Calm.	SW : Calm.	0·5	0·0	0·0	175	− 88	0·00
FRIDAY -	2	..	30·053	75·8	51·3	24·5	63·3	+ 3·6	57·0	6·3	18·6	0·0	80	124·3	40·1	57·8	Calm	Calm : E.	0·1	0·0	0·0	121	− 138	0·00
SATURDAY -	3	New	30·025	66·5	56·7	9·8	60·6	+ 1·0	56·3	4·3	10·5	1·5	86	96·0	44·0	57·7	E : ENE	ENE	1·2	0·0	0·1	274	+ 21	0·00
MEANS -		..	30·001	72·7	54·2	18·6	62·6	+ 2·7	57·4	5·2	14·5	0·6	83	124·4	44·0	57·6	Variable		..	..	..	Sum 1475	Sum − 392	Sum 0·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	28	wP	5·7	13·8	Cloudless till 1h., very cloudy generally from 3h. nearly overcast 15h. till 19½h; becoming nearly cloudless by 21h. Dew in morning and at night.
MONDAY ..	29	wP till 9h.; mP and wP till 18h.; then wP.	10·2	13 8	Cloudless till 3h., cloudy 4h. till 9h.; then little cloud. Clouding up 21h. to overcast by 21¾h. Dew and mist in morning. Sky hazy during day.
TUESDAY ..	30	wP	1·0	13 7	Nearly overcast or overcast. Shower 2½h.
WEDNESDAY	31	wP	5·1	13·6	Overcast generally till 12h., becoming few clouds by 13h. Cloudless from 21h. Mist in morning.
SEPTEMBER. THURSDAY	1	wP	0·0	13·6	Cloudless becoming overcast by 1h. Clearing 19¼h. to cloudless by 21h. Mist in morning. Occasional slight damping 8h. till 9h. Dew at night.
FRIDAY ..	2	wP till 13h.; mP till 17h.; then wP.	4·7	13·5	Little cloud or cloudless till 9¾h; then cloudy or partially cloudy. Overcast 15½h. till 21½h., becoming nearly cloudless by 23h. Dew and mist in morning. Haze till 15h.
SATURDAY	3	wP till 11h.; the loss of register.	0·1	13·5	Nearly cloudless to overcast by 1h. Fog 4h. Drizzle 5h. and at 8h.
			Sum 26·8	Sum 95·5	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·92 ins. at the beginning of the week to 29·88 ins. by 15h. on Aug. 28th; increased to 30·13 ins. by 12½h. on Aug. 30th; decreased to 29·95 in. by 5h. on Sept. 1st, increased to 30·08 in. by 21½h. on Sept. 2nd; decreased and was 29·97 in. by 0h. on Sept. 4th.

FOR OFFICIAL USE

1927. No. 36.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 10TH SEPTEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.
70-137-36-27

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 10TH SEPTEMBER, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the thirty-sixth week of the year numbered 6,193 and corresponded to an annual rate of 16·5 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,346 and corresponded to an annual rate of 8·9 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 8·7, 8·9 and 9·0. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 54 against 42, 52 and 50 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,409 live births, corresponding to a rate of 15·9 per 1,000, and 744 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·4, against 8·2, 8·6 and 8·8 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·5 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 46 as against 28, 37 and 45 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 3,380 to 3,346, and in London decreased from 773 to 744.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 268 in the Great Towns including 68 in London.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 10th September, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
107 GREAT TOWNS ..	19,540,143*	6193	268	3346	358	4	16	6	14	24	78	2
LONDON	4,605,400*	1409	68	744	69	1	2	-	4	5	10	[illegible]
TOWNS IN OUTER RING.												
CROYDON C.B. ..	205,900	64	-	27	1	-	-	-	-	-	-	-
WIMBLEDON ..	58,030	11	-	7	1	-	-	-	-	-	-	-
EALING	91,783	23	-	12	1	-	-	-	-	-	-	-
ACTON	63,040	20	1	10	1	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	56,840	9	-	8	-	-	-	-	-	-	-	-
WILLESDEN ..	165,270	34	1	29	3	-	-	-	-	-	-	-
HENDON	62,570*	24	1	14	-	-	-	1	-	-	-	-
HORNSEY	87,230	18	1	12	2	-	-	-	-	-	-	-
WOOD GREEN ..	51,940	12	-	8	1	-	-	-	-	-	-	-
TOTTENHAM ..	151,520	39	1	23	4	-	-	-	1	-	-	-
EDMONTON	71,700	44	-	12	-	-	-	-	-	-	-	-
ENFIELD	63,640	17	-	9	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	315,900	134	6	51	8	-	-	-	1	1	1	1
EAST HAM C.B. ..	146,600	32	2	21	4	-	-	-	-	-	-	-
LEYTON	130,000	27	2	20	-	-	-	-	-	-	-	-
WALTHAMSTOW ..	125,500	37	-	18	1	-	-	-	-	-	-	-
ILFORD	100,500	20	2	12	1	-	-	-	-	-	-	-
GILLINGHAM	47,820*	19	1	7	-	-	-	-	-	-	-	-
CANTERBURY C.B ..	23,470*	5	1	4	1	-	-	-	-	-	-	-
HASTINGS C.B.	61,340	19	-	16	-	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	56,060	12	-	9	1	-	-	-	-	-	-	-
BRIGHTON C.B.	139,500*	47	1	35	2	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	231,500*	86	1	51	6	-	-	-	1	2	1	-
BOURNEMOUTH C.B. ..	90,100	24	-	21	-	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	162,300	51	-	22	-	-	-	1	-	-	-	-
READING C.B	93,090*	28	2	17	1	-	-	-	-	-	-	1
OXFORD C.B.	56,800	28	-	9	-	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,530*	31	-	16	1	-	-	-	-	-	-	-
LUTON	59,240	22	-	9	1	-	-	-	-	-	-	-
CAMBRIDGE	58,820	14	2	8	1	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	104,300	20	2	12	1	-	-	-	-	-	-	-
IPSWICH C.B.	84,140	33	2	5	2	-	-	-	-	-	1	-
GREAT YARMOUTH C.B.	57,760	20	1	8	2	-	-	-	-	1	-	-
NORWICH C.B.	123,500*	41	3	23	2	-	-	-	-	-	-	-
SWINDON	57,320	11	-	4	1	-	-	-	-	-	-	-
EXETER C.B.	60,340*	17	-	12	-	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	187,300*	60	2	35	3	-	-	-	-	-	-	-
BATH C.B.	69,000	16	1	9	1	-	-	-	-	-	-	-
BRISTOL C.B.	383,300*	113	2	63	3	-	-	-	-	-	1	-
GLOUCESTER C.B. ..	53,050	15	2	12	-	-	-	-	-	-	-	1
STOKE-ON-TRENT C.B.	275,600	114	3	52	5	-	2	-	-	-	1	1
BURTON-UPON-TRENT C.B.	48,660	24	-	15	2	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	131,000	46	1	17	1	-	-	-	-	-	-	-
WALSALL C.B.	102,100	32	4	10	1	-	-	-	1	-	-	-
WEST BROMWICH C.B.	79,920	42	-	12	1	-	1	-	-	-	-	-
DUDLEY C.B.	58,930	25	-	5	-	-	-	-	-	-	-	-
WORCESTER C.B. ..	50,660	11	-	11	-	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	934,300*	331	11	172	22	-	-	-	-	-	3	2
SMETHWICK C.B. ..	76,940	20	1	13	1	-	-	-	-	1	-	-
COVENTRY C.B. ..	127,800	44	-	21	1	-	-	-	-	4	-	-
LEICESTER C.B. ..	241,700	60	2	37	5	-	-	-	-	-	1	-
LINCOLN C.B.	65,760*	11	-	11	2	-	-	-	-	-	2	-
GRIMSBY C.B.	88,580	37	3	14	1	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	268,000	76	4	57	7	-	-	1	-	-	3	-
DERBY C.B.	136,600*	52	4	26	-	-	-	-	-	-	-	-
CHESTERFIELD ..	66,650	22	2	6	1	-	-	-	-	-	-	-
STOCKPORT C.B. ..	125,400	37	1	24	2	-	-	-	-	-	-	-
CHESTER C.B.	41,710	18	-	4	-	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	158,000	50	2	30	9	-	-	-	-	-	6	1
WALLASEY C.B. ..	93,050	27	1	18	-	-	-	1	-	-	-	-
LIVERPOOL C.B. ..	862,600	299	16	173	34	-	-	-	2	3	13	-
BOOTLE C.B.	84,580	33	-	13	-	-	-	-	-	-	-	-
ST. HELENS C.B. ..	110,000	45	6	21	7	-	-	-	-	-	3	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	77,970	13	-	16	1	1	-	-	-	-	-	-
Wigan C.B.	88,620	21	2	14	3	-	-	-	-	-	3	-
Warrington C.B. ..	76,940*	31	2	13	2	-	-	-	-	-	1	-
Bolton C.B.	177,000	33	3	42	6	-	1	-	-	-	-	-
Bury C.B.	56,840*	16	-	9	1	-	-	-	-	-	1	-
Manchester C.B. ..	752,000	274	13	117	14	-	1	-	1	2	4	-
Salford C.B.	247,400	86	3	43	3	-	2	-	-	-	1	1
Ashton-under-Lyne	51,050	21	-	9	2	-	-	-	-	-	1	-
Oldham C.B.	143,000	59	4	28	4	-	-	-	-	1	1	-
Rochdale C.B.	91,510	17	-	22	2	-	-	-	-	1	-	-
Burnley C.B.	99,600	19	-	17	2	-	-	-	-	-	1	-
Blackburn C.B. ..	124,400	31	-	22	3	-	-	-	-	-	2	-
Preston C.B.	124,200	28	1	20	5	-	-	-	-	-	1	-
Blackpool C.B. ..	88,640	19	3	25	2	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	70,420	21	-	9	-	-	-	-	-	-	-	-
Huddersfield C.B. ..	111,900	24	1	29	-	2	-	1	-	-	1	-
Halifax C.B.	96,130*	30	-	26	3	-	-	-	-	1	-	-
Bradford C.B. ..	288,700	67	5	45	5	-	-	-	-	-	-	-
Leeds C.B.	473,400	151	7	85	11	-	-	-	-	-	4	1
Dewsbury C.B. ..	53,630	16	4	14	1	-	-	-	-	-	-	-
Wakefield C.B. ..	53,830	18	1	9	-	-	-	-	-	-	-	-
Barnsley C.B. ..	70,760	18	-	12	-	-	-	-	-	-	-	-
Sheffield C.B. ..	523,300*	145	8	85	9	-	-	1	-	-	1	1
Rotherham C.B. ..	70,080	25	1	13	-	-	2	-	-	1	-	-
Doncaster C.B. ..	55,700	18	2	11	1	-	-	-	-	-	-	-
York C.B.	84,430*	23	-	15	-	-	-	-	-	-	-	3
Hull C.B.	294,600	104	4	43	6	-	-	-	-	-	2	-
Middlesbrough C.B.	133,600	54	-	23	5	-	-	-	-	-	3	-
Darlington C.B. ..	70,700	17	1	15	4	-	1	-	-	-	-	-
Stockton-on-Tees ..	67,910	30	1	7	-	-	-	-	-	-	-	-
West Hartlepool C.B.	71,060	21	-	18	1	-	1	-	-	-	-	-
Sunderland C.B. ..	163,800	73	5	18	1	-	-	-	-	-	1	-
South Shields C.B. ..	123,900	55	-	20	4	-	-	-	-	-	3	-
Gateshead C.B. ..	127,700	48	3	26	2	-	-	-	-	-	1	1
Newcastle-on-Tyne C.B.	284,700*	118	1	86	9	-	-	-	-	1	-	-
Tynemouth C.B ..	66,560	25	-	5	1	-	-	-	-	-	-	-
Carlisle C.B.	56,140*	23	-	14	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,620	35	3	13	1	-	-	-	-	-	-	-
Cardiff C.B.	225,600*	65	9	31	4	-	-	-	1	-	-	2
Rhondda	162,500	43	6	22	4	-	2	-	1	-	-	-
Merthyr Tydfil C.B.	80,690	19	3	12	1	-	1	-	1	-	-	-
Aberdare	56,930	14	-	6	1	-	-	-	-	-	-	-
Swansea C.B.	163,200	63	3	31	5	-	-	-	-	-	-	-
Greater London ..	7,791,310*	2,338	97	1,241	112	1	2	1	7	8	13	8
Outer Ring	3,185,910*	929	29	497	43	-	-	1	3	3	3	3
17 Great Towns in Outer Ring	1,947,963*	565	17	293	28	-	-	1	2	1	1	1
Remainder of Outer Ring	1,237,947*	364	12	204	15	-	-	-	1	2	2	2
Edinburgh†	426,100	134	-	89	9	-	-	-	2	1	1	-
Glasgow†	1,049,000	409	-	218	28	1	1	-	4	1	6	1
Dublin (Registration Area)†	421,000	193	-	98	17	-	1	-	-	1	2	1
Belfast†	416,000	169	-	80	18	-	-	-	-	-	10	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
		1927.											
LONDON‡	4,605,400	Sept. 10	1409	68	744	8·4	1	–	2	–	4	5	10
CALCUTTA AND SUBURBS	1,077,264	Aug. 6	?	?	515‖	24·9	?	10	–	?	?	?	?
BOMBAY§	1,298,708	" 20	388	54	587‖	23·5	3	3	1	–	–	–	26
MADRAS	528,791	" 13	612	34	689‖	67·8	8	–	–	–	2	–	56
SYDNEY AND SUBURBS	1,038,950	June 30 (30 days)											
BRISBANE (Metropolitan Area).	274,260	July 31 (31 days)											
PERTH (Metropolitan Area).	179,388	July 16	62	?	40	11·3	?	?	?	?	?	?	1
AUCKLAND (Urban Area).	201,220	June 30 (30 days)											
WELLINGTON (Urban Area).	126,310	June 30 (30 days)											
CHRISTCHURCH (Urban Area).	121,780	June 30 (30 days)											
CAPE TOWN	115,348	Aug. 13	40	4	27	12·2	1	–	1	–	–	–	–
JOHANNESBURG	172,189	" 13	82	?	41	12·3	–	–	–	1	–	–	–
DURBAN	54,738	" 13	18	?	14	13·3	–	–	–	–	–	–	–
PARIS	2,871,429	" 20 (10 days)											
ANTWERP	300,242	Aug. 6	104	4	44	7·6	–	–	–	–	–	–	2
AMSTERDAM	729,159	" 13	258	–	101	7·2	–	–	–	–	–	–	1
COPENHAGEN	592,000	" 27	175	3	103	9·1	–	–	–	–	–	–	1
STOCKHOLM	453,332	" 20	104	1	79	9·1	–	–	–	–	–	–	1
GOTHENBURG	231,196	" 6											
OSLO (CHRISTIANIA) ..	254,055	Sept. 3	46	3	37	7·6	–	–	–	–	–	–	–
BERLIN	2,003,000	Aug. 20	402	11	372	9·7	2	?	–	2	2	8	4
BRESLAU	563,000	" 20	165	8	106	9·8	–	?	–	–	1	–	4
COLOGNE	718,900	" 20	215	8	104	7·5	–	?	–	–	1	1	11
DRESDEN	625,000	" 20	206	7	102	8·5	–	?	–	–	–	–	5
FRANKFORT-ON-MAIN..	474,000	" 20	112	4	47	5·2	–	?	–	–	–	–	–
HAMBURG	1,105,000	" 20	225	6	152	7·2	–	?	–	1	–	1	4
LEIPZIG	687,000	" 20	131	4	131	9·9	–	?	1	–	–	–	6
MUNICH	685,000	" 20	155	4	126	9·6	–	?	–	–	1	–	–
VIENNA	1,871,380	Jan. 31 (31 days)	1693	169	2440	15·7	4	?	18	6	10	13	13
PRAGUE AND SUBURBS	738,132	April 30 (30 days)											
BUDAPEST	971,169	Aug. 20	242	7	189	10·1	3	–	–	–	2	–	12
WARSAW	1,028,982	" 27	353	12	276	14·0	3	–	–	5	2	2	51
CAIRO	874,300	Mar 11											
ALEXANDRIA	501,800	" 11											
NEW YORK	5,924,018	Aug. 27	?	?	1008	8·9	–	–	–	1	1	2	24
CHICAGO	3,048,000	" 19	1229	37	550	9·2	–	–	–	–	2	11	10
NEW ORLEANS	433,000	June 30 (30 days)	678	44	613	17·0	4	–	4	–	3	3	26

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 8 deaths from Cholera in Calcutta, 3 in Bombay, 72 in Madras, and 4 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 10th September, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	744	69	12	9	22	36	36	41	81	115	157	166
Enteric fever	1	-	-	-	-	-	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	-	1	1	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	4	3	-	1	-	-	-	-	-	-	-	-
Diphtheria	5	1	-	2	2	-	-	-	-	-	-	-
Influenza	5	-	1	-	-	-	-	-	1	1	-	2
Erysipelas	3	-	-	-	-	-	-	-	2	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	3	-	-	-	1	1	-	1	-	-	-	-
Meningococcal meningitis	-	-	-	-	-		-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	55	-	1	-	2	13	14	5	12	6	2	-
Nervous system	2	-	2	-	-	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	1	-	-	-	-	-
Other forms	4	-	-	-	-	-	2	-	2	-	-	-
Venereal diseases	3	-	-	-	-	-	-	2	-	-	1	-
Cancer	129	-	-	-	-	1	1	6	20	42	40	19
Rheumatic fever	2	-	-	-	1	-	-	1	-	-	-	-
Diabetes	1	-	-	-	-	-	-	-	-	-	1	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	24	-	-	-	-	-	-	1	5	4	6	8
Epilepsy	5	-	-	-	-	-	-	1	1	1	1	1
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	28	2	-	-	2	3	2	3	3	5	7	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	1	-	2	2	-	-	-
Other diseases of heart	117	-	-	-	1	3	5	2	7	17	37	45
Other diseases of circulatory system	43	-	-	-	-	1	-	-	4	8	12	18
Bronchitis	16	2	-	1	-	-	-	-	1	1	6	5
Broncho-pneumonia	15	7	2	1	-	-	-	1	-	2	1	1
Lobar-pneumonia	12	-	1	-	1	-	-	2	3	1	3	1
Pneumonia (type not distinguished)	6	1	-	-	-	-	-	-	-	2	2	1
Other diseases of respiratory system	8	1	-	-	-	1	-	-	-	-	1	5
Diarrhœa and enteritis	13	10	-	-	-	-	-	2	1	-	-	-
Appendicitis, Typhlitis	5	-	-	-	2		1	1	-	-	1	-
Hernia, Intestinal obstruction	10	4	-	-	-	1	-	-	-	2	1	2
Cirrhosis of liver	4	-	-	-	-	-	-	-	-	2	2	-
Other diseases of digestive system ..	18	2	-	-	1	-	1	-	4	2	5	3
Acute nephritis	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	26	-	-	-	1	1	-	2	6	5	6	5
Other diseases of genito-urinary system.	14	-	-	-	1	-	-	-	-	2	6	5
Puerperal sepsis	4	-	-	-	-	2	1	1	-	-	-	-
Other causes incident to childbirth ..	4	-	-	-	-	1	2	1	-	-	-	-
Congenital malformations	9	7	-	1	1	-	-	-	-	-	-	-
Premature birth	13	13	-		-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	1	1	-	-	-	-		-	-	-	-	-
Old age	30	-	-	-		-		-	-	-	3	27
Suicide	12	-	-	-	-	-	1	4	1	4	2	-
Burns and Scalds	2	-	2	-	-	-	-	-	-	-	-	-
Drowning	3	-	-	-	2	1	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	18	-	-	1	2	2	2	1	2	4	3	1
Other deaths by violence	17	2	-	-	1	2	-	2	-	1	1	8
Other specified causes	40	12	1	1	1	2	3	-	3	2	7	8
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 10th September, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	285	219	9	49	C. 3 G. 6 L. 2 M. 12 N. 16
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	21	13	1	3	M. 1
†BERMONDSEY ...		15	13	–	2	N. 2
†BETHNAL GREEN	–	14	8	–	2	N. 1
†CAMBERWELL ...	–	10	11	–	–	C. 1 G. 1
†CHELSEA	–	1	–	–	1	–
†DEPTFORD ...	–	4	14	–	1	–
†FINSBURY ...	–	9	2	–	–	N. 1
†FULHAM	–	11	7	–	–	M. 1
†GREENWICH ...	–	5	6		3	–
†HACKNEY ...	–	28	6	–	–	C. 1 M. 2 N. 1
†HAMMERSMITH ...	–	6	5	–	1	N. 1
†HAMPSTEAD ...	–	1	2	1	–	G. 1
†HOLBORN... ...	–	1	3	1	–	–
†ISLINGTON ...	–	22	14	–	6	G. 1 M. 1 N. 2

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	5	7	1	–	G. 1 N. 1
†LAMBETH ...		8	10	1	4	–
†LEWISHAM ...		7	4	–	1	–
†PADDINGTON ...	–	5	7	–	–	N. 1
†POPLAR	–	21	9	–	3	–
†ST. MARYLEBONE	–	3	3	1		L. 1 N. 2
†ST. PANCRAS ...	–	13	6	1	2	L. 1 M. 1
†SHOREDITCH ...	–	10	8	–	6	M. 3
†SOUTHWARK ...	–	8	16	–	4	M. 2 N. 1
†STEPNEY		33	24	1	4	–
†STOKE NEWINGTON	–	2	2	–	–	C. 1
†WANDSWORTH ...	–	9	12	1	4	G. 2 M. 1 N. 2
†WESTMINSTER, CITY OF	–	–	3	–	–	N. 1
†WOOLWICH ...		12	4	–	2	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...		11	10	1	2	N. 2
Boroughs and Urban Districts:—						
†BEDFORD ...	–	2	–		–	–
DUNSTABLE ...		2	–	–	–	–
†LUTON		1	9	–	1	–
Rural Districts:—						
AMPTHILL ...	–	–	1		–	N. 1
BEDFORD... ...	–	6	–		–	–
BIGGLESWADE ...	–	–	–	–	1	–
EATON SOCON ...			–	–		N. 1
LUTON	–		–	1	–	–
BERKS		5	2	2	–	N. 1
†READING C.B. ...	–	–	–	1		–
Boroughs and Urban Districts:—						
†NEWBURY ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	3	–	–	–	–
Rural Districts:—						
BRADFIELD ...	–		1	–	–	–
EASTHAMPSTEAD	–	1		–	–	–
HUNGERFORD ...	–	–	–		–	N. 1
WANTAGE ...	–	–	1	–	–	–
WINDSOR... ...	–	–	–	1	–	–
BUCKINGHAM...	–	4	–	1	2	M. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	1	–	–	1	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	–	–	–	1	M. 1
BUCKINGHAM ...	–	1	–	–	–	–
ETON	–	–	–	1	–	
WING	–	1	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	5	–		–	–
Borough:—						
†CAMBRIDGE ..		4		–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–			–
CHESTER ...	–	55	12	2	14	C. 1 D. 1 F. 1 G. 4 M. 2 N. 2
†BIRKENHEAD C.B.	–	12	3	–	10	G. 3
†CHESTER C.B. ...		4	4	1	–	–
†STOCKPORT C.B.	–	9	–		–	C. 1
†WALLASEY C.B. ...	–	3	1	–		–
Boroughs and Urban Districts:—						
ASHTON UPON MERSEY	–	1	–		–	F. 1
†BEBINGTON AND BROMBOROUGH	–	1		–	–	M. 1 N. 1
†CREWE	–	7	1	–	–	
†DUKINFIELD ...	–	1	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	2	–	–		M. 1
†HYDE	–	–	1	–	2	–
KNUTSFORD ...	–	1	–			–
LYMM	–	3			–	–
†MACCLESFIELD ...	–	2	1		–	–
MARPLE	–	1	–		–	
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ...	–	–	–		1	–
YEARDSLEY CUM WHALEY	–	–	1	–		–
Rural Districts:—						
BUCKLOW ...	–	1	–	1	–	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	–	–	–	–	N. 1
NANTWICH ...	–	–	–	–	–	G. 1
NORTHWICH ...	–	4	–	–	–	D. 1
RUNCORN ...	–	1	–	–	–	–
WIRRAL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	3	2	2	1	G. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	*	*	*	*	*	*
†FALMOUTH ...	–	1	–	1	–	G. 1
HELSTON	*	*	*	*	*	*
LISKEARD ...	–	–	1	–	–	–
ST. AUSTELL ...	–	1	–	–	–	–
ST. IVES	–	1	–	–	–	–
STRATTON AND BUDE	–	–	–	1	–	–
Rural Districts:—						
LISKEARD ...	–	–	1	–	–	
ST. AUSTELL ...	*	*	*	*	*	*
ST. COLUMB MAJOR	–	–	–	–	1	–
CUMBERLAND...	–	5	3	–	4	–
†CARLISLE C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
CLEATOR MOOR ...	–	–	2	–	–	–
HARRINGTON ...	–	2	–	–	–	–
†MARYPORT ...	–	–	1	–	–	–
MILLOM	–	1	–	–	–	–
WIGTON	–	1	–	–	–	–
DERBY	12	29	12	1	6	C. 1 E. 2 N. 1
†DERBY C.B.	–	2	6	–	5	C. 1 N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
†BOLSOVER ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	1	2	–	–	–
CLAY CROSS ...	*	*	*	*	*	*
DRONFIELD ...	–	1	–	–	–	–
†HEANOR	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts— *cont.*						
†LONG EATON ...	–	1	–	–	–	–
NORTH DARLEY...	–	–	1	–	–	–
†RIPLEY	6	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
†THE MATLOCKS...	*	*	*	*	*	*
WIRKSWORTH ...	–	–	–	1	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BELPER	6	2	–	–	–	–
BLACKWELL ...	–	7	–	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	E. 1
CHESTERFIELD ...	–	6	–	–	1	E. 1
CLOWNE	*	*	*	*	*	*
REPTON	–	1	1	–	–	–
SHARDLOW ...	–	1	1	–	–	–
SUDBURY... ...	–	2	–	–	–	–
DEVON	–	4	9	1	1	G. 1 M. 2 N. 1
†EXETER C.B. ...	–	1	–	–	–	–
†PLYMOUTH C.B....	–	–	7	–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	–	–	–	M. 1
OTTERY ST. MARY	–	1	–	–	–	–
†TORQUAY ...	–	1	–	1	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	1	2	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DORSET		14	-	-	1	-
Boroughs and Urban Districts:—						
†POOLE	-	1	-	-	-	-
†PORTLAND ...	-	3	-	-	-	-
†WEYMOUTH AND MELCOMBE REGIS	-	-	-	-	1	-
Rural Districts:—						
BEAMINSTER ...	-	8	-	-	-	-
BLANDFORD ...	-	1	-	-	-	-
WIMBORNE AND CRANBORNE	-	1	-	-	-	-
DURHAM ...	48	57	30	11	33	C. 1 M. 3 N. 3
†DARLINGTON C.B.	4	5	2	4	1	-
†GATESHEAD C.B.	-	4	3	1	2	-
†SOUTH SHIELDS C.B.	15	9	1	1	15	M. 1
†SUNDERLAND C.B.	-	1	3	2	7	M. 1 N. 1
†WEST HARTLEPOOL C.B.	-	1	1	-	1	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	12	-	-	-	-	-
BARNARD CASTLE	-	-	-	-	1	-
BENFIELDSIDE ...	-	9	-	1	1	-
BILLINGHAM ...	-	1	-	-	-	-
†BLAYDON... ...	-	2	1	-	-	-
†BRANDON AND BYSHOTTLES	1	-	1	-	-	-
†CHESTER LE STREET	-	2	-	-	-	-
†FELLING	2	-	2	-	-	C. 1
†HEBBURN ...	-	4	2	-	-	-
†HETTON	1	2	-	-	-	-
†HOUGHTON LE SPRING	1	-	-	-	1	-
†JARROW	-	2	-	-	-	-
LEADGATE ...	-	-	1	-	-	-
†RYTON	-	2	-	-	1	-
†SPENNYMOOR ...	-	-	-	-	-	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STANLEY	-	2	-	-	-	-
†STOCKTON ON TEES	-	4	-	1	-	-
†WASHINGTON ...	-	1	-	-	-	-
†WHICKHAM ...	-	-	-	-	1	-
WILLINGTON ...	-	-	2	-	-	-
Rural Districts:—						
AUCKLAND ...	2	1	2	1	-	M. 1
CHESTER LE STREET	2	1	5	-	-	-
DARLINGTON ...	-	1	-	-	-	-
DURHAM	1	-	2	-	-	-
EASINGTON ...	2	1	1	-	2	-
SEDGEFIELD ...	2	-	1	-	-	-
SOUTH SHIELDS...	3	1	-	-	-	-
WEARDALE ...	-	1	-	-	-	-
ELY, ISLE OF ...	-	4	-	-	-	-
Boroughs and Urban Districts:—						
WHITTLESEY ...	-	1	-	-	-	-
†WISBECH	-	3	-	-	-	-
ESSEX	-	102	61	4	8	C. 2 M. 4 N. 4
†EAST HAM C.B. ...	-	9	13	-	-	M. 1 N. 1
†SOUTHEND-ON-SEA C.B.	-	4	-	-	-	M. 1
†WEST HAM C.B. ...	-	40	13	1	4	N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	4	1	1	-	M. 2
BRENTWOOD ...	-	1	-	-	-	-
BURNHAM ON CROUCH	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHELMSFORD ...	-	1	-	-	-	-
CHINGFORD ...	-	-	1	-	-	-
†CLACTON	-	-	-	1	-	-
†COLCHESTER ...	-	1	-	-	-	-
DAGENHAM ...	-	1	4	-	1	N. 1
†GRAYS THURROCK	-	1	-		-	-
†HARWICH ...	-	1	-	-	-	-
HORNCHURCH ...	-	2	1	-	-	-
†ILFORD	-	14	4	-	-	C. 1
†LEYTON	-	10	12	-	-	-
†ROMFORD ...	-	1	-	1	-	-
†WALTHAMSTOW...	-	7	9	-	1	C. 1
WALTON ON THE NAZE	-	-	-	-	1	-
†WANSTEAD ...	-	1	-	-	-	-
Rural Districts:—						
BILLERICAY ...	-	-	1	-	-	-
CHELMSFORD ...	-	-	1	-	-	-
DUNMOW	-	1	1	-	1	-
ORSETT	*	*	*	*	*	*
ROCHFORD ...	-	2	-	-	-	-
GLOUCESTER ...	-	41	20	4	8	L. 2 M. 2
†BRISTOL C.B. ...	-	25	11	1	7	L. 2 M. 1
†GLOUCESTER C.B.	-	-	2	1	-	-
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	1	-	1	-	-
COLEFORD ...	-	-	-	1	-	-
†KINGSWOOD ...	-	1	-	-		-
STROUD	-	1	-	-	-	-
TEWKESBURY ...	-	3	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	-	-	-	-	1	M. 1
CIRENCESTER ...	-	-	4	-	-	-
DUBSLEY	-	-	1	-	-	-
EAST DEAN AND UNITED PARISHES	-	4	-	-	-	-
GLOUCESTER ...	-	1	-	-	-	-
STROUD	-	2	1	-	-	-
THORNBURY ...	-	1	-	-	-	-
WEST DEAN ...	-	2	1	-	-	-
HEREFORD ...	-	3	1	-	-	M. 1 N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	-	2	-	-	-	M. 1 N. 1
Rural Districts:—						
LEOMINSTER ...	-	1	-	-	-	-
WEOBLEY... ...	-	-	1	-	-	-
HERTFORD ...	-	3	2	2	-	C. 3 M. 1 N. 2
Boroughs and Urban Districts:—						
BUSHEY	-	-	-	1	-	-
†CHESHUNT ...	-	-	-	-	-	M. 1
HARPENDEN ...	-	1	-	1	-	-
WARE	-	-	1	-	-	N. 1
†WATFORD ...	-	2	1	-	-	C. 3 N. 1
Rural Districts:—						
ASHWELL ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	3	1	1	–	M. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	M. 1
OLD FLETTON ...	–	1	–		–	–
ST. IVES	–	–	–	1	–	–
Rural Districts:—						
ST. IVES	–	–	1	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
KENT	–	35	32	8	6	M. 1 N. 1
†CANTERBURY C.B.	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	–
†BECKENHAM ...	–	1	1	–	–	–
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	1	1	–
†BROMLEY ...	–	1	–	–	–	–
†CHATHAM ...	–	2	2	–	–	–
†DOVER	–	1	–	–	–	M. 1
†ERITH	–	1	9	–	–	–
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	–	1	–	–	–
HYTHE	–	1	–	2	–	–
†MAIDSTONE ...	–	1	–	1	–	–
†MARGATE ...	–	2	2	1	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	3	–	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	2	1		–	–
†ROYAL TUNBRIDGE WELLS	–	–	4	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
SIDCUP	–	–	1	–	–	–
SWANSCOMBE ...	–	1	–	–	–	–
TENTERDEN ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BROMLEY ...	–	3	–	–	–	
CRANBROOK ...	–	1	–	1	–	–
DARTFORD ...	–	2	–	–	1	–
ELHAM	–	1	–	–	–	–
FAVERSHAM ...	–	1	3	–	–	–
HOLLINGBOURNE	–	–	1	–	–	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	1	5	–	–	–
MILTON	–	1	–	1	–	–
SEVENOAKS ...	–	–	1	–	1	–
TONBRIDGE ...	–	1	–	–	2	–
LANCASTER ...	2	210	159	6	124	C. 6 D. 2 E. 2 G. 5 M. 23 N. 13
†BARROW IN FURNESS C.B.	–	2	1	–	2	–
†BLACKBURN C.B.	–	5	–	–	1	N. 1
†BLACKPOOL C.B.	1	3	1	1	2	–
†BOLTON C.B. ...	–	3	6	–	2	G. 1 M. 1
†BOOTLE C.B. ...	–	2	2	–	5	M. 1
†BURNLEY C.B. ...	1	1	5	–	2	–
†BURY C.B. ...	–	7	1	–	–	E. 1
†LIVERPOOL C.B. ...	–	33	32	2	20	C. 1 D. 1 E. 1 M. 14 N. 4
†MANCHESTER C.B.	–	31	31	1	28	C. 4 G. 1 M. 1 N. 5
†OLDHAM C.B. ...	–	1	2	–	4	G. 1 M. 1
†PRESTON C.B. ...	–	1	9	–	2	N. 1
†ROCHDALE C.B. ...	–	2	4	–	–	M. 1
†ST. HELENS C.B. ...	–	5	2	–	–	–
†SALFORD C.B. ...	–	19	16	–	9	C. 1 D. 1 G. 1
†SOUTHPORT C.B.	–	1	2	1	–	–
†WARRINGTON C.B.	–	5	2	–	7	M. 1
†WIGAN C.B. ...	–	1	1	–	3	–

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	1	–
†ACCRINGTON ...	–	2	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	–	–	–	–
†ASHTON UNDER LYNE	–	–	1	–	2	–
ASPULL	–	2	–	–	–	–
†ATHERTON ...	–	1	1	–	1	M. 1
†BACUP	–	–	–	–	1	M. 1
†CHADDERTON ...	–	1	2	–	–	–
†CHORLEY	–	1	–	–	–	–
†CLITHEROE ...	–	–	3	–	–	–
†COLNE	–	–	–	–	1	–
†CROMPTON ...	–	–	–	–	1	–
†DARWEN	–	–	–	–	1	N. 1
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	14	–	–	2	–
†FARNWORTH ...	–	1	–	–	2	–
†FLEETWOOD ...	–	1	–	–	–	–
FULWOOD ...	–	–	–	–	1	N. 1
†GREAT CROSBY ...	–	1	–	–	–	–
†HEYWOOD ...	–	2	2	–	–	–
†HINDLEY... ...	–	1	–	–	–	–
†HORWICH ...	–	–	1	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
IRLAM	–	5	–	–	–	–
†LANCASTER ...	–	7	–	1	3	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
LEES	–	1	–	–	–	–
†LEIGH	–	2	2	–	–	–
LEYLAND... ...	–	2	–	–	–	–
†LITHERLAND ...	–	1	–	–	–	–
†LITTLEBOROUGH	–	–	1	–	–	–
†MIDDLETON ...	–	–	1	–	1	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	6	–	–	–	–
†NELSON	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	1	–	2	–
NORDEN	–	–	1	–	–	G. 1
ORMSKIRK ...	–	3	1	–	–	–
†OSWALDTWISTLE	–	–	1	–	–	–
†PADIHAM... ...	–	–	6	–	–	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†RADCLIFFE ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	2	–	–	–	–
SKELMERSDALE...	–	–	1	–	–	–
STANDISH WITH LANGTREE	–	1	–	–	–	
†STRETFORD ...	–	2	–	–	2	–
†SWINTON AND PENDLEBURY	–	2	1	–	1	–
TOTTINGTON ...	–	–	–	–	1	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
URMSTON... ..	–	–	1	–	–	–
†WALTON LE DALE	–	–	2	–	–	–
†WATERLOO WITH SEAFORTH	–	4	–	–	–	–
WHITEFIELD ...	–	–	2	–	1	–
†WIDNES	–	–	5	–	3	M. 1
WITHNELL ...	–	1	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY... ...	–	–	–	–	1	–
BURY	–	1	–	–	–	–
CHORLEY... ...	–	2	–	–	–	–
CLITHEROE ...	–	2	–	–	1	–
GARSTANG ...	–	1	–	–	–	–
LIMEHURST ...	–	–	2	–	–	–
PRESTON	–	–	1	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	1	–	2	–
WEST LANCASHIRE	–	1	–	–	1	–
WHISTON... ...	–	1	1	–	1	–
WIGAN	–	1	–	–	–	–
LEICESTER ...	–	7	13	–	3	G. 2 N. 2
†LEICESTER C.B. ...	–	2	4	–	–	G. 1 N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	–	–	–
†HINCKLEY ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	2	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	2	–
BELVOIR	–	1	–	–	–	–
BLABY	–	–	1	–	–	–
CASTLE DONINGTON	–	–	1	–	–	–
HINCKLEY ...	–	–	2	–	–	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	–	4	–	–	–
MARKET HARBOROUGH	–	–	–	–	–	G. 1
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	1	6	–	–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	1	–	–	–
SUTTON BRIDGE	–	–	4	–	–	–
Rural Districts:—						
BOSTON	–	–	1	–	–	–
CROWLAND ...	–	1	–		–	–
EAST ELLOE ...	*	*	*	*	*	*
SPALDING (part)..	*	*	*	*	*	*
LINCOLN (parts of Kesteven).	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	–
RUSKINGTON ...	*	*	*	*	*	*
STAMFORD ...	–	1	–	–	–	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
CLAYPOLE ...	–	1	–	–	–	–
GRANTHAM ...	–	–	1	–	–	–
SPALDING (part)..	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	–	13	7	2	4	G. 1 N. 1
†GRIMSBY C.B. ..	–	1	1	–	2	–
†LINCOLN C.B. ...	–	3	–	–	–	G. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	3			–
†CLEETHORPES ...	–	2	–	–	1	–
†GAINSBOROUGH ...	–		1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	4	–	–	–	–
Rural Districts:—						
CAISTOR	–	1		–	–	–
GAINSBOROUGH ...	–	–	1	2	–	–
GLANFORD BRIGG	–	1	1	–	1	–
HORNCASTLE ...	–	–	–	–	–	N. 1
LOUTH	–	1			–	–
MIDDLESEX ...	–	53	40	2	6	C. 1 D. 1 E. 1 G. 1 M. 2 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	1	–		–	–
†BRENTFORD AND CHISWICK	–	3	1	–	2	–
†EALING	–	1	1	–	–	–
†EDMONTON ...	–	4	2	–	–	G. 1

* Returns not received. † Population over 10,000.

C Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ENFIELD	–	–	2	–	–	–
FELTHAM ...	–	–	1	–	–	–
†FINCHLEY ...	–	–		–	–	N. 1
†FRIERN BARNET	–	2	1	–	–	–
HAMPTON WICK...	–	–	–	–	1	–
†HARROW ON THE HILL	–	1	1	–	–	–
HAYES	–	2	–	–	–	–
†HENDON	–	4	–		–	–
†HESTON AND ISLEWORTH	–	3	2	–	1	D. 1 M. 1
†HORNSEY... ...	–	6	5	–	–	E. 1
KINGSBURY ...	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	5	–	–	–	–
†SOUTHGATE ...	–	2	–	1	–	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	–	–	–	–	N. 1
†TOTTENHAM ...	–	5	11	–	–	–
†TWICKENHAM ...	–	–	1	–	–	–
†UXBRIDGE ...	–	–	1	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	1	–	–	1	–
†WILLESDEN ...	–	8	7	1	–	M. 1 N. 1
†WOOD GREEN ...	–	1	–	–	1	N. 1
YIEWSLEY ...	–	–	1	–	–	N. 1
Rural Districts:—						
HENDON	–	–	–	–	–	N. 1
SOUTH MIMMS ...	–	–	–	–	–	C. 1
STAINES	–	1	2	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK ...	–	8	5	–	3	G. 1 N. 1
†GREAT YARMOUTH C.B.	–	1	1	–	–	–
†NORWICH C.B. ...	–	4	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
CROMER	–	–	–	–	1	–
DISS	*	*	*	*	*	*
†KING'S LYNN ...	–	1	–	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	–	–	–	–	G. 1
DEPWADE ...	–	1	–	–	–	–
FOREHOE ...	–	–	–	–	–	N. 1
MARSHLAND ...	–	–	4	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
NORTHAMPTON	–	8	2	2	2	G. 1 N. 1
†NORTHAMPTON C.B.	–	3	–	–	1	N. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	–	–	1	–	G. 1
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN... ...	–	–	1	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	1	1	–	–
HARDINGSTONE ...	–	1	–	–	–	–
POTTERSPURY ...	–	–	–	–	1	–
THRAPSTON (part)	–	2	–	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.	–	48	7	7	20	G. 1 M. 1 N. 2
†NEWCASTLE UPON TYNE C.B.	–	21	2	1	15	M. 1
†TYNEMOUTH C.B.	–	6	4	–	–	–
Boroughs and Urban Districts:—						
AMBLE	–	–	1	–	–	–
†ASHINGTON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	6	–	3	2	G. 1 N. 1
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	3	–	–	3	–
HEXHAM	–	–	–	2	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	1		–	–	–
PRUDHOE... ...	–	1	–	–	–	–
†WALLSEND ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	1	–	–
Rural Districts:—						
GLENDALE ...	–	1	–	–	–	–
HEXHAM	–	3	–	–	–	N. 1
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	26	21	14	2	8	C. 1 N. 1
†NOTTINGHAM C.B.	–	6	14	–	6	–
Boroughs and Urban Districts:—						
†EAST RETFORD ...	4	–	–	–	–	–
†MANSFIELD ...	–	1	–	–	–	C. 1
†MANSFIELD WOODHOUSE	–	4	–	1	–	–
†NEWARK	–	–	–	1	–	–
†SUTTON IN ASHFIELD	–	1	–	–	2	–
†WORKSOP... ...	17	–	–	–	–	–
Rural Districts:—						
BASFORD	–	2	–	–	–	–
BINGHAM... ...	–	3	–	–	–	–
SKEGBY	3	1	–	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	2	–	–	–	–
WORKSOP... ...	2	–	–	–	–	N. 1
OXFORD	–	1	1	1	2	M. 1
†OXFORD C.B. ...	–	1	–	1	1	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	1	–	–	–
Rural Districts:—						
CHIPPING NORTON	–	–	–	–	1	–
THAME	–	–	–	–	–	M. 1
PETERBOROUGH (Soke of).	–	1	4	–	–	M. 1
Borough:—						
†PETERBOROUGH...	–	1	3	–	–	–
Rural District—						
PETERBOROUGH...	–	–	1	–	–	M. 1
SALOP	–	16	1	–	1	M. 2
Boroughs and Urban Districts:—						
DAWLEY	–	1	–	–	–	–
MARKET DRAYTON	–	–	–	–	1	–
†OAKENGATES ...	–	6	–	–	–	–
OSWESTRY ...	–	–	1	–	–	–
WELLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
CHURCH STRETTON	–	1	–	–	–	–
NEWPORT ...	–	2	–	–	–	–
OSWESTRY ...	–	2	–	–	–	M. 1
WELLINGTON ...	–	2	–	–	–	M. 1
SOMERSET ...	–	14	6	1	2	D. 1 N. 1
†BATH C.B. ...	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
BURNHAM ON SEA	–	–	–	–	–	D. 1
CLEVEDON ...	–	–	1	–	–	–
MIDSOMER NORTON	–	4	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	1	1	–	1	N. 1
BATH	–	1	2	–	–	–
CHARD	–	–	–	1	–	–
CLUTTON	–	2	–	–	–	–
KEYNSHAM ...	–	1	–	–	–	
LONG ASHTON ...	–	1	–	–	–	
YEOVIL	–	1	1	–	–	–
SOUTHAMPTON.	–	40	30	3	4	E. 1 G. 1 M. 2 N. 4
†BOURNEMOUTH C.B.	–	1	3	–	–	N. 2
†PORTSMOUTH C.B.	–	14	12	2	–	–
†SOUTHAMPTON C.B.	–	11	6	1	3	E. 1 M. 2
Boroughs and Urban Districts:—						
ALTON	–	1	–	–	–	N. 1
ANDOVER... ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	8	–	–	–
†GOSPORT	–	2	–	–	–	–
LYMINGTON ...	*	*	*	*	*	*
MILTON	–	–	–	–	–	G. 1
†WINCHESTER ...	–	4	–	–	–	–
Rural Districts:—						
ANDOVER... ...	–	–	–	–	–	N. 1
FAREHAM ...	–	2	–	–	–	
FORDINGBRIDGE..	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts—*cont.*						
NEW FOREST ...	–	1	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
WINCHESTER ...	–	–	1	–	–	–
STAFFORD ...	3	44	32	2	23	C. 2 D. 2 G. 1 L. 2 M. 11 N. 9
†SMETHWICK C.B.	–	8	8	–	–	N. 2
†STOKE ON TRENT C.B.	3	7	5	–	6	C. 1 D. 1 M. 5
†WALSALL C.B. ...	–	4	1	–	2	C. 1 N. 2
†WEST BROMWICH C.B.	–	1	6	–	2	M. 1
†WOLVERHAMPTON C.B.	–	7	–	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	1	–	–	M. 1
BIDDULPH ...	–	–	1	–	–	–
†BILSTON	–	–	–	–	1	M. 1
†BRIERLEY HILL...	–	1	–		–	–
†BROWNHILLS ...	–	1	–	1	2	–
†CANNOCK	–	–	–	–	1	–
†COSELEY	–	2	–	–	1	–
†DARLASTON ...	–	–	1	–	1	–
KIDSGROVE ...	–	–	–	–	–	M. 1
†LEEK	–	–	–	–	–	N. 1
LICHFIELD ...	–	1	–	–	–	–
†ROWLEY REGIS ...	–	1	1	–	–	N. 1
†SEDGLEY	–	–	–	–	–	M. 1
†STAFFORD ...	–	1	–	–	–	N. 1
TAMWORTH ...	–	1	1	–	–	–
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	2	1	–	1	–
†WEDNESBURY ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK	–	–	–	–	2	D. 1
CHEADLE... ...	–	–	–	–	1	L. 2 N. 1
KINGSWINFORD...	–	2	1	–	–	–
LEEK	–	2	1	–	–	–
LICHFIELD ...	–	2	–	–		–
STAFFORD ...	–	–	–	1	–	–
TUTBURY... ...	–	–	–	–	–	N. 1
WALSALL... ...	–	–	4	–	–	–
SUFFOLK, EAST	–	16	6	2	1	G. 1 M. 1 N. 6
†IPSWICH C.B. ...	–	1	2	–	–	N. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	*	*	*	*	*	*
BECCLES	–	–	1	–	–	–
BUNGAY	–	1	1	–	–	N. 1
†FELIXSTOWE ...	–	1	–	–	–	–
LEISTON CUM SIZEWELL	–	4	–	–	–	–
†LOWESTOFT ...	–	1	1	1	–	M. 1 N. 3
WOODBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
BLYTHING ...	–	4	–	–	–	–
EAST STOW ...	–	–	–	–	–	N. 1
HOXNE	–	2	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	–	–	1	–
PLOMESGATE ...	–	1	–	–	–	–
SAMFORD... ...	–	–	–	–	–	G. 1
WOODBRIDGE ...	–	–	–	1	–	–
SUFFOLK, WEST						
Boroughs and Urban Districts:—						
HADLEIGH ...	*	*	*	*	*	*
SURREY	–	37	15	4	3	C. 1 M. 2 N. 2
†CROYDON C.B. ...	–	14	4	1	–	–
Boroughs and Urban Districts:—						
†BARNES	–	4	1	–	–	–
†EGHAM	–	–	–	–	1	–
†EPSOM	–	1	–	–	–	–
†FARNHAM ...	–	–	–	1	–	–
†FRIMLEY	–	–	1	–	–	–
†GUILDFORD ...	–	1	1	–	2	–
†KINGSTON ON THAMES	–	1	1	–	–	–
LEATHERHEAD ...	–	–	1	–	–	–
†MERTON AND MORDEN	–	4	–	–	–	–
†MITCHAM... ...	–	2	2	–	–	C. 1 M. 1
†REIGATE	–	–	1	–	–	–
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	–	–	–	–	M. 1
†SUTTON	–	–	–	–	–	N. 1
†WALTON UPON THAMES	–	3	–	–	–	–
†WIMBLEDON ...	–	3	2	1	–	–
†WOKING	–	–	–	1	–	–
Rural Districts:—						
EPSOM	–	2	1	–	–	–
GUILDFORD ...	–	1	–	–	–	–
REIGATE	–	–	–	–	–	N. 1
SUSSEX, EAST ...	–	4	7	3	1	C. 1 N. 2
†BRIGHTON C.B. ...	–	–	6	–	1	C. 1 N. 2
†EASTBOURNE C.B.	–	2	–	–	–	–
†HASTINGS C.B. ...	–	–	1	2	–	–
Rural Districts:—						
BATTLE	–	1	–	–	–	–
NEWHAVEN ...	–	1	–	–	–	–
UCKFIELD ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	–	3	2	1	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†HORSHAM ...	–	1	–	–	–	–
SHOREHAM-BY-SEA	–	–	1	–	–	–
†WORTHING ...	–	–	1	–	1	C. 1
Rural Districts:—						
MIDHURST ...	–	–	–	–	–	M. 1
STEYNING WEST	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	1	–	–
WARWICK ...	–	44	69	3	19	C. 2 G. 1 M. 8 N. 1
†BIRMINGHAM C.B.	–	30	46	2	13	C. 1 G. 1 M. 8 N. 1
†COVENTRY C.B. ...	–	5	8	–	1	C. 1
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	2	–	–	–
†NUNEATON ...	–	1	1	–	1	–
†RUGBY	–	1	3	–	1	–
†STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
†WARWICK ...	–	2	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	1	–	–
ATHERSTONE ...	–	–	2	–	1	–
COVENTRY ...	–		3	–	–	–
FARNBOROUGH ...	*	*	*	*	*	*
FOLESHILL ...	–	–	3	–	1	–
MERIDEN... ...	–	–	1	–	–	–
SOUTHAM... ...	–	1	–	–	–	–
STRATFORD ON AVON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	6	–	–	1	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	1	–
†KENDAL	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	5	–	–	–	–
WIGHT, ISLE OF	–	1	–	1	1	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
ST. HELENS ...	–	–	–	1	–	–
SANDOWN ...	–	–	–	–	1	–
WILTS	–	10	2	–	3	D. 1 M. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
MELKSHAM ...	–	–	1	–	–	–
†SWINDON... ...	–	2	–	–	1	D. 1 M. 1
Rural Districts:—						
CALNE	–	–	1	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
PEWSEY	–	1	–	–	1	–
TISBURY	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	-	16	1	-	9	N. 2
†Worcester C.B.	-	3		-	4	N. 1
Boroughs and Urban Districts:—						
Evesham ...	-	1	-		-	-
†Halesowen ...	-	2	-	-		-
†Lye and Wollescote	-	-	-	-	2	-
†Malvern ...	-	1	-	-	-	-
North Bromsgrove	-	2	-	-	-	-
†Oldbury... ...	-	-	-	-	2	N. 1
†Redditch ...	-	1	-	-	-	-
†Stourbridge ...	-	1	-	-	1	-
Rural Districts:—						
Bromsgrove ...	-	-	1	-	-	-
Droitwich ...	-	1	-	-	-	-
Evesham... ...	-	1	-	-	-	-
Upton on Severn	-	3	-	-	-	-
YORKS ... ... (East Riding).	-	17	25	1	7	D. 1 E. 24 F. 1 L. 1 M. 1 N. 1
†Kingston upon Hull C.B.	-	12	20	-	3	E. 21 L. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†Beverley ...	-	-	2	-	-	-
Filey	-	-	-	-	1	-
Hessle		-	1	-	-	-
Rural Districts:—						
Beverley ...	-	1	-	-	-	E. 1
Howden	-	1	-	-	2	-
Norton	-	-	-	-	-	D. 1 F. 1
Patrington ...	-	-	-	1	-	E. 2
Riccall	-	2	-	-	-	-
Sculcoates ...	-	1	2	-	1	-
Sherburn ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	1	18	1	2	4	C. 1 E. 1 M. 1 N. 1
†Middlesbrough C.B.	-	7	-	-	-	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
Loftus	-	2	-	-	-	-
Northallerton	-	1	-	-	-	-
†Redcar	-	-	-	-	1	-
†Scarborough ...	-	1	-	-	3	-
†Skelton and Brotton		4	-	-	-	-
†Thornaby on Tees		1	1	1	-	-
Rural Districts:—						
Bedale	-	-	-	1	-	-
Croft	-	1	-	-	-	-
Leyburn... ...	1	-	-	-	-	-
Malton	-	-	-	-	-	E. 1
Richmond ...	-	1	-	-	-	-
YORKS ... ... (West Riding).	36	228	66	7	72	C. 5 D. 1 E. 6 G. 1 M. 10 N. 5
†Barnsley C.B. ...	-	3	-	-	-	-
†Bradford C.B. ...	-	22	6	-	8	-
†Dewsbury C.B....	-	-	-	-	-	M. 1
†Doncaster C.B.	1	-	2	-	-	-
†Halifax C.B. ...		11	4	-	-	-
†Huddersfield C.B.	12	10	5	-	-	-
†Leeds C.B. ...	-	23	5	2	9	C. 2 E. 2 M. 6
†Rotherham C.B.		1	2	-	6	N. 1
†Sheffield C.B....	2	92	22	1	26	C. 1 E. 2 G. 1 N. 2
†Wakefield C.B.	-	1	-	-	-	-

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	2	–	–	1	–
BAILDON	–	1	–	–	–	–
†BATLEY	–	–	–	–	1	–
†BENTLEY WITH ARKSEY	–	4	3	–		–
†BOLTON UPON DEARNE	1	–	–	–		D. 1
†BRIGHOUSE ...	4	1	–	–	–	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
†CONISBROUGH ...	–	1	1	–	–	–
CUDWORTH ...	–	1	–	–	–	–
DARFIELD ...	–	–	–	–	–	M. 1
†ELLAND	–	1	–	–	–	–
FARSLEY	–	1		–	–	–
†FEATHERSTONE ...	–	–	2	–	–	–
GILDERSOME ...	–	–	–	–	1	–
†GOOLE	–		–	–	2	–
GREASBROUGH ...	–	–	–	–	1	–
GUISELEY ...	–	1	–	–	2	–
†HARROGATE ...	–	1	–	–	–	–
†HOLMFIRTH ...	–		–	1	1	–
HORBURY ...	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	2	–	–	–	–
†KEIGHLEY ...	12	–	–	1	–	–
LINTHWAITE ...	–	1	–	–	–	–
MALTBY	–	1	–	–	1	
†MORLEY	–	–	–	1	–	–
†NORMANTON ...	–	2	1	–	1	–
†PUDSEY	–	–	1	–	–	–
†RAWMARSH ...	–	1	1	–	–	–
ROYSTON	–	1	–	–	–	–
SELBY	–	1	–	–	–	–
†SHIPLEY	–	–	1	–	–	–
SKELMANTHORPE	–	–	2	–	–	–
†SKIPTON	–	–	1	–	–	–
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	–	E. 1
SPRINGHEAD ...	–	–		–	–	N. 1
STAINLAND ...	–	1	–	–	–	–
†STANLEY	–	–	–	–	1	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON	–	1	–	–	1	–
†TODMORDEN ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATH UPON DEARNE	1	1	1	–	–	–
WHITLEY UPPER	–	1	–	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	1	5	–	–	1	–
YEADON	–	1	1	–	1	–
Rural Districts:—						
DONCASTER ...	1	4	–	–	–	–
GOOLE	–	–	–	1	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	2	–	–	2	M. 1 N. 1
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK ...	–	2	3	–	–	–
KNARESBOROUGH	–	2	–	–	–	–
PONTEFRACT ...	–	3	–	–	–	–
RIPON	–	1	–	–	–	
ROTHERHAM ...	–	4	–	–	2	C. 1 E. 1 M. 1
SETTLE	–	1	–	–	–	–
SKIPTON	–	–	1	–	–	–
TADCASTER ...	–	–	–	–	1	–
THORNE	–	4	1	–	–	
WETHERBY ...	–	1	–	–	1	–
WHARFEDALE (NORTH)	–	–	–	–	–	C. 1
WORTLEY ...	–	1	–	–	–	–
YORK, CITY OF ...	–	9	1	1	–	–
†YORK C.B. ...	–	9	1	1	–	–
WALES.						
ANGLESEY ...						
Rural Districts:—						
VALLEY	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	1	1	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	1	–	–	–	–
YSTRADFELLTE (parish)	–	–	1	–	–	–
CAERNARVON ...	–	6	1	1	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
†LLANDUDNO ...	–	1	–	1	–	–
PENMAENMAWR...	–	3	–	–	–	–
Rural Districts:—						
CONWAY	–	–	1	–	–	–
GWYRFAI... ...	–	1	–	–	–	–
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
CARDIGAN ...	–	–	1	–	–	–
CARMARTHEN...	–	1	2	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
LLANDILO ...	*	*	*	*	*	*
†LLANELLY ...	–	1	1	–	1	N. 1
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANELLY ...	–	–	–	–	1	M. 1
DENBIGH ...	–	6	1	–	–	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	1	–	–	–	–
DENBIGH ...	–	1	–	–	–	–
†WREXHAM ...	–	1	1	–	–	–
DENBIGH—*cont.*						
Rural Districts:—						
CHIRK	*	*	*	*	*	*
WREXHAM ...	–	3	–	–	–	–
FLINT	–	1	1	–	–	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	1	–	–	–
†RHYL	–	1	–	–	–	–
GLAMORGAN ...	2	23	37	1	9	E. 1 G. 1 M. 1 N. 1
†CARDIFF C.B. ...	–	3	2	–	–	–
†MERTHYR TYDFIL C.B.	–	–	1	–	–	–
†SWANSEA C.B. ...	–	3	6	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	1	–	–	–
†BARRY	–	–	1	–	–	M. 1
BRIDGEND ...	–	1	–	–	–	–
†CAERPHILLY ...	–	1	5	–	–	–
†GELLIGAER ...	–	1	–	–	3	N. 1
†GLYNCORWG ...	–	–	2	–	1	–
†MAESTEG... ...	–	1	2	–	1	–
†MOUNTAIN ASH...	–	2		–	1	–
†NEATH	–	2	2	–	–	E. 1
†OGMORE AND GARW	–	1	1	–	–	–
†PENARTH ...	–	–	–	–	1	–
†PONTYPRIDD ...	2	1	1	–	–	–
†PORT TALBOT ...	–	2	6	–	–	–
†RHONDDA ...	–	2	4	–	1	–
Rural Districts:—						
LLANTRISANT AND LLANTWIT-FARDRE	–	–	–	–	1	–
PENYBONT ...	–	–	1	–	–	G. 1
PONTARDAWE ...	–	–	–	1	–	–
SWANSEA... ...	–	2	2	–		–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	-	-	2	-	-	M. 1
Urban Districts:—						
BALA	-	-	-	-	-	M. 1
FFESTINIOG	-	-	1	-	-	
Rural Districts:—						
DEUDRAETH ...	-	-	1	-	-	-
MONMOUTH ...	16	8	5	2	4	M. 1 N. 2
†NEWPORT C.B. ...	-	-	2	-	-	-
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	6	1	-	-		-
†ABERTILLERY ...	-	-	-	2	1	-
BEDWAS AND MACHEN	-	-	-	-	-	N. 2
†BEDWELLTY ...		-	1	-	-	-
†BLAENAVON ...	3	-	-	-	-	-
†EBBW VALE ..		4	1	-	-	-
LLANTARNAM ..	-	1	-	-		-
†NANTYGLO AND BLAINA	-	-	-	-	3	-
PONTYPOOL ...	7	-	-	-	-	-
†RHYMNEY ...	-	-	-	-	-	M. 1
†RISCA	-	-	1	-	-	-
Rural Districts:—						
ABERGAVENNY ...	-	1	-	-	-	-
SAINT MELLONS...	-	1	-	-	-	-
MONTGOMERY...	-	6	1	-	1	-
Boroughs and Urban Districts:—						
WELSHPOOL ...	-	1	1	-	-	-
Rural Districts:—						
NEWTOWN AND LLANIDLOES	-	5	-	-	1	-
PEMBROKE ...	-	1	-	1	1	-
Boroughs and Urban Districts:—						
MILFORD HAVEN	-	-	-	-	1	-
Rural Districts:—						
HAVERFORDWEST.	-	1	-	-	-	-
NARBERTH ..	-		-	1		-
ST. DOGMELLS ...	*	*	*	*	*	*
Total of Part II. ...	146	1332	772	98	428	C. 29 D. 10 E. 38 F. 2 G. 24 L. 5 M. 90 N. 83

PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LIVERPOOL	-	-	1	-	1	-
PLYMOUTH	-	-	1	-	-	F. 1 L. 1
WISBECH	-	-	4	-	-	-
PORT OF LONDON ...	-	-	-	-	-	J. 1
Total of Part III. ...	-	-	6	-	1	F. 1 J. 1 L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia ;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	285	219	9	49	C. 3 G. 6 L. 2 M. 12 N. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	146	1332	772	98	428	C. 29 D. 10 E. 38 F. 2 G. 24 L. 5 M. 90 N. 83
Total of Part III.—Port Sanitary Districts	–	–	6	–	1	F. 1 J. 1 L. 1
Total (*i.e.*, of returns received), England and Wales ...	146	1617	997	107	478	C. 32 D. 10 E. 38 F. 3 G 30 J. 1 L. 8 M. 102 N. 99

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIR WEEKS.

Week ended :—	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3
LONDON :—												
DEATHS (excluding Stillbirths)—all ages.	852	798	804	781	777	768	763	714	793	727	759	773
DEATHS—0 to 1 year ..	72	55	48	66	68	51	65	49	69	42	55	68
GREAT TOWNS, aggregate (including London):—												
LIVE BIRTHS	7,425	6,801	6,525	6,758	6,636	6,875	6,901	5 798	6,773	6,314	6,575	6,703
STILLBIRTHS	—	—	32†	219	233	242	259	241	239	245	306	267
DEATHS (excluding Stillbirths)—all ages	3,879	3 582	3,453	3,667	3,442	3,424	3,510	3,303	3,406	3,244	3,343	3,380
DEATHS—0 to 1 year ..	349	328	292	353	320	314	390	326	328	280	344	331
ENTERIC FEVER—Cases	29	35	28	36	26	33	27	25	20	28	36	38
" Deaths	5	1	—	8	2	2	1	3	2	2	—	1
SMALL POX—Cases ..	60	77	61	31	30	26	41	45	29	26	38	19
" Deaths ..	—	—	1	—	—	—	—	—	—	—	—	1
SCARLET FEVER—Cases	845	897	930	976	913	955	942	677	814	677	774	889
" Deaths	5	4	6	5	2	3	9	2	4	8	4	2
DIPHTHERIA—Cases ..	559	503	503	550	535	574	497	444	455	449	453	556
" Deaths ..	13	17	16	26	21	30	21	25	20	13	15	22
MEASLES—Deaths ..	39	30	27	36	21	29	25	31	19	19	16	13
INFLUENZA—Deaths ..	31	33	28	31	21	25	15	16	26	21	20	18

† Registration of Stillbirths began 1st July, 1927.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th September, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°			°	
LONDON (GREENWICH).	71	44	67·6	54·6	13
BRIGHTON ..	70	47	65·9	56·6	13
PORTSMOUTH ..	69	48	66·0	56·9	18
NORWICH (EATON).	72	45	66·9	53·9	7
PLYMOUTH ..	66	51	63·0	55·4	38
BRISTOL (CLIFTON).	70	51	65·3	54·9	38
BIRMINGHAM (EDGBASTON).	66	46	62·9	52·6	14
NOTTINGHAM ..	68	45	64·1	53·7	32
BIRKENHEAD (BIDSTON).	66	52	62·4	54·4	11
MANCHESTER (WHITWORTH PARK).	70	46	63·9	51·7	8
BURNLEY	66	43	62·4	51·6	10

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres
	°	°	°	°	
HUDDERSFIELD	68	47	63·7	52·4	12
BRADFORD ..	67	47	62·7	52·9	15
SHEFFIELD ..	67	46	64·1	52·0	21
YORK (MUSEUM)	72	47	65·6	52·9	46
HULL (PEARSON PARK).	70	47	66·0	52·1	9
TYNEMOUTH ..	64	48	62·0	54·3	7
CARDIFF.. ..	66	51	62·7	54·7	35
EDINBURGH ..	68·0	47·0	63·0	50·6	36
GLASGOW ..	66·6	47·0	63·1	53·2	12
DUBLIN (PHŒNIX PARK).	§	§	§	§	§
(FITZWILLIAM SQUARE†).	70·2	48·2	64·5	52·6	12
BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 10th September, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	4	First Quarter.	29·849	65·6	56·4	9·2	60·2	+ 0·7	57·2	3·0	7·9	1·8	90	108·0	55·9	57·6	NNE	N	0·8	0·0	0·1	241	− 8	0·00
MONDAY	5	..	29·755	68·9	57·7	11·2	61·9	+ 2·5	57·9	4·0	10·0	1·8	86	101·6	51·0	57·8	N: Calm.	WSW: Calm.	0·1	0·0	0·0	118	− 128	0·00
TUESDAY	6	Greatest Declination S.	29·714	66·4	56·4	10·0	59·8	+ 0·6	56·8	3·0	11·7	0·4	89	91·0	46·6	57·8	Calm	ESE: E: S.	1·4	0·0	0·0	124	− 121	0·06
WEDNESDAY	7	..	29·894	71·4	52·5	18·9	60·3	+ 1·3	51·7	8·6	19·1	1·4	73	137·7	41·7	57·8	SW: W	WSW	2·4	0·0	0·2	331	+ 87	0·00
THURSDAY	8	..	29·830	68·8	43·7	25·1	57·6	− 1·2	53·6	4·0	14·0	1·1	86	122·3	30·8	57·8	SW: SSW.	SSW	2·6	0·0	0·3	293	+ 46	0·00
FRIDAY	9	..	29·655	70·7	53·9	16·8	61·0	+ 2·4	51·0	10·0	18·2	2·3	70	138·7	47·0	57·8	SW: WSW.	WSW	3·9	0·0	0·5	437	+ 187	0·00
SATURDAY	10	..	29·469	61·4	49·3	12·1	53·7	− 4·7	52·1	1·6	9·9	0·3	94	121·3	43·1	57·5	SW: Calm: NE.	N: S: SW.	1·1	0·0	0·1	160	− 91	0·46
MEANS		..	29·738	67·6	52·8	14·8	59·2	+ 0·2	54·3	4·9	13·0	1·3	84	117·2	45·2	57·7	Variable		..	..	..	Sum 1704	Sum − 28	Sum 0·52
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	4	Instrument out of order.	0·0	13·4	Overcast. Slight damping 8¾h. till 11¼h.
MONDAY ..	5	Instrument out of order till 16h.; then wP.	0·0	13·3	Overcast. Haze 12h. till 15h.
TUESDAY ..	6	wP	0·0	13·3	Overcast, clearing from 19h. to partially cloudy by 19½h. Frequent slight rain from 12¼h. till 16¼h.; and from 23h.
WEDNESDAY	7	wP till 16h.; mP till 20½h.; then wP.	7·9	13·2	Nearly overcast till 10½h.; then partially cloudy. Dew at night.
THURSDAY	8	wP till 16h.; then Instrument out of order.	4·5	13·1	Cloudless till 7h.; then partially cloudy becoming overcast by 12h. Solar halo 12h. till 12¼h. Damping 15½h. till 15¾h.; and 16¾h. till 18½h.
FRIDAY ..	9	Instrument out of order till 3h.; then wP.	3·9	13·1	Variably cloudy till 12h.; overcast till 20h.; then partially cloudy. Occasional slight rain between 14½h. and 15½h. Dew at night.
SATURDAY	10	wP till 18h.; variably SN and wP till 20h.; then wP.	1·3	13·0	Nearly overcast generally. Slight rain 4h. till 12h. Rain 18½h. till 19h. Thunder about 18h.
			Sum 17·6	Sum 92·4	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·97 ins. at the beginning of the week to 29·68 ins. by 18h. on 6th; increased to 29·98 ins. by 23h. on 7th; decreased to 29·59 ins. by 3h. on 9th; increased to 29·70 ins. by 21h. on 9th.; decreased to 29·44 ins. by 18h. on 10th; increased and was 29·48 ins. by midnight on the same day.

FOR OFFICIAL USE

1927. No. 37.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 17TH SEPTEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 17TH SEPTEMBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the thirty-seventh week of the year numbered 6,091 and corresponded to an annual rate of 16·2 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,401 and corresponded to an annual rate of 9·1 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 8·9, 9·0 and 8·9. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 54 against 52, 49 and 54 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,380 live births, corresponding to a rate of 15·6 per 1,000, and 778 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·8, against 8·6, 8·8 and 8·4 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·7 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 50 as against 37, 45 and 46 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 3,346 to 3,401, and in London increased from 744 to 778.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 252 in the Great Towns including 38 in London.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 17th September, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
107 GREAT TOWNS ..	19,540,143*	6091	252	3401	361	5	13	6	8	27	75	2
LONDON	4,605,400*	1380	38	778	75	-	2	-	4	6	22	
TOWNS IN OUTER RING.												
CROYDON C.B. ..	205,900	64	-	36	4	-	-	-	-	-	-	-
WIMBLEDON ..	58,030	10	-	6	1	-	-	-	-	-	-	-
EALING	91,783	23	1	14	1	-	-	-	-	-	-	-
ACTON	63,040	8	-	4	1	1	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	56,840	20	-	10	-	-	-	-	-	-	-	-
WILLESDEN ..	165,270	47	1	30	4	-	-	-	-	1	-	-
HENDON	62,570*	14	2	6	-	-	-	-	-	-	-	-
HORNSEY	87,230	16	-	10	-	-	-	-	-	-	-	-
WOOD GREEN ..	51,940	9	-	8	3	-	-	-	-	-	-	-
TOTTENHAM ..	151,520	29	2	17	1	-	-	-	-	-	-	-
EDMONTON	71,700	44	2	15	-	-	-	-	-	-	-	-
ENFIELD	63,640	14	-	14	-	-	-	-	-	-	1	-
WEST HAM C.B. ..	315,900	102	8	46	7	-	-	-	-	-	-	-
EAST HAM C.B. ..	146,600	20	1	19	-	-	-	-	-	1	-	-
LEYTON	130,000	16	2	20	-	-	-	2	-	-	-	-
WALTHAMSTOW ..	125,500	45	1	23	7	-	-	-	-	-	1	-
ILFORD	100,500	33	1	19	2	-	-	-	-	-	-	-
GILLINGHAM	47,820*	21	1	8	2	-	-	-	-	-	-	-
CANTERBURY C.B ..	23,470*	3	-	4	1	-	-	-	-	-	-	-
HASTINGS C.B.	61,340	10	-	13	1	1	-	-	-	-	-	-
EASTBOURNE C.B. ..	56,060	18	-	9	1	-	-	-	-	-	-	-
BRIGHTON C.B.	139,500*	37	2	25	1	-	-	-	-	1	-	-
PORTSMOUTH C.B. ..	231,500*	89	3	33	1	-	-	-	-	1	-	-
BOURNEMOUTH C.B. ..	90,100	19	-	17	-	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	169,300	59	2	33	2	-	-	-	-	-	-	1
READING C.B	93,090*	35	-	17	-	-	-	-	-	-	-	-
OXFORD C.B.	56,800	11	3	9	1	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,530*	19	-	17	2	-	-	-	-	-	-	-
LUTON	59,240	14	-	13	1	-	-	-	-	2	-	-
CAMBRIDGE	58,820	8	1	9	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	104,300	20	-	16	2	-	-	-	-	-	1	-
IPSWICH C.B.	84,140	30	1	19	3	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,760	21	1	9	1	-	-	-	-	-	-	-
NORWICH C.B.	123,500*	33	1	22	1	-	-	-	-	-	-	-
SWINDON	57,320	21	-	9	-	-	-	-	-	-	-	-
EXETER C.B.	60,340*	20	1	11	2	-	-	-	-	-	2	-
PLYMOUTH C.B. ..	187,300*	70	1	47	4	-	-	-	1	-	-	-
BATH C.B.	69,000	14	1	17	1	-	-	-	-	1	-	-
BRISTOL C.B.	383,300*	120	3	69	9	-	-	-	-	-	1	2
GLOUCESTER C.B. ..	53,050	22	-	8	3	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	275,600	94	6	30	2	-	1	-	-	-	-	-
BURTON-UPON-TRENT C.B.	48,660	15	-	8	-	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	131,000	54	1	24	5	-	-	-	-	-	1	-
WALSALL C.B.	102,100	39	-	11	-	-	-	-	-	-	-	-
WEST BROMWICH C.B.	79,920	30	2	10	4	-	-	-	1	-	-	-
DUDLEY C.B.	58,930	17	2	13	2	-	-	-	-	-	1	-
WORCESTER C.B. ..	50,660	12	-	9	3	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	934,300*	280	10	151	13	-	-	-	-	-	1	1
SMETHWICK C.B. ..	76,940	21	2	7	-	-	-	-	-	-	-	-
COVENTRY C.B. ..	127,800	42	-	22	3	-	-	-	-	2	1	-
LEICESTER C.B. ..	241,700	65	4	39	5	-	-	-	-	-	-	-
LINCOLN C.B.	65,760*	18	1	14	1	-	-	-	-	-	-	-
GRIMSBY C.B. .. .	88,580	33	3	12	3	-	-	-	-	-	1	-
NOTTINGHAM C.B. .	268,000	76	2	48	3	-	-	-	-	2	-	-
DERBY C.B.	136,600*	45	-	20	4	-	-	-	-	-	-	-
CHESTERFIELD ..	66,650	25	3	8	-	-	-	-	-	-	-	-
STOCKPORT C.B. ..	125,400	29	2	20	1	-	-	-	-	-	-	-
CHESTER C.B.	41,710	10	1	5	-	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	158,000	63	1	28	6	-	-	-	-	-	2	-
WALLASEY C.B. ..	93,050	22	1	20	1	-	-	-	-	2	-	-
LIVERPOOL C.B. ..	862,600	389	12	155	28	1	1	1	1	1	6	1
BOOTLE C.B.	84,580	24	2	22	5	-	-	-	-	-	3	-
ST. HELENS C.B. ..	110,000	51	-	12	-	-	-	-	-	-	-	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	77,970	32	1	12	1	-	-	-	-	-	1	-
Wigan C.B.	88,620	22	1	14	3	-	-	-	1	-	-	-
Warrington C.B. ..	76,940*	23	1	6	3	-	-	-	-	-	2	-
Bolton C.B.	177,000	44	4	39	4	-	1	-	-	-	1	1
Bury C.B.	56,840*	16	1	6	1	-	-	-	-	-	-	-
Manchester C.B. ..	752,000	247	22	138	7	-	3	-	-	1	1	2
Salford C.B.	247,400	56	4	51	2	-	-	-	-	-	2	-
Ashton-under-Lyne	51,050	27	-	4	-	-	-	-	-	-	-	-
Oldham C.B.	143,000	61	3	27	3	-	-	-	-	-	-	-
Rochdale C.B.	91,510	29	1	18	-	-	-	-	-	-	-	-
Burnley C.B.	99,600	24	1	30	5	-	-	-	-	1	1	-
Blackburn C.B. ..	124,400	34	2	23	1	-	-	-	-	-	-	-
Preston C.B.	124,200	29	2	27	4	-	-	-	-	1	1	-
Blackpool C.B. ..	88,640	29	-	22	3	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	70,420	24	1	14	1	-	-	-	-	-	-	1
Huddersfield C.B. ..	111,900	33	1	15	2	-	-	-	-	-	-	-
Halifax C.B.	96,130*	30	1	22	3	-	-	-	-	-	-	-
Bradford C.B. ..	288,700	80	7	62	6	-	-	-	-	1	3	2
Leeds C.B.	473,400	119	7	86	10	-	-	-	-	-	4	1
Dewsbury C.B. ..	53,630	19	-	6	-	-	-	-	-	-	-	-
Wakefield C.B. ..	53,830	13	3	11	1	-	-	-	-	-	-	-
Barnsley C.B. ..	70,760	23	1	9	1	-	1	-	-	-	-	-
Sheffield C.B. ..	523,300*	179	10	96	9	1	-	1	-	1	2	1
Rotherham C.B. ..	70,080	26	1	8	-	-	-	-	-	2	-	-
Doncaster C.B. ..	55,700	23	1	5	-	-	-	-	-	-	-	-
York C.B.	84,430*	21	2	18	2	-	1	-	-	-	-	1
Hull C.B.	294,600	110	4	64	13	1	-	-	-	-	2	-
Middlesbrough C.B.	133,600	47	3	32	4	-	-	-	-	-	2	-
Darlington C.B. ..	70,700	16	1	13	2	-	-	-	-	-	-	1
Stockton-on-Tees ..	67,910	32	-	8	1	-	-	-	-	-	1	-
West Hartlepool C.B.	71,060	26	1	8	2	-	-	-	-	-	-	-
Sunderland C.B. ..	163,800	56	7	38	10	-	-	-	-	-	4	-
South Shields C.B. ..	123,900	41	2	30	4	-	-	-	-	-	1	-
Gateshead C.B. ..	127,700	55	1	24	3	-	-	-	-	-	1	-
Newcastle-on-Tyne C.B.	284,700*	118	5	45	1	-	-	-	-	-	-	3
Tynemouth C.B ..	66,560	28	-	17	-	-	1	2	-	-	-	1
Carlisle C.B.	56,140*	15	-	7	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,620	35	1	18	1	-	-	-	-	-	1	-
Cardiff C.B.	225,600*	76	3	48	2	-	-	-	-	-	-	1
Rhondda	162,500	35	4	24	3	-	1	-	-	-	-	-
Merthyr Tydfil C.B.	80,690	29	1	9	-	-	-	-	-	-	-	-
Aberdare	56,930	8	2	11	2	-	-	-	-	-	-	-
Swansea C.B.	163,200	49	4	39	7	-	1	-	-	-	1	-
Greater London ..	7,791,310*	2,261	68	1,265	128	1	2	2	6	10	29	4
Outer Ring	3,185,910*	881	30	487	53	1	-	2	2	4	7	2
17 Great Towns in Outer Ring	1,947,963*	514	21	297	31	1	-	2	-	2	2	1
Remainder of Outer Ring	1,237,947*	367	9	190	22	-	-	-	2	2	5	1
Edinburgh†	426,100	153	-	111	18	-	-	1	1	1	-	-
Glasgow†	1,049,000	430	-	232	41	-	1	-	6	3	4	-
Dublin (Registration Area)†	421,000	238	-	94	23	-	-	-	1	3	6	1
Belfast†	416,000	169	-	90	12	-	-	1	1	1	7	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
		1927.											
LONDON‡	4,605,400	Sept. 17	1380	38	778	8·8	-	-	2	-	4	6	22
CALCUTTA AND SUBURBS	1,077,264	Aug. 13	?	?	537‖	25·9	?	5	-	?	?	?	?
BOMBAY§	1,298,708	" 27	409	39	508‖	20·3	-	2	1	-	-	-	25
MADRAS	528,791	" 20	674	32	611‖	60·1	7	-	-	-	4	-	30
SYDNEY AND SUBURBS	1,038,950	July 31 (31 days)	1820	?	994	11·1	?	?	?	10	4	13	6
BRISBANE (Metropolitan Area).	274,260	July 31 (31 days)											
PERTH (Metropolitan Area).	179,388	July 23	99	?	30	8·5	-	-	-	-	-	-	-
AUCKLAND (Urban Area).	201,220	June 30 (30 days)											
WELLINGTON (Urban Area).	126,310	June 30 (30 days)											
CHRISTCHURCH (Urban Area).	121,780	June 30 (30 days)											
CAPE TOWN	114,846	Aug. 20	48	-	28	12·7	-	-	-	-	-	-	-
JOHANNESBURG	172,189	" 20	79	4	36	10·8	1	-	-	-	-	-	-
DURBAN	54,738	" 20	26	-	16	15·2	-	-	-	-	-	1	-
PARIS	2,871,429	" 31 (10 days)	1238	72	925	11·8	5	-	8	1	12	7	41
ANTWERP	300,242	Aug. 13	107	4	45	7·8	-	-	1	-	2	1	1
AMSTERDAM	729,159	" 20	273	6	88	6·3	1	-	-	1	-	-	-
COPENHAGEN	592,000	Sept. 3	178	7	115	10.1	-	-	-	-	-	1	-
STOCKHOLM	453,332	Aug. 27	97	1	67	7·7	-	-	-	-	-	1	-
GOTHENBURG	231,196	" 13	?	?	32	7·2	1	-	-	-	-	-	-
OSLO (CHRISTIANIA) ..	254,055	Sept. 10	47	4	34	7·0	-	-	-	-	-	-	2
BERLIN	2,003,000	Aug. 27	341	16	384	10·0	1	?	-	3	2	7	6
BRESLAU	563,000	" 27	131	3	102	9·4	-	?	1	-	-	1	1
COLOGNE	718,000	" 27	188	8	115	8·3	-	?	-	-	2	1	12
DRESDEN	625,000	" 27	134	6	101	8·4	-	?	-	-	-	-	1
FRANKFORT-ON-MAIN..	474,000	" 27	98	4	65	7·1	-	?	-	-	-	-	-
HAMBURG	1,105,000	" 27	216	10	174	8·2	-	?	-	1	-	-	1
LEIPZIG	687,000	" 27	170	6	116	8·8	-	?	-	-	-	1	4
MUNICH	685,000	" 27	146	4	128	9·7	1	?	-	-	-	-	1
VIENNA	1,870,325	Feb. 28 (28 days)	1626	175	2746	17·6	1	?	54	8	15	20	17
PRAGUE AND SUBURBS	738,132	April 30 (30 days)											
BUDAPEST	971,169	Aug. 27	367	11	222	11·9	1	-	-	-	-	2	27
WARSAW	1,028,982	Sept. 3	370	11	286	14·5	5	-	5	2	7	4	53
CAIRO	874,300	Mar 11	987	19	384	22·9	3	-	1	-	?	4	20
ALEXANDRIA	501,800	" 11	496	13	238	24·7	3	-	-	-	?	1	13
NEW YORK	5,924,018	Sept. 3	?	?	1104	9·7	5	-	-	1	12	6	23
CHICAGO	3,048,000	Aug. 26	1317	32	568	9·6	1	-	-	-	2	10	13
NEW ORLEANS	433,000	July 31 (31 days)	892	52	632	17·1	3	-	2	1	7	4	33

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 13 deaths from Cholera in Calcutta, 2 in Bombay, 61 in Madras, and 1 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 17th September, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	778	75	9	14	15	39	47	37	88	154	167	133
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	1	-	1	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	4	2	2	-	-	-	-	-	-	-	-	-
Diphtheria	6	-	-	1	4	-	-	-	-	1	-	-
Influenza	2	-	-	-	1	-	-	-	-	-	1	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	1	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	1	1	-	-	-	-
Meningococcal meningitis	-	-	-	-	-		-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	67	-	-	-	1	12	19	9	10	14	2	-
Nervous system	1	-	-	1	-	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	5	1	-	-	-	-	-	2	-	1	1	-
Venereal diseases	6	1	1	-	-	-	-	-	2	2	-	-
Cancer	134	-	-	-	-	2	-	7	21	38	46	20
Rheumatic fever	3	-	-	-	1	2	-	-	-	-	-	-
Diabetes	9	-	-	-	-	-	2	2	1	2	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	35	-	-	-	-	1	-	-	9	3	13	9
Epilepsy	3	-	-	-	-	2	-	-	-	-	1	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	29	1	1	1	-	2	4	3	3	6	4	4
Pericarditis	1		-	-	-	-	-	-	-	-	1	-
Acute endocarditis	2	-	-	-	-	1	-	1	-	-	-	-
Other diseases of heart	116	-	-	-	1	2	3	1	11	25	37	36
Other diseases of circulatory system	54	-	-	-	-	-	1	-	5	16	15	17
Bronchitis	20	2	-	2	-	-	-	1	2	4	4	5
Broncho-pneumonia	15	4	3	2	-	-	1	-	-	3	1	1
Lobar-pneumonia	14	-	1	1	2	2	-	-	2	3	3	-
Pneumonia (type not distinguished)	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system	7	1	-	1	-	1	1	-	1	-	-	2
Diarrhœa and enteritis	27	22	-	-	-	1	2	-	1	-	-	1
Appendicitis, Typhlitis	9	-	-	1	1	-	1	1	1	3	1	-
Hernia, Intestinal obstruction	6	1	-	-	-	1	-	1	1	1	1	-
Cirrhosis of liver	8	-	-	-	-	-	-	-	1	4	1	2
Other diseases of digestive system ..	14	-	-	-	1	-	2	-	4	5	2	-
Acute nephritis	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	29	-	-	-	-	-	1	1	2	4	12	9
Other diseases of genito-urinary system.	18	-	-	-	-	-	1	1	1	3	9	3
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-		-
Other causes incident to childbirth ..	1	-	-	-	-	-	-	1	-	-		
Congenital malformations	13	11	-	1	-	-	1	-	-	-	-	-
Premature birth	15	15		-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3	-	-	-	-	-	-	-	-		
Old age	19	-	-		-	-	-	-	-	-	1	18
Suicide	12	-	-	-	-	2	1	1	3	3	1	1
Burns and Scalds	3	-	1	-	1	-	-	-	-	-	-	1
Drowning	1	-	-	-	-	-	-	1	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	-	-	3	2	-	1	1	-	1
Other deaths by violence	14	-	-	-	-	2	2	1	2	1	5	1
Other specified causes	37	8	-	2	1	3	1	2	4	11	3	2
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 17th September, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	246	229	6	39	C. 5 D. 1 E. 4 G. 3 L. 2 M. 14 N. 9
Metropolitan Boroughs:—						
†BATTERSEA ...	-	3	7	-	6	C. 1 M. 2
†BERMONDSEY ...	-	11	11	-	1	G. 1
†BETHNAL GREEN	-	14	6	1	1	-
†CAMBERWELL ...	-	11	16	-	-	C. 2 G. 1
†CHELSEA	-	4	3	1	-	L. 1
†DEPTFORD ...	-	5	4	-	2	N. 1
†FINSBURY ...	-	12	6	-	1	M. 1
†FULHAM		7	7	-	1	E. 1 M. 1 N. 1
†GREENWICH ...	-	4	4	1	1	D. 1 N. 1
†HACKNEY ...	-	34	7	-	1	C. 1
†HAMMERSMITH ...		4	4	-	2	M. 1
†HAMPSTEAD ...	-	2	-	-	-	-
†HOLBORN... ...	-		2	-	-	-
†ISLINGTON ...	-	16	10	-	2	E. 1 M. 6 N. 2

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	-	5	13	-	1	-
†LAMBETH ...	-	11	22	-	1	N. 2
†LEWISHAM ...		13	8	-	2	G. 1
†PADDINGTON ...	-	3	11	1	2	-
†POPLAR	-	19	3	-	7	-
†ST. MARYLEBONE	-	-	5	1	-	-
†ST. PANCRAS ...	-	7	9	-	3	E. 1 L. 1
†SHOREDITCH ...	-	6	8	-	2	M. 1 N. 1
†SOUTHWARK ...	-	5	11	-	1	C. 1
†STEPNEY	-	28	25	1	-	E. 1
†STOKE NEWINGTON	-	3	3	-	-	-
†WANDSWORTH ...	-	13	14	-	2	M. 1 N. 1
†WESTMINSTER, CITY OF	-	2	5	-	-	M. 1
†WOOLWICH ...		4	5	-	-	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ..	–	9	7		–	–
Boroughs and Urban Districts:—						
†BEDFORD ..	–	4	–	–	–	–
BIGGLESWADE ...	–	1	1	–	–	–
KEMPSTON ...	–	1		–	–	–
†LUTON	–		6	–	–	–
SANDY	–	1	–	–	–	–
Rural Districts:—						
BEDFORD... ...	–	1	–	–	–	–
LUTON	–	1	–	–	–	–
BERKS	–	7	–	4	–	E. 1 M. 1 N. 2
†READING C.B. ..	–	3	–	1	–	N. 1
Boroughs and Urban Districts:—						
†NEWBURY ...	–	–	–	1	–	–
†NEW WINDSOR ...	–	2	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	–	–	–	E. 1
EASTHAMPSTEAD	–	1	–	–	–	–
HUNGERFORD ...	–	–	–	–	–	M. 1
NEWBURY ...		–	–	–	–	N. 1
WANTAGE ...	–	1	–	–	–	–
WINDSOR... ...	–	–	–	2	–	–
BUCKINGHAM...	–	6	2	1	1	–
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–	1	–	–	–	–
BLETCHLEY ...		–	1	–	–	–
†CHEPPING WYCOMBE		1		–	–	–
ETON	–	1	–	–	–	–
†SLOUGH	–	1	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	–	–	–	1	–	–
AYLESBURY ...	–	–	–	–	1	–
ETON		1	–	–	–	–
WING	–	1	–	–	–	–
WINSLOW... ...	–	–	1	–	–	–
CAMBRIDGE ...	–	3	2	–	–	E. 1
Borough:—						
†CAMBRIDGE ..	–	3	1	–	–	E. 1
Rural Districts:—						
NEWMARKET ...	–	–	1	–	–	–
CHESTER ...	–	40	16	1	19	E. 1 F. 1 G. 2 M. 1 N. 2
†BIRKENHEAD C.B.	–	4	–		4	–
†CHESTER C.B. ...	–	5			3	–
†STOCKPORT C.B.	–	9	3	–	–	E. 1 M. 1 N. 1
†WALLASEY C.B. ...	–	2	6	–	–	F. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	–	–	–	–
BOLLINGTON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
†CREWE	–	6	1	–	–	–
†DUKINFIELD ...	–	–	–	1	4	–
†ELLESMERE PORT AND WHITBY	–	2	–	–	1	–
†HAZEL GROVE AND BRAMHALL	–	–	1	–	–	–
†HYDE	–	–	–	–	3	–
KNUTSFORD ...	–	–	–	–	–	N. 1
LYMM	–	1	–	–	–	–
†MACCLESFIELD ...	–	–	–		1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MARPLE		–		–	1	–
MIDDLEWICH ...	–	1	–	–	–	–
NANTWICH ...	*	*	*	*	*	*
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN... ...		–	–	–	1	–
†STALYBRIDGE ...	–	–	–	–	–	G. 1
†WINSFORD ...	–	–	–	–	–	G. 1
Rural Districts:—						
MACCLESFIELD ...	–	–	1	–	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	1	2	–	–	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	1	2	–	1	–
CORNWALL ...	–	4	2	2	1	E. 1 M. 2
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–	–	–
LAUNCESTON ...	–	–	–	1	–	–
PAUL	–	2	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	–	–		1	1	–
†TRURO	–	–	1	–	–	–
WADEBRIDGE ...		–	1	–	–	–
Rural Districts:—						
CALSTOCK ...	–	–		–	–	E. 1
EAST KERRIER ...	–	–	–	–	–	M. 1
HELSTON	–	1	–	–	–	–
TRURO	–	–	–	–	–	M. 1
CUMBERLAND...	–	6	5	–	4	C. 2 N. 1
†CARLISLE C.B. ..	–	–	–	–	1	C. 1 N. 1
CUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	1	–	–	–
HARRINGTON ...	–	1	–	–	–	–
MILLOM	–	1	1	–	1	–
PENRITH	–	1	–	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BOOTLE	–	1	–	–	–	–
CARLISLE ...	–	1		–	–	–
COCKERMOUTH ...	–	–	3	–	2	C. 1
LONGTOWN ...	*	*	*	*	*	*
DERBY	10	33	19	1	10	C. 1 G. 1 M. 3
†DERBY C.B.	–	5	2	–	6	C. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	1	–	–	–
BASLOW AND BUBNELL	–	2	–		–	–
†BELPER	2	–	–	–	–	–
†BOLSOVER ...	–	2	–	–	–	–
†CHESTERFIELD ...	–	3	1	–	–	M. 2
CLAY CROSS ...	–	–	1	–	–	–
†GLOSSOP		–	4	–	–	–
†HEANOR	–	1	1	–	–	–
†ILKESTON ...	–	1	–	–	–	–
†LONG EATON ...	–	2	1	–	1	–
NEW MILLS ...	–	1	–	–	–	–
NORTH DARLEY...	–	1	2	–	–	–
†RIPLEY	5	–	–	–	–	–
†SWADLINCOTE DISTRICT	3	–	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...		3	–	–	1	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	4	3	–	–	–
CHESTERFIELD ...	–	5	–	1	1	
REPTON	–	–	1	–	–	G. 1 M. 1
SHARDLOW ...	–	–	2			–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	6	12	3	2	G. 2 M. 1 N. 1
†Plymouth C.B. ...	–	4	8	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†Barnstaple ...	–	–	–	1	–	–
Salcombe ...	*	*	*	*	*	*
Sidmouth ...		–	–	1	–	–
†Teignmouth ...		–	–	–	–	G. 1
Totnes	*	*	*	*	*	*
Rural Districts:—						
Barnstaple ...	–	1	–	–	1	–
Culmstock ...	–	–	2	–	–	–
Newton Abbot ...	–		–	1	–	–
St. Thomas ...	–	–	1	–	–	–
Tiverton ...	–	–	–	–	–	G. 1
Totnes	–	1	1	–	–	–
DORSET	–	7	1	–	–	N. 1
Boroughs and Urban Districts:—						
Dorchester ...	–	–	1	–	–	–
†Poole	–	1	–	–	–	–
†Portland ..	–	3	–	–	–	–
Rural Districts:—						
Sturminster ...		2	–	–	–	–
Weymouth ...	–	1	–	–	–	–
Wimborne and Cranborne	–	–	–	–	–	N. 1
DURHAM ...	29	74	21	2	30	C. 1 L. 1 M. 2 N. 6
†Darlington C.B.		4	1	1	–	M. 1 N. 1
†Gateshead C.B.	2	3	3	–	2	N. 1
†South Shields C.B.	6	6	1	–	10	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†Sunderland C.B.	1	1	3	1	8	–
†West Hartlepool C.B.	–	6	1	–	3	–
Boroughs and Urban Districts:—						
†Annfield Plain	4	1	–	–	–	–
Benfieldside ...	–	6	–	–	–	L. 1
†Bishop Auckland	1	1	–	–	–	–
†Blaydon	–	3	–	–	2	–
†Chester le Street	–	1	–	–	–	–
†Consett	–	5	–	–	–	–
†Crook	–	1	1	–	–	–
†Durham	–	2	–	–	–	N. 1
†Felling	–	2	1	–	–	–
†Hebburn ..	–	3	–	–	–	–
†Hetton	–	–	–	–	1	–
†Jarrow	–	1	–	–	–	C. 1 N. 1
Leadgate ..	1	1	–	–	–	–
†Ryton	–	–	–	–	–	N. 1
†Seaham Harbour	–	1	1	–	–	–
†Shildon	–	1	–	–	–	–
†Southwick on Wear	–	–	–	–	1	–
†Spennymoor ...	2	–	–	–	–	–
†Stanley	5	–	1	–	–	–
†Stockton on Tees	–	4	–	–	–	–
†Tanfield ...	1	–	–	–	–	–
†Washington ...	–	2	–	–	–	–
Rural Districts:—						
Auckland ..	–	3	2	–	–	–
Barnard Castle	–	–	1	–	–	–
Chester le Street	–	1	–	–	2	N. 1
Darlington ...	–	1	–	–	–	–
Easington ..	1	6	–	–	–	–
Houghton le Spring	–	1	1	–	1	–
Lanchester ...	–	6	3	–	–	–
Sedgefield ..	2	–	–	–	–	–
South Shields ...	3	1	–	–	–	–
Sunderland ..	–	–	1	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	-	2	4	-	1	-
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	-	1	1	-	-	-
†WISBECH	-	1	2	-	1	-
Rural Districts:—						
WISBECH	-	-	1	-	-	-
ESSEX	-	131	63	5	8	M. 4 N. 3
†EAST HAM C.B. ...	-	10	14	-	1	M. 1
†SOUTHEND-ON-SEA C.B.	-	6	-	1	-	M. 1 N. 1
†WEST HAM C.B. ...	-	48	12	-	2	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...		1	-	-	2	N. 1
BRENTWOOD ...			1	-	-	-
BRIGHTLINGSEA	-	-	-	-	1	
BUCKHURST HILL	-	1	-	-	-	-
†CHELMSFORD ...	-	1	-	-		-
CHINGFORD ...		2			-	-
DAGENHAM ...	-	9	6		1	M. 1
†GRAYS THURROCK	-	3	1	1	-	-
†HORNCHURCH ...		1	-	-	-	-
†ILFORD	-	6	11	1	-	-
†LEYTON		7	5	-		-
TILBURY	-	3	-	-	-	-
WALTHAM HOLY CROSS	-	-	-	-	-	N. 1
†WALTHAMSTOW...	-	18	9	-	1	-
†WANSTEAD ...	-	2	-	2	-	-
WEST MERSEA ...	-	-	1	-	-	-
†WOODFORD ...	-	5	-	-	-	-
Rural Districts:—						
CHELMSFORD ...	-	4		-		-
HALSTEAD ...	-	1		-		-
MALDON		1	-		-	-
ONGAR		-	1	-	-	-
ORSETT	-		1	-	-	-
ESSEX—*cont.*						
Rural Districts—*cont.*						
ROCHFORD ...	-	-	1			-
ROMFORD... ...	-	2	-	-	-	-
GLOUCESTER ...	-	33	13	4	5	C. 2 M. 7 N. 1
†BRISTOL C.B. ...	-	21	7	-	4	C. 2 M. 3 N. 1
†GLOUCESTER C.B.	-	-	4		-	M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	1	-	2	-	M. 1
†KINGSWOOD ...	-	2	-	-	-	-
Rural Districts:—						
CAMPDEN ...	-	1	-	-		-
CHIPPING SODBURY	-	1	-	-	-	-
CIRENCESTER ...		-	-	-	1	-
DURSLEY	-	1	-	-	-	-
EAST DEAN AND UNITED PARISHES		2	-	-		-
GLOUCESTER ...	-	-	1	1	-	-
LYDNEY	-	1	-	-	-	-
MARSTON SICCA...	-	1		-		-
STOW ON THE WOLD (part)	-	1	-	-	-	-
TEWKESBURY (part)	-	-	-	1	-	-
WARMLEY ...	-	1	1	-	-	M. 1
WEST DEAN ...	-	-	-	-	-	M. 1
HEREFORD ...	-	2	3	1	2	-
Boroughs and Urban Districts:—						
†HEREFORD ...	-	1	-	-	2	-
Rural Districts:—						
LEDBURY... ...	-	1	-	1	-	-
WHITCHURCH ...	-	-	3	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	6	5	–	–	N. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	1	–		–
BUSHEY	–	1	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†ST. ALBANS ...	–		2	–		–
†WATFORD ...	–	2	–		–	–
WELWYN GARDEN CITY	–	1	–	–	–	N. 1
Rural Districts:—						
HERTFORD ...	–	–	1	–	–	–
WELWYN	–	–	1	–	–	–
HUNTINGDON ...	–	3	–		–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	1		–	–	–
Rural Districts:—						
ST. IVES	–	1	–	–	–	–
ST. NEOTS ...	–	1		–	–	–
KENT	–	32	36	4	8	C. 2 M. 1 N. 2
†CANTERBURY C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	–	–
†BECKENHAM ...	–	1	–	–	–	–
†BEXLEY	–	1	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	–	–
†BROMLEY ...	–	1	1		–	–
†CHATHAM ...		1	7	–	–	–
†DARTFORD ...	–	–	1	–		–
†DOVER	–	1	–	–	1	–
†ERITH	–	2	3	–	2	N. 1
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	6	–	–	2	M. 1
†GILLINGHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAVESEND ...	–	2	2	–	–	–
†MAIDSTONE ..	–	2	–	–	–	C. 1
†MARGATE .	–	1	–	–	–	–
†NORTHFLEET ..	–	1	–	–		–
†PENGE	–	1	1	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	3	–	–	–
SEVENOAKS ...	–	2	–	–	–	–
SIDCUP	–	–	1	–	–	–
WHITSTABLE ...		–	2		–	–
Rural Districts:—						
CRANBROOK ...	–	–		1	–	–
DARTFORD ..	–	2	–	–	–	C. 1
EASTRY	–	–	2		–	–
FAVERSHAM ..	–	1	5	–	–	N. 1
HOLLINGBOURNE	–	–	–	–	1	–
MAIDSTONE ...	–	2	1	–	–	–
MALLING	–	–	2	–	–	–
MILTON	–	1	–	2	–	–
SEVENOAKS ...	–	–	–	–	1	–
SHEPPEY	*	*	*	*	*	*
STROOD	–	–	1	–	–	–
TENTERDEN ...	–	–	–	1	–	–
TONBRIDGE ...	–	1	–	–	–	–
LANCASTER ...	–	219	137	8	120	C. 9 D. 2 E. 2 F. 1 G. 9 L. 2 M. 19 N. 9
†BARROW IN FURNESS C.B.	–	2	–	1	1	–
†BLACKBURN C.B.	–	3	2	–	4	–
†BLACKPOOL C.B.	–	4	–	–	1	–
†BOLTON C.B. ...	–	5	5	–	1	C. 1 N. 1
†BOOTLE C.B. ...	–	6	4	–	3	–
†BURNLEY C.B. ...	–	2	3	–	5	G. 1
†BURY C.B. ...	–	1	–	–	2	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†LIVERPOOL C.B. ..	–	40	32	2	29	C. 1 D. 2 G. 1 L. 1 M. 6 N. 2
†MANCHESTER C.B.	–	44	21	–	28	C. 4 G. 2 M. 4 N. 1
†OLDHAM C.B. ...	–	1	3	–	1	G. 1
†PRESTON C.B. ...	–	7	14	–	–	N. 1
†ROCHDALE C.B. ..	–	–	3	–	–	E. 1
†ST. HELENS C.B. ..	–	4	6	–	2	–
†SALFORD C.B. ..	–	9	7	–	5	G. 2 M. 2
†SOUTHPORT C.B.	–	1	2	–	–	–
†WARRINGTON C.B	–	–	1	–	2	–
†WIGAN C.B. ..	–	6	–	–	5	C. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ..	–	3	–	–	–	F. 1
†ASHTON IN MAKERFIELD	–	1	–	–	1	–
†ASHTON UNDER LYNE	–	4	2	–	–	M. 1
ASPULL	–	1	–	–	–	–
†ATHERTON ..	–	–	2	–	2	–
†BACUP	–	1	–	–	–	–
CARNFORTH ...	–	–	–	–	–	M. 1
†CHADDERTON ...	–	–	5	–	–	–
†CHORLEY	–	–	–	–	1	–
CLAYTON LE MOORS	–	2	–	–	–	–
†CLITHEROE ...	–	–	–	3	–	–
†COLNE	–	2	–	–	–	–
†CROMPTON ...	–	–	1	–	2	–
†DARWEN	–	1	–	–	1	G. 1
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	20	–	–	–	–
†FARNWORTH ...	–	–	–	–	2	–
FORMBY	–	–	–	–	–	M. 1
FULWOOD ...	–	–	–	–	3	–
GOLBORNE ...	–	–	–	–	–	N. 1
†GREAT CROSBY ...	–	–	–	–	1	–
†HASLINGDEN ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†HEYWOOD ...	–	–	–	–	1	–
†HINDLEY... ...	–	1	–		1	M. 1
†HORWICH ...	–	1	–	–	1	–
IRLAM	–	4	–	1	–	–
KIRKHAM ...	–	1	–	–	–	–
†LANCASTER ...	–	6	–	–	–	M. 1
†LEIGH		–	1	–	1	–
†LITHERLAND ...	–	–	2	–	1	–
†LYTHAM ST. ANNE'S	–	–	2	–	1	–
†MIDDLETON ...	–	–	1	–	–	–
†MORECAMBE ...	–	–	–	1	–	–
†MOSSLEY	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	–	–	1	–
ORMSKIRK ...	–	1	1	–	–	–
†OSWALDTWISTLE	–	3	–	–	1	–
†PADIHAM... ...	–	–	7	–	–	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	4	–	–	–	–
†RAMSBOTTOM ...	–	2	–	–		–
RISHTON	–	–	–	–	1	
†ROYTON	–	–	–	–	1	N. 1
SKELMERSDALE ...	–	–	–	–	1	–
†STRETFORD ...	–	3	–	–	–	M. 2
†SWINTON AND PENDLEBURY	–	3	–	–	1	–
TOTTINGTON ...	–	–	3	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	1	–
URMSTON	–	1	–	–	–	–
WARDLE	–	–	–	–	–	C. 1
†WATERLOO WITH SEAFORTH	–	–	1	–	–	–
†WESTHOUGHTON	–	–	–	–	1	G. 1 N. 1
WHITEFIELD ...	*	*	*	*	*	*
†WIDNES	–	–	3	–	2	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	1	–	–	–
BURNLEY... ...	–	–	1	–	–	–
BURY	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever: N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CHORLEY	–	1	–	–	–	–
CLITHEROE ..	–	–	–	–	–	L. 1
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	1	–	–	–	–
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	1	1	–	–	–
PRESTON	–	1	–	–	–	E. 1
ULVERSTON ...	–	2	–	–	–	–
WARRINGTON ...	–	1		–	–	–
WEST LANCASHIRE	–	1	–	–	–	–
WIGAN	–	–	–	–	–	N. 1
LEICESTER ...	–	16	12	–	1	N. 1
†LEICESTER C.B. ...	–	7	7	–	1	N. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	2	–	–	–
†LOUGHBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	2	–	–	–	–
Rural Districts:—						
BLABY	–	3	–	–	–	–
HINCKLEY ...	–	1	2	–	–	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	4	1	–	–	M. 4
Boroughs and Urban Districts:—						
HOLBEACH ...	*	*	*	*	*	*
†SPALDING ...	–	–	1	–	–	M. 4
Rural Districts:—						
SPALDING (part)..	–	4	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	1	–	–	C. 1
Boroughs and Urban Districts:—						
BOURNE	–	–	1	–	–	–
†GRANTHAM ...	–	–	–	–	–	C. 1
STAMFORD ...	–	1	–	–	–	–
Rural Districts:—						
BRANSTON ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	19	15	2	1	E. 2 N. 1
†GRIMSBY C.B. ...	–	2	3	–	–	–
†LINCOLN C.B. ...	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	9	–	–	E. 1
†CLEETHORPES ...	–	1	–	1	–	–
CROWLE	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	4	–	–	–	E. 1
WOODHALL SPA...	–	1	–	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	2	1	–	1	–
LOUTH	–	5	1	–	–	–
SIBSEY	–	–	–	1	–	–
MIDDLESEX ...	–	77	52	4	5	C. 1 E. 4 G. 1 M. 2 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	3	–	1	–	–
†BRENTFORD AND CHISWICK	–	2	2	–	–	–
†EALING	–	2	1	–	1	N. 1
†EDMONTON ...	–	3	3	–	–	–
†ENFIELD	–	1	14	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FINCHLEY ...	–	1	4	–	–	–
†FRIERN BARNET	–	1	–	–	–	–
†HARROW ON THE HILL	–	2	–	–	–	–
HAYES	–	1	–	–	–	–
†HENDON	–	3	1	1	1	M. 1
†HESTON AND ISLEWORTH	–	4	1	–	–	C. 1 N. 1
†HORNSEY... ...		–	5	1	–	–
KINGSBURY ...	–	–	–	–	–	E. 1
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	5	–	–	–	–
†SOUTHGATE ...	–	–	1	–	1	–
STAINES	–	1	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	E. 1
†TOTTENHAM ...	–	12	6	1	–	–
†TWICKENHAM ...	–	1	2	–	–	–
†UXBRIDGE ...		19		–		–
†WEMBLEY ...	–	4	–	–		–
†WILLESDEN ...	–	7	8	–	1	E. 1 M. 1 N. 2
†WOOD GREEN ...	–	1	1	–	–	G. 1
YIEWSLEY ...	–	1	1	–	–	–
Rural Districts:—						
SOUTH MIMMS ...	–	–	–	–	–	E. 1
STAINES	–	1	1	–	–	–
UXBRIDGE ...	–	–	1	–	1	–
NORFOLK ...	–	13	17	4	3	E. 1 G. 2 N. 2
†GREAT YARMOUTH C.B	–	4	–	1	1	–
†NORWICH C.B. ...	–	2	–	3	–	G. 1 N. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	13	–	–	–
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM... ...	–	–		–	–	G. 1
DEPWADE ...	–	3	–	–	1	–
DOWNHAM ...	–	1	–	–	–	–
EAST AND WEST FLEGG	–	–	1	–	–	–
FOREHOE ...	–	–	1	–	–	–
HENSTEAD ...	–	–	–	–	–	N. 1
LODDON AND CLAVERING	–	3	–	–	–	–
MARSHLAND ...	–	–	2	–	–	–
MITFORD AND LAUNDITCH	–	–	–	–	1	–
ST. FAITH'S ...	–	–	–	–	–	E. 1
NORTHAMPTON	–	9	2	1	–	N. 2
†NORTHAMPTON C.B.	–	6	–	–	–	–
Boroughs and Urban Districts:—						
BRACKLEY ...	–	1	–	–	–	–
†KETTERING ..	–	–	–	–	–	N. 1
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN... ...	–	–	1	–	–	–
†WELLINGBOROUGH	–	–	–	1	–	N. 1
Rural Districts:—						
HARDINGSTONE ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	1	–	–	–
NORTHUMBERLAND.	5	53	9	2	24	D. 1 M. 3 N. 2
†NEWCASTLE UPON TYNE C.B.	–	19	5	–	17	D. 1 M. 1
†TYNEMOUTH C.B	–	8	4	1	3	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	4	–	–	–	–
†BEDLINGTONSHIRE	–	7	–	1	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	1	–	–	2	–
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON	–	2	–	–	–	–
MORPETH... ...	4			–	–	–
PRUDHOE... ...	–	1		–	–	
†WALLSEND ...	–	1	–	–	1	M. 1
†WHITLEY AND MONKSEATON		1	–	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	2	–			–
GLENDALE ...	–	1	–	–	–	–
MORPETH ...	1	4		–	–	N. 1
NOTTINGHAM ...	8	21	13	7	7	M. 1 N. 1
†NOTTINGHAM C.B	–	6	11	–	3	–
Boroughs and Urban Districts:—						
†CARLTON	–	1	–	–	1	–
†KIRKBY IN ASHFIELD	–	2	–	–	–	–
†MANSFIELD WOODHOUSE	–	6	–	–	–	–
†SUTTON IN ASHFIELD		–	1	–	–	N. 1
WARSOP		1	1	–	–	–
†WORKSOP... ...	7	–	–	–	–	–
Rural Districts:—						
BASFORD	–	2	–		–	–
BINGHAM... ...	–	1	–	–	1	–
EAST RETFORD ...	–	–	–	7	–	–
SKEGBY	1	1	–	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
WORKSOP... ...	–	–	–		2	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	7	–	2	–	N. 2
†OXFORD C.B. ..	–	–	–	1	–	N. 1
Rural Districts:—						
BANBURY ...	–	–	–		–	N. 1
BICESTER... ...	–	4	–	–	–	–
CROWMARSH ...	–	1	–		–	–
THAME	–	2		–	–	–
WITNEY	–	–	–	1	–	–
PETERBOROUGH (Soke of).	–	2	1	–	2	C. 1
Borough:—						
†PETERBOROUGH...	–	2	1	–	2	C. 1
SALOP	–	21	5	8	1	E. 2
Boroughs and Urban Districts:—						
DAWLEY	–	3		–	–	–
LUDLOW	–	–	1	–		–
†OAKENGATES ...	–	1	–		–	–
OSWESTRY ...	–		1	–	–	–
†SHREWSBURY ...	–	1	–	–		–
†WENLOCK ...	–	–		–	–	E. 2
Rural Districts:—						
ATCHAM	–	5	–	3	–	–
BRIDGNORTH ...		3	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	1	2	5	–	–
SHIFNAL	–	1	–	–	–	–
WELLINGTON ...	–	4	1	–	–	–
WEM	–		–	–	1	–
WHITCHURCH ...	–	1	–	–	–	–
SOMERSET ...	–	22	7	1	3	M. 1 N. 1
†BATH C.B. ...	–	8	5	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	–	N. 1
MIDSOMER NORTON	–	1	–	–	–	–
†TAUNTON... ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	1	–	–	1	M. 1
Rural Districts:—						
BATH	–	1	–	–	–	–
CHARD	–	1	–	–	–	–
CLUTTON	–	3	–	–	1	–
KEYNSHAM ...	–	2	–	1	–	–
LONG ASHTON ...	–	2	–	–	–	–
SHEPTON MALLET	–	–	1	–	–	–
TAUNTON ...	–	–	–	–	1	–
WINCANTON ...	–	1	1	–	–	–
YEOVIL	–	1	–	–	–	–
SOUTHAMPTON.	–	21	27	3	2	C. 1 D. 1 E. 1 M. 3 N. 4
†BOURNEMOUTH C.B	–	2	–	–	–	E. 1
†PORTSMOUTH C.B		10	16	–	–	–
†SOUTHAMPTON C.B	–	6	4	–	2	C. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	–	–	–	N. 1
ANDOVER... ...	–	–	–	–	–	N. 1
†EASTLEIGH AND BISHOPSTOKE	–	–	4	–	–	–
†FARNBOROUGH ...	–	–	–	–	–	D. 1
FLEET	–	–	–	–	–	N. 1
†GOSPORT	–	2	2	–	–	M. 1
PETERSFIELD ...	–	–	–	1	–	–
Rural Districts:—						
BASINGSTOKE ...		1	–	1	–	–
KINGSCLERE ...			–	1	–	–
WINCHESTER ...	–	–	1	–	–	–
STAFFORD ...	2	49	31	1	23	C. 2 M. 7 N. 1
†BURTON UPON TRENT C.B.	–	–	1	–	–	M. 1
†SMETHWICK C.B.	–	3	5	1	3	C. 1
†STOKE ON TRENT C.B	–	8	1	–	6	M. 5
†WALSALL C.B. ..	–	5	8	–	4	–
†WEST BROMWICH C.B	–	–	1	–	1	M. 1
†WOLVERHAMPTON C.B.	–	7	2	–	1	–
Boroughs and Urban Districts:—						
BIDDULPH ..	–	–	–	–	1	–
†BILSTON	–	–	–	–	1	–
†BROWNHILLS ..	–	4	–	–	–	–
†CANNOCK	–	2	–	–	–	C. 1 N. 1
†COSELEY	–	1	–	–	–	–
†DARLASTON ...	–	–	2	–	1	–
KIDSGROVE ..	–	1	1	–	–	–
†LEEK	2	–	3	–	–	–
LICHFIELD ...	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–		–	–
†ROWLEY REGIS ...	–	3	1	–	1	–
†STAFFORD ...	–	1	–	–	–	–
†TIPTON	–	1	2	–	–	–
†WEDNESBURY ...	–	2	–	–	2	–
WEDNESFIELD ...	–	1	–	–	–	–
Rural Districts:—						
CANNOCK	–	1	–	–	2	–
CHEADLE... ...	–	–	1	–	–	–
LEEK	–	1	–	–	–	–
NEWCASTLE UNDER LYME	–	–	1	–	–	–
SEISDON	–	3	1	–	–	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL... ..	–	1	1	–	–	–
SUFFOLK, EAST	–	9	–	1	5	M. 1 N. 2
†IPSWICH C.B. ...	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST —*cont.*						
Boroughs and Urban Districts:—						
BUNGAY	–	–	–	–	1	–
†FELIXSTOWE ...	–	1	–	–	–	–
†LOWESTOFT ..	–	4	–	1	–	M. 1 N. 2
WOODBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
PLOMESGATE ...	–	–	–	–	1	–
WANGFORD ...	–	–	–	–	1	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	2	–	–		–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS		1	–	–	–	–
Rural Districts:—						
CLARE	–	1	–	–	–	–
COSFORD	*	*	*	*	*	*
SURREY	–	37	18	5	8	C. 1 G. 1 M. 1 N. 3
†CROYDON C.B. ..	–	13	2	1	–	–
Boroughs and Urban Districts:—						
†BARNES	–	3	1	–	2	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	–	2	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†CHERTSEY	–	–	3	1	–	–
†COULSDON AND PURLEY	–	1	–	1	–	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FRIMLEY	–	–	–	–	–	G. 1
†GUILDFORD ...	–	1	–	–	1	–
†KINGSTON ON THAMES	–	–	3	–	1	–
LEATHERHEAD ...	–	–	1	–	–	–
†MITCHAM... ...	–	4	1	–	–	N. 1
†THE MALDENS AND COOMBE	–	2	–	–	1	–
†WALTON UPON THAMES	–	3	1	–	–	C. 1
†WIMBLEDON ...	–	3	–	–	1	N. 1
†WOKING	–	1	–	1	–	M. 1
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
DORKING	–	–	–	–	–	N. 1
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	–	1	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	–	1	1	2	–
SUSSEX, EAST ...	–	19	5	1	2	C. 1 D. 1 M. 2 N. 2
†BRIGHTON C.B. ...	–	7	2	–	–	C. 1 D. 1 M. 1
†EASTBOURNE C.B.	–	1	2	–	1	–
†HASTINGS C.B. ...	–	6	–	–	1	
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	1	1	–	–
†HOVE	–	–	–	–	–	N. 1
NEWHAVEN ...	–	–	–	–	–	N. 1
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
NEWHAVEN ...	–	–	–	–	–	M. 1
RYE	–	1	–	–	–	–
UCKFIELD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	–	5	2	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	–	–	1	–
†CHICHESTER ...	–	2	1	–	–	–
†LITTLEHAMPTON	–	1		–	–	–
SHOREHAM-BY-SEA	–	1	–	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	–	N. 1
†HORSHAM ...	–	–	1	–	1	
MIDHURST ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	–	–	M. 1
WARWICK ...	–	58	71	2	18	C. 1 G. 1 M. 6 N. 2
†BIRMINGHAM C.B.	–	30	41	1	17	C. 1 G. 1 M. 6 N. 2
†COVENTRY C.B. ...	–	12	17	–	–	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	–	–	–	–
†RUGBY	–	3	1	–	–	–
†SUTTON COLDFIELD	–	–	–	1	–	–
†WARWICK ...	–	2	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	3	–	–	–	–
COVENTRY ...	–	–	1		–	–
FOLESHILL ...	–		10	–	–	–
MERIDEN... ...	–	–	1	–	–	–
STRATFORD ON AVON	–	4	–	–	–	–
WARWICK ...	–	1	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	4	–	–	–	–
Boroughs and Urban Districts:—						
KIRKBY LONSDALE	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	2	–	–	–	–
WIGHT, ISLE OF	–	2	2	–		N. 1
Boroughs and Urban Districts:—						
EAST COWES ...	–	–	–	–	–	N. 1
Rural Districts:—						
ISLE OF WIGHT	–	2	2	–	–	–
WILTS	–	13	1	1	3	L. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
†SALISBURY ...	–	7			–	N. 1
†SWINDON... ...	–	1		–	3	–
WARMINSTER ...	–	–	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
DEVIZES	–	–	–	–	–	L. 1
HIGHWORTH ...	–	2	–	1		–
PEWSEY		–	–	–	–	M. 1
WILTON	–	2	–	–		N. 1
WORCESTER ...	–	14	3	2	4	C. 1 E. 1 M. 1
†DUDLEY C.B. ...	–	–	1	–	–	–
†WORCESTER C.B.	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*—cont.*						
Boroughs and Urban Districts:—						
BROMSGROVE ...	-	1	-	-	-	-
EVESHAM ...	-	-	-	1	-	-
†HALESOWEN ..	-	2	1	-	1	-
†KIDDERMINSTER	-	1	-	-	-	M. 1
†MALVERN ...	-	1	1	-	-	-
NORTH BROMSGROVE	-	1	-	-	-	-
†OLDBURY... ...	-	-	-	-	2	-
†REDDITCH ..	*	*	*	*	*	*
†STOURBRIDGE ...	-	1	-	-	-	-
STOURPORT ...	-	-	-	1	1	-
Rural Districts:—						
BROMSGROVE ...	-	-	-	-		C. 1 E. 1
FECKENHAM ...	-	2	-	-		-
MARTLEY... ...	-	1	-	-	-	-
UPTON ON SEVERN	-	1	-	-		-
YORKS ... ... (East Riding).	1	10	21	2	2	C. 3 E. 18 F. 2 M. 1
†KINGSTON UPON HULL C.B	-	9	13	1	2	C. 2 E. 13 F. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	-	2	-	-	M. 1
BRIDLINGTON ...	-	1	-	-		C. 1
COTTINGHAM ...	-	-	-	-	-	E. 1
FILEY		-	1	-	-	-
GREAT DRIFFIELD	1	-		-	-	-
HESSLE	-	-		-	-	E. 2
POCKLINGTON ...	*	*	*	*	*	*
Rural Districts:—						
DRIFFIELD ..	-	-	2	-	-	-
HOWDEN	-	-	-	-	-	F. 1
POCKLINGTON ...	-	-	-	1	-	-
RICCALL	-	-	1	-	-	-
SCULCOATES ...	-	-	2		-	E. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	4	16	3	1	4	M. 3
†MIDDLESBROUGH C.B.	4	4	1	-	3	M. 2
Boroughs and Urban Districts:—						
†ESTON	-	1	-	-		-
GUISBOROUGH ...	-	1	-	-	-	-
NORTHALLERTON	-	1	-	-	-	-
†REDCAR	-	1	-	-	-	-
†SCARBOROUGH ...	-	-	1	-	-	M.
†THORNABY ON TEES	-	1	-	-	-	-
Rural Districts:—						
GUISBOROUGH ...	-	1	-	-		-
HELMSLEY ...	-		-	-	1	-
KIRKBY MOORSIDE	*	*	*	*	*	*
LEYBURN... ...	-	2	-	-	-	-
MALTON	-	-		1	-	-
REETH	-	1	-	-	-	-
STARTFORTH ...	-	1	-	-	-	-
WATH	-	-	1	-	-	-
WHITBY	-	2	-	-	-	-
YORKS ... ... (West Riding).	35	212	56	11	64	C. 3 D. 2 E. 4 G. 1 M. 10 N. 3
†BARNSLEY C.B. ...	-	7	-	1	-	-
†BRADFORD C.B. ...	-	9	5	-	5	C. 1 M. 1 N. 1
†DEWSBURY C.B....	1	1	-	-	-	-
†DONCASTER C.B.	1	3	1	-	1	-
†HALIFAX C.B. ...	-	7	1	1	1	-
†HUDDERSFIELD C.B.	3	4	2	-	1	M. 1 N. 1
†LEEDS C.B. ...	2	13	6	1	4	E. 3 M. 4
†ROTHERHAM C.B.	-	3	6	-	6	-

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†SHEFFIELD C.B. ...	–	82	16	2	23	C. 1 D. 1 M. 1 N. 1
†WAKEFIELD C.B.	–	1	1	–	–	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	2	–	–	–
ALTOFTS	–	–	–	–	1	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	–	1	4	–	–	–
†BINGLEY	–	1	–	–	1	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†BRIGHOUSE ..	–	1		–	–	–
†CASTLEFORD ...	–	1	–	1	–	–
†CONISBROUGH ..	–	1	–	–	–	–
DARFIELD ...	–	2	–	–	–	–
†DARTON	–	–	–	–	–	M. 1
DODWORTH ...	–	2	–	–	–	–
EMLEY	–	–	1	–	–	–
†FEATHERSTONE ..	–	1	–	1	–	–
†GOLCAR	–	–	–	1	–	–
†GOOLE	–	1	–	–	–	–
†HARROGATE ..	–	4	–	–	–	–
HEBDEN BRIDGE	–	–	1	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	1	–	–	–	4	–
HIPPERHOLME ...		1		–		–
HORSFORTH ...	*	*	*	*	*	*
†HOYLAND NETHER	–	2	1	–	1	–
†KEIGHLEY ..	12	1	1	–	–	D. 1
KIRKBURTON ...	–	–	–	–	1	–
LEPTON	–	1	–	–	–	–
MALTBY	–	1	–	–	–	–
†MEXBOROUGH ..	2	3	–	–	–	–
†MORLEY	–	–	–	–	1	–
†NORMANTON ..	–	5	1	–	2	–
OTLEY	–	–	–	–	4	–
†PONTEFRACT ...	1	1	–	–	–	–
†RAWMARSH ...	–	1	1	–	–	–
†ROTHWELL ...	–	1	1	–	–	–
ROYSTON	–	1	–	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHELLEY	–	3	–	–	1	–
†SHIPLEY	–	1	–	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SPENBOROUGH ...	–	1	–	–	–	–
STOCKSBRIDGE ...	–	1	–	–	2	–
THURNSCOE ...	2	–	–	–	–	–
†TODMORDEN ...	2	1	–	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	2	5	–	–		–
†WORSBOROUGH ...	–	1	–	–	1	–
Rural Districts:—						
BOWLAND ...	–	–	–	–	–	G. 1
DONCASTER ...	–	1	2	–	1	–
GOOLE	–	1	–	–	–	–
HALIFAX ...	4	1	–	–	–	–
HEMSWORTH ...	–	10	1	–	1	M. 1
HUNSLET	–	2	–	–	–	C. 1
RIPON	–	2	–	–	–	–
ROTHERHAM ..	1	2	–	–	1	–
SETTLE	–	1	–	–	–	–
TADCASTER ...	–	1	–	–	–	–
THORNE	–	2	–	2	1	E. 1
WETHERBY ...	–	1	1	–	–	
WORTLEY ...		7	–	1	–	–
YORK, CITY OF ...	–	5	4	1	1	–
†YORK C.B. ...	–	5	4	1	1	–
WALES.						
ANGLESEY ...	–	–	–	–	–	N. 1
Rural Districts:—						
AETHWY	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	1	–	2	–	2	C. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	1	–	–	–	1	–
LLANWRTYD ...	–	–	2	–	–	–
Rural Districts:—						
BUILTH	–	–	–	–	1	C. 1
CAERNARVON ...	–	4	4	–	–	E. 1
Boroughs and Urban Districts:—						
BETHESDA ...		1	2	–	–	–
†LLANDUDNO ...	–	1	1	–	–	
PENMAENMAWR ...	–	2	–	–	–	E. 1
Rural Districts:—						
GWYRFAI		–	1	–	–	–
CARDIGAN ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH	–	1	–	–	–	–
CARDIGAN ...	–	–	1	–	–	–
CARMARTHEN ...		4	4	–	2	M. 1
Boroughs and Urban Districts:—						
†CARMARTHEN ...	–	–	1	–	–	–
†LLANELLY ...	–	2	1	–	–	M. 1
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	1	–
LLANDILO FAWR	–	–	–	–	1	–
LLANELLY ...		2	1		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	5	4	–	–	M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	–	M. 1
RUTHIN	–	1	–	–	–	–
†WREXHAM ...	–	1	1	–		–
Rural Districts:—						
CHIRK	–	–	3	–	–	–
UWCHALED ...	–	1	–	–	–	–
WREXHAM ...	–	2	–	–	–	–
FLINT	–	2	3	–	1	M. 1
Boroughs and Urban Districts:—						
CONNAH'S QUAY ...	–	–	1	–	–	–
FLINT	–	–	–	–	1	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	–	M. 1
HOLYWELL ...	–	1	2	–	–	–
GLAMORGAN ...	18	36	37	–	11	C. 1 E. 2 M. 4 N. 1
†CARDIFF C.B.	–	4	6	–	2	C. 1 E. 1 M. 1
†MERTHYR TYDFIL C.B.	–	–	1	–	1	E. 1
†SWANSEA C.B. ..	–	9	3	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	3	–	–	–
†CAERPHILLY ...	–	1	3	–	–	M. 1
†GELLIGAER ...	–	3	–	–	–	–
†MAESTEG	–	2	1	–	–	–
†MOUNTAIN ASH ...	2	–	4	–	1	–
†NEATH	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OGMORE AND GARW	–	1	3	–	1	–
†PONTYPRIDD ..	16	1	1	–	–	–
†PORT TALBOT ...	–	3	3	–		–
†RHONDDA ..	–	6	6	–	5	M. 2 N. 1
Rural Districts:—						
COWBRIDGE ...	*	*	*	*	*	*
NEATH	–	1	1	–	–	–
PENYBONT ...	–	–	–	–	1	–
PONTARDAWE ..	*	*	*	*	*	*
SWANSEA... ..	–	–	2	–	–	–
MERIONETH ...			3	–	–	M. 1
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
DOLGELLEY ...	*	*	*	*	*	*
FFESTINIOG .	–	–	3	–	–	–
Rural Districts:—						
DOLGELLEY ...	*	*	*	*	*	*
EDEIRNION ...	*	*	*	*	*	*
PENLLYN	–	–	–	–		M. 1
MONMOUTH ...	13	11	5		1	N. 1
†NEWPORT C.B. ..	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ..	7	–	–	–	–	–
†ABERTILLERY ..	–	1	–	–	–	N. 1
†BEDWELLTY ..	–	–	1	–	–	–
†EBBW VALE ...	–	4	3	–		–
†NANTYGLO AND BLAINA	–	1	–	–	–	–
†PANTEG	1	–	–	–	–	–
PONTYPOOL ...	4	–	–	–	–	–
†RHYMNEY ...	1	–	–	–	–	–
†TREDEGAR ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
MONMOUTH ...	–	2	–	–	–	–
SAINT MELLONS...	–	1	–	–	–	–
MONTGOMERY...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
WELSHPOOL ..	–	1	–	–	–	–
PEMBROKE ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
FISHGUARD ...	–	–	1	–	–	–
HAVERFORDWEST.	–	–	1	–	–	–
MILFORD HAVEN	–	–	1	–	–	–
NEYLAND... ...	*	*	*	*	*	*
RADNOR	–	–	–	–	–	N. 1
Rural Districts:—						
PAINSCASTLE ...		–	–	–	–	N. 1
Total of Part II. ...	126	1429	793	98	413	C. 35 D. 7 E. 42 F. 4 G. 20 L. 4 M. 97 N. 70

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KINGSBRIDGE AND SALCOMBE	*	*	*	*	*	*
LIVERPOOL	–	–	–	–	1	–
PENZANCE	*	*	*	*	*	*
PLYMOUTH	–	–	–	–	1	–
SOUTHAMPTON ...	–	–	–	–	–	L. 1
PORT OF LONDON ...	–	–	–	–	–	L. 1
Total of Part III. ...		–		–	2	L. 2

* Returns not received. ‡ Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see
Total of Part I.—London	–	246	229	6	39	C. D. E. G. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	126	1429	793	98	413	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	–	–	–	–	2	L.
Total (*i.e.*, of returns received), England and Wales ...	126	1675	1022	104	454	C. D. E. F. G L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po
encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin
Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrex
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—London and Great Towns in the GGREGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3	Sept. 10	Sept. 17.
DON :—													
THS (excluding Stillrths)—all ages.	798	804	781	777	768	763	714	793	727	759	773	744	778
THS—0 to 1 year ..	55	48	66	68	51	65	49	69	42	55	67	69	75
EAT TOWNS, aggrete (including London)*:—													
E BIRTHS	6,801	6,525	6,758	6,636	6,875	6,901	5 798	6,773	6,314	6,575	6,703	6,193	6,091
LBIRTHS	—	32†	219	233	242	259	241	239	245	306	267	268	252
THS (excluding Stillrths)—all ages	3,582	3,453	3,667	3,442	3,424	3,510	3,303	3,406	3,244	3,343	3,380	3,346	3,401
THS—0 to 1 year ..	328	292	353	320	314	290	326	328	280	344	329	358	361
ERIC FEVER—Cases	35	28	36	26	33	27	25	20	28	36	38	44	34
„ Deaths	1	—	8	2	2	1	3	2	2	—	1	4	5
LL POX—Cases ..	77	61	31	30	26	41	45	29	26	38	19	39	20
„ Deaths ..	—	1	—	—	—	—	—	—	—	—	1	-	—
RLET FEVER—Cases	897	930	976	913	955	942	677	814	677	774	889	977	951
„ Deaths	4	6	5	2	3	9	2	4	8	4	2	6	6
HTHERIA—Cases ..	503	503	550	535	574	497	444	455	449	453	556	693	688
„ Deaths ..	17	16	26	21	30	21	25	20	13	15	22	24	27
ASLES—Deaths ..	30	27	36	21	29	25	31	19	19	16	13	16	13
LUENZA—Deaths ..	33	28	31	21	25	15	16	26	21	20	18	21	24

† Registration of Stillbirths began 1st July, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 17th September, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON (GREENWICH).	67	46	62·0	49·4	54	HUDDERSFIELD	61	43	58·1	46·1	50
						BRADFORD ..	58	43	56·3	46·0	37
GHTON ..	65	47	61·9	51·3	86	SHEFFIELD ..	61	45	56·0	48·0	44
RTSMOUTH ..	64	47	61·2	52·3	76	YORK (MUSEUM)	62	42	57·1	47·3	15
RWICH (SOUTHWELL LODGE).	62	44	58·0	49·5	141	HULL (PEARSON PARK).	66	45	58·4	49·0	27
YMOUTH ..	62	51	60·6	52·3	47	TYNEMOUTH ..	60	42	56·4	47·4	4
ISTOL (CLIFTON).	62	46	60·1	49·7	78	CARDIFF.. ..	63	44	59·7	48·7	67
RMINGHAM (EDGBASTON).	61	44	57·1	47·3	62	EDINBURGH ..	56·0	42·0	54·7	44·3	10
TTINGHAM ..	62	47	57·1	48·3	42	GLASGOW ..	58·0	41·0	55·8	43·9	11
KENHEAD (BIDSTON).	57	49	55·7	49·9	28	DUBLIN (PHŒNIX PARK).	67·8	36·8	62·3	44·6	13
NCHESTER (WHITWORTH PARK).	58	45	56·7	48·4	37	(FITZWILLIAM SQUARE†).	60·2	42·0	57·9	47·5	9
RNLEY	57	38	55·6	43·7	35	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 17th September, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	11	Full	29·622	58·9	46·2	12·7	52·0	− 6·1	44·2	7·8	13·8	0·4	75	105·2	37·2	57·5	SW: NNW.	NNW: NW.	2·7	0·0	0·2	258	+ 7	0·00
MONDAY -	12	Perigee	29·886	61·4	46·7	14·7	52·3	− 5·7	43·7	8·6	18·1	2·8	72	114·1	33·6	57·3	NW: NNW.	NW: WSW.	1·6	0·0	0·2	250	− 2	0·00
TUESDAY -	13	In Equator	29·805	60·8	48·0	12·8	53·2	− 4·6	50·0	3·2	11·2	1·5	89	94·6	39·0	57·2	WSW	SW: SSW: SW.	1·3	0·0	0·2	277	+ 27	0·13
WEDNESDAY	14	..	29·617	62·9	49·1	13·8	54·6	− 3·1	53·0	1·6	9·8	0·2	94	97·5	43·0	57·1	WSW	Calm: ENE.	1·9	0·0	0·1	221	− 28	0·64
THURSDAY	15	..	29·405	66·6	54·4	12·2	58·6	+ 1·0	56·6	2·0	9·8	0·2	93	123·2	47·0	57·0	E	ESE: Calm.	1·8	0·0	0·2	214	− 33	0·69
FRIDAY -	16	..	29·424	60·6	51·6	9·0	55·4	− 2·1	54·5	0·9	7·5	0·0	97	80·0	46·4	57·0	Calm	NNW: WSW.	0·3	0·0	0·0	142	− 104	0·24
SATURDAY -	17	..	29·455	62·6	47·4	15·2	53·4	− 3·8	47·5	5·9	18·6	0·6	80	119·2	36·5	56·9	SW: W: NNW.	NNW: NW: Calm.	1·8	0·0	0·2	271	+ 26	0·37
MEANS -		..	29·602	62·0	49·1	12·9	54·2	− 3·5	49·9	4·3	12·7	0·8	86	104·8	40·4	57·1	Variable		..	..	..	Sum 1633	Sum − 107	Sum 2·07
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
UNDAY ..	11	wP	4·5	12·9	Nearly overcast with cloudy intervals. Slight rain about 15h. Haze and dew at night.
IONDAY ..	12	wP till 6h.; mP till 20h.; then wP.	8·0	12·9	Partially cloudy till 12h.; then becoming nearly overcast by 13½h. Haze in morning.
UESDAY ..	13	wP	0·2	12·8	Overcast generally. Rain 10¾h. till 12h.; 14h. till 16½h.; and 18½h. till 19½h.
VEDNESDAY	14	wP till 13h.; wN till 18h.; then loss of register.	0·4	12·7	Overcast generally. Dew in morning. Rain from 11¼h.
HURSDAY	15	Loss of register till 22h.; then wP.	1·6	12·7	Overcast generally. Rain till 9h. Slight shower 12¼h. Dew at night.
RIDAY ..	16	wP	0·3	12·6	Overcast generally. Mist till 9h. Rain 9¾h. till 11¾h. Dew at night
ATURDAY	17	wP till 15h.; mP till 22h.; then wP.	5·9	12·6	Nearly overcast till 11½h.; then partially cloudy. Rain 4¼h. till 9¼h. Dew and mist at night.
			Sum 20·9	Sum 89·2	
o. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·48 ins. at the beginning of the week to 29·92 ins. by 22h. on 12th; decreased generally to 29·36 ins. by 8h. on 17th; increased to 29·57 ins. by 20h. on 17th; decreased and was 29·56 ins. by midnight on the same day.

Manual of the International List of Causes of Death.

This Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 2s. *Post Free 2s. 3d.*

The Registrar-General's Decennial Supplement—England & Wales, 1921.

PART I. LIFE TABLES.

This volume contains a report on Life Tables by Sir Alfred W. Watson, K.C.B., the Government Actuary.

The principal table is the new National Life Table for England and Wales, designated the English Life Table No. 9, which gives, for males and females separately, graduated rates of mortality based upon the population enumerated at the 1921 census, and the deaths registered in the years 1920, 1921 and 1922. Comparisons are made between the mortality of the nation as revealed by the new table and by previous National Life Tables. Rates of mortality for females according to marital condition, single, married, and widowed, have also been prepared.

A special feature is an investigation of the comparative mortality experience of the country according to geographical situation and density of population.

The mortality experience of Greater London has been separately investigated, and complete life tables are given for each sex.

Price 2s. *Post Free 2s. 2d.*

STATUTORY RULES AND ORDERS

1927. No. 485.

The Registration (Births, Stillbirths, Deaths and Marriages) Consolidated Regulations, 1927, dated 31st May, 1927, made by the Registrar-General with the approbation and concurrence of the Minister of Health.

Price 1s. 3d. *Post Free 1s. 4d.*

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1927. No. 38.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 24TH SEPTEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 24TH SEPTEMBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the thirty-eighth week of the year numbered 5,997 and corresponded to an annual rate of 16·0 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,610 and corresponded to an annual rate of 9·6 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·0, 8·9 and 9·1. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 52 against 49, 54 and 54 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,372 live births, corresponding to a rate of 15·5 per 1,000, and 762 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 8·6, against 8·8, 8·4 and 8·8 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·7 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 33 as against 45, 46 and 50 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 3,401 to 3,610, and in London decreased from 778 to 762.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 264 in the Great Towns including 38 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 24th September, 1927.

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11
107 Great Towns ..	19,540,143*	5997	264	3610	347	3	10	4	15	33	92	4
London	4,605,400*	1372	38	762	49	-	1	-	4	5	9	1
Towns in Outer Ring.												
Croydon C.B. ..	205,900	61	4	37	2	-	-	-	-	-	1	-
Wimbledon ..	58,030	7	-	11	-	-	-	1	-	-	-	-
Ealing	91,783	27	1	14	-	-	-	-	-	-	-	-
Acton	63,040	11	-	11	-	-	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	8	-	9	2	-	-	-	-	-	-	-
Willesden ..	165,270	39	-	27	3	-	-	-	-	-	-	-
Hendon	62,570*	18	-	11	1	-	-	-	-	-	-	-
Hornsey	87,230	12	1	15	-	-	-	-	-	-	-	-
Wood Green ..	51,940	7	-	9	-	-	-	-	-	-	-	-
Tottenham ..	151,520	37	1	21	-	-	-	-	-	-	-	-
Edmonton	71,700	42	2	11	-	-	-	-	-	-	-	-
Enfield	63,640	13	-	9	1	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	124	6	39	3	-	-	-	-	1	-	-
East Ham C.B. ..	146,600	30	-	18	2	-	-	-	-	1	-	-
Leyton	130,000	18	-	22	2	-	-	-	-	-	-	-
Walthamstow ..	125,500	28	1	19	-	-	-	1	-	-	-	-
Ilford	100,500	27	-	16	1	-	-	-	-	-	-	-
Gillingham	47,820*	16	2	4	2	-	-	-	-	-	1	-
Canterbury C.B. ..	23,470*	13	-	5	-	-	-	1	-	-	-	-
Hastings C.B.	61,340	15	-	13	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	17	-	4	-	-	-	-	-	-	-	-
Brighton C.B.	139,500*	45	2	21	-	-	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	71	4	46	-	-	-	-	-	2	-	-
Bournemouth C.B. ..	90,100	33	1	22	-	-	-	-	-	-	-	-
Southampton C.B. ..	169,300	58	1	33	5	-	-	-	-	-	-	-
Reading C.B	93,090*	27	2	19	1	-	-	-	-	-	-	-
Oxford C.B.	56,800	17	-	8	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	24	-	20	-	-	-	-	-	-	-	-
Luton	59,240	12	-	13	1	-	-	-	-	-	-	-
Cambridge	58,820	15	1	7	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	16	-	18	1	-	-	-	-	-	-	-
Ipswich C.B.	84,140	33	1	15	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	17	-	13	1	-	-	-	-	-	-	-
Norwich C.B.	123,500*	39	1	23	2	-	-	-	1	-	-	-
Swindon	57,320	13	-	13	2	1	-	-	-	-	1	-
Exeter C.B.	60,340*	19	1	11	1	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	63	2	46	5	-	-	-	-	-	-	-
Bath C.B.	69,000	21	-	15	1	-	-	-	-	1	-	-
Bristol C.B.	383,300*	122	2	64	3	-	-	-	-	1	1	1
Gloucester C.B. ..	53,050	15	2	10	2	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	96	4	46	2	-	-	-	-	-	-	-
Burton-upon-Trent C.B.	48,660	21	1	12	-	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	46	1	28	4	-	-	-	-	-	1	-
Walsall C.B.	102,100	34	1	22	1	-	-	-	-	-	2	-
West Bromwich C.B.	79,920	29	1	18	-	-	-	-	-	-	-	-
Dudley C.B.	58,930	15	-	6	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,660	14	-	8	1	-	-	-	-	-	1	-
Birmingham C.B. ..	934,300*	332	15	160	13	-	-	-	-	-	6	-
Smethwick C.B. ..	76,940	13	1	12	1	-	-	-	-	1	-	-
Coventry C.B. ..	127,800	46	4	18	3	-	-	-	-	1	-	-
Leicester C.B. ..	241,700	73	3	61	2	-	-	-	1	-	1	-
Lincoln C.B.	65,760*	21	3	9	-	-	-	-	-	-	-	-
Grimsby C.B.	88,580	33	3	21	3	1	-	-	1	1	2	-
Nottingham C.B. .	268,000	85	4	62	10	-	1	-	-	2	6	-
Derby C.B.	136,600*	45	2	16	3	-	1	-	-	-	-	-
Chesterfield ..	66,650	33	1	15	3	-	-	-	-	-	-	-
Stockport C.B. ..	125,400	26	4	30	-	-	-	-	-	-	1	-
Chester C.B.	41,710	12	-	4	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	49	1	32	10	-	-	-	-	-	9	-
Wallasey C.B. ..	93,050	29	2	12	2	-	-	-	-	1	-	-
Liverpool C.B. ..	862,600	357	15	181	44	1	-	-	4	3	17	-
Bootle C.B.	84,580	35	2	18	3	-	-	-	-	-	2	-
St. Helens C.B. ..	110,000	36	2	17	2	-	1	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	77,970	20	1	11	1	-	-	-	-	-	-	1
Wigan C.B.	88,620	35	-	19	7	-	-	-	-	-	1	-
Warrington C.B. ..	76,940*	26	1	16	2	-	-	-	-	-	-	-
Bolton C.B.	177,000	61	4	32	6	-	1	-	-	-	2	1
Bury C.B.	56,840*	16	1	15	3	-	-	-	-	-	-	-
Manchester C.B. ..	752,000	220	13	147	18	-	1	-	1	-	6	5
Salford C.B.	247,400	68	5	54	7	-	-	-	-	-	1	1
Ashton-under-Lyne	51,050	14	1	8	-	-	-	-	-	-	-	-
Oldham C.B.	143,000	29	7	37	2	-	-	-	1	-	-	3
Rochdale C.B.	91,510	18	1	31	2	-	-	-	-	-	-	-
Burnley C.B.	99,600	25	-	19	2	-	-	-	-	-	-	-
Blackburn C.B. ..	124,400	13	1	36	2	-	-	-	-	1	-	-
Preston C.B.	124,200	30	1	22	2	-	-	-	-	1	-	-
Blackpool C.B. ..	88,640	15	2	19	1	-	-	-	1	-	1	-
Barrow-in-Furness C.B.	70,420	19	2	19	3	-	-	-	-	1	-	-
Huddersfield C.B. ..	111,900	23	1	24	-	-	-	-	-	-	-	-
Halifax C.B.	96,130*	27	-	26	1	-	-	-	-	1	-	-
Bradford C.B. ..	288,700	83	4	62	4	-	1	-	-	-	2	-
Leeds C.B.	473,400	142	7	88	11	-	1	-	1	-	3	5
Dewsbury C.B. ..	53,630	13	2	22	1	-	-	-	-	-	-	-
Wakefield C.B. ..	53,830	12	2	10	1	-	-	-	-	-	-	-
Barnsley C.B. ..	70,760	29	3	9	1	-	-	-	-	-	-	-
Sheffield C.B. ..	523,300*	152	10	97	14	-	-	1	-	-	3	2
Rotherham C.B. ..	70,080	33	1	15	1	-	-	-	-	1	-	1
Doncaster C.B. ..	55,700	24	1	8	1	-	-	-	-	-	-	-
York C.B.	84,430*	23	1	24	1	-	-	-	-	-	-	-
Hull C.B.	294,600	86	4	62	4	-	-	-	-	1	1	1
Middlesbrough C.B.	133,600	58	5	21	3	-	-	-	-	-	3	1
Darlington C.B. ..	70,700	17	-	9	2	-	1	-	-	-	-	-
Stockton-on-Tees ..	67,910	24	2	9	-	-	-	-	-	-	-	1
West Hartlepool C.B.	71,060	31	-	16	2	-	-	-	-	1	-	-
Sunderland C.B. ..	163,800	56	3	32	5	-	-	-	-	1	2	-
South Shields C.B. ..	123,900	33	7	19	5	-	1	-	-	-	1	-
Gateshead C.B. ..	127,700	34	2	30	2	-	-	-	-	2	-	-
Newcastle-on-Tyne C.B.	284,700*	107	6	54	4	-	-	-	-	-	1	1
Tynemouth C.B ..	66,560	25	-	12	1	-	-	-	-	-	-	-
Carlisle C.B.	56,140*	22	1	8	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,620	39	1	23	3	-	-	-	-	1	-	-
Cardiff C.B.	225,600*	82	3	50	6	-	-	-	-	-	1	-
Rhondda	162,500	43	5	31	3	-	-	-	-	1	1	-
Merthyr Tydfil C.B.	80,690	27	1	17	3	-	-	-	-	-	-	-
Aberdare	56,930	12	1	9	1	-	-	-	-	1	-	-
Swansea C.B.	163,200	49	5	26	4	-	-	-	-	-	1	-
Greater London ..	7,791,310*	2,207	60	1,264	85	-	1	2	4	7	11	13
Outer Ring	3,185,910*	835	22	502	36	-	-	2	-	2	2	2
17 Great Towns in Outer Ring	1,947,963*	509	16	299	17	-	-	2	-	2	1	1
Remainder of Outer Ring	1,237,947*	326	6	203	19	-	-	-	-	-	1	1
Edinburgh†	426,100	131	?	73	6	-	-	-	1	-	-	-
Glasgow†	1,049,000	438	?	247	35	1	2	1	2	3	8	4
Dublin (Registration Area)†	421,000	158	?	106	18	-	-	-	2	2	5	-
Belfast†	416,000	167	?	104	32	-	-	-	2	-	12	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,605,400	1927. Sept. 24	1372	38	762	8·6	-	-	1	-	4	5	
Calcutta and Suburbs	1,077,264	Aug. 20	?	?	512‖	24·7	?	3	-	?	?	?	
Bombay§	1,298,708	Sept. 3											
Madras	528,791	Aug. 27	485	24	529‖	52·0	3	-	-	-	1	-	
Sydney and Suburbs	1,038,950	„ 31 (31 days)											
Brisbane (Metropolitan Area).	274,260	July 31 (31 days)	524	?	290	12·7	-	-	4	1	1	3	
Perth (Metropolitan Area).	179,388	July 30	73	?	61	17·2	?	?	?	?	-	?	
Auckland (Urban Area).	201,220	June 30 (30 days)	263	?	143	8·5	-	-	-	-	-	2	
Wellington (Urban Area).	126,310	June 30 (30 days)	163	?	93	8·9	-	-	-	1	-	-	
Christchurch (Urban Area).	121,780	June 30 (30 days)	142	?	102	10·1	-	-	1	-	-	-	
Cape Town	114,846	Aug. 27	65	1	22	10·0	-	-	-	-	-	1	
Johannesburg	172,189	„ 27	90	-	45	13·6	-	-	-	-	-	-	
Durban	54,738	„ 27	33	-	17	16·2	-	-	-	-	-	-	
Paris	2,871,429	Sept. 10 (10 days)	1043	90	757	9·6	2	-	3	1	5	5	
Antwerp	300,242	Aug. 20	89	1	47	8·2	-	-	-	-	-	-	
Amsterdam	729,159	„ 27	265	10	98	7·0	-	-	-	-	1	-	
Copenhagen	592,000	Sept. 10	173	2	115	10·1	-	-	1	-	-	1	
Stockholm	453,332	„ 3	77	1	103	11·8	-	-	-	-	-	-	
Gothenburg	231,196	Aug. 20	?	?	32	7·2	-	-	-	-	-	-	
Oslo (Christiania) ..	254,055	Sept. 17	58	5	58	11·9	1	-	-	-	-	-	
Berlin	2,003,000	„ 3	341	17	350	9·1	1	?	-	-	2	6	
Breslau	563,000	„ 3	125	5	112	10·3	-	?	1	-	1	-	
Cologne	718,000	„ 3	229	5	108	7·8	-	?	2	-	-	-	
Dresden	625,000	„ 3	115	9	113	8·6	-	?	-	-	-	-	
Frankfort-on-Main..	474,000	„ 3	95	6	68	7·5	-	?	-	-	-	-	
Hamburg	1,105,000	„ 3	321	10	153	7·2	2	?	-	1	1	-	
Leipzig	687,000	„ 3	142	9	113	8·6	-	?	-	-	-	-	
Munich	685,000	„ 3	148	3	126	9·6	-	?	-	-	-	-	
Vienna	1,870,325	Mar. 31 (31 days)	1947	191	2905	18·6	-	?	40	19	8	34	
Prague and Suburbs	738,132	April 30 (30 days)											
Budapest	971,169	Sept. 3	282	7	197	10·6	8	-	-	1	1	2	
Warsaw	1,028,982	„ 10	?	13	283	14·3	5	-	2	4	4	-	
Cairo	874,300	Mar. 18	1022	23	323	19·3	2	-	3	-	?	1	
		„ 25	963	19	376	22·4	4	1	5	-	?	4	
Alexandria	501,800	„ 18	543	11	204	21·2	1	-	-	-	?	1	
		„ 25	539	9	219	22·8	-	-	-	-	?	1	
New York	5,924,018	Sept. 10	?	?	1174	10·3	1	-	1	-	17	7	
Chicago	3,048,000	„ 2	1021	29	594	10·0	3	-	-	3	4	6	
New Orleans	433,000	Aug. 31 (31 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under one year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 12 deaths from Cholera in Calcutta, 53 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 24th September, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	762	49	7	15	29	41	33	50	87	148	172	151
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	4	1	3	-	-	-	-	-	-	-	-	-
Diphtheria	5	2	-	2	1	-	-	-	-	-	-	-
Influenza	11	1	-	-	1	1	-	2	-	3	3	-
Erysipelas	4	-	-	-	-	1	-	-	1	-	2	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	1	-	-	1	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	67	-	-	-	-	19	7	13	13	10	4	1
Nervous system	5	1	1	1	-	2	-	-	-	-	-	-
Intestines and peritoneum	4	-	-	1	1	1	-	1	-	-	-	-
Other forms	4	-	1	1	1	1	-	-	-	-	-	-
Venereal diseases	4	1	-	-	-	-	1	-	-	-	2	-
Cancer	121	-	-	2	-	-	3	7	20	34	37	18
Rheumatic fever	2	-	-	-	-	1	1	-	-	-	-	-
Diabetes	13	-	-	-	-	-	-	1	2	5	3	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	-	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	50	-	-	-	-	-	-	-	4	12	20	14
Epilepsy	2	-	-	1	-	-	1	-	-	-	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	24	-	1	2	1	-	2	2	7	5	3	1
Pericarditis	1	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	4	-	-	-	-	-	4	-	-	-	-	-
Other diseases of heart	117	-	-	-	-	4	3	1	11	23	40	35
Other diseases of circulatory system	46	-	-	-	-	-	-	1	4	9	13	19
Bronchitis	25	1	-	-	-	-	1	2	1	4	7	9
Broncho-pneumonia	9	3	-	-	1	-	1	-	-	1	3	-
Lobar-pneumonia	12	-	-	-	-	1	1	2	2	3	2	1
Pneumonia (type not distinguished)	4	-	-	-	-	-	-	-	-	2	2	-
Other diseases of respiratory system	8	-	-	-	-	-	1	-	-	1	1	5
Diarrhœa and enteritis	9	9	-	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	8	-	-	-	-	1	1	2	2	-	1	1
Hernia, Intestinal obstruction	10	-	-	-	-	-	-	-	1	2	3	4
Cirrhosis of liver	10	-	-	-	-	-	-	-	1	4	4	1
Other diseases of digestive system ..	27	-	-	1	-	-	2	6	3	6	4	5
Acute nephritis	6	-	-	2	2	1	1	-	-	-	-	-
Chronic Bright's disease	29	-	-	-	-	-	1	3	5	14	3	3
Other diseases of genito-urinary system.	15	-	-	-	-	-	-	1	1	-	6	7
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	1	-	1	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	14	14	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3	-	-	-	-	-	-	-	-	-	-
Old age	16	-	-	-	-	-	-	-	-	-	1	15
Suicide	11	-	-	-	-	3	-	1	-	6	1	-
Burns and Scalds	1	-	-	1	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	-	1	1	-	2	1	2	-	1
Other deaths by violence	13	-	-	-	-	2	1	-	1	1	4	4
Other specified causes	24	7	-	1	-	-	1	1	5	1	3	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 24th September, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	319	258	11	67	C. 3 D. 4 E. 3 G. 3 M. 11 N. 17
Metropolitan Boroughs:—						
†BATTERSEA ...	-	8	16	-	2	D. 1
†BERMONDSEY ...		14	12	-	5	N. 1
†BETHNAL GREEN	-	16	3	-	3	-
†CAMBERWELL ...		11	11	-	-	M. 2 N. 2
†CHELSEA	-	2	3	-	-	-
†DEPTFORD ...		3	6	-	1	-
†FINSBURY ...	-	6	4		-	M. 1
†FULHAM	-	5	7		4	D. 1 G 1 M. 1
†GREENWICH ...	-	9	11	-	1	-
†HACKNEY ...	-	42	9	2	-	G. 1 N. 3
†HAMMERSMITH ...	-	9	12	1	-	N. 2
†HAMPSTEAD ...	-	5	-	-	-	-
†HOLBORN... ...	-	1	-	-	1	-
†ISLINGTON ...	-	17	13	1	4	C. 1 E. 1 G. 1 M. 2
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	-	4	6	-	7	-
†LAMBETH ...	-	21	22	-	2	C. 1 M. 4
†LEWISHAM ...		8	7	-	1	-
†PADDINGTON ...	-	9	8	1	3	-
†POPLAR	-	21	11	-	3	-
†ST. MARYLEBONE	-	5	4	-	-	-
†ST. PANCRAS ...	-	12	4	1	5	C. 1 N. 2
†SHOREDITCH ...	-	15	12	-	4	-
†SOUTHWARK ...	-	17	24	-	4	D. 2 N. 2
†STEPNEY	-	23	26	1	4	E. 1 N. 2
†STOKE NEWINGTON	-	3	6	-	2	-
†WANDSWORTH ...	-	23	16	2	8	E. 1 N. 1
†WESTMINSTER, CITY OF	-	3	4	1	-	N. 2
†WOOLWICH ...	-	7	1	1	3	M. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	-	14	8	1	1	-
Boroughs and Urban Districts:—						
†BEDFORD ..	-	4	-	1	-	-
BIGGLESWADE ...	-	1	-	-	-	-
DUNSTABLE ...	-		2	-	-	-
KEMPSTON ...	-	1		-	-	-
†LUTON	-	1	6		-	-
SANDY	-	1	-	-	-	-
Rural Districts:—						
BEDFORD... ..	-	5	-	-	-	-
BIGGLESWADE ..	-	-	-	-	1	-
LUTON	-	1	-	-	-	-
BERKS	-	7	-	-	-	E. 1 M. 1
†READING C.B. ..	-	3	-	-	-	E. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	-	1	-	-	-	-
†NEW WINDSOR ...	-	-	-	-	-	M. 1
Rural Districts:—						
ABINGDON ...	-	1	-	-	-	-
EASTHAMPSTEAD	-	2	-		-	-
BUCKINGHAM ...	4	11	-	-	-	-
Boroughs and Urban Districts:—						
BEACONSFIELD ...	-	1	-	-	-	-
BUCKINGHAM ...	3	-	-	-	-	-
†CHEPPING WYCOMBE	1	1	-	-		-
LINSLADE ...	*	*	*	*	*	*
MARLOW	*	*	*	*	*	*
NEWPORT PAGNELL ...	*	*	*	*	*	*
†SLOUGH	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
BUCKINGHAM— *cont.*						
Rural Districts:—						
AYLESBURY ...	-	2	-	-	-	-
ETON	-	1	-	-	-	-
NEWPORT PAGNELL	*	*	*	*	*	*
WING	-	4	-	-	-	-
CAMBRIDGE ...	-	5	-	-	-	N. 2
Borough:—						
†CAMBRIDGE ...		4	-	-	-	N. 1
Rural Districts:—						
NEWMARKET ...	-	1	-		-	N. 1
CHESTER ...		64	11	1	19	C. 5 M. 5 N. 5
†BIRKENHEAD C.B.	-	6			4	C. 2 M. 1
†CHESTER C.B. ...	-	1			2	-
†STOCKPORT C.B.	-	10	2	-	3	M. 2 N. 1
†WALLASEY C.B. ...	-	6	1	-	1	C. 1 N. 1
Boroughs and Urban Districts:—						
ALSAGER	-	-	-	1	-	-
†BEBINGTON AND BROMBOROUGH	-	1	1	-	-	-
BREDBURY AND ROMILEY	-	1	-	-	-	-
†CONGLETON ...	-	1	1	-	2	-
†CREWE	-	6	-	-		M. 1
†DUKINFIELD ...	-	-	-	-	-	C. 1
†ELLESMERE PORT AND WHITBY	-	2	1		-	-
†HAZEL GROVE AND BRAMHALL	-	1		-	-	-
†HOYLAKE AND WEST KIRBY	-	-		-	1	-
†HYDE	-	2	-	-	3	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LYMM	-	4			-	-
†MACCLESFIELD ..		1				
MARPLE	-	1	-			-
NESTON AND PARKGATE	-	1				
†SALE		2		-		
†STALYBRIDGE ...		-	-		-	N. 1
†WINSFORD ...	-	1	1			N. 2
Rural Districts:—						
BUCKLOW ...		-	1	-	-	
CHESTER		1	-		1	C. 1
CONGLETON ...	-	1	-		-	-
MACCLESFIELD ...	-	2	2	-	-	-
NANTWICH ...	-	1	-		-	M. 1
RUNCORN ...		7	-		1	-
TARVIN		1	-	-	-	-
WIRRAL	-	4	1		1	-
CORNWALL ...	-	8	1	1	2	L. 1 N. 2
Boroughs and Urban Districts:—						
†CAMBORNE ...		-	-	1	-	-
†FALMOUTH ...		-		-	-	N. 1
PAUL	-	1	-	-	-	-
PHILLACK ...		1	-	-	-	
ST. IVES	-	2				-
STRATTON AND BUDE		1		-		-
Rural Districts:—						
CALSTOCK ...	-	1	-	-	-	-
LISKEARD ...		2	1	-	-	
ST. AUSTELL ...	-	-		-	-	N. 1
ST. COLUMB MAJOR		-	-	-	1	-
ST. GERMANS ...	-			-	1	
WEST PENWITH...	-	-				L. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	-	7	7	-	-	M. 1 N. 1
†CARLISLE C.B. .		3	1	-	-	N. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	-	-	1	-	-	-
MILLOM	-	1		-	-	-
PENRITH			1		-	-
†WHITEHAVEN ..	-	1	1	-		-
Rural Districts:—						
CARLISLE ...	-	2	1	-		-
COCKERMOUTH ...	-	-			-	M. 1
WHITEHAVEN ...	-		2	-	-	-
DERBY	14	34	23	-	16	M. 2 N. 2
†DERBY C.B. ..		3	6	-	5	-
Boroughs and Urban Districts:—						
†ALFRETON ...	-	-	-	-	1	-
†BELPER	3	-	-	-	-	-
†BOLSOVER ...	-	2	1	-	-	-
†BUXTON		-	1	-	-	-
†CHESTERFIELD ..	-	4	-	-	1	-
†GLOSSOP	-	1	3	-	-	-
†HEANOR	-	5	1			-
†ILKESTON ...	-	1	-	-	-	-
†LONG EATON ...		-	-	-	1	-
NORTH DARLEY...	-	-	-			N. 1
†RIPLEY	10	-		-	2	-
SOUTH DARLEY...	-	-	1	-		-
†SWADLINCOTE DISTRICT	1	1	1	-	-	-
WIRKSWORTH ...	-	1	-	-	-	-
Rural Districts:—						
BAKEWELL ...		1	-		-	M. 2
BELPER		2	-	-	-	N. 1
BLACKWELL .	-	3	-	-	2	-
CHAPEL EN LE FRITH	-	1		-		-
CHESTERFIELD .	-	4	3	-	2	-
CLOWNE	-	1	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
HARTSHORN AND SEALE	–	–	3	–	–	–
REPTON	–	2	–		1	–
SHARDLOW ...	–	–	2	–	1	–
SUDBURY... ...	–	2	–	–	–	–
DEVON	–	10	13	4	2	M. 1 N. 6
†EXETER C.B. ...	–	1	3	–	–	
†PLYMOUTH C.B...	–	4	7	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...		–	–	1	1	–
BIDEFORD ...	–	1	–	1	–	–
BUCKFASTLEIGH	–	–	1	–		–
†NEWTON ABBOT	–	1	1	–	–	–
SOUTH MOLTON ...	*	*	*	*	*	*
TAVISTOCK ...	–	–	–	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	1	–	–
BIDEFORD ...	–	1	–	–	–	–
CREDITON ...	–	–	–	–	–	N. 1
NEWTON ABBOT...	–	1	–	–	–	–
OKEHAMPTON ...	–	–		–		N. 1
PLYMPTON ST. MARY	–	1	–		–	N. 2
ST. THOMAS ...	–	–	1	–		–
TOTNES	–	–	–	1	–	–
DORSET	–	8	1	–	–	E. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	1	–	–	–
†POOLE	–	1		–	–	–
†PORTLAND ..	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts:—						
BLANDFORD ...	–	1	–	–	–	–
STURMINSTER ...	–	1	–	–	–	–
WEYMOUTH ...	–	4	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	–	E. 1
DURHAM ...	18	53	36	5	45	G. 1 M. 4 N. 3
†DARLINGTON C.B.	1	2	3	5	3	–
†GATESHEAD C.B.		3	3	–	2	M. 1
†SOUTH SHIELDS C.B.	1	4	4	–	10	–
†SUNDERLAND C.B.	1	3	5	–	2	G. 1
†WEST HARTLEPOOL C.B.	–	–	2	–	4	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	3	–	–	–	–	–
BENFIELDSIDE ...	–	9	1	–	1	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ..	–	–	–	–	2	–
†CHESTER LE STREET	–	2	–	–	1	–
†CONSETT	–	3	2	–	–	–
†CROOK	–	–	2	–	–	–
†DURHAM	–	1		–	–	–
†FELLING	–	5	2	–	–	N. 1
†HEBBURN ..	–	2	1	–	2	–
†HOUGHTON LE SPRING	–	1	–	–	–	–
†JARROW		–	–	–	4	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON	–	–	1	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†STANLEY	–	1	4	–	–	N. 2
†STOCKTON ON TEES	–	5	3	–	–	–
†TANFIELD ...	–	1	–	–	1	–
WILLINGTON ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
AUCKLAND	–	2	–	–	1	–
CHESTER LE STREET	1	–	1	–	2	–
EASINGTON	2	1	–	–	2	–
HOUGHTON LE SPRING	1	2	–	–	2	–
LANCHESTER	–	2	–	–	1	–
SEDGEFIELD	1	–	1	–	–	M. 1
SOUTH SHIELDS	7	1	–	–	1	–
SUNDERLAND	–	–	–	–	2	M. 1
WEARDALE	–	1	–	–	–	–
ELY, ISLE OF	–	–	4	1	–	C. 1
Boroughs and Urban Districts:—						
WHITTLESEY	–	–	4	–	–	–
Rural Districts:—						
ELY	–	–	–	–	–	C. 1
NORTH WITCHFORD	–	–	–	1	–	–
ESSEX	–	138	64	6	23	C. 2 E. 2 M. 1 N. 5
†EAST HAM C.B.	–	21	6	–	–	N. 1
†SOUTHEND-ON-SEA C.B.	–	5	3	1	3	–
†WEST HAM C.B.	–	59	14	2	6	C. 2 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	–	–	3	E. 1
BRENTWOOD	–	–	1	–	–	–
BRIGHTLINGSEA	–	–	1	–	1	–
CANVEY ISLAND	–	1	–	–	–	–
†CHELMSFORD	–	2	–	–	–	–
CHINGFORD	–	–	1	–	–	–
†CLACTON	–	–	–	–	1	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
DAGENHAM	–	3	1	–	–	N. 1
†GRAYS THURROCK	–	–	3	–	–	–
†HORNCHURCH	–	1	–	–	–	–
†ILFORD	–	8	9	–	2	–
†LEYTON	–	14	12	1	2	–
†ROMFORD	–	2	1	–	–	–
†WALTHAMSTOW	–	9	7	–	4	N. 1
WITHAM	–	2	–	–	–	–
†WOODFORD	–	1	1	–	–	–
Rural Districts:—						
BILLERICAY	–	–	–	1	–	–
CHELMSFORD	–	2	–	–	–	–
DUNMOW	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	2	–	–	–	–
MALDON	–	–	–	1	–	M. 1
ORSETT	–	4	3	–	–	–
ROCHFORD	–	1	1	–	–	E. 1
GLOUCESTER	1	65	29	3	8	C. 1 M. 1 N. 4
†BRISTOL C.B.	–	50	17	–	2	C. 1 M. 1 N. 2
†GLOUCESTER C.B.	–	2	4	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM	–	–	1	1	–	–
COLEFORD	–	1	–	2	1	–
STROUD	–	–	–	–	1	–
TETBURY	–	–	–	–	–	N. 1
TEWKESBURY	–	2	–	–	–	–
Rural Districts:—						
CHELTENHAM	–	1	–	–	–	–
CHIPPING SODBURY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
EAST DEAN AND UNITED PARISHES	1	2	1	–	2	N. 1
GLOUCESTER ...	–	1	–	–	–	–
PEBWORTH ...	*	*	*	*	*	*
STOW ON THE WOLD (part)	–	1	–	–	–	–
STROUD	–	2	6	–	–	–
TEWKESBURY (part)	–	2	–	–	1	–
WEST DEAN ...	–	–	–		1	–
HEREFORD ...	–	2	–	–	2	M. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	–	M. 1
†HEREFORD ...	–	–	–	–	1	–
Rural Districts:—						
BREDWARDINE ...	–	1	–	–		–
HEREFORD ...	–	1	–	–	–	–
ROSS	–	–	–	–	1	–
HERTFORD ...	–	8	4	1	1	–
Boroughs and Urban Districts:—						
BUSHEY	–	2	–	1		–
†CHESHUNT ...	–	1	–	–	–	–
†HERTFORD ...	–		1	–	–	–
†ST. ALBANS ...	–	2	1	–		
WARE	–	–	1	–	–	–
†WATFORD ...	–	2	–		1	–
Rural Districts:—						
WELWYN	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
RAMSEY	–	1	–	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	1	–	–	–	N. 1
KENT	–	39	47	5	8	C. 1 G. 1 M. 2 N. 2
†CANTERBURY C.B.	–	–	2	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	–	–
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S		1	1	–	–	G. 1
†BROMLEY ...	–	4	–	–	–	–
†CHATHAM ...	–	1	4	–	–	–
CHISLEHURST ...	–	2	–	–	1	–
†DARTFORD ...	–	1	1	–	–	–
†DOVER	–	3	5	–	–	M. 1
†ERITH	–	1	3	–	1	–
†GILLINGHAM ...	–	–	1	–	–	–
†GRAVESEND ...	–	5	3	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	–	1	–	3	–
MILTON REGIS ...	–	1	1	–	–	–
†NORTHFLEET ...	–	1	1	–	–	–
†PENGE	–	3	4	–	–	C. 1
†RAMSGATE ...	–	1	–	1	–	–
†ROCHESTER ...	–	2	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	4	–		–
SIDCUP	–	–	5	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
SOUTHBOROUGH	–	1	1	1	–	–
SWANSCOMBE ...	–	1	1	–	–	–
TENTERDEN ...	–	–		1	–	–
†TONBRIDGE ...	–	1	1		–	–
WHITSTABLE ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BLEAN	-	-	-	-	-	N. 1
BROMLEY ...	-	2	1		-	N. 1
CRANBROOK ...	-	-	1	-	-	-
DARTFORD ...	-	-	1	-	-	-
EAST ASHFORD ...	-	-	-	-	1	-
FAVERSHAM ...	-	1	-	-	1	M. 1
ISLE OF THANET	-	-	-	1	-	-
SEVENOAKS ...	-	1	-	-	1	-
STROOD	-	1	-	-	-	-
TONBRIDGE ...	-	1	1	-	-	
WEST ASHFORD...	-	-	-	1	-	-
LANCASTER ...	-	273	184	6	143	C. 4 D. 1 E. 4 G. 1 M. 22 N. 8
†BARROW IN FURNESS C.B	-	-	3	-	1	-
†BLACKBURN C.B.	-	2	1	-	1	M. 1
†BLACKPOOL C.B.	-	5	1	-	1	N. 1
†BOLTON C.B. ...	-	4	2	1	-	N. 2
†BOOTLE C.B. ..	-	5	8	-	5	-
†BURNLEY C.B. ..	-	6	3	-	2	E. 1
†BURY C.B. ...	-	2	1	-	2	-
†LIVERPOOL C.B. ..	-	48	42	2	19	C. 1 M. 10 N. 1
†MANCHESTER C.B.	-	66	33	-	52	E. 2 M. 5
†OLDHAM C.B. ...	-	7	1	-	1	C. 2
†PRESTON C.B. ...	-	2	6	-	-	-
†ROCHDALE C.B. ...	-	1	4	-	-	-
†ST. HELENS C.B....	-	9	3	-	2	M. 1 N. 1
†SALFORD C.B. ...	-	12	16	-	6	G. 1 M. 1
†SOUTHPORT C.B.	-	2	1	-	1	-
†WARRINGTON C.B.	-	2	2	-	1	-
†WIGAN C.B. ...	-	1	2	-	7	D. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
ABRAM	-	1	-	-	1	-
†ACCRINGTON ..	-	3	-	-	-	-
†ASHTON UNDER LYNE	-	2	-	-	-	-
ASPULL	-	-	-	-	1	-
†ATHERTON ...	-	2	2	-	1	-
BARROWFORD ...	-	2	-	-	-	-
BILLINGE ...	-	-	1	-	-	-
BRIERFIELD ...	-	-	-	-	1	-
†CHADDERTON ...	-	1	5		-	M. 1
†CHORLEY	-	1	-	-	-	-
†CLITHEROE ...	-	1	-	-	-	-
†COLNE	-	1	-	-	-	-
†CROMPTON ...	-	1	-	-	-	-
†DENTON	-	-	1	-	1	-
†DROYLSDEN ...	-	2	-	-	2	-
†ECCLES	-	25	-	-	2	C. 1
†FAILSWORTH ..	-	-	1	-	2	-
†FARNWORTH ...	-	3	2	-	1	-
†FLEETWOOD ...	-	1	-	-	-	-
FULWOOD ...	-	2	-	-	-	-
†GREAT HARWOOD	-	-	-	-	1	-
†HEYWOOD ...	-	-	-	-	1	-
†HINDLEY... ...	-	1	-	-	2	-
†HORWICH ...	-	1	-	-	-	-
†INCE IN MAKERFIELD	-	2	-	-	1	-
IRLAM	-	1	-	-	-	-
†LANCASTER ...	-	10	-	1	3	-
†LEIGH	-	-	1	-	-	-
LEYLAND... ...	-	-	1	-	-	-
†LITHERLAND ...	-	-	1	-	-	-
†MIDDLETON ...	-	1	1	-	1	-
MILNROW... ...	-	1	1	-	-	M. 1
†MOSSLEY	-	1	-	-	-	-
†NELSON	-	-	-	-	2	-
†NEWTON IN MAKERFIELD	-	1	-	-	-	-
ORMSKIRK ...	-	1	4	-	-	-
†OSWALDTWISTLE	-	2	1	-	-	-
†PADIHAM... ...	-	1	13	-	-	N. 1
†PRESTWICH ...	-	1	-	-	-	-
†RADCLIFFE ...	-	1	1	-	-	N. 1
†RAMSBOTTOM ...	-	1	1	-	1	E. 1
RISHTON	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROYTON	-	1	-	-		-
†STRETFORD ...	-	2	1	-	1	M. 1
†SWINTON AND PENDLEBURY	-	4	3	-	4	-
THORNTON CLEVELEY	-	-	-	-	-	N. 1
TOTTINGTON ...	-	-	-	-	3	-
†TYLDESLEY WITH SHAKERLEY	-	2	-	-	1	-
†ULVERSTON ...	-	1	-	-	-	-
†WALTON LE DALE	-	1		-	-	-
†WATERLOO WITH SEAFORTH	-	2	-	-	-	-
†WESTHOUGHTON	-	-	-	-	2	-
WHITEFIELD ...	-	1		-	-	-
†WIDNES	-		3	-	6	-
WITHNELL ...		-	-	1	-	-
†WORSLEY... ...	-	-	-	1		-
Rural Districts:—						
BARTON UPON IRWELL	-	1	3	-	-	-
BLACKBURN ...		1	2	-	-	-
BURNLEY... ...	-	1	-	-	-	-
BURY	-	1	-	-	-	-
FYLDE	-	-	1	-	-	-
GARSTANG ...	-	4	-	-	-	-
LEIGH	-	1		-	-	-
PRESTON	-	-	3	-	-	-
ULVERSTON ...	-	1	-	-		-
WEST LANCASHIRE	-	1	-	-	-	-
WHISTON... ...	-	-	2	-	-	-
LEICESTER ...	-	25	18	-	8	E. 1 N. 1
†LEICESTER C.B. ...	-	13	11	-	2	N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	-	-	-	-	1	-
ASHBY WOULDS...	-	-	-	-	1	-
†COALVILLE ...	-	-	6	-	1	-
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MARKET HARBOROUGH	-	1	-	-	-	-
MELTON MOWBRAY	-	2	-	-	-	-
WIGSTON MAGNA	-	1	-		-	-
Rural Districts:—						
BARROW UPON SOAR	-	1		-	1	-
BLABY	-	-	-	-	1	-
CASTLE DONINGTON	-	-	-	-	1	-
HINCKLEY ...		4	-	-	-	-
LOUGHBOROUGH		1		-	-	-
LUTTERWORTH ...	-	-	1	-	-	E. 1
MELTON MOWBRAY	-	2	-	-	-	-
LINCOLN (parts of Holland).	-	3	1	-	1	-
Boroughs and Urban Districts:—						
†BOSTON	-	-		-	1	-
†SPALDING ..	-	2	1	-	-	-
Rural Districts:—						
EAST ELLOE ...	-	1			-	-
SPALDING (part)..	*	*	*	*	*	*
LINCOLN (parts of Kesteven).	-	3	-			-
Boroughs and Urban Districts:—						
RUSKINGTON ...		1	-		-	-
Rural Districts:—						
BOURNE	-	1	-	-	-	-
BRANSTON ...		1		-	-	-
SPALDING (part)..	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	20	8	3	2	E. 3 M. 1 N. 1
†GRIMSBY C.B. ..	–	2	1	1	–	E. 1 N. 1
†LINCOLN C.B. ...	–	1		–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	2			E. 1
†CLEETHORPES ...	–	–	1	–	–	–
†GAINSBOROUGH ...	–	–	–	–	–	E. 1
HORNCASTLE ...	–		–		1	–
†SCUNTHORPE AND FRODINGHAM	–	14	–	–	–	M. 1
Rural Districts:—						
CAISTOR	–	1		–	–	–
GAINSBOROUGH ...	–		2	–		–
GRIMSBY	–	1	–	1	–	–
WELTON	–	–	2	1	–	–
MIDDLESEX ...	1	71	42	2	6	C. 2 D. 1 M. 2 N. 5
Boroughs and Urban Districts:—						
†ACTON		4	–	–	–	–
†BRENTFORD AND CHISWICK	–	3	–	1	–	–
†EALING	–	2	–		–	–
†EDMONTON ..	–	7	4	–		–
†ENFIELD	–	–	9	–	–	–
†FINCHLEY ..		2	1		–	–
†FRIERN BARNET	–	2	–	–	–	–
HAMPTON WICK...	–	1	–	–	–	–
†HARROW ON THE HILL	–	3	–	–	–	M. 1 N. 1
HAYES	–	–	–			
†HENDON		5	1	–		–
†HESTON AND ISLEWORTH	–	–	2	–	2	C. 2
†HORNSEY ..	–	5	2		1	N. 2
KINGSBURY ...	–	–	–	1	–	–
RUISLIP						
NORTHWOOD		2	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHALL NORWOOD	–	8	2	–	–	–
†SOUTHGATE ...	–	5	–	–		–
†TEDDINGTON ...	–	–	–	–	1	M. 1
†TOTTENHAM ...	–	5	13	–	1	–
†TWICKENHAM ...	1	1	–	–	–	–
†UXBRIDGE ...	–	3	–	–	–	–
†WEALDSTONE ...	–	2	–	–	–	N. 1
†WEMBLEY ...	–	2	–	–	–	–
†WILLESDEN ...	–	5	8	–	1	N. 1
Rural Districts:—						
HENDON	–	1	–	–	–	–
STAINES	–	2	–	–	–	–
UXBRIDGE ...	–	1	–	–	–	D. 1
NORFOLK ...	–	22	15	2	6	E. 1 M. 1
†GREAT YARMOUTH U.B.	–	5	1	1	–	–
†NORWICH C.B. ...	–	7	1	–	1	M. 1
Boroughs and Urban Districts:—						
DISS	–	1	–	–	–	–
†KING'S LYNN ...	–	–	12	–	–	–
Rural Districts:—						
BLOFIELD ...	–	–	–	–	2	–
DEPWADE ...	–	1		–	–	–
DOWNHAM ...	–	–	1		–	–
ERPINGHAM ...	–	5				–
KING'S LYNN ...	*	*	*	*	*	*
MARSHLAND ...	–	3		–	1	E 1
MITFORD AND LAUNDITCH	–	–	–	1	1	–
WAYLAND ...	–			–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHAMPTON	–	6	1	2	4	C. 1 E. 1 N. 1
†NORTHAMPTON C.B.	–	1	1	–	1	C. 1
Boroughs and Urban Districts:—						
FINEDON	–	–	–	1	–	–
IRTHLINGBOROUGH	–	–	–	–	1	–
†KETTERING .	–	1		–	–	–
†RUSHDEN... ...	–			–	–	E. 1
Rural Districts:—						
BRIXWORTH ...		1	–	1	1	–
CRICK	–	1	–	–	–	–
HARDINGSTONE ...		1	–	–	1	–
OXENDON... ...	–	–	–	–	–	N. 1
TOWCESTER ...	–	1	–	–	–	–
NORTHUMBERLAND.	7	65	7	2	28	C. 1 M. 3 N. 1
†NEWCASTLE UPON TYNE C.B.	–	26	4	–	12	C. 1 M. 1
†TYNEMOUTH C.B	–	8	–	–	3	M. 2
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	4	–	–	–	–
†BEDLINGTONSHIRE	–	3	–	2	1	–
†BERWICK UPON TWEED	–	4	–		–	–
†BLYTH	–	–	–		4	–
†EARSDON... ...	–	–	1	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
MORPETH... ...	6			–	–	–
PRUDHOE... ...	–	2	–	–		–
SEATON DELAVAL	–	–	–	–	2	–
SEGHILL	–	–	–	–	1	N. 1
†WALLSEND ...	–	8	–	–	5	–
†WHITLEY AND MONKSEATON	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
CASTLE WARD ...	–	2	–	–	–	–
GLENDALE ...	–	1	–			–
HALTWHISTLE ...	–	1	–	–	–	–
MORPETH ...	1	2	–	–	–	–
NOTTINGHAM ...	13	24	17	3	13	G. 1 M. 4 N. 2
†NOTTINGHAM C.B.	–	10	15	–	10	M. 3 N. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	–	–	–	1	–
†CARLTON... ...	–	1	–		–	–
†HUCKNALL ...		–	1	–	–	–
HUTHWAITE ...	–	1			–	–
†KIRKBY IN ASHFIELD	–	2		–	–	–
†MANSFIELD ...	–	2		–	1	G. 1 M. 1
WARSOP	–	1	–	–		–
†WEST BRIDGFORD		1	–	–	1	–
†WORKSOP... ...	13	–	–	–	–	–
Rural Districts:—						
EAST RETFORD ...	–	–	–	2	–	–
MISTERTON ...	–	–	–		–	N. 1
SKEGBY		2	1	–	–	–
SOUTHWELL ..	–	2	–	–	–	–
STAPLEFORD ...		1	–	–	–	–
WORKSOP... ...	–	1	–	1	–	–
OXFORD		2	–	2	1	E. 1
†OXFORD C.B. ..	–	–	–	–	1	E. 1
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Rural Districts:—						
HEADINGTON ...		1			-	-
HENLEY	-	-	-	1	-	-
THAME		1	-		-	-
PETERBOROUGH (Soke of).	-	2	-	-	-	-
Borough:—						
†PETERBOROUGH...	-	2	-	-	-	-
SALOP	-	15	7	1	2	M. 1 N. 2
Boroughs and Urban Districts:—						
DAWLEY	-	1	-	-	-	-
ELLESMERE ...	-	-	-	-	-	M. 1
†OAKENGATES ...		7	-	-	-	N. 1
OSWESTRY ..	-	1	1	-	-	-
†SHREWSBURY ..	-	2	1	-	-	
WELLINGTON ...	-		-		1	-
Rural Districts:—						
ATCHAM	-			-	-	N. 1
DRAYTON... ...	-	1	-	-	-	-
OSWESTRY ...		2	5	-	-	-
WELLINGTON ...	-	1	-	1	1	-
SOMERSET ...	-	21	7	-	3	G. 1 M. 1 N. 2
†BATH C.B. ...	-	8	5	-	-	G. 1
Boroughs and Urban Districts:—						
MIDSOMER NORTON	-	2	-	-	-	-
SHEPTON MALLET	*	*	*	*	*	*
†TAUNTON... ...	-	1	-	-	-	-
WATCHET ...	-	-	1	-	-	-
SOMERSET— *cont.*						
Boroughs and Urban Districts— *cont.*						
†WESTON SUPER MARE	-	-	-	-	-	M. 1
†YEOVIL	-	-	-	-	1	-
Rural Districts:—						
AXBRIDGE ...	-	1	-	-	2	-
BATH	-	1	1	-	-	-
CHARD		5	-		-	-
CLUTTON	-	1	-	-		-
FROME	-	-	-	-		N. 1
LANGPORT ...		-			-	N. 1
SHEPTON MALLET	*	*	*	*	*	*
WILLITON ...	-	2	-	-		-
SOUTHAMPTON.	-	39	28	3	7	C. 1 D. 1 E. 1 M. 2 N. 1
†BOURNEMOUTH C.B.	-	5	1	-	2	E. 1
†PORTSMOUTH C.B.	-	6	15	-	-	M. 1 N. 1
†SOUTHAMPTON C.B.	-	8	9		1	D. 1
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	-	-	-	-	1	-
†EASTLEIGH AND BISHOPSTOKE	-	1	-	-	-	-
†GOSPORT	-	1	1	-	-	-
PETERSFIELD ...	-	-	-	3	-	-
†WINCHESTER ...	-	4		-	1	-
Rural Districts:—						
DROXFORD ...	-	1	-	-	-	-
†FAREHAM ...	-	5	-	-	-	M. 1
FORDINGBRIDGE..	-	-	-	-	-	C. 1
HARTLEY WINTNEY	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts—*cont.*						
HURSLEY	-	1	-		-	-
KINGSCLERE ...	-	1	-	-	-	-
NEW FOREST ...	-	1	1	-	-	-
SOUTH STONEHAM	-	-	1	-	-	-
STOCKBRIDGE ...	-	-	-	-	1	-
WINCHESTER ...	-	3	-	-	1	-
STAFFORD ...	1	50	25	3	27	C. 3 F. 1 M. 9 N. 2
†BURTON UPON TRENT C.B.	-	-	4	-	1	C. 1 F. 1
†SMETHWICK C.B	-	-	-		2	-
†STOKE ON TRENT C.B	1	10	4	1	9	C. 2 M. 5
†WALSALL C.B. .	-	3	8		1	M. 1
†WEST BROMWICH C.B	-	4		-	4	-
†WOLVERHAMPTON C.B.	-	6	1	1	-	M. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	-	-	1	-	-	-
†BILSTON	-	1	-	-	2	-
†BRIERLEY HILL...	-	1	-	-	-	-
†BROWNHILLS ...	-	1	-	-	-	-
†CANNOCK	-	3	-	-	-	-
†DARLASTON ...	-	1	-	1	-	-
KIDSGROVE ...	-	-	-	-	-	N. 1
†LEEK	-	6	2	-	-	-
LICHFIELD ...	-	2	-	-	-	-
†NEWCASTLE UNDER LYME	-	1	-	-	1	-
QUARRY BANK	-	1	-	-	-	-
†ROWLEY REGIS ...	-	1	-	-	1	-
†SEDGLEY	-	1	-	-	-	-
†STAFFORD ...	-	1	-	-	1	-
TAMWORTH ...	-	-	1	-	-	-
†TIPTON	-	1	-	-	-	M. 1 N. 1
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEDNESBURY ...	-	2		-		-
†WILLENHALL ...	-	-	1		1	-
†WOLSTANTON UNITED	-	1	-	-	-	M. 1
Rural Districts:—						
KINGSWINFORD ...	-	1	1	-	-	-
LICHFIELD ..	-	1	1	-	1	-
STAFFORD ...	-	-	-	-	3	-
WALSALL... ...	-	1	1	-	-	-
SUFFOLK, EAST	-	13	3	2		N. 2
†IPSWICH C.B. ..	-	1	-	1	-	-
Boroughs and Urban Districts:—						
BECCLES	-	3	1		-	-
BUNGAY	-	2	2	-		-
†FELIXSTOWE ...	-	1	-	-		-
LEISTON CUM SIZEWELL	-	-	-	-	-	N. 1
†LOWESTOFT ..	-	5	-	1	-	-
Rural Districts:—						
BOSMERE AND CLAYDON	-	1	-			-
HARTISMERE ...	*	*	*	*	*	*
HOXNE	-	-		-	-	N. 1
SUFFOLK, WEST	-	3	-	-	1	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	3	-	-	-	-
GLEMSFORD ...	*	*	*	*	*	*
Rural Districts:—						
COSFORD	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum:

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	-	31	19	3	5	G. 1 M. 1 N. 4
†CROYDON C.B. ...	-	16	3	-	-	G. 1
Boroughs and Urban Districts:—						
†BARNES	-	-	2	-	1	-
†BEDDINGTON AND WALLINGTON	-	1	1	1	1	-
†CARSHALTON ...	-		1	-	-	-
†CATERHAM ...	-		2	-		-
†CHERTSEY	-	-	2	1	-	-
†COULSDON AND PURLEY	-	2	-	-	-	-
EAST AND WEST MOLESEY	-	-	-	-	-	N. 1
†EPSOM	-	-	2	-	-	-
†FARNHAM ...	-	-	-	1	-	-
†GUILDFORD ...	-	2	-		-	-
†KINGSTON ON THAMES	-	2	2		-	N. 1
LEATHERHEAD ...	-	-	1	-	-	-
†MERTON AND MORDEN	-	1	-	-	1	-
†MITCHAM... ...	-	1	1	-	-	-
†SURBITON ...	-	2	-	-	1	-
†WIMBLEDON ...	-	1	-		-	N. 1
WINDLESHAM ...	-	1	-	-	-	-
Rural Districts:—						
CHERTSEY ...	-	-	1			-
EPSOM	-	1	-	-	-	N. 1
GODSTONE ...	-	-	-	-	1	
GUILDFORD ...	-	-	1	-	-	M. 1
HAMBLEDON ...	-	1	-	-	-	-
SUSSEX, EAST ...	-	18	1	1	3	C. 2 N. 6
†BRIGHTON C.B. ...	-	6	1	-	1	N. 4
†EASTBOURNE C.B.	-	2	-	-	1	-
†HASTINGS C.B. ...	-	1		-	-	-
Boroughs and Urban Districts:—						
HAYWARDS HEATH	-	2	-	-	-	-
†HOVE	-	1		-	-	C. 1
PORTSLADE BY SEA	-		-		-	N. 1
SUSSEX, EAST— *cont.*						
Rural Districts:—						
CHAILEY	-	1	-	-	1	N. 1
CUCKFIELD ...	-	2	-	-	-	-
HAILSHAM ...	-	1	-	-	-	-
STEYNING EAST...	-	-	-	-	-	C. 1
UCKFIELD ...	-	2	-	1	-	-
SUSSEX, WEST...	-	3	1	-	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†WORTHING ...	-	2	1	-	-	-
Rural Districts:—						
EAST PRESTON ...	-	-	-	-	-	M. 1
MIDHURST ...	-	1	-	-	-	-
STEYNING WEST	-	-	-	-	1	N. 1
WARWICK ...	1	49	75	3	25	C. 1 D. 1 G. 1 M. 10 N. 3
†BIRMINGHAM C.B.	-	26	58	2	19	C. 1 D. 1 M. 9
†COVENTRY C.B. ...	1	12	10	-	1	G. 1 N. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	-	-	-	-	1	-
†NUNEATON ...	-	2		-		-
†ROYAL LEAMINGTON SPA	-	1	-		-	N. 1
†RUGBY	-	2	2	1	-	-
†SUTTON COLDFIELD	-	1	-	-		-
†WARWICK ...	-	1	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	1		–	1	–
FOLESHILL ...	–	–	3	–	1	–
MERIDEN... ...	–	1	–	–	–	–
RUGBY	–	–	1	–	–	–
SOUTHAM... ...	–	–	1	–	1	M. 1 N. 1
STRATFORD ON AVON	–	2	–	–	–	–
WESTMORLAND	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–
KIRKBY LONSDALE	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	1	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	3	1	1	–	–
Boroughs and Urban Districts:—						
ST. HELENS ...	–	1	–	–	–	–
SANDOWN ...	–	–	–	1	–	–
SHANKLIN ...	–		1	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	2	–	–	–	–
WILTS	–	14	7	1	2	N. 1
Boroughs and Urban Districts:—						
CALNE	–	–	2	–	–	–
CHIPPENHAM ...	–	–	1	–	–	–
DEVIZES	–	1	–	–	–	–
†SALISBURY ...	–	4	–	–	–	–
†SWINDON... ...	–	1	1	1	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
BRADFORD ON AVON	–	–	2	–	–	–
HIGHWORTH ...	–	–	–	–	–	N. 1
MELKSHAM ...	–	4	–	–	–	–
PEWSEY	–	1	–	–	1	–
RAMSBURY ...	–	–	1	–	–	–
WARMINSTER ...	–	1	–	–	–	–
WILTON	–	2	–	–	–	–
WORCESTER ...	–	12	2	–	9	G. 1 M. 1
†WORCESTER C.B.	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	1	–	1	–
†LYE AND WOLLESCOTE	–	–	–	–	3	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	–	–	–	1	M. 1
†REDDITCH ...	–	1	–	–	–	G. 1
†STOURBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
EVESHAM ...	–	2	–	–	–	–
KIDDERMINSTER		1	–	–	–	–
MARTLEY... ...	–	–	–	–	1	–
PERSHORE ...	–	1	–	–	–	–
UPTON ON SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	3	17	22	1	2	C. 1 E. 16 F. 2 N. 1
†KINGSTON UPON HULL C.B.	–	14	19	–	1	C. 1 E. 13 F. 1 N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	1	–	–	–
BRIDLINGTON ...	–	–	–	1	–	–
GREAT DRIFFIELD	3	–		–	1	–
WITHERNSEA ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BEVERLEY ...	–	–	–	–	–	F. 1
NORTON	–	–	1	–	–	–
PATRINGTON ...	–	–	–	–	–	E. 2
RICCALL	–	2	–	–	–	–
SCULCOATES ...	–	–	1		–	E. 1
YORKS ... ... (North Riding).	8	17	7	2	9	C. 1 M. 1
†MIDDLESBROUGH C.B.	8	1	3	–	6	C. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	1	2	–	–	–
LOFTUS	–	4	–	–	1	–
NORTHALLERTON	–	1	–	–	–	–
SCALBY	–	–	–	–	1	–
†SCARBOROUGH ...	–	3	2	–	–	–
†WHITBY	–	–		1	–	–
Rural Districts:—						
BEDALE	–	–	–	1	–	–
LEYBURN... ...	–	4	–	–	–	–
PICKERING ...	–	–	–	–	1	–
RICHMOND ...	–	2	–	–	–	–
STARTFORTH ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	27	253	83	5	102	C. 5 E. 4 G. 1 M. 9 N. 10
†BARNSLEY C.B. ...	–	6	5	–	–	–
†BRADFORD C.B. ...	–	20	10	–	10	C. 1 N. 2
†DEWSBURY C.B....	–	1	1	–	–	G. 1 M. 1
†DONCASTER C.B.	1	6	–	1	–	M. 1
†HALIFAX C.B. ...	–	5	3	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†HUDDERSFIELD C.B.	3	12	2	–	1	C. 1 M. 1
†LEEDS C.B. ...	–	19	12	–	13	E. 1 M. 3 N. 4
†ROTHERHAM C.B.		7	2	–	6	–
†SHEFFIELD C.B....	1	106	22	1	44	C. 1 E. 2 M. 1
†WAKEFIELD C.B.	–	–	1	1	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–		1	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	1	–	3	–	–	–
†BINGLEY	–	–	1	–		–
†BRIGHOUSE ...	1	–	–	–	1	–
†CASTLEFORD ...	–	1	–	–	–	–
CUDWORTH ...	–	2	1	–	–	–
†DARTON	–	2	–	–	–	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
†ELLAND	–	–	–	–	1	–
EMLEY	–	–	1	–	–	–
†FEATHERSTONE ...	–	1	1	–	–	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	–		–	3	–
GREASBROUGH ...		1		–		–
GREETLAND ..	*	*	*	*	*	*
†HARROGATE ...	–	2	–	–	1	–
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–	–	–	–	1	–
†HOLMFIRTH ..	–	1	–	–	–	–
†HOYLAND NETHER	–	2		–	2	–
ILKLEY	–	2	–	–		–
†KEIGHLEY ..	5	–	–	–		–
KIRKBURTON ...	–	–	2	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
LEPTON		–	1		–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MEXBOROUGH ...		3	–	–	2	–
†MIRFIELD ...	–	1	–	–		–
†MORLEY		1			–	–
MYTHOLMROYD ...		–	2	–	–	–
†NORMANTON ...	–	–	1	–	1	–
OAKWORTH ...	3	–	–	–		–
†OSSETT	–	1	–	–	–	–
OTLEY	–	–	–	–	1	–
OXENHOPE ...	–	–	1	–	–	–
PENISTONE ...	–	1	–	–	–	–
†PUDSEY	–	–		–	–	C. 1
RAWDON	–	–	1	–	–	–
†RAWMARSH ...	1	3	1	–	–	–
†ROTHWELL ...	–	2	–	–	–	–
†SADDLEWORTH ...	–	–		–		C. 1
†SHIPLEY	–	3	1	–	–	M. 1
SILSDEN	*	*	*	*	*	*
SKELMANTHORPE	–	–	4	–	–	
†SKIPTON	*	*	*	*	*	*
SOUTH CROSLAND	–	1	–		–	–
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	1	–
STAINLAND ...	–	1	–	–	–	–
†STANLEY	*	*	*	*	*	*
STOCKSBRIDGE ...			1	–	3	E. 1
†TODMORDEN ...	–	2	–	–		–
†WATH UPON DEARNE	–	1		–	–	N. 1
†WOMBWELL ...	–	1	–	1	3	–
†WORSBOROUGH ...	–	1			–	–
Rural Districts:—						
BOWLAND ...	–	1	–	–	–	–
DONCASTER ...	–	7	3	–	1	N. 1
HALIFAX ...	2	–	–		–	–
HEMSWORTH ...	–	3	–		–	M. 1
HUNSLET		1			–	–
KEIGHLEY ...	*	*	*	*	*	*
PATELEY BRIDGE	–	1	–	–	–	–
PENISTONE ...	–	1		–	–	–
ROTHERHAM ...	9	3			3	–
SEDBERGH ...	*	*	*	*	*	*
SETTLE	*	*	*	*	*	*
SKIPTON	*	*	*	*	*	*
THORNE	–	4	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
TODMORDEN ...		1	–	–		–
WAKEFIELD ...	*	*	*	*	*	*
WETHERBY ...	–	–		–	–	N. 1
WHARFEDALE (SOUTH)			–	–	1	–
WORTLEY ...	–	6	–	1	1	–
YORK, CITY OF ...	–	7	4			–
†YORK C.B. ...	–	7	4	–	–	–
WALES.						
BRECKNOCK ...		–	1	–	1	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
BUILTH		–	1	–	–	–
CRICKHOWELL ...	–	–	–	–	1	
YSTRADGYNLAIS	*	*	*	*	*	*
CAERNARVON ...		1		–		F. 1
Rural Districts:—						
CONWAY		–	–	–	–	F. 1
GWYRFAI	–	1	–	–	–	–
CARDIGAN ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
Rural Districts:—						
TREGARON ...	–	1	–	–		–

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN...	-	2	2	-	1	-
Boroughs and Urban Districts:—						
†CARMARTHEN ...	-	1	-	-	-	-
†LLANELLY ...	-	-	1	-	-	-
Rural Districts:—						
LLANDILO FAWR	-	-	1	-	-	-
LLANELLY ...	-	1	-	-	1	-
DENBIGH ...	-	7	6	-	-	D. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†WREXHAM ...	-	1	1	-	-	D. 1
Rural Districts:—						
CHIRK	-	-	3	-	-	-
UWCHALED ...	-	2	-	-	-	-
WREXHAM ...	-	4	2	-	-	M. 1 N. 1
FLINT	-	2	6	1	1	-
Boroughs and Urban Districts:—						
†RHYL	-	2	3	-	-	-
Rural Districts:—						
HAWARDEN ...	-	-	-	1	1	-
HOLYWELL ...	-	-	3	-	-	-
GLAMORGAN ...	7	48	30	1	21	C. 2 M. 1 N. 1
†CARDIFF C.B. ..	-	8	7	-	4	-
†MERTHYR TYDFIL C.B.	-	-	1	-	2	-
†SWANSEA C.B. ..	-	3	1	-	5	C. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ..	-	1	1	-	-	-
†BARRY	-	-	3	-	-	-
BRIDGEND ...	-	1	-	-	-	-
†CAERPHILLY ..	-	-	-	-	-	C. 1
†GELLIGAER ...	-	2	1	-	-	-
†GLYNCORWG ...	-	1	-	-	-	-
†MAESTEG... ...	-	5	1	-	-	-
†MOUNTAIN ASH ..	-	2	-	-	-	-
†NEATH	-	9	-	-	1	-
†OGMORE AND GARW	-	-	2		2	-
†PENARTH ..	-	1	-	-	-	-
†PONTYPRIDD ..	7	1	-	-	-	-
†PORT TALBOT ..	-	2	5	-		-
†RHONDDA ..	-	6	7	1	7	-
Rural Districts:—						
COWBRIDGE ...	-	2	-	-	-	-
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT FARDRE	-	1	-	-	-	-
NEATH	-	1	-	-	-	-
PENYBONT ...	-	-	-	-	-	N. 1
PONTARDAWE ..	-	1	-	-	-	-
SWANSEA... ..	-	1	1	-	-	-
MERIONETH ...	-	3	3	-	-	-
Urban Districts:—						
FESTINIOG ..	-	1	2	-	-	-
Rural Districts:—						
DOLGELLEY ...	-	1	-	-	-	-
EDEIRNION ...	-	1	1	-	-	-
MONMOUTH ...	20	11	8	1	5	M. 2 N. 2
†NEWPORT C.B. ..	-	1	1	-	2	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	2	–	4	–	–	–
†ABERTILLERY ...	–	–	–	–	–	N. 1
†BEDWELLTY ...	3	2	–	–	–	–
†BLAENAVON ...	2	–	–	–	1	–
†EBBW VALE ..	–	4	1	1	–	–
LLANFRECHFA UPPER	1	–	–	–	–	–
LLANTARNAM ..	–	1	–	–	–	–
†NANTYGLO AND BLAINA	6	1	–	–	2	–
†PANTEG	–	–	–	–	–	M. 2
PONTYPOOL ...	5	–	1	–	–	–
†RHYMNEY ...	1	–	–	–	–	–
†TREDEGAR ...	–	1	1	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MONTGOMERY...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	*	*	*	*	*	*
PEMBROKE ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
FISHGUARD ...	–	–	1	–	–	–
Rural Districts:—						
NARBERTH ..	–	3	–	–	–	–
Total of Part II. ...	125	1639	890	79	567	C. 34 D. 5 E. 36 F. 4 G. 9 L. 1 M. 92 N. 91

PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIFF	–	–	–	–	1	–
LANCASTER	*	*	*	*	*	*
SOUTHAMPTON ...	–	–	1	–	2	–
PORT OF LONDON ...			–	1	–	–
Total of Part III. ...		–	1	1	3	–

* Returns not received. ‡ Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see note below)
Total of Part I.—London	–	319	258	11	67	C. D. E. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	125	1639	890	79	567	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	–	–	1	1	3	–
Total (*i.e.*, of returns received), England and Wales ...	125	1958	1149	91	637	C. D. E. F. G. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexi

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

ble 5.—London and Great Towns in the aggregate. — Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept 3	Sept. 10.	Sept. 17.	Sept. 24.
NDON :—													
ATHS (excluding Stillbirths)—all ages.	804	781	777	768	763	714	793	727	759	773	744	778	762
ATHS—0 to 1 year ..	48	66	68	51	65	49	69	42	55	67	69	75	49
EAT TOWNS, aggregate (including London):—													
VE BIRTHS	6,525	6,758	6,636	6,875	6,901	5,798	6,773	6,314	6,575	6,703	6,193	6,091	5,997
ILLBIRTHS	32†	219	233	242	259	241	239	245	306	267	268	252	264
ATHS (excluding Stillbirths)—all ages	3,453	3,667	3,442	3,424	3,510	3,303	3,406	3,244	3,343	3,380	3,346	3,401	3,610
ATHS—0 to 1 year ..	292	353	320	314	390	326	328	280	344	329	358	361	347
TERIC FEVER—Cases	28	36	26	33	27	25	20	28	36	38	44	34	36
„ Deaths	—	8	2	2	1	3	2	2	—	1	4	5	3
ALL POX—Cases ..	61	31	30	26	41	45	29	26	38	19	39	20	18
„ Deaths ..	1	—	—	—	—	—	—	—	—	1	-	—	—
ARLET FEVER—Cases	930	976	913	955	942	677	814	677	774	889	977	951	1176
„ Deaths	6	5	2	3	9	2	4	8	4	2	6	6	4
PHTHERIA—Cases ..	503	550	535	574	497	444	455	449	453	556	693	688	801
„ Deaths ..	16	26	21	30	21	25	20	13	15	22	24	27	33
ASLES—Deaths ..	27	36	21	29	25	31	19	19	16	13	16	13	10
FLUENZA—Deaths ..	28	31	21	25	15	16	26	21	20	18	21	24	42

† Registration of Stillbirths began 1st July, 1927.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 24th September, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON (GREENWICH)	69	43	64·4	51·6	26	HUDDERSFIELD	65	43	59·6	47·1	36
IGHTON ..	63	45	61·6	54·0	32	BRADFORD ..	62	43	57·7	48·0	34
RTSMOUTH ..	65	45	62·2	53·9	34	SHEFFIELD ..	65	44	59·0	48·4	26
RWICH (EATON)	68	43	62·1	50·0	20	YORK (MUSEUM)	66	42	60·3	46·6	40
YMOUTH ..	65	43	60·1	51·9	45	HULL (PEARSON PARK).	69	44	60·7	48·1	41
ISTOL (CLIFTON).	66	42	59·9	51·0	29	TYNEMOUTH ..	61	43	57·0	47·6	65
RMINGHAM (EDGBASTON).	64	40	58·4	48·6	34	CARDIFF.. ..	64	41	59·4	49·9	45
OTTINGHAM ..	67	43	60·3	49·0	31	EDINBURGH ..	58·0	42·0	53·6	43·4	116
RKENHEAD (BIDSTON).	63	45	57 0	49·7	67	GLASGOW ..	57·6	41·7	54·1	44·5	71
ANCHESTER (WHITWORTH PARK).	64	45	?56·7	48·9	61	DUBLIN (PHŒNIX PARE). (FITZWILLIAM SQUARE†).	§	§	§	§	§
RNLEY.. ..	62	40	57·3	47·3	84	BELFAST.. ..	63·2	42·0	59·1	48·9	27
							§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 24th September, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	18	Last Quarter.	29·521	61·4	47·4	14·0	53·4	− 3·5	48·7	4·7	14·6	0·0	84	118·2	41·1	56·9	SW : WSW.	WSW : SW.	1·5	0·0	0·2	283	+ 39	0·04
MONDAY -	19	Greatest Declination N.	29·503	65·7	53·2	12·5	59·3	+ 2·8	52·5	6·8	12·7	2·2	78	98·1	48·3	56·8	SSW : SW : WSW.	WSW	6·0	0·0	0·9	488	+ 246	0·03
TUESDAY -	20	..	29·692	68·0	54·6	13·4	59·7	+ 3·5	56·2	3·5	13·0	1·8	88	111·7	48·1	56·8	SW : WSW.	SW : SSW.	2·0	0·0	0·2	318	+ 78	0·01
WEDNESDAY	21	..	29·484	69·0	59·7	9·3	62·7	+ 6·8	58·7	4·0	10·6	0·4	87	114·3	57·0	56·6	SW : SSW.	SW	3·7	0·0	0·7	416	+ 178	0·01
THURSDAY	22	..	29·160	65·2	51·6	13·6	56·8	+ 1·2	54·6	2·0	6·6	0·0	92	96·2	45·3	56·7	SSW	WSW : SW.	6·0	0·0	0·5	407	+ 171	0·31
FRIDAY -	23	..	29·017	58·0	44·9	13·1	51·1	− 4·3	45·3	5·8	13·5	0·0	81	106·2	40·1	56·7	WSW	SSW : ESE : S.	4·5	0·0	0·5	357	+ 121	0·67
SATURDAY -	24	..	28·985	60·6	42·8	17·8	50·5	− 4·8	42·2	8·3	19·0	2·6	73	120·3	37·2	56·4	NW : WSW.	WSW : SW	4·9	0·0	0·5	446	+ 209	0·00
MEANS -		..	29·337	64·0	50·6	13·4	56·2	+ 0·2	51·2	5·0	12·9	1·0	83	109·3	45·3	56·7	WSW		..	..	..	Sum 2715	Sum +1042	Sum 1·07
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	18	wP	4·6	12·5	Overcast till 9h.; partially cloudy till 12h.; then very cloudy becoming overcast by 22h. Slight rain 4¾h. till 7½h.
MONDAY ..	19	wP till 18¾h.; then loss of register.	0·2	12·4	Overcast generally till 20½h., then partially cloudy. Rain 2¾h. till 5h. Brisk wind 8h. till 16h. Solar halo about 9h. Partial solar halo about 15h.
TUESDAY ..	20	Loss of register till 9h.; then wP.	0·3	12·3	Overcast generally. Slight rain at 7½h.; and 14h. till 14¾h.
WEDNESDAY	21	wP	1·4	12·3	Nearly overcast. Occasional damping between 9h. and 12h.; 20h. till 20½h.; and 21½h. till 23h.
THURSDAY	22	wP	1·5	12·2	Overcast till 14¾h.; then variably cloudy. Rain 1h. till 5h.; and 12½h. till 15h. Occasional slight damping between 6h. and 9h. Brisk wind 8h. till 12h.
FRIDAY ..	23	wP till 13h.; variably wP and sN till 18h.; then wP.	4·3	12·2	Variably cloudy till 10¾h., then overcast. Solar halo 10¾h. Rain 13h. till 17¾h.; and 10½h. till 21h. Lightning from 19½h. Brisk wind from 23h.
SATURDAY	24	wP till 3h.; loss of register till 9½h.; wP till 14h.; mP till 21h.; then wP.	10·4	12·1	Variably cloudy till 4h.; nearly cloudless till 10h.; partially cloudy till 14¾h.; then variably cloudy. Brisk wind till 3h. Shower about 15h. Dew at night.
			Sum 22·7	Sum 86·0	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·56 ins. at the beginning of the week to 29·47 ins. by 6h. on 18th; increased to 29·59 ins. by 20h. on 18th; decreased to 29·45 ins. by 8h. on 19th; increased to 29·73 ins. by 11h. on 20th; decreased to 29·12 ins. by 12h. on 22nd; increased to 29·23 ins. by 8h. on 23rd; decreased to 28·67 ins. by 22h. on 23rd; increased and was 29·05 ins. by midnight on the 24th.

Manual of the International List of Causes of Death.

This Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 2s. *Post Free 2s. 3d.*

The Registrar-General's Decennial Supplement—England & Wales, 1921.

PART I. LIFE TABLES.

This volume contains a report on Life Tables by Sir Alfred W. Watson, K.C.B., the Government Actuary.

The principal table is the new National Life Table for England and Wales, designated the English Life Table No. 9, which gives, for males and females separately, graduated rates of mortality based upon the population enumerated at the 1921 census, and the deaths registered in the years 1920, 1921 and 1922. Comparisons are made between the mortality of the nation as revealed by the new table and by previous National Life Tables. Rates of mortality for females according to marital condition, single, married, and widowed, have also been prepared.

A special feature is an investigation of the comparative mortality experience of the country according to geographical situation and density of population.

The mortality experience of Greater London has been separately investigated, and complete life tables are given for each sex.

Price 2s. *Post Free 2s. 2d.*

STATUTORY RULES AND ORDERS

1927. No. 485.

The Registration (Births, Stillbirths, Deaths and Marriages) Consolidated Regulations, 1927, dated 31st May, 1927, made by the Registrar-General with the approbation and concurrence of the Minister of Health.

Price 1s. 3d. *Post Free 1s. 4d.*

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1927. No. 39.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 1ST OCTOBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1927.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 1st OCTOBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the thirty-ninth week of the year numbered 6,352 and corresponded to an annual rate of 16·9 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,571 and corresponded to an annual rate of 9·5 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 8·9, 9·1 and 9·6. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 54 against 54, 54 and 52 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,429 live births, corresponding to a rate of 16·1 per 1,000, and 816 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 9·2, against 8·4, 8·8 and 8·6 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·8 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 52 as against 46, 50 and 33 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 3,610 to 3,571, and in London increased from 762 to 816.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 258 in the Great Towns including 57 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 1st October, 1927.

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,540,143*	6352	258	3571	354	5	9	2	10	20	94	34
London	4,605,400*	1429	57	816	78	1	1	-	-	4	21	5
Towns in Outer Ring.												
Croydon C.B. ..	205,900	64	2	36	1	-	-	-	-	-	-	-
Wimbledon ..	58,030	13	1	10	-	-	-	-	-	-	-	-
Ealing	91,783	35	-	15	2	-	-	-	-	-	-	-
Acton	63,040	16	1	6	-	-	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	18	-	8	1	-	-	-	-	-	-	-
Willesden ..	165,270	35	1	22	3	-	-	-	-	1	-	-
Hendon	62,570*	19	-	13	-	-	-	-	-	-	-	-
Hornsey	87,230	19	3	12	-	-	-	-	-	-	-	-
Wood Green ..	51,940	5	-	7	2	-	-	-	-	-	-	-
Tottenham ..	151,520	53	-	15	-	-	-	-	-	-	-	-
Edmonton	71,700	54	3	14	2	-	-	-	-	-	-	-
Enfield	63,640	17	2	8	1	-	-	-	-	-	-	1
West Ham C.B. ..	315,900	116	5	46	4	-	-	-	-	1	1	-
East Ham C.B. ..	146,600	43	1	23	2	-	-	-	-	-	-	-
Leyton	130,000	25	-	22	1	-	-	-	-	-	-	-
Walthamstow ..	125,500	27	-	20	2	-	-	-	-	-	-	-
Ilford	100,500	28	2	16	-	-	-	-	-	-	-	-
Gillingham	47,820*	17	-	7	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	12	-	7	1	-	-	-	-	-	1	-
Hastings C.B.	61,340	14	-	21	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	16	1	6	-	-	-	-	-	-	-	-
Brighton C.B.	139,500*	44	1	30	-	-	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	76	6	41	2	-	-	-	-	1	-	1
Bournemouth C.B. ..	90,100	16	1	22	1	-	-	-	-	-	1	-
Southampton C.B. ..	169,300	64	2	42	3	-	-	-	-	-	1	1
Reading C.B	93,090*	31	-	18	-	-	-	-	-	-	-	-
Oxford C.B.	56,800	15	-	9	-	-	-	-	-	-	-	1
Northampton C.B. ..	93,530*	28	2	21	1	-	-	-	-	-	-	-
Luton	59,240	13	1	9	-	-	-	-	-	-	-	-
Cambridge	58,820	14	-	12	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	25	-	19	-	-	-	-	-	-	-	-
Ipswich C.B.	84,140	35	-	11	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	18	2	13	1	-	-	-	-	-	-	-
Norwich C.B.	123,500*	44	4	20	1	-	-	-	-	-	-	-
Swindon	57,320	13	1	5	1	-	-	-	-	-	-	-
Exeter C.B.	60,340*	14	2	12	-	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	69	6	30	8	-	-	-	-	-	-	-
Bath C.B.	69,000	24	-	20	-	-	-	-	-	-	-	2
Bristol C.B.	383,300*	135	6	87	5	-	-	-	1	2	-	2
Gloucester C.B. ..	53,050	11	1	11	1	-	-	-	1	-	-	-
Stoke-on-Trent C.B.	275,600	122	4	64	5	-	1	-	1	-	-	1
Burton-upon-Trent C.B.	48,660	13	-	10	-	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	47	2	25	3	-	-	-	1	-	1	-
Walsall C.B.	102,100	41	-	16	1	-	-	-	-	-	1	-
West Bromwich C.B.	79,920	22	3	11	2	-	-	-	-	-	1	-
Dudley C.B.	58,930	26	2	7	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,660	19	-	12	2	-	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	354	10	142	9	-	-	-	-	1	3	2
Smethwick C.B. ..	76,940	19	-	15	-	-	-	-	1	-	-	-
Coventry C.B. ..	127,800	43	-	16	1	-	-	-	-	-	-	-
Leicester C.B. ..	241,700	74	1	52	6	-	-	-	-	1	1	-
Lincoln C.B.	65,760*	11	1	15	-	-	-	-	-	-	-	-
Grimsby C.B.	88,580	34	4	11	2	-	-	-	-	-	-	-
Nottingham C.B. .	268,000	89	3	57	6	-	-	-	-	2	3	-
Derby C.B.	136,600*	49	-	18	2	-	-	-	-	1	-	-
Chesterfield ..	66,650	23	1	8	1	-	-	-	-	-	1	-
Stockport C.B. ..	125,400	35	3	27	1	-	-	1	-	-	-	1
Chester C.B.	41,710	20	-	7	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	46	4	26	6	-	-	-	-	-	3	-
Wallasey C.B. ..	93,050	28	2	19	1	-	-	-	-	1	-	-
Liverpool C.B. ..	862,600	344	15	179	32	-	-	-	2	-	15	1
Bootle C.B.	84,580	32	2	17	4	-	-	-	-	-	3	1
St. Helens C.B. ..	110,000	44	2	20	6	-	-	-	-	1	1	2

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	77,970	21	1	18	2	-	-	-	-	-	-	-
Wigan C.B.	88,620	25	-	17	1	-	-	-	1	-	-	-
Warrington C.B. ..	76,940*	20	3	13	2	-	-	-	-	-	-	-
Bolton C.B.	177,000	53	2	34	5	-	-	-	-	1	1	-
Bury C.B.	56,840*	13	1	4	1	-	-	-	-	-	1	-
Manchester C.B. ..	752,000	271	14	138	14	-	2	-	-	-	6	3
Salford C.B.	247,400	64	4	43	7	-	-	-	-	-	4	-
Ashton-under-Lyne	51,050	22	1	14	1	-	-	-	-	-	-	-
Oldham C.B.	143,000	29	1	25	-	-	-	-	-	-	-	-
Rochdale C.B.	91,510	19	-	17	-	-	-	-	-	-	-	-
Burnley C.B.	99,600	32	2	23	4	-	-	-	-	-	1	-
Blackburn C.B. ..	124,400	44	1	38	1	-	-	-	-	-	1	1
Preston C.B.	124,200	38	2	16	1	-	-	-	-	-	-	-
Blackpool C.B. ..	88,640	22	3	19	-	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	70,420	19	-	10	1	-	-	-	-	-	-	1
Huddersfield C.B. ..	111,900	15	-	27	-	-	-	-	-	-	-	-
Halifax C.B.	96,130*	28	1	19	-	-	-	1	-	-	-	2
Bradford C.B. ..	288,700	74	1	55	3	-	-	-	-	-	-	1
Leeds C.B.	473,400	135	6	107	13	-	-	-	-	-	6	1
Dewsbury C.B. ..	53,630	29	1	11	-	-	-	-	-	-	-	-
Wakefield C.B. ..	53,830	16	1	12	-	-	-	-	-	-	1	-
Barnsley C.B. ..	70,760	37	2	20	6	-	-	-	-	1	1	-
Sheffield C.B. ..	523,300*	158	5	97	8	1	1	-	-	-	1	-
Rotherham C.B. ..	70,080	27	-	14	2	-	-	-	-	-	-	-
Doncaster C.B. ..	55,700	16	1	8	1	-	-	-	-	-	-	-
York C.B.	84,430*	31	1	17	1	1	-	-	-	-	-	-
Hull C.B.	294,600	96	3	49	5	-	-	-	-	1	2	-
Middlesbrough C.B.	133,600	57	2	25	5	-	-	-	-	-	-	2
Darlington C.B. ..	70,700	15	-	15	2	-	1	-	-	-	-	-
Stockton-on-Tees ..	67,910	31	3	20	4	1	-	-	-	-	1	-
West Hartlepool C.B.	71,060	21	3	9	1	-	-	-	-	-	-	-
Sunderland C.B. ..	163,800	60	4	30	8	1	-	-	-	-	2	-
South Shields C.B. ..	123,900	41	-	21	5	-	-	-	-	-	-	1
Gateshead C.B. ..	127,700	41	3	24	5	-	-	-	-	-	1	-
Newcastle-on-Tyne C.B.	284,700*	123	2	49	8	-	-	-	-	1	1	-
Tynemouth C.B ..	66,560	22	1	14	3	-	2	-	1	-	1	-
Carlisle C.B.	56,140*	23	-	5	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,620	32	2	11	2	-	1	-	-	-	1	-
Cardiff C.B.	225,600*	67	-	42	3	-	-	-	1	-	1	1
Rhondda	162,500	52	1	29	2	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	80,690	34	1	17	2	-	-	-	-	-	-	-
Aberdare	56,930	15	2	10	2	-	-	-	-	-	-	-
Swansea C.B.	163,200	65	4	29	3	-	-	-	-	-	3	-
Greater London ..	7,791,310*	2,372	89	1,323	119	2	1	1	-	8	26	7
Outer Ring	3,185,910*	943	32	507	41	1	-	1	-	4	5	2
17 Great Towns in Outer Ring	1,947,963*	587	21	293	21	-	-	-	-	2	1	1
Remainder of Outer Ring	1,237,947*	356	11	214	20	1	-	1	-	2	4	1
Edinburgh†	426,100	165	?	110	11	-	-	-	-	-	2	-
Glasgow†	1,049,000	370	?	282	54	1	3	1	5	2	12	1
Dublin (Registration Area)†	421,000	232	?	110	16	-	-	-	-	-	7	-
Belfast†	416,000	173	?	99	20	-	-	-	-	-	9	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1927.											
London‡	4,605,400	Oct. 1	1429	57	816	9·2	1	–	1	–	–	4	21
Calcutta and Suburbs	1,077,264	Aug. 27	?	?	530‖	25·6	?	7	–	?	?	?	?
Bombay§	1,298,708	Sept. 3	371	42	525‖	21·0	2	3	–	–	–	–	27
Madras	528,791	„ 3	620	27	448	44·1	7	–	–	–	1	–	27
Sydney and Suburbs	1,038,950	Aug. 31 (31 days)											
Brisbane (Metropolitan Area).	274,260	Aug. 31 (31 days)											
Perth (Metropolitan Area).	179,388	Aug. 6	74	?	35	9·9	?	?	?	?	1	?	–
Auckland (Urban Area).	201,220	July 31 (31 days)	280	?	174	10·4	–	–	–	–	–	2	–
Wellington (Urban Area).	126,310	July 31 (31 days)	170	?	112	10·7	–	–	1	–	–	1	–
Christchurch (Urban Area).	121,780	July 31 (31 days)	189	?	136	13·4	–	–	–	–	–	–	–
Cape Town	114,846	Sept. 3	58	3	31	14·0	–	–	1	–	–	–	1
Johannesburg	172,189	„ 3	70	4	45	13·6	1	–	–	–	–	–	–
Durban	54,738	„ 3	21	2	15	14·3	–	–	–	–	–	1	–
Paris	2,871,429	Sept. 20 (10 days)	1121	66	823	10·5	5	–	6	–	9	3	23
Antwerp	300,242	Aug. 27	93	2	50	8·7	–	–	–	–	–	–	2
Amsterdam	729,159	Sept. 3	279	7	122	8·7	–	–	1	–	–	–	1
Copenhagen	592,000	„ 17	197	5	102	9·0	–	–	1	–	–	1	–
Stockholm	453,332	„ 10	96	2	72	8·3	–	–	–	–	–	–	–
Gothenburg	231,196	Aug. 27	?	?	42	9·4	–	–	–	–	–	–	–
Oslo (Christiania) ..	254,055	Sept. 24	39	1	55	11·3	2	–	–	–	–	–	–
Berlin	2,003,000	„ 10	305	16	417	10·8	–	?	1	2	–	11	6
Breslau	563,000	„ 10	146	7	117	10·8	–	?	–	1	4	–	4
Cologne	718,000	„ 10	204	9	171	12·4	–	?	1	1	–	–	7
Dresden	625,000	„ 10	128	6	95	7·9	–	?	–	–	–	–	–
Frankfort-on-Main..	474,000	„ 10	89	2	65	7·1	–	?	–	–	–	–	1
Hamburg	1,105,000	„ 10	245	8	246	11·6	–	?	–	–	–	–	5
Leipzig	687,000	„ 10	153	8	119	9·0	–	?	1	–	1	–	1
Munich	685,000	„ 10	147	6	136	10·3	–	?	–	–	–	–	1
Vienna	1,870,325	April 30 (30 days)											
Prague and Suburbs	738,132	April 30 (30 days)											
Budapest	971,169	Sept. 10	256	7	198	10·6	4	–	–	1	1	2	14
Warsaw	1,028,982	„ 17	348	12	292	14·8	12	–	1	6	4	–	33
Cairo	874,300	April 1	972	22	347	20·7	1	–	1	–	?	4	35
		„ 8	774	22	403	24·0	1	–	2	–	?	3	44
Alexandria	501,800	„ 1	469	8	185	19·2	1	–	–	–	?	1	13
		„ 8	513	4	215	22·3	1	–	–	–	?	1	20
New York	5,924,018	Sept. 17	?	?	1200	10·6	4	–	–	–	2	7	29
Chicago	3,048,000	„ 9	1160	30	702	11·8	2	–	–	1	4	4	20
New Orleans	433,000	Aug. 31 (31 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under one year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 7 deaths from Cholera in Calcutta, 24 in Madras, 1 in Bombay and 1 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 1st October, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	816	78	10	12	15	37	42	49	101	147	157	168
Enteric fever	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	4	-	-	-	-	-	-	-	-
Influenza	5	-	-	-	-	1	-	-	1	1	-	2
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-		-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	67	-	1	-	-	14	17	14	11	9	-	1
Nervous system	6	-	1	4	1	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	4	-	-	-	-	-	1	2	-	-	-	1
Venereal diseases	4	3	-	-	-	-	-	1	-	-	-	-
Cancer	124	-	-	-	1	-	1	5	26	37	31	23
Rheumatic fever	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes	7	-	-	-	-	-	-	-	1	1	1	4
Alcoholism	-	-	-	-	-		-	-	-	-	-	-
Simple meningitis	2	1	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	37	-	-	-	-	1	-	1	2	5	13	15
Epilepsy	8	-	-	-	-	2	2	1	-	-	3	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	18	1	-	-	1	1	2	-	5	5	2	1
Pericarditis	1	-	-	-	-	-	-	-	-	-	-	1
Acute endocarditis	3	-	-	-	-	-	-	1	-	2	-	-
Other diseases of heart	144	-	-	-	1	2	3	3	14	32	48	41
Other diseases of circulatory system	54	-	-	-	-	1	-	1	2	12	14	24
Bronchitis	22	-	-	-	1	-	1	1	4	4	3	8
Broncho-pneumonia	21	9	1	-	1	-	2	1	-	1	2	4
Lobar-pneumonia	25	-	2	1	1	2	3	-	4	4	5	3
Pneumonia (type not distinguished)	5	1	-	-	-	1	1	-	1	-	1	-
Other diseases of respiratory system	7	-	-	1	-	-	-	-	2	-	3	1
Diarrhœa and enteritis	27	18	3	-	-	-	1	-	1	1	-	3
Appendicitis, Typhlitis	5	-	-	-	-	1	1	1	-	1	1	-
Hernia, Intestinal obstruction	8	1	1	-	1	-	-	-	-	1	1	3
Cirrhosis of liver	6	-	-	-	-	-	-	-	3	2	1	-
Other diseases of digestive system ..	22	1	-	-	-	1	1	-	6	7	5	1
Acute nephritis	2	-	-	-	-	1	1	-	-	-	-	-
Chronic Bright's disease	29	-	-	-	-	-	2	1	2	12	9	3
Other diseases of genito-urinary system.	11	-	-	-	-	1	-	1	1	1	2	5
Puerperal sepsis	3	-	-	-	-	1	-	2	-	-	-	-
Other causes incident to childbirth ..	1	-			-	-	1	-	-	-	-	-
Congenital malformations	7	6	-	-	-	-	-	1	-	-	-	-
Premature birth	21	21			-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	2	2	-		-		-	-	-	-		-
Old age	13	-	-					-	-	-	1	12
Suicide	13	-	-		-	1	1	3	3	1	4	-
Burns and Scalds	1	-	-	-	-	-	-	1	-	-	-	-
Drowning	4	-	-	-	2	-	-	1	1	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	17	-	-	1	1	1	1	4	2	2	3	2
Other deaths by violence	12	-	-	-	-	-	-	2	3	1	1	5
Other specified causes	36	12	-	-	2	3	-	1	6	5	3	4
Ill-defined causes	1	-	-	1	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 1st October, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	315	249	10	57	C. 2 E. 1 G. 4 M. 16 N. 10
†CITY OF LONDON	-	1	-	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	9	16	-	1	E. 1 M. 1
†BERMONDSEY ...	-	16	11	-	-	-
†BETHNAL GREEN		13	15	-	1	-
†CAMBERWELL ...		10	16	-	1	-
†CHELSEA	-	4	2	-	-	-
†DEPTFORD ...	-	4	3	1	-	-
†FINSBURY ...	-	10	2	-	2	M. 2
†FULHAM	-	8	8	1	7	C. 1
†GREENWICH ...	-	6	3	-	-	-
†HACKNEY ...	-	29	21	-	1	-
†HAMMERSMITH ...	-	7	7	-	-	M. 1
†HAMPSTEAD ...	-	8	2	1	-	-
†HOLBORN... ...	-	3	-	-	-	-
†ISLINGTON ...	-	32	10	-	6	M. 2 N. 3

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	-	1	13	-	3	-
†LAMBETH ...	-	23	10	-	6	G 1 M. 1 N. 1
†LEWISHAM ...	-	10	8	4	1	-
†PADDINGTON ...	-	17	11	-	4	C. 1 G. 1 M. 1
†POPLAR	-	12	7	-	9	G. 1 N. 1
†ST. MARYLEBONE	-	3	2	-	-	-
†ST. PANCRAS ...	-	17	5	-	4	M. 2 N. 2
†SHOREDITCH ...	-	8	12	-	-	M. 5 N. 1
†SOUTHWARK ...	-	13	20	1	3	G. 1 N. 2
†STEPNEY	-	22	16	1	2	-
†STOKE NEWINGTON	-	2	3	-	1	-
†WANDSWORTH ...	-	16	20	1	5	M. 1
†WESTMINSTER, CITY OF	-	5	3	-	-	-
†WOOLWICH ...	-	6	3	-	-	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	13	4	–	1	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	4	–	–	–	–
†LUTON		2	4	–	–	–
Rural Districts:—						
BEDFORD... ...	–	7	–	–	–	–
BIGGLESWADE ...	–	–	–	–	1	–
BERKS		8	1	1	5	E. 1 N. 1
†READING C.B.	–	3	–	–	3	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	1	–	–	1	E. 1
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–		–	–	1	N. 1
HUNGERFORD ...	–	1	1	–	–	–
WALLINGFORD ..	–	1	–	–	–	–
WOKINGHAM ...	–	–	–	1	–	–
BUCKINGHAM...	1	4	5	1	1	C. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BLETCHLEY ...	–	–	1	–	–	–
BUCKINGHAM ...	–	–	–	1	–	–
†CHEPPING WYCOMBE	1	1	–	–	–	–
†SLOUGH	–	–	1	–	–	–
†WOLVERTON ...	–	–	1	–	1	–
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...	–	–	1	–	–	–
AYLESBURY ...	–	1	–	–	–	C. 1
ETON	–	–	1	–	–	–
HAMBLEDEN ...		1	–	–	–	–
CAMBRIDGE ...	–	7	–	–	1	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	1	–
MELBOURN ...	–	1	–	–	–	–
NEWMARKET ...	–	4	–	–	–	–
CHESTER ...	–	53	20	–	11	G. 4 M. 3 N 3
†BIRKENHEAD C.B	–	2	1	–	3	G. 1
†CHESTER C.B. ...	–	2	–		1	–
†STOCKPORT C.B.	–	7	–	–	3	N. 1
†WALLASEY C.B. ...	–	2	4	–	1	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	1	–	–	–	N. 1
ASHTON UPON MERSEY	–	4	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
†CONGLETON ...	–	–	1	–	–	M. 1
†CREWE	–	7	–	–	–	G. 1
†DUKINFIELD ...	–	1	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	3	1		–	–
HALE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HAZEL GROVE AND BRAMHALL	–	2	–	–	–	–
HOOLE	–	2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	5	–	–	–
†HYDE	–	–	3	–	–	M. 1
KNUTSFORD ...		–		–	1	–
LYMM	–	1	–	–	–	–
†MACCLESFIELD ...	–	–	1	–	–	–
MOTTRAM IN LONGDENDALE	–	–	1	–	–	–
NANTWICH ...	–	–	–		1	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN... ...	–	1	–	–	–	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	–	–	–	–	M. 1
†STALYBRIDGE ...	–	–	2	–	–	–
†WINSFORD ...	–	1	–	–		–
Rural Districts:—						
CHESTER	–	–	–	–	–	G. 2
CONGLETON ..	–	2	–	–	–	N. 1
MACCLESFIELD ...	–	5	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
RUNCORN ...	–	1		–	–	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	1	1	–	1	–
CORNWALL ...	–	13	2	1	1	M. 2
Boroughs and Urban Districts:—						
†CAMBORNE ...		2	–	–	–	–
LUDGVAN ...	*	*	*	*	*	*
MADRON	*	*	*	*	*	*
PAUL	*	*	*	*	*	*
PHILLACK ...	–	2	–	–	–	–
ST. AUSTELL ...	–	–	–	–	–	M. 1
ST. JUST		2	–	–	–	–
†TRURO	*	*	*	*	*	*
WADEBRIDGE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts:—						
LAUNCESTON ...	–	1	–	–	–	–
REDRUTH ...	–	–	1	–	1	M. 1
ST. AUSTELL ...	–	2	–	–	–	–
ST. GERMANS ...	–	1	–	–	–	–
WEST PENWITH...	–	3	–	1	–	–
CUMBERLAND...	–	11	4	–	4	G. 1 M. 1 N. 1
†CARLISLE C.B. ..	–	4	–	–	2	–
Boroughs and Urban Districts:—						
KESWICK	–	–	–	–	1	–
†MARYPORT ...	–	–	1	–	–	–
MILLOM	–	–	1	–	–	–
†WHITEHAVEN ..	–	2	–	–	–	G. 1
WIGTON	–	1	–	–	–	–
†WORKINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BRAMPTON ...	–	3	–	–	–	–
PENRITH	–	1	–	–	–	M. 1
WHITEHAVEN ...	–	–	1	–	–	N. 1
WIGTON	–	–	1	–	–	–
DERBY	4	36	16	–	16	C. 1 E. 1 M. 3 N. 3
†DERBY C.B.	–	5	9	–	2	N. 2
Boroughs and Urban Districts:—						
†ALFRETON ..	–	–	–	–	1	M. 1
ASHBOURNE ...	–	–		–	1	–
BASLOW AND BUBNELL	–	2	–	–	–	–
†BOLSOVER ...	–	2	–	–	–	–
†CHESTERFIELD ..	–	2	–	–	1	N. 1
HEAGE	–		–	–	–	M. 1
†ILKESTON ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LONG EATON ...	–	3	–	–	–	–
†RIPLEY	3	–	–	–	–	–
†SWADLINCOTE DISTRICT	–	1	2	–	–	–
WIRKSWORTH ...	–	–	–	–	–	C. 1
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	–	1	–		–
BELPER	1	1	–	–	2	–
BLACKWELL ...	–	3	1	–	2	–
CHAPEL EN LE FRITH	–	3	1	–	–	–
CHESTERFIELD ...	–	6	–	–	4	M. 1
CLOWNE	–	1	1	–	1	–
NORTON	–	2	–	–	–	–
SHARDLOW ...	–	–	1	–	1	E. 1
SUDBURY... ...	–	1	–	–	–	–
DEVON	–	23	21	4	3	C. 1 E. 1 M. 3 N. 2
†EXETER C.B. ...	–	10	2	1	1	–
†PLYMOUTH C.B....	–	5	7		1	C. 1 M. 3 N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	2	–	2	–	–
BUCKFASTLEIGH	–	–	4	–	–	N. 1
†EXMOUTH ...	–	1	–	–	1	–
LYNTON	*	*	*	*	*	*
SOUTH MOLTON ...	–	–	–	–	–	E. 1
Rural Districts:—						
CREDITON ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	2	–	1	–	–
NEWTON ABBOT...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	1	–	–	–
TORRINGTON ...	–	–	1	–	–	–
TOTNES	–	–	6	–	–	–
DORSET	–	15	2	–	–	C. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	1	–	–	–	–
DORCHESTER ...	–	–	1	–	–	–
†POOLE	–	1	–	–	–	C. 1
†PORTLAND ...	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	5	–	–	–	–
POOLE	–	3	–	–	–	–
SHAFTESBURY ...	–	–	1	–	–	–
STURMINSTER ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	3		–	–	–
DURHAM ...	32	77	24	3	35	C. 2 F. 1 M. 3 N. 4
†DARLINGTON C.B.	–	4	2	–	3	–
†GATESHEAD C.B.	–	–	1	–	5	N. 2
†SOUTH SHIELDS C.B.	2	7	1	–	5	–
†SUNDERLAND C.B.	1	2	1	–	5	C. 1 N. 1
†WEST HARTLEPOOL C.B.	–	3	3	–	3	C. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	4	–	1	–	–	–
BARNARD CASTLE	–	2	–	–	–	–
BENFIELDSIDE ...	–	5	1	–	–	–
BILLINGHAM ...	–	2	1	–	1	–
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	4	1	–		–	M. 1
†CHESTER LE STREET	–	5	–	–	1	–
†CONSETT	–	3	–	–	1	–
†CROOK	–	2	–	–	–	–
†DURHAM	–	–	–	1	–	–
†FELLING	–	1	–	–	–	–
†HARTLEPOOL ...	–	4	1	–	–	–
†HEBBURN ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HETTON	–	2	–	–	1	–
†HOUGHTON LE SPRING	–	4	–	–	1	–
†JARROW	–	1	–	–	3	–
LEADGATE ...	3	1	–	–	–	–
†SHILDON	1	1	1	–	–	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	7	–	1	–	–	M. 1
†STOCKTON ON TEES	–	3	2	–	4	–
†TANFIELD ...	–	–	–	–	1	–
†WHICKHAM ...	–	1	–	–	–	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	1	2	2	1	–	–
CHESTER LE STREET	1	1	1	1	–	–
DARLINGTON ...	–	2	–	–	–	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	4	4	1	–	1	N. 1
HOUGHTON LE SPRING	–	1	1	–	–	M. 1
LANCHESTER ...	–	2	–	–	–	–
SEDGEFIELD ...	–	2	1	–	–	–
SOUTH SHIELDS...	3	–	1	–	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	–	–
WEARDALE ...	–	2	–	–	–	F. 1
ELY, ISLE OF ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
ELY	–	3	–	–	–	–
Rural Districts:—						
WISBECH	–	–	1	–	–	–
ESSEX	–	135	79	5	16	C. 4 D. 1 E. 1 L. 1 M. 4 N. 7
†EAST HAM C.B. ...	–	24	11	–	–	D. 1 N. 1
†SOUTHEND-ON-SEA C.B.	–	4	1	–	3	M. 1
†WEST HAM C.B. ...	–	46	28	2	4	C. 3 L. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	–	–	1	C. 1 E. 1 M. 1 N. 1
CHINGFORD ...	–	2	–	–	–	–
†CLACTON	–	–	–	1	–	–
†COLCHESTER ...	–	1	2	–	1	–
DAGENHAM ...	–	6	2	–	2	M. 1
†GRAYS THURROCK	–	5	2	–	–	–
†HARWICH ...	–	1	–	–	–	–
†HORNCHURCH ...	–	1	4	–	–	N. 1
†ILFORD	–	9	9	1	1	–
†LEYTON	–	10	6	–	–	–
MALDON	–	2	–	–	–	–
†ROMFORD ...	–	1	1	–	–	–
†WALTHAMSTOW...	–	9	6	1	1	–
†WOODFORD ...	–	1	–	–	2	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	N. 1
BRAINTREE ...	–	–	1	–	–	–
DUNMOW	–	2	–	–	–	–
EPPING	–	–	1	–	–	–
MALDON	–	3	–	–	–	–
ONGAR	–	–	–	–	1	–
ORSETT	–	2	4	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	2	–	–	–	–
STANSTED ...	–	1	–	–		–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLOUCESTER ...	–	72	19	2	12	E. 1 N. 7
†BRISTOL C.B. ...	–	52	13	1	4	N. 5
†GLOUCESTER C.B.	–	1	–	–	2	N. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	1	1	1	N. 1
CIRENCESTER ...	–	–	1	–	–	–
MANGOTSFIELD ...	–	–	–	–	1	–
NAILSWORTH ...	–	2	–	–	–	–
Rural Districts:—						
CAMPDEN ...	–	1	–	–	–	–
CHELTENHAM ...	–	2	–	–	–	–
CHIPPING SODBURY	–	2	–	–	–	–
CIRENCESTER ...	–	–	1	–	–	–
DURSLEY	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
GLOUCESTER ...	–	–	–	–	1	–
NORTHLEACH ...	–	1	–	–	–	–
PEBWORTH ...	–	1	–	–	–	–
STOW ON THE WOLD (part)	–	2	–	–	–	–
STROUD	–	2	3	–	1	–
WARMLEY ...	–	1	–	–	–	E. 1
WEST DEAN ...	–	–	–	–	1	–
HEREFORD ...	–	–	–	–	–	M. 1 N. 1
Rural Districts:—						
LEOMINSTER ...	–	–	–	–	–	M. 1 N. 1
HERTFORD ...	–	8	6	1	1	N. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	1	–	–	–
BISHOP'S STORTFORD	–	–	1	–	–	–
BUSHEY	–	1	–	1	–	–
†EAST BARNET VALLEY	–	–	1	–	–	–
HERTFORD— *cont.*						
Boroughs and Urban Districts— *cont.*						
†HERTFORD ...	–	1	1	–	–	–
†HITCHIN	–	2	–	–	–	–
HODDESDON ...	–	–	1	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
TRING	–	–	–	–	–	N. 1
†WATFORD ...	–	1	–	–	1	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	1	–	–	–	–
ST. ALBANS ...	–	–	1	–	–	–
HUNTINGDON ...	–	1	–	1	1	–
Boroughs and Urban Districts:—						
RAMSEY	–	1	–	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	1	–
OUNDLE (part) ...	–	–	–	1	–	–
KENT	–	44	35	5	7	D. 1 M. 1 N. 1
†CANTERBURY C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	–
†BECKENHAM ...	–	–	1	–	1	–
†BEXLEY	–	–	1	–	–	–
†BROMLEY ...	–	–	–	1	–	–
†CHATHAM ...	–	4	6	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	2	–	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	3	2	–	–	–
†ERITH	–	6	5	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	1	1	–	–	–
†GRAVESEND ...	–	6	2	–	–	M. 1
†MAIDSTONE ...	–	4	–	1	–	–
†MARGATE ...	–	3	–	2	–	–
MILTON REGIS ...	–	–	2	–	1	–
†PENGE	–	1	1	–	1	–
†ROCHESTER ...	–	1	3		–	–
†ROYAL TUNBRIDGE WELLS	–	–	2	–	1	–
SIDCUP	–	–	2	–	–	–
SWANSCOMBE ...	–	2	–	–	–	–
TENTERDEN ...	–	–	–	1	–	–
Rural Districts:—						
BLEAN	–	–	–	–	–	N. 1
BROMLEY ...	–	1	3	–	–	–
CRANBROOK ...	–	3	–	–	–	–
DARTFORD ...	–	–	1	–	–	–
FAVERSHAM ...	–	1	–	–	–	–
HOO	–	–	–	–	–	D. 1
ISLE OF THANET	–	–	1	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
ROMNEY MARSH...	–	–	–	–	1	–
STROOD	–	1	–	–	–	–
TENTERDEN ...	–	1	–	–	–	–
WEST ASHFORD...	–	1	–	–	–	–
LANCASTER ...	–	232	161	10	122	C. 7 D. 2 G. 3 J. 1 L. 4 M. 31 N. 19
†BARROW IN FURNESS C.B.	–	2	1	–	1	–
†BLACKBURN C.B.	–	–	1	–	2	–
†BLACKPOOL C.B.	–	4	2	–	3	M. 1
†BOLTON C.B. ...	–	5	7	–	3	–
†BOOTLE C.B. ...	–	5	3	–	2	–
†BURNLEY C.B. ...	–	2	2	–	4	–
†BURY C.B. ...	–	6	1	–	2	C. 1 J. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†LIVERPOOL C.B. ...	–	31	34	1	19	D. 1 L. 1 M. 17 N. 7
†MANCHESTER C.B.	–	48	44	3	38	C. 2 G. 1 M. 3 N. 2
†OLDHAM C.B. ...	–	7	4	–	2	G. 1 N. 2
†PRESTON C.B. ...	–	2	10	–	–	–
†ROCHDALE C.B. ...	–	4	3	–	2	M. 1
†ST. HELENS C.B....	–	6	5	–	5	C. 1 M. 1
†SALFORD C.B. ...	–	14	10	1	6	L. 1 M. 2
†SOUTHPORT C.B.	–	3	–	–	1	–
†WARRINGTON C.B.	–	2	1	–	4	N. 1
†WIGAN C.B. ...	–	3	–	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	1	–
†ACCRINGTON ...	–	2	–	–	1	–
†ASHTON IN MAKERFIELD	–	–	–	–	3	–
†ASHTON UNDER LYNE	–	–	–	–	2	–
†ATHERTON ...	–	2	2	–	1	–
†BACUP	–	–	–	1	–	M. 1
BARROWFORD ...	–	1	–	–	–	–
BILLINGE AND WINSTANLEY	–	–	2	–	–	–
BLACKROD ...	–	–	–	–	2	–
†CHADDERTON ...	–	1	2	–	–	–
†CHORLEY	–	1	–	–	1	M. 1
†CLITHEROE ...	–	1	1	1	–	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	–	–	–	1	–
†DARWEN	–	–	1	–		–
†ECCLES	–	28	2	–	1	–
†FAILSWORTH ..	–	1	2	–	1	–
†FARNWORTH ...	–	2	1	–	1	M. 1 N. 2
†FLEETWOOD ...	–	3	–	–	–	–
FORMBY	–	3	–	–	–	–
FULWOOD ...	–	–	–	–	1	–
†HEYWOOD ...	–	1	–	–	–	–
†HORWICH ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†INCE IN MAKERFIELD	–	2	–	–	–	–
IRLAM	–	3	–	–	–	–
†LANCASTER ...	–	8	–	–	1	M. 1
LEES	–	–	–	–	–	D. 1
†LEIGH		1	–	–	–	–
†LITHERLAND ...	–		2	–	–	–
†LITTLEBOROUGH	–		–	–	–	G. 1
LITTLE HULTON...	–	–	–	–	–	C. 1
LITTLE LEVER ...	–	1	–	–	1	–
†NELSON	–	–	–	–	1	–
†NEWTON IN MAKERFIELD	–	5		–	–	–
†PADIHAM... ...	–	1	7	–	–	N. 1
†RADCLIFFE ...	–	2	–	–	1	–
†RAWTENSTALL ...	–	–	1	–	–	–
STANDISH WITH LANGTREE	–	–	–	1	–	–
†STRETFORD ...	–	2	–	–	–	N. 1
†SWINTON AND PENDLEBURY	–	1	1	–	2	–
†TURTON	–	–	–	1	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
URMSTON... ..	–		–	–	1	–
†WALTON LE DALE	–	2	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	–	–
†WIDNES	–	–	1	–	–	N. 1
†WORSLEY... ...	–	1	–	–	–	N. 1
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	1	C. 1
BLACKBURN ...	–	–	–	–	–	C. 1
BURY	*	*	*	*	*	*
CHORLEY... ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 2
GARSTANG ...	–	4	–	–	–	–
LIMEHURST ...	–	–	1	–	–	–
PRESTON	–	–	1	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	1	1	–	–	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
WEST LANCASHIRE	–	1		–	–	–
WHISTON... ...	–	1	1	–	–	–
WIGAN	–	–	1	1	1	–
LEICESTER ...	–	39	15	2	4	C. 2 M. 1 N. 2
†LEICESTER C.B. ...	–	23	9		2	C. 1 M. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1	3	–	1	–
†LOUGHBOROUGH	–	–	1	–	–	C. 1
MELTON MOWBRAY	–	2	–	–	–	–
WIGSTON MAGNA	–	–	–	–	–	N. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
BARROW UPON SOAR	–	2	–	–	–	–
BLABY	–	1	1	1	–	–
CASTLE DONINGTON	–	1		–	–	–
HALLATON ...	–	–	–	–	–	N. 1
HINCKLEY ...	–	–	1	1	–	–
MARKET BOSWORTH	–	8	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	3	2	–	3	–
Boroughs and Urban Districts:—						
†BOSTON	–		–	–	1	–
†SPALDING ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	–	–	–	2	–
EAST ELLOE ...	–	1	–	–	–	–
SPALDING (part)..	–	1	1	–	–	–
LINCOLN (parts of Kesteven).	–	4	–	–	1	–
Boroughs and Urban Districts:—						
STAMFORD ...	–	2	–	–		–
Rural Districts:—						
BRANSTON ...	–	2	–	–	–	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	23	15	4	6	G. 1 M. 2 N. 1
†GRIMSBY C.B. ...	–	2	2	–	2	M. 1
†LINCOLN C.B. ...	–	–	1	1	–	
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–		8	–	–	–
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	6	–	–	1	–
†GAINSBOROUGH ...	–	1		–	–	M. 1
MABLETHORPE AND SUTTON	*	*	*	*	*	*
†SOUTHORPE AND FRODINGHAM	–	11	–	2	3	N. 1
SKEGNESS ...	–	–	1	–	–	–
Rural Districts:—						
GLANFORD BRIGG	–	1	1		–	–
LOUTH	–	2	–	1	–	G. 1
SPILSBY	–	–	1	–	–	–
MIDDLESEX ...	–	62	36	8	8	E. 1 F. 1 M. 2 N. 3
Boroughs and Urban Districts:—						
†ACTON	–	1	3	–	–	N. 1
†BRENTFORD AND CHISWICK	–	1	–	1	–	–
†EALING	–	2	–	1	–	–
†EDMONTON ...	–	5	3	–	–	–
†ENFIELD	–	–	3	–	1	–
†FINCHLEY ...	–	1	2	1	1	–
†FRIERN BARNET	–	–	–	1	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	3	–	–	–	N. 1
†HESTON AND ISLEWORTH	–	1	5	2	–	–
†HORNSEY... ...	–	4	–	–		E. 1 N. 1
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	10	2	–	1	–
†SOUTHGATE ...	–	1	1	–	–	–
SUNBURY ON THAMES	–	1	1	–	–	–
†TOTTENHAM ...	–	8	9	–	2	F. 1
†TWICKENHAM ...	–	2	–	1	–	M. 1
†UXBRIDGE ...	–	4	–	–	–	–
†WEALDSTONE ...	–	3	–	–	–	–
†WILLESDEN ...	–	8	4		2	M. 1
†WOOD GREEN ...	–	2	2	–	–	–
YIEWSLEY ...	–	1	1	–	–	–
Rural Districts:—						
HENDON	–	2	–	–	1	–
SOUTH MIMMS ...	–	–	–	1	–	–
NORFOLK ...	–	12	8	–	4	F. 1 M. 2 N. 3
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†NORWICH C.B. ...	–	6	1	–	1	M. 2 N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
DISS	-	1	-	-	-	-
DOWNHAM MARKET	-	-	1	-	-	-
EAST DEREHAM ...	-	-	1	-	-	
†KING'S LYNN ...	-	-	4	-	-	F. 1
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
DEPWADE ...	-	-	-	-	1	-
DOCKING	-	-	-	-	1	N. 1
ERPINGHAM ...	-	2	1	-	-	-
MARSHLAND ...	-	1	-	-	-	-
SMALLBURGH ...	-	-	-	-	1	-
NORTHAMPTON	-	12	1	3	4	M. 3
†NORTHAMPTON C.B.	-	3	-	1	3	M. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	-	-	-	1	-	-
†KETTERING ..	-	2	1	1	-	-
Rural Districts:—						
DAVENTRY ...	-	-	-	-	-	M. 1
HARDINGSTONE ...	-	3	-	-	-	-
MIDDLETON CHENEY	-	2	-	-	-	-
NORTHAMPTON ...	-	1	-	-	1	-
TOWCESTER ...	-	1	-	-	-	M. 1
NORTHUMBERLAND.	3	50	3	1	30	G. 2 M. 2
†NEWCASTLE UPON TYNE C.B.	1	16	1	-	20	G. 2 M. 1
†TYNEMOUTH C.B.	-	3	1	-	3	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	-	2	-	-	-	-
†BEDLINGTONSHIRE	-	2	-	1	3	-
†BERWICK UPON TWEED	-	4	-	-	-	-
†BLYTH	-	1	-	-	1	-
†EARSDON	-	4	-	-	-	-
†LONGBENTON ...	-	2	-	-	-	-
MORPETH... ...	2	-	-	-	-	-
†NEWBURN ...	-	1	-	-	-	-
SEGHILL	-	-	-	-	1	-
†WALLSEND ...	-	7	-	-	1	-
†WHITLEY AND MONKSEATON	-	6	-	-	1	-
Rural Districts:—						
BELFORD	-	-	-	-	-	M. 1
CASTLE WARD ...	-	1	1	-	-	-
GLENDALE ...	-	1	-	-	-	-
NOTTINGHAM ...	7	22	26	1	5	C. 1 D. 1 M. 1 N. 1
†NOTTINGHAM C.B	-	8	23	-	3	C. 1 D. 1
Boroughs and Urban Districts:—						
†EAST RETFORD ...	1	-	-	-	-	-
†KIRKBY IN ASHFIELD	-	-	-	1	-	-
†MANSFIELD WOODHOUSE	-	5	1	-	-	-
†WORKSOP... ...	1	-	1	-	-	-
Rural Districts:—						
BASFORD	-	3	1	-	1	N. 1
BINGHAM... ...	-	-	-	-	-	M. 1
EAST RETFORD ...	-	1	-	-	-	-
SKEGBY	4	2	-	-	-	-
SOUTHWELL ...	-	1	-	-	-	-
STAPLEFORD ...	-	1	-	-	-	-
WORKSOP... ...	1	1	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	-	7	1	1	1	M. 1
†OXFORD C.B. ..	-	3	-	1	-	M. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	-	2	-	-	-	-
Rural Districts:—						
BANBURY ...	-	-	1	-	-	-
GORING	-	-	-	-	1	-
THAME	-	2	-	-	-	-
PETERBOROUGH (Soke of).	-	1	2	-	-	-
Borough:—						
†PETERBOROUGH...	-	1	2	-	-	-
SALOP	-	21	4	1	1	C. 1 E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†OAKENGATES ...	-	6	-	-	-	N. 1
OSWESTRY ...	-	2	-	-	-	-
WHITCHURCH ...	-	2	-	-	-	-
Rural Districts:—						
ATCHAM	-	-	-	1	-	-
CLEOBURY MORTIMER	-	-	1	-	-	-
DRAYTON... ...	-	3	-	-	-	-
LUDLOW	-	-	-	-	-	C. 1
OSWESTRY ...	-	4	3	-	-	M. 1
SHIFNAL	-	1	-	-	-	-
WELLINGTON ...	-	3	-	-	-	E. 1
WEM	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	-	20	10	-	1	M. 1 N. 4
†BATH C.B. ...	-	7	-	-	-	M. 1
Boroughs and Urban Districts:—						
BURNHAM ON SEA	-	2	-	-	-	-
†FROME	-	-	1	-	-	-
†TAUNTON... ...	-	1	-	-	-	-
WELLS	-	1	-	-	-	-
†WESTON SUPER MARE	-	-	2	-	-	-
Rural Districts:—						
AXBRIDGE ...	-	-	2	-	-	-
BATH	-	1	-	-	-	-
BRIDGWATER ...	-	1	-	-	-	-
CLUTTON... ...	-	4	-	-	-	-
KEYNSHAM ...	-	1	1	-	-	N. 1
LANGPORT ...	-	-	2	-	-	N. 2
TAUNTON ...	-	-	1	-	-	-
WELLS	-	-	-	-	1	-
WILLITON ...	-	1	-	-	-	-
WINCANTON ...	-	1	-	-	-	-
YEOVIL	-	-	1	-	-	N. 1
SOUTHAMPTON.	-	40	21	2	10	C. 4 M. 3 N. 3
†BOURNEMOUTH C.B	-	2	-	-	-	C. 3 N. 1
†PORTSMOUTH C.B.	-	14	12	1	-	C. 1 M. 2
†SOUTHAMPTON C.B.	-	6	4	-	8	-
Boroughs and Urban Districts:—						
†EASTLEIGH AND BISHOPSTOKE	-	1	-	-	-	-
†FAREHAM ...	-	1	-	-	-	-
†FARNBOROUGH ...	-	-	-	-	-	N. 1
FLEET	-	-	-	-	1	-
†GOSPORT	-	-	3	-	-	-
†WINCHESTER ...	-	2	1	1	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
ALTON	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	N. 1
CATHERINGTON ...	–	1	–	–	–	–
FAREHAM ...	–	–	1	–	–	–
FORDINGBRIDGE ..	–	1	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	M. 1
KINGSCLERE ...	–	3	–	–	–	–
NEW FOREST ...	–	4	–	–	–	–
SOUTH STONEHAM	–	2	–	–	–	–
STAFFORD ...	–	49	39	2	35	C. 2 G. 1 L. 105 M. 7 N. 2
†BURTON UPON TRENT C.B.	–	–	2	–	3	–
†SMETHWICK C.B.	–	3	9	–	–	–
†STOKE ON TRENT C.B.	–	9	8	1	12	C. 1 G. 1 L. 18 M. 4
†WALSALL C.B. ...	–	5	6	–	4	–
†WEST BROMWICH C.B.	–	2	1	–	–	–
†WOLVERHAMPTON C.B.	–	11	–	–	–	–
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ...	–	–	–	–	1	–
†BRIERLEY HILL...	–	–	–	–	–	N. 1
†BROWNHILLS ...	–	–	1	–	–	M. 1
†CANNOCK	–	–	–	–	3	–
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	1	1	–	2	–
KIDSGROVE ...	–	1	1	–	–	L. 87
LICHFIELD ...	–	4	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	1	–	1	–
PERRY BARR ...	–	1	–	–	–	–
QUARRY BANK ...	–	1	–	–	1	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROWLEY REGIS ...	–	–	–	–	2	N. 1
†SEDGLEY	–	–	2	–	–	–
†STAFFORD ...	–	1	1	–	–	M. 1
TAMWORTH ...	–	2	1	–		–
†TIPTON	–	–	1	–	1	–
†WEDNESBURY ...	–	2	1	–	1	M. 1
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE... ...	–	–	2	–	–	–
KINGSWINFORD ...	–	1	–	–	–	–
LEEK	–	–	1	–	1	–
LICHFIELD ...	–	–	–	–	1	–
NEWCASTLE UNDER LYME	–	–	–	–	–	C. 1
STAFFORD ...	–	1	–	1	–	–
STONE	–	–	–	–	1	–
TUTBURY... ...	–	1	–	–	–	–
SUFFOLK, EAST	–	15	3	–	2	C. 1 M. 2
†IPSWICH C.B. ...	–	4	–	–	2	M. 1
Boroughs and Urban Districts:—						
BECCLES	–	1		–	–	C. 1
LEISTON CUM SIZEWELL	*	*	*	*	*	*
†LOWESTOFT ...	–	8	3	–	–	M 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
HOXNE	–	1	–	–	–	–
SUFFOLK, WEST	–	5	–	1	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	3	–	–	–	–
NEWMARKET ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST —*cont.*						
Rural Districts:—						
CLARE	–	1	–	–	–	–
THINGOE	–	1	–	–	–	–
SURREY	-	52	18	5	8	M. 2 N. 4
†CROYDON C.B. ...	–	19	1	1	1	M. 2 N. 2
Boroughs and Urban Districts:—						
†BARNES	–	-	1	–	-	–
†CARSHALTON ...	–	1	1	–	–	–
†CHERTSEY	–	1	3	1	–	–
†COULSDON AND PURLEY	–	1	–	1	–	–
DORKING... ...	–	1	-	1	-	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EGHAM	–	–	1	-	-	–
†EPSOM	–	1	–	–	–	–
†GUILDFORD ...	–	1	–	–	4	–
†KINGSTON ON THAMES	–	1	1	–	–	–
LEATHERHEAD ...	–	–	1	–	-	–
†MERTON AND MORDEN	-	3	–	–	–	-
†MITCHAM... ...	–	5	1	-	–	N. 1
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	2	2	–	1	–
†SURBITON ...	–	–	1	–	-	–
†WIMBLEDON ...	–	5	–	–	–	–
WINDLESHAM ...	–	1	–	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	-	1	2	–	1	–
EPSOM	–	2	2	1	1	–
GODSTONE ...	–	–	–	–	–	N. 1
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	13	4	–	1	E. 1 N. 1
†BRIGHTON C.B. ...	–	4	1	–	1	N. 1
†EASTBOURNE C.B.	–	3	–	–	–	–
Rural Districts:—						
CHAILEY	–	1	–		–	–
CUCKFIELD ...	–	1	-	–	–	-
EASTBOURNE ...	–	–	–	–	–	E. 1
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	3	1	–	–	–
STEYNING EAST...	–	–	1	–	–	–
UCKFIELD ...	–	–	1	–	-	–
SUSSEX, WEST...	–	7	4	1	2	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	2	–	–	–	–
†CHICHESTER ...	–	–	1	–	–	–
†HORSHAM ...	–	–	–	1	1	–
†LITTLEHAMPTON	–	1	-	–	-	–
SHOREHAM-BY-SEA	–	–	1	–	–	–
†WORTHING ...	–	–	1	–	1	M. 1
Rural Districts:—						
HORSHAM ...	–	2	–	–	–	–
WESTHAMPNETT	–	2	1	–	–	–
WARWICK ...	7	74	61	2	31	C. 2 E. 1 M. 12 N. 3
†BIRMINGHAM C.B.	–	40	41	1	25	C. 1 E. 1 M. 11 N. 1
†COVENTRY C.B. ...	7	15	9	–	2	N. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	3	1	–	1	M. 1
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUGBY	–	1	1	–	–	N. 1
†STRATFORD ON AVON	–	–	–	–	1	–
†SUTTON COLDFIELD	–	3	–	–	–	–
†WARWICK ...	–	1	1	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	1	–
ATHERSTONE ...	–	3	5	–	–	–
FOLESHILL ...	–	3	2	–	–	–
MERIDEN... ...	–	2	–	–	–	–
RUGBY	–	–	–	1	–	–
SOLIHULL ...	–	–	–	–	–	C. 1
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
WESTMORLAND	–	5	–	–	–	–
Boroughs and Urban Districts:—						
KIRKBY LONSDALE	–	2	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	3	–	–	–	–
WIGHT, ISLE OF	–	2	1	–	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	1	–	–	–	–
VENTNOR... ...	–	1	1	–	–	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	28	2	–	2	E. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
MALMESBURY ...	–	–	–	–	–	M. 2
MELKSHAM ...	–	1	–	–	–	–
†SALISBURY ...	–	8	–	–	–	E. 1
†SWINDON... ...	–	1	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	2	–	–	–	–
BRADFORD ON AVON	–	1	–	–	1	–
CHIPPENHAM ...	–	–	–	–	1	–
DEVIZES	–	2	–	–	–	–
HIGHWORTH ...	–	3	1	–	–	–
MARLBOROUGH ...	–	–	–	–	–	N. 1
MELKSHAM ...	–	2	–	–	–	–
SALISBURY ...	–	4	–	–	–	–
TISBURY	–	2	–	–	–	–
WILTON	–	1	–	–	–	–
WORCESTER ...	–	11	2	–	9	E. 1 G. 1 N. 2
†DUDLEY C.B. ...	–	1	–	–	1	–
†WORCESTER C.B.	–	1	–	–	4	–
Boroughs and Urban Districts:—						
EVESHAM ...	–	2	–	–	–	–
†HALESOWEN ...	–	1	1	–	–	N. 1
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†MALVERN ...	–	2	–	–	–	E. 1
†OLDBURY... ...	–	1	1	–	2	G. 1
Rural Districts:—						
DROITWICH ...	–	1	–	–	–	–
FECKENHAM ...	–	2	–	–	–	–
MARTLEY... ...	–	–	–	–	–	N. 1
PERSHORE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	21	19	2	3	E. 8 N. 1
†KINGSTON UPON HULL C.B	–	16	16	–	3	E. 7 N. 1
Boroughs and Urban Districts:—						
BEVERLEY ...	–	2	–	–	–	–
BRIDLINGTON ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	1	–	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	2	1	–	–
PATRINGTON ...	–	–	–	–	–	E. 1
POCKLINGTON ...	–	–	–	1	–	–
SKIRLAUGH ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	9	22	4	–	10	G. 1 N. 1
†MIDDLESBROUGH C.B.	7	1	3	–	4	–
Boroughs and Urban Districts:—						
GUISBOROUGH ...	–	3	–	–	1	–
LOFTUS	–	3	1	–	1	–
NORTHALLERTON	–	–	–	–	1	–
†REDCAR	–	3	–	–	1	–
†SCARBOROUGH ...	–	1	–	–	–	G. 1
†SKELTON AND BROTTON	2	2	–	–	–	–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
LEYBURN... ...	–	2	–	–	–	–
PICKERING ...	–	2	–	–	–	–
STARTFORTH ...	–	2	–	–	–	–
STOKESLEY ...	–	–	–	–	1	N. 1
THIRSK	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	16	240	65	5	97	C. 6 D. 1 E. 6 G. 2 M. 9 N. 8
†BARNSLEY C.B. ...	–	2	2	–	2	–
†BRADFORD C.B. ...	–	18	9	1	12	M. 2
†DEWSBURY C.B...	–	1	1	–	–	M. 1 N. 1
†DONCASTER C.B.	1	3	1	–	2	–
†HALIFAX C.B. ...	–	7	2	–	–	E. 1
†HUDDERSFIELD C.B	1	8	3	–	3	M. 2
†LEEDS C.B. ..	3	12	9	1	10	M. 1
†ROTHERHAM C.B.	–	3	10	–	6	–
†SHEFFIELD C.B...	–	102	7	1	26	C. 5 G. 1 M. 1 N. 5
†WAKEFIELD C.B.	–	1	1	–	–	N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–	–	–	–
ALTOFTS	–	1	–	–	–	–
†BARNOLDSWICK ...	–	3	–	–	–	–
†BENTLEY WITH ARKSEY	–	1	4	–	–	–
†BINGLEY	–	–	2	–	2	–
†BOLTON UPON DEARNE	–	1	–	1	–	–
BURLEY IN WHARFEDALE	–	–	–	–	2	–
†CONISBROUGH ...	–	1	1	–	–	–
CUDWORTH ...	–	2	–	–	–	–
DARFIELD ...	–	1	–	–	–	–
†DARTON	–	3	2	–	1	–
DODWORTH ...	–	1	–	–	–	–
DRIGHLINGTON ...	–	–	–	–	2	–
†ELLAND	–	–	–	–	1	–
†FEATHERSTONE ...		2	–	–	–	–
†GOOLE	–	–	–	1	–	–
†HARROGATE ...	–	–	–	–	3	–
†HEMSWORTH ...	–	2	–	–	3	–
HIPPERHOLME ...	–	–	–	–	–	E. 2
†HOLMFIRTH ...	–	–	–	–	1	–
HONLEY	–	1	–	–	–	–
HORSFORTH ...	–	–	–	–	–	E. 1
†HOYLAND NETHER	–	2	2	–	1	N. 1
ILKLEY	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KEIGHLEY ...	7	1	2	–	–	–
KIRKBURTON ...	–	–	–		2	–
KIRKHEATON ...	–	–	–	–	1	–
KNOTTINGLEY ...	–	1	1	–	–	–
LEPTON	–	2	–	–	–	–
MALTBY	–	–	1		1	–
†MEXBOROUGH ...	–	2	–	–	–	–
†MIRFIELD ...	–	2	1	–	–	–
†MORLEY	–	1	–	–	–	–
MYTHOLMROYD ...	–	–	–	–	1	–
†NORMANTON ..	–	3	–	–	–	–
OAKWORTH ...	1	–	–	–	–	–
†OSSETT	*	*	*	*	*	*
OTLEY	–	1	–	–	2	–
OXENHOPE ...	–	–	1	–	–	–
†RAWMARSH ...	–	3	–	–	1	–
†ROTHWELL ...	–	–	2	–	1	–
SHELLEY	–	1	–	–	–	–
†SHIPLEY	–	4	–	–	–	–
SKELMANTHORPE	–	1	–	–	–	–
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	1	–
STAINLAND ...	–	1	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON	–	–	–	–	2	–
THURNSCOE ...	1	–	–	–	1	–
†WOMBWELL ...	–	2	–	–	–	–
†WORSBOROUGH ...		1	–	–	–	–
Rural Districts:—						
DONCASTER ...	1	3	–	–	–	C. 1
GREAT OUSEBURN	*	*	*	*	*	*
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	4	–	–	1	M. 2
HUNSLET	–	2	–	–	–	–
KEIGHLEY ...	–	–	1	–	–	–
KIVETON PARK ...	–	3	–	–	–	D. 1
PONTEFRACT ...		1	–	–	–	E. 1
ROTHERHAM ..	1	4	–	–	3	G. 1
SETTLE	–	2	–	–	–	–
TADCASTER ...	–	1	–	–	1	–
THORNE	–	3	–	–	–	E. 1
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	2	–	–	1	–
WHARFEDALE (NORTH)	–	1	–	–	–	–
WORTLEY ..	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK, CITY OF ...	–	10	1	–	1	–
†YORK C.B. ...	–	10	1	–	1	–
WALES.						
ANGLESEY ...	–	6	2	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	1	–	–	–
Rural Districts:—						
DWYRAN	–	1	–	–	–	–
TWRCELYN ...	–	–	1	–	–	–
VALLEY	–	5	–	–	–	–
BRECKNOCK ...	5	1	1	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	5	–	–	–	–	–
LLANWRTYD ...	–	1	1	–	–	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	–	–	–	1	–
YSTRADGYNLAIS	*	*	*	*	*	*
CAERNARVON ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	–	1	–	–	–
PENMAENMAWR...	–	3	1	–	–	–
Rural Districts:—						
LLEYN	–	1	–	–	–	–
CARMARTHEN ...	–	9	4	–	1	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	3	–	–	–
KIDWELLY ...	–	5	–	–	–	–
†LLANELLY ...	–	3	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Rural Districts:—						
LLANELLY ...	–	1	–	–	–	–
DENBIGH ...	–	3	3	–	–	L. 1
Boroughs and Urban Districts:—						
LLANGOLLEN ...	–	1	–		–	–
†WREXHAM ...	–	1	1	–	–	–
Rural Districts:—						
CHIRK	–		2	–	–	–
WREXHAM ...	–	1	–	–	–	L. 1
FLINT	–	1	3	–	5	N. 2
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	–	2	–
†RHYL	–	1	–	–	2	N. 2
Rural Districts:—						
HAWARDEN ..	–	–	–	–	1	–
HOLYWELL ...	–	–	3	–	–	–
GLAMORGAN ...	17	45	47	–	23	C. 2 D. 1 M. 4 N. 1
†CARDIFF C.B.	–	5	7	–	3	–
†SWANSEA C.B.	–	4	5	–	2	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ..	4	4	2	–	2	–
†BARRY	–	1	1	–	2	
†CAERPHILLY ..	1	–	1	–	–	C. 1 M. 1
†GELLIGAER ..	–	6	–	–	1	N. 1
†GLYNCORWG ...	–	–	3	–	–	–
†MAESTEG... ...	–	8	4	–	–	–
†MOUNTAIN ASH ..	4		–	–	1	D. 1 M. 1
†NEATH ...	–	2	–	–	–	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OGMORE AND GARW	–	–	2	–	–	–
†PENARTH ..	–	–	–	–	1	–
†PONTYPRIDD ..	7	–	–	–	1	C. 1
PORTHCAWL ..	–	–	1	–	1	–
†PORT TALBOT ..	–	2	3	–	–	–
†RHONDDA ..	–	6	13	–	4	M. 1
Rural Districts:—						
CARDIFF	–	1	–	–	–	–
COWBRIDGE ...	–	1	–	–	1	–
LLANTRISANT AND LLANTWIT FARDRE	1	1	–	–	2	–
NEATH	–	1	2	–	2	–
PONTARDAWE ..	–	2	–	–	–	–
SWANSEA...	–	1	3	–	–	–
MERIONETH ...	–	–	5	–	–	N. 1
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
FFESTINIOG ..	–	–	5	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	–	–	–	–	N. 1
MONMOUTH ...	21	13	9	–	7	M. 5
†NEWPORT C.B. .	–	2	3	–	2	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ..	4	2	–	–	–	–
†ABERTILLERY ..	–	–	–	–	1	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	7	2	3	–	–	M. 4
†BLAENAVON ..	1	–	–	–	–	–
†EBBW VALE ..	3	4	2	–	–	–
LLANFRECHFA UPPER	–	1	–	–	–	–
LLANTARNAM ..	–	–	–	–	1	–
†NANTYGLO AND BLAINA	1	1	–	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PANTEG	3	–	–	–	–	–
PONTYPOOL ...	2	–	–	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	*	*	*	*	*	*
†TREDEGAR ...	–	–	–	–	1	–
Rural Districts:—						
CHEPSTOW ...	–	1	–	–	–	–
ST. MELLONS ...	*	*	*	*	*	*
MONTGOMERY...	–	6	–	–	–	N. 1
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	5	–	–	–	–
MONTGOMERY—*cont.*						
Rural Districts:—						
NEWTOWN AND LLANIDLOES	–	1	–	–	–	N. 1
PEMBROKE ...	–	–	2	–	–	–
Rural Districts:—						
NARBERTH ...	–	–	2	–	–	–
Total of Part II. ...	122	1713	845	75	553	C. 38 D. 7 E. 25 F. 3 G. 16 J. 1 L. 111 M. 115 N. 96

PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
IVERPOOL	–	–	–	–	1	–
ENZANCE	*	*	*	*	*	*
PLYMOUTH	–	–	–	1	1	–
Total of Part III. ...	–	–	–	1	2	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see note below).
Total of Part I.—London	–	315	249	10	57	C. E. G. M 1 N. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	122	1713	845	75	553	C. 3 D E. 2 F. G. 1 J. L. 11 M. 11 N. 9
Total of Part III.—Port Sanitary Districts	–	–	–	1	2	—
Total (*i.e.*, of returns received), England and Wales ...	122	2028	1094	86	612	C. 4 D. E. 2 F. G. 2 J. L. 11 M 13 N. 10

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

ble 5.—London and Great Towns in the aggregate. Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept 3	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.
NDON :—													
ATHS (excluding Still-irths)—all ages.	781	777	768	763	714	793	727	759	773	744	778	762	816
ATHS—0 to 1 year ..	66	68	51	65	49	69	42	55	67	69	75	49	78
EAT TOWNS, aggre-ate (including Lon-on):—													
VE BIRTHS	6,758	6,636	6,875	6,901	5,798	6,772	6,314	6,575	6,703	6,193	6,091	5,997	6,352
LLBIRTHS	219	233	242	259	241	239	245	306	267	268	252	264	258
ATHS (excluding Still-irths)—all ages	3,667	3,442	3,424	3,510	3,303	3,406	3,244	3,343	3,380	3,346	3,401	3,610	3,571
ATHS—0 to 1 year ..	353	320	314	290	326	323	280	344	329	359	361	347	354
TERIC FEVER—Cases	36	26	33	27	25	20	28	36	38	44	34	36	35
" Deaths	8	2	2	1	3	2	2	—	1	4	5	3	5
ALL POX—Cases ..	31	30	26	41	45	29	26	38	19	39	20	18	27
" Deaths ..	—	—	—	—	—	—	—	—	1	-	—	—	—
RLET FEVER—Cases	976	913	955	942	677	814	677	774	889	977	951	1,176	1,136
" Deaths	5	2	3	8	2	4	8	4	2	6	6	4	2
HTHERIA—Cases ..	550	535	574	497	444	455	449	453	556	693	688	801	742
" Deaths ..	26	21	30	22	25	20	13	15	22	24	27	33	20
ASLES—Deaths ..	36	21	29	25	31	19	19	16	13	16	13	10	9
LUENZA—Deaths ..	31	21	25	15	16	26	21	20	18	21	24	42	34

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 1st October, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°		°	
DON	64	35	60·4	41·6	12	HUDDERSFIELD	60	32	56·3	42·9	16
GREENWICH).						BRADFORD ..	59	39	55·0	45·0	23
GHTON ..	61	41	59·3	46·3	26	SHEFFIELD ..	58	41	55·7	45·3	18
TSMOUTH ..	62	42	60·1	46·5	25	YORK (MUSEUM)	59	39	57·1	44·3	17
WICH (EATON)	60	35	57·9	41·7	20	HULL (PEARSON PARK).	60	41	57·7	44·6	15
MOUTH ..	61	37	58·7	44·0	21	TYNEMOUTH ..	59	42	55·6	46·3	17
TOL (CLIFTON).	61	37	57·3	44·6	20	CARDIFF.. ..	59	38	57·0	44·1	51
MINGHAM (EDGBASTON).	59	39	56·3	43·1	9						
TINGHAM ..	62	37	57·4	41·9	13	EDINBURGH ..	55·0	40·0	53·7	44·3	46
CENHEAD (BIDSTON).	61	45	55·7	47·7	44	GLASGOW ..	57·3	39·7	53·9	44·5	71
CHESTER (WHITWORTH PARK).	—	39	—	44·1	45	DUBLIN (PHŒNIX PARK).	62·6	37·0	57·6	41·6	30
						(FITZWILLIAM SQUARE†).	64·0	40·2	57·3	44·7	26
NLEY	58	36	55·1	43·6	39	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 1st October, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	25	New	29·151	62·8	41·2	21·6	50·9	− 4·3	44·8	6·1	18·6	1·7	80	128·8	32·1	56·6	SW	SW : WSW.	2·0	0·0	0·1	254	+ 15	0·02
MONDAY -	26	In Equator	29·497	59·3	38·7	20·6	48·4	− 6·8	40 5	7·9	19·8	0·5	74	121·2	28·2	56·1	WSW	WSW : SSW.	2·6	0·0	0·2	303	+ 62	0·00
TUESDAY -	27	Apogee	29·841	59·3	34·7	24·6	46·7	− 8·4	44·8	1·9	12·4	0·4	94	105·9	25·0	56·0	Calm	N : Calm.	0·6	0·0	0·0	120	− 125	0·00
WEDNESDAY	28	..	30·031	63·7	37·8	25·9	50·2	− 4·7	45·6	4·6	14·9	0·0	84	115·0	29·0	56·0	Calm : SW.	SSW	1·5	0·0	0·1	196	− 52	0·00
THURSDAY	29	..	29·607	55·8	43·8	12·0	50·3	− 4·4	49·0	1·3	6·2	0·0	95	72·0	35·0	55·6	SSW	SSW : W : WSW.	6·9	0·0	0·5	384	+ 133	0·39
FRIDAY -	30	..	29·849	61·8	40·3	21·5	51·6	− 2·8	43·9	7·7	20·4	0·5	74	124·5	31·9	55·4	SW : WSW.	WSW : SSW.	2·5	0·0	0·1	301	+ 46	0·00
OCTOBER. SATURDAY -	1	..	29·671	59·8	48·1	11·7	54·0	− 0·1	52·4	1·6	4·8	0·8	94	70·6	41·6	55·1	SSW	SSW : SW.	5·4	0·0	0·7	406	+ 147	0·05
MEANS -		..	29·664	60·4	40·7	19·7	50·3	− 4·5	45·9	4·4	13·9	0·6	85	105·4	31·8	55·8	SSW		..	..	..	Sum 1964	Sum + 226	Sum 0·46
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	25	wP till 14½h.; variably sN and sP till 19h.; then wP.	7·9	12·0	Cloudless till 5h.; then variably cloudy. Dew in morning. Rain 15h. till 15¼h. Showers at 16½h. and 17h.
MONDAY ..	26	wP till 13h.; variably sP and sN till 17h.; then mP.	9·3	12·0	Nearly cloudless till 9h.; partially cloudy till 13½h.; variably cloudy till 19h.; then cloudless. Showers at 13¼h. and 15¼h. Dew in morning and at night.
TUESDAY ..	27	mP till 15h.; then wP.	1·5	11·9	Cloudless till 11½h.; nearly overcast till 19h.; then becoming cloudless by 19½h. Mist till 9h. Dew in morning and at night.
WEDNESDAY	28	wP	6·3	11·8	Cloudless till 11h.; then variably cloudy. Fog 3h. till 10½h. Dew in morning.
THURSDAY	29	wP till 14½h.; wN till 16½h.; then wP.	0·0	11·8	Overcast generally till 17h.; then becoming cloudless by 19h. Shower 8¼h. and 9¼h. Brisk wind 8h. till 15½h. Rain 10¾h. till 16½h. Mist and dew at night.
FRIDAY ..	30	wP till 13h.; mP till 21h.; then wP.	8·7	11·7	Cloudless till 9h.; partially cloudy till 16½h.; then nearly overcast. Heavy dew in morning. Slight rain 15h. till 16¼h.
OCTOBER. SATURDAY	1	wP	0·0	11·6	Overcast. Occasional damping 7½h. till 9h.; between 9½h. and 9¾h.; and frequently from 10¾h. to 22h. Heavy rain 12h. 10m. till 12h. 20m.
			Sum 33·7	Sum 82·8	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative: w. weak: m. moderate: s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·05 ins. at the beginning of the week to 30·07 ins. by 9h. on September 28th; decreased to 29·50 ins. by 15h. on September 29th; increased to 29·86 ins. by 22h. on September 30th; decreased to 29·57 ins. by 18h. on October 1st; increased and was 29·63 ins. by midnight on the same day.

Manual of the International List of Causes of Death.

This Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 2s. *Post Free 2s. 3d.*

The Registrar-General's Decennial Supplement—England & Wales, 1921.

PART I. LIFE TABLES.

This volume contains a report on Life Tables by Sir Alfred W. Watson, K.C.B., the Government Actuary.

The principal table is the new National Life Table for England and Wales, designated the English Life Table No. 9, which gives, for males and females separately, graduated rates of mortality based upon the population enumerated at the 1921 census, and the deaths registered in the years 1920, 1921 and 1922. Comparisons are made between the mortality of the nation as revealed by the new table and by previous National Life Tables. Rates of mortality for females according to marital condition, single, married, and widowed, have also been prepared.

A special feature is an investigation of the comparative mortality experience of the country according to geographical situation and density of population.

The mortality experience of Greater London has been separately investigated, and complete life tables are given for each sex.

Price 2s. *Post Free 2s. 2d.*

STATUTORY RULES AND ORDERS

1927. No. 485.

The Registration (Births, Stillbirths, Deaths and Marriages) Consolidated Regulations, 1927, dated 31st May, 1927, made by the Registrar-General with the approbation and concurrence of the Minister of Health.

Price 1s. 3d. *Post Free 1s. 4d.*

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1927. No. 40.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 8TH OCTOBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 8TH OCTOBER, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the fortieth week of the year numbered 6,602 and corresponded to an annual rate of 17·6 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,941 and corresponded to an annual rate of 10·5 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·1, 9·6 and 9·5. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 56 against 54, 52 and 54 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,456 live births, corresponding to a rate of 16·5 per 1,000, and 977 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 11·1, against 8·8, 8·6 and 9·2 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·4 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 47 as against 50, 33 and 52 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 3,571 to 3,941, and in London from 816 to 977.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 235 in the Great Towns including 45 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 8th October, 1927.

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,540,143*	6602	235	3941	369	3	14	8	19	34	85	28
London	4,805,400*	1456	45	977	70	1	1	2	1	6	14	6
Towns in Outer Ring.												
Croydon C.B. ..	205,900	77	2	42	3	-	-	-	-	-	-	2
Wimbledon ..	58,030	13	-	9	-	-	-	-	-	-	-	1
Ealing	91,783	36	2	24	1	-	-	-	-	-	-	-
Acton	63,040	12	1	14	1	-	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	8	1	16	1	-	-	-	-	-	-	-
Willesden ..	165,270	43	1	26	2	-	-	-	-	-	1	-
Hendon	62,570*	26	-	12	1	-	-	-	1	-	-	-
Hornsey	87,230	23	-	8	-	-	-	-	-	-	-	-
Wood Green ..	51,940	10	1	7	-	-	-	-	-	-	-	-
Tottenham ..	151,520	30	1	27	1	-	-	-	-	-	-	-
Edmonton	71,700	37	-	10	2	-	-	-	-	-	-	-
Enfield	63,640	20	-	8	1	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	121	2	54	6	-	-	-	-	1	1	-
East Ham C.B. ..	146,600	33	1	25	1	-	-	-	-	1	1	-
Leyton	130,000	34	4	23	1	-	-	-	-	-	-	-
Walthamstow ..	125,500	29	-	22	-	-	-	-	-	-	-	-
Ilford	100,500	38	3	19	1	-	-	-	-	1	1	-
Gillingham	47,820*	29	1	6	2	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	8	-	5	-	-	-	-	-	-	-	-
Hastings C.B.	61,340	18	-	18	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	15	-	9	-	-	-	-	-	-	-	-
Brighton C.B.	139,500*	54	2	30	1	-	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	104	1	41	3	-	-	-	1	1	1	1
Bournemouth C.B. ..	90,100	15	1	22	1	-	-	-	-	-	-	-
Southampton C.B. ..	169,300	53	1	36	2	-	-	-	-	-	-	-
Reading C.B	93,090*	30	1	23	3	-	-	-	-	-	-	-
Oxford C.B.	56,800	22	5	12	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	31	2	14	1	-	-	-	-	-	-	-
Luton	59,240	14	2	11	-	-	-	-	-	-	-	-
Cambridge	58,820	17	1	14	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	22	-	18	-	-	-	-	-	-	-	1
Ipswich C.B.	84,140	33	1	16	-	-	-	-	-	-	-	1
Great Yarmouth C.B.	57,760	19	-	11	1	-	-	-	-	-	-	-
Norwich C.B.	123,500*	42	1	30	1	-	-	-	-	-	-	-
Swindon	57,320	15	-	8	-	-	-	-	-	-	-	1
Exeter C.B.	60,340*	21	1	13	1	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	78	1	40	3	-	-	-	1	-	1	-
Bath C.B.	69,000	11	1	10	-	-	-	-	-	-	-	-
Bristol C.B.	383,300*	121	2	71	5	-	-	1	-	-	-	-
Gloucester C.B. ..	53,050	12	-	15	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	100	8	62	8	-	2	-	-	-	1	-
Burton-upon-Trent C.B.	48,660	17	1	11	-	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	50	-	23	4	-	-	-	-	-	2	-
Walsall C.B.	102,100	39	1	19	2	-	-	-	-	1	-	1
West Bromwich C.B.	79,920	38	-	12	1	-	-	-	-	-	-	-
Dudley C.B.	58,930	21	1	7	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,660	19	-	11	1	-	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	351	9	161	17	-	1	1	2	2	2	2
Smethwick C.B. ..	76,940	12	2	6	-	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	46	1	28	4	-	-	-	-	1	-	-
Leicester C.B. ..	241,700	63	-	48	5	-	-	-	-	-	2	1
Lincoln C.B.	65,760*	19	1	10	1	-	-	-	-	-	-	-
Grimsby C.B.	88,580	35	1	21	-	-	-	-	-	-	-	-
Nottingham C.B. ..	268,000	85	2	47	7	-	-	-	-	2	6	-
Derby C.B.	136,600*	46	1	26	4	-	-	-	-	-	-	-
Chesterfield ..	66,650	30	-	10	-	1	-	-	-	-	-	-
Stockport C.B. ..	125,400	22	2	26	4	-	-	-	1	-	1	1
Chester C.B.	41,710	19	-	7	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	60	1	26	4	-	-	-	1	-	-	-
Wallasey C.B. ..	93,050	21	2	12	1	-	-	-	-	-	-	-
Liverpool C.B. ..	862,600	393	12	199	36	-	2	1	5	4	11	1
Bootle C.B.	84,580	37	1	15	4	-	-	1	-	1	3	-
St. Helens C.B. ..	110,000	46	2	18	3	-	-	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1.	2.		3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	77,970	18	1	21	1	-	-	-	-	-	-	-
Wigan C.B.	88,620	38	1	12	3	-	-	-	-	-	1	-
Warrington C.B. ..	76,940*	29	2	15	3	-	-	-	-	-	-	-
Bolton C.B.	177,900	48	3	26	4	-	-	-	-	1	-	-
Bury C.B.	56,840*	18	1	7	-	-	-	-	-	-	-	-
Manchester C.B. ..	752,000	259	6	185	21	-	3	1	2	3	4	2
Salford C.B.	247,400	90	-	50	6	-	1	-	-	-	1	3
Ashton-under-Lyne	51,050	25	1	10	1	-	-	-	-	-	-	-
Oldham C.B.	143,000	45	2	29	2	-	-	-	-	1	-	-
Rochdale C.B.	91,510	26	-	20	-	-	-	-	-	-	-	-
Burnley C.B.	99,600	33	1	21	2	-	-	-	-	1	1	-
Blackburn C.B. ..	124,400	39	2	34	2	-	-	-	-	-	-	1
Preston C.B.	124,200	34	1	32	5	-	-	-	1	-	-	-
Blackpool C.B. ..	88,640	25	-	12	1	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	70,420	22	1	13	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	111,600	20	3	28	3	-	-	-	-	-	-	-
Halifax C.B.	96,130*	26	8	30	1	-	-	-	-	-	-	-
Bradford C.B. ..	288,700	87	3	60	5	-	-	-	-	2	-	-
Leeds C.B.	473,400	158	2	96	12	-	-	-	-	-	5	1
Dewsbury C.B. ..	53,630	12	3	15	-	-	-	-	-	-	-	1
Wakefield C.B. ..	53,830	20	1	13	3	-	-	-	-	-	1	-
Barnsley C.B. ..	70,760	32	1	12	1	-	-	-	-	-	1	-
Sheffield C.B. ..	523,300*	175	11	116	10	-	-	-	1	-	3	-
Rotherham C.B. ..	70,080	22	1	12	1	-	-	-	1	1	-	-
Doncaster C.B. ..	55,700	18	-	10	1	-	-	-	-	-	-	-
York C.B.	84,430*	29	-	15	3	-	-	-	-	-	-	-
Hull C.B.	294,600	116	7	66	10	-	-	-	-	1	4	-
Middlesbrough C.B.	133,600	59	4	29	5	-	-	-	-	-	3	-
Darlington C.B. ..	70,700	22	2	17	2	-	1	-	1	-	1	-
Stockton-on-Tees ..	67,910	37	3	16	1	-	-	-	-	-	-	-
West Hartlepool C.B.	71,060	23	-	16	3	-	-	-	-	-	-	1
Sunderland C.B. ..	163,800	82	3	42	10	-	1	-	-	-	4	-
South Shields C.B. ..	123,900	50	-	26	4	-	-	-	-	-	2	-
Gateshead C.B. ..	127,700	46	2	25	3	1	-	-	-	-	2	-
Newcastle-on-Tyne C.B.	284,700*	110	2	54	5	-	-	-	-	-	1	-
Tynemouth C.B ..	66,560	29	1	12	2	-	1	-	-	-	-	-
Carlisle C.B.	56,140*	21	1	11	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,620	37	2	20	-	-	-	-	-	1	-	-
Cardiff C.B.	225,600*	76	3	41	2	-	-	-	-	1	1	-
Rhondda	162,500	65	6	29	4	-	1	1	-	1	1	-
Merthyr Tydfil C.B.	80,690	19	3	9	-	-	-	-	-	-	-	-
Aberdare	56,930	12	1	4	-	-	-	-	-	-	-	-
Swansea C.B.	163,200	51	4	29	1	-	-	-	-	-	-	-
Greater London ..	7,791,310*	2,423	80	1,545	110	2	1	2	4	11	22	10
Outer Ring	3,185,910*	967	35	568	40	1	-	-	3	5	8	4
17 Great Towns in Outer Ring	1,947,963*	590	19	346	22	-	-	-	1	3	4	3
Remainder of Outer Ring	1,237,947*	377	16	222	18	1	-	-	2	2	4	1
Edinburgh†	426,100	150	?	115	11	-	-	1	1	1	-	-
Glasgow†	1,049,000	477	?	280	40	-	3	1	6	-	12	3
Dublin (Registration Area)†	421,000	226	?	107	15	-	-	-	-	1	6	-
Belfast†	416,000	188	?	99	14	-	-	-	1	-	7	

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,605,400	1927. Oct. 8	1456	45	977	11·1	1	-	1	2	1	6	14
Calcutta and Suburbs	1,077,264	Sept. 3	?	?	553‖	26·7	?	2	-	?	?	?	?
Bombay§	1,298,708	" 10	447	47	531‖	21·2	4	2	-	-	1	-	21
Madras	528,791	" 10	556	15	359‖	35·3	10	-	1	-	2	-	15
Sydney and Suburbs	1,038,950	Aug. 31 (31 days)											
Brisbane (Metropolitan Area).	274,260	Aug. 31 (31 days)											
Perth (Metropolitan Area).	184,223	Aug. 13	71	?	30	8·5	?	?	?	?	-	?	-
Auckland (Urban Area).	201,220	" 31 (31 days)											
Wellington (Urban Area).	126,310	Aug. 31 (31 days)											
Christchurch (Urban Area).	121,780	Aug. 31 (31 days)											
Cape Town	114,846	Sept. 10	65	3	16	7·2	-	-	-	-	-	1	-
Johannesburg	172,718	" 10	90	4	47	14·2	-	-	1	-	1	-	-
Durban	54,715	" 10	22	-	5	4·8	-	-	-	-	-	-	-
Paris	2,871,429	" 30 (10 days)											
Antwerp	300,242	Sept. 3	104	1	43	7·4	-	-	-	-	1	-	3
Amsterdam	730,328	" 10	284	6	91	6·5	-	-	-	-	-	-	2
Copenhagen	597,800	" 24	189	3	105	9·3	-	-	1	-	-	1	-
Stockholm	453,332	" 17	99	3	75	8·6	-	-	-	-	-	-	1
Gothenburg	231,196	" 3	?	?	33	7·5	-	-	-	-	-	-	-
Oslo (Christiania) ..	254,055	Oct. 1	86	1	38	7·8	-	-	-	-	-	-	-
Berlin	2,003,000	Sept. 17	337	16	400	10·4	1	?	-	-	3	11	8
Breslau	563,000	" 17	147	6	103	9·5	-	?	-	-	-	-	2
Cologne	718,000	" 17	224	4	126	9·1	-	?	1	-	1	1	6
Dresden	625,000	" 17	116	3	97	8·1	-	?	-	-	-	-	-
Frankfort-on-Main..	474,000	" 17	81	5	69	7·8	-	?	-	-	-	-	1
Hamburg	1,105,000	" 17	252	8	168	7·9	-	?	-	-	-	-	3
Leipzig	687,000	" 17	139	5	129	9·8	-	?	-	1	-	-	2
Munich	685,000	" 17	192	-	144	10·9	1	?	-	-	1	-	-
Vienna	1,870,325	April 30 (30 days)											
Prague and Suburbs	738,132	April 30 (30 days)											
Budapest	971,169	Sept. 17	274	13	193	10·3	3	-	1	1	1	4	3
Warsaw	1,028,982	" 24	?	15	283	14·3	9	-	1	6	5	1	40
Cairo	874,300	April 15	993	19	434	25·9	7	1	-	-	?	-	45
		" 22	895	22	490	29·2	6	-	4	-	?	2	79
Alexandria	501,800	" 15	590	9	215	22·3	1	-	-	-	?	-	14
		" 22	508	7	239	24·8	1	-	-	-	?	2	22
New York	5,924,018	Sept. 24	?	?	1123	9·9	7	-	1	-	8	5	12
Chicago	3,048,000	" 16	1224	38	645	10·8	-	-	-	-	2	3	18
New Orleans	433,000	Aug. 31 (31 days)	1061	46	642	17·8	4	-	2	-	4	-	20

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under one year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 10 deaths from Cholera in Calcutta, 11 in Madras, 1 in Bombay and 1 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 8th October, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	977	70	13	11	12	44	54	67	144	158	212	192
Enteric fever	1	-	-	-	1	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	
Measles	1	-	1	-	-	-		-	-	-		
Scarlet fever	2	-	-	1	1	-	-	-	-	-		
Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	6	-	1	2	2	-	-	-	1	-	-	
Influenza	6	-	-	-	-	1	1	-	2	1	-	1
Erysipelas	2	-	1	-	-	-	1	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-		-	1	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-		-			
Tuberculosis :—												
Respiratory system	105	-	1	1	-	22	34	18	22	5	2	-
Nervous system	-	-	-	-	-	-	-	-				-
Intestines and peritoneum	-	-	-	-	-	-		-	-	-		-
Other forms	5	-	-	-	1	1		1	-	-	2	-
Venereal diseases	4	2	-	-	-	-	-	1		1	-	-
Cancer	138	-	-	-	-		2	10	32	31	41	22
Rheumatic fever	3	-	-	-	1	-	2	-	-	-	-	-
Diabetes	15	-	-	-		-	1	1	3	6	2	2
Alcoholism	-	-	-	-				-	-		-	
Simple meningitis	1	-	-	-	-	1	-	-	-	-	-	
Cerebral hæmorrhage, &c., Apoplexy	46	-	-	-	-	-	1	-	9	10	16	10
Epilepsy	1	-	-	-	-	-	-	-	-	1	-	-
"Convulsions" (not puerperal) ..	2	2	-	-		-	-	-		-	-	
Other diseases of nervous system ..	31	-	1	-	-	2	1	6	6	10	3	2
Pericarditis	-		-	-	-	-		-	-	-	-	-
Acute endocarditis	4		-	-	-	1	2	1	-	-	-	-
Other diseases of heart	170	-	-	-	-	7	2	4	24	22	58	53
Other diseases of circulatory system	59			-		-		1	4	13	20	21
Bronchitis	47	1	1	-	1	-	-	-	7	7	16	14
Broncho-pneumonia	22	6	3	1	-	-		-	1	-	4	7
Lobar-pneumonia	20	2	-	-	-	-	1	3	2	7	5	-
Pneumonia (type not distinguished)	7	-	1	-	1	-	-	1	1	1	2	-
Other diseases of respiratory system	14	-	-	-	-	-	1	-	1	3	4	5
Diarrhœa and enteritis	14	12	2	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	7	-	-	-	1	1		1	2	2	-	-
Hernia, Intestinal obstruction	11	1	-	-	-	-	-	-	1	5	1	3
Cirrhosis of liver	9	-	-	-	-	-	-	1	4	2	2	-
Other diseases of digestive system ..	22	-	1	2	-	-	2	2	5	3	3	4
Acute nephritis	2	-	-	-	-	-	-	1	-	-	1	-
Chronic Bright's disease	41	-	-	-	-	-	-	3	7	11	9	11
Other diseases of genito-urinary system.	19	-	-	-	-	1	-	4	2	4	4	4
Puerperal sepsis	1	-	-	-	-	-	-	1	-	-	-	-
Other causes incident to childbirth ..	-	-	-		-	-	-	-	-	-	-	-
Congenital malformations	10	10	-	-	-	-	-	-	-	-	-	-
Premature birth	16	16			-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3	-					-	-	-	-	-
Old age	29	-	-			-		-	-	-	5	24
Suicide	9	-	-	-	-	1	1	1	2	2	1	1
Burns and Scalds	3	1	-	2	-	-	-	-	-	-	-	-
Drowning	2	-	-	-	-	1	-	-	1	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	2	1	1	1	-	2	1	3	1
Other deaths by violence	19	1	-	-	-	1	1	3	1	3	5	4
Other specified causes	32	10	-	-	2	3	-	2	2	7	3	3
Ill-defined causes	-	-	-	-	-		-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 8th October, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	364	231	11	70	C. 5 E. 2 G. 3 M. 11 N. 9
†CITY OF LONDON	-	2	-	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	4	20	1	3	G. 1 M. 2
†BERMONDSEY ...		14	8	-	-	-
†BETHNAL GREEN		11	3	-	2	-
†CAMBERWELL ...		19	20	1	3	N. 2
†CHELSEA	-	1	2	-	1	C. 1
†DEPTFORD ...		11	5	-	3	G. 1
†FINSBURY ...		8	2	-	1	M. 2
†FULHAM		5	4	-	3	C. 1 N. 1
†GREENWICH ...		10	1	-	2	-
†HACKNEY ...	-	43	16	1	-	C. 1
†HAMMERSMITH ...		7	8	-	-	N. 1
†HAMPSTEAD ...	-	10	-	-	2	-
†HOLBORN... ...		1	1	-	1	-
†ISLINGTON ...		32	9	-	5	C. 1 M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	-	9	6	-	1	N. 1
†LAMBETH ...	-	14	9	-	6	M. 2 N. 1
†LEWISHAM ...	-	17	1	1	2	E. 1 G. 1
†PADDINGTON ...	-	19	11	1	3	E. 1 M. 1
†POPLAR	-	12	13	-	7	M. 1
†ST. MARYLEBONE	-	3	1	1	1	N. 1
†ST. PANCRAS ...	-	19	11	2	1	N. 1
†SHOREDITCH ...	-	17	8	-	3	-
†SOUTHWARK ...	-	16	22	1	1	C. 1
†STEPNEY	-	28	18	-	6	M. 1
†STOKE NEWINGTON	-	4	2	-	-	-
†WANDSWORTH ...	-	16	12	2	7	M. 1 N. 1
†WESTMINSTER, CITY OF	-	1	11	-	-	-
†WOOLWICH ...		11	7	-	6	-

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	22	8	–	1	–
Boroughs and Urban Districts:—						
AMPTHILL ...	–	1	–	–	–	–
†BEDFORD ...	–	6	–	–	–	–
DUNSTABLE ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	–	1	–	–	–
†LUTON		3	4	–	–	–
SANDY	–	1	–		–	–
Rural Districts:—						
BEDFORD... ...	–	7	–	–	1	–
BIGGLESWADE ...	–	1	2	–	–	–
EATON BRAY ...	–	1	–	–	–	–
LUTON	–	1	1	–	–	–
BERKS		10	4	1	1	N. 1
†READING C.B. ...	–	4	3	–	–	N. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	1	–	–	–
†MAIDENHEAD ...	–	1	–	–	–	–
Rural Districts:—						
COOKHAM ...	–	2	–	–	–	–
EASTHAMPSTEAD	–	2	–	–	1	–
NEWBURY ...	–	1	–	–	–	–
WOKINGHAM ...	–	–	–	1	–	–
BUCKINGHAM...	1	7	1	2	6	–
Boroughs and Urban Districts:—						
BUCKINGHAM ...	1	–	–	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	2	–
CHESHAM... ...		1	–	–		–
NEWPORT PAGNELL ...	–	–	–	–	1	–
†SLOUGH	–	–	1	–	1	–
†WOLVERTON ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	–	–	–	–	1	–
ETON	–	–	–	1	–	–
NEWPORT PAGNELL	–	1	–	–	–	–
WING	–	1		–	–	–
WINSLOW... ...	–	2	–	–	–	–
WYCOMBE ...	–	–		1	–	–
CAMBRIDGE ...		11	1	1	–	G. 1 N. 1
Borough:—						
†CAMBRIDGE ..	–	1	1		–	–
Rural Districts:—						
CHESTERTON ...	–	2	–	–	–	N. 1
LINTON	–	4	–	–	–	–
NEWMARKET ...	–	4	–	1	–	G. 1
CHESTER ...		59	22	3	27	E. 2 M. 5 N. 1
†BIRKENHEAD C.B.	–	8	5	–	11	–
†CHESTER C.B. ...	–	–		–	1	M. 1
†STOCKPORT C.B.	–	14	1	–	3	F. 1
†WALLASEY C.B. ...	–	4	3	–	3	N. 1
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH		1	–	–	–	–
BOLLINGTON ...		1	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–		1	–
COMPSTALL ...	–	–	–	–	–	M. 1
†CREWE	–	3	1	–	–	–
†DUKINFIELD ...	–	1	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	2	1	–	1	–
HALE	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HAZEL GROVE AND BRAMHALL	-	3	-	-	-	-
†HOYLAKE AND WEST KIRBY	-	1	2	-	-	M. 1
†HYDE	-	1	2	2		-
KNUTSFORD ...	-	1	-	-	-	-
LYMM		-		-	1	-
†MACCLESFIELD ...	-	-	1	-	1	-
MIDDLEWICH ...	-	-	-	-	-	M. 1
MOTTRAM IN LONGDENDALE	-	1	-	-	-	-
NANTWICH ...	-	2	-	-		-
†NORTHWICH ...	-	1	-	-		-
†RUNCORN... ...	-	1	-	-	1	-
TARPORLEY ...	-	1	-	-	-	-
WILMSLOW ...	-	1	1	-	-	-
†WINSFORD ...	-	-	1	-	-	-
Rural Districts:—						
BUCKLOW ...	-	1	-	-	2	-
CONGLETON ...	-	2	-	-	-	-
DISLEY	-	-	-	-	1	-
NANTWICH ...	-	2	1	-	-	-
NORTHWICH ...	-	1	1	-	-	-
RUNCORN ...		4	1	1	-	M. 1
WIRRAL	-	1	-	-	-	E. 1
CORNWALL ...	-	8	1	1	2	M. 1
Boroughs and Urban Districts:—						
CALLINGTON ...	-	1	-	-	-	-
†CAMBORNE ...	-	-	1	1	-	-
LAUNCESTON ...	-	-	-	-	1	-
LOOE	*	*	*	*	*	*
PAUL	-	1	-	-	-	-
†PENZANCE ...	-	2	-	-	-	-
PHILLACK ...	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts:—						
REDRUTH ...	-	1	-	-	-	-
ST. COLUMB MAJOR	-	-	-	-	1	-
ST. GERMANS ...	-	-	-	-	-	M. 1
WEST PENWITH...	-	1	-	-	-	-
CUMBERLAND...	-	9	4	1	2	M. 1 N. 3
†CARLISLE C.B. ...	-	3	-	-	1	M. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	*	*	*	*	*	*
CLEATOR MOOR ...	-	-	1	-	-	-
MILLOM	-	-	-	-	1	-
†WHITEHAVEN ...	-	3	-	-	-	N. 1
†WORKINGTON ...	-	-	-	-	-	N. 1
Rural Districts:—						
BOOTLE	-	-	-	-	-	N. 1
CARLISLE ...	-	2	1	-	-	-
COCKERMOUTH ...	-	-	-	1	-	-
LONGTOWN ...	-	1	1	-	-	-
WHITEHAVEN ...	-	-	1	-	-	-
DERBY	7	40	24	-	19	C. 1 D. 1 E. 1 M. 2 N. 2
†DERBY C.B. ..	-	3	3		3	D. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	2	2	-	-	1	-
†BELPER	-	1	-	-	-	-
†BUXTON	-	2	-		-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTERFIELD ...		1	2	–	1	E. 1
DRONFIELD ...	–	3	–	–	–	–
†HEANOR		2	–	–	–	–
†ILKESTON ...	–	1	–	–	1	N. 1
†LONG EATON ...	–	1	–	–	–	–
†RIPLEY	2		–	–	–	–
SOUTH DARLEY ...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	1	1	3		1	M. 1
†THE MATLOCKS...	*	*	*	*	*	*
WIRKSWORTH ...	–	2	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	1	1	–	–	–
BELPER	2	2	4	–	–	–
BLACKWELL ..	–	3	2	–	2	–
CHAPEL EN LE FRITH	–	4	2	–	–	–
CHESTERFIELD ..		4	4	–	4	C. 1
CLOWNE	–	3	2	–	1	–
REPTON		–	–	–	2	–
SHARDLOW ...	–	1	1	–	2	–
SUDBURY... ...	–	3	–	–	–	–
CODNOR PARK AND SHIPLEY (Parishes)		–	–	–	1	–
DEVON	–	8	13	3	2	C. 1 E. 1 G. 1
†EXETER C.B. ...	–	–	1	–	–	–
†PLYMOUTH C.B....	–	3	8	1	1	–
Boroughs and Urban Districts:—						
ASHBURTON ...		1	–	–	–	–
AXMINSTER ...	–	–	–	–	–	G. 1
†BARNSTAPLE ...	–	1	–	1	1	C. 1
BUCKFASTLEIGH	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BIDEFORD ...	–	1	–	–	–	–
HONITON	–	–	–	–	–	E. 1
NEWTON ABBOT...	–	1	–	–	–	–
OKEHAMPTON ...	–	–	–	1	–	–
PLYMPTON ST. MARY	–	–	2	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
TAVISTOCK ...	*	*	*	*	*	*
TOTNES	–	–	1	–	–	–
DORSET		7	–	–	4	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	–
DORCHESTER ...	–	–	–	–	1	–
†POOLE	–	–	–	–	1	–
Rural Districts:—						
POOLE	–	1	–	–		–
SHAFTESBURY ...	–	2		–	–	–
STURMINSTER ...	–	–	–	–	1	–
WEYMOUTH ...	–	2	–	–	–	–
WIMBORNE AND CRANBORNE	–	2		–	–	–
DURHAM ...	32	83	31	2	51	D. 1 M. 4
†DARLINGTON C.B.	–	7	1	–	2	–
†GATESHEAD C.B.	–	8	1	–	3	–
†SOUTH SHIELDS C.B	7	4	1	–	9	–
†SUNDERLAND C.B.	3	4	3	–	7	M. 1
†WEST HARTLEPOOL C.B.	–	3		1	6	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	4	3	-	-	-	-
BENFIELDSIDE ...	-	4	-	-	-	M. 1
BILLINGHAM ...	-	2	-	-	-	-
†BLAYDON... ...	-	3	-	-	-	-
†BRANDON AND BYSHOTTLES	1	-	-	-	-	-
†CHESTER LE STREET	-	2	-	-	2	-
†CONSETT	-	-	1	-	-	-
†CROOK	-	3	4	-	-	-
†HARTLEPOOL ...	-	2	-		-	-
†HEBBURN ...	-	1	1	-	1	D. 1
†HETTON	-	5	-	-	2	-
†HOUGHTON LE SPRING	-	1	-	-	-	-
†JARROW	-	2	-	-	3	-
LEADGATE ...	-	2	-	-	1	-
†RYTON	-	2	-	-	-	-
†SEAHAM HARBOUR	-	-	1	-	1	-
†SHILDON	-	-	1	-	-	-
†SOUTHWICK ON WEAR	-	-	1	-	-	-
†SPENNYMOOR ...	1	-	2	-	-	-
†STANLEY	9	1	2	-	1	-
†STOCKTON ON TEES	-	5	-	-	2	-
†TANFIELD ...	-	1	-	-	-	M. 1
†WASHINGTON ...	-	2	1	-	-	-
†WHICKHAM ...	-	-	-		2	-
WILLINGTON ...	-	-	1	-	-	-
Rural Districts:—						
AUCKLAND ...	-	2	4	-	-	-
CHESTER LE STREET	1	2	1	-	2	-
DURHAM	1	-	-	-	1	-
EASINGTON ...	-	4	1	-	1	-
HOUGHTON LE SPRING	-	1	-	-	3	M. 1
LANCHESTER ...	-	3	2		-	-
SEDGEFIELD ..	-	-	-	1	-	-
SOUTH SHIELDS...	5	3	1	-	1	-
SUNDERLAND ...	-	-	1	-	1	-
WEARDALE ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	-	-	3	-	-	-
Boroughs and Urban Districts:—						
CHATTERIS ...	-	-	1	-	-	-
ELY	-	-	1	-	-	-
WHITTLESEY ...	-	-	1	-	-	-
ESSEX	-	158	82	2	31	C. 4 J. 2 M. 1 N. 4
†EAST HAM C.B. ...	-	21	14	-	1	-
†SOUTHEND-ON-SEA C.B.	-	5	1	1	4	M. 1
†WEST HAM C.B. ...	-	51	19	-	15	J. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	3	1	-	3	C. 1
BRENTWOOD ...	-	1	-	-	-	-
BRIGHTLINGSEA	-	-	-	-	1	-
†CHELMSFORD ...	-	4	-	1	-	-
CHINGFORD ...	-	-	2	-	-	-
DAGENHAM ...	-	5	6	-	1	-
†GRAYS THURROCK	-	3	8	-	-	-
HALSTEAD ...	-	2	-	-	-	-
†ILFORD	-	17	9	-	2	J. 1
†LEYTON	-	18	8	-	2	-
MALDON	-	4	1	-	-	-
†ROMFORD ...	-	3	-	-	-	-
TILBURY	-	-	1	-	-	-
WALTHAM HOLY CROSS	-	1	-	-	-	-
†WALTHAMSTOW...	-	13	8	-	2	-
†WOODFORD ...	-	3	-	-	-	-
Rural Districts:—						
BRAINTREE ...	-	1	-	-	-	C. 1
DUNMOW	-	-	1	-	-	-
EPPING	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
LEXDEN AND WINSTREE	–	2	–	–	–	–
ORSETT	–	1	2	–	–	N. 1
ROCHFORD ...	–	–	–	–	–	N. 2
STANSTED ...	–	–	–	–	–	C. 2
GLOUCESTER ...	–	73	19	4	8	G. 2 M. 4
†BRISTOL C.B. ..	–	48	11	–	6	G. 2 M. 3
†GLOUCESTER C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	1	–	–	–	–
†CHELTENHAM ...	–	3	1	2	–	–
CIRENCESTER ...	–	3	1	–	–	–
MANGOTSFIELD ...	–	–	1	–	–	–
NAILSWORTH ...	–	1	–	–	–	–
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	7	1	–	–	–
CIRENCESTER ...	–	4	2	–	–	–
EAST DEAN AND UNITED PARISHES	–	2	1	–	–	–
GLOUCESTER ...	–	–	–	1	–	M. 1
NORTHLEACH ...	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
WARMLEY ...	–	–	–	1	–	–
WEST DEAN ...	–	–	–	–	1	–
HEREFORD ...	–	2	7	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	2	–	–	–
ROSS	–	–	–	–	–	M. 1
HEREFORD—*cont.*						
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	–	2	–	–	–
LEDBURY... ...	–	–	1	–	–	C. 1
ROSS	–	–	1	–	–	–
WEOBLEY... ...	–	1	1	–	–	–
HERTFORD ...	–	15	12	2	3	N. 3
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	–	N. 1
BISHOP'S STORTFORD	–	–	2	–	–	–
BUSHEY	–	1	1	–	–	–
†CHESHUNT ...	–	1	–	–	1	–
†EAST BARNET VALLEY	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†HITCHIN	–	1	–	–	–	–
HODDESDON ...	–	2	–	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
STEVENAGE ...	–	–	1	–	–	–
WARE	–	–	2	–	–	–
†WATFORD ...	–	4	–	–	1	–
WELWYN GARDEN CITY	–	–	3	–	–	–
Rural Districts:—						
BERKHAMPSTEAD.	–	–	1	–	–	–
HATFIELD ...	–	1	1	–	–	–
HITCHIN	–	1	–	–	1	N. 2
ST. ALBANS ...	–	–	–	1	–	–
WARE	–	–	–	1	–	–
HUNTINGDON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	1	–	–	–	–
RAMSEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	51	56	9	4	E. 2 M. 3 N. 2
†CANTERBURY C.B.	–	–	3	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ..	–	–	3	–	1	–
†BROMLEY ..	–	1	1		1	–
†CHATHAM ...	–	3	6	1	–	–
†DARTFORD ...	–		9	–	–	–
†DEAL	–	–		–	1	–
†DOVER	–	3	5	–	–	M. 1
†ERITH	–	3	7	–	–	–
†FOLKESTONE ...	–	2	–	–	–	M. 1 N. 1
†GILLINGHAM ...	–	3	2	–	–	–
†GRAVESEND ...	–	2	4	–	–	E. 1
†HERNE BAY ...	–	–	–	1		–
†MAIDSTONE ...	–	–	–	1	–	–
†MARGATE ...	–	4	–	1		–
†NORTHFLEET ...	–	5	2		–	
†PENGE	–	2	3	1	–	–
†ROCHESTER ...	–	3	1	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
SOUTHBOROUGH	–	2	–	2	–	–
SWANSCOMBE ...	–	1	–	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
WHITSTABLE ...	–	–	4	–		–
Rural Districts:—						
BLEAN	–	1	1	–	1	–
BROMLEY ...	–	3	1	–		–
DARTFORD ...	–	–	4	–	–	–
DOVER	–	1	–	–	–	–
EASTRY	–	–	–	1	–	–
FAVERSHAM ..	–	1	–	–	–	–
HOLLINGBOURNE	–	–	–	–	–	M. 1
HOO	–	1		–	–	–
ISLE OF THANET	–	1	–	–		E. 1
MAIDSTONE ...	–	1			–	–
MALLING	–	2	–	1	–	–
MILTON	–	2	–	–	–	–
TONBRIDGE ...		1			–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	5	258	169	5	138	C. 1 D. 2 E. 6 G. 6 L. 2 M. 27 N. 8
†BARROW IN FURNESS C.B.	–	3	1	–	2	–
†BLACKBURN C.B.	–	3	1	–	2	M. 1
†BLACKPOOL C.B.	1	4	1	–		M. 3
†BOLTON C.B. ...	–	8	6		2	–
†BOOTLE C.B. ...	–	2	1	–	3	–
†BURNLEY C.B. ...	1	2	7		3	E. 1
†BURY C.B. ...	–	5	5	–	3	–
†LIVERPOOL C.B. ...	–	54	39	3	22	E. 1 M. 13 N. 1
†MANCHESTER C.B.	1	45	39	–	35	D. 1 E. 1 M. 2
†OLDHAM C.B. ..	–	2	6	–		–
†PRESTON C.B. ..	–	2	4	–		G. 1 M. 1 N. 3
†ROCHDALE C.B. ..	–	4	7	–	1	G. 1
†ST. HELENS C.B. ...	–	9	7	–	7	–
†SALFORD C.B. ...	–	19	10	–	9	M. 1
†SOUTHPORT C.B.	–	3	1	–	1	M. 1
†WARRINGTON C.B	–	1	1	–	4	N. 1
†WIGAN C.B. ..		3	–	–	2	N. 2
Boroughs and Urban Districts:—						
†ACCRINGTON ..	–	1	–	–	–	C. 2
†ASHTON IN MAKERFIELD	–	–	–	–	2	–
†ASHTON UNDER LYNE	–	1	–	–	1	–
†ATHERTON ...	–	–	5	–	–	C. 1
†BACUP	–	–	–	–	–	M. 1
BARROWFORD ...	–	1	–	–	–	–
†CHADDERTON ..	–	1	–	–	–	M. 1
†CHORLEY	–	2	–	–	–	–
CHURCH	–	–	–	–	1	–
†CLITHEROE ...	–	1	1	–	–	–
†COLNE	–	1	–	1	1	–
†CROMPTON ...	–	1	–	–	2	–
†DARWEN	–	–	–	–	2	–
†DENTON	–	1	–	–	–	–
†ECCLES	–	14	1	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FAILSWORTH	–	2	1	–	1	G. 1
†FARNWORTH ...	–	1	1	–	–	–
†FLEETWOOD ...		1	–	–	1	–
FORMBY	–	2	1			–
†GREAT CROSBY ...	–		1			–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–		1	–	2	–
†HEYWOOD ..	–	2	–	–	–	–
†HINDLEY... ...	–			–	2	–
†HORWICH ...	–	–	1	–	1	–
†INCE IN MAKERFIELD	–	1	–	–	1	M. 1
IRLAM	–	6	–		–	D. 1
†LANCASTER ...	–	9	1	1	1	–
†LEIGH	–	1	4	–	–	–
LEYLAND... ...		2	–	–		–
†LITHERLAND ...	–		–	–	–	N. 1
†LITTLEBOROUGH	–		1	–	–	–
†LYTHAM ST. ANNE'S	–	1		–	–	–
†MIDDLETON ...		1	1	–	–	–
†MORECAMBE ...	–	–	–	–	1	–
†NELSON	–	1	1			–
†NEWTON IN MAKERFIELD	–		–	–	2	–
ORMSKIRK ...	–	–	1	–	–	–
ORRELL	–	–	1	–	–	–
†OSWALDTWISTLE		1	1	–	–	–
†PADIHAM... ...	–		2	–	1	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	7	3	–	1	–
SKELMERSDALE ...	–	–	1	–	–	–
†STRETFORD ..		6	–	–	–	–
†SWINTON AND PENDLEBURY	–		–	–	2	G. 2
†TYLDESLEY WITH SHAKERLEY	–	1		–	1	G. 1
†WALTON LE DALE		4	–	–	–	E. 1
WARDLE	2	–	–	–	–	–
†WATERLOO WITH SEAFORTH		1			–	–
†WESTHOUGHTON	–	–	–	–	1	–
WHITEFIELD ...	–	1	–	–	–	–
†WIDNES	–	–	3	–	11	–
LANCASTER—*cont.*						
Rural Districts:—						
BURNLEY... ...	–	–	–		–	M. 1
CLITHEROE ..	–	–	–	–	–	L. 1
GARSTANG ...	–	2	–	–	–	–
LEIGH	–	2	–	–	1	–
LIMEHURST ...	–	–	–	–	1	–
ULVERSTON ...	–	4	–	–	1	–
WARRINGTON ...	–	2	–	–	1	L. 1
WEST LANCASHIRE	–	1			–	–
WIGAN	–	1			–	–
LEICESTER ...	1	41	14	1	6	–
†LEICESTER C.B. ...	1	27	5	1	4	–
Boroughs and Urban Districts:—						
†COALVILLE ...	–	2	5	–	–	–
†HINCKLEY ...	–	2	–	–	1	–
MELTON MOWBRAY	–	1	–	–	–	–
OADBY	–	1	–	–	–	–
THURMASTON ...	–	2	–	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	2	–		–	–
BLABY	–	–	1			–
CASTLE DONINGTON	–	1				–
HINCKLEY ...	–	–	2			–
LOUGHBOROUGH	–	–	1	–	–	–
MARKET BOSWORTH	–	1	–	–		–
MELTON MOWBRAY	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K. Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	3	–	–	–	C. 1
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	C. 1
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	1	–	–		–	C. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	1	–	–	–		C. 1
LINCOLN (parts of Lindsey).	–	19	8	2	10	E. 1 G. 1 N. 2
†GRIMSBY C.B. ...	–	4	–	1	4	G. 1 N. 1
†LINCOLN C.B. ...	–	2	–	–	1	N. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–		1	–	–	–
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	1		–	–	–
†GAINSBOROUGH ...	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	9	1	1	2	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	2	–	1	–
GLANFORD BRIGG	–	1		–	1	E. 1
GRIMSBY	–	1	2	–		–
SPILSBY	–	1		–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	86	49	3	15	C. 1 G. 1 M. 4 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	1	2	–	–	–
†BRENTFORD AND CHISWICK	–	2	–	–	1	–
†EALING	–	5	3	–	–	G. 1
†EDMONTON ...	–	6	7	–	1	–
†ENFIELD	–	2	6	–	3	–
FELTHAM ...	–	–	1	–	–	N. 1
†FINCHLEY ...	–	1	–	–	–	–
†FRIERN BARNET	–	–	–	1	–	–
†HARROW ON THE HILL	–	1		–	–	–
HAYES	–	1	–		–	–
†HENDON	–	7	1	–	–	–
†HESTON AND ISLEWORTH	–	1	2	–	–	–
†HORNSEY... ...	–	8	4	–	1	–
KINGSBURY ...	–	1	–	–	–	–
RUISLIP NORTHWOOD	–	1	–	–	1	–
†SOUTHALL NORWOOD	–	18	–	–	2	–
†SOUTHGATE ...	–	5	1	–	1	–
STAINES	–	2	–	–	–	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	–	–	–	–	C. 1
†TOTTENHAM ...	–	7	7	–	2	–
†TWICKENHAM ...	–	4	–	–	–	N. 1
†UXBRIDGE ...	–	–	2		–	M. 1
†WEALDSTONE ...	–	3	–	1	–	N. 1
†WEMBLEY ...	–	1	–	–	3	M. 1
†WILLESDEN ...	–	5	7	–		M. 2 N. 1
†WOOD GREEN ...	–	1	1	–	–	–
Rural Districts:—						
HENDON	–	2	–	–	–	–
SOUTH MIMMS ...	–	–	1	–	–	–
STAINES	–	–	3	1	–	–
UXBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK ..	–	23	5	1	2	E. 1 F. 1
†GREAT YARMOUTH U.B.	–	8	1	–	–	–
†NORWICH C.B. ...	–	3	1	–	–	F. 1
Boroughs and Urban Districts:—						
DISS	–	2	–	–	–	–
EAST DEREHAM ...	–	–	1	–	–	–
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
DEPWADE ...	–	–	–	–	1	–
ERPINGHAM ...	–	1	–	–	–	–
FOREHOE... ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	1	–	–	–	–
LODDON AND CLAVERING	–	–	1	–	–	–
MITFORD AND LAUNDITCH	–	–	–	1	–	–
ST. FAITH'S ...	–	1		–	–	–
SMALLBURGH ...	–	7	–	–	–	–
WAYLAND ...	–	–	–	–	–	E. 1
NORTHAMPTON	–	9	3	2	4	N. 1
†NORTHAMPTON C.B.	–	4	1	–	3	N. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	–	1	–	–
†KETTERING ..	–	1	–	1	–	–
†RUSHDEN... ...	–	–	1	–	–	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
NORTHAMPTON ...	–	2	–	–	–	–
OXENDON... ...	–	–	–	–	1	–
TOWCESTER ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	14	62	5	3	23	M. 3 N. 3
†NEWCASTLE UPON TYNE C.B.	–	19	–	–	16	M. 2 N. 1
†TYNEMOUTH C.B	–	3	2		4	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	3	4	–	–	–	–
†BEDLINGTONSHIRE	1	8	–	2	–	–
†BERWICK UPON TWEED	–	3	–	–		–
†BLYTH	–	4	1	–	–	M. 1
†EARSDON... ...	–	–	–	–	–	N. 1
†GOSFORTH ...	–	4	–	–	–	–
†LONGBENTON ...	–	1	–	–	–	–
MORPETH... ...	8	–	–	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	2	–	–	–	–
†WALLSEND ...	–	3	–	–	3	N. 1
WEETSLADE ...	–	1		–	–	–
†WHITLEY AND MONKSEATON	–	7	2	–	–	–
Rural Districts:—						
ALNWICK... ...	–	1	–	1	–	–
HEXHAM	1	1	–	–	–	–
MORPETH ...	1	–	–	–	–	–
NOTTINGHAM ...	6	39	25	–	11	E. 1 G. 1
†NOTTINGHAM C.B	2	11	22	–	7	E. 1 G. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	–	1	–	–	–
†CARLTON	–	1	–	–	–	–
†EAST RETFORD ...	2	–	–	–	1	–
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
HUTHWAITE ...	–	1	–	–	–	–
†MANSFIELD ...	–	2	–	–	–	–
†MANSFIELD WOODHOUSE	–	10	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON IN ASHFIELD	–	1	–	–	–	–
WARSOP	–	2	–	–	–	–
Rural Districts:—						
BASFORD	–	2	2	–	1	–
BINGHAM... ...	*	*	*	*	*	*
SKEGBY	1	5	–	–	–	–
SOUTHWELL ...	–	3	–	–	1	–
WORKSOP... ...	1	–		–	–	–
OXFORD	–	8	1	–	–	C. 1 N. 1
†OXFORD C.B.	–	4	–		–	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BANBURY ...	–		1	–	–	–
HEADINGTON ...	–	2	–	–	–	N. 1
THAME	–	–	–	–	–	C. 1
PETERBOROUGH (Soke of).	–	3	1	–	3	–
Borough:—						
†PETERBOROUGH..	–	1	1	–	3	–
Rural District—						
PETERBOROUGH...	–	2	–	–	–	–
RUTLAND ...	–	–	7	–	–	–
Urban District:—						
OAKHAM ...	–	–	1	–	–	–
Rural Districts:—						
OAKHAM	–	–	6	–	–	–
SALOP	–	42	6	1	1	E. 2 M. 2
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
DAWLEY	–	–	2	–		E. 1
MARKET DRAYTON	–	–	2	–	–	–
†OAKENGATES ..	–	11	–	–	–	–
OSWESTRY ...	–	1	–	–		–
†SHREWSBURY ..	–	8	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
†WENLOCK ...	–	1	–	–	–	–
WHITCHURCH ...	–	2	–	–		–
Rural Districts:—						
ATCHAM	–	1	–	1	–	–
CLEOBURY MORTIMER	–	1	–	–	–	–
DRAYTON... ...	–	6	–	–		–
ELLESMERE ...	–	1	–	–	–	–
LUDLOW		1	–	–	–	–
OSWESTRY ...	–	4	2	–	–	M. 2
SHIFNAL	–		–	–	–	E. 1
WELLINGTON ...	–	4	–	–	–	–
SOMERSET ...	–	32	10	1	10	N. 3
†BATH C.B. ..	–	8	3	–	–	N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	3	–	–	1	–
†FROME	–	–	2	–	–	–
MIDSOMER NORTON	–	7	–	–	–	–
MINEHEAD ...	–		–	1	–	–
†TAUNTON... ...	–	1	–	–	–	–
WATCHET ...	–	1	–	–		–
WELLS	–	–	–	–	1	–
WIVELISCOMBE ...	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–		–
BRIDGWATER ...	–	5	–	–	–	–
CHARD	–	–	1	–	–	–
CLUTTON... ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
FROME	–	–	–	–	–	N. 1
KEYNSHAM ...	–	–	1	–	1	–
LONG ASHTON ...	–	–	–	–	1	–
TAUNTON ...	–	–	–	–	1	–
WELLINGTON ...	–	–	–	–	1	–
WILLITON ...	–	4	–	–	–	–
WINCANTON ...	–	–	–	–	2	N. 1
YEOVIL	–	1	3	–	–	–
SOUTHAMPTON.	1	57	32	6	12	C. 2 E. 3 G. 1 N. 3
†BOURNEMOUTH C.B.	1	3	2	–	–	–
†PORTSMOUTH C.B.	–	19	15	–	–	–
†SOUTHAMPTON C.B.	–	15	11	–	7	N. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	1	–	–	N. 1
†BASINGSTOKE ...	–	3	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	E. 1
†FAREHAM ...		1	–	–	–	–
†FARNBOROUGH ...	–	1	–		–	–
†GOSPORT	–	–	1	–	1	–
†WINCHESTER ...	–	2	–		1	E. 1 G. 1
Rural Districts:—						
ALTON	–	–	–	3	1	–
ANDOVER... ...	–	–	–	–	–	C. 1
BASINGSTOKE ...	–	–	–	1	–	–
CATHERINGTON ...	–	–	1	–	–	–
CHRISTCHURCH ...	–	1	–	–		E. 1
FAREHAM ...	–	3	–	–		–
HARTLEY WINTNEY	–	1	–	–	–	–
HURSLEY... ...	–	1	–	–	–	–
KINGSCLERE ...	–	1	–	–	–	–
NEW FOREST ...	–	4	1			C. 1
PETERSFIELD ...	–	–	–	1		–
ROMSEY	–	–	–	–	1	–
STOCKBRIDGE ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	3	44	36	6	34	C. 3 E. 1 M. 10 N. 3
†BURTON UPON TRENT C.B.	–	–	1	–		–
†SMETHWICK C.B.	–	2	4	–	4	–
†STOKE ON TRENT C.B.	–	12	7	2	13	M. 5
†WALSALL C.B. ...	–	1	16	–	1	M. 1 N. 1
†WEST BROMWICH C.B.	3	–	–	1	1	N. 2
†WOLVERHAMPTON C.B.	–	7	–	–	4	C. 1 M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	1	–
BIDDULPH ..	–	3	–	–	–	–
†BILSTON	–	1	–	–	2	–
†BROWNHILLS ...	–	–	–	–	1	–
†CANNOCK	–	1	–	–	–	E. 1
KIDSGROVE ...	–	2	1	2	–	–
†LEEK	–	1	–	–	–	M. 1
LICHFIELD ...	–	2	–		–	–
†NEWCASTLE UNDER LYME	–	–	–	–	2	–
†ROWLEY REGIS ...	–	1	–	–	–	C. 1
†SEDGLEY	–	2	2	–	1	–
SHORT HEATH ...	–	–	–	–	1	–
†STAFFORD ...	–	1	1	–	1	–
†TIPTON	–	–	–	–	1	–
†WEDNESBURY ...	–	–	–	–	1	–
†WILLENHALL ...	–	–	1	–	–	–
†WOLSTANTON UNITED	–	1	–	–		–
Rural Districts:—						
CANNOCK	–	5	–	–	–	C. 1
CHEADLE... ...	–	–	–	–	–	M. 1
KINGSWINFORD ...	–	1	–	–	–	–
LICHFIELD ...	–	–	–	1	–	–
NEWCASTLE UNDER LYME	–	–	2	–	–	–
SEISDON	–	–	1	–		M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery: M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	-	16	1	1	2	-
†IPSWICH C.B. ...	-	4	1	-	1	-
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	-	1	-	-	-	-
†LOWESTOFT ...	-	3	-	1	-	-
Rural Districts:—						
BOSMERE AND CLAYDON	-	8	-	-	-	-
EAST STOW ...	-	-	-	-	1	-
SUFFOLK, WEST	-	12	2	2	-	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	6	-	-	-	-
HAVERHILL ...	-	2	-	-	-	-
NEWMARKET ...	-	-	2	2	-	-
Rural Districts:—						
MELFORD... ...	-	1	-	-	-	-
THINGOE	-	3	-	-	-	-
SURREY	-	51	28	5	9	M. 1 N. 2
†CROYDON C.B. ...	-	12	1	-	1	N. 1
Boroughs and Urban Districts:—						
†BARNES	-	1		1	1	-
†BEDDINGTON AND WALLINGTON	-	-	3	-	-	-
†CARSHALTON ...	-	3	5	-	-	-
†CHERTSEY	-	1	-	-	-	-
†COULSDON AND PURLEY	-	-	-	1	-	-
EAST AND WEST MOLESEY	-	1	-	-		-
†EGHAM	-	-	-	1	-	-
†EPSOM		6	-		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FARNHAM ...	-	-	1	-	-	-
†FRIMLEY	-	-	1	-	-	-
GODALMING ...	-	-	1	-	-	-
†GUILDFORD ...	-	-	-	1	-	-
†KINGSTON ON THAMES	-	1	1	-	1	N. 1
LEATHERHEAD ...	-	-	2	-		-
†MERTON AND MORDEN	-	2	-	-	-	-
†MITCHAM... ...	-	3	3	-	1	-
†REIGATE	-	-	-	-	1	-
†RICHMOND ...	-	-	-	-	2	-
†SURBITON ...	-	1	1	-	-	-
†SUTTON	-	2	5	-	-	-
†WALTON UPON THAMES	-	1	-	-	-	-
†WIMBLEDON ...	-	1	1	-	-	-
†WOKING	-	2	-		-	M. 1
Rural Districts:—						
CHERTSEY ...	-	12	-		-	-
EPSOM	-	1	1	-	-	-
GODSTONE ...	-	-	-	1	-	-
HAMBLEDON ...	-	-	2	-	-	-
REIGATE	-	1	-	-	2	-
SUSSEX, EAST ...	-	26	5	1	3	N. 4
†BRIGHTON C.B. ...	-	10	4	-	-	N. 3
†EASTBOURNE C.B.	-	6	-	-	1	N. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	-	-	-	1	1	-
SEAFORD	-	1	-	-	-	-
Rural Districts:—						
CHAILEY	-	1	-	-	-	-
EAST GRINSTEAD	-	1	-	-	1	-
HAILSHAM ...	-	7	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	-	6	6	-	4	N. 2
Boroughs and Urban Districts:—						
†BOGNOR	-	1	-	-	-	-
†CHICHESTER ...	-	2	1	-	-	-
†LITTLEHAMPTON	-	1	-	-	-	N. 1
SHOREHAM-BY-SEA	-	1	1	-	-	
†WORTHING ...	-	-	4	-	-	-
Rural Districts:—						
HORSHAM ...	-	-	-	-	3	-
STEYNING WEST	-	1	-	-	-	-
THAKEHAM ...	-	-	-	-	1	N. 1
WARWICK ...	8	66	58	3	50	E. 1 M. 2 N. 2
†BIRMINGHAM C.B.	-	37	38	1	33	E. 1 M. 1 N. 2
†COVENTRY C.B. ..	3	17	7	-	1	M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	-	1	1	-	2	-
†ROYAL LEAMINGTON SPA	-	3		1	1	-
†RUGBY	-	3	1	-	1	-
†SUTTON COLDFIELD	-	-	-	-	2	-
Rural Districts:—						
ALCESTER ...	-	1	1	-	1	-
ATHERSTONE ...	-	1	-	-	-	-
COVENTRY ...	5	1	2		-	-
FOLESHILL ...	-	-	4	-	6	-
MERIDEN... ...	-	-	2	-	1	-
SOLIHULL ..	-	1	1	1	-	-
SOUTHAM... ...	-	1	-	-	2	
WARWICK .	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	-	3	-	-	1	N. 1
Boroughs and Urban Districts:—						
†KENDAL	-	-	-	-	1	-
KIRKBY LONSDALE	-	2	-	-	-	-
Rural Districts:—						
EAST WESTMORLAND	-	-	-	-	-	N. 1
SOUTH WESTMORLAND	-	1	-	-	-	-
WIGHT, ISLE OF	-	4	2		1	M. 1
Boroughs and Urban Districts:—						
†COWES	-	-	2	-	1	M. 1
VENTNOR... ...	-	1	-	-		-
Rural Districts:—						
ISLE OF WIGHT	-	3		-	-	-
WILTS		25	7	-	6	L. 4 N. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	-	1	1	-	-	-
DEVIZES		1	-	-	-	-
MELKSHAM ...		1	-	-	-	
†SALISBURY ..	-	10	-	-		N. 1
†SWINDON... ..			2	-	6	-
†TROWBRIDGE ...	-	1	-		-	-
WARMINSTER ...	-		1	-	-	-
Rural Districts:—						
DEVIZES		3	-	-	-	L. 4
HIGHWORTH .	-	2	1	-		-
PEWSEY	-	1	-	-		-
SALISBURY ..		3	2	-		-
TISBURY	-	1	-	-	-	-
WARMINSTER ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WORCESTER ...	–	16	–	1	5	N. 2
†WORCESTER C.B.	*	*	*	*	*	*
Boroughs and Urban Districts:—						
EVESHAM ...	*	*	*	*	*	*
†HALESOWEN ...	–	2	–	–	–	–
†KIDDERMINSTER	–	–	–	–	2	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
NORTH BROMSGROVE	–	3	–	–	–	–
†OLDBURY... ...		2	–	–	2	–
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
KIDDERMINSTER	–	2	–	–	–	–
MARTLEY... ...	–	–	–	–	–	N. 1
ROCK	–	1	–	–	–	–
TEWKESBURY (part)	–	–	–	–	–	N. 1
UPTON ON SEVERN	–	2	–	1	–	–
YORKS ... ... **(East Riding).**	–	11	19	1	5	E. 11 M. 4
†KINGSTON UPON HULL C.B	–	10	13	–	5	E. 9 M. 3
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	3	–		–
GREAT DRIFFIELD	–	–	1	–	–	–
HESSLE	*	*	*	*	*	*
HORNSEA... ...	–	1	1	–	–	E. 1
Rural Districts:—						
BEVERLEY ...			–	–	–	E. 1
BRIDLINGTON ...	–	–	–	1	–	–
ESCRICK	–	–	–	–	–	M. 1
RICCALL		–	1	–	–	–
SCULCOATES ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS ... ... **(North Riding).**	3	32	4	1	17	E. 1
†MIDDLESBROUGH C.B.	3	3	3	–	6	–
Boroughs and Urban Districts:—						
†ESTON	–	1	1	–	2	–
LOFTUS	–	2	–	–	–	E. 1
NORTHALLERTON	–	1	–	–		–
†REDCAR	–	2	–		2	–
RICHMOND ...	–	–	–	–	2	–
†SCARBOROUGH ...	–	2	–	–	3	–
†SKELTON AND BROTTON	–	6	–	–	–	–
†THORNABY ON TEES	–	2	–	–		–
†WHITBY	–	2	–	–	1	–
Rural Districts:—						
CROFT	–	1	–	–		–
FLAXTON ...	–	–	–	1	–	–
GUISBOROUGH ...	–	3	–	–		–
HELMSLEY ...	–	–	–		1	–
LEYBURN... ...	–	4	–	–	–	–
RICHMOND ...	–	2	–		–	–
SCARBOROUGH ...	–	1	–	–	–	–
YORKS ... ... **(West Riding).**	28	239	57	5	97	C. 8 E. 8 F. 1 G. 1 M. 12 N. 8
†BARNSLEY C.B		4	1	–	2	C. 1
†BRADFORD C.B. ..	–	22	11	1	6	C. 1 M. 2 N. 3
†DEWSBURY C.B....		–	2	–	–	–
†DONCASTER C.B.	1	2	–		–	–
†HALIFAX C.B. ...	–	7	1	–	1	–
†HUDDERSFIELD C.B	–	6	1	–	7	M. 2
†LEEDS C.B. ..	1	12	4	–	10	E. 1 M. 2 N. 2
†ROTHERHAM C.B.	–	7	5	–	8	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†SHEFFIELD C.B.	3	93	16	-	36	C. 5 E. 1 M. 2 N. 2
†WAKEFIELD C.B.	-	3	-		1	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	6		-	-	-
ALTOFTS	-	1	1	-	-	-
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BARNOLDSWICK ...	-	1	-	-	1	-
†BATLEY	-	3	-	-	-	-
†BENTLEY WITH ARKSEY	-	-	3	-	1	-
†BINGLEY	-	-	1	-	1	-
†BRIGHOUSE ...	4			-	-	-
CALVERLEY ...	-	1	-	-	-	-
†CASTLEFORD ...	-	2	-	-	-	-
†CONISBROUGH ...	-	-	1	-	-	-
CUDWORTH ...	-	1	-		-	-
DARFIELD ...	-	2	-	-	-	-
DODWORTH ...	-	2	-	-	-	-
†ELLAND	-	-	-	-	1	-
†FEATHERSTONE ...	-	-	-		2	-
†GOOLE	-	1	-	-	-	-
GREASBROUGH ...	-	2	-	-	-	-
GUISELEY ...	-			-	1	-
†HARROGATE ...	-	-		-	1	-
HEBDEN BRIDGE	-	1	-	-	-	-
†HEMSWORTH ...	-	-	1	-	2	-
HIPPERHOLME ...		2	-	-	-	-
†HOLMFIRTH ...	-		-	-	1	-
HORBURY ...	-	1	-	-	-	-
†HOYLAND NETHER	-	2	-	-	1	G. 1
†KEIGHLEY ...	4		2	-	-	-
KNARESBOROUGH	-	-	-	1	-	-
METHLEY ...	-	-	-	-	1	-
†MEXBOROUGH ...	2	3	-	-	3	F. 1
†NORMANTON ...	-	-	1	-	-	-
OAKWORTH ...	2	-	-	-	-	-
†OSSETT		1	-	-	-	-
OTLEY	-	1	-	-	1	-
†PONTEFRACT ...	-	3	-	-	-	-
QUEENSBURY ...	-	-	1	-	-	-
†RAWMARSH ...	-	4	-	-	1	-
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROTHWELL ...	-	2	-	-	1	-
ROYSTON	*	*	*	*	*	*
SHELLEY			-	1	-	-
†SHIPLEY	-	3	-	-	-	-
SKELMANTHORPE		-	1	-	-	-
†SKIPTON	-	-			-	M. 1
SOUTH CROSLAND	-	2	-	-		-
†SPENBOROUGH ...		-	1			-
†STANLEY	-	1	1	-	1	-
STOCKSBRIDGE ...	-	-	-	-	1	-
†SWINTON	1	-	-			E. 5
THURNSCOE ...	1	1	-	-	-	-
TICKHILL ...	-		1	-	-	-
†TODMORDEN ...	2	1	-	-	1	-
†WATH UPON DEARNE	-	2	-	-	-	-
†WOMBWELL ...	1	3	-	-	-	E. 1
†WORSBOROUGH ...	-	-		-	-	N. 1
Rural Districts:—						
DONCASTER ...	-	3	-	-	1	M. 1
GOOLE	-	-	-	-	-	C. 1
GREAT OUSEBURN	-	1	-	-		M. 1
HALIFAX ...	2	1	-	-	-	-
HEMSWORTH ...	1	3		1	-	-
HUNSLET	-	2	-	-	-	-
KEIGHLEY ...	1	-	-	-	-	-
KIVETON PARK ...	-	5	-	-	-	-
KNARESBOROUGH	-	2	-		-	-
PONTEFRACT ...	-	1	-	-	-	-
ROTHERHAM ...	-	4	-	-	1	-
SKIPTON	-	1	-	-	-	-
THORNE	1	-	-	-	1	M. 1
WETHERBY ...	-	1	-	-		-
WHARFEDALE (NORTH)	-	1	-	-	-	-
WHARFEDALE (SOUTH)	-	1	-	1	1	-
WORTLEY ...	-	2	1	-	-	-
YORK, CITY OF ...	-	11	5	1	2	N. 1
†YORK C.B. ...	-	11	5	1	2	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	-	1	9	-	-	-
Boroughs and Urban Districts:—						
†HOLYHEAD ...		-	2	-	-	-
MENAI BRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
AETHWY		-	4	-	-	-
TWRCELYN ...		-	3	-	-	-
VALLEY		1		-	-	-
BRECKNOCK ...	1	2	2	-	-	-
Boroughs and Urban Districts:—						
BRYNMAWR ...	1	-	-	-	-	-
Rural Districts:—						
VAYNOR AND PENDERYN		1	1	-	-	-
YSTRADGYNLAIS		1	1	-	-	-
CAERNARVON ...	-	7	3	-	-	C. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
†BANGOR		3	-	-	-	G. 1
BETHESDA ...		-	1	-	-	-
CAERNARVON ...	-	-	-	-	-	C. 1
CONWAY		1	1	-	-	-
PENMAENMAWR...	-	3	-	-	-	-
Rural Districts:—						
LLEYN	-	-	1	-	-	N. 1
CARMARTHEN...	-	7	5	-	1	M. 1
Boroughs and Urban Districts:—						
†LLANELLY ...	-	2	2	-	1	-
CARMARTHEN— *cont.*						
Rural Districts:—						
LLANDILO FAWR	-	3	1	-	-	-
LLANELLY ...	-	1	2	-	-	M. 1
NEWCASTLE IN EMLYN	-	1	-	-	-	-
DENBIGH ...	-	4	-	1	3	L. 1
Boroughs and Urban Districts:—						
COLWYN BAY ...	-	2	-	-	-	-
DENBIGH ...	-	-	-		1	-
RUTHIN	*	*	*	*	*	*
Rural Districts:—						
WREXHAM ...	-	1	-	1	2	L. 1
LLANELIAN YN RHÔS AND LLANSANTFFRAID GLAN CONWAY (Parishes)	-	1	-	-	-	-
FLINT	-	2	4	1	6	C. 1
Boroughs and Urban Districts:—						
BUCKLEY... ...	-	-	-	-	3	C. 1
†RHYL	-	1	3	-	-	-
Rural Districts:—						
HAWARDEN ...	-	1	-	-	-	-
HOLYWELL ...	-	-	1	-	3	-
OVERTON ..	-	-	-	1		-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	14	46	39	1	18	C. 2 E. 1 M. 3 N. 9
†CARDIFF C.B. .	–	6	4	–	2	M. 2
†MERTHYR TYDFIL C.B.	–	–	1	–	–	–
†SWANSEA C.B. ..	–	8	4	–	2	C. 1 E. 1 N. 3
Boroughs and Urban Districts:—						
†ABERDARE ...	1	4	3		1	–
†BARRY	–	–	1	–	2	–
†CAERPHILLY ...	2	2	2	–	–	–
†GELLIGAER ...			1	–	2	N. 1
†MAESTEG... ...	–	4	4	–		
†MOUNTAIN ASH...	4	3	1	–	–	–
†NEATH	–	2	1	–	–	–
†OGMORE AND GARW	–	–	1	–	1	–
†PONTYPRIDD ...	7	1	2	–	–	C. 1 N. 2
†PORT TALBOT ...	–	–	2		–	–
†RHONDDA ...	–	8	9	–	7	N. 1
Rural Districts:—						
GOWER	–	1	–	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1	1	–	–	
NEATH	–	3	–	1	1	N. 2
PONTARDAWE ...	–	1	–	–	–	
SWANSEA... ...	–	2	2	–	–	M. 1
MERIONETH ...	–	2	6	–	–	N. 1
Urban Districts:—						
DOLGELLEY ...	–	–	1	–	–	N. 1
FFESTINIOG ..		–	5	–	–	–
Rural Districts:—						
EDEIRNION ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	24	12	3	–	5	C. 1 G. 1
†NEWPORT C.B. ..	–	1	–	–	1	C. 1 G. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	4	–	–	–	–	–
†ABERTILLERY ...	–	–	–	–	2	–
BEDWAS AND MACHEN	–	–	1	–	–	–
†BEDWELLTY ...	2	1	1	–	–	–
†BLAENAVON ...	–	1	–	–	–	–
†EBBW VALE ...	12	4	–	–	–	–
LLANTARNAM ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	4	–	–	–	2	–
PONTYPOOL ...	2	–	–	–	–	–
†RHYMNEY ...	–	1	–	–	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	2	–	–	–	–
Rural Districts:—						
MAGOR	–	1	–	–	–	–
MONTGOMERY...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	2	–	–	–	–
PEMBROKE ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
NEYLAND... ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
G, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE—*cont.*						
Rural Districts:—						
HAVERFORDWEST.	-	1	-	-	-	-
PEMBROKE ...	-	-	1	-	-	-
RADNOR	-	3	-	-	-	-
Urban District:—						
PRESTEIGNE ...	-	1	-	-	-	-
RADNOR—*cont.*						
Rural Districts:—						
KNIGHTON ...	-	1	-	-	-	-
RHAYADER ...	-	1	-	-	-	-
Total of Part II. ...	149	1898	925	86	666	C. 30 D. 4 E. 43 F. 2 G. 17 J. 2 L. 7 M. 92 N. 79

PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FOLKESTONE	-	-	1	-	-	-
PLYMOUTH	-	-	-	2	-	-
SOUTHAMPTON ...	-	-	1	-	-	-
PORT OF LONDON ...	-	-	-	1	-	-
Total of Part III. ...	-	-	2	3	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	–	364	231	11	70	C. 5 E. 2 G. 3 M. 11 N. 9
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	149	1898	925	86	666	C. 30 D. 4 E. 43 F. 2 G. 17 J. 2 L. 7 M. 92 N. 79
Total of Part III.—Port Sanitary Districts	–	–	2	3	–	—
Total (*i.e.*, of returns received), England and Wales ...	149	2262	1158	100	736	C. 35 D. 4 E. 45 F. 2 G. 20 J. 2 L. 7 M. 103 N. 88

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poliomyelitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	O
LONDON:—													
DEATHS (excluding Still-births)—all ages.	777	768	763	714	793	727	759	773	744	778	762	816	
DEATHS—0 to 1 year ..	68	51	65	49	69	42	55	67	69	75	49	78	
GREAT TOWNS, aggregate (including London):—													
LIVE BIRTHS	6,636	6,875	6,901	5,798	6,772	6,314	6,575	6,703	6,193	6,091	5,997	6,352	6,
STILLBIRTHS	233	242	259	241	239	245	306	267	268	252	264	264	
DEATHS (excluding Still-births)—all ages	3,442	3,424	3,510	3,303	3,406	3,244	3,343	3,380	3,346	3,401	3,610	3,571	3,
DEATHS—0 to 1 year ..	320	314	390	326	328	280	344	329	359	361	347	353	
ENTERIC FEVER—Cases	26	33	27	25	20	28	36	38	44	34	36	33	
" Deaths	2	2	1	3	2	2	—	1	4	5	3	5	
SMALL POX—Cases ..	30	26	41	45	29	26	38	19	39	20	18	27	
" Deaths ..	—	—	—	—	—	—	—	1	—	—	—	—	
SCARLET FEVER—Cases	913	955	942	677	814	677	774	889	977	951	1,176	1,136	1,
" Deaths	2	3	8	2	4	8	4	2	6	6	4	2	
DIPHTHERIA—Cases ..	535	574	497	444	455	449	453	556	693	688	801	742	7
" Deaths ..	21	30	22	25	20	13	15	22	24	27	33	20	
MEASLES—Deaths ..	21	29	25	31	19	19	16	13	16	13	10	9	
INFLUENZA—Deaths ..	21	25	15	16	26	21	20	18	21	24	42	34	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 8th October, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	65	34	61·0	40·0	1	HUDDERSFIELD	72	34	59·4	38·6	3
BRIGHTON ..	65	38	61·4	44·3	0	BRADFORD ..	64	35	59·6	41·3	2
PORTSMOUTH ..	65	39	61·7	44·8	0	SHEFFIELD ..	66	36	58·4	42·7	2
NORWICH (EATON)	67	34	60·0	40·6	1	YORK (MUSEUM)	66	33	59·3	40·4	1
PLYMOUTH ..	65	40	62·3	45·3	2	HULL (PEARSON PARK).	66	34	60·7	40·4	2
BRISTOL (CLIFTON).	64	39	60·9	42·9	3	TYNEMOUTH ..	66	36	59·3	44·7	2
BIRMINGHAM (EDGBASTON).	65	39	60·7	44·9	1	CARDIFF.. ..	63	38	60·0	42·3	2
NOTTINGHAM ..	67	33	60·9	40·0	2	EDINBURGH ..	63·0	37·0	57·6	42·9	5
BIRKENHEAD (BIDSTON).	64	39	58·1	46·3	1	GLASGOW ..	62·8	36·0	57·6	41·5	1
MANCHESTER (WHITWORTH PARK).	?	37	?	42·0	1	DUBLIN (PHŒNIX PARK).	66·0	34·6	62·7	38·5	—
BURNLEY.. ..	69	31	60·6	39·4	1	(FITZWILLIAM SQUARE†).	64·1	40·8	59·8	43·8	1
						BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 8th October, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	2	..	29·649	65·2	47·4	17·8	56·1	+ 2·4	53·1	3·0	9·5	1·8	90	97·0	38·9	55·0	SSW: SW.	SW: WNW.	6·8	0·6	0·9	469	+ 207	0·05
MONDAY -	3	..	30·155	59·9	36·5	23·4	47·5	− 5·8	39·5	8·0	23·2	0·0	73	103·1	26·1	55·0	WSW: N.	Calm: SSE.	0·7	0·0	0·0	164	− 101	0·00
TUESDAY -	4	First Quarter. Greatest Declination S.	30·202	56·9	33·9	23·0	45·2	− 7·8	44·6	0·6	10·7	0·0	97	102·4	25·4	54·9	Calm	Calm	0·0	0·0	0·0	56	− 209	0·00
WEDNESDAY	5	..	30·295	56·6	35·8	20·8	45·1	− 7·7	42·8	2·3	11·5	0·0	91	99·1	27·4	54·7	Calm	Calm: SE.	0·1	0·0	0·0	88	− 176	0·00
THURSDAY	6	..	30·255	62·7	35·2	27·5	48·6	− 3·9	46·7	1·9	13·6	0·0	93	96·7	26·1	54·3	Calm: SW.	SW: Calm.	0·2	0·0	0·0	131	− 131	0·00
FRIDAY -	7	..	30·199	62·4	39·4	23·0	49·4	− 2·9	49·4	0·0	8·9	0·0	100	77·1	31·2	54·1	Calm	NE: Calm.	0·1	0·0	0·0	105	− 153	0·00
SATURDAY -	8	..	30·241	62·7	46·6	16·1	53·2	+ 1·2	49·9	3·3	12·5	0·0	88	110·5	35·2	54·0	Calm: NNE.	NE: ENE.	0·6	0·0	0·0	160	− 93	0·00
MEANS		..	30·142	60·9	39·3	21·7	49·3	− 3·5	46·6	2·7	12·8	0·3	90	98·0	30·0	54·6	Calm		..	..	..	Sum 1173	Sum − 656	Sum 0·05
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. October.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	General Remarks.
Sunday ..	2	wP till 20h.; then mP.	0·8	11·6	Overcast generally till 19h.; then becoming cloudless by 20h. Slight damping 8¾h. till 9h. Brisk wind 10½h. till 20h. Rain 17h. till 17¾h.
Monday ..	3	wP till 8h.; mP till 19h.; then wP.	8·2	11·5	Cloudless. Haze 12h. till 17h., then slight fog. Dew in morning and at night. Hoar frost in evening.
Tuesday ..	4	wP	2·3	11·5	Cloudless till 4h.; partially cloudy till 12h.; cloudless till 22h.; then becoming overcast. Fog generally. Dew in morning. Hoar frost at night.
Wednesday	5	wP till 7h.; mP till 10h.; then wP.	5·1	11·4	Overcast till 6h.; then nearly cloudless. Fog till 11h.; and from 17h.
Thursday	6	wP till 12h.; mP till 19h.; then wP.	3·8	11·3	Nearly cloudless. Fog generally.
Friday ..	7	wP till 14h.; mP till 18½h.; then wP.	1·1	11·3	Cloudless till 11h.; partially cloudy till 15h.; then cloudless. Fog generally.
Saturday	8	wP	6·3	11·2	Variably cloudy. Fog till 9h.
			Sum 27·6	Sum 79·8	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·63 ins. at the beginning of the week to 29·66 ins. by 6h. on October 2nd; decreased to 29·56 ins. by 15h. on October 2nd; increased generally to 30·32 ins. by 23h. on October 5th; decreased to 30·18 ins. by 15h. on October 7th; increased generally and was 30·26 ins. by midnight on October 8th.

FOR OFFICIAL USE

1927. No. 41.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 15TH OCTOBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 15TH OCTOBER, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the forty-first week of the year numbered 6,428 and corresponded to an annual rate of 17·1 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,906 and corresponded to an annual rate of 10·4 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·6, 9·5 and 10·5. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 54 against 52, 54 and 56 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,449 live births, corresponding to a rate of 16·4 per 1,000, and 904 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 10·2, against 8·6, 9·2 and 11·1 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·8 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 39 as against 33, 52 and 47 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 3,941 to 3,906, and in London from 977 to 904.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 231 in the Great Towns including 34 in London.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 15th October, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 GREAT TOWNS ..	19,540,143*	6428	231	3906	354	1	14	5	6	32	72	51
LONDON	4,806,400*	1449	34	904	59	-	-	1	3	5	12	7
TOWNS IN OUTER RING.												
CROYDON C.B. ..	205,900	57	4	40	4	-	-	-	-	-	1	1
WIMBLEDON ..	58,030	15	-	12	-	-	-	-	-	-	-	-
EALING	91,783	23	-	23	1	-	-	-	-	-	-	-
ACTON	63,040	18	-	14	3	-	-	-	-	-	1	-
BRENTFORD AND CHISWICK ..	56,840	24	-	10	1	-	-	-	-	-	-	-
WILLESDEN ..	165,270	43	-	33	-	1	-	-	-	-	-	-
HENDON	62,570*	26	-	8	1	-	-	-	-	-	-	-
HORNSEY	87,230	22	-	23	1	-	-	-	-	-	-	1
WOOD GREEN ..	51,940	11	-	11	-	-	-	-	-	-	-	-
TOTTENHAM ..	151,520	45	-	33	3	-	-	-	-	-	-	-
EDMONTON	71,700	39	5	13	-	-	-	-	-	1	-	-
ENFIELD	63,640	16	-	10	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	315,900	126	1	60	4	-	1	-	-	1	-	-
EAST HAM C.B. ..	146,600	35	1	25	3	-	-	-	-	1	-	-
LEYTON	130,000	24	-	22	-	-	-	-	-	-	-	-
WALTHAMSTOW ..	125,500	35	-	18	-	-	-	-	-	-	-	-
ILFORD	100,500	23	-	16	1	-	-	-	-	-	1	-
GILLINGHAM	47,820*	13	-	10	1	-	-	-	-	-	-	1
CANTERBURY C.B ..	23,470*	6	-	5	1	-	-	-	-	-	-	-
HASTINGS C.B.	61,340	12	2	20	1	-	-	-	-	-	-	1
EASTBOURNE C.B. ..	56,060	18	-	10	1	-	-	-	-	-	-	-
BRIGHTON C.B.	139,500*	30	3	28	1	-	1	-	-	1	-	1
PORTSMOUTH C.B. ..	231,500*	98	6	52	5	-	-	-	-	1	1	3
BOURNEMOUTH C.B. ..	90,100	17	-	19	2	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	169,300	49	1	30	4	-	-	-	-	1	-	-
READING C.B	93,090*	25	2	23	1	-	-	-	-	-	-	-
OXFORD C.B.	56,800	21	-	7	-	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,530*	22	1	19	-	-	-	-	-	-	-	-
LUTON	59,240	23	-	6	3	-	-	-	-	-	-	-
CAMBRIDGE	58,820	20	1	11	1	-	-	-	-	1	-	-
SOUTHEND-ON-SEA C.B.	104,300	24	-	26	-	-	-	-	-	1	-	-
IPSWICH C.B.	84,140	26	2	14	1	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,760	19	-	13	-	-	-	-	-	1	-	-
NORWICH C.B.	123,500*	50	3	22	4	-	-	-	-	-	-	-
SWINDON	57,320	23	1	7	1	-	-	-	-	1	-	-
EXETER C.B.	60,340*	15	1	12	-	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	187,300*	69	2	46	-	-	-	-	-	-	-	1
BATH C.B.	69,000	17	-	12	-	-	-	1	-	-	-	-
BRISTOL C.B.	383,300*	134	5	83	5	-	-	-	-	-	-	1
GLOUCESTER C.B. ..	53,050	18	-	9	1	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	275,600	119	5	58	8	-	1	-	-	-	-	-
BURTON-UPON-TRENT C.B.	48,660	16	1	10	-	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	131,000	59	3	30	6	-	1	-	-	-	2	-
WALSALL C.B.	102,100	54	1	26	4	-	-	-	-	3	-	-
WEST BROMWICH C.B.	79,920	27	1	14	1	-	-	-	-	-	-	1
DUDLEY C.B.	58,930	28	-	14	1	-	-	-	-	-	1	-
WORCESTER C.B. ..	50,660	8	-	9	-	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	934,300*	339	11	150	11	-	-	-	-	1	1	3
SMETHWICK C.B. ..	76,940	15	-	8	-	-	-	-	-	-	-	-
COVENTRY C.B. ..	127,800	41	1	24	2	-	-	-	-	1	-	-
LEICESTER C.B. ..	241,700	73	2	46	5	-	-	-	-	-	1	2
LINCOLN C.B.	65,760*	21	-	13	2	-	-	-	-	-	-	-
GRIMSBY C.B.	88,580	32	1	17	2	-	-	-	-	-	1	-
NOTTINGHAM C.B. ..	268,000	89	3	56	7	-	-	-	-	2	4	1
DERBY C.B.	136,600*	46	5	17	2	-	-	-	-	-	-	-
CHESTERFIELD ..	66,650	29	2	10	1	-	-	-	1	-	-	-
STOCKPORT C.B. ..	125,400	34	5	25	1	-	-	-	-	-	-	-
CHESTER C.B.	41,710	14	-	10	1	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	158,000	54	1	24	5	-	-	-	-	-	3	1
WALLASEY C.B. ..	93,050	28	4	9	1	-	-	-	-	-	1	-
LIVERPOOL C.B. ..	862,600	367	18	181	38	-	1	-	-	1	15	2
BOOTLE C.B.	84,580	37	1	8	2	-	-	-	-	-	-	-
ST. HELENS C.B. ..	110,000	47	2	20	3	-	2	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	77,970	14	1	15	1	-	-	-	-	-	-	-
Wigan C.B.	88,620	34	1	16	3	-	-	-	-	-	-	-
Warrington C.B. ..	76,940*	26	-	11	2	-	-	-	-	-	-	-
Bolton C.B.	177,000	53	2	34	2	-	-	-	-	-	-	3
Bury C.B.	56,840*	17	1	7	-	-	-	-	-	-	-	-
Manchester C.B. ..	752,000	244	11	157	17	-	3	-	-	2	4	4
Salford C.B.	247,400	65	3	49	1	-	1	1	-	-	-	2
Ashton-under-Lyne	51,050	23	2	16	1	-	-	-	-	-	-	2
Oldham C.B.	143,000	38	3	39	3	-	-	-	-	1	-	2
Rochdale C.B.	91,510	18	-	30	3	-	-	1	-	-	1	1
Burnley C.B.	99,600	25	2	24	-	-	-	-	-	-	-	-
Blackburn C.B. ..	124,400	37	3	28	2	-	-	-	-	-	1	-
Preston C.B.	124,200	35	1	20	2	-	-	-	-	-	-	-
Blackpool C.B. ..	88,640	25	-	24	1	-	1	-	-	-	-	1
Barrow-in-Furness C.B.	70,420	20	1	13	3	-	-	-	-	-	-	1
Huddersfield C.B. ..	111,900	25	3	21	1	-	-	-	-	-	-	1
Halifax C.B.	96,130*	25	2	24	1	-	-	-	-	-	1	-
Bradford C.B. ..	288,700	73	2	74	5	-	-	-	-	2	-	-
Leeds C.B.	473,400	159	3	106	14	-	-	-	-	1	3	2
Dewsbury C.B. ..	53,630	15	-	17	1	-	-	-	-	-	-	-
Wakefield C.B. ..	53,830	23	-	9	2	-	-	-	-	-	-	-
Barnsley C.B. ..	70,760	26	3	17	3	-	1	-	-	-	-	-
Sheffield C.B. ..	523,300*	164	1	96	9	-	-	-	-	-	2	-
Rotherham C.B. ..	70,080	30	2	13	-	-	-	-	1	1	-	1
Doncaster C.B. ..	55,700	28	1	10	1	-	-	-	-	-	-	-
York C.B.	84,430*	30	2	13	2	-	-	-	-	-	-	-
Hull C.B.	294,600	112	3	60	5	-	-	-	-	1	3	-
Middlesbrough C.B.	133,600	59	2	29	5	-	-	-	-	-	3	-
Darlington C.B. ..	70,700	15	2	16	-	-	-	-	-	-	-	1
Stockton-on-Tees ..	67,910	19	2	8	1	-	-	-	-	-	-	-
West Hartlepool C.B.	71,060	33	3	17	2	-	-	-	-	-	-	-
Sunderland C.B. ..	163,800	73	4	41	5	-	-	-	-	-	2	-
South Shields C.B. ..	123,900	42	-	29	4	-	-	-	-	-	1	1
Gateshead C.B. ..	127,700	39	2	33	6	-	-	-	-	-	2	1
Newcastle-on-Tyne C.B.	284,700*	111	5	51	7	-	-	-	-	-	2	-
Tynemouth C.B ..	66,560	25	1	17	-	-	1	1	-	-	-	-
Carlisle C.B.	56,140*	23	-	11	3	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,620	34	-	14	-	-	-	-	-	-	-	-
Cardiff C.B.	225,600*	74	2	50	5	-	-	-	-	-	2	-
Rhondda	162,500	31	3	32	5	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	80,690	24	1	21	1	-	-	-	-	1	-	-
Aberdare	56,930	9	2	13	1	-	-	-	-	-	-	1
Swansea C.B.	163,200	76	7	45	7	-	-	-	1	-	-	-
Greater London ..	7,791,310*	2,411	50	1,485	87	1	1	1	3	9	15	11
Outer Ring	3,185,910*	962	16	581	28	1	1	-	-	4	3	4
17 Great Towns in Outer Ring	1,947,963*	582	11	371	22	1	1	-	-	3	3	2
Remainder of Outer Ring	1,237,947*	380	5	210	6	-	-	-	-	1	-	2
Edinburgh†	426,100	152	?	92	6	-	-	-	-	1	2	-
Glasgow†	1,049,000	428	?	268	38	-	9	-	2	3	4	1
Dublin (Registration Area)†	421,000	202	?	110	19	-	-	-	-	3	5	-
Belfast†	416,000	183	?	107	21	-	-	-	-	1	5	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which relates to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,605,400	1927. Oct. 15	1449	34	904	10·2	-	-	-	1	3	5	12
Calcutta and Suburbs	1,077,264	Sept. 10	?	?	538‖	26·0	?	5	-	?	?	?	?
Bombay§	1,298,708	" 17	469	58	507‖	20·3	2	1	-	-	-	1	30
Madras	528,791	" 17	572	28	362‖	35·6	2	1	-	-	1	-	28
Sydney and Suburbs	1,038,950	Aug. 31 (31 days)	1984	?	1031	11·6	1	?	?	13	6	8	9
Brisbane (Metropolitan Area).	274,260	Aug. 31 (31 days)											
Perth (Metropolitan Area).	184,223	Aug. 20	79	?	41	11·6	?	?	?	?	1	?	-
Auckland (Urban Area).	201,220	" 31 (31 days)											
Wellington (Urban Area).	126,310	Aug. 31 (31 days)											
Christchurch (Urban Area).	121,760	Aug. 31 (31 days)											
Cape Town	114,846	Sept. 17	31	1	31	14·0	-	-	-	-	1	-	2
Johannesburg	172,718	" 17	106	3	45	13·6	-	-	-	-	-	-	-
Durban	54,715	" 17	29	-	23	21·9	-	-	-	-	-	-	-
Paris	2,871,429	" 30 (10 days)	1148	79	823	10·5	2	-	3	-	8	4	15
Antwerp	300,242	Sept. 10	94	2	45	7·8	-	-	-	-	1	2	3
Amsterdam	730,328	" 17	264	11	105	7·5	-	-	-	-	1	-	-
Copenhagen	597,800	Oct. 1	174	3	108	9·4	2	-	-	-	1	-	-
Stockholm	453,332	Sept. 24	92	4	90	10·3	-	-	-	-	1	-	1
Gothenburg	231,196	" 10	?	?	30	6·7	-	-	-	-	-	-	-
		" 17	?	?	48	10·8	-	-	-	-	-	-	1
Oslo (Christiania) ..	254,055	Oct. 8	30	5	54	11·1	-	-	-	-	-	-	-
Berlin	2,003,000	Sept. 24	386	12	400	10·4	-	?	-	-	-	12	3
Breslau	563,000	" 24	135	7	99	9·1	-	?	-	1	-	-	2
Cologne	718,000	" 24	259	8	133	9·6	-	?	1	2	-	1	4
Dresden	625,000	" 24	125	2	112	9·3	1	?	-	-	-	-	3
Frankfort-on-Main..	474,000	" 24	99	4	53	5·8	-	?	-	-	-	-	-
Hamburg	1,105,000	" 24	248	10	167	7·9	-	?	-	-	-	-	4
Leipzig	687,000	" 24	145	5	135	10·2	-	?	-	-	-	-	-
Munich	685,000	" 24	153	6	140	10·6	1	?	1	-	-	-	-
Vienna	1,870,325	April 30 (30 days)											
Prague and Suburbs	738,132	April 30 (30 days)											
Budapest	971,169	Sept. 24	342	13	221	11·8	7	-	-	-	1	4	4
Warsaw	1,028,982	Oct. 1	?	10	285	14·4	10	-	3	5	5	2	27
Cairo	874,300	April 29	833	21	445	26·5	2	-	3	-	?	2	76
		May 6	847	33	513	30·6	4	-	-	-	?	1	115
Alexandria	501,800	April 29	516	7	249	25·9	-	-	1	-	?	3	21
		May 6	480	7	250	26·0	2	-	1	-	?	1	31
New York	5,924,018	Oct. 1	?	?	1147	10·1	-	-	-	-	14	5	15
Chicago	3,048,000	Sept. 23	1298	57	576	9·7	-	-	-	-	1	7	11
New Orleans	433,000	" 30 (30 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 13 deaths from Cholera in Calcutta, 6 in Madras, and 1 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 15th October, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	904	59	15	9	25	32	43	53	118	155	197	198
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	1	-	3	-	-	-	-	1	-	
Influenza	7	-	-	-	-	-	-	-	3	2	1	1
Erysipelas	2	1	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-		-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	76	-	-	-	3	17	9	12	20	11	4	-
Nervous system	4	2	1	1	-	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	3	-	-	-	-	1	-	-	1	-	-	1
Venereal diseases	6	1	-	-	-	-	-	-	2	3	-	-
Cancer	105	-	-	1	-	-	3	8	19	25	31	18
Rheumatic fever	1	-	-	-	-	1	-	-	-	-	-	-
Diabetes	14	-	-	-	-	-	2	-	2	5	4	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	-	-	2	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	41	-	-	-	-	-	1	1	1	6	15	17
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	30	1	-	-	1	2	3	5	4	9	4	1
Pericarditis	2	-	-	-	1	-	-	-	-	-	1	-
Acute endocarditis	7	-	-	-	-	1	3	-	2	-	-	1
Other diseases of heart	169	-	-	-	1	1	5	4	17	32	54	55
Other diseases of circulatory system	56	-	-	-	-	-	1	-	3	11	20	21
Bronchitis	47	2	2	-	1	-	1	-	3	6	14	18
Broncho-pneumonia	28	8	2	-	1	-	-	2	5	3	3	4
Lobar-pneumonia	29	2	1	-	1	-	2	4	6	2	6	5
Pneumonia (type not distinguished)	6	1	-	1	-	-	-	1	-	-	1	2
Other diseases of respiratory system	18	-	1	-	-	1	1	1	3	2	4	5
Diarrhœa and enteritis	13	8	4	-	-	-	-	-	-	1	-	-
Appendicitis, Typhlitis	4	-	-	1	1	-	-	1	-	1	-	-
Hernia, Intestinal obstruction	13	2	-	-	-	-	2	-	1	3	2	3
Cirrhosis of liver	6	-	-	-	-	-	1	1	2	-	1	1
Other diseases of digestive system ..	27	1	-	1	4	-	2	2	2	6	3	6
Acute nephritis	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Bright's disease	32	-	-	-	-	-	1	1	10	10	6	4
Other diseases of genito-urinary system.	17	-	-	-	-	-	1	2	4	3	5	2
Puerperal sepsis	4	-	-	-	-	1	2	1	-	-	-	-
Other causes incident to childbirth ..	-	-	-		-	-	-	-	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	13	13			-	-	-	-		-	-	-
Debility, atrophy (congenital) ..	1	1	-	-	-				-	-		-
Old age	25	-	-					-	-	-	2	23
Suicide	13	-	-	-	-	1	2	2	4	2	2	-
Burns and Scalds	2	1	-	1	-	-	-	-	-	-	-	-
Drowning	1	-	-	-	-	1	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	1	3	1	-	1	1	2	2	1
Other deaths by violence	18	-	-	-	1	2	1	1	2	2	3	6
Other specified causes	32	6	2	2	1	-	-	3	1	7	9	1
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 15th October, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	400	263	3	90	C. 5 E. 2 G. 3 M. 17 N. 15
†CITY OF LONDON	-	1	-	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	10	23	-	9	-
†BERMONDSEY ...		21	8	-	1	-
†BETHNAL GREEN		15	14	-	2	M. 1
†CAMBERWELL ...		17	22	-	1	M. 1
†CHELSEA	-	6	1	-	3	C. 1 M. 2 N. 1
†DEPTFORD ...		11	7	-	3	N. 1
†FINSBURY ...	-	8	6	-	-	-
†FULHAM		6	10	-	4	M. 1
†GREENWICH ...		8	8	-	1	M. 1
†HACKNEY ...	-	37	14	-	2	M. 2 N. 2
†HAMMERSMITH ...	-	16	9	-	4	N. 2
†HAMPSTEAD ...	-	15	2	-	1	-
†HOLBORN... ...	-	1	1	-	-	-
†ISLINGTON ...		21	17	-	8	C. 1 M. 2
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...		10	9	1	5	-
†LAMBETH ...		26	18	-	3	N. 2
†LEWISHAM ...		22	6	-	1	M. 1
†PADDINGTON ...	-	10	4	-	2	N. 1
†POPLAR	-	28	3	-	10	C. 1 E. 1 M. 1
†ST. MARYLEBONE	-	6	3	-	-	N. 1
†ST. PANCRAS ...	-	12	10	-	9	M. 1 N. 2
†SHOREDITCH ...	-	11	14	-	4	G. 2
†SOUTHWARK ...	-	11	15	-	3	C. 2
†STEPNEY	-	31	11	1	5	M. 1 N. 1
†STOKE NEWINGTON	-	3	4	-	-	-
†WANDSWORTH ...	-	27	13	-	7	G. 1 M. 3
†WESTMINSTER, CITY OF	-	-	8	-	-	N. 1
†WOOLWICH ...	-	10	3	1	2	E. 1 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	23	10	2	-	N. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	-	6	1	-	-	-
BIGGLESWADE ...	-	3	-	-	-	-
DUNSTABLE ...	-	1	-		-	-
LEIGHTON BUZZARD	-	2	-	-	-	-
†LUTON	-	6	3	1	-	-
Rural Districts:—						
AMPTHILL ...	-	1	-	1	-	-
BEDFORD... ...	-	3	-	-	-	-
BIGGLESWADE ...	-	-	5	-	-	N. 1
LUTON	-	1	1	-	-	-
BERKS	-	10	2	4		-
†READING C.B. ...	-	5	2	2	-	-
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	-	-		1	-	-
Rural Districts:—						
BRADFIELD ...	-	1	-	-	-	-
COOKHAM ...	-	-	-	1	-	-
FARINGDON (part)	-	2	-	-	-	-
WALLINGFORD ...	-	1		-	-	-
WOKINGHAM ...		1	-	-		-
BUCKINGHAM ...	-	3	1	-	5	N. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	-	-	-	-	2	-
†SLOUGH	-		-	-	1	-
†WOLVERTON ...	-	-	-	-	2	N. 1
Rural Districts:—						
AYLESBURY ...	-	-	1	-	-	-
WING	-	2	-	-	-	-
WINSLOW... ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
CAMBRIDGE ...	-	14	1	-	-	N. 1
Borough:—						
†CAMBRIDGE ...	-	6	1	-	-	N. 1
Rural Districts:—						
MELBOURN ...	-	1	-	-	-	-
NEWMARKET ...	-	7	-	-	-	-
CHESTER ...	-	61	21	1	17	C. 2
						M. 3
						N. 3
†BIRKENHEAD C.B.	-	4	3		4	M. 2
†CHESTER C.B. ...	-	1	-	-	-	N. 1
†STOCKPORT C.B.	-	8	2	1	4	C. 1
†WALLASEY C.B. ...	-	5	2	-	1	-
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	-	3	1	-	-	-
BOLLINGTON ...	-	1	-	-	-	-
BOWDON	-	1	-	-	-	-
BREDBURY AND ROMILEY	-	-	2	-		-
†CONGLETON ...		-	2		2	C. 1
†CREWE	-	4		-		-
†DUKINFIELD ...	-	-	-	-	1	-
†ELLESMERE PORT AND WHITBY	-	2	-	-	2	-
HALE	-	2	-			-
†HOYLAKE AND WEST KIRBY	-	1	-	-	-	-
†HYDE	-	1	1	-	3	-
†MACCLESFIELD ...		2	1			-
MOTTRAM IN LONGDENDALE	-	-	1	-	-	-
NANTWICH ...	-	1	-		-	-
NESTON AND PARKGATE		2	-	-	-	-
†NORTHWICH ...	-	6	-			-
†RUNCORN... ...	-	-		-	-	N. 1
†SALE		-	1	-	-	-
†STALYBRIDGE ...	-	-	1	-	-	M. 1
†WINSFORD ...	-		1	-	-	-
YEARDSLEY CUM WHALEY	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ..	*	*	*	*	*	*
CONGLETON ..		1		–	–	–
MACCLESFIELD ...	–	5		–		–
NANTWICH ...		1	1	–	–	N. 1
NORTHWICH ...		1	–	–	–	–
RUNCORN ...	–	8	1	–	–	–
WIRRAL	–	1	–	–	–	–
CORNWALL ...	–	7	8	2	3	N. 2
Boroughs and Urban Districts:—						
†CAMBORNE ...		–	7	1	1	–
FOWEY	*	*	*	*	*	*
LAUNCESTON ...	–	–	–	–	1	–
LOOE	–		–	1	–	–
PAUL	–	3	–	–	–	–
PHILLACK ...		2	1	–	–	–
REDRUTH ...		–	–	–	1	–
Rural Districts:—						
EAST KERRIER ...		1	–	–	–	–
ST. AUSTELL ..		1	–	–	–	N. 1
WEST PENWITH...	–	–				N. 1
CUMBERLAND...	–	7	1	–	7	E. 1 M. 2
†CARLISLE C.B. ...	–	3	1		3	M. 1
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	–		–	–	E. 1
HARRINGTON ...	–	1	–	–	–	
KESWICK	–	–			–	M. 1
WIGTON	–	–		–	2	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BOOTLE	–	–	–	–	1	–
BRAMPTON ...	–	2	–	–	–	–
WHITEHAVEN ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	9	42	19	3	19	C. 2 G. 2 M. 2
†DERBY C.B.	–	10	10	1	11	C. 1 G. 1
Boroughs and Urban Districts:—						
†ALFRETON ..	1	1	–			C. 1
†BELPER	1	1	–	–	–	–
†BOLSOVER ...	–	1	–		–	M. 1
†CHESTERFIELD ...	–	3	1	–	1	G. 1
DRONFIELD ...	–	1	–	–	–	–
†GLOSSOP ...	–	–	–	1		–
†HEANOR	–	2	–	–	–	–
†ILKESTON ...	–	2	–	–	–	–
†LONG EATON ...	–	1	–	–	–	–
NEW MILLS ...	–	1	–	–	–	–
NORTH DARLEY...		1	–	–	1	–
†RIPLEY	5	–	–	–	–	–
†SWADLINCOTE DISTRICT	*	*	*	*	*	*
Rural Districts:—						
BELPER	1	–	–	–	–	–
BLACKWELL ...	–	7	1	–	3	
CHESTERFIELD ...	–	3	3	1	2	M. 1
CLOWNE	1	3	1	–	–	–
HARTSHORN AND SEALS	–	–	2	–	1	–
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	2	1	–	–	–
SUDBURY... ...	–	1	–	–	–	
DEVON	–	8	7	–	6	C. 1 E. 1 N. 1
†EXETER C.B. ...	–	1	–	–	–	–
†PLYMOUTH C.B...	–	2	4	–	1	C. 1 N. 1
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	–	–	1	–
†BARNSTAPLE ...	–	2	1	–	1	
BIDEFORD ...	–	–	–		1	–
†TEIGNMOUTH ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BROADWOOD WIDGER	–	–	–	–	1	–
HONITON	–	–		–	–	E. 1
KINGSBRIDGE ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	1	–	–	–
SOUTH MOLTON ...	–	–	–	–	1	–
TORRINGTON ...	–	–	1	–		–
DORSET	–	13	–	–	3	E. 2 N. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–		1	
†POOLE	–	4	–	–	–	N. 1
†PORTLAND ..	–	1	–	–	–	–
SHERBORNE ...	–	1	–	–	–	–
Rural Districts:—						
POOLE	–	1	–	–	–	–
SHAFTESBURY ...	–	2	–	–	–	E. 2
STURMINSTER ...	–	2		–	–	–
WEYMOUTH ...		2	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	2	–
DURHAM ...	34	79	34	1	54	E. 1 M. 1 N. 1
†DARLINGTON C.B.	–	8	–	1	–	E. 1
†GATESHEAD C.B.	6	8	4	–	3	–
†SOUTH SHIELDS C.B.	7	6		–	8	–
†SUNDERLAND C.B.	6	5	1	–	6	M. 1
†WEST HARTLEPOOL C.B.	–	5	2		7	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	3	–	–	–	–	–
BENFIELDSIDE ...		4	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts— *cont.*						
†CHESTER LE STREET	–	3	–	–	1	–
†CONSETT	–	2	1	–	–	–
†CROOK	–	2	2	–	–	–
†FELLING	–	1	–	–	3	–
†HARTLEPOOL ...	–	1	–	–	2	–
†HEBBURN ...	1		–	–	2	–
†HETTON	–	6	–	–	2	–
†HOUGHTON LE SPRING	–	–	–		3	–
†JARROW	–	2	–	–	6	–
†RYTON	–	–		–	1	–
†SEAHAM HARBOUR	–	1	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	2	–
†SPENNYMOOR ...	–	–	3	–	–	–
†STANLEY	6	1	5	–	1	–
†STOCKTON ON TEES	–	4	1	–	–	–
†TANFIELD ...	–	–	1	–		–
†WASHINGTON ...	–	–	1	–	1	–
†WHICKHAM ...	–	2	1	–	–	–
WILLINGTON ...	–	–	4	–	–	–
Rural Districts:—						
AUCKLAND ...	–	7	3	–	–	–
CHESTER LE STREET	–	1	–		–	–
EASINGTON ...	2	2	–	–	2	N. 1
HOUGHTON LE SPRING	–	2	–	–	1	–
LANCHESTER ...	–	3	4	–	1	–
SEDGEFIELD ...	1	–	–	–	–	–
SOUTH SHIELDS...	2	1	–	–	–	–
STOCKTON ...	–	2		–	–	–
SUNDERLAND ...	–	–	1	–	2	–
ELY, ISLE OF ...	–	1	4	–	3	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	1	–	–	–
†WISBECH	–	–	2	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Rural Districts:—						
ELY	–	–	1	–	1	–
WISBECH	–	1	–	–	–	–
ESSEX	–	170	83	1	28	C. 1 E. 1 G. 1 M. 5 N. 5
†EAST HAM C.B. ..	–	30	19	–	1	G. 1
†SOUTHEND-ON-SEA C.B	–	10		–	6	M. 2 N. 1
†WEST HAM C.B. ...	–	48	16	–	8	C. 1
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	2	5	–	1	M. 1
BURNHAM ON CROUCH	–	1	–	–		–
†COLCHESTER ...	–	1	–	–	3	–
DAGENHAM ...		10	5	–	1	M. 1
EPPING	–	–	–	–	1	–
†GRAYS THURROCK	–	2	12	–	–	–
HALSTEAD ...	–	2			–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD		15	5	–	–	N. 1
†LEYTON		17	6	–	1	–
MALDON	–	4	–	–	–	–
†ROMFORD ...	–		1		–	–
SAFFRON WALDEN	*	*	*	*	*	*
TILBURY	–	1	–	–	–	N. 1
†WALTHAMSTOW...	–	18	3	–	4	M. 1
†WOODFORD ...	–	3	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–		2	–	–	–
BRAINTREE ...	–	3	–	–	–	–
DUNMOW	–	–	–	–	1	–
EPPING	–	1	2	–	–	N. 1
MALDON	–	–	–	1	–	–
ORSETT	–	1	7	–	1	E. 1 N. 1
SAFFRON WALDEN	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	77	22	2	4	F. 1 G. 1 M. 2 N. 2
†BRISTOL C.B. ...	–	62	15	1	1	F. 1 G. 1 M. 1
†GLOUCESTER C.B.	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	1	1	1	M. 1 N. 1
COLEFORD ...	–	–	–		1	–
†KINGSWOOD ...	–	3	–	–	–	–
MANGOTSFIELD ...	–	3	–		–	–
STROUD	–	1	–	–	–	–
TEWKESBURY ...	–	2	–	–		–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	N. 1
GLOUCESTER ...	–	1	–	–	–	–
PEBWORTH ...	*	*	*	*	*	*
STROUD	–	1	2	–	1	–
TETBURY (part)	–		1	–	–	–
HEREFORD ...	–	8	6	–	1	C. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	5	2	–	–	–
Rural Districts:—						
BROMYARD ...	–	1		–		–
HEREFORD ...		1	4	–		–
WEOBLEY... ...	–	–	–	–	1	C. 1
WIGMORE ...	–	1		–		–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	11	8	1	2	N. 2
Boroughs and Urban Districts:—						
BALDOCK	–	–	–	–	1	–
†BARNET	–	–	1	–	–	–
BISHOP'S STORTFORD	–	–	3	1		–
BUSHEY	–	2	–	–	–	–
†EAST BARNET VALLEY	–	2	–	–	1	N. 1
†LETCHWORTH ...	–	–	–	–	–	N. 1
†ST. ALBANS ...	–	1	–	–	–	–
†WATFORD ...	–	2	–	–	–	–
WELWYN GARDEN CITY	–	–	1	–	–	–
Rural Districts:—						
BERKHAMPSTEAD.	–	–	2	–	–	–
HATFIELD ...	–	2	1	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	1	–	–	–	–
HUNTINGDON ...	–	1	–	–	–	–
Rural Districts:—						
OUNDLE (part) ...	–	1	–	–	–	–
KENT	–	81	41	3	19	C. 1 M. 2 N. 3
†CANTERBURY C.B.	–	–	–	–	2	
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	1	–
†BECKENHAM ..	–	7	3	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEXLEY	–	5	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	1	–	1	–
†BROMLEY ...	–	1	–	–	1	–
†CHATHAM ...	–	2	5	–	–	M. 1 N. 1
†CRAYFORD ...	–	1	2	–	–	–
†DARTFORD ...	–	1	3	–	–	–
†DEAL	–	3	–	–	–	–
†DOVER	–	–	3	–	3	M. 1
†ERITH	–	10	5	–	1	–
†FAVERSHAM ...	–	1	–		–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	1	1	–	2	–
†GRAVESEND ...	–	4	3	–	–	–
†MAIDSTONE ...	–	–	–	–	–	N. 1
†MARGATE ...	–	6	2	–	1	–
†PENGE	–	5	–	–	–	C. 1
†RAMSGATE ...	–	5	1	1	3	N. 1
†ROCHESTER ...	–	4	3	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	2	–
SANDGATE ...	–	1	–	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
SIDCUP	–	2	1	–	–	–
WALMER ... ⋮	*	*	*	*	*	*
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	–	1	–	–
DARTFORD ...	–	2	1		–	
EAST ASHFORD ...	–	–	–	1	–	–
FAVERSHAM ...	–	1	2		–	–
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	–	2	–	–	–
MAIDSTONE ...	–	3	1		–	–
MALLING	–	5	1	–	–	–
MILTON	–	1	–		–	–
SEVENOAKS ...	–	1	–	–	–	–
STROOD	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	5	293	182	6	157	C. 8 D. 2 E. 3 G. 2 L. 1 M. 21 N. 15
†BARROW IN FURNESS C.B	–	1	1	–	2	–
†BLACKBURN C.B.	–	4	4	–	2	–
†BLACKPOOL C.B.		4	4	–	1	M. 1 N. 1
†BOLTON C.B. ..	–	8	5	–	4	M. 1
†BOOTLE C.B. ...	–	1	–	–	3	M. 1
†BURNLEY C.B. ..	–	–	3	–	6	D. 1 G. 1
†BURY C.B. ...	–	3	7	–	1	–
†LIVERPOOL C.B. ..	–	43	42	4	23	C. 4 M. 9 N. 2
†MANCHESTER C.B.	2	64	35	–	47	C. 3 E. 1 M. 5 N. 3
†OLDHAM C.B. ...	–	4	6	–	4	–
†PRESTON C.B. ..	–	1	12	–	1	N. 1
†ROCHDALE C.B. ..	–	2	4	–	–	–
†ST. HELENS C.B. ...	–	10	5	–	4	L. 1 N. 1
†SALFORD C.B. ...	–	15	16	–	9	N. 1
†SOUTHPORT C.B.	–	8	3		2	E. 1
†WARRINGTON C.B	–	1	–	–	3	–
†WIGAN C.B. ..	–	3	–	–	3	–
Boroughs and Urban Districts:—						
ABRAM	–	2	–	–	–	–
†ACCRINGTON ..	–	3	1	–	1	–
†ASHTON IN MAKERFIELD	–	–	1	–	–	–
†ASHTON UNDER LYNE	–	1	–	–	–	–
ASPULL	–	–	–	–	3	–
†ATHERTON ...	–	1	3	–	1	E. 1
AUDENSHAW ..	–	–	–	–	–	C. 1 N. 1
†BACUP	–	–	1	–		–
BILLINGE AND WINSTANLEY	–	1	–	–	–	–
BRIERFIELD ...	1	–	–	–	–	–
†CHADDERTON ...	–	2	4	–	–	–
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†CHORLEY	–	3	–	–		–
CHURCH	–	1	–	–	1	–
†CLITHEROE ...	–	–	1			–
†COLNE	–	–	–	–	1	–
†DARWEN	–	–	–	–	–	M. 1
†DENTON		1	1	–	2	–
†DROYLSDEN ...	–	1	–	–	1	–
†ECCLES	–	37	–	–	2	D. 1
†FAILSWORTH ..	–		3	–	2	N. 1
†FARNWORTH ...	–	1	–	–	2	–
FULWOOD ...	–	2	–	–		–
†GREAT CROSBY ...		–	–	–	1	–
†GREAT HARWOOD	*	*	*	*	*	*
†HEYWOOD ...	–	–	–	–	2	–
†HINDLEY... ...	–	2	–	–	1	–
†HORWICH ...	–	1	–	–	–	–
HUYTON WITH ROBY	*	*	*	*	*	*
IRLAM	–	5	–	–	–	N. 1
†LANCASTER ...	–	6	–	–	1	M. 1
LATHOM AND BURSCOUGH	–	1	–	–	–	–
†LEIGH	–	2	2	–	1	G. 1
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	–	–	–	–	M. 1
†LITTLEBOROUGH	–			–	1	–
LONGRIDGE ...	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	1	–	–		–
†MIDDLETON ...	–	1	–	–	1	–
MILNROW... ...	–	1		–	1	–
†MORECAMBE ...	–	1	1	–	–	–
†NEWTON IN MAKERFIELD	–	2		–	–	–
OBMSKIRK ...	–	–	1	–	–	–
†OSWALDTWISTLE	–	3	2	–		–
PRESCOT	–	1		–		N. 1
†RADCLIFFE ...	–	10	–	–	–	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†ROYTON		–	–	–	2	–
†STRETFORD ..	–	9	3	–	–	–
†SWINTON AND PENDLEBURY	–	5	–	1	2	M. 1
TOTTINGTON ...	–	–	2		1	–
†TYLDESLEY WITH SHAKERLEY	–	2	1	1	2	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
URMSTON... ...	–	–	2	–	–	–
WARDLE	2	–	–	–	–	–
†WATERLOO WITH SEAFORTH	–	4	–	–	1	N. 1
†WESTHOUGHTON	–	1	–	–	1	–
†WIDNES	–	–	2	–	7	–
†WORSLEY... ...	–	1		–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	1		–	–
BURNLEY... ...	–	1		–	–	–
FYLDE	–	1	–	–	–	–
LEIGH	–	–	1	–	–	–
LIMEHURST ...	–	–	2	–	–	–
SEFTON	–	1		–	–	–
LEICESTER ...	–	35	17	–	10	D. 1 G. 3 M. 1 N. 1
†LEICESTER C.B. ...	–	26	6	–	2	G. 1 M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS	–	–	–	–	2	–
†COALVILLE ...		4	9	–	2	–
†HINCKLEY ...	–	–		–	–	N. 1
MELTON MOWBRAY		1		–	–	
QUORNDON ...	*	*	*	*	*	*
SHEPSHED ...	–	–	1	–	–	–
THURMASTON ...	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	G. 1
BARROW UPON SOAR	–	1	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
CASTLE DONINGTON	–	–	–	–	2	–
HINCKLEY ...	–	1	1	–	–	–
MARKET BOSWORTH	–	–	–	–	1	–
MARKET HARBOROUGH...	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	–	D. 1
LINCOLN (parts of Holland).	–	6	2	1	1	M. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	1	–	–
†SPALDING ...	–	4	–	–	–	–
Rural Districts:—						
BOSTON	–	–	–	–	1	M. 1
CROWLAND ...	–	1	–	–	–	–
SPALDING (part)..	–	1	2	–	–	–
LINCOLN (parts of Kesteven).	–	4	–	–	–	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	1	–	–	–	–
STAMFORD ...		1	–	–		–
Rural Districts:—						
BRANSTON ...	–	1	–		–	–
SPALDING (part)..	–	1	–	–		–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	29	15	1	7	C. 1 E. 1 M. 1
†GRIMSBY C.B. ...	–	5	3		3	–
†LINCOLN C.B. ...	–	1	–	1	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	5	–	–	–
BRIGG	–		2	–	–	–
†CLEETHORPES ...	–	1	–	–	1	C. 1
†GAINSBOROUGH ...	–	1	1		2	–
MABLETHORPE AND SUTTON	*	*	*	*	*	*
MARKET RASEN	*	*	*	*	*	*
ROXBY CUM RISBY	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	6	–	–	1	–
Rural Districts:—						
CAISTOR	–	–	–	–	–	E. 1
GAINSBOROUGH ...		1		–	–	–
GLANFORD BRIGG	–	3	4	–		–
GRIMSBY	–	1	–	–	–	M. 1
HORNCASTLE ...	–	6	–	–	–	–
SPILSBY	–	1	–	–	–	–
WELTON	–	2	–		–	–
MIDDLESEX ...	–	107	48	5	21	E. 1 M. 2 N. 3
Boroughs and Urban Districts:—						
†ACTON	–	3	2		–	M. 1
†BRENTFORD AND CHISWICK	–	5	–	–	1	–
†EALING	–	4	1	–	–	M. 1
†EDMONTON ...	–	11	4	–	–	–
†ENFIELD	–	1	8	–		–
†FINCHLEY ...	–	–	3	–	2	
†FRIERN BARNET	–	1	–		–	–
†HARROW ON THE HILL	–	8	–	–		–
HAYES	–	1	–	–	3	N. 1
†HENDON	–	4	–	1	–	–
†HESTON AND ISLEWORTH	–	3	2	3	–	–
MIDDLESEX—cont.						
Boroughs and Urban Districts—cont.						
†HORNSEY	–	5	1	–	–	–
†SOUTHALL NORWOOD	–	11	–	–	–	–
†SOUTHGATE ...	–	3	5	–	1	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	3	–	–	–	–
†TOTTENHAM ...	–	20	9	–	2	–
†TWICKENHAM ...	–	1	1	–	1	–
†UXBRIDGE ...	–	–	1	–	1	–
†WEALDSTONE ...	–	1	1	–	–	–
†WEMBLEY ...	–	–		–	1	–
†WILLESDEN ...	–	14	8	1	5	E. 1 N. 1
†WOOD GREEN ...	–	3	–	–	1	N. 1
Rural Districts:—						
HENDON	–	2	–	–	1	–
STAINES	–	–	1		–	–
UXBRIDGE ...	–	3	–	–	2	–
NORFOLK ...	–	23	7	–	2	L. 2
†GREAT YARMOUTH C.B.	–	3	1	–	–	–
†NORWICH C.B. ...	–	12	1	–	–	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	–	–	2	–	–	–
†KING'S LYNN ...	–	–	3	–	1	–
SHERINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
DEPWADE ...	–	1	–	–	–	–
EAST AND WEST FLEGG	–	3	–	–	–	–
FOREHOE... ...	–	1		–	1	–
MARSHLAND ...	–	1	–	–	–	–
ST. FAITH'S ...	–	1	–	–	–	L. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	11	12	–	2	C. 1 M. 1 N. 2
†NORTHAMPTON C.B.	–	10	–	–	2	–
Boroughs and Urban Districts:—						
FINEDON	–	–	–	–	–	C. 1
†KETTERING ..	–	–	–		–	M. 1
ROTHWELL ...	*	*	*	*	*	*
†RUSHDEN... ...	–	–	12	–	–	–
Rural Districts:—						
KETTERING ...		1	–	–	–	N. 1
NORTHAMPTON ...	–	–	–	–	–	N. 1
POTTERSPURY ...	*	*	*	*	*	*
NORTHUMBERLAND.	10	65	7	5	57	F. 2 M. 1 N. 3
†NEWCASTLE UPON TYNE C.B.	5	22	6	–	42	F. 1 M. 1 N. 2
†TYNEMOUTH C.B	–	13	–	1	2	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	1	2	–	–	1	
†BEDLINGTONSHIRE	–	6	–	2	2	F. 1
†BERWICK UPON TWEED	–	1	1	–	–	–
†BLYTH	–	2	–	–	2	–
†EARSDON... ...	*	*	*	*	*	*
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	–	1	–	–	–	
MORPETH... ...	2	–	–	–	–	–
†NEWBURN ...	–	6	–	–	–	–
†WALLSEND ...	–	3	–	–	7	N. 1
†WHITLEY AND MONKSEATON	–	3	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
CASTLE WARD ...	2	2	–	–	–	–
GLENDALE ...	–	–	–	1	–	–
HEXHAM	–	–	–	–	1	–
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	3	40	31	–	10	C. 1 N. 1
†NOTTINGHAM C.B	–	11	23	–	4	–
Boroughs and Urban Districts:—						
†CARLTON	–	5	–	–	2	–
†HUCKNALL ...	–	–	4	–	–	–
†KIRKBY IN ASHFIELD	*	*	*	*	*	*
†MANSFIELD ...	–	3	–	–	–	C. 1
†MANSFIELD WOODHOUSE	–	10	–	–	1	–
†SUTTON IN ASHFIELD	–	3	1	–	–	N. 1
†WORKSOP... ...	2	–	–	–	2	–
Rural Districts:—						
BASFORD	–	3	2	–	–	–
BINGHAM... ...	–	1	–	–	–	–
LEAKE	–	1	–	–	–	–
SKEGBY	1	2	1	–	–	–
SOUTHWELL ...	–	1	–	–		–
WORKSOP... ...	–	–	–	–	1	–
OXFORD	–	7	–	–	5	E. 1
†OXFORD C.B.	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	–		–	–
HEADINGTON ...	–	–	–	–	1	–
HENLEY ON THAMES	–	1	–		–	–
WHEATLEY ...	–	–	–	–	–	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Rural Districts:—						
HEADINGTON ...	–	–	–	–	1	–
WOODSTOCK ...	–	1	–	–	1	–
PETERBOROUGH (Soke of).		2	2	–	1	–
Borough:—						
†PETERBOROUGH..	–	–	1	–	1	–
Rural District—						
PETERBOROUGH...	–	2	1	–	–	–
RUTLAND ...	–	–	1	–	–	–
Rural Districts:—						
OAKHAM	–	–	1	–	–	–
SALOP	–	25	5	–	2	C. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
BISHOP'S CASTLE	–	1	–	–	–	–
DAWLEY	–		–	–	–	N. 1
LUDLOW	–		3	–	–	C. 1
†OAKENGATES ...	–	2	–	–	–	–
OSWESTRY ...	–	1	–		–	M. 1
†SHREWSBURY ..	–	8	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
BRIDGNORTH ..			–	–	1	–
DRAYTON... ...	–	3	–	–	–	–
ELLESMERE ...	–	–	–	–	1	–
NEWPORT ...	–	–	–	–	–	N. 1
OSWESTRY ...		1	2	–	–	–
SHIFNAL	–	3	–	–	–	–
WELLINGTON ...	–	3	–	–	–	–
WHITCHURCH ...		1	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	32	8	2	6	G. 2
†BATH C.B ...	–	7	7	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	1	–
HIGHBRIDGE ...	–	–	–	–	–	G. 1
MIDSOMER NORTON	–	6	–			–
RADSTOCK ...		1	–	–		–
†TAUNTON... ...	–	1	–	–	–	–
WATCHET ...	–	1	–	–		–
†WESTON SUPER MARE	–	–	1	–	1	–
†YEOVIL	–	–	–	–	–	G. 1
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	2	–
BATH	–	3	–	–	–	–
BRIDGWATER ...	–	2	–	–	–	–
CHARD	–	1	–	–	–	–
CLUTTON... ...	–	2	–	–	–	–
KEYNSHAM ...	–	–	–	1	–	–
LANGPORT ...	–	2	–	–	–	–
LONG ASHTON ...	–	1	–	–	1	–
SHEPTON MALLET	–	1	–	–	–	–
WELLS	–		–	1	–	–
WILLITON ...	–	3	–	–	–	–
YEOVIL	–	–	–	–	1	–
SOUTHAMPTON.	–	54	29	4	9	C. 1 E. 1 N. 1
†BOURNEMOUTH C.B.	–	3	1	–	1	–
†PORTSMOUTH C.B.		20	16	1	1	–
†SOUTHAMPTON C.B	–	10	6	2	5	N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–		2	–	–	–
†BASINGSTOKE ...	–	1	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–		–	–
†FAREHAM ...	–	1	–	–	–	E. 1
†GOSPORT	–	–	1	–	–	–
HAVANT		–	1	–		–
†WINCHESTER ...	–	2	–		–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts:—						
CHRISTCHURCH ...	–	2	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...		2	1	–	–	–
FORDINGBRIDGE .	–			–	1	–
HARTLEY WINTNEY	–	1	–	–	–	–
HAVANT	–	1	–	–	–	C. 1
HURSLEY	–	1	–	–	–	–
NEW FOREST ...	–	5	1	–	–	–
PETERSFIELD ...	–	–		1	–	–
WHITCHURCH ...	–	1	–		–	–
WINCHESTER ...	–	1	–	–		–
STAFFORD ...	–	39	53	–	49	C. 1 F. 1 L. 1 M. 6 N. 3
†BURTON UPON TRENT C.B.	–	2	1	–	2	F. 1 M. 1
†SMETHWICK C.B.	–	2	5	–	1	–
†STOKE ON TRENT C.B.	–	10	5	–	16	C. 1 M. 2
†WALSALL C.B. ...	–	–	24		5	N. 1
†WEST BROMWICH C.B.	–	–	2	–	4	–
†WOLVERHAMPTON C.B.	–	9	1	–	4	–
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	–	–	1	–
†AUDLEY	–	2	–	–	2	–
BIDDULPH ..	–	1	–	–	–	–
†BILSTON	–		–	–	6	–
†BRIERLEY HILL...	–	–	–	–	1	–
†BROWNHILLS ...	–	1		–	–	–
†DARLASTON ...	–	–	3	–	–	–
†LEEK	–	1	2	–	–	–
†NEWCASTLE UNDER LYME	–	1	1	–	–	M. 1
QUARRY BANK	–	–	–	–	1	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROWLEY REGIS ...	–	1	1	–	2	–
†SEDGLEY	–	1				–
SHORT HEATH ..	–	–	1	–	–	–
†STAFFORD ..	–	1	–	–	1	–
TAMWORTH ...	–	1	–	–		–
†TIPTON	–	–	–	–	1	N. 1
UTTOXETER ...	–	–	–	–		M. 2
†WEDNESBURY ..	–	1	–	–	–	N. 1
†WILLENHALL ..	–	–	1	–		–
†WOLSTANTON UNITED	–	2	1	–	–	–
Rural Districts:—						
CANNOCK	*	*	*	*	*	*
CHEADLE	–	1	–	–	–	L. 1
KINGSWINFORD ...	–	–	2	–	–	–
LICHFIELD ...	–	1	–	–	1	–
NEWCASTLE UNDER LYME	–	–	1	–	–	–
SEISDON	–	–	1	–	–	–
STONE	–	–	–	–	1	–
TUTBURY... ...	–	1	–	–	–	–
WALSALL... ...		–	1	–	–	–
SUFFOLK, EAST	–	16	1	–	1	N. 1
†IPSWICH C.B. ..	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	2	–	–	–	–
†LOWESTOFT ...	–	6	–	–	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	3	–	–	–	–
HOXNE	–	1	–	–	–	–
WANGFORD ...	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	7	1	–	2	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	3	–	–	1	–
HADLEIGH ...	–	–	–	–	–	N. 1
Rural Districts:—						
COSFORD	–	1	–	–	–	–
MELFORD... ...	–	–	–	–	1	–
MILDENHALL ...	–	–	1	–	–	–
THINGOE	–	3	–	–	–	–
SURREY		50	25	9	15	E. 1 N. 6
†CROYDON C.B. ...	–	10	3	1	1	E. 1 N. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	–	3	–	1	–
†CARSHALTON ...	–	6	5	–	–	–
†CATERHAM ...	–	–	–	1	–	–
†CHERTSEY	–	–	–	4	1	–
†COULSDON AND PURLEY	–	2	–	–	–	–
EAST AND WEST MOLESEY	–	1	–	–		–
†EPSOM	–	2	–	–	–	N. 1
GODALMING ...	–	–	–	–	–	N. 1
†GUILDFORD ...		1	3	–	3	–
†KINGSTON ON THAMES	–	6	1	–	1	N. 1
LEATHERHEAD ...	–	–	1	–	1	–
†MERTON AND MORDEN	–	2	–		–	–
†MITCHAM... ...	–	5	1	1	–	–
†REIGATE	–	2	–	–	–	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	–	1	–	–	–
†SUTTON	–	1	–	–	–	–
†WALTON UPON THAMES	–	3	–	–	–	–
†WIMBLEDON ...	–	3	2	1	–	–
WINDLESHAM ...	–	–	–	–	–	N. 1
†WOKING	–	–	2	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	1	2	1	1	–
EPSOM	–	4	1	–	–	–
FARNHAM ...	–	–	–		1	–
GODSTONE ...	–	–	–	–	1	–
GUILDFORD ...	–	1	–	–	–	
HAMBLEDON ...	–	–	–	–	1	–
REIGATE		–	–	–	2	
SUSSEX, EAST ...	–	22	12	2	2	C. 2 L. 1 N. 2
†BRIGHTON C.B. ...	–	3	1	–		C. 2 N. 1
†EASTBOURNE C.B.	–	1	1	–	–	N. 1
†HASTINGS C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	4	–	–	–	–
†HOVE	–	–	4	–	–	–
NEWHAVEN ...	–	1	1	–	–	–
PORTSLADE BY SEA	–	–	2		–	–
Rural Districts:—						
BATTLE	–	2	3	–	1	–
CHAILEY	–	2	–	–	–	–
EASTBOURNE ...	–	2	–	–	–	–
EAST GRINSTEAD	–	1	–	1	1	–
HAILSHAM ...	–	5	–	–	–	L. 1
UCKFIELD ...	–	–	–	1	–	–
SUSSEX, WEST...	–	9	4	–	2	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	1	2		–	–
†CHICHESTER ...	–	2	1		–	
SHOREHAM-BY-SEA	–	1	–	–	–	–
†WORTHING ...	–	2	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	–	–
HORSHAM ...	–	2	–	–	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	4	81	62	6	31	G. 1 M. 16 N. 6
†BIRMINGHAM C.B.	–	49	44	3	25	M. 14 N. 4
†COVENTRY C.B. ...	1	12	9	–	3	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1	–	–	–	M. 1
†NUNEATON ...	–	3	–		–	G. 1
†ROYAL LEAMINGTON SPA	–	2	–	1	–	–
†RUGBY	–	–	3	1	–	–
†STRATFORD ON AVON	–	–	3	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	6	2	–	2	N. 2
COVENTRY ...	3	–	–	–	–	
FOLESHILL ...	–	5	–	1	1	M. 1
NUNEATON ...	–	1	–	–	–	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	1	1	–	–	–
WESTMORLAND	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	3		–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
WIGHT, ISLE OF	–	4	2	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
†COWES	–	–	–	–	–	M. 1
†NEWPORT... ...	–	–	1	–	–	–
SANDOWN ...	–	–	–	–	1	–
VENTNOR... ...	–	3	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	1	–	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	27	8	–	3	M. 2 N. 2
Boroughs and Urban Districts:—						
DEVIZES	–	1	–		–	–
MELKSHAM ...	–	–	–	–	–	N. 1
†SALISBURY ...	–	11	1	–		–
†SWINDON... ...	–	3	2	–	2	M. 1 N. 1
†TROWBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
BRADFORD ON AVON	–	1	–	–	–	–
DEVIZES	–	4		–		–
HIGHWORTH ...	–	2	4		–	–
MELKSHAM ...	–	–	–	–	1	–
PEWSEY		2	–	–	–	M. 1
SALISBURY ...	–	1	–	–	–	–
TISBURY	–	1	–	–	–	–
WORCESTER ...	–	23	7	1	6	C. 1 N. 3
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	7	1	–	1	N. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	–	1	–	1	–
†HALESOWEN ...	–	1	3	–	–	
†KIDDERMINSTER	–	–		–	1	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
NORTH BROMSGROVE	–	3	–	–		–
†OLDBURY... ...	–	–	1	–	2	N. 1
†REDDITCH ...		5		–	–	C. 1
†STOURBRIDGE ...		2	1	–	–	–
Rural Districts:—						
FECKENHAM ...		1	–	–	–	–
PERSHORE ...	–	1	–	–	–	–
SHIPSTON ON STOUR		–	–	–	–	N. 1
TENBURY... ...			–	1		–
UPTON ON SEVERN	–	1	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	19	28	–	3	E. 5 M. 1 N. 1
†KINGSTON UPON HULL C.B	-	16	2	–	3	E. 2 M. 1
Boroughs and Urban Districts:—						
BEVERLEY ...	-	–	3	–	-	–
†BRIDLINGTON ...			–	–	–	E. 1
GREAT DRIFFIELD	-	–	1	–	–	–
HESSLE	–	–	–	–	–	E. 1
Rural Districts:—						
BEVERLEY ...	–	1	–	–		–
ESCRICK	–	1	–	–	–	–
HOWDEN	–	–	1		–	N. 1
RICCALL	–	1	–	–	–	E. 1
SKIRLAUGH ...	–	–	2	–	-	–
YORKS ... ... (North Riding).	1	26	6	1	9	M. 3 N. 3
†MIDDLESBROUGH C.B.	1	5	4	–	4	M. 1 N. 1
Boroughs and Urban Districts:—						
†ESTON	–	2	-	–	2	–
GUISBOROUGH ...	–	1	–	–	–	–
LOFTUS	–	5	1	–	–	–
†SCARBOROUGH ...	–	1		–	1	–
†SKELTON AND BROTTON	–	3	1	–	–	M. 1
†THORNABY ON TEES	–	1	–	–	–	N. 1
Rural Districts:—						
BEDALE	–	–	–	–	–	M. 1
FLAXTON ...	–	-	–	1	1	–
GUISBOROUGH ...	–	1	–	-	–	–
LEYBURN... ...	–	3		–	–	N. 1
STARTFORTH ...	-	2	–	–	-	-
STOKESLEY ...	–	–	–	–	1	–
WHITBY	–	2	-	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	21	271	81	9	122	C. 4 D. 1 G. 3 M. 7 N. 8
†BARNSLEY C.B. ..	-	9	2	–		M. 1
†BRADFORD C.B. ...	–	22	4	–	8	C. 1 D. 1 M. 2
†DEWSBURY C.B....	–	1	–	–	–	–
†DONCASTER C.B.	–	6	3	-	3	
†HALIFAX C.B. ...	–	8	2	–	3	–
†HUDDERSFIELD C.B	–	16	9	–	2	M. 1
†LEEDS C.B. ..	1	7	10	–	18	–
†ROTHERHAM C.B.	-	5	15	–	7	G. 1 N. 1
†SHEFFIELD C.B....	1	107	15	-	48	C. 3 G. 2 M. 1 N. 3
†WAKEFIELD C.B.	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–	–	–	N. 1
BAILDON	–	–	1	–	–	–
†BARNOLDSWICK ...	–	1	–	.	–	–
†BATLEY	-	4	1	–	–	M. 1
†BENTLEY WITH ARKSEY	2	-	4	–	-	–
†BINGLEY	–	–	–	–	–	N. 1
†BOLTON UPON DEARNE	-	–	–	1	–	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	–	1	–	–	–
CLAYTON	–	–	1	–	–	–
†CONISBROUGH ...	–	3	1	2		–
†DARTON	–	4	–	–	–	–
DRIGHLINGTON ...	–	2	–	–	–	–
EARBY	–	1	–	–	–	–
†ELLAND	*	*	*	*	*	*
FARSLEY	–	1	–	–	–	
†FEATHERSTONE ...	–	1	–	–	–	–
GILDERSOME ...	–	–	1	–	–	–
†GOOLE	–	1	–	-	2	N. 1
GREASBROUGH ...	–	3		–	–	–
†HARROGATE ...	–	1	–	–	–	M. 1
†HEMSWORTH ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	–	–	1	–
ILKLEY	–	1	–	–	–	–
†KEIGHLEY ...	5	1	–	–	1	–
KIRKHEATON ...	–			–	1	–
KNOTTINGLEY ...	–	–	1	–	–	–
LEPTON	–	–	–	–	1	–
MALTBY	–	1	–	–	1	N. 1
†MEXBOROUGH ...	–	1	–	–	–	–
†MORLEY	–	2	–	–	–	–
NEW MILL ...	–	1	–	–	1	–
†NORMANTON ..		8	–	–	–	–
OTLEY		2	–	–	–	–
†PONTEFRACT ...	–	4	–	–	–	–
QUEENSBURY ...	–	–	–	–	1	–
†RAWMARSH ...	–	2	1	–	1	–
†ROTHWELL ...	–	1	–	–		–
SHELLEY	–	–	1	–	–	–
†SHIPLEY	–	3	–	–	–	–
SKELMANTHORPE	–	2	–	–	–	–
†SKIPTON	–	–	–	–	1	–
SOUTH CROSLAND	–	3	–	–	–	–
†SPENBOROUGH ...	–	3	–	–	2	–
STOCKSBRIDGE ...	–	1	–	–	4	–
TICKHILL ...	–	–	3			–
†TODMORDEN ...	3	4	–	–	–	–
†WATH UPON DEARNE	–	1	–	–		–
†WOMBWELL ...	1	1	–	3	2	–
YEADON	–	1	–	–	–	–
Rural Districts:—						
DONCASTER ...	1	2	–		3	–
HALIFAX ...	1	–	–	–	–	–
HEMSWORTH ...	–	3	–	1	1	–
HUNSLET	–	1	–	–	–	–
KIVETON PARK ...	5	2	–	–	–	–
KNARESBOROUGH	–	–	–	–	1	–
PONTEFRACT ...	–	–	1	–	–	–
ROTHERHAM ..	1	4	–	1	2	–
SEDBERGH ...	–	1	–	–	–	
SKIPTON	–	–	1	–	–	–
TADCASTER ...	–	–	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
THORNE	–	1	–	1	1	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (NORTH)	–	–	–	–	1	–
WORTLEY ...	–	4	1	–	–	–
YORK, CITY OF ...	–	1	4	1	–	M. 1
†YORK C.B. ..	–	1	4	1	–	M. 1
WALES.						
ANGLESEY ...	–	1	9	–	–	N. 1
Boroughs and Urban Districts:—						
BEAUMARIS ...	–	–	–	–	–	N. 1
†HOLYHEAD ...	–	–	6	–	–	–
Rural Districts:—						
AETHWY	–	1	3	–	–	–
BRECKNOCK ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
CAERNARVON...	–	2	1	2		–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
BETHESDA ...	–	–	1	–	–	–
†LLANDUDNO ...		–	–	2	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	1	–	–		–
Rural Districts:—						
CARDIGAN ...	–	1	–	–	–	–
CARMARTHEN...	–	6	3	1	7	N. 2
Boroughs and Urban Districts:—						
AMMANFORD ...	–		1	–	–	–
†LLANELLY ...	–	–	–	–	2	N. 1
Rural Districts:—						
CARMARTHEN ...	–	2	–	–	–	–
LLANDILO FAWR	–	–	1	–	4	–
LLANELLY ...	–	3	1	1	1	N. 1
NEWCASTLE IN EMLYN	–	1	–	–	–	–
DENBIGH ...	–	6	1	–	2	–
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	1	–	–	–	–
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN	–	1	–	–	–	–
†WREXHAM ...	–	–	–	–	1	–
Rural Districts:—						
CHIRK	–	–	1	–	–	–
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN	*	*	*	*	*	*
UWCHALED ...	–	3	–	–	–	–
WREXHAM ...	–	1	–	–	1	–
FLINT	–	7	2	–	3	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	1	1	–	–	–
FLINT	–	1	–	–	–	–
HOLYWELL ...	–	1	–	–	1	–
†RHYL	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	2	–	–		–
HOLYWELL ...	–	1	1	–	2	–
OVERTON ..	*	*	*	*	*	*
GLAMORGAN ...	17	68	47	–	31	C. 2 E. 2 M. 2 N. 6
†CARDIFF C.B. ...	–	8	5	–	3	C. 1 M. 1 N. 2
†MERTHYR TYDFIL C.B.	–	1	3	–	2	E. 2
†SWANSEA C.B. ...	–	10	5	–	1	N. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	4	3		–	4	–
†BARRY	–	–	1	–	4	–
†CAERPHILLY ...	–	–	1	–	1	–
†GELLIGAER ...	–	1	1	–	2	N. 1
†MAESTEG... ...	–	9	2	–	–	–
†MOUNTAIN ASH...	1	2	1	–	1	–
†NEATH	–	2	1	–		–
†OGMORE AND GARW	–	1	1	–	–	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	12	6	1	–	4	M. 1
PORTHCAWL ...	–	–	2	–	–	–
†PORT TALBOT ...	–	3	3	–	–	N. 1
†RHONDDA ...	–	15	12	–	8	C. 1
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	1	–
NEATH	–	3	3	–	–	–
PENYBONT ...	–	1	1	–	–	–
PONTARDAWE ...	–		1	–	–	
SWANSEA... ..	–	1	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	–	4	10	–	–	–
Urban Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
FFESTINIOG ...	–	–	8	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
DOLGELLEY ...	–	3	–	–	–	–
PENNAL (PARISH)	–	–	1	–	–	–
MONMOUTH ...	20	14	7	–	4	C. 1 M. 1
†NEWPORT C.B. ...	–	6	1	–	2	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	4	2	–	–	–	–
†ABERTILLERY ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	1	1	–	–	–
†BEDWELLTY ...	7	1	–	–	–	–
†BLAENAVON ...	–	–	2		–	–
CHEPSTOW ...	–	1	–	–	–	–
†EBBW VALE ...	6	1	2	–	–	C. 1
†NANTYGLO AND BLAINA	1	–	–	–	–	M. 1
†PANTEG	–	–	1	–	–	–
PONTYPOOL ...	2	–	–	–	–	–
†TREDEGAR ...	–	1	–	–	1	–
Rural Districts:—						
PONTYPOOL ...	–	–	–	–	1	–
MONTGOMERY...	–	3	–	–	1	N. 2
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	–	–	–	1	N. 1
WELSHPOOL ...	–	2	–	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
NEWTOWN AND LLANIDLOES	–	–	–	–	–	N. 1
PEMBROKE ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
FISHGUARD ...	–	1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	3	–	–	–	–
Total of Part II. ...	124	2063	1008	76	758	C. 32 D. 4 E. 21 F. 4 G. 15 L. 5 M. 87 N. 99

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Part III.—Port Sanitary Districts.

Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
Barry	–	–	–	2	–	–	Port of London ...	–	–	–	–	–	G
Manchester	–	–	–	–	1	–							
							Total of Part III. ...	–	–	–	2	1	G

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	400	263	3	90	C. 5 E. 2 G. 3 M. 17 N. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	124	2063	1008	76	758	C. 32 D. 4 E. 21 F. 4 G. 15 L. 5 M. 87 N. 99
Total of Part III.—Port Sanitary Districts	–	–	–	2	1	G. 1
Total (*i.e.*, of returns received), England and Wales ...	124	2463	1271	81	849	C. 37 D. 4 E. 23 F. 4 G 19 L. 5 M. 104 N. 114

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain C and Deaths of Infants under 1 Ye Age) and Notified Cases of certai fectious Diseases in the last Thi Weeks.

Week ended :—	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.
LONDON :—												
Deaths (excluding Still-births)—all ages.	768	763	714	793	727	759	773	744	778	762	816	977
Deaths—0 to 1 year ..	51	65	49	69	42	55	67	69	75	49	78	70
GREAT TOWNS, aggregate (including London):—												
Live Births	6,875	6,901	5,798	6,772	6,314	6,575	6,703	6,193	6,091	5,997	6,352	6,602
Stillbirths	242	259	241	239	245	306	267	268	252	264	264	235
Deaths (excluding Still-births)—all ages	3,424	3,510	3,303	3,406	3,244	3,343	3,380	3,346	3,401	3,610	3,571	3,941
Deaths—0 to 1 year ..	314	390	326	328	280	344	329	359	361	347	353	368
Enteric Fever—Cases	33	27	25	20	28	36	38	44	34	36	33	25
" Deaths	2	1	3	2	2	—	1	4	5	3	5	3
Small Pox—Cases ..	26	41	45	29	26	38	19	39	20	18	27	32
" Deaths ..	—	—	—	—	—	—	1	-	—	—	—	—
Scarlet Fever—Cases	955	942	677	814	677	774	889	977	951	1,176	1,136	1,275
" Deaths	3	8	2	4	8	4	2	6	6	4	2	8
Diphtheria—Cases ..	574	497	444	455	449	453	556	693	688	801	742	746
" Deaths ..	30	22	25	20	13	15	22	24	27	33	20	34
Measles—Deaths ..	29	25	31	19	19	16	13	16	13	10	9	14
Influenza—Deaths ..	25	15	16	26	21	20	18	21	24	42	34	27

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 15th October, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres
		°		°							
London (Greenwich)	62	38	57·9	43·4	1	Huddersfield	58	38	53·4	43·3	7
Brighton ..	63	46	58·0	47·4	0	Bradford ..	57	42	52·0	44·7	5
Portsmouth ..	62	44	57·5	47·1	1	Sheffield ..	59	39	53·0	45·0	2
Norwich (Eaton)	63	37	56·9	44·0	3	York (Museum)	60	41	55·3	44·1	5
Plymouth ..	63	46	59·0	48·0	0	Hull (Pearson Park).	60	40	56·1	44·0	3
Bristol (Clifton).	60	43	54·9	45·0	5	Tynemouth ..	57	45	52·4	47·3	12
Birmingham (Edgbaston).	59	41	53·7	45·1	1	Cardiff.. ..	57	41	54·0	45·4	0
Nottingham ..	59	38	54·0	44·7	4	Edinburgh ..	56·0	42·0	52·6	44·7	4
Birkenhead (Bidston).	59	41	53·4	45·9	7	Glasgow ..	60·0	40·8	54·8	45·1	1
Manchester (Whitworth Park).	—	37	—	43·4	5	Dublin (Phœnix Park).	61·6	33·9	57·6	39·3	0
						(Fitzwilliam Square†).	60·9	41·0	57·2	45·3	1
Burnley.. ..	58	33	54·3	39·3	3	Belfast.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 15th October, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	9	..	30·265	60·2	44·0	16·2	52·3	+ 0·7	46·1	6·2	17·3	0·0	79	113·9	34·5	53·9	NE: ENE.	ENE	1·1	0·0	0·1	229	− 22	0·00
MONDAY -	10	In Equator Full Perigee	30·204	61·7	37·9	23·8	48·6	− 2·7	45·6	3·0	11·8	0·0	89	105·4	28·0	53·6	Calm	ENE: Calm.	0·2	0·0	0·0	124	− 127	0·00
TUESDAY -	11		30·203	57·2	37·9	19·3	47·4	− 3·5	44·5	2·9	10·7	0·0	90	104·1	28·9	53·4	Calm: NNE: N.	NNE: NE.	0·9	0·0	0·1	189	− 64	0·00
WEDNESDAY	12	..	30·211	53·7	47·2	6·5	50·1	− 0·5	46·9	3·2	6·3	0·8	89	62·9	44·1	53·4	NNE	NNE	0·6	0·0	0·1	212	− 45	0·00
THURSDAY	13	..	29·953	52·9	42·7	10·2	46·3	− 4·0	42·8	3·5	13·4	0·0	87	58·8	32·7	53·2	NNW	Calm	0·2	0·0	0·0	130	− 132	0·01
FRIDAY -	14	..	29·798	57·6	43·5	14·1	50·4	+ 0·3	46·8	3·6	11·5	0·0	87	89·8	39·8	53·1	Calm: NNE.	NNE: N.	0·9	0·0	0·1	196	− 70	0·01
SATURDAY -	15	..	29·853	60·6	48·7	11·9	53·2	+ 3·3	47·7	5·5	14·9	1·3	82	117·3	42·3	53·1	N: NNE.	NE: Calm.	0·6	0·0	0·0	174	− 94	0·00
MEANS -		..	30·070	57·7	43·1	14·6	49·8	− 0·9	45·8	4·0	12·3	0·3	86	93·2	35·8	53·4	NNE		..	..	..	Sum 1254	Sum − 554	Sum 0·02
No. of COLUMN		5	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	9	Loss of register till 7½h.; then wP.	7·9	11·6	Partially cloudy till 10½h.; then nearly cloudless. Dew in morning and at night.
MONDAY ..	10	wP	5·7	11·1	Cloudless till 2h.; overcast from 3h., clearing from 10h. to cloudless by 10½h. Fog 3h. till 9h.; and from 21h. Mist 9h. till 21h.
TUESDAY ..	11	wP till 11h.; mP till 18½h.; then wP.	3·0	11·0	Overcast till 11½h.; variably cloudy till 20h.; then overcast. Fog till 9h. Dew at night.
WEDNESDAY	12	wP till 8h.; mP till 23h.; then wP.	0·0	10·9	Overcast throughout. Damping from 21h.
THURSDAY	13	wP till 10h.; mP till 19h.; then wP.	0·0	10·9	Overcast generally. Damping till 9h. Rain about midnight. Fog from 19h.
FRIDAY ..	14	wP till 10h.; mP till 20h.; then wP.	0·9	10·8	Overcast generally. Fog till 7h.; then mist till 9h.
SATURDAY	15	wP	2·1	10·7	Nearly overcast till 10½h.; partially cloudy till 14½h.; then nearly overcast. Damping 9¼h. till 9½h.; and 17¼h. till 17½h.
			Sum 19·6	Sum 77·0	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·26 ins. at the beginning of the week to 30·28 ins. by 10h. on 9th; decreased generally to 29·77 ins. by 5h. on 14th; increased to 29·88 ins. by 10h. on 15th; decreased and was 29·84 ins. by midnight on the same day.

FOR OFFICIAL USE

1927. No. 42

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 22ND OCTOBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 22ND OCTOBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the forty-second week of the year numbered 6,203 and corresponded to an annual rate of 16·5 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,024 and corresponded to an annual rate of 10·7 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 9·5, 10·5 and 10·4. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 56 against 54, 56 and 54 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,366 live births, corresponding to a rate of 15·4 per 1,000, and 972 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 11·0, against 9·2, 11·1 and 10·2 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·4 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 41 as against 52, 47 and 39 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 3,906 to 4,024, and in London from 904 to 972.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 260 in the Great Towns including 45 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 22nd October 1927.

Towns.	Estimated Population, Mid. 1926	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	1
107 Great Towns ..	19,540,143*	6203	260	4024	368	3	20	2	10	39	65	
London	4,605,400*	1366	45	972	64	-	1	-	-	8	13	
Towns in Outer Ring.												
Croydon C.B. ..	205,900	59	3	35	-	-	-	-	-	-	-	
Wimbledon ..	58,030	11	-	6	2	-	-	-	-	-	-	
Ealing ..	91,783	24	1	21	1	-	-	-	-	-	-	
Acton	63,040	15	-	13	3	-	-	-	-	-	1	
Brentford and Chiswick ..	56,840	15	-	11	-	-	-	-	-	-	-	
Willesden ..	165,270	32	2	28	-	-	-	-	-	1	-	
Hendon	62,570*	17	-	10	1	-	-	-	-	-	-	
Hornsey	87,230	19	-	23	5	-	-	-	-	-	-	
Wood Green ..	51,940	13	-	5	-	-	-	-	-	-	-	
Tottenham ..	151,520	38	-	20	3	-	-	-	-	1	-	
Edmonton	71,700	42	3	17	2	-	-	-	-	-	-	
Enfield	63,640	17	-	6	2	-	-	-	-	-	-	
West Ham C.B. ..	315,900	135	4	61	9	-	-	-	-	1	1	
East Ham C.B. ..	146,600	31	2	27	1	-	-	-	-	2	-	
Leyton	130,000	25	-	21	1	-	-	-	-	-	-	
Walthamstow ..	125,500	28	2	24	-	-	-	-	-	-	-	
Ilford	100,500	31	-	20	2	-	-	-	1	-	-	
Gillingham	47,820*	22	2	8	-	-	-	-	-	-	-	
Canterbury C.B ..	23,470*	4	-	8	-	-	-	-	-	-	-	
Hastings C.B.	61,340	16	1	12	-	-	-	-	-	-	-	
Eastbourne C.B. ..	56,060	14	-	10	2	-	-	-	-	-	-	
Brighton C.B.	139,500*	31	1	21	-	-	-	-	-	-	-	
Portsmouth C.B. ..	231,500*	99	2	49	2	-	-	-	-	4	-	
Bournemouth C.B. ..	90,100	21	2	21	1	-	-	-	-	1	-	
Southampton C.B. ..	169,300	60	4	38	6	-	-	-	-	-	-	
Reading C.B	93,090*	32	-	24	2	-	-	-	-	-	-	
Oxford C.B.	56,800	16	1	10	-	-	-	-	-	-	-	
Northampton C.B. ..	93,530*	35	-	27	4	-	-	-	1	-	-	
Luton	59,240	13	-	9	-	-	-	-	-	-	-	
Cambridge	58,820	9	1	8	-	-	-	-	-	-	-	
Southend-on-Sea C.B.	104,300	24	-	23	1	-	-	-	-	-	-	
Ipswich C.B.	84,140	23	-	16	1	-	-	-	-	-	-	
Great Yarmouth C.B.	57,760	20	-	11	1	-	-	-	-	-	1	
Norwich C.B.	123,500*	46	3	13	2	-	-	-	-	-	-	
Swindon	57,320	13	-	11	-	-	-	-	-	-	-	
Exeter C.B.	60,340*	17	1	13	1	-	-	-	-	-	-	
Plymouth C.B. ..	187,300*	67	2	39	5	-	-	-	-	-	1	
Bath C.B.	69,000	18	-	23	-	-	-	-	-	-	1	
Bristol C.B.	383,300*	129	1	83	1	-	-	-	-	1	-	
Gloucester C.B. ..	53,050	21	-	13	1	-	-	-	-	-	-	
Stoke-on-Trent C.B.	275,600	114	5	48	5	-	-	-	-	-	-	
Burton-upon-Trent C.B.	48,660	28	-	13	2	-	-	-	-	-	-	
Wolverhampton C.B.	131,000	46	3	25	2	-	-	-	-	-	1	
Walsall C.B.	102,100	41	1	19	2	-	-	-	-	4	-	
West Bromwich C.B.	79,920	26	1	18	5	-	-	-	-	-	-	
Dudley C.B.	58,930	21	-	13	2	-	-	-	-	-	-	
Worcester C.B. ..	50,660	8	-	10	1	-	-	-	-	-	-	
Birmingham C.B. ..	934,300*	342	16	171	22	1	-	-	-	-	2	
Smethwick C.B. ..	76,940	21	1	10	1	-	-	-	-	-	-	
Coventry C.B. ..	127,800	45	1	25	1	-	-	-	-	1	1	
Leicester C.B. ..	241,700	72	3	57	1	-	-	-	1	-	-	
Lincoln C.B.	65,760*	16	1	17	1	1	-	-	-	-	1	
Grimsby C.B.	88,580	48	3	15	4	-	-	-	-	-	-	
Nottingham C.B .	268,000	92	6	55	6	-	1	-	-	2	1	
Derby C.B.	136,600*	40	2	23	2	-	-	-	-	-	-	
Chesterfield ..	66,650	24	2	15	1	-	-	-	-	-	-	
Stockport C.B. ..	125,400	38	7	21	3	-	-	-	-	-	-	
Chester C.B.	41,710	17	-	11	-	-	-	-	-	-	-	
Birkenhead C.B. ..	158,000	61	2	29	6	-	1	-	-	-	2	
Wallasey C.B. ..	93,050	19	1	17	1	-	-	-	-	-	1	
Liverpool C.B. .	862,600	351	13	175	30	-	-	-	2	4	10	
Bootle C.B.	84,580	28	1	22	4	-	-	-	-	1	1	
St. Helens C.B. ..	110,000	40	6	19	-	-	-	-	-	-	-	

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	77,970	14	1	17	-	-	-	-	-	-	-	-
Wigan C.B.	88,620	20	2	23	2	-	-	-	-	-	-	2
Warrington C.B. ..	76,940*	37	1	18	3	-	-	-	-	-	-	
Bolton C.B.	177,000	46	5	35	4	-	-	-	-	-	-	-
Bury C.B.	56,840*	23	-	14	2	-	-	-	-	1	-	-
Manchester C.B. ..	752,000	229	17	159	12	-	8	-	2	2	4	4
Salford C.B.	247,400	76	3	50	6	-	2	-	-	-	1	-
Ashton-under-Lyne	51,050	14	-	6	2	-	-	-	-	-	1	-
Oldham C.B.	143,000	36	2	32	1	-	-	-	-	-	-	2
Rochdale C.B.	91,510	11	-	25	3	-	-	-	-	1	1	3
Burnley C.B.	99,600	21	1	21	2	-	-	-	-	-	1	1
Blackburn C.B. ..	124,400	31	-	34	2	-	-	-	-	-	-	1
Preston C.B.	124,200	24	3	29	3	-	-	-	-	-	-	-
Blackpool C.B. ..	88,640	31	-	21	-	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	70,420	15	2	14	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	111,900	31	2	19	-	1	-	-	-	-	-	-
Halifax C.B.	96,130*	20	2	23	2	-	-	-	-	-	-	-
Bradford C.B. ..	288,700	77	5	64	10	-	-	-	-	1	3	-
Leeds C.B.	473,400	146	9	100	9	-	-	-	-	-	2	1
Dewsbury C.B. ..	53,630	16	1	21	2	-	-	-	-	-	-	1
Wakefield C.B. ..	53,830	22	-	8	-	-	-	1	-	-	-	-
Barnsley C.B. ..	70,760	31	3	13	1	-	-	-	-	-	-	-
Sheffield C.B. ..	523,300*	157	4	115	12	-	1	1	2	1	3	2
Rotherham C.B. ..	70,080	27	-	10	-	-	-	-	-	1	-	-
Doncaster C.B. ..	55,700	19	-	16	-	-	-	-	-	-	-	1
York C.B.	84,430*	25	-	20	-	-	-	-	-	-	-	-
Hull C.B.	294,600	103	6	59	4	-	-	-	-	-	-	-
Middlesbrough C.B.	133,600	56	4	33	4	-	-	-	1	-	2	2
Darlington C.B. ..	70,700	22	3	15	1	-	-	-	-	-	-	-
Stockton-on-Tees ..	67,910	23	4	10	-	-	-	-	-	-	-	-
West Hartlepool C.B.	71,060	22	2	20	3	-	-	-	-	1	-	-
Sunderland C.B. ..	163,800	71	-	36	7	-	-	-	-	-	4	1
South Shields C.B. ..	123,900	47	1	23	3	-	1	-	-	-	-	3
Gateshead C.B. ..	127,700	39	1	25	4	-	-	-	-	-	-	-
Newcastle-on-Tyne C.B.	284,700*	124	7	77	15	-	-	-	-	-	-	3
Tynemouth C.B ..	66,560	23	-	15	3	-	2	-	-	-	-	-
Carlisle C.B.	56,140*	14	-	12	-	-	-	-	-	-	-	1
Newport (Mon.) C.B.	96,620	28	-	20	3	-	-	-	-	-	1	-
Cardiff C.B.	225,600*	89	5	38	2	-	-	-	-	-	1	-
Rhondda	162,500	46	3	29	3	-	2	-	-	-	1	-
Merthyr Tydfil C.B.	80,690	20	1	22	2	-	1	-	-	-	1	-
Aberdare	56,930	10	1	9	1	-	-	-	-	-	-	1
Swansea C.B.	163,200	61	1	36	6	-	-	-	-	-	1	-
Greater London ..	7,791,310*	2,290	71	1,530	103	-	1	-	1	16	16	24
Outer Ring	3,185,910*	924	26	558	39	-	-	-	1	8	3	9
17 Great Towns in Outer Ring	1,947,963*	552	17	348	32	-	-	-	1	5	2	4
Remainder of Outer Ring	1,237,947*	372	9	210	7	-	-	-	-	3	1	5
Edinburgh†	426,100	135	?	112	10	-	1	1	1	-	1	2
Glasgow†	1,049,000	474	?	293	41	-	7	1	4	1	2	2
Dublin (Registration Area)†	421,000	176	?	97	15	-	1	-	-	-	5	1
Belfast†	415,007	166	?	101	15	2	-	1	-	-	4	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
London‡	4,605,400	1927. Oct. 22	1366	45	972	11·0	-	-	1	-	-	8	13
Calcutta and Suburbs	1,077,264	Sept. 17											
Bombay§	1,298,708	„ 24	501	41	484‖	19·3	3	-	-	-	-	-	14
Madras	528,791	„ 24	566	28	345‖	33·9	4	1	-	-	1	-	20
Sydney and Suburbs	1,038,950	„ 30 (30 days)											
Brisbane (Metropolitan Area).	274,260	Aug. 31 (31 days)											
Perth (Metropolitan Area).	184,223	Aug. 27 Sept. 3	85 69	? ?	43 33	12·1 9·3	? ?	? ?	? ?	? ?	- ?	? ?	-
Auckland (Urban Area).	201,220	Aug. 31 (31 days)											
Wellington (Urban Area).	126,310	Aug. 31 (31 days)											
Christchurch (Urban Area).	121,780	Aug. 31 (31 days)											
Cape Town	114,846	Sept. 24	65	1	21	9·5	-	-	-	-	-	-	1
Johannesburg	172,718	„ 24	95	-	34	10·2	-	-	2	-	-	-	-
Durban	54,715	„ 24	27	-	13	12·4	-	-	-	-	-	-	-
Paris	2,871,429	Oct. 10 (10 days)	1176	51	871	11·1	1	-	2	-	4	1	16
Antwerp	300,103	Sept. 17	84	5	52	9·2	-	-	-	-	-	-	4
Amsterdam	731,081	„ 24	264	3	99	7·1	-	-	-	-	-	-	1
Copenhagen	597,800	Oct. 8	188	3	104	9·1	-	-	1	-	-	1	-
Stockholm	453,332	„ 1	111	2	92	10·6	-	-	-	-	-	-	-
Gothenburg	231,196	Sept. 24 Oct. 1	? ?	? ?	27 66	8·1 14·8	- -	- -	- -	- -	- -	- -	- 1
Oslo (Christiania) ..	254,055	„ 15	61	3	40	8·2	1	-	-	-	-	-	-
Berlin	2,003,000	„ 1	330	17	369	9·6	-	?	-	1	2	4	5
Breslau	563,000	„ 1	136	9	117	10·8	-	?	-	-	-	-	1
Cologne	718,000	„ 1	191	11	110	8·0	-	?	1	-	-	-	1
Dresden	625,000	„ 1	152	2	105	8·7	-	?	-	-	-	-	1
Frankfort-on-Main..	474,000	„ 1	111	10	77	8.4	-	?	-	-	-	-	1
Hamburg	1,105,000	„ 1	253	8	212	10·0	-	?	-	-	-	-	3
Leipzig	687,000	„ 1	174	5	126	9·5	-	?	-	-	-	-	-
Munich	685,000	„ 1	168	8	126	9·6	-	?	-	-	-	-	1
Vienna	1,870,325	April 30 (30 days)											
Prague and Suburbs	738,132	April 30 (30 days)											
Budapest	971,169	Oct. 1	285	13	186	9·9	1	-	-	-	-	3	6
Warsaw	1,028,982	„ 8	?	13	252	12·8	6	-	2	7	-	1	23
Cairo	874,300	May 13 „ 20	790 811	23 21	591 789	35·2 47·1	5 3	- -	6 7	- -	? ?	4 6	127 221
Alexandria	501,800	„ 13 „ 20	479 453	7 10	264 305	27·4 31·7	1 3	- -	- -	- -	? ?	1 4	30 36
New York	5,924,018	Oct. 8	?	?	1158	10·2	1	-	-	1	8	10	17
Chicago	3,048,000	Sept. 30	1039	58	589	9·9	-	-	-	1	4	6	17
New Orleans	433,000	„ 30 (30 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 7 deaths from Cholera in Madras, and 1 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 22nd October, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	972	64	11	14	31	41	46	78	112	171	193	211
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-		-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-		-	-	-	-	-
Diphtheria	8	-	-	4	4		-	-	-	-	-	
Influenza	15	-	-	-	1	-	1	2	1	4	4	2
Erysipelas	1	-	-	-	-		-	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-		-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	1	-	-	-	-	-	-	-
Meningococcal meningitis	1	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	72	-	1	-	1	14	13	18	12	7	3	3
Nervous system	-	-	-	-	-	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-		-	-	-	-	-
Other forms	4	-	-	-	2	-	1	-	-	-	1	-
Venereal diseases	5	1	-	-	-	-	-	-	-	1	2	1
Cancer	132	-	-	-	-	-	2	14	22	38	33	23
Rheumatic fever	3	-	-	1	-	2	-	-	-	-	-	-
Diabetes	9	-	-	-	-	1	-	1	-	4	3	-
Alcoholism	-	-	-	-	-		-	-	-	-	-	-
Simple meningitis	4	1	-	-	1	-	-	1	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	45	-	-	-	-	-	-	1	5	9	18	12
Epilepsy	5	-	-	-	-	-	-	3	-	2	-	-
"Convulsions" (not puerperal) ..	2	2	-	-		-	-	-		-	-	-
Other diseases of nervous system ..	30	-	-	1	3	2	4	5	8	2	2	3
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	5	-	-	-	2	2	-	-	-	-	1	-
Other diseases of heart	180	-	-	-	1	5	7	4	12	41	47	63
Other diseases of circulatory system	56	-	-	-	-	-	-	3	8	7	20	18
Bronchitis	54	1	1	-	-	-	1	2	4	12	13	20
Broncho-pneumonia	38	8	3	3	3	-	1	-	6	6	3	5
Lobar-pneumonia	30	-	2	-	1	-	3	1	7	6	6	4
Pneumonia (type not distinguished)	8	-	-	-	-	-	-	2	-	2	4	-
Other diseases of respiratory system	9	-	-	-	1	-	-	2	1	-	2	3
Diarrhœa and enteritis	15	12	1	-	-	1	-	-	-	-	-	1
Appendicitis, Typhlitis	6	-	-	-	2	1	-	1	-	-	-	2
Hernia, Intestinal obstruction	13	-	1	-	1	-	2	2	2	2	2	1
Cirrhosis of liver	4	-	-	-	-	-	-	-	1	1	2	-
Other diseases of digestive system ..	18	-	-	1	1	-	1	3	7	3	1	1
Acute nephritis	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	28	-	-	-	-	-	1	2	6	7	7	5
Other diseases of genito-urinary system.	22	-	-	-	-	-	3	-	3	4	6	6
Puerperal sepsis	2	-	-	-	-	1	1	-	-	-	-	-
Other causes incident to childbirth ..	3	1			-	1	1	-	-	-	-	-
Congenital malformations	6	5	-	1	-	-	-	-	-	-	-	-
Premature birth	23	23	-		-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3	-	-	-			-	-	-		-
Old age	27	-	-	-				-	-	-	4	23
Suicide	12	-	-	-	-	2	2	5	-	3	-	-
Burns and Scalds	4	1	-	1	-	1	-	-	-	-	1	-
Drowning	2	-	-	-	1	-	-	-	1	-	-	-
Suffocation in bed	-	-	-	-	-	-		-	-	-	-	-
Vehicles and horses	13	-	-	-	2	3	1	-	1	1	2	3
Other deaths by violence	14	-	-	-	1	1	-	3	-	2	1	6
Other specified causes	37	6	1	1	2	4	1	3	4	5	5	5
Ill-defined causes	1	-	-	-	-	-	-	-	-	-	-	1

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 22nd October, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	386	308	8	115	C. 4 D. 1 E. 4 G. 6 M. 22 N. 19
†CITY OF LONDON	-	1	-	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	7	25	-	5	C. 1 M. 3 N. 1
†BERMONDSEY ...		17	12	-	1	N. 2
†BETHNAL GREEN		13	9	-	1	C. 2 M. 1 N. 1
†CAMBERWELL ...		18	18	-	2	-
†CHELSEA	-	3	4	-	3	M. 1
†DEPTFORD ...		6	11	-	2	M. 1 N. 1
†FINSBURY ...	-	12	3	-	-	-
†FULHAM	-	9	3	1	4	M. 1
†GREENWICH ...	-	16	6	-	2	G. 1
†HACKNEY ...	-	45	20	-	3	C. 1 M. 2 N. 1
†HAMMERSMITH ...	-	17	11	-	7	E. 1 M. 1
†HAMPSTEAD ...	-	4	3	-	1	G. 1
†HOLBORN... ...	-	1	1	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	22	25	-	8	M. 2 N. 1
†KENSINGTON ...	-	9	13	-	8	E. 1 N. 2
†LAMBETH ...	-	17	26	-	9	M. 2
†LEWISHAM ...	-	23	4	-	1	E. 1
†PADDINGTON ...	-	10	13	-	7	E. 1 M. 4 N. 3
†POPLAR	-	13	16	-	5	D. 1 M. 1 N. 1
†ST. MARYLEBONE	-	11	2	1	-	N. 1
†ST. PANCRAS ...	-	21	11	-	4	N. 2
†SHOREDITCH ...	-	16	12	-	3	-
†SOUTHWARK ...	-	20	12	-	10	N. 2
†STEPNEY	-	16	22	-	6	G. 1
†STOKE NEWINGTON	-	1	7	-	1	-
†WANDSWORTH ...	-	20	10	1	14	G. 1 M. 2 N. 1
†WESTMINSTER, CITY OF	-	8	3	4	-	M. 1
†WOOLWICH ...	-	10	6	1	8	G. 2

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	20	14	-	-	M. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	-	1	-	-	-	-
†BEDFORD ...		10	-	-	-	-
DUNSTABLE ...	-	1			-	-
†LUTON	-	7	8	-	-	M. 1
Rural Districts:—						
AMPTHILL ...	-		1	-	-	-
BEDFORD... ..	-	-	2		-	-
BIGGLESWADE ..	-	1	2	-	-	-
LUTON	-	-	1	-	-	-
BERKS		16	-	4	2	-
†READING C.B.	-	6		4	-	-
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	-	1	-	-	-	-
†NEW WINDSOR ...	-	1	-	-		-
Rural Districts:—						
COOKHAM ...	-	-			2	-
EASTHAMPSTEAD		2		-		-
FARINGDON (part)	-	2	-	-	-	-
WALLINGFORD ...	-	2		-	-	-
WINDSOR... ..	-	2		-	-	-
BUCKINGHAM...		2	-	-		C. 1
Boroughs and Urban Districts:—						
†SLOUGH	-	-	-		-	C. 1
†WOLVERTON ...	-	1	-		-	-
Rural Districts:—						
WYCOMBE ..	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	-	6	1	-	1	-
Borough:—						
†CAMBRIDGE .	-	1	1	-	-	-
Rural Districts:—						
CHESTERTON ...	-		-	-	1	-
NEWMARKET ...	-	5	-	-		-
CHESTER ...	-	58	24	4	27	C. 1 E. 1 G. 1 M. 1 N. 4
†BIRKENHEAD C.B.	-	15	4		8	C. 1 E. 1 G. 1 N. 1
†CHESTER C.B. ...	-	1	2	-	-	-
†STOCKPORT C.B.	-	11	3	1	1	M. 1
†WALLASEY C.B. ...	-	1	-	-	-	-
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	-	1	-	-	-	-
BREDBURY AND ROMILEY		2	1		1	-
†CHEADLE AND GATLEY	-	-	-	-	1	-
†CONGLETON ...		-	1	-	1	-
†CREWE	-	1	-	-	1	-
†DUKINFIELD ...		-	1	-	5	-
†ELLESMERE PORT AND WHITBY	-	2	-		1	-
HALE		1	-	-	-	-
†HOYLAKE AND WEST KIRBY	-	-	-	-	2	-
†HYDE		1	-	-	1	-
KNUTSFORD ...	-	-	-	-	-	N. 1
†MACCLESFIELD ...	-	1	1	1	1	-
MARPLE	-		-	-	1	-
NANTWICH ...	-	1	-		-	-
†NORTHWICH ...	-	8	-	1	-	-
†RUNCORN... ...	-	6	-	-	-	-
†SALE	-	1	1	-	-	-
SANDBACH ...			1	-	-	-
†STALYBRIDGE ...		-	1	-	-	-
WILMSLOW ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	-	-	1	-	1	-
DISLEY	-	1	-		1	-
MACCLESFIELD ...	-	1	2	-	-	-
MALPAS	-	-	1	-		-
NANTWICH ...	-	1	2	-	-	N. 1
NORTHWICH ...	-	1			-	N. 1
RUNCORN ...	-	1	1	-		-
TARVIN	-	-	-	1	-	-
WIRRAL		-	1		-	-
CORNWALL ...	-	5	4	1	1	-
Boroughs and Urban Districts:—						
†CAMBORNE ...	-	-	3	1		-
PADSTOW ...	*	*	*	*	*	*
PAUL	-	1	-	-	-	-
†PENZANCE ..		2	-	-	-	-
Rural Districts:—						
CALSTOCK ...		1	-	-	-	-
CAMELFORD ...	-	-	-	-	1	-
LAUNCESTON ...	-	1	-	-	-	-
REDRUTH ...	-	-	1		-	-
CUMBERLAND...		6	4	-	4	E. 1
†CARLISLE C.B ..		1	-	-	2	-
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	-	-	1	-	-	-
HOLME CULTRAM	-	1	-		-	-
†MARYPORT ...		-	1	-	1	-
MILLOM	-	-	1	-	-	-
†WHITEHAVEN ...		1	-	-		-
WIGTON	*	*	*	*	*	*
†WORKINGTON ...	-	-	1		-	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
ALSTON WITH GARRIGILL	*	*	*	*	*	*
BOOTLE	-	1	-	-	-	-
CARLISLE ...	-	1			-	-
LONGTOWN ...				-	1	-
WIGTON	-	1	-	-		-
DERBY	14	49	19	1	18	F. 1 M. 1 N. 3
†DERBY C.B.	-	13	11	-	2	-
Boroughs and Urban Districts:—						
†ALFRETON .	10	1	-		-	N. 2
ALVASTON AND BOULTON	-	2	-			-
BASLOW AND BUBNELL	-	1	-	-	-	-
†BOLSOVER ...	-	1	-			-
†BUXTON	-					N. 1
†CHESTERFIELD ...		4		-	2	-
†GLOSSOP		-	-	1		-
†HEANOR	-	3	-	-	-	-
†ILKESTON ...	-	8	-	-	-	
†LONG EATON ...	-	-	1	-	1	-
NORTH DARLEY...	-		-		1	-
†RIPLEY	3	1	-	-	-	-
†SWADLINCOTE DISTRICT		-	-	-	7	M. 1
Rural Districts:—						
ASHBOURNE ...	-	-	-	-	1	-
BELPER	1	1		-	-	-
BLACKWELL ...	-	5	2	-	-	-
CHESTERFIELD ..	-	2	2	-	1	F. 1
CLOWNE	-	3	2	-	-	-
HARTSHORN AND SEALS	-	-	1	-		-
REPTON	-	1	-		1	-
SHARDLOW ...	-	3	-	-	2	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	12	11	3	8	M. 1 N. 2
†EXETER C.B. ...	–	–	–	–	–	N. 1
†PLYMOUTH C.B.	–	6	7	–	3	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	2	–	–	–	–
BIDEFORD ..	–	–	–	1	–	–
BRIXHAM... ...	–	–	–	–	–	M. 1
CREDITON ...	–	–	1	–	–	–
HONITON... ...	–	–	–	–	1	–
†ILFRACOMBE ...	–	–	–	2	–	–
†NEWTON ABBOT	–		1	–		–
NORTHAM ...	*	*	*	*	*	*
SEATON	–	–	–	–	1	–
TIVERTON ...	–	–	1	–	–	–
†TORQUAY ...	–	–	–	–	–	N. 1
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	1	1	–	1	–
ST. THOMAS ...	–	3		–	1	
TAVISTOCK ...	*	*	*	*	*	*
DORSET		13	–	1	1	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	1	–	–	–	–
SWANAGE ...	–	3	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
BRIDPORT ...	–	–	–	–	1	–
POOLE	–	2	–	–	–	–
SHAFTESBURY ...	–	–	–	1	–	–
WAREHAM AND PURBECK		3	–	–		–
WIMBORNE AND CRANBORNE	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM ...	45	70	25	4	51	C. 2 F. 1 G. 3 M. 3 N. 1
†DARLINGTON C.B.		7	2	2	2	N. 1
†GATESHEAD C.B.	11	1	4	–	3	C. 1
†SOUTH SHIELDS C.B	11	4	–	–	13	–
†SUNDERLAND C.B.	–	7	1	–	8	G. 1
†WEST HARTLEPOOL C.B.		2	1	–	6	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	2	–	–	1	–
BENFIELDSIDE ...	–	1	–	–	–	–
BILLINGHAM ...	–	2	1	–	1	–
†BLAYDON... ...	–	–	1	–	1	–
†BRANDON AND BYSHOTTLES	1	–	–	–	–	–
†CHESTER LE STREET	–	–	–	–	2	–
†CONSETT		–	1	–	–	–
†CROOK	–	2	2	–	–	–
†DURHAM	–	–	–	–	2	–
†FELLING	–	–	1	–	–	–
†HARTLEPOOL ...		1	1	–	–	–
†HETTON	–	2	–	–	1	–
†JARROW	–	6	1	–	2	F. 1 G. 1
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	1	1	–	–	2	–
†SHILDON		1	–	–	–	–
†SOUTHWICK ON WEAR	–	–		–	1	–
†SPENNYMOOR ...	*	*	*	*	*	*
†STANLEY	6	1	1	–	–	–
†STOCKTON ON TEES	–	1	–	–	–	–
†TANFIELD ...	–	1	–	–	–	–
†WASHINGTON ...	–	3	–	–	1	–
†WHICKHAM ...	–	–	–	–	2	M. 1
WILLINGTON ...	–	–	–	–	–	G. 1
Rural Districts:—						
AUCKLAND ...	–	8	–	–	–	–
CHESTER LE STREET	3	2	2	–	1	–

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
DARLINGTON ...	–	2		–	–	–
DURHAM		1	1	–	–	–
EASINGTON ...	3	3	–	2		–
HARTLEPOOL ...	1	–	–	–	–	–
HOUGHTON LE SPRING	1	1	–	–	–	C. 1 M. 1
LANCHESTER ..	–	2	5	–	1	–
SEDGEFIELD .	–	1	–	–	–	M. 1
SOUTH SHIELDS..	6	2	–		–	–
SUNDERLAND ..	–	–	–	–	1	–
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	–	1		1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
†WISBECH	–	–	1	–	–	–
Rural Districts:—						
ELY	–	–	–	–	1	–
ESSEX	–	181	121	2	27	C. 1 G. 1 M. 1 N. 2
†EAST HAM C.B. ..	–	34	20	–	3	–
†SOUTHEND-ON-SEA C.B.	–	6	5		4	–
†WEST HAM C.B. ..	–	47	26	1	9	–
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	6	2	–	1	–
BRAINTREE ...		1	–	–	–	–
BRENTWOOD ...	–		2			–
BRIGHTLINGSEA	–			–	1	–
†CHELMSFORD ...	–	2	1	–	–	G. 1
CHINGFORD ...	–	–	3		1	–
†COLCHESTER ..	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
DAGENHAM ...		9	9	–	1	–
†GRAYS THURROCK	–	–	15	–		–
HALSTEAD ...	–	10			–	–
†ILFORD		17	5	–	2	–
†LEYTON	–	16	9		1	C. 1
MALDON	–	6	–			–
†ROMFORD ...	–	–	2	–	–	–
TILBURY	–	2	1	–		–
†WALTHAMSTOW ...		9	7	–	1	M. 1
†WANSTEAD ...	–	1	1		–	–
†WOODFORD ...	–	2	2	1		–
Rural Districts:—						
BILLERICAY ...	–	–	1			–
BRAINTREE ...	–	–	–	–		–
CHELMSFORD ...	–	1	1	–		–
EPPING	–	1	–	–	–	–
HALSTEAD ...	–	4	–	–	–	–
MALDON		1	–	–	–	–
ONGAR	–		1	–		–
ORSETT	–	2	7		–	N. 2
ROMFORD... ...	–	1		–		–
STANSTED ...	–	–	–	–	1	–
TENDRING ...	–	3	1			–
GLOUCESTER ...	7	56	19	4	12	C. 1 G. 1 M. 2 N. 7
†BRISTOL C.B. ...	6	40	15		8	C. 1 G. 1 M. 1 N. 4
†GLOUCESTER C.B.	–	–	–	3	2	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	2	–	–	–
CIRENCESTER ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
COLEFORD ...	–	–	–	1	–	M. 1
†KINGSWOOD ...	–	3	–	–	–	–
MANGOTSFIELD ...	–	–	–	–	1	–
NAILSWORTH ...	–	–		–	–	N. 1
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	
DURSLEY	–	–	–	–	–	N. 1
EAST DEAN AND UNITED PARISHES	–	6	–	–	–	N. 1
NEWENT	–	1	–	–	–	–
STROUD	–	2		–	1	–
THORNBURY ...		2	–	–		–
WARMLEY ...	1	–	–	–	–	–
HEREFORD ...	–	22	5	–	3	–
Boroughs and Urban Districts:—						
†HEREFORD ...		18	4	–	1	–
Rural Districts:—						
BROMYARD ...	–	–		–	1	–
DORE	–	1	–	–	1	–
HEREFORD ...	–	1	–	–		–
ROSS	–	–	1	–	–	–
WEOBLEY... ...	–	2	–	–	–	–
HERTFORD ...	–	10	10	–	3	D. 1 E. 1 N. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	1	–
†BARNET	–	1	–		–	E. 1
BISHOP'S STORTFORD	–	–	2	–	–	–
†HEMEL HEMPSTEAD	–	–	–	–	–	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HERTFORD ...	–	1	–		–	–
†HITCHIN	–	1	–		–	–
†LETCHWORTH ...	–	–	–	–	1	–
†ST. ALBANS ...	–	1	3	–	–	–
WARE	–		1	–		–
†WATFORD	–	4	1	–	1	–
WELWYN GARDEN CITY	–	–	2		–	–
Rural Districts:—						
HADHAM	–	1	–	–	–	–
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	–	1	–		–
WARE	–	–	–	–	–	N. 1
KENT	–	65	49	2	12	C. 1 E. 1 M. 1
†CANTERBURY C.B.	–	–	1		–	
Boroughs and Urban Districts:—						
BECKENHAM ...	–	3	2	–	2	–
†BEXLEY	–	2	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	4	–	–	–	–
†BROMLEY ..		–	3	–		–
†CHATHAM ...	–	2	12	1	–	–
†CRAYFORD ...	–	2	3	–	–	–
†DARTFORD ...	–	3	3		2	–
†DEAL	–	1	–	–	–	–
†DOVER	–	4	1	–	–	C. 1 M. 1
†ERITH	–	1	5	–	–	–
†FAVERSHAM ...	*	*	*	*	*	*
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	–	1	–	3	–
†GRAVESEND ...	–	2	1	–	–	–
HYTHE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MAIDSTONE ..	–	2	2	–	–	E. 1
†MARGATE ...	–	2	–	–	–	–
MILTON REGIS	–	–	4	–	–	–
†NORTHFLEET ..	–	1	–	–	1	–
†PENGE	–	3	–	–	–	–
†RAMSGATE ..	–	1	–	–	1	–
†ROCHESTER ..	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SANDWICH ...	–	–	–	1	–	–
†SHEERNESS ...	–	1	–	–	–	–
SIDCUP	–	–	1	–	–	–
SITTINGBOURNE	–	–	–	–	1	–
WHITSTABLE ...	–	2	–	–	–	–
Rural Districts:—						
BLEAN	–	1	–	–	–	–
BRIDGE	–	3	–	–	–	–
BROMLEY ...	–	3	–	–	–	–
FAVERSHAM ..	–	1	4	–	–	–
HOLLINGBOURNE	–	5	–	–	–	–
ISLE OF THANET	–	–	–	–	1	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	7	3	–	–	–
MILTON	–	1	–	–	–	–
ROMNEY MARSH...	–	–	–	–	1	–
TENTERDEN ...	–	2	–	–	–	–
TONBRIDGE ...	–	1	1	–	–	–
LANCASTER ...	1	297	171	4	177	C. 5 G. 12 L. 2 M. 30 N. 14
†BARROW IN FURNESS C.B.	–	–	–	–	2	M. 1
†BLACKBURN C.B.	–	–	3	–	–	G. 3
†BLACKPOOL C.B.	–	1	–	1	1	–
†BOLTON C.B. ...	–	9	10	–	4	–
†BOOTLE C.B. ..	–	4	5	–	3	N. 2
†BURNLEY C.B. ..	–	2	10	–	4	–
†BURY C.B. ...	–	3	2	–	3	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†LIVERPOOL C.B. ..	–	30	41	1	41	C. 1 M. 18 N. 1
†MANCHESTER C.B.	–	73	29	1	46	G. 2 L. 2 M. 3 N. 1
†OLDHAM C.B. ..		8	6	–	4	C. 1 G. 2
†PRESTON C.B. ..	–	4	5	–	1	N. 2
†ROCHDALE C.B. ..	–	6	7		–	–
†ST. HELENS C.B...	–	6	1	–	5	N. 2
†SALFORD C.B. ..	–	15	11	–	17	C. 2 M. 1 N. 1
†SOUTHPORT C.B.	–	8	1	–	1	G. 1
†WARRINGTON C.B.	–	2	3	–	5	M. 1
†WIGAN C.B. ..	–	3	–	–	3	G. 1
Boroughs and Urban Districts:—						
ABRAM	–	1	1	–	1	–
†ACCRINGTON ..	–	3	–	–	–	–
†ASHTON IN MAKERFIELD	–	1	–	–	1	–
†ASHTON UNDER LYNE	–	1	–	–	2	M. 1
ASPULL	–	–	–	–	3	–
†ATHERTON ...	–	1	5	–	–	–
BLACKROD ...	–	1	–	–	1	–
BRIERFIELD ...	–	1	–	–	–	–
CARNFORTH ...	–	2	–	–	–	–
†CHADDERTON ...	–	2	5	–	1	M. 1
†CHORLEY	–	–	–	–	1	–
†CLITHEROE ...	–	–	1	–	–	–
†COLNE	–	–	–	–	1	–
†DARWEN		–	–	–	2	–
†DENTON	–	4	1		–	–
†DROYLSDEN ..	–	–	1	–	1	–
†ECCLES	–	31	1	–	1	G. 1
†FAILSWORTH ..	–	1	2	–	–	–
†FARNWORTH ...	–	1	–	–	–	M. 1
†FLEETWOOD ...	–	2		–	–	–
†GREAT CROSBY ...		–	–	–	1	–
†GREAT HARWOOD	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HAYDOCK ...	–	–	–	–	1	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY... ...	–	–	–	–	2	–
†HORWICH ...	–	2	–	–	1	–
IRLAM	–	6	–	–	–	–
KIRKHAM ...	–	1	–	–	–	–
†LANCASTER ...	–	5	–	–	–	–
†LEIGH		2	1	1	–	M. 1 N. 1
†LITHERLAND ...	–	–	1	–	–	N. 1
LITTLE HULTON..		–	–	–	–	G. 1 M. 1
LITTLE LEVER ...	–	1	–	–	–	N. 1
†MIDDLETON ...	–	–	1	–	–	–
†MOSSLEY	–	3	–	–	–	–
†NELSON	–	2	–	–		–
†NEWTON IN MAKERFIELD	–	1	–	–	1	–
ORMSKIRK ...	–	–	–	–	1	–
ORRELL	–	–	1	–		–
†OSWALDTWISTLE	–	1	1	–	–	–
†PADIHAM ...	–	–	2	–	–	–
†RADCLIFFE ...	–	6	–	–	2	–
†RAMSBOTTOM ...	–	4	–	–	–	–
†RAWTENSTALL ...	–	2	–	–	–	–
RISHTON	–	–	–	–	–	N. 1
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	8	1	–	–	–
†SWINTON AND PENDLEBURY	–	4	–		2	–
TOTTINGTON ...	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	2	–	1	–
UPHOLLAND ...	–	–	1	–	–	–
URMSTON... ...	–	2	–	–	–	–
†WALTON LE DALE	–	2	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1		–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	1	1	–	1	–
WHITWORTH ...		–	–	–	–	N. 1
†WIDNES	–	2	3	–	2	–
†WORSLEY... ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	2	2	–	–	C. 1
BURNLEY... ...	–	–	1	–	–	–
BURY	–	1		–	–	–
CHORLEY... ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	2	–
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	3	–	–	–	–
PRESTON	1	–	1	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	2	–	–	3	G. 1
LEICESTER ...	–	42	39	–	13	M. 1
†LEICESTER C.B. ...	–	24	10	–	3	–
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...		–	22	–	–	M. 1
†HINCKLEY ...	–	1	–	–	–	–
LOUGHBOROUGH		–	1	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	1	–	–	4	–
QUORNDON ...	*	*	*	*	*	*
WIGSTON MAGNA		1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	1	–	2	–
BARROW UPON SOAR	–	1	–	–	–	–
BLABY	–	1	1	–	1	–
CASTLE DONINGTON	–	–	–	–	1	–
HINCKLEY ...	–	1	3	–	–	–
LUTTERWORTH ...	–	1	–	–	–	–
MARKET BOSWORTH	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
MARKET HARBOROUGH...	–	4	–	–	–	–
MELTON MOWBRAY	–	4	–	–	–	–
LINCOLN (parts of Holland).	–	7	2	–	–	C. 1
Boroughs and Urban Districts:—						
†BOSTON	–	1		–	–	–
†SPALDING ...	–	–	2		–	–
Rural Districts:—						
BOSTON	–	3		–	–	C. 1
CROWLAND ...	–	2	–	–	–	–
EAST ELLOE ...	–	1	–			–
LINCOLN (parts of Kesteven).	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–		–
SLEAFORD ...	–	1			–	–
Rural Districts:—						
BOURNE	–	–	1			–
LINCOLN (parts of Lindsey).	–	23	12	1	14	E. 3 N. 1
†GRIMSBY C.B. ...	–	–	1	–	3	E 1
†LINCOLN C.B. ...	–	3	–		3	E. 2 N. 1
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–		1	–	–	–
BRIGG	–	1	1		–	–
†CLEETHORPES ...	–	1	1	–	1	–
†GAINSBOROUGH ...	–		–	–	3	
MABLETHORPE AND SUTTON	–	1			–	–
†SCUNTHORPE AND FRODINGHAM	–	5	1	–	2	–
WINTERTON ...	–	–	–	1	–	–
Rural Districts:—						
CAISTOR	–	1	–		1	–
GAINSBOROUGH ...	–	1	1	–	1	–
GLANFORD BRIGG	–	3	5	–	–	–
GRIMSBY	–	–	1	–	–	–
HORNCASTLE ...	–	4		–		–
LOUTH	–	2		–		–
SPILSBY	–	1			–	–
MIDDLESEX ...	–	73	71	1	30	E. 1 M. 1 N. 4
Boroughs and Urban Districts:—						
†ACTON ...	–	2	3		1	–
†BRENTFORD AND CHISWICK	–	4	1	–	1	–
†EALING	–	6	1	–	1	N. 1
†EDMONTON ...	–	4	7	–	3	–
†ENFIELD	–	1	13	–	1	M. 1
†FINCHLEY ...	–	3	2	–	1	–
†FRIERN BARNET	–	1			1	–
†HAMPTON ...	–		1	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
HAYES	–	3		–		–
†HESTON AND ISLEWORTH	–	1	2	–	1	N. 1
†HORNSEY... ...	–	1	2	–	1	N. 1
†SOUTHALL NORWOOD	–	11	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHGATE ...	–	1	–		–	–
STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	1	2	–	–	–
†TOTTENHAM ...	–	16	10	–	11	–
†TWICKENHAM ...	–	–	6	–	–	–
†UXBRIDGE ...	–	1	1	–		–
†WEALDSTONE ...	–	1	–	–		–
†WEMBLEY ...	–	–	–	1	2	–
†WILLESDEN ...	–	12	16	–	3	E. 1
†WOOD GREEN ...	–	1	2	–	2	–
Rural Districts:—						
HENDON	–	1			1	N. 1
STAINES	–	–	2	–	–	–
NORFOLK ...	–	21	11	1	9	D. 1 L. 2 M. 1
†GREAT YARMOUTH C.B.	–	5	3			M. 1
†NORWICH C.B. ...	–	12	2		4	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	–	–	3			–
†KING'S LYNN ...	–		2		1	
THETFORD ..	*	*	*	*	*	*
WALSOKEN ...	–	–		1	–	
Rural Districts:—						
AYLSHAM... ...	–		–	–		D. 1
BLOFIELD ...	–		–	–	1	–
DEPWADE ...	–	2	–	–		–
DOWNHAM ...	–	–		–	1	–
FOREHOE... ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	1	–	–	–	–
LODDON AND CLAVERING	–	1		–	1	
ST. FAITH'S ...	–	–		–	–	L. 2
SMALLBURGH ...	–		1		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	15	5	–	5	G. 1 M. 1 N. 1
†NORTHAMPTON C.B	–	5	–	–	2	N. 1
Boroughs and Urban Districts:—						
BRACKLEY ..	*	*	*	*	*	*
DAVENTRY ...	–				1	–
†KETTERING .	–	–			1	G. 1 M. 1
ROTHWELL ...	–	–	1			–
†RUSHDEN... ...	–	1	3		–	–
†WELLINGBOROUGH	–		–	–	1	–
Rural Districts:—						
BRACKLEY ...	*	*	*	*	*	*
BRIXWORTH ...	–	1	–		–	–
HARDINGSTONE ...	–	2	–			–
OXENDON... ...	–	5	–	–		–
POTTERSPURY ...	–	1		–	–	–
THRAPSTON (part)	–	–	1	–	–	–
NORTHUMBERLAND.	4	51	11	2	55	C. 1 M. 1 N. 2
†NEWCASTLE UPON TYNE C.B.	–	22	5		47	C. 1
†TYNEMOUTH C.B	–	3	2	–	1	
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	2	–	–	1	N. 1
†BEDLINGTONSHIRE	–	7	–	2	2	–
†BERWICK UPON TWEED	–	3	1	–	–	–
†BLYTH	–	–	1	–	–	–
CRAMLINGTON ...	–	–	–	–	–	N. 1
†GOSFORTH ...	–	3	–	–	–	–
†LONGBENTON ...	–	1	–	–	1	
MORPETH... ...	1	1	–	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	4	–		1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALLSEND ...	-	2	1	-	1	-
†WHITLEY AND MONKSEATON	-	2	1	-	-	-
Rural Districts:—						
BELLINGHAM ...	1	-	-	-	-	-
CASTLE WARD ..	-		-	-	1	-
HALTWHISTLE ...	*	*	*	*	*	*
NOTTINGHAM ...	8	49	37	-	16	M. 5
†NOTTINGHAM C.B	1	14	32	-	9	M. 3
Boroughs and Urban Districts:—						
†BEESTON	-		1	-	-	-
†CARLTON	-	-		-	1	M. 1
†EAST RETFORD ..	1	-	-	-	-	-
†HUCKNALL ...	-	1	-		-	-
HUTHWAITE ...	-	1			-	-
†MANSFIELD ..	-	-		-	1	M. 1
†MANSFIELD WOODHOUSE	-	7		-	1	
†NEWARK		1		-	-	-
†SUTTON IN ASHFIELD	-	-	-	-	2	-
WARSOP	-	4			-	-
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP... ...	2	-		-	-	-
Rural Districts:—						
BASFORD	-	4	2		1	-
BINGHAM... ...	-	5	2	-	-	-
EAST RETFORD ...	-	1			-	
NEWARK	-	-	-	-	1	-
SKEGBY		4	-	-	-	-
SOUTHWELL ...	1	4	-	-	-	-
STAPLEFORD ...	-	3			-	
WORKSOP... ...	2			-		-
OXFORD	-	3	-	-	2	M. 1
†OXFORD C.B.		-	-	-	1	M. 1
Boroughs and Urban Districts:—						
CHIPPING NORTON	-	1	-	-	-	-
HEADINGTON ...	-	-	-	-	1	-
Rural Districts:—						
CULHAM	-	1	-		-	-
WOODSTOCK ...	-	1	-	-	-	-
PETERBOROUGH (Soke of).		2	-	-	2	-
Borough:—						
†PETERBOROUGH	-	1	-	-	1	-
Rural District—						
PETERBOROUGH...	-	1	-	-	1	-
RUTLAND ...	-	-	3	-	-	-
Rural Districts:—						
OAKHAM	-	-	3	-		-
SALOP	-	30	16	-		M. 2 N. 2
Boroughs and Urban Districts:—						
BISHOP'S CASTLE	-	2	-	-		-
CHURCH STRETTON	-	1	-	-	-	-
DAWLEY	-	-	-	-	-	N. 1
LUDLOW	-	-	1	-		-
NEWPORT ...	-	1	-	-	-	-
†OAKENGATES ..	-	3	-	-	-	-
OSWESTRY ...		-	3	-	-	-
†SHREWSBURY	-	6	-	-	-	N. 1
WELLINGTON ...	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
CLEOBURY MORTIMER	–	–	1	–	–	–
DRAYTON... ...	–	1	–	–		–
OSWESTRY ...	–	10	11	–	–	M. 2
SHIFNAL	–	1	–	–	–	–
WELLINGTON ...	–	2	–	–	–	–
WHITCHURCH ...	–	1	–	–		–
SOMERSET ...	–	29	18	2	6	C. 1 D. 1 M. 2 N. 1
†BATH C.B. ...	–	4	6	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–		–	D. 1
†FROME		1	–	–	–	–
GLASTONBURY ...	–	–	–	1	–	–
HIGHBRIDGE ...	–	–	–	–	1	–
MIDSOMER NORTON	–	2		–	–	–
MINEHEAD ...	–	1	–	–	–	–
†TAUNTON... ...	–	3	–	–	2	–
WELLS	–	2		–	–	–
†WESTON SUPER MARE	–	1	9	–	–	–
Rural Districts:—						
BATH	–	2	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	1	–	–	–	–
CLUTTON... ...	–	5	–	–	–	C. 1
FROME	–	–	–	–	–	M. 2
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ..			–	1	–	–
SHEPTON MALLET	–	–	–	–	1	–
WINCANTON ...	–	2	–	–	–	–
YEOVIL	–	3	3	–	2	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON.	–	69	34	2	9	M. 5 N. 1
†BOURNEMOUTH C.B	–	1	–	–	–	
†PORTSMOUTH C.B	–	23	20	1	1	M. 1
†SOUTHAMPTON C.B	–	16	8	–	7	M. 4 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	3	–	1	–
†BASINGSTOKE ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ..	–	1	–	–		–
†FARNBOROUGH ...	–	5	–	–	–	–
†GOSPORT		–	2	–		–
PETERSFIELD ...	–	7	–	1	–	–
ROMSEY	–	1	–	–	–	–
Rural Districts:—						
ALRESFORD	–	2	–	–	–	–
CATHERINGTON ...	–	1	–	–	–	–
FAREHAM ...	–	5	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
HAVANT	–	2	1	–	–	–
NEW FOREST ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
STAFFORD ...	–	61	57	2	34	C. 3 D. 1 E. 1 M. 11 N. 4
†BURTON UPON TRENT C.B.	–	–	–	–	1	–
†SMETHWICK C.B	–	1	3	1	4	N. 1
†STOKE ON TRENT C.B.	–	8	5	1	6	C. 1 M. 9
†WALSALL C.B. ...	–	4	26		3	
†WEST BROMWICH C.B.	–	2	4	–	1	–
†WOLVERHAMPTON C.B		6	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	1	1	–		–
†AUDLEY	–	2	–	–		–
BIDDULPH ...	–	–		–	1	–
†BILSTON	–	–	1		2	–
†BROWNHILLS ...	–	4	–	–	–	–
†CANNOCK	–	2	–		1	–
†COSELEY	–	1	4	–		
†DARLASTON ...	–	1	1	–	2	–
KIDSGROVE ...	–	2		–	1	–
†LEEK	–	3	–	–		–
LICHFIELD ...	–	2				–
†NEWCASTLE UNDER LYME	–	2		–		
QUARRY BANK	–	–	2	–	–	–
†ROWLEY REGIS ...	–	3	1	–	1	–
RUGELEY... ...	–	1				–
†SEDGLEY	–	–		–	1	–
†STAFFORD ...	–	–	–	–	2	–
TAMWORTH ...	–	–	1		–	–
†TIPTON	–	2	–	–	1	–
†WEDNESBURY ...	–	2	–		2	–
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	–	–	–	2	M. 1
Rural Districts:—						
CANNOCK	–	3	2	–	–	–
CHEADLE... ...	–	–	–	–	–	C. 2 D. 1 N. 2
KINGSWINFORD...	–	2	1	–	–	–
LEEK	–	–	–	–	–	M. 1 N. 1
LICHFIELD ...	–	2	1	–		–
NEWCASTLE UNDER LYME	–	–	1	–	–	–
SEISDON	–	1	3		–	–
STAFFORD ...		1	–	–		–
STONE		1	–	–	–	–
UTTOXETER ...	–		–	–	–	E. 1
WALSALL... ...	–	2	–	–	–	–
SUFFOLK, EAST	–	15	3	1	2	C. 1
†IPSWICH C.B. .	–	2	–	–	1	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
†FELIXSTOWE ...	–	2	–	–	–	–
†LOWESTOFT .	–	6	1	1	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	–	1	–	1	–
PLOMESGATE ...		3		–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, WEST	–	5	–	–		F. 1 N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	4	–	–	–	N. 1
Rural Districts:—						
THEDWASTRE ...	–	1	–	–		–
THINGOE	–	–	–	–	–	F. 1
SURREY		67	31	5	14	C. 1 G. 1 M. 2
†CROYDON C.B. ..	–	26	1	–	1	G. 1 M. 2
Boroughs and Urban Districts:—						
†BARNES	–	3	–		2	–
†BEDDINGTON AND WALLINGTON	–	1	1	–	–	–
†CARSHALTON ...	–	–	9	–	–	–
†CATERHAM ...	–	2	–	–	–	–
†CHERTSEY	–	1	1	2	–	–
†COULSDON AND PURLEY	–	1		–		–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
DORKING	–	1	–		–	–
†EGHAM	–	–	–	–	1	–
†EPSOM	–	1	–	–	1	–
†FARNHAM ...	–	1	1	–		–
†FRIMLEY	*	*	*	*	*	*
GODALMING ...	–	–	–		2	–
†KINGSTON ON THAMES	–	6	5	–		–
†MERTON AND MORDEN	–	7	2	–	–	–
†MITCHAM... ..	–	4	3	–	2	–
†RICHMOND ...	–	–	–	–	–	C. 1
†SURBITON ...	–	–	2	–	1	–
†SUTTON	–	–	2	–	–	–
†THE MALDENS AND COOMBE	–	2	1	–	1	–
†WALTON UPON THAMES	–	2	–	–	1	–
WEYBRIDGE ...	–	–	–	1		–
†WIMBLEDON ..	–	3	2	2	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING... ...	–	1	–	–	–	–
EPSOM	–	2	1	–	1	–
FARNHAM ..	–	1	–	–	–	–
REIGATE	–	–	–	–	1	–
SUSSEX, EAST ...	–	26	8	2	4	C. 1 G. 1 L. 1 N. 4
†BRIGHTON C.B. ..	–	4	1	1	–	C. 1 N. 3
†EASTBOURNE C.B.	–	6	2	–	2	N. 1
†HASTINGS C.B. ..	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†BEXHILL	–	–	–	–	1	–
EAST GRINSTEAD	–	4	–		–	–
†HOVE	–	–	1	–	–	G. 1
NEWHAVEN ...	–	–	1		1	–
PORTSLADE BY SEA	–	–	3		–	–
UCKFIELD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
BATTLE	–		–	1	–	–
CHAILEY	–	1		–	–	–
EASTBOURNE ...	–	1	–	–	–	–
EAST GRINSTEAD	–	2	–	–	–	–
HAILSHAM ...	–	4	–	–	–	L. 1
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST...	–	6	10	–	2	C. 2
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1		1	–
†HORSHAM ...	–	1		–		C. 1
†LITTLEHAMPTON	–	1	1	–	–	–
SOUTHWICK ...	–	–	–	–	1	–
†WORTHING ..	–	1	5		–	–
Rural Districts:—						
MIDHURST ...	–	–	1	–	–	–
WESTBOURNE ...	–	–	1	–	–	–
WESTHAMPNETT	–	3	1		–	C. 1
WARWICK ...	5	84	75	6	58	C. 2 E. 1 G. 1 M. 11 N. 4
†BIRMINGHAM C.B.	–	48	56	–	45	C. 1 E. 1 G. 1 M. 11 N. 2
†COVENTRY C.B. .	–	11	9	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	–	–	–	–
†ROYAL LEAMINGTON SPA	–	1	1	–	1	–
†RUGBY	–	2	4		2	–
†SUTTON COLDFIELD	–	–	1	–	1	–
WARWICK ...	–	1	–	–	3	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	1	–	–	1	–
ATHERSTONE ...	–	3	–	–	2	–
COVENTRY ...	5	–	1	–	–	–
FOLESHILL ...	–	6	2	–	–	–
MERIDEN... ...	–	1	–	–	–	–
RUGBY	–	3	1	–	1	–
SOLIHULL ...	–	–	–	–	–	N. 1
SOUTHAM... ...	–	3	–	6	–	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
WESTMORLAND	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	2	–		1	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
WIGHT, ISLE OF	–	7	1	–	–	M. 2
Boroughs and Urban Districts:—						
†COWES	–	1	1	–	–	–
VENTNOR... ...	–	3	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	3	–	–	–	M. 2
WILTS	–	27	4	–	4	M. 1 N. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
MALMESBURY ...	–	–	–	–	1	–
†SALISBURY ...	–	11	2	–		N. 1
†SWINDON... ...	–	–		–	2	–
†TROWBRIDGE ...	–	–	1	–	–	–
WESTBURY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
DEVIZES	–	5	–	–	–	–
HIGHWORTH ...	–	1	–	–	1	–
MALMESBURY ...	–	–	–	–	–	M. 1
MELKSHAM ...	–	2	–	–	–	–
PEWSEY	–	5	–	–	–	–
RAMSBURY ...	–	–	1	–	–	–
WORCESTER ...	–	33	6	–	13	M. 1 N. 1
†DUDLEY C.B. ...	–	2	–	–	–	–
†WORCESTER C.B.	–	3	–	–	5	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
EVESHAM ...	–	2	–	–	–	–
†HALESOWEN ...	–	3	6	–	–	–
†KIDDERMINSTER	–	–	–	–	2	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
NORTH BROMSGROVE	–	11	–	–	1	–
†OLDBURY... ...	–	–	–	–	1	M. 1
†REDDITCH ...	–	6	–	–	–	N. 1
Rural Districts:—						
BROMSGROVE ...		2	–	–	–	–
DROITWICH ...	–	1	–	–	–	–
MARTLEY... ...			–		1	–
PERSHORE ...	–	–	–	–	2	–
YORKS ... ... (East Riding).	–	21	33	–	5	E. 5 G. 1 M. 1
†KINGSTON UPON HULL C.B.	–	15	22	–	4	E. 5 G. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	5	–	1	–
COTTINGHAM ...		2	1	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
DRIFFIELD ...	–	–	2	–		–
ESCRICK	–	1	–	–		–
HOWDEN	–	1	–	–	–	–
RICCALL	–	2		–	–	–
SKIRLAUGH ...	–	–	2		–	–
YORKS ... ... (North Riding).	8	22	2	–	13	C. 1 N. 3
†MIDDLESBROUGH C.B	7	3		–	9	C. 1 N. 2
Boroughs and Urban Districts:—						
†ESTON	1	1		–	–	–
LOFTUS	–	3	–	–	–	–
†REDCAR	–	2		–	1	–
†SCARBOROUGH ...	–	1	1	–	2	–
†SKELTON AND BROTTON			1	–		–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY		1		–	–	–
Rural Districts:—						
EASINGWOLD ...	–			–		N. 1
HELMSLEY ...		–	–		1	–
LEYBURN... ...	–	2	–	–	–	–
STARTFORTH ...		3	–	–	–	–
STOKESLEY ...	–	1	–	–		–
THIRSK	–	3	–			–
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding).	34	229	71	3	140	C. 4 D. 1 E. 7 G. 1 M. 7 N. 6
†BARNSLEY C.B. ..		2	1	1	1	
†BRADFORD C.B. ..	–	15	5	–	19	D. 1 M. 1
†DEWSBURY C.B...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
†DONCASTER C.B.	2	2	–	–	–	–
†HALIFAX C.B. ...	–	3	3	–	1	N. 1
†HUDDERSFIELD C.B	–	6	6	1	3	M. 2 N. 1
†LEEDS C.B. ...	6	13	6		18	C. 2 E. 1 M. 2 N. 1
†ROTHERHAM C.B.	–	2	5		10	–
†SHEFFIELD C.B....	3	114	26	1	48	C. 2 G. 1 M. 1 N. 1
†WAKEFIELD C.B.	–	2	–		1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	2	1	–		–
†BARNOLDSWICK ...	–	–	1	–	2	–
†BATLEY	–	2	–		2	–
†BENTLEY WITH ARKSEY	–	1	2	–	–	–
†BINGLEY	1		–	–	2	–
BIRKENSHAW ...	–	1		–	–	–
†BOLTON UPON DEARNE	–	2	–	–	–	–
†BRIGHOUSE ...	1	–	–	–	1	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...		1	–	–	–	–
CUDWORTH ...	–	2	–	–	–	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
†FEATHERSTONE ...	–	1		–	1	–
†GOOLE	–		–	–	1	–
GREASBROUGH ...	–	1	–	–	–	–
†HARROGATE ...	–	2	–	–		–
HAWORTH ...	1	–	–	–	–	–
HEBDEN BRIDGE	–	–	1	–	–	–
HECKMONDWIKE	–	1	–	–		–
†HEMSWORTH ...	–	1	–	–	3	–
HIPPERHOLME ...	–	1	–	–		–
†HOLMFIRTH ...	–			–	1	–
†HOYLAND NETHER	–	2	–		1	–
ILKLEY	–	4		–	–	–
†KEIGHLEY ...	9	2	–	–		–
KIRKBURTON ...	–		–		2	–
KIRKHEATON ...	–			–	1	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
KNOTTINGLEY ...	–		1	–	–	–
MALTBY		1	–	–	–	–
MARSDEN... ...		1	–	–		–
MELTHAM ...	–	1	–	–	–	–
†MIRFIELD ...	–	1	–	–		–
†MORLEY		–	–	–	1	–
†NORMANTON ..	–	1	–	–	1	–
OAKWORTH ...	–	–	1	–	–	–
OTLEY	–	–	–	–	1	–
†PONTEFRACT ...	–	1	1	–	2	–
†RAWMARSH ...	–	2	–	–	–	–
RIPON	*	*	*	*	*	*
†ROTHWELL ...	–	1	–	–	–	–
ROYSTON	–	1		–	–	–
†SADDLEWORTH ...	–	–	1	–	–	–
SELBY	–	1	–	–	–	–
SHEPLEY	–	2	–	–	–	–
†SHIPLEY	–	–	1			–
†SKIPTON	–	–	2	–	–	–
†SPENBOROUGH ...	–	2	1	–	1	N. 1
STAINLAND ...	–	2	–	–	–	–
STOCKSBRIDGE ...		–	–	–	4	–
†SWINTON	1	2	–	–	2	E. 2 N. 1
†TODMORDEN ...	1	1	–	–	–	–
†WATH UPON DEARNE	–	–	–	–	–	E. 4
†WOMBWELL ...	–	2	1	–	1	–
†WORSBOROUGH ...	–	3	–	–	1	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	3	–	–	2	M. 1
HALIFAX ...	–	1	–	–		–
HEMSWORTH ...	–	3	–	–	1	–
KIVETON PARK ...	7	–	–	–	1	–
PONTEFRACT ...	–		2		–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	1	3	–	–	2	–
TADCASTER ...	–	1	1	–	–	–
THORNE	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
WETHERBY ...	–	–	–	–	1	–
WORTLEY	–	5	2	–	–	–
YORK, CITY OF ...	–	12	3	1	3	–
†YORK C.B. ...		12	3	1	3	–
WALES.						
ANGLESEY ...	–	3	10	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	1	–	–	–
LLANGEFNI ...	–	–	4	–	–	–
MENAI BRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AETHWY	–	–	1	–	–	–
DWYRAN	–	2	–	–	–	–
TWRCELYN ..	–	–	3	–	–	–
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	5	1	–	–	2	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	1	–	–	–	–
BRYNMAWR ...	5	–	–	–	1	–
BUILTH WELLS ...	–	–	–	–	1	–
CAERNARVON ...	–	5	–	–	–	M. 1
Boroughs and Urban Districts:—						
†BANGOR	–	2	–	–	–	–
CAERNARVON ...	–	–	–	–	–	M. 1
CONWAY	–	1	–	–		–
†LLANDUDNO ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	7	–	1	–	–
Rural Districts:—						
CARDIGAN ...	–	7	–	1	–	–
CARMARTHEN...	–	11	3	–	2	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–		1	–	–	–
†LLANELLY ...	–	2	–	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	3	–	–	–	
LLANDILO FAWR	–	–		–	1	–
LLANELLY ...	–	6	2	–	1	–
						–
DENBIGH ...	–	12		–	2	C. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	6	–	–	–	–
RUTHIN	–	–	–	–	1	–
†WREXHAM ...	–	1	–	–	–	C. 1
Rural Districts:—						
LLANSILIN ...	*	*	*	*	*	*
RUTHIN	–	–	–	–	1	–
UWCHALED ...	–	1	–	–	–	–
WREXHAM ...	–	4	–	–	–	–
FLINT	–	2	–	–	–	C. 1 E. 2
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	1	–	–	–	–
FLINT	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	–	C. 1
HOLYWELL ...	–	–	–	–	–	E. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	24	68	54	–	40	C. 1 E. 1 L. 6 M. 7 N. 2
†CARDIFF C.B. ...	–	6	8	–	2	C. 1 M. 3 N. 2
†MERTHYR TYDFIL C.B.	–	1	3	–	2	–
†SWANSEA C.B. ...	–	4	7	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	10	5	1	–	4	–
†BARRY	–	–	1	–	2	–
BRIDGEND ...	–	1	–	–	–	–
†CAERPHILLY ...	–		1	–	1	M. 1
†GELLIGAER ...	3	2	1	–	4	–
†GLYNCORWG ...		1	3	–	1	–
†MAESTEG... ...	–	7	1	–	2	–
†MOUNTAIN ASH...	2	12	2		3	
†NEATH	–	2	2	–	2	–
†OGMORE AND GARW	–		1	–	2	L. 6
†PONTYPRIDD ...	9	4	–	–	–	–
PORTHCAWL ...		–	–	–	1	–
†PORT TALBOT ...	–	3	3	–	–	
†RHONDDA ...	–	12	11	–	8	M. 2
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	6	1	–	2	–
NEATH	–	–	2		3	–
PENYBONT ...	–	2	2	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	–	3	–	–	–
MERIONETH ...	–	1	10	–	–	–
Urban Districts:—						
BARMOUTH ...	–	1	–	–	–	–
DOLGELLEY ...	–	–	2	–	–	–
FFESTINIOG ..	–	–	6	–	–	–
MALLWYD ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	45	17	7	–	8	M. 1 N. 1
†NEWPORT C.B. ...	–	5	2	–	1	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	2		1	–	–	–
†ABERTILLERY ...	–	–	1	–	–	–
†BEDWELLTY ...	3	1	1	–	–	–
†BLAENAVON ...	1	–	–	–	–	–
CHEPSTOW ...	–	1	–	–	–	–
†EBBW VALE ...	34	–	–		1	–
†MYNYDDISLWYN	–	1	–	–	–	M. 1
†NANTYGLO AND BLAINA	2	2	–	–	3	N. 1
PONTYPOOL ...	2	–		–	–	–
†RHYMNEY ...	1	–	–	–	–	–
†RISCA	–	1	–	–		–
†TREDEGAR ...	–	3	2	–	3	–
Rural Districts:—						
ST. MELLONS ...	–	2		–	–	–
MONTGOMERY...	–	7		–	1	E. 1
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	2	–	–		–
WELSHPOOL ...	–	5	–	–	1	–
MONTGOMERY— *cont.*						
Rural Districts:—						
MACHYNLLETH ...	–	–	–	–	–	E
PEMBROKE ...	–	6	2	–	1	
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	2	–	–	
MILFORD HAVEN	–	1	–	–	–	
Rural Districts:—						
HAVERFORDWEST.		5	–	–	–	
PEMBROKE ...	–	–	–	–	1	
RADNOR	–	–	–	–	–	N
Rural Districts:—						
NEW RADNOR ...	–	–	–	–	–	N
Total of Part II. ...	200	2063	1128	60	858	C D E F G L M N

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

ort Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LIVERPOOL	–	–	–	–	1	–	SUNDERLAND... ..	–	–	–	1	–	–
PLYMOUTH	–	–	–	2	1	L. 1	PORT OF LONDON ..	–	–	2	–	–	–
SOUTHAMPTON ...	–	1	–	–	–	–							
							Total of Part III. ...	–	1	2	3	2	L. 1

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; , Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio ncephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued ever ; K Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see
Total of Part I.—London	–	386	308	8	115	C D. E. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	200	2063	1128	60	858	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	–	1	2	3	2	L.
Total (*i.e.*, of returns received), England and Wales ...	200	2450	1438	71	975	C. D. E. F. G L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexi

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the GREGATE. — Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15	Oct. 22.
DON :—													
THS (excluding Still-ths)—all ages.	763	714	793	727	759	773	744	778	762	816	977	904	972
THS—0 to 1 year ..	65	49	69	42	55	67	69	75	49	78	70	59	64
AT TOWNS, aggre-e (including Lon-):—													
BIRTHS	6,901	5,798	6,772	6,314	6,575	6,703	6,193	6,091	5,997	6,352	6,602	6,428	6,203
BIRTHS	259	241	239	245	306	267	268	252	264	264	235	232	260
THS (excluding Still-ths)—all ages	3,510	3,303	3,406	3,244	3,343	3,380	3,346	3,401	3,610	3,571	3,941	3,906	4,024
THS—0 to 1 year ..	390	326	328	280	344	329	359	361	347	353	368	354	368
ERIC FEVER—Cases	27	25	20	28	36	38	44	34	36	33	25	28	32
„ Deaths	1	3	2	2	—	1	4	5	3	5	3	1	3
L POX—Cases ..	41	45	29	26	38	19	39	20	18	27	32	34	51
„ Deaths ..	—	—	—	—	—	1	-	—	—	—	—	—	—
LET FEVER—Cases	942	677	814	677	774	889	977	951	1,176	1,136	1,275	1,439	1,348
„ Deaths	8	2	4	8	4	2	6	6	4	2	8	5	2
THERIA—Cases ..	497	444	455	449	453	556	693	688	801	742	746	834	938
„ Deaths ..	22	25	20	13	15	22	24	27	33	20	34	32	39
SLES—Deaths ..	25	31	19	19	16	13	16	13	10	9	14	14	20
UENZA—Deaths ..	15	16	26	21	20	18	21	24	42	34	27	51	63

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 22nd October, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°			°	°	°	°	
DON	60	38	55·7	42·9	8	HUDDERSFIELD	56	31	52·4	41·0	29
REENWICH).						BRADFORD ..	54	32	51·9	41·1	31
HTON ..	60	40	57·3	45·1	31	SHEFFIELD ..	56	35	52·4	42·7	27
TSMOUTH ..	63	42	58·0	47·3	11	YORK (MUSEUM)	59	33	53·7	41·1	23
VICH	57	32	53·6	39·7	26	HULL (PEARSON PARK).	59	32	55·0	41·6	28
(EATON).											
IOUTH ..	60	40	57·7	48·0	23	TYNEMOUTH ..	57	35	53·0	42·3	22
TOL	57	39	54·6	44·9	33	CARDIFF.. ..	58	38	54·9	43·4	40
(CLIFTON).											
MINGHAM	58	37	54·0	43·7	29						
EDGBASTON).						EDINBURGH ..	54·0	34·0	49·6	39·3	33
TINGHAM ..	58	33	54·1	41·7	25	GLASGOW ..	54·0	31·2	49·8	40·1	54
KENHEAD	55	40	51·9	46·3	20	DUBLIN (PHŒNIX PARK).	55·3	31·1	52·9	38·6	44
(BIDSTON).											
CHESTER	—	35	—	44·0	19						
WHITWORTH PARK).						(FITZWILLIAM SQUARE†).	56·0	36·7	53·2	43·2	50
NLEY	54	32	51·6	41·6	43	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 22nd October, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	16	Greatest Declination N. Last Quarter.	29·779	57·0	45·3	11·7	51·1	+ 1·3	45·4	5·7	10·0	1·0	81	78·2	36·7	53·1	Calm : W,	WNW : SW.	0·2	0·0	0·0	177	− 90	0·00
MONDAY -	17		29·628	60·4	47·0	13·4	53·5	+ 3·9	47·2	6·3	12·9	3·2	79	92·2	38·0	53·1	SW : WSW : W. SW : WSW.	WSW : WNW : W. WSW : SW.	3·8	0·0	0·3	431	+ 169	0·00
TUESDAY -	18	..	29·729	55·8	40·0	15·8	48·4	− 0·9	39·2	9·2	17·1	2·4	70	88·9	30·1	53·0	SW	SW	0·7	0·0	0·0	248	− 8	0·00
WEDNESDAY	19	..	29·668	58·9	42·0	16·9	50·5	+ 1·4	46·3	4·2	13·8	1·8	86	105·5	29·7	53·0	SW	SW	2·0	0·0	0·1	310	+ 59	0·01
THURSDAY	20	..	29·904	53·1	38·4	14·7	44·5	− 4·3	37·7	6·8	20·4	0·8	77	82·5	29·2	52·9	SW : Calm : NNW.	Calm	0·1	0·0	0·0	135	− 114	0·00
FRIDAY -	21	..	29·840	54·1	38·2	15·9	46·3	− 2·3	44·8	1·5	8·1	0·0	95	89·8	30·1	52·8	Calm : E.	E : Calm : SE.	0·2	0·0	0·0	131	− 118	0·02
SATURDAY -	22	..	29·133	52·2	43·2	9·0	48·0	− 0·3	47·0	1·0	2·8	0·0	96	56·9	37·4	52·6	SSE : SE : ESE.	ESE : SSW.	1·3	0·0	0·2	276	+ 22	0·29
MEANS		..	29·669	55·9	42·0	13·9	48·9	− 0·2	43·9	4·9	12·2	1·3	83	84·9	33·0	52·9	SW			..	..	Sum 1708	Sum − 80	Sum 0·32
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	16	wP	0·1	10·7	Nearly overcast generally. Dew in morning.
MONDAY ..	17	wP till 12h.; then mP.	2·0	10·6	Nearly overcast till 16h.; variably cloudy till 19¾h., then clearing to cloudless by 21h. Brisk wind 8h. till 13h.
TUESDAY ..	18	wP till 11h.; mP till 18½h.; then wP.	1·8	10·5	Cloudless till 6h.; partially cloudy till 9h.; nearly overcast till 22h., then becoming cloudless by 22½h. Dew in morning.
WEDNESDAY	19	wP till 14h.; wN till 14¾h.; then wP.	1·0	10·5	Variably cloudy till 5h.; then nearly overcast. Slight damping 6h.; 8¾h.; and 22¾h. Showers at 12½h. and 14h. Slight rain 14¼h. till 14¾h.
THURSDAY	20	wP till 9½h.; mP till 19h,; then wP.	0·2	10·4	Nearly overcast till 19½h.; then variably cloudy. Dew and mist in morning. Partial solar halo 10¼h. till 14½h. Fog 19¾h. till 23h.
FRIDAY ..	21	wP till 18h.; then loss of register,	0·7	10·3	Nearly overcast till 19h.; nearly cloudless till 21h., then becoming overcast by 22h. Slight rain 11¼h. till 11¾h.; 13h. till 13¼h.; and from 23¾h.
SATURDAY	22	Loss of register	0·0	10·3	Overcast till 20h.; then partially cloudy becoming cloudless by 23h. Rain till 8½h.; and 12h. till 17¾h.
			Sum 5·8	Sum 73·3	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·84 ins. at the beginning of the week to 29·60 ins. by 16h. on 17th; increased to 29·76 ins. by 9h. on 18th; decreased to 29·64 ins. by 16h. on 19th; increased to 29·95 ins. by 0h. on 21st; decreased and was 28·99 ins. by midnight on the 22nd.

THE
CLINICAL RESEARCH ASSOCIATION,
LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND LONDON."

SHAW & SONS,
LIMITED.

The recognised Publishers of the prescribed and other necessary Forms and Records for

PUBLIC HEALTH AUTHORITIES.

All Notices and Registers under
NOTIFICATION OF INFECTIOUS DISEASES ACTS.
NOTIFICATION OF BIRTHS ACT.
MILK AND DAIRIES ORDER, 1926.
OPHTHALMIA NEONATORUM, PUERPERAL FEVER AND PUERPERAL PYREXIA REGULATIONS, 1926.

Complete Lists on Application to

SHAW & SONS
LIMITED.

Local Government Printers and Publishers,
FETTER LANE, LONDON, E.C.4.

To **MEDICAL OFFICERS OF HEALTH.**

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.
Telegrams:
"Clinician, Wesdo, London."

(64138) Wt. 40—20 1875 10/27 H. St. G 43

FOR OFFICIAL USE

1927. No. 43.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 29TH OCTOBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 29TH OCTOBER, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the forty-third week of the year numbered 6,471 and corresponded to an annual rate of 17·2 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,109 and corresponded to an annual rate of 11·0 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·5, 10·4 and 10·7. Infant mortality per 1,000 live births based on the average weekly number during the last 52 weeks, was 60 against 56, 54 and 56 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,406 live births, corresponding to a rate of 15·9 per 1,000, and 940 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 10·6, against 11·1, 10·2 and 11·0 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·7 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 37 as against 47, 39 and 43 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 4,024 to 4,109 and in London they decreased from 972 to 940.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 238 in the Great Towns including 44 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 29th October, 1927.

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	1
107 Great Towns ..	19,540,143*	6471	238	4109	398	3	25	4	6	41	66	
London	4,605,400*	1406	44	940	55	1	2	-	-	13	9	
Towns in Outer Ring.												
Croydon C.B. ..	205,900	64	-	43	5	-	1	-	-	-	-	
Wimbledon ..	58,030	12	-	9	-	-	-	-	-	-	-	
Ealing	91,783	30	-	22	2	-	-	-	-	-	-	
Acton	63,040	16	-	8	1	-	-	-	-	-	1	
Brentford and Chiswick ..	56,840	13	-	13	-	-	-	-	-	-	-	
Willesden ..	165,270	43	-	28	3	-	-	-	-	-	1	
Hendon	62,570*	12	-	12	3	-	-	-	-	-	1	
Hornsey	87,230	22	-	14	-	-	-	-	-	1	-	
Wood Green ..	51,940	2	-	8	-	-	-	-	-	-	-	
Tottenham ..	151,520	41	1	26	3	1	-	-	-	-	-	
Edmonton	71,700	47	-	22	1	-	-	-	-	1	1	
Enfield	63,640	21	-	15	1	-	-	-	-	-	1	
West Ham C.B. ..	315,900	152	6	69	12	-	1	-	-	1	2	
East Ham C.B. ..	146,600	34	1	25	2	-	-	-	-	1	-	
Leyton	130,000	22	-	10	1	-	-	-	-	-	-	
Walthamstow ..	125,500	25	1	14	-	-	-	-	-	-	-	
Ilford	100,500	38	-	15	4	-	-	-	-	-	-	
Gillingham	47,820*	28	-	13	2	-	-	-	-	-	-	
Canterbury C.B ..	23,470*	6	-	4	-	-	-	-	-	1	-	
Hastings C.B.	61,340	20	-	10	1	-	-	-	-	-	-	
Eastbourne C.B. ..	56,060	9	-	9	-	-	-	-	-	-	-	
Brighton C.B.	139,500*	49	2	28	-	-	-	-	-	-	-	
Portsmouth C.B. ..	231,500*	91	5	54	4	-	2	-	-	-	-	
Bournemouth C.B. ..	90,100	25	-	26	-	-	-	-	-	-	-	
Southampton C.B. ..	169,300	72	-	33	4	-	-	-	-	1	-	
Reading C.B	93,090*	26	1	27	2	-	-	-	-	-	-	
Oxford C.B.	56,800	23	1	14	-	-	-	-	-	-	-	
Northampton C.B. ..	93,530*	24	-	15	2	-	-	-	-	-	1	
Luton	59,240	18	-	7	-	-	-	-	-	-	-	
Cambridge	58,820	25	-	10	2	-	-	-	-	1	-	
Southend-on-Sea C.B.	104,300	26	-	15	1	-	-	-	-	-	-	
Ipswich C.B.	84,140	26	1	13	1	-	-	-	-	-	-	
Great Yarmouth C.B.	57,760	28	2	11	-	-	-	-	-	-	-	
Norwich C.B.	123,500*	45	2	36	5	-	-	-	-	-	-	
Swindon	57,320	18	-	7	-	-	-	-	-	-	-	
Exeter C.B.	60,340*	16	-	12	-	-	-	-	-	-	-	
Plymouth C.B. ..	187,300*	68	4	47	4	-	-	-	-	-	-	
Bath C.B.	69,000	8	-	15	-	-	-	-	-	-	-	
Bristol C.B.	383,300*	132	5	82	9	-	-	-	1	-	1	
Gloucester C.B. ..	53,050	17	-	8	2	-	-	-	-	-	1	
Stoke-on-Trent C.B.	275,600	108	4	51	5	-	-	-	-	-	1	
Burton-upon-Trent C.B.	48,660	18	1	8	1	-	-	-	-	-	-	
Wolverhampton C.B.	131,000	63	2	31	2	-	-	-	-	-	-	
Walsall C.B.	102,100	33	-	29	2	-	-	-	-	2	1	
West Bromwich C.B.	79,920	38	1	16	1	-	-	-	1	-	-	
Dudley C.B.	58,930	31	1	10	3	-	-	-	-	-	-	
Worcester C.B. ..	50,660	23	1	4	-	-	-	-	-	-	-	
Birmingham C.B. ..	934,300*	306	17	196	17	-	-	-	-	1	3	
Smethwick C.B. ..	76,940	28	-	9	-	-	-	-	-	1	-	
Coventry C.B. ..	127,800	36	-	17	1	-	-	-	-	-	-	
Leicester C.B. ..	241,700	84	8	58	8	-	-	1	-	-	5	
Lincoln C.B.	65,760*	18	-	12	-	-	-	-	-	-	-	
Grimsby C.B. .. .	88,580	30	3	17	3	-	-	-	-	-	1	
Nottingham C.B. .	268,000	94	5	55	8	-	-	-	1	1	2	
Derby C.B.	136,600*	42	1	26	1	-	-	-	-	-	1	
Chesterfield ..	66,650	28	2	20	1	-	-	-	-	-	-	
Stockport C.B. ..	125,400	37	-	21	-	-	-	-	-	1	-	
Chester C.B.	41,710	19	-	5	-	-	-	-	-	-	-	
Birkenhead C.B. ..	158,000	55	-	36	5	-	1	-	-	-	1	
Wallasey C.B. ..	93,050	19	1	15	1	-	-	-	-	-	-	
Liverpool C.B. ..	862,600	350	25	193	25	-	-	-	-	1	8	
Bootle C.B.	84,580	32	-	16	5	-	-	-	-	-	1	
St. Helens C.B. ..	110,000	44	1	27	8	-	3	-	-	-	1	

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
OUTHPORT C.B. ..	77,970	15	1	15	-	-	-	-	-	-	-	1
IGAN C.B.	88,620	36	-	15	2	-	-	-	-	-	-	1
ARRINGTON C.B. ..	76,940*	42	-	11	1	-	-	-	-	-	-	-
OLTON C.B.	177,000	44	1	41	3	-	2	-	-	-	-	2
URY C.B.	56,840*	18	1	18	1	-	-	-	-	-	-	-
ANCHESTER C.B. ..	752,000	301	5	164	19	1	6	1	-	3	3	5
ALFORD C.B.	247,400	82	4	61	4	-	1	-	-	-	1	1
SHTON-UNDER-LYNE	51,050	13	1	15	3	-	-	-	-	-	1	-
LDHAM C.B.	143,000	31	3	34	4	-	-	-	-	-	-	3
OCHDALE C.B.	91,510	30	3	25	2	-	-	-	-	-	-	-
URNLEY C.B.	99,600	29	-	23	3	-	-	-	-	-	1	-
LACKBURN C.B. ..	124,400	30	2	26	1	-	-	-	-	-	1	2
RESTON C.B.	124,200	37	-	23	3	-	-	-	-	-	-	-
LACKPOOL C.B. ..	88,640	23	1	22	1	-	-	-	-	-	1	-
ARROW-IN-FURNESS C.B.	70,420	15	1	11	1	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	111,900	43	3	29	4	-	-	-	1	-	-	1
ALIFAX C.B.	96,130*	20	2	34	1	-	-	1	-	-	-	1
RADFORD C.B. ..	288,700	75	1	78	4	-	-	-	-	-	1	2
EEDS C.B.	473,400	139	5	111	18	-	1	-	1	-	1	2
EWSBURY C.B. ..	53,630	11	4	8	-	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,830	24	1	12	2	-	-	-	-	-	1	-
ARNSLEY C.B. ..	70,760	29	1	15	4	-	-	-	-	-	1	-
HEFFIELD C.B. ..	523,300*	173	7	95	10	-	1	-	-	1	1	1
OTHERHAM C.B. ..	70,080	26	3	17	1	-	-	-	-	2	-	-
ONCASTER C.B. ..	55,700	19	1	14	1	-	-	-	-	-	-	-
ORK C.B.	84,430*	13	-	19	-	-	-	-	-	-	-	-
ULL C.B.	294,600	118	3	63	14	-	-	-	-	2	2	-
IDDLESBROUGH C.B.	133,600	48	1	40	3	-	1	-	-	-	1	1
ARLINGTON C.B. ..	70,700	28	1	17	1	-	1	-	-	-	-	-
TOCKTON-ON-TEES ..	67,910	27	2	18	4	-	-	-	-	1	-	-
EST HARTLEPOOL C.B.	71,060	28	2	11	1	-	-	-	-	-	-	-
UNDERLAND C.B. ..	163,800	63	6	28	3	-	-	-	-	1	1	-
OUTH SHIELDS C.B. ..	123,900	51	2	25	1	-	-	-	-	1	-	1
ATESHEAD C.B. ..	127,700	57	1	45	12	-	-	-	-	1	1	1
EWCASTLE-ON-TYNE C.B.	284,700*	116	4	64	18	-	-	-	1	1	3	-
YNEMOUTH C.B ..	66,560	21	-	14	2	-	2	-	-	-	-	-
ARLISLE C.B.	56,140*	20	-	15	1	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,620	21	2	27	1	-	-	-	-	-	-	-
ARDIFF C.B.	225,600*	78	4	41	3	-	-	-	-	1	-	-
HONDDA	162,500	38	4	35	7	-	-	1	-	-	1	-
ERTHYR TYDFIL C.B.	80,690	30	4	23	1	-	-	-	-	-	-	-
BERDARE	56,930	10	-	10	2	-	-	-	-	-	-	2
WANSEA C.B.	163,200	53	2	36	2	-	-	-	-	-	-	1
REATER LONDON ..	7,791,310*	2,348	62	1,503	108	2	4	2	-	22	18	19
UTER RING	3,185,910*	942	18	563	53	1	2	2	-	9	9	8
7 GREAT TOWNS IN OUTER RING	1,947,963*	604	9	353	38	1	2	-	-	4	7	3
EMAINDER OF OUTER RING	1,237,947*	338	9	210	15	-	-	2	-	5	2	5
DINBURGH†	426,100	134	?	113	15	-	1	-	1	-	2	5
LASGOW†	1,049,000	435	?	288	57	-	11	-	3	3	6	2
UBLIN (REGISTRATION AREA)†	421,000	178	?	107	21	-	-	-	-	3	8	-
ELFAST†	415,007	180	?	89	14	-	-	-	1	1	1	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926.

Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhoea
		1927.											
LONDON‡	4,605,400	Oct. 29	1406	44	940	10·6	1	-	2	-	-	13	
CALCUTTA AND SUBURBS	1,077,264	Sept. 17	?	?	588‖	28·4	?	5	-	?	?	?	
BOMBAY§	1,298,708	Oct. 1	462	44	494	19·7	7	-	1	-	-	2	
MADRAS	528,791	„ 1	548	37	364‖	35·8	1	-	-	-	-	-	
SYDNEY AND SUBURBS	1,038,950	Sept. 30 (30 days)											
BRISBANE (Metropolitan Area).	274,260	Aug. 31 (31 days)	558	?	317	13·9	-	-	3	-	2	2	
PERTH (Metropolitan Area).	184,223	Sept. 10	88	?	34	9·6	?	?	?	?	?	?	
AUCKLAND (Urban Area).	201,220	Aug. 31 (31 days)	297	7	188	11·2	-	-	3	-	-	1	
WELLINGTON (Urban Area).	126,310	Aug. 31 (31 days)	238	5	116	11·0	-	-	2	-	-	-	
CHRISTCHURCH (Urban Area).	121,780	Aug. 31 (31 days)	187	8	110	10·8	-	-	-	-	-	-	
CAPE TOWN	114,846	Oct. 1	40	1	20	9·5	-	-	-	-	-	-	
JOHANNESBURG	172,718	„ 1	71	7	38	11·4	-	-	1	-	-	-	
DURBAN	54,715	„ 1	25	-	10	9·5	-	-	-	-	-	-	
PARIS	2,871,429	Oct. 20 (10 days)											
ANTWERP	300,103	Sept. 24	92	6	42	6·3	-	-	-	-	-	-	
AMSTERDAM	731,081	Oct. 1	237	4	126	9·0	-	-	-	-	-	-	
COPENHAGEN	597,800	„ 15	146	5	104	9·1	-	-	-	-	-	1	
STOCKHOLM	453,332	„ 8	82	3	86	9·9	-	-	-	-	-	-	
GOTHENBURG	231,196	„ 8	?	?	35	7·9	-	-	-	-	-	-	
OSLO (CHRISTIANIA) ..	254,055	„ 22	59	-	48	9·8	-	-	-	-	-	-	
BERLIN	2,000,000	„ 8	368	15	403	10·5	-	?	-	-	2	9	
BRESLAU	562,000	„ 8	118	8	104	9·6	-	?	-	1	1	-	
COLOGNE	719,000	„ 8	219	8	159	11·5	1	?	1	1	-	2	
DRESDEN	626,000	„ 8	135	5	123	10·2	-	?	-	-	-	-	
FRANKFORT-ON-MAIN..	475,000	„ 8	116	3	65	7·1	-	?	-	-	-	-	
HAMBURG	1,108,000	„ 8	265	6	201	9·4	-	?	-	-	1	-	
LEIPZIG	687,000	„ 8	168	4	119	9·0	-	?	1	-	-	-	
MUNICH	692,000	„ 8	157	8	136	10·2	-	?	-	-	-	2	
VIENNA	1,870,325	April 30 (30 days)											
PRAGUE AND SUBURBS	738,132	April 30 (30 days)											
BUDAPEST	971,169	Oct. 8	276	11	234	12·5	4	-	-	1	1	3	
WARSAW	1,028,982	„ 15	?	13	258	13·1	5	-	3	8	2	2	
CAIRO	874,300	May 20	811	21	789	47·1	3	-	7	-	?	6	
		„ 27	843	19	679	40·5	9	-	6	-	?	1	
ALEXANDRIA	501,800	„ 20	453	10	305	31·7	3	-	-	-	?	4	
		„ 27	460	12	327	34·0	1	1	-	-	?	1	
NEW YORK	5,970,920	Oct. 15	?	?	1181	10·3	3	-	-	1	8	12	
CHICAGO	3,101,000	„ 7	1309	46	638	10·7	-	-	-	-	1	3	
NEW ORLEANS	433,000	Sept. 30 (30 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 3 deaths from Cholera in Madras, and 5 in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 29th October, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	940	55	19	12	30	41	41	57	94	175	184	232
Enteric fever..	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	13	-	3	3	7	-	-	-	-	-	-	-
Influenza	11	-	-	-	-	1	-	2	2	3	1	2
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-		1	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	1	-	-	-	-	-	-	-
Meningococcal meningitis	2	-	-	-	1	1	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	65	-	1	-	1	21	12	9	11	9	-	1
Nervous system	4	-	1	-	1	1	-	1	-	-	-	-
Intestines and peritoneum	4	-	-	1	-	-	1	1	-	-	1	-
Other forms	6	-	-	-	2	-	2	1	1	-	-	-
Venereal diseases	2	-	-	-	-	-	-	-	1	1	-	-
Cancer	130	1	-	1	-	1	2	5	20	38	39	23
Rheumatic fever	5	-	-	-	3	1	-	-	1	-	-	-
Diabetes	11	-	-	-	-	-	1	-	-	4	3	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	42	-	-	-	-	-	1	1	2	7	19	12
Epilepsy	7	-	-	-	1	-	-	2	1	2	-	1
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	23	2	-	-	-	1	4	5	1	4	5	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	-	-	3	1	-	-	-
Other diseases of heart	182	-	-	-	3	2	1	8	15	36	56	61
Other diseases of circulatory system	53	-	-	-	-	-	-	-	5	9	12	27
Bronchitis	41	1	1	-	-	-	-	-	2	8	9	20
Broncho-pneumonia	37	9	6	-	2	1	-	-	3	8	5	3
Lobar-pneumonia	17	-	-	-	-	-	1	3	3	2	6	2
Pneumonia (type not distinguished)	8	4	-	-	-	-	-	-	1	-	1	2
Other diseases of respiratory system	13	-	1	-	-	-	-	1	-	3	1	7
Diarrhœa and enteritis	13	8	1	1	-	-	-	-	-	-	1	2
Appendicitis, Typhlitis	2	-	-	-	-	-	-	-	1	1	-	-
Hernia, Intestinal obstruction	10	2	-	-	-	-	-	-	1	4	1	2
Cirrhosis of liver	6	-	-	-	-	-	-	1	-	5	-	-
Other diseases of digestive system ..	22	-	-	-	-	-	1	3	4	6	3	5
Acute nephritis	5	1	-	-	-	-	-	1	1	2	-	-
Chronic Bright's disease	29	-	-	-	-	1	-	1	5	8	5	9
Other diseases of genito-urinary system.	13	-	-	-	-	-	1	2	3	-	4	3
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	-	2	-	-	-	-	-
Congenital malformations	8	5	1	1	1	-	-	-	-	-	-	-
Premature birth	14	14			-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-			-	-		-
Old age	31	-	-			-		-	-	-	3	28
Suicide	4	-	-	-	-	-	1	1	1	-	-	1
Burns and Scalds	9	-	2	-	-	4	1	-	1	-	-	1
Drowning	3	-	-	-	-	-	1	1	1	-	-	-
Suffocation in bed	1	1	-	-	-	-			-	-	-	-
Vehicles and horses	25	-	-	2	4	4	3	1	3	5	2	1
Other deaths by violence	19	-	-	2	1	1	-	-	1	4	4	6
Other specified causes	33	3	-	1	2	-	3	4	2	6	3	9
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 29th October, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	403	316	7	139	C. 2 E. 2 M. 13 N. 16
Metropolitan Boroughs:—						
†BATTERSEA ...	-	15	10	-	3	-
†BERMONDSEY ...		25	14	-	4	E. 1 N. 1
†BETHNAL GREEN		17	12	-	5	M. 1 N. 1
†CAMBERWELL ...		13	23	1	5	C. 1
†CHELSEA	-	5	3	1	7	M. 1 N. 1
†DEPTFORD ...		9	8	-	5	-
†FINSBURY ...		11	6	-	2	C. 1 M. 1
†FULHAM		7	8	-	4	M. 1
†GREENWICH ...		11	12	1	1	-
†HACKNEY ...	-	38	13	-	2	M. 1 N. 1
†HAMMERSMITH ...	-	11	9	-	3	-
†HAMPSTEAD ...	-	5	3	-	1	-
†HOLBORN... ...	-	1	1	-	2	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	25	24	-	10	N. 1
†KENSINGTON ...	-	6	11	-	7	N. 2
†LAMBETH ...	-	22	25	-	14	M. 3 N. 3
†LEWISHAM ...	-	7	5	-	4	E. 1
†PADDINGTON ...	-	17	7	-	10	-
†POPLAR	-	17	15	-	5	-
†ST. MARYLEBONE	-	6	8	-	-	M. 1 N. 1
†ST. PANCRAS ...	-	15	14	-	7	N. 1
†SHOREDITCH ...	-	16	15	-	9	M. 1
†SOUTHWARK ...	-	11	14	-	5	N. 2
†STEPNEY		35	21	1	5	M. 1 N. 1
†STOKE NEWINGTON	-	5	2	-	-	-
†WANDSWORTH ...	-	25	23	-	15	M. 2 N. 1
†WESTMINSTER, CITY OF	-	6	4	3	-	-
†WOOLWICH ...	-	22	6	-	4	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	13	10	1	3	E. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	6	–	–	1	E. 1
BIGGLESWADE ...	–	1	–	–	1	–
DUNSTABLE ...	–	–	1	–	–	–
†LUTON	–	2	4	–	–	–
Rural Districts:—						
BEDFORD... ...	–	3	3	–	1	–
BIGGLESWADE ...	–		1	1	–	–
LUTON	–	1	1	–	–	–
BERKS	–	13	7	2	2	N. 1
†READING C.B. ...	–	6	2	1	–	–
Boroughs and Urban Districts:—						
WOKINGHAM ...	–	2	4	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	–	–	1	N. 1
COOKHAM ...	–	–	–	1	–	–
EASTHAMPSTEAD	–	1		–		–
FARINGDON (part)	–	1	–	–	–	–
HUNGERFORD ...	–	–	1	–	–	–
WALLINGFORD ...	–	2		–		–
WINDSOR... ...	–	–	–	–	1	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM...	–	11	2	–	5	C. 1
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–	1				–
BLETCHLEY ...	–	–	1		2	–
†CHEPPING WYCOMBE	–	–		–	1	–
†SLOUGH	–	2	–	–	–	
†WOLVERTON ...	–	2	–	–	1	C 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	–	4	–	–	–	–
ETON	–	–	1	–	–	
NEWPORT PAGNELL	–	1		–	1	–
WINSLOW... ...	–	1	–	–	–	–
CAMBRIDGE ...	–	12	4	–	–	–
Borough:—						
†CAMBRIDGE ...	–	8	4		–	–
Rural Districts:—						
NEWMARKET ...	–	4			–	–
CHESTER ...	–	72	35	1	26	C. 1 G. 4 M. 2
†BIRKENHEAD C.B.	–	6	6		11	
†CHESTER C.B. ...	–	1	2	–	3	–
†STOCKPORT C.B.	–	13	5	–		M. 1
†WALLASEY C.B. ...	–	4	2		1	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–		2	–	–	–
BOLLINGTON ...	–	1	–		–	–
BREDBURY AND ROMILEY	–	2	–		–	–
†CHEADLE AND GATLEY	–	3	–	–	1	–
†CONGLETON ...	–	1	3	–	–	–
†CREWE	–	2	1	–	–	–
†DUKINFIELD ...	–	–			–	C. 1 M. 1
†ELLESMERE PORT AND WHITBY	–	1	–	–	1	–
HALE	–	1	1	–		–
†HAZEL GROVE AND BRAMHALL	–	–	1	–	–	–
†HOYLAKE AND WEST KIRBY	–	2		–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HYDE	-	4	1	-	2	-
KNUTSFORD ...		-	1		-	-
LYMM	-	1	-	-		-
†MACCLESFIELD ..		2	1	-	1	-
MIDDLEWICH ...	-	3	-	-	-	-
NANTWICH ...	-	-	2	-	-	
†NORTHWICH ...	-	8			-	G. 1
†RUNCORN... ..		3	1		1	-
†SALE		-	1		-	-
†STALYBRIDGE ...	-		1	-	1	-
WILMSLOW ...	-	-	1	-		-
†WINSFORD ...	-	3	-		-	-
Rural Districts:—						
BUCKLOW ..	-	1		-	-	-
CHESTER	-		-	-	-	G. 1
CONGLETON ...	-	-	-		1	-
DISLEY	-	1		-	-	-
NORTHWICH ...	-	5	-	-	-	-
RUNCORN ..		3	3		1	G. 1
TARVIN	-	1			-	
WIRRAL	-	-	-	1	-	G. 1
CORNWALL ...	-	14	3	-	3	-
Boroughs and Urban Districts:—						
†CAMBORNE ...	-	-	3	-	1	-
LUDGVAN ...	-	1	-	-	-	-
PAUL	-	1			-	-
†PENZANCE ..	-	1	-	-	-	-
PHILLACK ...		3	-		-	
†TRURO	*	*	*	*	*	*
Rural Districts:—						
CALSTOCK ...	-	6	-	-	-	-
LAUNCESTON ...		1	-			-
LISKEARD ...	-	-	-	-	1	
REDRUTH ...	-	-	-	-	1	-
WEST PENWITH...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	-	13	2	-	4	C. 1 M. 1
†CARLISLE C.B	-	4	1	-	3	-
Boroughs and Urban Districts:—						
HARRINGTON ...		2	-	-	-	-
MILLOM	-	-	-		-	M. 1
PENRITH	-	2			-	-
†WHITEHAVEN ..	-	1	-	-		-
Rural Districts:—						
BOOTLE	-	1	1	-	-	-
BRAMPTON ...	-	1	-		-	-
CARLISLE ...	-	1	-	-	-	-
COCKERMOUTH ...	-	1	-			-
WHITEHAVEN ...	-		-	-	-	C. 1
WIGTON		-	-	-	1	-
DERBY	21	44	32	1	19	G. 2 M. 1 N. 4
†DERBY C.B. ..	-	8	10	-	3	M. 1
Boroughs and Urban Districts:—						
†ALFRETON .	17	-	-		1	-
BAKEWELL ...	-	-	-	-	-	N. 1
BASLOW AND BUBNELL	-	1	-	-	-	-
†BELPER	2	1	-			-
BONSALL... ...	-			1	-	-
†BUXTON				-	-	N. 1
†CHESTERFIELD ..		7	2	-	4	G. 1
CLAY CROSS ...		2	-	-	-	-
†GLOSSOP	-	-		-	-	G. 1
†HEANOR	-	1	-	-	1	-
†ILKESTON ...	-	2	-	-	-	-
NEW MILLS ..		-	1	-	-	-
†RIPLEY	1	-	-	-	-	-
†SWADLINCOTE DISTRICT	-	-	-	-	5	-
Rural Districts:—						
BELPER	-	6	-	-	-	-
BLACKWELL ...	-	5	1	-	1	-
CHESTERFIELD ..	-	3	5	-	2	N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CLOWNE	1	1	1	-	-	-
HARTSHORN AND SEALS	-	-	2	-	-	-
HAYFIELD ..	-	1	-	-	-	
REPTON	-	2	4	-	-	-
SHARDLOW ..	-	4	5	-	2	-
CODNOR PARK AND SHIPLEY (Parishes)	-	-	1	-	-	-
DEVON	-	13	15	5	6	C. 2 M. 1 N. 2
†EXETER C.B. ...	-	-	-			C. 1
†PLYMOUTH C.B. ..	-	4	12	1	2	N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	-	1	2	-	1	-
BUDLEIGH SALTERTON	-	1	-	-		-
†ILFRACOMBE ...	-	-	-	3	-	-
†NEWTON ABBOT	-	1	1	-	-	-
†TEIGNMOUTH ...	-	1	-		-	-
†TORQUAY ...	-	1	-	-	-	-
Rural Districts:—						
BARNSTAPLE ...	-	2	-	-	2	-
BIDEFORD ...		1	-	-	-	-
CREDITON ...	-			-	-	M. 1
HOLSWORTHY (part) ...		1	-	-		-
NEWTON ABBOT...	-	-	-	-	1	-
PLYMPTON ST. MARY	-	-	-	-	-	N. 1
ST. THOMAS ...	-	-	-	1		C. 1
DORSET		29	1	-	1	-
Boroughs and Urban Districts:—						
DORCHESTER ...		3	-	-		-
†POOLE	-	13	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PORTLAND ..	-	3	-	-	-	-
SWANAGE ...	-	3	-	-		-
†WEYMOUTH AND MELCOMBE REGIS	-	-		-	1	-
Rural Districts:—						
BEAMINSTER ...	-	2	-		-	-
SHAFTESBURY ..	-	1	-	-		-
STURMINSTER ...	-	1	-		-	-
WAREHAM AND PURBECK		2	1	-		-
WEYMOUTH ...	-	1	-	-	-	-
DURHAM ...	40	74	41	3	69	C. 1 E. 1 F. 1 G. 1 M. 4 N. 5
†DARLINGTON C.B		7		1	3	M. 1
†GATESHEAD C.B.	-	4	6	-	5	N. 1
†SOUTH SHIELDS C.B	13	8	3	-	17	G. 1
†SUNDERLAND C.B.	5	5	1	-	10	M. 1
†WEST HARTLEPOOL C.B.	-	3	1	-	2	M. 1 N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	4	-	3	1	1	N. 1
BENFIELDSIDE ...	-	3		-	1	-
BILLINGHAM ...	-	1		-	2	-
†BLAYDON... ...	-	2	-	-	-	-
†BRANDON AND BYSHOTTLES	-	3	1	-	-	-
†CHESTER LE STREET	-	-	-		1	-
†CONSETT	2	-	2	-	-	-
†CROOK		-	2	-	-	-
†DURHAM	*	*	*	*	*	*
†FELLING	1	-	1	-	3	-
†HARTLEPOOL ...		3		-	1	-

* Returns not received. † Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEBBURN ...	–	1	1	–	1	C. 1
†HETTON	–	2	–	–	2	–
†HOUGHTON LE SPRING		3	–	–	–	–
†JARROW	1	1		–	7	–
LEADGATE ...		2	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON	–	1	1	–	–	–
†SOUTHWICK ON WEAR	–	1	1	–	–	–
†SPENNYMOOR ...	2	–	–	–	–	–
†STANLEY	5	1	–	–	1	–
†STOCKTON ON TEES		1	10	–	–	E. 1 F. 1
†WASHINGTON ...	–	4	–	–	1	–
†WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	–	1	3	–	–	–
Rural Districts:—						
AUCKLAND	–	4	2	1	–	N. 1
BARNARD CASTLE	–	–	–	–	–	N. 1
CHESTER LE STREET	1	1	–	–	1	–
DARLINGTON ...	–	2		–	–	
DURHAM	–	–	–	–	3	–
EASINGTON ..	2	7	1	–	1	M. 1
HARTLEPOOL ...	1	–	–	–	–	–
HOUGHTON LE SPRING	–	2	2	–	3	–
SOUTH SHIELDS..	3	1	–	–	–	–
SUNDERLAND ...	–		–	–	1	–
ELY, ISLE OF ...	–	–	–	–	4	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
†WISBECH	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	204	99	1	28	C. 3 D. 1 E. 1 G. 1 L. 1 M. 2 N. 5
†EAST HAM C.B. ...	–	34	14	–	–	–
†SOUTHEND-ON-SEA C.B.	–	12	4		5	N. 2
†WEST HAM C.B. ...	–	54	27	–	14	C. 1 G. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	5	2		2	–
BRAINTREE ...	–	–	–	1	–	–
BRIGHTLINGSEA	–	1	–	–		–
†CHELMSFORD ...		3	2		–	–
CHINGFORD ...	–	2				–
†CLACTON	–	–			1	–
†COLCHESTER ...	–	1	–	–	–	–
DAGENHAM ...	–	7	8	–	–	E. 1 M. 1
†GRAYS THURROCK	–	1	4	–		–
HALSTEAD ...	–	2			–	–
†HORNCHURCH ...		9	1	–	–	–
†ILFORD	–	14	7	–	–	L. 1
†LEYTON		21	11	–	1	–
MALDON	–	5	–			–
SHOEBURYNESS ...	–	1	1	–	1	–
TILBURY	–	–	2	–	–	–
†WALTHAMSTOW...		12	4	–	4	C. 1 N. 1
†WANSTEAD ...	–	6	–		–	D. 1
Rural Districts:—						
BRAINTREE ...	–	8	–	–	–	–
CHELMSFORD ...		1	1	–		C. 1
HALSTEAD ...	–	1	–	–	–	–
ORSETT	–	1	9			–
ROMFORD... ...		–	2	–	–	–
STANSTED ...		1	–	–	–	–
TENDRING ...		2	–	–	–	–
GLOUCESTER ...	1	96	18	2	16	C. 2 M. 1 N. 3
†BRISTOL C.B. ...	1	68	15	1	11	M. 1
†GLOUCESTER C.B.		1	–	1	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
CHARLTON KINGS		2	-			-
†CHELTENHAM ...	-	8	-	-	-	-
†KINGSWOOD ...		4		-		-
MANGOTSFIELD ...	-	8	-	-	-	-
STROUD	-	-	-	-	1	-
Rural Districts:—						
CHIPPING SODBURY	-	1	-	-	-	C. 1 N. 2
CIRENCESTER ...	-	2		-	-	-
EAST DEAN AND UNITED PARISHES	-	-	1	-	-	C. 1
TETBURY (part)	-	1	-	-	-	-
TEWKESBURY (part)	-	-	-		1	-
THORNBURY ...	-	-	-	-	-	N. 1
WARMLEY ...	-	1	1	-	-	-
WEST DEAN ...		-	1	-	1	-
HEREFORD ...	-	19	1	-	-	D. 1 M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	-	18	1	-	-	D. 1 M. 1
Rural Districts:—						
WEOBLEY... ...	-	1	-	-		-
HERTFORD ...	-	15	10	1	1	L. 2
Boroughs and Urban Districts:—						
†BARNET	-	1	1	-	-	-
BISHOP'S STORTFORD	-	-	3	-		-
BUSHEY	-	3	2	-	-	-
†HEMEL HEMPSTEAD	-	-	3	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HITCHIN	-	1	-		-	-
RICKMANSWORTH	-	1	-		-	-
†ST. ALBANS ...	-	1	-	1	-	
TRING	-	1	-	-	-	-
WARE	-	1	-	-	-	-
†WATFORD ...	-	2	-	-	1	-
Rural Districts:—						
ASHWELL ...	-	1	-	-	-	-
BARNET	-	1	-	-	-	-
HITCHIN	-	-	1	-	-	-
ST. ALBANS ...	-	-	-	-	-	L. 1
WATFORD ..	-	2	-	-	-	L. 1
HUNTINGDON ...	-	1	-	-	-	-
Boroughs and Urban Districts:—						
HUNTINGDON ...	-	1	-	-	-	-
KENT	-	81	59	2	22	C. 1 G. 1 M. 3 N. 2
†CANTERBURY C.B.		-	6	-	1	-
Boroughs and Urban Districts:—						
†BECKENHAM ...	-	9	-		2	-
†BEXLEY	-	1	-	-		-
†BROMLEY ...	-	1	1	-	2	-
†CHATHAM ...	-	3	12	-	5	-
†DARTFORD ...	-	5	1	-	-	-
†DEAL	-	2	-		-	-
†DOVER	-	1	3	-	1	M. 1
†ERITH	-	5	8	-	1	-
†FAVERSHAM ...	-	-	-	1	-	-
†FOLKESTONE ..	-	-	1	-	2	-
†GILLINGHAM ...	-	1	4	-	1	M. 1 N. 1
†GRAVESEND ...	-	7	2	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MAIDSTONE ..	–	2	–	–	–	–
†MARGATE ...	–	4	–	–	–	C. 1 N. 1
MILTON REGIS .	–	–	3	–	–	–
†NORTHFLEET ..	–	3	1	–		–
†PENGE	–	2	–			–
QUEENBOROUGH		1		–		–
†ROCHESTER ..		2	–		1	M. 1
SANDGATE ...	–	1	–		–	–
†SHEERNESS ..		2	1	–	1	–
SIDCUP	–	1		–		–
SWANSCOMBE ...		1	–	–		–
TENTERDEN ...		4	–	–	–	
WHITSTABLE ...	–	–	1	–	1	–
Rural Districts:—						
BLEAN	–	–	2		–	–
BRIDGE	–	2	2		1	
BROMLEY ...	–	2	2	–	–	G. 1
DOVER	–	2	–	–		–
EAST ASHFORD ...	–	2	–	–	–	–
EASTRY	–	2	–	–	–	–
ELHAM	–	1	–	–		–
ISLE OF THANET	–	2	–	–	–	–
MALLING	–	5	7	–	1	–
MILTON	–	2	2		–	–
ROMNEY MARSH...	–	–	–	–	1	–
STROOD	–	2		–	–	–
TENTERDEN ...	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	1	–	–
LANCASTER ...	13	320	196	8	202	C. 6 D. 1 E. 2 G. 9 L. 1 M. 23 N. 20
†BARROW IN FURNESS C.B.	–	–	–	–	3	–
†BLACKBURN C.B.	–	2	2		1	–
†BLACKPOOL C.B.	–	4	4	1	2	–
†BOLTON C.B. ...	–	5	10		3	G. 1 M. 1
†BOOTLE C.B. ...		2	3	–	5	–
LANCASTER—*cont.*						
†BURNLEY C.B. ..	1	–	5	–	3	–
†BURY C.B. ...	–	7	2	–	1	M. 1
†LIVERPOOL C.B. ..		69	36	–	49	C. 1 D. 1 E. 2 M. 8 N. 2
†MANCHESTER C.B.	–	69	34	1	60	C. 3 G. 4 M. 6 N. 4
†OLDHAM C.B. ..	–	8	10	–	1	M. 1 N. 1
†PRESTON C.B. ..		4	3		8	C. 1
†ROCHDALE C.B. ..	3	3	7	–	–	N. 2
†ST. HELENS C.B....	–	7	4	–	4	–
†SALFORD C.B. ...	–	13	16	–	8	G. 1 M. 2 N. 1
†SOUTHPORT C.B.	–	5	–		6	–
†WARRINGTON C.B.	–	1	1	–	4	N. 1
†WIGAN C.B. ...	–	4		–	1	M. 2
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	1	–
†ACCRINGTON ..	–	4	–	–	–	M. 1 N. 1
†ASHTON IN MAKERFIELD	–	1	1		–	G. 1
†ASHTON UNDER LYNE	–	3	1	–	3	–
ASPULL	–		1	–	–	–
†ATHERTON ...	–	4	4	–	–	N. 1
†BACUP	–	–	–	–	1	–
BARROWFORD ...	–	1	–		–	–
BRIERFIELD ...	–	1	–	–	–	–
†CHADDERTON ...	–	2	4	1	1	–
†CHORLEY	–	–	1	–	3	–
CHURCH		1		–	1	–
†CLITHEROE ...	–	–	2	–	–	–
†COLNE	8	4	–	–	–	–
†DARWEN	–	1	–	–	2	C. 1
†DENTON		2	–	–		–
†DROYLSDEN ...		1	–	–	–	–
†ECCLES	–	28	2	–	4	–
†FAILSWORTH .	–	2	4	–	1	N. 2
†FARNWORTH ...	–	2	1		2	N. 1
FULWOOD ...	–	1	–			–
GOLBORNE ...	–		1	–		–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GREAT CROSBY ...	-	-	2	-	-	-
†GREAT HARWOOD	-	1	3	-	-	-
†HAYDOCK ...	-	-	-	-	1	-
†HEYWOOD ...	-	1	-	-	1	-
†HORWICH ...	-	-	1		1	-
IRLAM	-	5	-	-	-	-
†LANCASTER ...	-	3	2	2	2	-
LATHOM AND BURSCOUGH	-	-	1	-	-	-
†LEIGH	-	2	2	-		-
†LITHERLAND ...		2	2	-	-	-
†LYTHAM ST. ANNE'S	-	-	1	-	1	-
†MIDDLETON ...	-	1	-	-	-	G. 1
MILNROW... ...	-	1	-	-	1	-
†MORECAMBE ...	-	2	-	-	-	-
†MOSSLEY	-	1	1	-	-	-
†NELSON	-	4	-	-	1	-
†NEWTON IN MAKERFIELD	-	-	3	-	1	-
ORMSKIRK ...	-	-	1	-	-	-
†OSWALDTWISTLE	-	-	1	-	-	M. 1 N. 1
†PADIHAM ...	-	-	-	-	-	N. 1
†PRESTWICH ...	-	1	-	-	-	
†RADCLIFFE ...	-	6	2	-	4	-
†RAMSBOTTOM ...	-	-	-	2	-	-
STANDISH WITH LANGTREE	-		1	-	-	
†STRETFORD ...	-	6	1	-	2	-
†SWINTON AND PENDLEBURY	-	1	-	1	1	G. 1
TOTTINGTON ...	-	-	1	-	-	-
†ULVERSTON ...	-	2	-	-	-	
UPHOLLAND ...		-	-	-	-	N. 1
URMSTON... ...	-	-	1	-	-	-
†WALTON LE DALE	-	3	-	-	-	-
WARDLE	1	-	-	-	-	-
†WATERLOO WITH SEAFORTH	-	2	-	-	1	-
†WESTHOUGHTON	-	-	-	-	-	N. 1
WHITEFIELD ...	-	-	-	-	1	-
WHITWORTH ...	-	1	-	-	-	-
†WIDNES	-	2	4	-	4	-
†WORSLEY... ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	-	5	4	-	-	-
BURNLEY... ...	-	-	1	-	-	-
CLITHEROE ...	-	-	-	-	-	L. 1
FYLDE	-	-	1		-	-
GARSTANG ...	-	1	-	-	1	-
PRESTON	-	-	-	-	1	-
SEFTON	-	-	1	-	-	-
ULVERSTON ...	-	2	-	-	-	-
WARRINGTON ...	-	1	-	-	-	-
WHISTON... ...	-	1		-	-	-
LEICESTER ...	-	61	30	-	15	C. 1 N. 2
†LEICESTER C.B. ...	-	41	14	-	5	C. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	-	-	-	-	1	-
†COALVILLE ...			13	-	-	-
†HINCKLEY ...	-	2		-	-	-
†LOUGHBOROUGH	-	2	2	-	-	-
MELTON MOWBRAY	-	1	-	-	2	N. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	-	-		-	1	N. 1
BARROW UPON SOAR	-	8	-	-	2	-
BLABY	-		-	-	1	-
HINCKLEY ...	-	3			1	-
MARKET BOSWORTH	-	1	1		1	-
MELTON MOWBRAY	-	3	-	-	1	-
LINCOLN (parts of Holland).	-	7	-	1	-	-
Boroughs and Urban Districts:—						
HOLBEACH ...	-	1		-	-	-
†SPALDING ...	-	1	-		-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	3	–	–	–	–
CROWLAND ...	–	–	–	1	–	–
SPALDING (part)..	–	2		–		–
LINCOLN (parts of Kesteven).	–	–	1	–	1	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	1	–	–	–
SLEAFORD ...	–	–	–	–	1	M. 1
LINCOLN (parts of Lindsey).	–	21	9	–	12	E. 3 N. 2
†GRIMSBY C.B. ...	–	2	–	–	3	–
†LINCOLN C.B. ...	–	1	1		–	N. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–		3	–	–	–
BRIGG	–	–	1	–	–	E. 1
†CLEETHORPES ...	–		–		2	–
†GAINSBOROUGH ...	–	–	–	–	2	–
HORNCASTLE ...	–	–	–	–	1	–
MABLETHORPE AND SUTTON	–	1			–	–
†SCUNTHORPE AND FRODINGHAM	–	6	–		2	E. 2
SKEGNESS ...	–	–	2	–	–	–
Rural Districts:—						
CAISTOR	–	3	–	–	1	–
GLANFORD BRIGG	–	5	1	–	–	
GRIMSBY	–	2	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts—*cont.*						
ISLE OF AXHOLME	–	1			–	–
SIBSEY	–		–	–		N. 1
MIDDLESEX ...	–	96	60	1	19	E. 1 M. 4 N. 5
Boroughs and Urban Districts:—						
†ACTON ...	–	4	1		1	–
†BRENTFORD AND CHISWICK	–		1	–	–	–
†EALING	–	4	–	–	1	M. 1
†EDMONTON ..	–	12	9	–	–	–
†ENFIELD	–	3	9	–	1	–
FELTHAM ...		–	2			–
†FINCHLEY ..	–	–	2	1	1	N. 1
†HAMPTON ...	–		1	–	–	–
HAMPTON WICK...	–	1	–	–	–	–
HAYES	–	2	–	–	–	–
†HENDON	–	6	–	–	1	N. 1
†HESTON AND ISLEWORTH	–	2	2	–	3	–
†HORNSEY... ...	–	2	–	–		N. 1
KINGSBURY ...	–	3				–
RUISLIP NORTHWOOD	–	1	–		–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...		4	1	–	–	M. 1
†TEDDINGTON ...				–	1	–
†TOTTENHAM ..	–	18	14	–	2	M. 1
†TWICKENHAM ...	–	2	9	–	–	–
†UXBRIDGE ...	–	1	–	–		–
†WEALDSTONE ...	–	–	–	–	1	–
†WEMBLEY ...	–	2	–	–	–	N. 1
†WILLESDEN ..	–	17	6	–	5	E. 1 M. 1
†WOOD GREEN ...	–	4	1	–	1	–
YIEWSLEY ...	–	1		–	–	–
Rural Districts:—						
HENDON	–	–	–		–	N. 1
STAINES	–	3	–	–	–	–
UXBRIDGE ...	–	3	2	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK ..	–	35	10	7	7	C. 1 D. 1 F. 1 G. 1 N. 3
†GREAT YARMOUTH C.B.	–	6	2	–	–	
†NORWICH C.B. ...	–	15	2	1	3	C. 1 D. 1 F. 1
Boroughs and Urban Districts:—						
DISS	–	1	–		–	–
EAST DEREHAM ...	–	–	1	–	–	–
†KING'S LYNN ...	–	–	3		–	N. 1
Rural Districts:—						
AYLSHAM... ...	–	–	–	–	–	G. 1
BLOFIELD ...	–	–	–	5	1	–
DEPWADE ...	–	3	–	–		–
DOCKING	–	–	1	–	–	
DOWNHAM ...	–	–	1		1	–
ERPINGHAM ...	–	2	–	–		–
FOREHOE... ...	–	2		–		–
FREEBRIDGE LYNN	–	1	–	1	–	–
LODDON AND CLAVERING	–		–	–	1	–
MITFORD AND LAUNDITCH	–	1	–	–	1	–
ST. FAITH'S ...	–	3	–	–	–	–
SMALLBURGH ...	–	1	–	–		
SWAFFHAM ...	–	–	–	–	–	N. 1
WAYLAND ...	–	–	–	–		N. 1
NORTHAMPTON	–	12	15	–	10	N. 1
†NORTHAMPTON C.B.	–	6	–	–	5	–
Boroughs and Urban Districts:—						
BRACKLEY ...	–	–	–	–	1	–
BURTON LATIMER	–	1		–	–	–
DAVENTRY ...		–	–	–	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON —*cont.*						
Boroughs and Urban Districts— *cont.*						
FINEDON	–	–	–	–	1	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ..	–	–	–	–	1	–
†RUSHDEN... ...	–	–	15	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	3	–	–	–	–
MIDDLETON CHENEY	–	–	–	–	–	N. 1
TOWCESTER ...	–	1	–	–	1	–
NORTHUMBERLAND.	9	65	16	1	70	E. 1 G. 1 N. 1
†NEWCASTLE UPON TYNE C.B.	2	31	8		51	N. 1
†TYNEMOUTH C.B	–	–	2	1	3	–
Boroughs and Urban Districts:—						
AMBLE	–	–	1		–	–
†ASHINGTON ..	1	3	–	–	1	–
†BEDLINGTONSHIRE	–	5	–	–	2	–
†BERWICK UPON TWEED	–	2	–	–	–	E. 1
†BLYTH	–	1	–	–	2	–
†EARSDON... ...	–	1		–	–	–
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	–	3	–	–	2	–
MORPETH... ..	5	–	–		–	–
†NEWBURN ...	–	2	–	–	1	–
PRUDHOE... ...	–	2	–	–	–	–
SEATON DELAVAL	–	–	–		2	–
†WALLSEND ...	–	4	2		4	–
WEETSLADE ...	–	2	–	–	–	–
†WHITLEY AND MONKSEATON	–	5	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
ALNWICK... ...	-	-		-	-	G. 1
BELFORD	-	-	-	-	1	-
CASTLE WARD ..	-	-	2	-	1	-
HEXHAM	-	2		-		-
MORPETH ...	1	-	-	-	-	-
NOTTINGHAM ...	3	38	26	-	9	M. 1
†NOTTINGHAM C.B.	-	10	21	-	6	M. 1
Boroughs and Urban Districts:—						
†BEESTON	-	2	1	-	-	-
†CARLTON	-	1			-	-
†HUCKNALL ...	-	-	1	-	1	-
HUTHWAITE ...	-	1	-		-	-
†MANSFIELD ...		1		-	-	-
†MANSFIELD WOODHOUSE	-	4	-		-	-
†SUTTON IN ASHFIELD	-	4	-	-	-	-
WARSOP	-	1	1	-	-	-
†WORKSOP... ...	2	1		-	-	-
Rural Districts:—						
BASFORD	1	2	2	-	-	-
BINGHAM... ...	-	3	-		-	-
EAST RETFORD ...	-	1	-	-	1	-
SKEGBY		2	-	-	-	-
SOUTHWELL ..	-	1	-		-	-
STAPLEFORD ...		2	-		-	-
WORKSOP... ...	-	2		-	1	-
OXFORD	-	5	-	-	3	N. 1
†OXFORD C.B.		-		-	1	N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	-	4	-		-	-
HEADINGTON ...	-	-	-	-	1	-
OXFORD—*cont.*						
Rural Districts:—						
BANBURY ...	-	1	-	-	1	-
PETERBOROUGH (Soke of).	-	6	-	-	1	-
Borough:—						
†PETERBOROUGH...	-	3	-	-	1	-
Rural District—						
PETERBOROUGH...	-	3	-	-	-	-
RUTLAND ...	-	-	1	-	-	-
Urban District:—						
OAKHAM	-	-	1	-		-
SALOP	-	32	10	-	1	E. 1 L. 1
Boroughs and Urban Districts:—						
DAWLEY	-	1	-	-	-	-
LUDLOW	-	-	7	-	-	-
MARKET DRAYTON		1	-	-		-
†OAKENGATES ...	-	2	-	-	-	-
OSWESTRY ...	-	-	1	-	-	-
†SHREWSBURY ..	-	8	-	-	-	-
†WENLOCK ...	-	-	-	-	-	E. 1
WHITCHURCH ...	-	2	-	-	-	-
Rural Districts:—						
ATCHAM	-	1	-	-		-
CHURCH STRETTON	-	3	-	-	-	-
CLEOBURY MORTIMER	-	-	-	-	1	-
DRAYTON... ...	-	6	-	-	-	-
LUDLOW	-	-	2	-		-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts—*cont.*						
OSWESTRY ...	–	1	–	–	–	–
SHIFNAL	–	3	–	–	–	–
WELLINGTON ...		1	–	–	–	L. 1
WHITCHURCH ...	–	3	–	–	–	–
SOMERSET ...	–	34	9	–	10	E. 1
†BATH C.B. ...	–	4	7	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	3	–
CLEVEDON ...	–	1	–	–	1	–
CREWKERNE ...	–	3	–	–		–
†FROME	–	2	1	–	–	–
PORTISHEAD ...	–	–	–	–	1	–
SHEPTON MALLET			–	–	1	–
STREET	–	1	–	–	–	–
†TAUNTON... ...	–	1	–	–	1	–
WELLINGTON ...	–	–	–	–	1	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	E. 1
BATH	–	1	–	–		–
CHARD	–	1	–	–	–	–
CLUTTON		9	–	–	1	–
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	2	–	–	–	–
LANGPORT ...	–	2	–	–	–	–
TAUNTON ...	–	1	–	–	–	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	1	–	–		–
YEOVIL		2	1	–	–	–
SOUTHAMPTON.	–	64	41	1	17	G. 2 M. 2 N. 2
†BOURNEMOUTH C.B.	–	3	–	–	4	–
†PORTSMOUTH C.B.	–	18	25	–	–	M. 1 N. 1
†SOUTHAMPTON C.B.	–	20	7	–	7	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	3	–	–	–
†BASINGSTOKE ...	–	3	–		–	–
CHRISTCHURCH ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FAREHAM ...	–	2	–	–	1	–
†FARNBOROUGH ...	–	3	–	–		–
†GOSPORT	–	–	2	–		–
PETERSFIELD ...	–	1	–	–		–
WINCHESTER ...	–	–	1	–	3	G. 1
Rural Districts:—						
ANDOVER... ...	–	–	–	–	–	M. 1
BASINGSTOKE ...	–	1	–	–	–	G. 1
CHRISTCHURCH ...		1			–	–
DROXFORD ...	–	2	2	–		
FAREHAM ...	–	1	–	–	–	–
HARTLEY WINTNEY	–		1	–	–	N. 1
HURSLEY... ...	–		–	–	1	–
NEW FOREST ...	–	5		1	–	–
ROMSEY	–	1		–		–
STAFFORD ...	–	49	39	1	55	C. 3 G. 1 M. 6 N. 3
†BURTON UPON TRENT C.B.	–	–	3	–	2	–
†SMETHWICK C.B.	–	2	3	–	2	–
†STOKE ON TRENT C.B.	–	8	7	1	25	C. 2 M. 2
†WALSALL C.B. ...	–	3	18		3	–
†WEST BROMWICH C.B.	–	2	–	–	–	–
†WOLVERHAMPTON C.B.	–	10	1	–	4	M. 3 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	-	2	-	-		-
†BILSTON	-	1		-	2	
†BROWNHILLS ...	-	5	1	-	1	-
†CANNOCK	-	-	-	-	-	N. 1
†COSELEY		1	-		2	-
†DARLASTON ...	-	1	-	-	1	
LICHFIELD ...		3	-		-	-
†NEWCASTLE UNDER LYME	-	2	-	-	1	-
†ROWLEY REGIS ..	-	-	2	-	1	-
†TIPTON		-	1		2	M. 1
†WEDNESBURY ...	-	1		-	2	-
†WILLENHALL ..	-	-	-	-	3	N. 1
†WOLSTANTON UNITED	-	3		-	-	-
Rural Districts:—						
CANNOCK	*	*	*	*	*	*
CHEADLE	-	1	1	-	2	-
KINGSWINFORD ...		1	-	-		-
LEEK	-	2		-	-	G. 1
LICHFIELD		-	-	-	2	C 1
SEISDON	-	-	1	-	-	-
TAMWORTH (part)	-	-	1	-	-	
UTTOXETER ...	-	1	-	-	-	-
SUFFOLK, EAST	-	27	3	-	8	-
†IPSWICH C.B. ...	-	13	2	-	5	-
Boroughs and Urban Districts:—						
BECCLES	-	1	-	-	-	-
BUNGAY	-	-	-	-	1	-
†LOWESTOFT ..	-	4	1	-	1	-
Rural Districts:—						
BLYTHING ...	*	*	*	*	*	*
BOSMERE AND CLAYDON	-	4	-	-		-
HARTISMERE ...	-	-		-	1	-
PLOMESGATE ...	-	1	-		-	-
WOODBRIDGE ...	-	4	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	-	3	-	-	3	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	3	-	-	1	-
NEWMARKET ...	-	-	-	-	1	-
SUDBURY... ...	-	-		-	1	-
SURREY	2	59	33	8	26	E. 1 N. 1
†CROYDON C.B. ...	2	15	7	-	5	-
Boroughs and Urban Districts:—						
†BARNES	-	5	-	-	1	-
†BEDDINGTON AND WALLINGTON		2	1	-	1	-
†CARSHALTON ...	-	3	8	-		-
†CHERTSEY		-	-	4	1	-
†COULSDON AND PURLEY	-	3	-	-	-	-
EAST AND WEST MOLESEY	-	1	1	-	-	-
†EPSOM	-	2		-		-
†FARNHAM ...	-	-	-	-	3	-
†FRIMLEY		1		-	-	
GODALMING ...	-	1		-		-
†GUILDFORD ...	*	*	*	*	*	*
HASLEMERE ...	-	-		-	1	-
†KINGSTON ON THAMES	-	6	4	-	1	
LEATHERHEAD ...	-	-	-	-	1	-
†MERTON AND MORDEN	-	1	1	-		-
†MITCHAM... ..	-	2	3	1	2	-
†REIGATE	-	2	1	-	-	-
†RICHMOND ...		2	1	-	-	-
†SURBITON ...	-	2	1	-	-	-
†SUTTON	-	-	-	-	1	-
†THE MALDENS AND COOMBE	-	-	-	-	-	E. 1
WEYBRIDGE ...	-	-	-		2	-
†WIMBLEDON	-	2	1	1	-	-
WINDLESHAM ...	-	-	-	-	1	-
†WOKING	-	4	-		-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	–	–	1	1	–
DORKING... ...		1			–	–
EPSOM	–	2	4	–	–	
GODSTONE ...		1	–	–	1	–
GUILDFORD	*	*	*	*	*	*
HAMBLEDON ...	–	–	–	1	–	–
REIGATE	–	1	–		4	N. 1
SUSSEX, EAST...		20	8		3	N. 1
†BRIGHTON C.B. ...	–	4	4	–	1	N. 1
†EASTBOURNE C.B.	–	5	–	–		–
†HASTINGS C.B. ..	–	3		–	1	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–		–	–	1	–
†LEWES	–	1		–	–	–
NEWHAVEN ...	–		2		–	–
Rural Districts:—						
BATTLE	–	–	1	–	–	–
CHAILEY		6	–	–	–	–
HAILSHAM ...		–	1	–		–
NEWHAVEN ...	–	1				
RYE	*	*	*	*	*	*
SUSSEX, WEST...	–	9	6	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	–			1	–
†CHICHESTER ...	–	3		–		–
†LITTLEHAMPTON	–	1	–	–	1	–
†WORTHING ...	–	1	5		–	N. 1
Rural Districts:—						
EAST PRESTON ...	–	2	–	–	–	–
HORSHAM ...	–		1	–	–	–
STEYNING WEST	–	–	–	–	–	M. 1
WESTHAMPNETT	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	11	89	50	9	62	C. 3 E. 1 G. 1 M. 8 N. 6
†BIRMINGHAM C.B.	–	37	44	2	46	C. 2 E. 1 M. 8 N. 3
†COVENTRY C.B. ...	2	17	3	1	4	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	2	–	–	–	–
†NUNEATON ...	–	5	–	–	3	G. 1
†ROYAL LEAMINGTON SPA	–	1	–		–	N. 1
†RUGBY	–	1	2	–	1	N. 2
†SUTTON COLDFIELD	–	2	–		3	–
WARWICK ...	–	1	–		–	C. 1
Rural Districts:—						
ALCESTER ...	–	2	–	–	1	–
ATHERSTONE ...	6	3	1	–	1	–
COVENTRY ...	2	–	–	–	–	–
FOLESHILL ...	1	8	–	–	–	–
MERIDEN... ...	–	3	–	–	–	–
MONKS KIRBY ...	–	–	–	–	1	–
RUGBY	–	2		–	–	–
SOUTHAM... ...	–	1	–	6	–	–
STRATFORD ON AVON	–	3	–		2	–
TAMWORTH (part)	–	1	–	–	–	–
WESTMORLAND	–	–	–	–	2	–
Borough and Urban District:—						
APPLEBY	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF	–	7	–	1	1	–
Boroughs and Urban Districts:—						
EAST COWES ..	–	–	–	–	1	–
†NEWPORT... ..	–	1	–	–		–
SANDOWN ...	–	1	–	–	–	–
VENTNOR... ...	–	3		–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	2	–	1	–	–
WILTS	–	31	2	–	6	G. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–		–
DEVIZES	–		1	–	–	–
†SALISBURY ...	–	13	–	–	2	–
†SWINDON... ...	–	6	–	–	3	
Rural Districts:—						
AMESBURY ..	–	1	–	–	–	–
BRADFORD ON AVON	–	–	1	–		–
CALNE	–	–	–		–	G. 1
CHIPPENHAM ...	–	1	–	–	1	–
DEVIZES	–	4	–	–		–
HIGHWORTH ...	–	1	–	–	–	–
MELKSHAM ...	–	1	–	–	–	–
PEWSEY	–	1	–		–	–
SALISBURY ...	–	1	–	–	–	–
WILTON		1	–	–	–	–
WORCESTER ...	–	25	8	–	9	N. 2
†WORCESTER C.B.	–	1	1	–	–	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	6	–	–	–	–
†HALESOWEN ...	–	1	2	–	–	N. 1
†KIDDERMINSTER	–	–	–	–	2	–
WORCESTER—*—cont.*						
Boroughs and Urban Districts—*cont.*						
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	*	*	*	*	*	*
NORTH BROMSGROVE	–	6	1	–	–	–
†OLDBURY... ...	–	1	1	–	1	–
†REDDITCH ...	–	5		–	–	N. 1
†STOURBRIDGE ...	–	–	–	–	2	–
Rural Districts:—						
BROMSGROVE ...	–	2		–	1	–
MARTLEY... ...	–	–	2	–	1	–
PERSHORE ...		1	1	–	1	–
TENBURY... ...	–	1	–	–	–	–
TEWKESBURY (part)	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	27	35	–	4	E. 1 G. 1 N. 1
†KINGSTON UPON HULL C.B		11	25	–	3	E. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	3	3	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	3	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	5	1	–		–
ESCRICK	–	–	–	–	–	G. 1
HOWDEN		–	–	–	1	–
POCKLINGTON ...	–	1	–	–	–	–
RICCALL		2		–	–	–
SCULCOATES ...	–	1	1	–	–	–
SHERBURN ...	–	3		–	–	N. 1
SKIRLAUGH ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	13	37	3		19	E. 1 M. 1 N. 3
†MIDDLESBROUGH C.B	10	2		–	12	M. 1 N. 2
Boroughs and Urban Districts:—						
GUISBOROUGH ...	–	1	–	–	1	–
LOFTUS	–	9	–	–	1	–
†REDCAR	–	4	1	–	1	N. 1
SCALBY	–	3		–	–	–
†SCARBOROUGH ...	3	–	1		1	–
†SKELTON AND BROTTON		1	–	–	1	–
†THORNABY ON TEES		4	1	–	–	–
Rural Districts:—						
BEDALE		2	–	–	1	–
EASINGWOLD ...	–	–	–			E. 1
FLAXTON ...		1	–	–		–
GUISBOROUGH ...		5	–	–		–
LEYBURN... ...	–	1	–	–	–	–
STARTFORTH ...	–	2	–	–		–
STOKESLEY ...	–	–	–	–	1	–
THIRSK	–	2	–	–	–	–
YORKS ... ... (West Riding).	24	280	63	7	137	C. 3 D. 3 E. 6 F. 1 G. 1 M. 10 N. 16
†BARNSLEY C.B. ...		1	5	–	–	D. 1
†BRADFORD C.B. ...	–	15	6	2	20	C. 1 M. 2 N. 1
†DEWSBURY C.B....	–	2	–	–	1	–
†DONCASTER C.B.	1	2	1	–	–	–
†HALIFAX C.B. ...	6	7	–	–	1	F. 1 N. 1
†HUDDERSFIELD C.B.	1	3	8	–	1	
†LEEDS C.B. ...	1	22	6	1	21	C. 1 M. 3 N. 4

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†ROTHERHAM C.B.	–	10	4		7	D. 1
†SHEFFIELD C.B...	4	118	16	3	37	C. 1 E. 2 M. 3 N. 6
†WAKEFIELD C.B.	–	1	–		–	N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	3	3	1			N. 1
ALTOFTS	–	–	1		–	–
ARDSLEY, EAST AND WEST	–	–	–	–	1	N. 1
BAILDON	–	1			–	–
†BARNOLDSWICK ...	–	2	1		1	–
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	1	2	3		–	–
†BINGLEY		1	1		2	–
BIRKENSHAW ...	–	–	1	–		–
†BRIGHOUSE ...	–				1	–
†CASTLEFORD ...	–	1	–		–	–
CLAYTON	–	1	–	–	–	–
†DARTON	–	2	–	–		–
DRIGHLINGTON ...	–	–		–	1	–
EARBY	–	–	1			–
FARSLEY	–	3	–	–		–
†FEATHERSTONE ...	–	2	–		1	M. 1
GREASBROUGH ...	–	2	–	–	–	–
†HARROGATE ...	–	4	–	–	1	–
HECKMONDWIKE		1	–	–	–	–
†HEMSWORTH ...	–	–	–	–	1	–
HIPPERHOLME ...	–	1	–	–		–
HONLEY	–	1		–		–
HORBURY ...	–	–	–	–	2	–
†HOYLAND NETHER	–	2		–	1	–
ILKLEY	–	2	–		–	–
†KEIGHLEY ...	–	1	–	–		M. 1
KIRKHEATON ...	–	–	–	–	2	–
KNOTTINGLEY ...	–	–	–	–	1	–
MARSDEN... ...	–	3	–	–	–	–
†MEXBOROUGH ...	–	2	–	–	1	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY	–	1	–	–	2	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	6	–	–	–	–
†OSSETT	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
OTLEY	–	1	1	–	–	–
PENISTONE ...	–	1	–	–		–
†PONTEFRACT ...	–	2	–	–	1	–
†PUDSEY	–	–	–	–	1	–
†ROTHWELL ...	–	1	–	–	–	–
†SADDLEWORTH ...	–	–	–		1	–
SELBY		1	–	–	–	–
SKELMANTHORPE		–	2	1	–	–
†SKIPTON	–	11	–	–	–	–
†SPENBOROUGH ..	–	3	–		3	–
STAINLAND ...	–	1	–		–	–
†STANLEY	–	3	–		1	–
STOCKSBRIDGE ...	–	1	–		1	–
†SWINTON... ...	2	2	–			–
TICKHILL ...		–	2		1	–
†TODMORDEN ...	–	3	–	–	1	–
†WATH UPON DEARNE	–		–	–	1	E. 2
WHITWOOD ...	–	1	–	–		–
†WOMBWELL ...	1	–	1	–	–	E. 1
Rural Districts:—						
DONCASTER .	–	1	1	–	5	–
GOOLE		–	1		–	–
GREAT OUSEBURN	–	1	–	–	–	–
HALIFAX ...	–	2	–		–	–
HEMSWORTH ..		2	–	–	4	–
HUNSLET... ...	–	2	–	–		–
KIVETON PARK ...	4	2	–	–	1	D. 1
KNARESBOROUGH					2	–
PATELEY BRIDGE	–	1	–	–	–	–
PENISTONE ...	–	1	–	–		–
RIPON	–		–	–	–	E 1
ROTHERHAM ..	–	4	–		4	N. 1
SETTLE	–	1	–	–	1	–
TADCASTER ...	–	1	–		–	–
THORNE	–	1	–	–	1	G. 1
WAKEFIELD ..	–	2	–			–
WETHERBY ...	–	–	–	–	1	–
YORK, CITY OF ...	–	13	2	–	2	C. 1 M. 1
†YORK C.B.		13	2	–	2	C. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...		1	6	–	–	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	2	–	–	–
†HOLYHEAD ...		–	2	–	–	–
Rural Districts:—						
AETHWY	–	–	2	–	–	–
TWRCELYN ...		1	–	–	–	–
BRECKNOCK ...	2	–	–	–		–
Boroughs and Urban Districts:—						
BRYNMAWR ...	2	–	–	–		–
CAERNARVON...		5	1	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	1	–		–
†LLANDUDNO ...	–	3	–	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	1	–	–	–	–
CARDIGAN ...	–	1	–		–	N. 1
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	–	–	–	N. 1
CARDIGAN ...	–	1	–		–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN...	-	3	2	-	2	C. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	-	1	1	-	-	-
CWMAMMAN ...	-		-	-	1	-
KIDWELLY ...	-	1	-	-	-	-
†LLANELLY ...	-		1	-	-	-
Rural Districts:—						
CARMARTHEN ...	-	1	-		-	-
LLANDILO FAWR	-	-	-	-	1	-
LLANELLY ...	-	-	-	-	-	C. 1
DENBIGH ...	-	5	2	-	2	L. 2
Boroughs and Urban Districts:—						
†COLWYN BAY ...	-	1	-	-	-	-
DENBIGH ...	-	-	-	-	-	L. 2
†WREXHAM ...	-	1	-	-	-	-
Rural Districts:—						
CHIRK	-	-	2	-	-	-
WREXHAM ...	-	3	-	-	2	-
FLINT	-	4	3	-	-	E. 1
Boroughs and Urban Districts:—						
HOLYWELL ...	-	1	-	-	-	-
PRESTATYN ...	-	-	3	-	-	-
Rural Districts:—						
HAWARDEN ...	-	2	-	-	-	-
HOLYWELL ...	-	-	-	-	-	E. 1
ST. ASAPH (FLINT)	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	34	45	49	2	33	C. 2 M. 4 N. 3
†CARDIFF C.B. ...	1	7	8	1	2	M. 2 N. 1
†MERTHYR TYDFIL C.B.	-	-	2	-	4	-
†SWANSEA C.B. ..	-	7	6	-	2	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	4	1	-	-	2	-
†BARRY	-	1	-	-	3	-
†CAERPHILLY ..	1	1	-	-	1	-
†GELLIGAER ..	4	1	-		1	-
†MAESTEG... ...	-	10	6	-	-	N. 1
†MOUNTAIN ASH ..	2	3	-	-	4	M. 1
†NEATH	-	2	4	-	-	-
†OGMORE AND GARW	-		1	-	1	C. 1
†PONTYPRIDD ..	3	-	-	-	2	M. 1
PORTHCAWL ..	1	-	1	-	-	-
†PORT TALBOT ..		1	2	-	-	-
†RHONDDA .		6	9	-	8	N. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...	-	-	-	-	2	-
GOWER	-	1	2	-	-	-
LLANTRISANT AND LLANTWIT FARDRE	-	-	2	-	1	-
NEATH	-	-	4	1	-	-
PONTARDAWE ..	-	1	1	-	-	-
SWANSEA... ..	-	3	1	-	-	-
MERIONETH ...	-	2	12	-	-	-
Urban Districts:—						
FFESTINIOG ..	-	-	10	-	-	-
MALLWYD ...	-		1	-	-	-
Rural Districts:—						
EDEIRNION ...	-	2	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	26	14	8	1	9	–
†NEWPORT C.B. ...	–	5	-		4	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ..	-	–	2	-	–	–
†ABERTILLERY ..	–	-	1	–	-	–
†BEDWELLTY ...	5	1	2	–		–
†BLAENAVON ...	-	–	–	–	1	-
†EBBW VALE ..	8		–	1	1	–
LLANTARNAM ...	-	.	-	–	2	–
†MYNYDDISLWYN	-	2	2	-		–
†NANTYGLO AND BLAINA	13		–		1	–
†PANTEG	–	2			–	–
†TREDEGAR ...	–	2		–	–	–
Rural Districts:—						
ABERGAVENNY ...	-	-	1	.		–
ST. MELLONS ...	–	2	-	.	-	–
MONTGOMERY...	-	2	.		1	-
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN		2	-	-		-
Rural Districts:—						
NEWTOWN AND LLANIDLOE	-	–	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	6	1	–	1	C. 1
Boroughs and Urban Districts:—						
FISHGUARD ...	–	1	–	–	–	–
GOODWICK ...	–	–	–	–	–	C. 1
HAVERFORDWEST.	–	–	1	–	–	-
MILFORD HAVEN	–	2	–	–	–	–
†PEMBROKE ...	–	-	–	–	1	–
Rural Districts:—						
HAVERFORDWEST.	–	2	–	–	–	–
NARBERTH ...	–	1	–	–	–	–
RADNOR	–	2	2	–	-	–
Urban Districts:—						
KNIGHTON ...	–	1	–	–	–	–
PRESTEIGNE ...	–	–	2	–	–	–
Rural Districts:—						
RHAYADER ...	–	1	–	–	–	–
Total of Part II. ...	199	2286	1101	67	973	C. 34 D. 7 E. 23 F. 3 G. 27 L. 7 M. 78 N. 97

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—**Part III.—Port Sanitary Districts.**

Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
Barry	–	–	–	–	–	L. 1	Southampton ...	–	1	–	–	–	–
							Total of Part III. ...	–	1	–	–	–	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	403	316	7	139	C. 2 E. 2 M. 13 N. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	199	2286	1101	67	973	C. 34 D. 7 E. 23 F. 3 G. 27 L. 7 M. 78 N. 97
Total of Part III.—Port Sanitary Districts	–	1	–	–	–	L. 1
Total (*i.e.*, of returns received), England and Wales ...	199	2690	1417	74	1112	C. 36 D. 7 E. 25 F. 3 G 27 L. 8 M. 91 N. 113

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

ble 5.—London and Great Towns in the aggregate. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15	Oct. 22.	Oct. 29.
NDON:—													
ATHS (excluding Still-births)—all ages.	714	793	727	759	773	744	778	762	816	977	904	972	940
ATHS—0 to 1 year ..	49	69	42	55	67	69	75	49	78	70	59	64	55
EAT TOWNS, aggregate (including London):—													
VE BIRTHS	5,798	6,772	6,314	6,575	6,703	6,193	6,091	5,997	6,352	6,602	6,428	6,203	6,471
ILLBIRTHS	241	239	245	306	267	268	252	264	264	235	232	260	238
ATHS (excluding Still-births)—all ages	3,303	3,406	3,244	3,343	3,380	3,346	3,401	3,610	3,571	3,941	3,906	4,024	4,109
ATHS—0 to 1 year ..	326	328	280	344	329	359	361	347	353	368	354	368	398
TERIC FEVER—Cases	25	20	28	36	38	44	34	36	33	25	28	32	28
" Deaths	3	2	2	—	1	4	5	3	5	3	1	3	3
ALL POX—Cases ..	45	29	26	38	19	39	20	18	27	32	34	51	57
" Deaths .	—	—	—	—	1	-	—	—	—	—	—	—	—
ARLET FEVER—Cases	677	814	677	774	889	977	951	1,176	1,136	1,275	1,439	1,348	1,505
" Deaths	2	4	8	4	2	6	6	4	2	8	5	2	4
PHTHERIA—Cases ..	444	455	449	453	556	693	688	801	742	746	834	938	939
" Deaths ..	25	20	13	15	22	24	27	33	20	34	32	39	41
EASLES—Deaths ..	31	19	19	16	13	16	13	10	9	14	14	20	25
FLUENZA—Deaths ..	16	26	21	20	18	21	24	42	34	27	51	63	64

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 29th October, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ONDON (GREENWICH).	66	34	61·3	48·6	10	HUDDERSFIELD	64	31	58·3	45·9	41
RIGHTON ..	60	37	58·0	49·4	3	BRADFORD ..	62	34	58·4	45·1	50
ORTSMOUTH ..	63	37	59·5	50·2	16	SHEFFIELD ..	65	36	58·9	47·7	20
ORWICH (EATON).	65	41	60·4	49·0	9	YORK (MUSEUM)	66	36	59·0	46·6	8
LYMOUTH ..	60	39	58·6	51·6	32	HULL (PEARSON PARK).	66	36	59·3	47·6	10
RISTOL (CLIFTON).	63	40	60·1	48·7	20	TYNEMOUTH ..	62	40	57·1	49·4	12
IRMINGHAM (EDGBASTON).	62	38	58·1	48·3	10	CARDIFF.. ..	61	42	58·9	49·7	42
OTTINGHAM ..	64	34	60·1	47·3	13	EDINBURGH ..	62·0	44·0	56·6	47·5	27
IRKENHEAD (BIDSTON).	63	40	58·0	50·3	13	GLASGOW ..	59·9	39·0	56·3	46·1	49
ANCHESTER (WHITWORTH PARK).	? 64	35	? 59·4	48·1	25	DUBLIN (PHŒNIX PARK).	65·3	34·1	60·1	46·9	21
						(FITZWILLIAM SQUARE†).	65·5	40·1	60·5	49·6	17
URNLEY.. ..	62	31	57·6	46·6	45	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 29th October, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	23	In Equator	29·276	52·4	41·2	11·2	48·0	− 0·1	43·4	4·6	7·6	0·0	83	64·0	34·3	52·6	SWW : NNW	NW.	3·4	0·0	0·5	417	+ 157	0·02
MONDAY -	24	..	29·774	59·4	33·7	25·7	47·4	− 0·5	44·7	2·7	16·4	1·1	91	95·2	25·3	52·3	Calm : SW.	S : SSW.	0·8	0·0	0·0	202	− 67	0·00
TUESDAY -	25	Apogee New	29·746	66·2	53·7	12·5	59·4	+11·7	56·4	3·0	9·8	1·2	89	91·2	50·0	52·2	SSW : SW.	SSW : SW.	4·9	0·0	0·7	483	+ 205	0·00
WEDNESDAY	26	..	29·699	61·0	56·9	4·1	58·9	+11·3	56·7	2·2	6·7	1·2	92	70·1	53·5	52·2	SSW : SW.	SSW : SW.	6·0	0·0	1·0	536	+ 250	0·02
THURSDAY	27	..	29·663	62·8	55·9	6·9	59·5	+12·0	56·7	2·8	7·2	0·6	90	72·5	53·5	52·2	SSW : SW.	SW.	11·8	0·0	1·4	560	+ 268	0·35
FRIDAY -	28	..	29·620	62·8	54·8	8·0	59·0	+11·6	54·8	4·2	14·3	0·5	86	78·9	49·4	52·4	SW : SSW.	SSW : SW.	16·6	0·0	1·3	511	+ 215	0·02
SATURDAY -	29	..	29·898	61·5	50·2	11·3	55·0	+ 7·7	44·9	10·1	17·1	3·5	69	108·5	43·0	52·4	SW.	SW : SSW : S.	10·0	0·0	1·0	477	+ 181	0·00
MEANS -		..	29·668	60·9	49·5	11·4	55·3	+ 7·7	51·1	4·2	11·3	1·2	86	82·9	44·1	52·3	SSW		..	..	..	Sum 3186	Sum +1209	Sum 0·41
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	23	Loss of register till 11½h.; then wP.	0·0	10·2	Partially cloudy becoming overcast by 5h. Occasional damping between 9h. and 15h. Brisk wind 11h. till 18h.
MONDAY ..	24	wP	4·2	10·2	Nearly cloudless till 9h., then becoming nearly overcast by 11½h. Mist 5h. till 12h. Slight shower 23½h.
TUESDAY ..	25	wP	0·5	10·1	Overcast generally. Occasional damping between 4h. and 5h.; and at 6h. Brisk wind from 10h.
WEDNESDAY	26	wP	0·0	10·0	Overcast. Occasional damping between 7½h. and 18¾h. Rain 18½h. till 19¾h. Brisk wind till 5h.; and from 8h.
THURSDAY	27	wP	0·7	10·0	Overcast generally. Damping at 3h.; and at 5h. till 6h. Slight rain 12h. till 15½h.; 17¼h. till 18¼h.; and from 19h. Brisk wind till 8h.; and 9h. till 19h. High wind 8h. till 9h.
FRIDAY ..	28	wP	0·2	9·9	Overcast till 15h.; then variably cloudy. Slight rain 5¾h. till 7h.; 9h. till 12h., and about 18¾h. Brisk wind from 13h.; rising from 18h. to moderate gale by 22h.
SATURDAY	29	wP	5·4	9·9	Variably cloudy becoming nearly overcast by 12h. High wind till 5h., then brisk wind till 12h, Solar halo 13h,
			Sum 11·0	Sum 70·3	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 28·99 ins. at the beginning of the week to 29·79 ins. by 11h. on 24th; decreased generally to 29·63 ins. by 15h. on 27th; increased to 29·75 ins. by 1h. on 27th; decreased to 29·51 ins. by 18h. on 28th; increased to 29·93 ins. by 18h. on 29th; decreased and was 29·87 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION, LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND LONDON."

Austin CARS ARE AVAILABLE for all and every purpose.

Dignified in appearance—silent in running—comfortable to ride in—low to maintain, and in perfect keeping with a doctor's standing.

Prices from £145 to £775.

THE AUSTIN MOTOR CO. Ltd.
LONGBRIDGE, BIRMINGHAM.



20-H.P. CARLTON SALOON
£550.

REMEMBRANCE

WEAR A POPPY

BOOKS AND PERIODICALS.

Send your orders for these to SELLS LTD., and they will send you all you require. The cost of books is the published price plus postage, and the rates for periodicals are the publisher's advertised rates.

SELLS Ltd., (Publications Dept.),
168, FLEET ST., LONDON, E.C.4

Advertisement Managers for Weekly Return of Births and Deaths.

RATES AND PARTICULARS SENT ON REQUEST.
ESTABLISHED 1869.

Cables: Sell, London. *Bankers:* Barclays Bank Ltd., 19, Fleet St., London, E.C.4.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.

Telegrams:
"Clinician, Wesdo, London."

(64220) Wt. 40—20 1875 11/27 H. St. G 43

FOR OFFICIAL USE

1927. No. 44

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 5TH NOVEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 5TH NOVEMBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the forty-fourth week of the year numbered 6,541 and corresponded to an annual rate of 17·4 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,904 and corresponded to an annual rate of 10·4 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·4, 10·7 and 10·9. Infant mortality based on the average weekly number of live births during the last 52 weeks, was 54 against 54, 56 and 60 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,464 live births, corresponding to a rate of 16·5 per 1,000, and 903 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 10·2, against 10·2, 11·0 and 10·6 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·5 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 40 as against 39, 43 and 37 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 4,103 to 3,904 and in London from 940 to 903.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 210 in the Great Towns including 32 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 5th November, 1927.

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 Great Towns ..	19,540,143*	6541	210	3904	355	5	19	8	11	34	64	[illegible]
London	4,605,400*	1464	32	903	59	2	2	2	2	9	13	[illegible]
Towns in Outer Ring.												
Croydon C.B. ..	205,900	69	2	51	5	-	1	-	1	-	1	-
Wimbledon ..	58,030	17	-	10	-	-	-	-	-	-	-	-
Ealing	91,783	32	-	17	2	-	-	-	-	-	1	-
Acton	63,040	15	-	13	1	-	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	14	-	11	-	-	-	-	-	-	-	-
Willesden ..	165,270	60	-	25	1	-	-	-	-	-	-	-
Hendon	62,570*	18	2	10	-	-	-	-	-	-	-	-
Hornsey	87,230	19	-	12	-	-	-	-	-	-	-	-
Wood Green ..	51,940	16	-	10	-	-	-	-	-	-	-	-
Tottenham ..	151,520	30	-	19	3	-	-	-	-	-	-	-
Edmonton	71,700	26	1	9	-	-	-	-	-	-	-	-
Enfield	63,640	15	-	7	-	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	123	1	73	12	-	-	-	-	1	2	-
East Ham C.B. ..	146,600	29	-	22	2	-	-	-	-	1	-	-
Leyton	130,000	22	2	22	3	-	-	-	-	-	1	-
Walthamstow ..	125,500	43	1	14	-	-	-	-	-	-	-	-
Ilford	100,500	35	-	15	1	-	-	1	-	-	-	-
Gillingham	47,820*	27	1	8	1	-	-	-	-	-	-	-
Canterbury C.B. ..	23,470*	5	-	4	-	-	-	-	-	-	-	-
Hastings C.B.	61,340	13	1	18	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	17	1	5	-	-	-	-	-	-	-	-
Brighton C.B.	139,500*	37	1	29	-	-	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	100	4	41	3	-	1	-	-	-	-	-
Bournemouth C.B. ..	90,100	27	1	26	1	-	-	-	-	-	-	-
Southampton C.B. ..	169,300	56	-	31	2	-	-	-	-	-	1	-
Reading C.B	93,090*	34	-	14	2	-	1	-	-	-	-	-
Oxford C.B.	56,800	18	2	9	1	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	29	2	23	1	-	-	-	-	1	-	-
Luton	59,240	12	1	8	-	-	-	-	-	-	-	-
Cambridge	58,820	10	1	10	-	-	-	1	-	-	-	-
Southend-on-Sea C.B.	104,300	21	1	18	1	-	-	-	-	1	-	-
Ipswich C.B.	84,140	24	1	20	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	13	1	9	1	-	-	-	-	-	-	-
Norwich C.B.	123,500*	39	2	23	2	-	-	-	-	-	2	-
Swindon	57,320	19	1	10	-	-	-	-	-	-	-	-
Exeter C.B.	60,340*	23	1	16	1	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	83	4	38	1	-	-	-	1	1	-	-
Bath C.B.	69,000	15	1	17	-	-	-	-	-	1	-	-
Bristol C.B.	383,300*	127	7	81	6	-	-	-	-	1	1	-
Gloucester C.B. ..	53,050	14	-	8	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	116	6	73	10	-	2	-	-	-	-	-
Burton-upon-Trent C.B.	48,660	14	1	4	-	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	53	3	19	1	-	-	-	-	-	-	-
Walsall C.B.	102,100	39	1	19	-	-	-	-	-	2	-	-
West Bromwich C.B.	79,920	37	1	14	2	-	-	-	-	-	-	-
Dudley C.B.	58,930	24	-	12	2	-	-	-	-	-	1	-
Worcester C.B. ..	50,660	14	-	8	-	-	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	345	8	190	26	-	-	-	2	-	4	-
Smethwick C.B. ..	76,940	21	-	7	-	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	47	4	22	2	-	-	-	-	-	-	-
Leicester C.B. ..	241,700	84	1	55	2	-	-	-	-	1	-	-
Lincoln C.B.	65,760*	29	-	11	2	-	-	-	-	-	-	-
Grimsby C.B.	88,580	33	2	20	2	-	-	-	-	1	-	-
Nottingham C.B. .	268,000	91	4	63	7	-	-	-	-	-	2	-
Derby C.B.	136,600*	44	1	27	1	-	-	-	-	1	-	-
Chesterfield ..	66,650	27	3	11	3	-	-	-	-	-	-	-
Stockport C.B. ..	125,400	37	-	32	4	-	-	-	-	-	-	-
Chester C.B.	41,710	16	1	7	-	-	-	-	-	1	-	-
Birkenhead C.B. ..	158,000	64	-	36	5	-	-	-	-	-	4	-
Wallasey C.B. ..	93,050	20	-	28	1	-	-	-	-	1	-	-
Liverpool C.B. ..	862,600	375	12	203	32	1	-	1	3	1	10	-
Bootle C.B.	84,580	28	1	11	2	-	-	-	-	1	-	-
St. Helens C.B. ..	110,000	38	2	26	6	-	1	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa, and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
OUTHPORT C.B. ..	77,970	13	1	23	1	-	-	-	-	-	-	1
VIGAN C.B.	88,620	31	2	19	2	-	-	-	-	-	-	-
VARRINGTON C.B. ..	76,940*	29	-	9	2	-	-	-	-	-	-	-
OLTON C.B.	177,000	38	1	32	1	-	-	-	-	-	-	-
URY C.B.	56,840*	18	-	7	-	-	-	-	-	-	-	-
IANCHESTER C.B. ..	752,000	264	17	170	25	-	9	1	1	1	3	5
ALFORD C.B.	247,400	68	2	38	2	-	-	-	-	-	4	1
SHTON-UNDER-LYNE	51,050	12	1	13	-	-	-	-	-	-	-	2
DLDHAM C.B.	143,000	40	1	34	3	-	1	-	-	-	1	-
OCHDALE C.B.	91,510	27	1	29	2	-	-	-	-	-	1	1
URNLEY C.B.	99,600	22	-	33	4	-	-	-	-	-	1	-
LACKBURN C.B. ..	124,400	30	1	18	-	-	-	-	-	-	-	-
RESTON C.B.	124,200	30	5	37	2	-	-	-	-	-	-	1
LACKPOOL C.B. ..	88,640	16	-	9	-	-	-	-	-	-	-	-
ARROW-IN-FURNESS C.B.	70,420	22	2	9	1	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	111,900	32	1	22	4	-	-	-	-	-	-	-
ALIFAX C.B.	96,130*	30	2	19	-	-	-	-	-	-	-	-
RADFORD C.B. ..	288,700	91	-	72	11	-	-	-	-	2	-	-
EEDS C.B.	473,400	180	2	83	4	-	-	2	-	1	-	4
EWSBURY C.B. ..	53,630	16	1	9	-	-	-	-	-	-	-	1
AKEFIELD C.B. ..	53,830	19	1	12	1	-	-	-	-	-	-	-
ARNSLEY C.B. ..	70,760	51	4	11	1	1	-	-	-	-	-	-
HEFFIELD C.B. ..	523,300*	163	4	80	5	1	-	-	-	-	1	2
OTHERHAM C.B. ..	70,080	28	-	10	1	-	-	-	-	-	-	-
ONCASTER C.B. ..	55,700	20	1	11	2	-	-	-	-	1	1	-
ORK C.B.	84,430*	26	-	16	1	-	-	-	-	-	1	1
ULL C.B.	294,600	102	4	77	7	-	-	-	-	3	1	1
IDDLESBROUGH C.B.	133,600	63	4	30	2	-	-	-	-	-	1	1
ARLINGTON C.B. ..	70,700	16	2	12	2	-	-	-	-	-	-	-
TOCKTON-ON-TEES ..	67,910	26	-	11	1	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,060	29	1	19	1	-	1	-	-	-	-	-
UNDERLAND C.B. ..	163,800	73	3	32	4	-	-	-	-	1	2	-
OUTH SHIELDS C.B. ..	123,900	46	1	24	2	-	-	-	-	-	1	1
ATESHEAD C.B. ..	127,700	33	1	31	8	-	-	-	-	-	-	1
EWCASTLE-ON-TYNE C.B.	284,700*	102	3	66	12	-	-	-	1	-	1	-
YNEMOUTH C.B ..	66,560	30	-	10	1	-	-	-	-	-	-	-
ARLISLE C.B.	56,140*	16	-	10	-	-	-	-	-	-	-	1
EWPORT (MON.) C.B.	96,620	37	1	27	2	-	-	-	-	-	1	-
ARDIFF C.B.	225,600*	77	3	43	4	-	-	-	-	-	1	1
HONDDA	162,500	56	6	26	5	-	-	-	-	-	-	1
ERTHYR TYDFIL C.B.	80,690	29	2	16	3	-	-	-	-	-	-	-
BERDARE	56,930	15	1	13	-	-	-	-	-	-	-	2
WANSEA C.B.	163,200	64	2	25	3	-	-	-	-	-	-	-
REATER LONDON ..	7,791,310*	2,477	55	1,458	100	2	3	3	3	15	18	29
UTER RING	3,185,910*	1,013	23	555	41	-	1	1	1	6	5	8
GREAT TOWNS IN OUTER RING	1,947,963*	588	9	340	30	-	1	1	1	2	5	4
EMAINDER OF OUTER RING	1,237,947*	425	14	215	11	-	-	-	-	4	-	4
DINBURGH†	426,100	124	?	94	10	-	2	1	-	-	-	1
LASGOW†	1,049,000	455	?	310	70	1	6	1	2	2	9	5
UBLIN (REGISTRATION AREA)†	421,000	168	?	105	29	-	-	-	-	4	3	1
ELFAST†	415,007	152	?	104	17	-	-	-	-	1	-	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926. eaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents miciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland iring the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases
London‡	4,605,400	1927. Nov. 5	1464	32	903	10·2	2	-	2	2	2	9	1
Calcutta and Suburbs	1,077,264	Sept. 24	?	?	603‖	29·1	?	2	-	?	?	?	
Bombay§	1,298,708	Oct. 8	521	54	428‖	17·1	3	-	-	-	-	-	1
Madras	528,791	" 8	519	33	356‖	35·0	3	-	-	-	-	-	2
Sydney and Suburbs	1,038,950	Sept. 30 (30 days)											
Brisbane (Metropolitan Area).	274,260	Sept. 30 (30 days)											
Perth (Metropolitan Area).	184,223	Sept. 17	61	?	51	14·4	-	-	-	-	?	-	
Auckland (Urban Area).	201,220	Sept. 30 (30 days)											
Wellington (Urban Area).	126,310	Sept. 30 (30 days)											
Christchurch (Urban Area).	121,760	Sept. 30 (30 days)											
Cape Town	114,846	Oct. 8	65	1	27	12·2	-	-	-	-	2	-	
Johannesburg	172,718	" 8	77	4	59	17·8	-	-	-	-	-	-	
Durban	54,715	" 8	17	1	12	11·4	1	-	1	-	-	-	
Paris	2,871,429	Oct. 20 (10 days)	1141	72	962	12·2	5	-	3	-	4	10	1
Antwerp	300,103	Oct. 1	88	-	59	10·2	-	-	-	-	-	-	
Amsterdam	731,081	" 8	266	6	116	8·3	2	-	1	-	1	-	
Copenhagen	597,800	" 22	141	-	108	9·4	-	-	-	-	-	2	
Stockholm	453,332	" 15	90	2	84	9·6	-	-	-	-	-	-	
Gothenburg	231,196	" 15	?	?	27	6·1	-	-	-	-	-	-	
Oslo (Christiania) ..	254,055	" 29	47	5	55	11·3	-	-	-	-	-	-	
Berlin	2,000,000	" 15	322	25	416	10·8	-	?	-	3	2	9	
Breslau	562,000	" 15	130	5	128	11·8	-	?	-	-	2	1	
Cologne	719,000	" 15	204	3	138	10·0	-	?	-	1	1	2	
Dresden	626,000	" 15	123	6	125	10·4	-	?	-	-	-	-	
Frankfort-on-Main..	4[illegible]5,000	" 15	88	4	46	5·0	-	?	-	-	-	-	
Hamburg	1,108,000	" 15	254	11	187	8·8	1	?	-	-	1	-	
Leipzig	687,000	" 15	143	6	128	9·7	1	?	-	-	-	-	
Munich	692,000	" 15	157	4	142	10·7	-	?	-	-	-	-	
Vienna	1,870,325	April 30 (30 days)											
Prague and Suburbs	738,132	April 30 (30 days)											
Budapest	971,169	Oct. 15	241	11	207	11·1	6	-	-	-	-	2	
Warsaw	1,028,982	" 22	?	10	269	13·6	13	-	4	8	4	1	17
Cairo	874,300	June 3	819	32	651	38·8	6	-	1	-	?	5	165
		" 10	951	27	804	48·0	4	-	7	-	?	1	240
Alexandria	501,800	" 3	411	9	292	30·3	2	-	-	-	?	2	54
		" 10	381	3	309	32·1	2	-	-	-	?	-	58
New York	5,970,920	Oct. 22	?	?	1127	9·8	-	-	-	1	4	12	14
Chicago	3,101,000	" 14	1220	46	579	9·7	-	-	-	-	1	5	15
New Orleans	433,000	Sept. 30 (30 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children* [illegible] *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The est mated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 11 deaths from Cholera in Calcutta 3 in Madras, and 2 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 5th November, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	903	59	10	19	25	32	35	60	95	161	214	193
Enteric fever..	2	1	-	-	-	-	-	-	-	1	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	-	1	-	-	-	-	1	-	-	-
Whooping cough	2	-	1	1	-	-	-	-	-	-	-	-
Diphtheria	9	1	2	4	2	-	-	-	-	-	-	-
Influenza	21	-	-	-	-	-	2	-	5	2	6	6
Erysipelas	5	-	-	-	-	1	-	-	3	-	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-		-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	1	-	-	-	-	-
Meningococcal meningitis	2	1	-	-	-	-	1	-	-	-	-	-
Tuberculosis:—												
Respiratory system	64	-	-	1	2	11	14	16	12	5	3	-
Nervous system	2	-	-	-	2	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	8	-	-	1	-	3	-	2	-	1	1	-
Venereal diseases	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	136	1	1	-	-	2	-	9	15	42	47	19
Rheumatic fever	3	-	-	-	1	-	-	-	1	1	-	-
Diabetes	10	-	-	-	-	-	-	1	-	3	5	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	40	-	-	-	-	-	-	-	7	6	13	14
Epilepsy	4	-	-	1	-	1	-	-	-	1	-	1
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	25	-	-	1	3	1	2	2	4	5	5	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	7	-	-	-	2	-	3	-	1	1	-	-
Other diseases of heart	153	-	-	1	1	-	2	6	11	28	47	57
Other diseases of circulatory system	40	1	-	-	-	-	-	2	4	3	10	20
Bronchitis	40	1	1	-	-	-	-	-	2	7	15	14
Broncho-pneumonia	23	6	2	1	-	-	-	2	2	2	6	2
Lobar-pneumonia	28	1	-	-	-	1	1	5	3	11	4	2
Pneumonia (type not distinguished)	5	-	-	-	-	-	-	-	-	2	2	1
Other diseases of respiratory system	9	-	-	-	-	-	-	1	1	3	1	3
Diarrhœa and enteritis	14	11	2	-	-	-	-	-	-	-	-	1
Appendicitis, Typhlitis	9	-	-	1	2	-	1	1	-	2	1	1
Hernia, Intestinal obstruction	10	-	-	-	-	1	1	-	-	2	4	2
Cirrhosis of liver	4	-	-	-	-	-	1	-	1	1	1	-
Other diseases of digestive system ..	20	-	-	1	-	-	-	2	6	7	3	1
Acute nephritis	6	1	-	1	1	-	1	1	-	1	-	-
Chronic Bright's disease	27	-	-	-	-	-	-	1	3	8	10	5
Other diseases of genito-urinary system.	17	-	-	-	-	-	-	-	3	2	6	6
Puerperal sepsis	2	-	-	-	-	1	-	1	-	-	-	-
Other causes incident to childbirth ..	4	-	-	-	-	-	2	2	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	16	16	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3	-	-	-	-	-	-	-	-		
Old age	21	-	-		-	-	-	-	-	-	2	
Suicide	8	-	-	-	-	1	-	-	3	2	2	-
Burns and Scalds	4	-	-	1	-	1	-	-	1	-	1	-
Drowning	5	1	-	-	1	-	1	1	-	-	1	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	21	-	-	1	5	3	1	1	2	1	6	1
Other deaths by violence	19	-	-	-	2	2	-	1	1	3	3	7
Other specified causes	44	7	-	2	1	3	1	3	3	8	8	8
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 5th November, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	341	336	15	146	C. 2 D. 2 E. 1 G. 2 L. 3 M. 7 N. 14
Metropolitan Boroughs:—						
†BATTERSEA ...	-	9	22	-	8	G. 1
†BERMONDSEY ...		15	17	-	4	-
†BETHNAL GREEN	-	20	10	3	3	-
†CAMBERWELL ...		19	20	-	4	D. 1
†CHELSEA	-	6	8	1	2	-
†DEPTFORD ...		14	9	-	2	-
†FINSBURY ...		2	4	-	2	N. 1
†FULHAM		13	9	-	9	D. 1 M. 1 N. 1
†GREENWICH ...		10	16	-	3	N. 1
†HACKNEY ...	-	32	20	1	2	N. 1
†HAMMERSMITH ...		10	14	-	5	N. 1
†HAMPSTEAD ...	-	3	3	-	1	N. 1
†HOLBORN... ...	-	3	1	-	3	-
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	28	20	3	8	G. 1 L. 3 N. 1
†KENSINGTON ...	-	12	7	1	4	-
†LAMBETH ...	-	12	15	-	10	M. 2 N. 2
†LEWISHAM ...	-	10	7	-	4	C. 1 E. 1
†PADDINGTON ...	-	6	12	1	7	-
†POPLAR	-	17	19	-	10	M. 1
†ST. MARYLEBONE	-	2	4	-	2	-
†ST. PANCRAS ...	-	15	4	-	8	-
†SHOREDITCH ...	-	5	14	1	11	C. 1 N. 1
†SOUTHWARK ...	-	15	25	-	7	M. 2 N. 2
†STEPNEY		26	20	1	13	M. 1
†STOKE NEWINGTON	-	1	-	-	1	-
†WANDSWORTH ...		17	23	2	9	-
†WESTMINSTER, CITY OF	-	5	3	1	-	N. 1
†WOOLWICH ...		14	10	-	4	N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	18	6	–	1	–
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	4	–	–	–	–
BIGGLESWADE ...	–	1	–	–	–	–
DUNSTABLE ..	–	2	–	–	–	–
†LUTON	–	5	2	–	–	–
Rural Districts:—						
AMPTHILL ...	–	2	–	–		–
BEDFORD ...	–	4	–	–	–	
BIGGLESWADE ...	–	–	–	–	1	–
LUTON	–	–	3	–	–	–
BERKS	–	8	4	1	–	D. 1 G. 1 N. 1
†READING C.B.	–	3	1	1	–	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	–	–	–	–	D. 1
WALLINGFORD ..	–	–	–	–	–	N. 1
WOKINGHAM ...	–	2	2	–	–	–
Rural Districts:—						
BRADFIELD ...	–	–	–	–	–	G. 1
HUNGERFORD ...	–	–	1	–	–	–
NEWBURY ...	–	2	–	–	–	–
WANTAGE .		1	–	–	–	–
BUCKINGHAM ...	–	6	3	2	3	C. 1 E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–		–	–	C. 1
BEACONSFIELD ...	–	–	–	–	–	M. 1
BLETCHLEY ..	–	1	1	–		–
†CHEPPING WYCOMBE		2	–	–	2	–
†SLOUGH	–	–	1	–		
†WOLVERTON ...	–	3	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AYLESBURY ...	–		–	2	–	–
BUCKINGHAM ...	–	–	–	–	–	E. 1
ETON	–	–	–	–	–	N. 1
WYCOMBE ...	–	–	1	–	–	–
CAMBRIDGE ...	–	5	3	–	2	–
Borough:—						
†CAMBRIDGE ...	–	1	3	–	1	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
LINTON	–	1	–	–	–	–
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	2	–	–	–	–
CHESTER ...	–	54	25	–	32	C. 2 D. 1 M. 2 N. 1
†BIRKENHEAD C.B.	–	5	6	–	13	C. 1
†CHESTER C.B. ...	–	1	1	–		–
†STOCKPORT C.B.	–	12	–	–	2	N. 1
†WALLASEY C.B. ...	–	5	1	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	1	–	–	D. 1
†BEBINGTON AND BROMBOROUGH	–	–	2	–	–	–
BREDBURY AND ROMILEY	–	3	3	–	1	–
BUGLAWTON ...	–	1	–	–	–	–
†CONGLETON ...	–	1		–	–	–
†CREWE	–	1	1		–	–
†DUKINFIELD ...	–	–	–	–	3	M. 1
†ELLESMERE PORT AND WHITBY	–	1		–	–	–
HALE	–	1	3	–	–	–
†HOYLAKE AND WEST KIRBY		1	1	–	–	–
†HYDE	–	3			3	–
KNUTSFORD ...		–	–		1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MIDDLEWICH ...	–	1	–	–	–	–
NANTWICH ...	–	–	1	–	1	–
NESTON AND PARKGATE	–		–	–	1	–
†NORTHWICH ...	–	4	2		–	–
†RUNCORN... ...	–	3	–	–	1	M. 1
†SALE	–	1		–	–	–
TARPORLEY ...	*	*	*	*	*	*
WILMSLOW ...	–	–	–	–	–	C. 1
†WINSFORD ...	–	–	–	–	1	–
Rural Districts:—						
CHESTER	*	*	*	*	*	*
CONGLETON ...	–	1	–	–	2	–
DISLEY	–	2	1	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
MALPAS	*	*	*	*	*	*
NANTWICH ...	–	–	1	–	2	–
NORTHWICH ...	–	–	1	–	–	–
RUNCORN ...	–	2	–		–	–
TARVIN	*	*	*	*	*	*
WIRRAL	–	3	–		1	–
CORNWALL ...	–	7	5	1	2	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	1	–	–	–
†FALMOUTH ...	–	1	–	–	–	–
PAUL	–	1		–	–	–
†PENZANCE ..	–	1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
TORPOINT ...	–	–	–	1	1	–
Rural Districts:—						
BODMIN	–	–	–	–	1	–
CALSTOCK ...	–	1	3	–	–	M. 1
HELSTON	–	1	–	–	–	–
ST. AUSTELL ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts—*cont.*						
ST. COLUMB MAJOR	–	–	1	–	–	–
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND...	–	9	3	–	8	E. 1
†CARLISLE C.B. ..	–	1	–		4	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	1	–	–	–
COCKERMOUTH ...	–	–	–	–	1	–
HARRINGTON ...	–	1	–		–	–
HOLME CULTRAM	–	–	–	–	1	–
MILLOM	–	1	–	–	1	–
†WORKINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BOOTLE	–	–	1	–	–	–
BRAMPTON ...	–	1	–		–	–
CARLISLE ...	–	3	–	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
WHITEHAVEN ...	–	–	1	–	–	E. 1
WIGTON	–	1	–	–	–	–
DERBY	17	54	21	–	20	M. 1 N. 5
†DERBY C.B.	–	11	4	–	8	M. 1 N. 3
Boroughs and Urban Districts:—						
†ALFRETON ..	4	1	–	–	1	–
†BOLSOVER ...	–	2	1	–	–	–
†BUXTON	–	2	–	–	–	–
†CHESTERFIELD ...	–	2	2	–	2	–
†GLOSSOP	–	1	1	–	–	N. 1
HEAGE	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEANOR	1	2	–	–	2	–
†ILKESTON ...	–	1	–	–	–	–
†LONG EATON ...	–	1	1	–	–	–
NEW MILLS ...	–	2	–	–	–	–
†RIPLEY	11	1	–	–	1	–
†SWADLINCOTE DISTRICT	–	1	–	–	1	–
WIRKSWORTH ...	–	–	–	–	–	N. 1
Rural Districts:—						
BAKEWELL ...	–	2	–		–	–
BELPER	–	6	1	–	1	–
BLACKWELL ..	1	6	1	–	–	–
CHAPEL EN LE FRITH	–	2	1	–	–	–
CHESTERFIELD ...	–	5	4	–	2	–
CLOWNE	–	2	–	–	–	–
GLOSSOP DALE ...	–	1	–	–	–	–
HARTSHORN AND SEALE	–	–	3	–	2	–
REPTON	–	1	–	–		–
SHARDLOW ...	–	2	1	–	–	–
DEVON	–	13	11	2	11	E. 1 M. 1 N. 4
†EXETER C.B. ...	–	1	–	–	1	–
†PLYMOUTH C.B...	–	2	8	–	–	E. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
ASHBURTON ...	–	1	–	–	–	N. 1
†BARNSTAPLE ...	–	–	–	–	–	N. 1
BIDEFORD ...	–	–	–	1	–	–
BRIXHAM... ...	–	–	1	–	1	–
CREDITON ...	–	–	–	–	1	–
DARTMOUTH ...	–	1	–	–	1	–
†PAIGNTON ...		–	–	–	1	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	3	–	–	–	–
BROADWOOD WIDGER	–	–	–	–	2	–
CULMSTOCK ...	–	–	1		–	–
NEWTON ABBOT...	–	–	–	1	2	–
OKEHAMPTON ...		1	1	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
TIVERTON ...	–	–		–	1	–
TORRINGTON ...	–	1	–	–	–	–
DORSET		17	–	1	2	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–		1	–
†POOLE		7	–	–	–	–
SWANAGE ...	–	2	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–		–
POOLE	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	1	–	–
WAREHAM AND PURBECK	–	2	–	–	–	–
WEYMOUTH ...	–	3	–	–	–	–
WIMBORNE AND CRANBORNE	–	1		–	1	–
DURHAM ...	58	74	58	6	80	C. 5 E. 1 G. 1 M. 7 N. 5
†DARLINGTON C.B.	1	4	–	1	2	C. 1 N. 1
†GATESHEAD C.B.	12	2	2	–	2	M. 1 N. 1
†SOUTH SHIELDS C.B	11	9	5	1	12	M. 2
†SUNDERLAND C.B.	–	4	9	1	22	E. 1
†WEST HARTLEPOOL C.B		5	1		2	M. 2 N. 1

* Returns not received. † Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BARNARD CASTLE	–	–	1	–	–	–
BENFIELDSIDE ...	–	2	1	–	–	–
BILLINGHAM ...	–	–	4	–	1	C. 2
†BLAYDON... ...	–	1	–	–	2	–
†BRANDON AND BYSHOTTLES	–	2	1	–	–	–
†CHESTER LE STREET		4	–	–	–	–
†CONSETT	1	–	–	–	–	–
†CROOK	–	2	2	–	–	–
†DURHAM	–	–	–	–	1	–
†FELLING	–	1		–	2	–
†HARTLEPOOL ...	–	–	–	1	–	–
†HEBBURN ...	1	–	–	–	1	–
†HETTON	–	–	–	–	2	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	1	1	–	6	–
LEADGATE ...	–	1	–	–	–	–
†SHILDON		–	1	2	–	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	9	–	–	–	–	–
†STANLEY	6	–	8	–	–	M. 1 N. 1
†STOCKTON ON TEES	–	2	3	–	2	M. 1
†TANFIELD ...	–	–	–	–	1	–
†WHICKHAM ...	–	–	1	–	2	–
WILLINGTON ...	–	–	5	–	–	–
Rural Districts:—						
AUCKLAND ..	–	10	6	–	–	–
CHESTER LE STREET	3	2	1	–	3	–
DARLINGTON ...	–	1	–	–	–	–
DURHAM	1	–	–	–	5	–
EASINGTON ...	3	8	–	–	2	N. 1
HARTLEPOOL ...	7	–	–	–	–	–
HOUGHTON LE SPRING	–	3	–		1	G. 1
LANCHESTER ...	–	4	3	–	3	–
SEDGEFIELD ..	–	1	2	–	–	–
SOUTH SHIELDS...	3	2			1	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	2	–	–	3	C. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	–	1	–	1	M. 1
Boroughs and Urban Districts:—						
ELY	–	–	1	–	1	–
†WISBECH	–	–	–	–	–	M. 1
ESSEX	–	180	92	1	26	C. 1 G. 3 J. 1 M. 2 N. 1
†EAST HAM C.B. ...	–	31	13	–	–	G. 1
†SOUTHEND-ON-SEA C.B.	–	10	4	–	4	–
†WEST HAM C.B. ...	–	50	33	–	10	C. 1 G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	3		–	–
BUCKHURST HILL	–	1	–	–	–	–
BURNHAM ON CROUCH	–	4		–	–	–
†CHELMSFORD ...	–	4			–	–
CHINGFORD ...	–	1	–			–
†CLACTON	–	2	–	–	–	–
†COLCHESTER ...	–	–	–	1	–	–
DAGENHAM ...	–	9	5	–	1	M. 1
EPPING	–	–		–	–	G. 1
†GRAYS THURROCK	–	–	4	–	–	–
HALSTEAD ...	–	3	–		–	–
†HORNCHURCH ...	–	3	1	–	–	–
†ILFORD	–	4	4	–	1	J. 1
†LEYTON	–	11	4	–	3	–
MALDON	–	4			–	–
†ROMFORD ...	–	1	1	–		–
SHOEBURYNESS ...	–	1	–	–	–	–
TILBURY	–		1	–		–
†WALTHAMSTOW...	–	22	4	–	4	–
†WANSTEAD ...	–		1	–	–	–
†WOODFORD ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BILLERICAY ...	-	-	1	-	-	-
BRAINTREE ...	-	3	-	-	-	-
CHELMSFORD ...	-	-	1	-	-	-
EPPING	-	1	-	-	-	-
MALDON	-	4	1	-	-	-
ONGAR		1	-	-	-	-
ORSETT	-	2	9	-	-	-
ROCHFORD ...	-	2	-	-	1	-
ROMFORD... ...	-	-	1	-	-	-
SAFFRON WALDEN	-	1	-	-	-	-
TENDRING ...	-	3	-	-	1	-
GLOUCESTER ...	-	59	32	2	13	E. 2 G. 1
†BRISTOL C.B. ...	-	36	19	1	6	G. 1
†GLOUCESTER C.B.	-	1	3	-	4	-
Boroughs and Urban Districts:—						
AWRE	-	-	1	-	-	-
CHARLTON KINGS	-	-	1	-	-	-
†CHELTENHAM ...	-	6	6	-	-	-
CIRENCESTER ...	-	-	-	-	2	-
†KINGSWOOD ...	-	4	1	-	-	-
MANGOTSFIELD ...	-	-	-	-	-	E. 1
NAILSWORTH ...	-	4	-	-	-	-
Rural Districts:—						
CAMPDEN... ...	-	1	1	-	-	-
CHIPPING SODBURY	-	1	1	-	-	-
EAST DEAN AND UNITED PARISHES	-	1	-	-	-	-
GLOUCESTER ...	-	2	-	-	-	-
NORTHLEACH ...	-	1	-	-	-	-
STROUD	-	2	-	1	-	-
THORNBURY ...	-	-	-	-	1	E. 1
HEREFORD ...	-	12	6	-	1	C. 1 N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	-	10	-	-	-	-
LEDBURY... ...	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
DORE	-		-	-	1	N. 1
HEREFORD ...	-	1	1	-	-	-
LEDBURY... ...	-		3	-	-	C. 1
LEOMINSTER ...	-	-	1	-	-	-
WEOBLEY... ...	-	1	-	-	-	-
HERTFORD ...	-	22	1	2	3	E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	-	1	-	-	-	-
BISHOP'S STORTFORD	-	-	1	-	-	-
BUSHEY	-	3	-	-	-	-
†CHESHUNT ...	-	1	-	-	-	M. 1 N. 1
†EAST BARNET VALLEY	-	1	-	-		-
†HEMEL HEMPSTEAD	-	1	-	1	-	-
†HITCHIN	-	1	-	-	-	-
HODDESDON ...	-	2	-	-	-	-
†ST. ALBANS ...	-	1	-	-	-	-
†WATFORD ...	-	1	-	-	3	-
WELWYN GARDEN CITY	*	*	*	*	*	*
Rural Districts:—						
BARNET	-	4	-	-	-	-
BERKHAMPSTEAD.	-	-	-	-	-	E. 1
BUNTINGFORD ...	-	2	-	-	-	-
HATFIELD ...	-	3	-	1	-	-
ST. ALBANS ...	-	1	-	-	-	-
HUNTINGDON ...	-	1	-		2	N. 1
Boroughs and Urban Districts:—						
OLD FLETTON ...	-	1	-	-	1	-
RAMSEY	-	-	-	-	-	N. 1
Rural Districts:—						
HUNTINGDON ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	-	59	47	3	14	E. 1 F. 1 G. 2 L. 2 M. 4 N. 2
†CANTERBURY C.B.	-	1	3	-	-	-
Boroughs and Urban Districts:—						
†ASHFORD	-	-	-	-	1	-
†BECKENHAM ...	-	2	4	-	-	E. 1 G. 1
†BEXLEY	-	1	-		-	-
†BROADSTAIRS AND ST. PETER'S	-	-	-	-	1	-
†BROMLEY ...	-	3	-	-	-	-
†CHATHAM ...	-	1	7	-	-	N. 2
CHERITON ...	-	-	-	-	1	-
CHISLEHURST ...	-	1	-	-	-	-
†DARTFORD ...	-	3	2	-	-	G. 1
†DOVER	-	2	1	-	-	M. 3
†ERITH	-	4	7		1	-
†FAVERSHAM ...	-	2	1	-		-
†FOLKESTONE ...	-	-	1		-	-
†GILLINGHAM ...	-	1	-		1	-
†GRAVESEND ...	-	1	5	-	-	-
†MAIDSTONE ...	-	4	-	-	1	-
†MARGATE ...	-	5	-	-	1	L. 1
MILTON REGIS ...	-	-	2	-	1	-
†PENGE	-	4	3	1	1	L. 1
†RAMSGATE ..	-	-	-	-	2	-
†ROCHESTER ...	-	1	-	1	-	-
†ROYAL TUNBRIDGE WELLS	-	-	-	-	3	-
SANDGATE ...	*	*	*	*	*	*
SANDWICH ...	-	-	1	-		-
SWANSCOMBE ...	-	1	-	-	-	-
†TONBRIDGE ...	-	1	-		-	-
WHITSTABLE ...	-	-	2	-	-	-
Rural Districts:—						
BLEAN	-	1	-	-	-	-
BRIDGE	-	-	-	-	-	F. 1
BROMLEY ...	-	2	1	-	-	-
DARTFORD ...	-	3	2	-	-	-
EASTRY	-	-	1	-	-	-
HOLLINGBOURNE	-	1	-	-	-	-
HOO	-	1	-	-	-	-
MALLING	-	6	2	-	-	M. 1
MILTON	-	5	1	1	-	-
SEVENOAKS ...	-	1	-	-	-	-
STROOD	-	1	1		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	3	278	208	6	166	C. 4 D. 1 E. 3 G. 7 L. 1 M. 12 N. 8
†BARROW IN FURNESS C.B.	-	1	-	-	1	M. 2
†BLACKBURN C.B.	-	1	2	-	3	C. 1
†BLACKPOOL C.B.	-	2	2	-	-	-
†BOLTON C.B. ...	-	4	5	-	6	-
†BOOTLE C.B. ...	-	4	5	-	-	-
†BURNLEY C.B. ..	-	4	-	-	9	M. 1
†BURY C.B. ...	-	3	2	-	3	
†LIVERPOOL C.B. ..	-	40	53	-	22	C. 1 D. 1 G. 2 L. 1 N. 3
†MANCHESTER C.B.	1	51	39	-	49	C. 1 G. 2 M. 3 N. 2
†OLDHAM C.B. ..	-	4	3	-	1	G. 1
†PRESTON C.B. ...	-	4	11	-	3	N. 1
†ROCH E C.B. ..	-	2	-	-	-	-
†ST LENS C.B....	-	7	5	-	5	M.
†SALFORD C.B. ...	-	18	18	1	14	N. 1 C. 1 M. 3
†SOUTHPORT C.B.	-	6	1	-	1	-
†WARRINGTON C.B.	-	2	1	1	3	-
†WIGAN C.B. ..	-	1	2	-	5	-
Boroughs and Urban Districts:—						
ABRAM	-	-	-	-	1	-
†ACCRINGTON ..	-	2	-	-	-	-
†ASHTON IN MAKERFIELD	-	1	2	-	1	N. 1
†ASHTON UNDER LYNE	-	1	-	-	-	-
ASPULL	-	-	-	-	1	-
†ATHERTON ...	-	1	2	-	-	-
†BACUP	-	1	-	-	-	-
†CHADDERTON ..	-	2	7	1	-	-
†CHORLEY	-	-	1	-	2	-
†CLITHEROE ...	-	-	1	-	1	-
†COLNE	1	3	-	-	2	-
†CROMPTON ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DALTON IN FURNESS	–		1	–		–
†DARWEN	–	2	–	–		–
†DENTON	–	2	–	–	1	–
†DROYLSDEN ...	–	2	1	–		–
†ECCLES	–	21	3	–	1	–
†FAILSWORTH ...	–	1	2	–	3	–
†FARNWORTH ...	–	4	1		–	–
†FLEETWOOD ...		1		–	–	E. 1
†GREAT CROSBY ...		–	3	–	–	–
†GREAT HARWOOD		–	1	–	–	–
†HAYDOCK ...	–	1	–	–	–	
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	1	–	–	1	–
†HINDLEY... ...		–	–	–	1	–
†HORWICH ...	–	3	2	–	1	–
IRLAM	–	3	–	–	1	–
†LANCASTER ...	–	6	–	3	–	–
LATHOM AND BURSCOUGH	–	1	–	–	1	–
†LEIGH	–	2	3	–	–	–
LEYLAND... ...	–	1	–	–		–
†LITHERLAND ...	–	3	–	–	–	–
LITTLE HULTON...	–	–	1	–	–	–
†LYTHAM ST. ANNE'S	–	–	–	–	1	–
†MIDDLETON ...	–	2	1	–	–	–
†MORECAMBE ...	–	–	1	–	–	–
†MOSSLEY	–	1	–	–	–	E. 1
†NELSON	–	3	–	–	1	–
†NEWTON IN MAKERFIELD	–	4	1	–	–	M. 1
ORMSKIRK ...	–	–	1	–	1	–
†OSWALDTWISTLE		–	1	–	1	–
†PADIHAM ...	–	–	1	–		–
†PRESTWICH ...	–	1	1	–		–
†RADCLIFFE ...	–	6	3	–	2	–
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON	1	–	–	–	–	–
†ROYTON	–	2	1	–	3	–
STANDISH WITH LANGTREE	–	1	–	–	1	–
†STRETFORD ...	–	11	–	–	–	G. 1
†SWINTON AND PENDLEBURY	–	1	–	–	3	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
TOTTINGTON ...	–	–	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
†ULVERSTON ...	–	1		–	–	–
URMSTON... ...	–	–	–	–	1	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	5	1	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	1	1	–	–	–
†WIDNES	–	1	4	–	2	E. 1
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BURNLEY... ...	–	1	1	–	–	–
BURY	–	1	–	–	–	–
CHORLEY... ...	–	1	–	–	–	–
CLITHEROE ...	–	1	7	–	–	–
FYLDE	–	4	–	–	–	–
GARSTANG ...	–	1	–	–	–	–
LANCASTER ...	–	–	–	–	1	–
LEIGH	–	1	1	–	–	–
LIMEHURST ...		–	–	–	1	–
PRESTON	–	1	1	–	1	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	2	–	–	1	G. 1
WIGAN	–	–	–	–	1	–
LEICESTER ...	–	45	30	1	16	E. 1 N. 1
†LEICESTER C.B. ...	–	27	19	–	5	–
Boroughs and Urban Districts:—						
ASHBY WOULDS ...	–	–	–	–	1	–
†COALVILLE ...	–	3	7	–	1	N. 1
†HINCKLEY ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LOUGHBOROUGH	–	–	1	–	1	–
MELTON MOWBRAY	–	–	–	1	2	–
SHEPSHED ...	–	–	–	–	1	–
WIGSTON MAGNA	–	–	–	–	–	E. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	1	–	–	–
BARROW UPON SOAR	–	3	–	–	1	–
BLABY	–	1	–	–	–	–
HINCKLEY ...	–	3	–	–	1	–
LUTTERWORTH ...	–	1	–	–	1	–
MARKET BOSWORTH	–	–	1	–	–	–
MARKET HARBOROUGH...	–	1	–	–	–	–
MELTON MOWBRAY	–	4	–	–	1	–
LINCOLN (parts of Holland).	–	11	2	–	3	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	2	–
HOLBEACH ...	–	1		–	1	–
†SPALDING ...	–	–	2	–	–	–
SUTTON BRIDGE	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	2	–	–	–	–
CROWLAND ...	–	2	–	–	–	–
SPALDING (part)..	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	–	–	–	N. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
STAMFORD ...	–	–	–	–	–	N. 1
Rural Districts:—						
BOURNE	–	1		–	–	–
BRANSTON ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	22	11	–	6	E. 2 M. 1
†GRIMSBY C.B. ...	–	2	1	–	1	–
†LINCOLN C.B. ...		2	–	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–		–	–	E. 1
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	2	1	–	1	–
†GAINSBOROUGH ...	–	1	2	–	–	–
HORNCASTLE ...		1	–	–	–	–
MARKET RASEN	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	9	2	–		M. 1
Rural Districts:—						
CAISTOR	–	–	–	–	2	–
GAINSBOROUGH ...	–	–	1	–		–
GLANFORD BRIGG	–	4	3		1	E. 1
GRIMSBY	–	1	–	–	–	–
MIDDLESEX ...	–	79	73	4	20	C. 1 G. 1 M. 4 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	2	5		2	N. 1
†BRENTFORD AND CHISWICK	–	1	4	–	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EALING	–	2	–	–	–	–
†EDMONTON ...	–	3	4	–	1	G. 1
†ENFIELD	–	3	18	–	1	–
†FINCHLEY ...	–	1	–	–	1	–
†FRIERN BARNET	–	2		–	–	–
†HENDON	–	6	2	1	1	C. 1 M. 1
†HESTON AND ISLEWORTH	–	–	2	–	5	N. 1
†HORNSEY... ...	–	4	–	1	–	N. 1
†SOUTHALL NORWOOD	–	9	1	–	–	–
†SOUTHGATE ...	–	4	1	–	–	–
STAINES	–	2	–	1	–	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	17	14	–	2	–
†TWICKENHAM ...	–	2	2	–	–	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEALDSTONE ...	–	4		–	–	–
†WEMBLEY ...	–	4	–	1	–	–
†WILLESDEN ...	–	5	14	–	3	M. 1 N. 1
†WOOD GREEN ...	–	5	2	–	–	–
YIEWSLEY ...	–	1		–		–
Rural Districts:—						
SOUTH MIMMS ...		1		–		–
STAINES	–	–	1	–	–	–
UXBRIDGE ...	–	1	1	–	1	M. 1
NORFOLK ...	–	28	7	6	8	C. 1
†GREAT YARMOUTH C.B.	–	4	1	–	–	–
†NORWICH C.B. ...	–	12	1	–	1	C. 1
Boroughs and Urban Districts:—						
CROMER	–	1	–	–	–	–
DOWNHAM MARKET		–		–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts—*cont.*						
EAST DEREHAM ...	–	–	1	–	–	–
†KING'S LYNN ...	–	–	2		2	–
SHERINGHAM ...	–	1	–		–	–
THETFORD ..	–	–	–	1	–	–
Rural Districts:—						
BLOFIELD ...	–	1	–	5	–	–
DEPWADE ...	–	3	–	–	1	–
DOCKING	–	1	–	–		–
DOWNHAM ...	–	–	2		–	–
EAST AND WEST FLEGG	–	2	–	–	–	–
FREEBRIDGE LYNN	–		–	–	1	–
LODDON AND CLAVERING	–	1	–	–	–	–
SMALLBURGH ...	–	2	–	–		–
WALSINGHAM ...	–	–	–	–	2	–
NORTHAMPTON	–	12	6	–	8	C. 1 D. 2
†NORTHAMPTON C.B.	–	8	–	–	3	–
Boroughs and Urban Districts:—						
FINEDON	–	–	1	–	–	–
†KETTERING ..	–	–	1	–	–	–
ROTHWELL ...	–	–		–	–	D. 1
†RUSHDEN... ...	–	–	1	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
BRACKLEY ...	–	–	1	–	–	–
BRIXWORTH ...	–	1		–	–	–
DAVENTRY ...	–	–	–		1	–
HARDINGSTONE ...	–	1	–	–	1	D. 1
NORTHAMPTON ...	–	–	1	–	2	
OXENDON... ...	–	–	–	–	–	C. 1
POTTERSPURY ...	–	–	–	–	1	–
TOWCESTER ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	11	60	14	2	65	C. 1 M. 2 N. 2
†NEWCASTLE UPON TYNE C.B.	6	20	5	–	51	C. 1 M. 2
†TYNEMOUTH C.B.	–	7	7	–	3	–
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	–
†ASHINGTON ...	1	1	–	1	–	–
†BEDLINGTONSHIRE	–	5	–	1	2	–
†BERWICK UPON TWEED	–	4	–	–	–	–
†BLYTH	–	1	–	–	2	–
CRAMLINGTON ...	1	–	–	–	–	–
†EARSDON	–	1		–	–	–
†GOSFORTH ...	–	–	2	–	–	–
†LONGBENTON ...	–	2	–	–	2	–
MORPETH... ...	2	–	–	–	–	N. 1
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
†NEWBURN ...	–	5		–	–	N. 1
SEATON DELAVAL	–	–	–	–	1	–
SEGHILL	1	1	–	–	–	–
†WALLSEND ...	–	2	–	–	1	–
WEETSLADE ...	–	1	–	–	1	–
†WHITLEY AND MONKSEATON	–	3	–	–	–	–
Rural Districts:—						
BELFORD	–	–	–	–	2	–
CASTLE WARD ...	–	2	–	–	–	–
GLENDALE ...	–	1	–	–	–	–
HEXHAM	–	1	–	–	–	–
NOTTINGHAM ...	7	34	27	–	14	C. 1 M. 4 N. 2
†NOTTINGHAM C.B	1	6	24	–	6	C. 1 M. 3
Boroughs and Urban Districts:—						
†BEESTON	–	6	–	–	1	–
†CARLTON	2	–	1	–	1	–
†EAST RETFORD ...	–	–	1	–	–	–
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KIRKBY IN ASHFIELD	–	2	–	–	–	–
†MANSFIELD ...	–	–	–	–	–	N. 1
†SUTTON IN ASHFIELD	–	2	–	–	1	–
WARSOP	–	3	–	–	–	–
†WEST BRIDGFORD	–	–	–	–	1	–
†WORKSOP... ...	4	3	–	–	–	–
Rural Districts:—						
BASFORD	–	2	–	–	1	–
BINGHAM... ...	–	–	–	–	1	–
EAST RETFORD ...	–	–	–	–	1	–
SKEGBY	–	5	–	–	–	M. 1
SOUTHWELL ...	–	2	1	–	1	–
STAPLEFORD ...	–	2	–	–	–	–
WORKSOP... ...	–	1	–	–	–	N. 1
OXFORD	–	11	2	3	3	–
†OXFORD C.B. ..	–	–	–	2	–	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	4	–	–	–	–
CHIPPING NORTON	–	–	1	–	–	–
HEADINGTON ...	–	–	–	–	2	–
Rural Districts:—						
BANBURY ...	–	2	–	–	–	–
CULHAM	–	3	–	–	–	–
HEADINGTON ...	–	–	1	1	–	–
WOODSTOCK ...	–	2	–	–	1	–
PETERBOROUGH (Soke of).	–	5	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	4	–	–	–	–
Rural District—						
PETERBOROUGH...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	35	11	–	3	E. 1 N. 2
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	4	–	–	–	–
CHURCH STRETTON	–	1	–	–	–	–
DAWLEY	–	1	1	–	–	–
LUDLOW	–	–	4	–	–	–
MARKET DRAYTON	–	1	–	–	1	–
†OAKENGATES ...	–	5	–	–	–	–
OSWESTRY ...	–	3	4	–	–	–
†SHREWSBURY ...	–	5	1	–	–	N. 2
WELLINGTON ...	–	–	–	–	1	E. 1
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	1	–
BRIDGNORTH ...	–	1	–	–	–	–
DRAYTON... ...	–	6	–	–	–	–
OSWESTRY ...	–	1	1	–	–	–
SHIFNAL	–	4	–	–	–	–
WELLINGTON ...	–	2	–	–	–	–
SOMERSET ...	–	33	6	1	9	–
†BATH C.B. ...	–	8	4	1	–	–
Boroughs and Urban Districts:—						
CREWKERNE ...	–	1	–	–	–	–
†FROME	–	2	–	–	1	–
GLASTONBURY ...	–	–	–	–	1	–
MIDSOMER NORTON	–	–	–	–	1	–
†TAUNTON... ...	–	–	–	–	1	–
WELLINGTON ...	–	3	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	2	1	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–		–
BRIDGWATER ...	–	4	–	–	1	–
SOMERSET— *cont.*						
Rural Districts— *cont.*						
CHARD	–	1	–	–	–	–
CLUTTON... ...	–	6	–	–	1	–
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	3	–	–	–	–
LANGPORT ...	–	1	–	–	–	–
WINCANTON ...	–	1	–	–	1	–
SOUTHAMPTON.	–	49	22	3	9	D. 1 N. 3
†BOURNEMOUTH C.B.	–	1	–	–	1	–
†PORTSMOUTH C.B.	–	18	11	2	–	–
†SOUTHAMPTON C.B	–	6	6	1	4	D. 1 N. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...		–	2	–	1	–
ALTON	–	1	–	–	–	–
ANDOVER... ...		1	–	–	–	N. 1
†BASINGSTOKE ...	–	3	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FAREHAM ...	–	1	–	–	–	–
†FARNBOROUGH ...	–	4	–	–	–	–
†GOSPORT	–	–	2	–	1	–
PETERSFIELD ...	–	2	–	–	–	–
Rural Districts:—						
ALTON	–	2	–	–	–	–
CATHERINGTON ...	–	1	–	–	–	–
FAREHAM ...	–	3	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
HURSLEY... ...	–	–	–	–	1	–
NEW FOREST ...	–	4	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	–	1	–		–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	–	61	43	–	55	C. 6 E. 1 G. 1 L. 2 M. 6 N. 3
†BURTON UPON TRENT C.B.	–	–	1	–	1	
†SMETHWICK C.B.	–	3	2	–	6	–
†STOKE ON TRENT C.B.	–	14	6	–	14	C. 5 G 1 M. 3
†WALSALL C.B. ...	–	3	18	–	4	–
†WEST BROMWICH C.B.	–	3	2	–	1	–
†WOLVERHAMPTON C.B.	–	6	1	–	2	M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	1	–
BIDDULPH ...	–	–	–	–	3	–
†BILSTON	–	–	–	–	1	–
†BRIERLEY HILL...	–	1	–	–	–	1
†BROWNHILLS ...	–	3	–	–	4	–
†CANNOCK	–	1	1	–	–	–
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	–	1	–	1	–
KIDSGROVE ...	–	–	1	–	1	–
†LEEK	–	3	2	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	1	–	1	
PERRY BARR ...	–	–	–	–	1	–
QUARRY BANK	–	3	–	–	–	–
†ROWLEY REGIS ...	–	3	1	–	3	M. 1
†SEDGLEY	–	–	1	–	–	
SHORT HEATH ...	–	–	–	–	–	N. 1
†STAFFORD ...	–	2	–	–	1	–
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	–	–	–	1	–
†WILLENHALL ...	–	2		–	1	–
†WOLSTANTON UNITED	–	3	–	–	1	–
Rural Districts:—						
CANNOCK	–	2	–	–	2	–
CHEADLE... ...	–	–	–	–	3	L. 2
KINGSWINFORD ...	–	1	2		–	–
LEEK	–	–	–	–	1	–
STAFFORD—*cont.*						
Rural Districts—*cont.*						
LICHFIELD ...	–	2	1	–		N. 1
NEWCASTLE UNDER LYME	–	–	1	–	–	–
SEISDON	–	–	–	–	–	N. 1
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
TUTBURY... ...	–	–	–	–	–	E. 1
UTTOXETER ...	–	1	–	–	–	–
SUFFOLK, EAST	–	22	1	1	6	E. 1
†IPSWICH C.B. ...	–	11	–	–	4	E. 1
Boroughs and Urban Districts:—						
BUNGAY	–	–	–	–	2	–
†FELIXSTOWE ...	–	2	–	–		–
†LOWESTOFT ...	–	2	–	1	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	4	–	–	–	–
EAST STOW ...	–	1	–	–	–	–
HOXNE	–	1	–	–	–	–
PLOMESGATE ...	–	1		–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, WEST	–	3	–	–	3	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
Rural Districts:—						
COSFORD	–	1	–	–	–	–
MELFORD... ...	–	–	–	–	1	–
MILDENHALL ...	–	1	–		2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	1	59	32	4	10	C. 1 D. 1 E. 2 G. 1 M. 1 N. 4
†CROYDON C.B. ...	1	13	8	–	1	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	4	1	–	–	–
†CARSHALTON ...	–	2	6	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†CHERTSEY	–	3	1	2	–	–
†COULSDON AND PURLEY	–	3	–	–	–	–
†EGHAM		–	–	1	1	–
†EPSOM	–	1	–	–	–	–
†ESHER AND THE DITTONS	–	1		–	–	–
†GUILDFORD ...	–	–	1	1	1	–
†KINGSTON ON THAMES	–	7	7	–	–	N. 1
†MERTON AND MORDEN	–	1	–	–		–
†MITCHAM... ...	–	2	1	–	1	N. 1
†REIGATE	–	1	–		–	–
†SURBITON ...	–	–	1	–	2	–
†SUTTON	–	1	–	–	–	–
†THE MALDENS AND COOMBE	–	2	–	–	2	–
†WALTON UPON THAMES	–	2	–	–	–	–
†WIMBLEDON ...	–	3	4	–	–	–
†WOKING	–	6	–	–	–	E. 1
Rural Districts:—						
DORKING... ...	–	2	–	–	–	N. 1
EPSOM	–	1	2	–	–	E. 1
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	–	–	–	–	N. 1
HAMBLEDON ...	–	–	–	–	1	D. 1
SUSSEX, EAST ...	–	21	8	–	3	G. 1 M. 1
†BRIGHTON C.B. ...	–	3	2	–	2	G. 1
†EASTBOURNE C.B.	–	5	–	–	–	–
†HASTINGS C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
NEWHAVEN ...	–	–	1	–	–	–
PORTSLADE BY SEA	–		5		–	–
UCKFIELD ...	–	1	–	–	–	–
Rural Districts:—						
HAILSHAM ...	–	3	–	–	–	–
NEWHAVEN ...	–	1		–	1	–
TICEHURST ...	–	5	–	–	–	M. 1
SUSSEX, WEST...	–	9	9	1	–	N. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	3	–	–	N. 1
†CHICHESTER ...	–	3	–	1	–	–
†LITTLEHAMPTON	–	–	3	–	–	–
SHOREHAM-BY-SEA	–	1	–	–	–	–
SOUTHWICK ...	–	–	1	–	–	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	2	–	–	–	–
WESTHAMPNETT	–	3	1	–	–	–
WARWICK ...	2	73	57	4	63	C. 4 G. 1 M. 12 N. 2
†BIRMINGHAM C.B.	–	35	40	–	52	C. 2 M. 8 N. 1
†COVENTRY C.B. ..	1	14	1	–	3	M. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1	–	–	–	–
†NUNEATON ...	–	4	–	–	1	–
†ROYAL LEAMINGTON SPA	–	–	–	–	2	–
†RUGBY	–	1	6	–	2	M. 1
†STRATFORD ON AVON	–	1	–	–	2	–
†SUTTON COLDFIELD	–	4	1	1	–	G. 1
Rural Districts:—						
ALCESTER ...	–	2	1	–	–	–
ATHERSTONE ...	1	1	2	–	–	–
BRAILES	–	3	–	–		–
COVENTRY ...	–	1	–		–	–
FOLESHILL ...	–	4	–	–	–	G. 1
MERIDEN... ...	–	–	–	–	–	M. 1
NUNEATON ...	–	–	–	–	–	C. 1
RUGBY	–	–	4	–	–	–
SOUTHAM... ...	–	–	–	3	–	–
STRATFORD ON AVON	–	2	–	–	–	–
TAMWORTH (part)	–	–	2	–	1	N. 1
WESTMORLAND	–	2	–	–	–	–
Borough and Urban District:—						
†KENDAL	–	1	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	4	4		–	N. 1
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	1	–	–	–	N. 1
†RYDE	–	–	1	–	–	–
SANDOWN ...	–	1	–	–		–
VENTNOR... ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	3	–	–	–
WILTS	–	20	4	1	9	M. 2 N. 1
Boroughs and Urban Districts:—						
DEVIZES	–	–	1	–	–	–
MARLBOROUGH ...	–	1	1	–	1	–
MELKSHAM ...	–	–	–	–	1	–
†SALISBURY ...	–	9	–	–	–	–
†SWINDON... ...	–	3	1	–	3	M. 1 N. 1
Rural Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
CHIPPENHAM ...		1	–	–	–	–
DEVIZES	–	1	–	–	–	–
HIGHWORTH ...	–	–	–	–	2	–
MARLBOROUGH ...	–	1		–	–	M. 1
MELKSHAM ...	–	1	–	–	1	–
PEWSEY	–	–		–	1	–
SALISBURY ...		1	1	–	–	–
TISBURY	–	–		1	–	–
WILTON	–	1	–	–	–	–
WORCESTER ...	–	21	4	–	14	M. 1 N. 2
†WORCESTER C.B.	–	–	1	–	4	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
EVESHAM... ...	–	1	–	–	–	–
†HALESOWEN ...	–	1	–	–		–
†LYE AND WOLLESCOTE	–	1	–	–	1	–
†MALVERN ...	–	2		–	1	–
NORTH BROMSGROVE	–	5			–	–
†OLDBURY... ...		3	1		4	–
†REDDITCH ...	–	3		–		N. 1
†STOURBRIDGE ...	–	–			1	M. 1
Rural Districts:—						
DROITWICH ...	–	2	–	–	–	–
FECKENHAM ...	–	1	–		–	–
PERSHORE ...	–	–	2	–	1	–
TEWKESBURY (part)	–	1	–	–	1	–
UPTON ON SEVERN	–	–	–	–	1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	13	46	–	10	E. 5
†KINGSTON UPON HULL C.B.	–	7	25	–	9	E. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	13	–	1	–
FILEY	–	–	1	–		–
GREAT DRIFFIELD	–	1	1	–	–	–
HESSLE	–	–	–	–	–	E. 1
WITHERNSEA ...	–	–	–	–	–	E. 1
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	3	1	–	–	–
NORTON	–	–	2	–	–	–
PATRINGTON ...	–	1	–	–	–	–
SCULCOATES ...	–	–	2	–	–	E. 1
SKIRLAUGH ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	10	28	7	2	12	–
†MIDDLESBROUGH C.B	7	2	4	1	5	–
Boroughs and Urban Districts:—						
†ESTON	2	2	1	–	1	–
GUISBOROUGH ...	–	–		–	1	–
LOFTUS		2	–	–	1	–
†REDCAR	–	2	–	–	1	–
†SCARBOROUGH ...	1	1	2	–	1	
†SKELTON AND BROTTON	–	1	–	–	–	–
†THORNABY ON TEES	–	1	–	–	–	–
WHITBY	–	1	–	–	–	–
Rural Districts:—						
BEDALE		1		–	–	–
CROFT	–	1		–	–	–
FLAXTON ...	–	–	–	1	–	–
GUISBOROUGH ...	–	1		–	–	–
LEYBURN... ...		4	–	–	–	–
MALTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts—*cont.*						
MIDDLESBROUGH	–	1	–	–	–	–
RICHMOND ...	–	1		–	–	–
STOKESLEY ...	–	–	–	–	2	–
THIRSK	–	5	–	–	–	–
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding).	54	243	89	9	153	C. 5 E. 4 G. 3 M. 12 N. 10
†BARNSLEY C.B. ...	–	2	1	1	1	–
†BRADFORD C.B. ...	5	15	5	1	24	–
†DEWSBURY C.B....	–	1	–	–	–	M. 1 N. 1
†DONCASTER C.B.	1	3	1	–	3	–
†HALIFAX C.B. ...	–	6	3	–	3	–
†HUDDERSFIELD C.B	–	6	4	2	1	M. 1
†LEEDS C.B. ...	1	13	13	–	24	C. 3 G. 1 M. 4 N. 2
†ROTHERHAM C.B.	–	6	7	–	8	M. 1
†SHEFFIELD C.B....	–	99	27	–	46	C. 2 G. 1 M. 1 N. 2
†WAKEFIELD C.B.	–	1	4	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	4	–	–	2	–
ALTOFTS	–	1		–	1	–
BAILDON	–	2	–	–	–	–
BARKISLAND ...	–	–		–	1	–
†BATLEY	–	5	–	–	3	–
†BENTLEY WITH ARKSEY	–	1	–	–	–	–
†BINGLEY	–			–	1	–
BIRSTAL	–	2	–	–	–	–
†BOLTON UPON DEARNE	1		–	–	–	–
†BRIGHOUSE ...	1	–		–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
CLAYTON WEST ...	–	1	–	–		–
†CONISBROUGH ...	–	–	3	–	2	M. 1
CUDWORTH ...	–		2	–		–
DARFIELD ...	–			–	2	–
†DARTON ...	–	1	1		–	–
DODWORTH ...	–	3	–			–
DRIGHLINGTON ...		1	–	–	–	–
†FEATHERSTONE ...	–	1	–	1	–	–
GARFORTH ...	–	–	1	–	–	–
†GOOLE ...	–	–		1	–	–
GUISELEY ...	–	–	–	–	1	–
†HARROGATE ...		1	–	–	–	–
†HEMSWORTH ...	–		–		1	–
HIPPERHOLME ...	1	–	–		–	–
†HOLMFIRTH ...	–	1	–		–	–
HONLEY ...	–	–	1	–	–	G. 1
†KEIGHLEY ...	4	1	1		–	–
KIRKBURTON ...	–	–	–	–	2	–
KNARESBOROUGH	*	*	*	*	*	*
KNOTTINGLEY ...	–	1	–	–	–	–
MALTBY... ...	–	2	1	–		N. 1
†MEXBOROUGH ...	–	6		–	2	E. 2
†MIRFIELD ...	–	1	–	–	–	
†MORLEY ...	–	–			–	M. 2
†NORMANTON	–	3	1		3	–
OAKWORTH ...		–	1			–
†OSSETT ...	–	1	–	–	–	–
OTLEY ...	–	2	–	–	2	–
†PONTEFRACT ...	–	2	–	–	1	–
†PUDSEY ...	–	3	1	–	–	–
QUEENSBURY ..	21	–	–		–	–
†RAWMARSH ...	–	1	–	–	–	E. 1
ROYSTON	–		1	–	–	–
SELBY	–	1	–	–		–
SHELF	10	1	–	–		–
†SHIPLEY		1		–	–	–
SILSDEN	–	1		–	–	–
†SKIPTON		3	–		–	–
SLAITHWAITE ...	–	1	–	–		–
SOUTH CROSLAND	–	1	–	–	–	–
SOUTHOWRAM ...		1	–	–	–	–
†SOWERBY ...	–	1	–	1		–
†SPENBOROUGH ..	–	1	–	–	2	–
STOCKSBRIDGE ..	–	1	–	–	–	M. 1
†SWINTON... ...		2	–	–	–	–
TICKHILL ...		–	3	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TODMORDEN ...	–	1	1	1	–	–
†WATH UPON DEARNE	–	1	1	–	–	–
†WOMBWELL ...	–	2	1	–	1	–
†WORSBOROUGH ...	–	2	–	–	–	–
Rural Districts:—						
BARNSLEY ...	–	1		–	–	–
DONCASTER ..	2	2	1	–	10	–
HEMSWORTH ...	1	5	–	–	2	N. 2
KIVETON PARK ...	6	1	2	–	1	–
KNARESBOROUGH	–	1	–	–	–	–
PENISTONE ...	–	1	–	–		–
RIPON	–	–	–	1	–	–
ROTHERHAM ...	–	5	–	–	2	E. 1 N. 1
SETTLE	–	–	–	–	–	N. 1
THORNE	–	3	–	–	–	–
WETHERBY ..	–	1	1	–	–	–
WORTLEY ...	–	3	–	–	–	–
YORK, CITY OF ...	–	4	4	–	4	–
†YORK C.B. ...	–	4	4	–	4	–
WALES.						
ANGLESEY ...		–	9	–	–	M. 1
Boroughs and Urban Districts:—						
AMLWCH	–	–	3	–	–	–
†HOLYHEAD ...	–	–	1	–	–	M. 1
MENAI BRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AETHWY			4		–	–
VALLEY	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	2	–	2	–	–	G. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	2	–	–	–	–	–
HAY	–	–	–	–	–	G. 1
Rural Districts:—						
VAYNOR AND PENDERYN	–	–	2	–	–	–
CAERNARVON ...	–	7	–	–	2	–
Boroughs and Urban Districts:—						
†BANGOR	–	2	–	–	2	–
CONWAY	–	1	–	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	1	–	–	–	–
LLEYN	–	3	–	–	–	–
CARDIGAN ...	–	–	–	1	–	–
Boroughs and Urban Districts:—						
CARDIGAN ..	–	–	–	1	–	–
CARMARTHEN ...	–	11	1	–	9	–
Boroughs and Urban Districts:—						
†LLANELLY ..		4	1	–	3	–
Rural Districts:—						
CARMARTHEN ..	–	3	–	–	1	–
LLANDILO FAWR		1		–	3	–
LLANELLY .	–	3	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	8	3	–	1	N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	1	–
DENBIGH ...	–		–	–	–	N. 1
RUTHIN	–	1	–		–	–
Rural Districts:—						
CHIRK	–		3	–	–	–
LLANSILIN ...	*	*	*	*	*	*
WREXHAM ...	–	7	–	–	–	–
FLINT	–	2	4	–	1	N. 1
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	–	N. 1
Rural Districts:—						
HAWARDEN ..	–	–	1		1	–
HOLYWELL ...	–	–	3	–	–	–
OVERTON ..	–	1		–	–	–
GLAMORGAN ...	33	60	67	1	35	C. 1 D. 1 L. 1 M. 2 N. 7
†CARDIFF C.B. .	–	5	11	–	5	M. 1 N. 2
†MERTHYR TYDFIL C.B.	–	1	3	–	3	–
†SWANSEA C.B. ..	–	7	10	–	3	N. 1
Boroughs and Urban Districts:—						
†ABERDARE .	7	2	5	–	3	–
†BARRY	–	3		1	2	–
BRIDGEND ...	–	1	–	–	–	–
†CAERPHILLY ..	–	1		–	1	–
†GELLIGAER ..	18		2	–	3	–
†GLYNCORWG ...	–	–	1	–	–	–
†MAESTEG... ...		7	2	–	–	–
†MOUNTAIN ASH ..	4	3	4	–	1	M. 1
†NEATH	–	3	–	–	2	–
†OGMORE AND GARW	–	1	1	–	1	L. 1
†PENARTH ..	–	6	–	–	1	–
†PONTYPRIDD ...	3	1	–	–	1	–

* Returns not received. † Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
PORTHCAWL ...	–	–	–	–	1	D. 1
†PORT TALBOT ...	–	1	5	–	–	–
†RHONDDA ...	–	8	13	–	5	N. 1
Rural Districts:—						
CARDIFF	–	3	2	–	1	–
COWBRIDGE ...	–	1	–	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	1	2	1	–	–	–
NEATH	–	1	1	–	1	C. 1 N. 2
PENYBONT ...	–	2	2	–	–	–
PONTARDAWE ...	–	–	4	–	–	N. 1
SWANSEA... ..	–	1	–	–	1	–
MERIONETH ...	–	3	4	–	–	C. 1
Urban Districts:—						
BARMOUTH ...	–	2	–	–	–	–
FFESTINIOG ..	–	–	3	–	–	–
MALLWYD ...	–	–	1	–	–	–
Rural Districts:—						
EDEIRNION ...	–	1	–	–	–	C. 1
MONMOUTH ...	21	13	7	–	11	L. 1 M. 2
†NEWPORT C.B. ..	–	3	1	–	5	M. 2
Boroughs and Urban Districts:—						
BEDWAS AND MACHEN	–	–	1	–	1	–
†BEDWELLTY ...	3	–	2	–	1	–
†BLAENAVON ...	4	–	–	–	–	–
†EBBW VALE ...	12	–	–	–	–	–
LLANTARNAM ...	–	–	–	–	1	L. 1
†MYNYDDISLWYN	–	3	–	–	–	–
†NANTYGLO AND BLAINA	2	–	–	–	2	–
†PANTEG	–	4	1	–	–	–
PONTYPOOL ...	–	–	–	–	1	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	1	–	–	–	–
†TREDEGAR ...	–	2	–	–	–	–
Rural Districts:—						
ST. MELLONS ...	–	–	1	–	–	–
MONTGOMERY...	–	6	–	–	–	N. 1
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN	–	2	–	–	–	–
WELSHPOOL ...	–	1	–	–	–	–
Rural Districts:—						
FORDEN	–	–	–	–	–	N. 1
NEWTOWN AND LLANIDLOES	–	3	–	–	–	–
PEMBROKE ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	1	–	–	–
RADNOR	–	1	2	–	–	–
Rural Districts:—						
NEW RADNOR ...	–	1	1	–	–	–
PAINSCASTLE ...	–	–	1	–	–	–
Total of Part II. ...	219	1997	1146	71	952	C. 37 D. 8 E. 28 F. 1 G. 24 J. 1 L. 7 M. 84 N. 80

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
LITTLEHAMPTON ...	*	*	*	*	*	*	PLYMOUTH	–	–	–	2	–	–
LOWESTOFT	–	2	–	1	–	–	WISBECH		1	–	–	–	–
PENZANCE	*	*	*	*	*	*	**Total of Part III.** ...	–	3	–	3	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	341	336	15	146	C. D. E. G. L. M. N. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	219	1997	1146	71	952	C. 3 D. E. 2 F. G. 2 J. L. M. 8 N. 8
Total of Part III.—Port Sanitary Districts	–	3	–	3	–	–
Total (*i.e.*, of returns received), England and Wales ...	219	2341	1482	89	1098	C. 3 D. 1 E. 2 F. 1 G 2 J. 1 L. 1 M. 91 N. 94

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—LONDON and GREAT TOWNS in the GGREGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15	Oct. 22.	Oct. 29.	Nov. 5.
DON :—													
ATHS (excluding Still-rths)—all ages.	793	727	759	773	744	778	762	816	977	904	972	940	903
ATHS—0 to 1 year ..	69	42	55	67	69	75	49	78	70	59	64	55	59
EAT TOWNS, aggre-te (including Lon-n):—													
E BIRTHS	6,772	6,314	6,575	6,703	6,193	6,091	5,997	6,352	6,602	6,428	6,203	6,472	6,541
LBIRTHS	239	245	306	267	268	252	264	264	235	232	260	238	210
ATHS (excluding Still-rths)—all ages	3,406	3,244	3,343	3,380	3,346	3,401	3,610	3,571	3,941	3,905	4,021	4,103	3,904
ATHS—0 to 1 year ..	323	280	344	329	359	361	347	353	368	354	368	398	355
ERIC FEVER—Cases	20	28	36	38	44	34	36	33	25	28	32	28	35
" Deaths	2	2	—	1	4	5	3	5	3	1	3	3	5
LL POX—Cases ..	29	26	38	19	39	20	18	27	32	34	51	57	55
" Deaths ..	—	—	—	1	-	—	—	—	—	—	—	—	—
RLET FEVER—Cases	814	677	774	889	977	951	1,176	1,136	1,275	1,439	1,348	1,505	1,217
" Deaths	4	8	4	2	6	6	4	2	8	5	2	4	8
HTHERIA—Cases ..	455	449	453	556	693	688	801	742	746	834	938	939	990
" Deaths ..	20	13	15	22	24	27	33	20	34	32	39	41	34
ASLES—Deaths ..	19	19	16	13	16	13	10	9	14	14	20	25	19
LUENZA—Deaths ..	26	21	20	18	21	24	42	34	27	51	63	64	86

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 5th November, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°			
DON	67	38	61·4	49·3	20	HUDDERSFIELD	64	39	58·7	47·7	43
GREENWICH).						BRADFORD ..	63	42	57·4	49·4	36
GHTON ..	62	40	58·6	51·1	25	SHEFFIELD ..	66	41	59·0	48·3	23
TSMOUTH ..	64	42	60·2	51·5	15	YORK (MUSEUM)	66	41	59·4	49·1	24
WICH (EATON).	65	38	59·0	48·0	32	HULL (PEARSON PARK).	65	40	59·0	46·9	11
MOUTH ..	61	44	57·9	51·0	29	TYNEMOUTH ..	67	40	57·7	49·7	15
STOL (CLIFTON).	62	43	59·1	50·1	28	CARDIFF.. ..	61	41	59·0	48·6	74
MINGHAM (EDGBASTON).	62	41	57·1	49·4	10	EDINBURGH ..	63·0	38·0	57·4	47·1	19
TTINGHAM ..	64	39	59·6	47·9	12	GLASGOW ..	60·1	42·0	55·5	48·7	51
KENHEAD (BIDSTON).	62	43	57·4	51·7	41	DUBLIN (PHŒNIX PARK).	66·5	47·0	59·9	47 7	16
NCHESTER (WHITWORTH PARK).	63	40	59·1	49·4	54	(FITZWILLIAM SQUARE†).	64·2	42·7	59·5	50·4	10
NLEY	61	39	56·4	48·0	75	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 5th November, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	30	..	29·704	67·0	52·4	14·6	59·1	+11·9	55·9	3·2	11·4	2·5	89	84·6	46·6	52·6	SSE : S : SSW.	S :	1·7	0·0	0·2	296	+ 2	0·00
MONDAY -	31	Greatest Declination S.	29·778	61·2	41·4	19·8	52·5	+ 5·4	50·7	1·8	6·7	1·5	94	90·9	31·4	52·6	SSW	SW : NNW : Calm.	3·7	0·0	0·1	229	- 62	0·42
NOVEMBER. TUESDAY -	1	..	30·079	60·1	38·1	22·0	50·5	+ 3·5	48·3	2·2	11·5	1·1	92	78·2	29·2	52·6	SSW : S.	SSW	4·3	0·0	0·2	330	+ 43	0·24
WEDNESDAY	2	First Quarter.	30·100	63·2	54·5	8·7	59·2	+12·4	57·2	2·0	5·5	0·7	93	76·8	52·7	52·8	SW	SW	3·9	0·0	0·4	411	+ 127	0·10
THURSDAY	3	..	30·028	65·1	54·3	10·8	58·3	+11·7	51·7	6·6	13·3	1·8	79	93·2	48·9	52·7	SSW	SW	1·2	0·0	0·1	303	+ 22	0·00
FRIDAY -	4	..	29·949	60·0	51·0	9·0	54·7	+ 8·3	47·7	7·0	14·0	2·0	77	99·9	42·5	52·8	SW : WSW.	WSW : W.	2·9	0·0	0·2	398	+ 119	0·00
SATURDAY -	5	..	29·643	52·1	44·2	7·9	48·4	+ 2·3	41·3	7·1	13·9	3·1	76	84·7	37·1	52·7	NW : W : WSW.	SW : WSW.	5·5	0·0	0·5	448	+ 169	0·02
MEANS -		..	29·897	61·2	48·0	13·3	54·7	+ 7·9	50·4	4·3	10·9	1·8	86	86·9	41·2	52·7	SW		..	..	..	Sum 2415	Sum + 420	Sum 0·78
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. October.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	General Remarks
Sunday ..	30	Loss of register till 10¾h.; then wP.	0·6	9·8	Partially cloudy becoming nearly overcast by 6h. Slight rain about 8¼h.
Monday ..	31	wP till 15h.; variably sP and mN till 17h.; then wP.	1·7	9·7	Overcast till 12h.; then variably cloudy clearing to nearly cloudless by 17h. Rain 0¾h. till 12h.; and 15½h. till 16½h. Heavy rain about 15½h. Slight mist from 21h.
November. Tuesday ..	1	wP till 20h.; then loss of register.	1·4	9·7	Cloudless till 8h.; then becoming overcast by 9h. Heavy dew in morning. Solar halo 9h. till 14h. Rain 18h. till 21h. Brisk wind from 20h.
Wednesday	2	Loss of register till 11h.; then wP,	0·1	9·6	Overcast generally. Brisk wind till 5h. Rain 20¾h. till 21h.; and from 21½h.
Thursday	3	wP till 13h.; mP till 16h., then wP.	0·8	9·6	Nearly overcast till 17½h.; then overcast. Rain till 1h.
Friday ..	4	wP till 17½h.; mP till 20h., then wP.	4·0	9·5	Nearly overcast till 14h.; partially cloudy till 18½h.; then becoming overcast by 19½h. Heavy dew in evening.
Saturday	5	wP till 21½h., wN till 22½h., then wP.	2·0	9·4	Overcast till 4h., cloudy generally till 9h., then overcast. Damping 0h. and 2h., from 20½h., till 21½h., then rain till 22h.
			Sum 10·6	Sum 67·3	
No. of Obs. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·87 ins. at the beginning of the week to 29·65 ins. by 5h. on October 31st; increased to 30·13 ins. by 11h. on November 1st; decreased to 29·97 ins. by 3h. on November 2nd; increased to 30·15 ins. by 21h. on November 2nd; decreased and was 29·32 ins. by midnight on November 5th.

THE
CLINICAL RESEARCH ASSOCIATION,
LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND LONDON."

SHAW & SONS,
LIMITED.

The recognised Publishers of the prescribed and other necessary Forms and Records for

PUBLIC HEALTH AUTHORITIES.

All Notices and Registers under
NOTIFICATION OF INFECTIOUS DISEASES ACTS.
NOTIFICATION OF BIRTHS ACT.
MILK AND DAIRIES ORDER, 1926.
OPHTHALMIA NEONATORUM, PUERPERAL FEVER AND PUERPERAL PYREXIA REGULATIONS, 1926.

Complete Lists on Application to

SHAW & SONS
LIMITED.

Local Government Printers and Publishers,
FETTER LANE, LONDON, E.C.4.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.

Telegrams:
"Clinician, Wesdo, London."

(61282) Wt. 40—20 1875 11/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 45.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 12TH NOVEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 12TH NOVEMBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the forty-fifth week of the year numbered 6,123 and corresponded to an annual rate of 16·3 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,865 and corresponded to an annual rate of 10·3 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·7, 10·9 and 10·4. Infant mortality based on the average weekly number of live births during the last 52 weeks, was 59 against 56, 60 and 54 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,315 live births, corresponding to a rate of 14·9 per 1,000, and 855 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 9·7, against 11·0, 10·6 and 10·2 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·4 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 53 as against 43, 37 and 40 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 3,904 to 3,865 and in London from 903 to 855.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 249 in the Great Towns including 28 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 12th November, 1927.**

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
107 Great Towns ..	19,540,143*	6123	249	3865	389	3	31	6	13	24	67	4
London	4,605,400*	1315	28	855	79	2	8	-	4	8	17	4
Towns in Outer Ring.												
Croydon C.B. ..	205,900	61	1	43	2	-	-	-	-	-	-	-
Wembledon ..	58,030	7	1	8	1	-	-	-	-	-	1	-
Ealing	91,783	33	1	19	1	-	-	-	-	-	-	-
Acton	63,040	12	-	16	1	-	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	5	-	15	3	-	-	-	-	-	-	-
Willesden ..	165,270	47	3	25	1	-	-	-	-	-	-	-
Hendon	62,570*	12	1	6	1	-	-	-	-	-	-	-
Hornsey	87,230	22	-	20	2	-	-	-	-	1	1	-
Wood Green ..	51,940	12	1	9	1	-	-	-	-	1	-	-
Tottenham ..	151,520	29	2	27	1	-	-	-	-	-	-	-
Edmonton	71,700	41	-	11	1	-	-	-	-	1	1	-
Enfield	63,640	20	1	7	1	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	116	4	44	3	-	-	-	-	1	2	-
East Ham C.B. ..	146,600	32	1	19	2	-	-	-	-	-	-	-
Leyton	130,000	22	-	17	4	-	-	-	-	-	-	-
Walthamstow ..	125,500	40	1	18	2	-	-	-	-	-	-	-
Ilford	100,500	23	-	17	-	-	-	1	-	-	-	-
Gillingham	47,820*	21	2	10	-	-	-	-	-	1	-	-
Canterbury C.B ..	23,470*	9	1	7	-	-	-	-	-	-	-	-
Hastings C.B.	61,340	18	-	16	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	14	-	14	1	-	-	-	-	-	-	-
Brighton C.B.	139,500*	33	1	25	-	-	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	86	3	36	1	-	-	-	1	-	-	-
Bournemouth C.B. ..	90,100	20	-	20	-	-	-	-	-	-	-	-
Southampton C.B. ..	169,300	55	1	47	5	-	1	-	-	-	-	-
Reading C.B	93,090*	34	2	21	1	-	-	-	-	-	-	-
Oxford C.B.	56,800	13	-	12	1	-	-	-	-	-	1	-
Northampton C.B. ..	93,530*	21	5	20	-	-	-	-	-	-	-	-
Luton	59,240	13	-	15	-	-	-	-	-	1	-	-
Cambridge	58,820	19	1	12	1	-	-	-	-	1	-	-
Southend-on-Sea C.B.	104,300	20	1	24	1	-	-	-	-	-	-	-
Ipswich C.B.	84,140	23	-	19	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	14	-	13	-	-	-	-	-	-	-	-
Norwich C.B.	123,500*	32	2	16	1	-	-	-	-	-	-	-
Swindon	57,320	18	1	8	-	-	-	-	-	-	-	-
Exeter C.B.	60,340*	25	-	8	2	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	63	3	48	4	-	-	-	-	-	-	-
Bath C.B.	69,000	17	1	13	-	-	-	-	-	-	-	-
Bristol C.B.	383,300*	112	6	83	5	1	-	-	-	-	-	-
Gloucester C.B. ..	53,050	19	-	10	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	109	6	65	13	-	-	1	-	-	2	-
Burton-upon-Trent C.B.	48,660	12	-	8	2	-	-	-	-	-	1	-
Wolverhampton C.B.	131,000	54	2	26	8	-	-	-	-	-	1	-
Walsall C.B.	102,100	32	3	13	1	-	-	-	-	-	-	-
West Bromwich C.B.	79,920	33	2	16	4	-	-	-	1	-	-	-
Dudley C.B.	58,930	23	1	12	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,660	9	-	7	-	-	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	334	8	186	15	-	-	-	-	1	6	-
Smethwick C.B. ..	76,940	16	1	13	-	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	34	2	22	2	-	-	-	-	-	-	-
Leicester C.B. ..	241,700	78	5	62	7	-	-	-	-	1	4	-
Lincoln C.B.	65,760*	24	1	10	-	-	-	-	-	-	-	-
Grimsby C.B. .. .	88,580	35	-	19	-	-	-	-	-	-	-	-
Nottingham C.B. .	268,000	110	7	55	9	-	-	-	-	-	2	-
Derby C.B.	136,600*	49	6	32	3	-	-	-	-	-	1	1
Chesterfield ..	66,650	29	-	10	3	-	-	-	-	-	-	-
Stockport C.B. ..	125,400	44	3	20	-	-	-	-	-	-	-	-
Chester C.B.	41,710	19	1	5	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	51	-	35	5	-	1	-	-	-	2	-
Wallasey C.B. ..	93,050	25	3	22	3	-	-	-	1	-	-	-
Liverpool C.B. ..	862,600	390	13	178	33	-	-	1	3	1	9	1
Bootle C.B.	84,580	37	1	21	-	-	-	-	-	-	-	-
St. Helens C.B. ..	110,000	50	-	27	5	-	1	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	77,970	14	-	20	-	-	-	-	-	-	-	-
Wigan C.B.	88,620	32	2	21	-	-	-	-	1	-	1	-
Warrington C.B. ..	76,940*	24	-	19	1	-	1	-	-	-	-	1
Bolton C.B.	177,000	61	1	40	3	-	1	-	1	-	-	-
Bury C.B.	56,840*	15	2	10	1	-	-	-	-	-	-	-
Manchester C.B. ..	752,000	245	20	164	22	-	12	1	1	-	4	2
Salford C.B.	247,400	78	3	64	7	-	-	1	-	-	1	1
Ashton-under-Lyne	51,050	10	-	19	1	-	1	-	-	-	-	-
Oldham C.B.	143,000	37	7	32	2	-	1	-	-	-	-	-
Rochdale C.B.	91,510	18	3	27	3	-	-	-	-	-	-	2
Burnley C.B.	99,600	30	1	17	2	-	-	-	-	-	1	-
Blackburn C.B. ..	124,400	34	3	22	1	-	-	-	-	-	-	-
Preston C.B.	124,200	40	1	29	2	-	-	-	-	-	-	-
Blackpool C.B. ..	88,640	18	1	20	-	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	70,420	18	1	17	2	-	-	-	-	-	-	-
Huddersfield C.B. ..	111,900	42	-	18	2	-	-	-	-	1	-	-
Halifax C.B.	96,130*	23	2	21	-	-	-	-	-	-	-	2
Bradford C.B. ..	288,700	69	5	52	5	-	-	-	-	-	-	-
Leeds C.B.	473,400	154	7	84	7	-	-	-	-	-	2	2
Dewsbury C.B. ..	53,630	11	1	9	-	-	-	-	-	-	-	-
Wakefield C.B. ..	53,830	12	2	19	3	-	-	-	-	-	-	-
Barnsley C.B. ..	70,760	22	4	9	1	-	-	-	-	-	-	-
Sheffield C.B. ..	523,300*	142	5	106	5	-	-	-	-	1	-	1
Rotherham C.B. ..	70,080	28	-	10	1	-	1	-	-	-	-	-
Doncaster C.B. ..	55,700	11	1	10	-	-	-	-	-	-	-	-
York C.B.	84,430*	21	2	21	1	-	-	1	-	-	-	1
Hull C.B.	294,600	95	3	52	7	-	-	-	-	2	2	1
Middlesbrough C.B.	133,600	44	1	30	3	-	-	-	-	-	1	1
Darlington C.B. ..	70,700	25	-	10	1	-	-	-	-	-	-	-
Stockton-on-Tees ..	67,910	32	-	7	-	-	-	-	-	-	-	-
West Hartlepool C.B.	71,060	17	-	9	2	-	-	-	-	1	1	-
Sunderland C.B. ..	163,800	58	3	35	7	-	-	-	-	-	1	-
South Shields C.B. ..	123,900	42	2	24	4	-	1	-	-	-	-	1
Gateshead C.B. ..	127,700	55	-	34	8	-	-	-	-	-	-	-
Newcastle-on-Tyne C.B.	284,700*	97	8	61	15	-	-	-	-	-	1	1
Tynemouth C.B ..	66,560	24	-	18	4	-	1	-	-	-	-	-
Carlisle C.B.	56,140*	22	-	13	2	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,620	28	-	11	1	-	-	-	-	-	-	-
Cardiff C.B.	225,600*	87	6	43	3	-	-	-	-	-	-	-
Rhondda	162,500	53	2	38	9	-	1	-	-	-	-	1
Merthyr Tydfil C.B.	80,690	18	3	16	2	-	-	-	-	-	-	-
Aberdare	56,930	14	-	14	2	-	-	-	-	-	-	2
Swansea C.B.	163,200	58	7	33	1	-	-	-	-	1	1	-
Greater London ..	7,791,310*	2,204	55	1,392	128	2	8	1	4	14	22	15
Outer Ring	3,185,910*	889	27	537	49	-	-	1	-	6	5	7
17 Great Towns in Outer Ring	1,947,963*	534	17	321	27	-	-	1	-	4	5	5
Remainder of Outer Ring	1,237,947*	355	10	216	22	-	-	-	-	2	-	2
Edinburgh†	426,100	141	?	83	9	-	1	3	1	2	-	1
Glasgow†	1,049,000	412	?	284	47	-	8	2	1	2	5	4
Dublin (Registration Area)†	421,000	193	?	92	21	-	2	-	-	-	6	-
Belfast†	415,007	157	?	87	15	-	-	-	-	-	4	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,605,400	1927. Nov. 12	1315	28	855	9·7	2	-	8	-	4	8	17
Calcutta and Suburbs	1,077,264	Oct. 1	?	?	586‖	28·3	-	2	-	?	?	?	?
Bombay§	1,298,708	„ 15	556	45	450‖	18·0	3	-	-	-	-	-	24
Madras	528,791	„ 15	503	16	309‖	30·3	4	-	-	-	2	-	11
Sydney and Suburbs	1,038,950	Sept. 30 (30 days)	1802	?	998	11·2	2	?	?	17	22	1	15
Brisbane (Metropolitan Area).	274,260	Sept. 30 (30 days)											
Perth (Metropolitan Area).	184,223	Sept. 24											
Auckland (Urban Area).	201,220	Sept. 30 (30 days)											
Wellington (Urban Area).	126,310	Sept. 30 (30 days)											
Christchurch (Urban Area).	121,780	Sept. 30 (30 days)											
Cape Town	114,846	Oct. 15	53	4	20	9·1	-	-	-	-	-	-	-
Johannesburg	172,718	„ 15	91	3	48	14·5	-	-	1	-	1	-	-
Durban	54,715	„ 15	34	1	14	13·3	-	-	-	-	-	-	-
Paris	2,871,429	Oct. 21 (11 days)	1269	93	1011	12·9	8	-	3	2	6	7	18
Antwerp	300,103	Oct. 8	97	6	50	8·7	-	-	-	-	-	-	3
Amsterdam	731,081	„ 15	254	11	127	9·1	1	-	1	-	-	-	1
Copenhagen	597,800	„ 29	170	7	115	10·0	-	-	1	-	1	1	-
Stockholm	453,332	„ 22	85	3	81	9·3	-	-	-	-	-	-	-
Gothenburg	231,196	„ 22	?	?	37	8·3	-	-	-	-	-	-	-
Oslo (Christiania) ..	254,055	Nov. 5	52	2	57	11·7	-	-	-	-	1	-	1
Berlin	2,000,000	Oct. 22	362	14	450	11·7	-	?	-	-	-	7	1
Breslau	562,000	„ 22	107	5	109	10·1	-	?	-	1	-	-	1
Cologne	719,000	„ 22	202	9	125	9·0	-	?	-	-	1	1	4
Dresden	626,000	„ 22	123	7	114	9·5	-	?	-	-	-	1	-
Frankfort-on-Main..	475,000	„ 22	90	3	73	8·0	-	?	-	-	-	-	1
Hamburg	1,108,000	„ 22	242	6	253	11·9	-	?	-	-	1	-	2
Leipzig	687,000	„ 22	144	6	119	9·0	-	?	-	-	-	-	-
Munich	692,000	„ 22	139	2	142	10·7	-	?	-	-	-	-	1
Vienna	1,870,325	April 30 (30 days)											
Prague and Suburbs	738,132	April 30 (30 days)											
Budapest	971,169	Oct. 22	240	12	218	11·7	2	-	-	1	-	1	3
Warsaw	1,028,982	„ 29	272	18	282	14·3	9	-	3	4	2	-	11
Cairo	874,300	June 17	829	21	726	43·3	5	-	2	-	?	2	220
		„ 24	850	29	767	45·7	6	-	5	-	?	3	208
Alexandria	501,800	„ 17	388	10	310	32·2	3	-	-	-	?	1	74
		„ 24	445	12	300	31·2	2	-	-	-	?	-	62
New York	5,970,920	Oct. 29	?	?	1304	11·4	1	-	-	-	6	8	18
Chicago	3,101,000	„ 21	950	37	717	12·1	-	-	-	1	1	6	14
New Orleans	433,000	Sept. 30 (30 days)											

* Including deaths from croup in Bombay. Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The est mated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 15 deaths from Cholera in Calcutta 1 in Madras, and 1 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 12th November, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	855	79	9	15	23	40	62	45	104	147	144	187
Enteric fever	2	1	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	5	1	2	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	4	1	-	2	1	-	-	-	-	-	-	-
Diphtheria	8	-	-	4	4	-	-	-	-	-	-	-
Influenza	8	-	-	-	-	-	2	1	-	-	2	3
Erysipelas	3	2	-	-	-	-	-	1	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-		-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	3	1	1	-	-	-	1	-	-	-	-	-
Tuberculosis :—												
Respiratory system	84	1	1	-	2	22	19	13	15	9	1	1
Nervous system	3	-	-	1	1	1	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	-	-	2	-	-	-	-	-
Other forms	5	-	-	-	-	1	1	1	1	-	-	1
Venereal diseases	4	-	-	-	-	-	-	1	-	2	1	-
Cancer	125	-	-	-	-	-	1	4	21	36	40	23
Rheumatic fever	4	-	-	-	1	1	-	-	-	1	1	-
Diabetes	12	-	-	-	1	-	1	-	2	2	4	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	7	3	2	1	-	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	29	-	-	-	-	-	1	-	4	9	7	8
Epilepsy	2	-	-	-	-	-	1	-	-	-	1	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	1	1	1	1	3	2	3	7	7	-	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	1	1	2	-	-	-	-	-
Other diseases of heart	137	-	-	-	2	1	3	6	12	24	32	57
Other diseases of circulatory system	45	-	-	-	-	-	1	-	11	9	11	13
Bronchitis	36	1	-	-	-	-	1	1	6	6	8	13
Broncho-pneumonia	25	7	1	2	-	1	-	-	2	3	4	5
Lobar-pneumonia	14	1	-	-	1	-	-	4	3	3	-	2
Pneumonia (type not distinguished)	10	1	-	-	1	-	2	1	3	-	1	1
Other diseases of respiratory system	10	-	-	-	-	1	-	-	1	-	2	6
Diarrhœa and enteritis	20	17	-	-	-	-	-	-	2	-	-	1
Appendicitis, Typhlitis	4	-	-	-	-	1	2	1	-	-	-	-
Hernia, Intestinal obstruction	5	-	-	-	-	-	-	-	-	-	3	2
Cirrhosis of liver	7	-	-	-	-	-	-	-	1	4	1	1
Other diseases of digestive system ..	19	2	1	1	-	-	2	2	4	2	2	3
Acute nephritis	1	-	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease	25	-	-	-	-	1	1	1	1	9	6	6
Other diseases of genito-urinary system.	18	-	-	-	1	1	1	-	3	2	3	7
Puerperal sepsis	3	-	-	-	-	-	2	1	-	-	-	-
Other causes incident to childbirth ..	2	-	-		-	-	2	-	-	-	-	-
Congenital malformations	11	10	-	-	-	1	-	-	-	-	-	-
Premature birth	17	17	-		-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-		-
Old age	27	-	-		-	-	-	-	-	1	5	21
Suicide	10	-	-	-	-	1	4	2	-	3	-	-
Burns and Scalds	2	-	-	-	-	-	-	-	1	-	-	1
Drowning	1	-	-	-	-	-	-	-	-	-	1	-
Suffocation in bed	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	1	-	3	-	2	-	-	3	-	3
Other deaths by violence	14	-	-	-	2	1	3	-	1	3	2	2
Other specified causes	28	1	-	1	1	-	3	2	2	8	6	4
Ill-defined causes	-	-	-	-	-	-	-	-		-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 12th November, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	272	271	16	89	C. 11 D. 2 E. 3 L. 2 M. 12 N. 12
†CITY OF LONDON	-	-	2	-	1	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	7	19	1	4	C. 1 M. 1 N. 1
†BERMONDSEY ...		11	8	-	-	C. 1
†BETHNAL GREEN		11	7	2	1	-
†CAMBERWELL ...		17	22	-	8	D. 1 M. 1 N. 1
†CHELSEA	-	2	3	1	2	C. 1
†DEPTFORD ...		11	9	-	2	N. 1
†FINSBURY ...		3	9	-	-	N. 1
†FULHAM		5	14	2	5	C. 2
†GREENWICH ...		2	14	-	4	-
†HACKNEY ...	-	30	12	1	-	C. 1 M. 1
†HAMMERSMITH ...	-	1	12	-	1	C. 1
†HAMPSTEAD ...	-	2	4	-	1	-
†HOLBORN... ...		2	-	-	-	-
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...		17	10	-	2	C. 2 E. 1 L. 2 M. 4
†KENSINGTON ...	-	6	6	-	1	M. 2
†LAMBETH ...	-	14	25	-	5	E. 1 N. 2
†LEWISHAM ...	-	19	10	-	1	C. 1
†PADDINGTON ...	-	8	6	-	5	-
†POPLAR	-	11	11	-	5	D. 1
†ST. MARYLEBONE	-	2	4	-	1	M. 1 N. 1
†ST. PANCRAS ...	-	12	8	-	7	N. 1
†SHOREDITCH ...	-	9	8		10	M. 1 N. 1
†SOUTHWARK ...	-	10	10	-	7	N. 2
†STEPNEY	-	21	14	3	7	-
†STOKE NEWINGTON	-	5	2	-	-	-
†WANDSWORTH ...	-	11	14	3	7	C. 1 M. 1
†WESTMINSTER, CITY OF	-	5	2	3	1	N. 1
†WOOLWICH ...	-	18	6	-	1	E. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	15	9	1	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	2	3	–	–	–
BIGGLESWADE ...	–	–	–	–	–	N. 1
DUNSTABLE ...	–	2		1		–
†LUTON	–	7	4	–	–	–
Rural Districts:—						
BEDFORD ...	–	4	1	–	–	–
BIGGLESWADE ...	–	–	–	–	1	–
EATON SOCON ...	–		–	–	–	M. 1
LUTON	–	–	1	–	–	–
BERKS	–	16	1	–	1	–
†READING C.B. ...	–	4		–	–	–
Boroughs and Urban Districts:—						
†NEWBURY ...	–	1	–	–	–	–
WALLINGFORD ...	–	–	1	–	–	–
WOKINGHAM ...	–	1			–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–		–
BRADFIELD ...	–	–	–	–	1	–
COOKHAM ...	–	1	–	–	–	–
FARINGDON (part)	–	3	–	–	–	–
WALLINGFORD ...	–	2		–	–	–
WANTAGE .		3	–		–	–
BUCKINGHAM ...	–	8	1	1	4	M. 1
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–			1		M. 1
BLETCHLEY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	–			2	–
MARLOW	–	1	–	–	–	–
†WOLVERTON ...	–	1	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	–	2	–	–	–	–
BUCKINGHAM ...	–	2	–	–	2	–
WYCOMBE ...	–	1	1	–	–	–
CAMBRIDGE ...	–	5	3	–	–	–
Borough:—						
†CAMBRIDGE ...	–	3	3	–	–	–
Rural Districts:—						
LINTON	–	2	–	–	–	–
CHESTER ...	–	54	37	1	22	C. 1 L. 1 M. 1 N. 3
†BIRKENHEAD C.B.	–	5	5	–	7	N. 1
†CHESTER C.B. ...	–	2	–	–	–	–
†STOCKPORT C.B.	–	6	2		3	C. 1 N. 1
†WALLASEY C.B. ...	–	3	3	–		–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	3	1	–	–	–
†BEBINGTON AND BROMBOROUGH		1	2	–	–	–
BREDBURY AND ROMILEY	–	1	2	–	1	–
†CHEADLE AND GATLEY	–	2			1	–
†CONGLETON ...	–	1	3	–	–	–
†CREWE		2	1	–	–	–
†DUKINFIELD ...	–	–	1	–	–	N. 1
†ELLESMERE PORT AND WHITBY		2		–		–
HALE	–	1	9			–
†HAZEL GROVE AND BRAMHALL	–	1			–	–
†HYDE		2	1		1	–
LYMM	–	1		–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MACCLESFIELD ...	–	3	–	–	–	L. 1 M. 1
NESTON AND PARKGATE	–	–	–	–	1	–
†NORTHWICH ...	–	6	–	–	–	–
†RUNCORN... ...	–	3	1	–	–	–
†SALE	–	1	1	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
YEARDSLEY CUM WHALEY	–	–	1	–	–	–
Rural Districts:—						
DISLEY	–		–	–	1	–
MACCLESFIELD ...	–	–	–	1	–	–
NANTWICH ...	–	2	–	–	–	–
NORTHWICH ...	–	2	–		–	–
RUNCORN ...	–	4	1	–	2	–
WIRRAL		–	3		4	–
CORNWALL ...		19	2	2	4	G. 1 L. 3
Boroughs and Urban Districts:—						
BODMIN	–	–	–		1	L. 3
†CAMBORNE ...	–	–	–	1	–	–
†FALMOUTH ...	–	2	–	–	–	–
LAUNCESTON ...	–	1	–	–	1	–
LUDGVAN ...	–	2	–	–	–	–
†PENZANCE ..	–	4	–	–	–	–
PHILLACK ...	–	3	–	–	–	–
REDRUTH ...	–	–	–	1	–	–
ST. JUST	–	1		–	–	–
TORPOINT ...	–	–	–	–	2	–
Rural Districts:—						
BODMIN	–	2	–		–	–
CALSTOCK ...	–	–	2	–	–	–
EAST KERRIER ...	–	1	–	–	–	–
HELSTON	*	*	*	*	*	*
REDRUTH ...	–	–		–	–	G. 1
WEST PENWITH...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	7	12	1	1	G. 1
†CARLISLE C.B. ...	–	3	1	1	–	–
Boroughs and Urban Districts:—						
MILLOM		–	1	–	–	G. 1
†WHITEHAVEN ...	–	1	3		–	–
Rural Districts:—						
BOOTLE		–	3	–	–	–
BRAMPTON ...		1	–	–	–	–
CARLISLE ...	–	1	–		–	–
COCKERMOUTH ...		–	1	–	–	–
LONGTOWN ...	–	1	–		–	–
PENRITH	–	–	–	–	1	–
WHITEHAVEN ...	–	–	3	–	–	–
DERBY	15	40	34	1	21	M. 1
†DERBY C.B.	1	3	10		9	–
Boroughs and Urban Districts:—						
†ALFRETON ...	8	–	–	–	1	–
ALVASTON AND BOULTON	–	–	1	–	–	–
ASHBOURNE ...	–	1	–	–	1	–
†BELPER	3	–	–	–	–	–
†BOLSOVER ...	–	–	–		1	–
†BUXTON		1	–		1	–
†CHESTERFIELD ...	–	3	1	–		–
DRONFIELD ...		–	–	1	–	–
†GLOSSOP	–	–	1		–	–
†HEANOR	–	2	1	–	1	–
†ILKESTON ...	–	8		–	1	–
†LONG EATON ...	–	1	2	–	–	–
NEW MILLS ...	–	1	–	–	1	–
†RIPLEY	2		–		–	–
†SWADLINCOTE DISTRICT	–	1	1	–	–	–
Rural Districts:—						
BLACKWELL ...	1	5	1	–	2	–
CHAPEL EN LE FRITH	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHESTERFIELD ...	–	7	6	–	2	M. 1
CLOWNE	–	–	2	–	–	–
HARTSHORN AND SEALS	–	1	4	–	1	–
REPTON	–	1	2	–	–	–
SHARDLOW ...	–	2	1		–	–
DEVON	–	17	13	1	7	C. 1 G. 2 L. 1 N. 1
†EXETER C.B. ...	–	1	–	–		–
†PLYMOUTH C.B....		2	10	1	1	N. 1
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	–	–		C. 1
†BARNSTAPLE ...	–	–	–	–	1	
BRIXHAM... ...	–	–	1	–	–	–
DARTMOUTH ...	–	2	–	–	–	–
DAWLISH... ...	–	1	–	–	–	–
†PAIGNTON ...	–	–		–	–	G. 1
SIDMOUTH ...		–	–	–	1	–
TIVERTON ...	–	2	–	–	–	G. 1
†TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	6	–	–	–	
BIDEFORD ...	–	–	–	–	1	–
BROADWOOD WIDGER	–	–	–	–	2	–
NEWTON ABBOT...		1	–	–	–	–
PLYMPTON ST. MARY		–	1	–	–	–
ST. THOMAS ...	–	1	–	–	–	L. 1
TIVERTON ...	–	–	–	–	1	–
TOTNES	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DORSET	–	9	1	–	1	C. 1
Boroughs and Urban Districts:—						
†POOLE	–	4	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	–
WIMBORNE MINSTER	–	1	–	–		–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
BRIDPORT ...	–	1	–	–	–	–
POOLE	–	2	–	–	–	–
WAREHAM AND PURBECK	–	–		–	–	C. 1
DURHAM ...	68	63	45	2	67	M. 6 N. 2
†DARLINGTON C.B.	4	3	–	–	3	–
†GATESHEAD C.B.	11	3	1	–	5	–
†SOUTH SHIELDS C.B.	13	3	3	–	10	–
†SUNDERLAND C.B.	–	5	2		8	M. 2
†WEST HARTLEPOOL C.B.	–	2	2	1	4	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	4	1	1	–	–	–
BENFIELDSIDE ...	–	2	3	–	1	–
BILLINGHAM ...	–	1	–		1	–
†BISHOP AUCKLAND	–	1	1	–	–	–
†CHESTER LE STREET	5	–	–	–	1	–
†CONSETT	–	–	3	–	–	–
†CROOK	–	2	2	–	–	–
†FELLING	1	–	–	–	–	
†HARTLEPOOL ...	–	–	1	–	–	–
†HEBBURN ..	2	–	2	–	1	–
†HETTON	–	3		–	4	–
†HOUGHTON LE SPRING	–	2	–		1	–
†JARROW	1	1		–	7	–
†SHILDON	–	–	2	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SPENNYMOOR ...	3	–	–	–	–	–
†STANLEY	11	–	3	1	–	M. 1
†STOCKTON ON TEES	–	1	1	–	2	N. 1
†TANFIELD ...	–	–	–	–	1	–
†WHICKHAM ...	–	–	1	–	1	–
WILLINGTON ...	–	–	8	–	–	–
Rural Districts:—						
AUCKLAND ...	1	18	2	–	–	–
BARNARD CASTLE	–	1	1	–	–	–
†CHESTER LE STREET	3	–	–	–	4	M. 1
EASINGTON ..	–	5	1	–	7	–
HOUGHTON LE SPRING	–	1	–	–	5	M. 1
LANCHESTER ...	1	2	3	–	–	–
SEDGEFIELD ...	3	2	2	–	–	–
SOUTH SHIELDS...	5	2	–	–	–	–
SUNDERLAND ...	–	1	–	–	1	M. 1
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	1	2	–	1	E. 1 N. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	1	–	–	–
ELY	–	–	–	–	–	N. 1
†WISBECH	–	–	–	–	1	E. 1
Rural District:—						
WISBECH	–	1	1	–	–	–
ESSEX	–	156	78	2	17	M. 2 N. 1
†EAST HAM C.B. ...	–	32	8	–	3	–
†SOUTHEND-ON-SEA C.B.	–	5	4	–	–	M. 1
†WEST HAM C.B. ...	–	48	29	1	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	1	–	1	–
BRAINTREE ...	–	–	–	1	–	–
BURNHAM ON CROUCH	–	1	–	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	1	–		–	–
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	–	–	–	2	–
DAGENHAM ...	–	6	5	–	–	M. 1 N. 1
†GRAYS THURROCK	–	–	4	–	–	
†HARWICH ...	*	*	*	*	*	*
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	10	4	–	–	–
†LEYTON	–	11	7	–	–	–
LOUGHTON ...	–	1	–	–	–	–
MALDON	–	11			–	–
†ROMFORD ...	–	–	5	–	–	–
SHOEBURYNESS ...	–	–	1	–	–	–
TILBURY	–	–	1	–	–	–
†WALTHAMSTOW...	–	9	3		3	–
†WANSTEAD ...	–	1		–	–	
†WOODFORD ...	–	1	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	2	–	3	–
BRAINTREE ...	–	1	–	–	–	–
EPPING	–	1	2	–	–	–
LEXDEN AND WINSTREE		1	–	–	1	–
MALDON	–	3	–	–	–	–
ROCHFORD ...	–	3	1	–	–	–
SAFFRON WALDEN	–	3	–	–	–	–
GLOUCESTER ...	–	66	13	1	14	C. 2 E. 1 N. 1
†BRISTOL C.B. ...	–	48	9	1	9	E. 1
†GLOUCESTER C.B.	–	–	–	–	3	C. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	7	2	–	–	–
†MANGOTSFIELD ...	–	1	–		–	
STROUD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	C. 1
EAST DEAN AND UNITED PARISHES	–	2	–	–	–	–
GLOUCESTER ...	–	1	–	–	–	–
LYDNEY	–	2	–	–	–	–
NORTHLEACH ...	–	1	–	–	–	–
PEBWORTH ...	–	1	–	–	–	–
STROUD	–	–	1	–	–	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–		–	–	2	N. 1
HEREFORD ...	–	6	3	–	–	C. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	6	1	–	–	–
ROSS	–	–	1	–	–	–
Rural Districts:—						
BROMYARD ...	–		–	–	–	C. 1
LEDBURY... ...		–	1	–	–	–
HERTFORD ...	–	10	8	58	4	E. 1 G. 1
Boroughs and Urban Districts:—						
BUSHEY	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	–	–	26	–	–
†HERTFORD ...	–	–	3	–	–	–
†HITCHIN	–	1	–	–	–	–
HODDESDON ...	–	–	1	–	–	–
†LETCHWORTH ...	–	–	–	–	1	–
RICKMANSWORTH	–	–	–	–	1	–
†ST. ALBANS ...	–	1	–	1	–	–
†WATFORD ...	–	4	–	–	2	–
WELWYN GARDEN CITY	–	1	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BARNET	–	1	–	–	–	–
HADHAM	–	–	1	–	–	–
HEMEL HEMPSTEAD	–	–	–	22	–	–
HITCHIN	–	–	2	–	–	E. 1
ST. ALBANS ...	–	–	–	–	–	G. 1
WATFORD ...	–	2	–	9	–	–
HUNTINGDON ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	–	–	1	–
OLD FLETTON ...	–	1	1	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
KENT	–	57	58	9	8	D. 1 G. 1 M. 2 N. 4
†CANTERBURY C.B.	–	–	4	1	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	1		–	–
†BECKENHAM ...	–	4	1	–	–	–
†BEXLEY	–	1	–	–	–	N. 1
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	3	1	–	–	–
†CHATHAM ...	–	2	13	–	–	–
CHISLEHURST ...	–	–	–	1	–	N. 1
†DARTFORD ...	–	3	2	–	–	–
†DEAL	–	–		2	–	–
†DOVER	–	3	1	–	1	–
†ERITH	–	–	5		–	–
†FAVERSHAM ...	–	–	1	–	–	–
†GILLINGHAM ...	–	1	3	–	–	–
†GRAVESEND ...	–	3	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MAIDSTONE ...	–	3	1		–	–
†MARGATE ...	–	6	–	–	–	–
MILTON REGIS ...	–	–	3	–	–	–
†PENGE	–	2	3	–	2	N. 1
†RAMSGATE ...	–	–	–	–	–	M. 1
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	2	–	–	–	N. 1
SANDWICH ...	–	–	1	–	1	–
SEVENOAKS ...	–	1	–	–	–	–
SIDCUP	–	1	–	–	1	–
SITTINGBOURNE	–	1		–	–	–
SWANSCOMBE ...	–	1	–	–	–	–
WHITSTABLE ...	–	1	3		–	–
WROTHAM ...	–	–	–	–	1	–
Rural Districts:—						
BROMLEY ...	–	4	1	–	1	–
CRANBROOK ...	–	–	–	3	–	–
EAST ASHFORD ...	–	2	–	–	–	–
EASTRY	–	–	1	–	–	–
ELHAM	–	–	2	–	–	–
FAVERSHAM ...	–	1	1	–	–	–
MALLING	–	3	4	1	–	–
MILTON	–	2	1	1	–	–
ROMNEY MARSH...	–	1	–	–	–	–
SEVENOAKS ...	–	–	–	–	–	D. 1 M. 1
STROOD	–	2	–	–	–	G. 1
TONBRIDGE ...	–	1	3	–	1	–
LANCASTER ...	9	235	131	7	172	C. 9 D. 2 E. 1 G. 2 M. 20 N. 12
†BARROW IN FURNESS C.B.	–	1	–	1	3	–
†BLACKBURN C.B.	–	1	2	–	4	–
†BLACKPOOL C.B.	–	4	1	–	1	M. 1
†BOLTON C.B. ...	–	6		–	6	–
†BOOTLE C.B. ..	–	–	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BURNLEY C.B. ...	–	2	1	–	2	–
†BURY C.B. ...	–	2	2	–	1	–
†LIVERPOOL C.B. ...	–	43	28	4	49	E. 1 M. 12 N. 5
†MANCHESTER C.B.	1	46	34	–	44	C. 3 D. 1 G. 2 M. 4 N. 1
†OLDHAM C.B. ...	–	4	6	–	–	C. 1
†PRESTON C.B. ...	–	–	7	–	2	N. 1
†ROCHDALE C.B. ...	1	1	1	–	–	–
†ST. HELENS C.B...	–	3	1		5	C. 1 N. 1
†SALFORD C.B. ...	–	11	14	–	11	M. 3 N. 1
†SOUTHPORT C.B.	–	10	–	–	2	–
†WARRINGTON C.B.	–	5	–	–	2	C. 1
†WIGAN C.B. ...	–	3	–	–	3	C. 1
Boroughs and Urban Districts:—						
ABRAM	–		–	–	1	–
†ACCRINGTON ...	–	–	1	–	2	–
†ASHTON IN MAKERFIELD	–	–	–	–	1	–
†ASHTON UNDER LYNE	–	2	3	–	2	–
†ATHERTON ...	–	–	5	–	1	–
AUDENSHAW ...	–	–	–	–	1	–
BARROWFORD ...	–	–	–	–	1	–
†CHADDERTON ...	–	2	4	–	–	–
†CHORLEY	–	–	1	–	–	–
CHURCH	–		–	–	1	–
†CLITHEROE ...	–	–	2	–	–	–
†COLNE	4	5	–	–	–	–
†CROMPTON ...	–	–	–	–	–	C. 1
†DENTON	–	3	–	–	–	–
†ECCLES	–	23	1	–	1	–
†FARNWORTH ...	–	2	–	–	–	–
†FLEETWOOD ...	–	2	–	–		–
FULWOOD ...	–	1	–	–		–
†HEYWOOD ...	–	–	1	–	–	–
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...	–	3	–	–	–	–
†INCE IN MAKERFIELD				–	1	D. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
IRLAM	–	2	–	1	–	–
†LANCASTER ...	–	4	1	–	1	–
†LEIGH	–	5	1		1	–
†LITTLEBOROUGH	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	–	1	–		–
†MIDDLETON ...	–	–	–	–	2	–
†MOSSLEY	–	1	1	–	2	–
†NELSON	–	2		–		–
†NEWTON IN MAKERFIELD	–	–		–	1	–
ORRELL	–	–	1	–	–	–
†OSWALDTWISTLE		1	–	–	–	C. 1
†PADIHAM ...		1	–	–	–	–
†RADCLIFFE ...	–	5	–	–	–	–
RAINFORD ...		–	–		1	–
†RAMSBOTTOM ...	–	–	–	–	2	–
RISHTON	–		–	–	3	–
SKELMERSDALE ...		–	1	–	–	–
STANDISH WITH LANGTREE	–	–	–	–		N. 1
†STRETFORD ...	–	4	1	–	1	–
†SWINTON AND PENDLEBURY		–		–	1	–
TRAWDEN ...	3	–	–	–	–	–
†ULVERSTON ...		1	–	–	–	–
WARDLE	–	2		–	–	–
†WATERLOO WITH SEAFORTH	–	4	–	–	–	N 1
†WESTHOUGHTON	–	2	–		–	–
†WIDNES	–	–	5	–	2	N. 1
WITHNELL ...	–	–	–	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	3	1	–	–	–
BURY	–	1	–	–	–	–
CHORLEY	–	–	–	–	2	–
CLITHEROE ..	–		–		1	–
FYLDE	–	3	–	–	–	–
LANCASTER ...		1		–		–
LEIGH	–	2	–	–	–	–
PRESTON	–	1	–	1	–	–
WEST LANCASHIRE	–	3	1	–	1	–
WHISTON... ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	31	24	–	2	M. 3
†LEICESTER C.B. ...	–	21	7	–	1	–
Boroughs and Urban Districts:—						
†COALVILLE ...	–	2	13	–	–	M. 1
†HINCKLEY ..	–	–	1	–	–	–
OADBY	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	1	–	–	M. 1
BARROW UPON SOAR	–	5	–	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
MARKET BOSWORTH	–	–	1	–	–	M. 1
MELTON MOWBRAY	–	2	–	–	–	–
LINCOLN (parts of Holland).	–	7		–	1	M. 1
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	1	–
†SPALDING ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	3	–	–	–	–
EAST ELLOE ...						M. 1
SPALDING (part)..	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–		–	–	2	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
GRANTHAM ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	13	13	16	–	5	E. 1
†GRIMSBY C.B. ..	–	3	2	–	2	–
†LINCOLN C.B. ..	13	–	2	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	–	–	–	E. 1
BRIGG	–	2	1	–	–	–
†GAINSBOROUGH ...	–	–	–	–	1	–
HORNCASTLE ...	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	4	–	–	–	–
SKEGNESS ...	*	*	*	*	*	*
Rural Districts:—						
CAISTOR	–	1	–	–	–	–
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	–	3	11	–	–	–
MIDDLESEX ...	–	74	71	10	21	C. 2 G. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
†ACTON	–	2	4	1	3	N. 1
†EALING	–	3	–	1	2	–
†EDMONTON ...		14	3	–	2	N. 1
†ENFIELD	–	–	12	–	2	
†FINCHLEY ...	–	3	3	–	–	G. 1
†FRIERN BARNET	–	–	–	2	2	–
†HAMPTON ...	–	–	1	–	–	–
†HARROW ON THE HILL		3	–	–	–	–
†HENDON	–	3	2	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HESTON AND ISLEWORTH	–	1	3	2	1	C. 1
†HORNSEY... ...	–	5	7	–	2	N. 1
KINGSBURY ...	–	1	–	–		–
RUISLIP NORTHWOOD	–	4	–	1	–	–
†SOUTHALL NORWOOD	–	6	1	–	–	–
†SOUTHGATE ...	–	2	–	1	1	–
SUNBURY ON THAMES	–		1	–	–	–
†TOTTENHAM ..	–	10	16	–	5	M. 1
†TWICKENHAM ...	–	–	4	–	–	–
†WEALDSTONE ...	–	1	–	–		–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	11	12	1	1	–
†WOOD GREEN ...	–	1	–	–	–	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	1	–	–	–	C. 1
SOUTH MIMMS ...	–	–	1	–	–	–
STAINES	–	1	1	1	–	–
NORFOLK ...	–	26	4	2	5	N. 1
†GREAT YARMOUTH U.B.	–	4	1	–	–	–
†NORWICH C.B. ...	–	11	1	–	1	–
Boroughs and Urban Districts:—						
DOWNHAM MARKET	–	–	1	–	–	–
†KING'S LYNN ...	–	–	1	–	–	–
NEW HUNSTANTON	–	–	–	–	1	–
NORTH WALSHAM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	–	–	2	–	–
DEPWADE ...	–	2	–	–	–	–
DOCKING	–	1	–	–	–	–
EAST AND WEST FLEGG	–	1	–	–		–
ERPINGHAM ...	–	1	–	–	–	–
FOREHOE... ...	–	–	–		1	–
FREEBRIDGE LYNN	–	1	–			–
HENSTEAD ...	–	2	–	–		–
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	–	1	–	–		–
SMALLBURGH ...	–	1	–	–	1	N. 1
WAYLAND ...	–	–	–		1	–
NORTHAMPTON	–	8	9	1	7	C. 2
†NORTHAMPTON C.B.	–	5	1	–	5	C. 2
Boroughs and Urban Districts:—						
†RUSHDEN... ...	–	1	1	–	–	–
Rural Districts:—						
BRACKLEY ...	–	–	1	–	–	–
BRIXWORTH ...	–	1	–	1	–	–
EASTON-ON-THE-HILL	–	1		–	–	–
THRAPSTON (part)	–	–	2	–	1	–
TOWCESTER ...	–	–	3	–	–	–
WELLINGBOROUGH	–	–	1	–	1	–
NORTHUMBERLAND:	6	48	10	1	52	C. 1 D. 1 N. 3
†NEWCASTLE UPON TYNE C.B.	–	16	5	1	37	D. 1 N. 1
†TYNEMOUTH C.B.	–	4	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	4	2	–	–	1	–
†BEDLINGTONSHIRE	–	2		–	3	N. 1
†BERWICK UPON TWEED	–	3	1	–		–
†BLYTH	–	3	–	–	2	–
†EARSDON... ...	–	1		–	–	–
†LONGBENTON ...	–		–	–	1	–
MORPETH... ..	1	–	–	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...		1	–	–		–
†WALLSEND ...	–	4	–	–	3	–
WEETSLADE ...	–	2	–	–	–	–
†WHITLEY AND MONKSEATON	–	8	–	–	2	C. 1
Rural Districts:—						
CASTLE WARD ..	1	1	–	–	2	–
HALTWHISTLE ...	–	–	–	–	–	N. 1
HEXHAM	–	–	–	–	1	–
NORHAM AND ISLANDSHIRES	–	–	1	–		–
NOTTINGHAM ...	28	24	22	2	13	C. 1 E. 1 M. 4
†NOTTINGHAM C.B	–	7	19	1	5	C. 1 M. 2
Boroughs and Urban Districts:—						
†BEESTON	–	–	1	–	1	–
†CARLTON	20	3	–	–	–	–
†EAST RETFORD ...		1	–	–	2	–
†HUCKNALL ...	–	2	1	–	1	–
†KIRKBY IN ASHFIELD	1	–	–	–		–
†MANSFIELD ...	–	2	1	–	1	M. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	–	–	–	1	–
†WEST BRIDGFORD	–	–	–	1	–	–
†WORKSOP... ...	4	–	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	3	2	-	-	1	-
BINGHAM... ...	-	2	-	-		E. 1
SKEGBY	-	3	-		-	-
WORKSOP... ...	-	1	-	-	1	M. 1
OXFORD	-	5	-		-	C. 1
†OXFORD C.B. ..		-	-		-	C. 1
Rural Districts:—						
BANBURY ..	-	1	-	-	-	-
CULHAM		2		-	-	-
HEADINGTON ...	-	2	-			-
PETERBOROUGH (Soke of).	-	5	-	1	3	-
Borough:—						
†PETERBOROUGH..	-	4	-	1	2	- -
Rural District—						
PETERBOROUGH...	-	1	-	-	1	-
SALOP	-	31	18	1	1	C. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	-	3	-	-	-	-
CHURCH STRETTON	-	1	-	-	-	-
DAWLEY	-	-	-	-	-	C. 1
LUDLOW	-	-	9	-	-	-
†OAKENGATES ..	-	2	-	-	-	-
OSWESTRY ...	-	2	4	-	-	-
†SHREWSBURY ..	-	3		-	-	-
WELLINGTON ...	-	1	2	-	-	-
†WENLOCK ...	-	2	-	-	-	-
WHITCHURCH ...	-	-	1	-		-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	-	1	-	1	1	M. 1
DRAYTON... ...	-	2	-	-		-
ELLESMERE ...	-	1	-	-		-
LUDLOW	-	-	1	-	-	-
OSWESTRY ...	-	1	1	-	-	-
SHIFNAL	-	8	-	-	-	-
WELLINGTON ...	-	4	-	-	-	-
SOMERSET ...	-	22	9	-	7	N. 2
†BATH C.B. ..	-	4	6	-	-	-
Boroughs and Urban Districts:—						
†FROME	-	2	-	-	-	-
GLASTONBURY ...	-		-	-	1	-
MIDSOMER NORTON	-	-	-	-	1	-
†TAUNTON... ...		-	1	-	1	-
WATCHET ...	-	1	-	-	-	-
†WESTON SUPER MARE	-	1	-	-	1	-
WIVELISCOMBE ...	-	-	-	-	1	-
†YEOVIL	-	-	-	-	-	N. 1
Rural Districts:—						
AXBRIDGE ...	-	3	-	-	1	-
BATH	-	1	-	-	-	-
BRIDGWATER ...	-	2	-	-	-	-
CLUTTON... ...	-	2	1	-	-	-
FROME	-	1	1	-		-
LANGPORT ...	-	4	-	-	-	-
TAUNTON ...	-	-	-	-	1	N. 1
WELLINGTON ...	-	1		-	-	-
SOUTHAMPTON.	-	42	37	4	11	G. 1 M. 2 N. 1
†BOURNEMOUTH C.B.	-	1	2	1	-	-
†PORTSMOUTH C.B.	-	9	17	-	-	M.
†SOUTHAMPTON C.B.	-	12	6	2	5	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	-	6	-	-	N. 1
ALTON	-	1	-	-	-	-
†FAREHAM ...	-	2	-	-		-
†GOSPORT	-	2	1	-	2	-
PETERSFIELD ...	-	1	-	1	-	-
ROMSEY	-	2	-		-	-
Rural Districts:—						
ALTON	-	-	-	-	1	-
BASINGSTOKE ...	-	-	2	-	-	-
CHRISTCHURCH ...	-	1	-	-	-	-
FAREHAM ...	-	1		-	-	-
HARTLEY WINTNEY	-	1	-	-	-	-
HAVANT	-	1	1	-	-	-
KINGSCLERE ...	-	3	-			-
NEW FOREST ...	-	4	2	-	2	-
WHITCHURCH ...	-	1	-	-	-	-
†WINCHESTER ...	-		-	-	1	-
STAFFORD ...	-	35	50	1	40	C. 1 G 1 M. 9 N. 3
†BURTON UPON TRENT C.B.	-	-	-	-	-	M. 1
†SMETHWICK C.B.	-	-	6	-	6	-
†STOKE ON TRENT C.B.	-	7	4	1	15	M. 6 N. 1
†WALSALL C.B. ..	-	4	20	-	3	M. 1
†WEST BROMWICH C.B.	-	-	1	-	2	-
†WOLVERHAMPTON C.B.	-	4	3	-	1	G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	-	1	-	-	-	-
†AUDLEY	-	-	1	-		-
†BILSTON	-	-	-	-	5	-
†BROWNHILLS ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CANNOCK	-	-	1	-	2	-
†DARLASTON ...		1	-			-
KIDSGROVE ...	-	1	3		1	-
†LEEK	-	3		-	-	-
PERRY BARR ...	-	-	1	-	-	-
QUARRY BANK ...	-	1	-	-		-
†ROWLEY REGIS ...	-	1	2	-	1	-
STONE	-	-	2	-	-	-
†WEDNESBURY ...	-	1	-	-	-	-
†WOLSTANTON UNITED	-	-	-	-	2	-
Rural Districts:—						
CANNOCK	-	1	4	-		N. 1
CHEADLE	-	3	-	-	-	C. 1
KINGSWINFORD ...	-	1	1	-	1	-
LEEK	-	2	-	-		-
LICHFIELD ...	-	2			-	-
SEISDON	-	-	1	-	-	-
STONE	-	1	-	-	1	-
SUFFOLK, EAST	-	28	5	2	5	-
†IPSWICH C.B. ..	-	11		-	2	-
Boroughs and Urban Districts:—						
BUNGAY	-	-	-	-	1	-
†FELIXSTOWE ...	-	2	-	-		-
†LOWESTOFT ..	-	7	-	2	-	-
WOODBRIDGE ...		1	-	-	-	-
Rural Districts:—						
BLYTHING ...	-	3	-	-	-	-
BOSMERE AND CLAYDON	-	3	-	-	-	-
HARTISMERE ...	-	-	1	-	-	-
HOXNE	-	-	1	-	-	-
PLOMESGATE ...	-	-	-		1	-
SAMFORD... ...	-	-	-	-	1	-
WOODBRIDGE ...		1	3		-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	5	–	–	1	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	3		–	–	–
NEWMARKET ...	–	–	–	–	1	–
SUDBURY... ...	–	2				–
Rural Districts:—						
THINGOE	–	–	–		–	N. 1
SURREY	–	59	31	6	12	F. 1 M. 2
†CROYDON C.B. ...	–	20	6	–	3	–
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	1	1	–	–
†CARSHALTON ...	–	1	5	–	–	–
†CATERHAM ...	–	2	–	–		–
†CHERTSEY	–	3	1	1	1	–
†COULSDON AND PURLEY	–	4	1	–	–	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	–	–	–	1	–
†ESHER AND THE DITTONS	–	–	1	–	–	F. 1
GODALMING ...	–	–	–	–	1	–
†GUILDFORD ...	–	1	1	2	–	–
†KINGSTON ON THAMES	–	4	4	–	1	–
LEATHERHEAD ...	–	–	1	–		–
†MERTON AND MORDEN	–	2	–		–	–
†MITCHAM... ...	–	2	1		–	–
†REIGATE	–	2	–	1	–	–
†SURBITON ...	–	1	–	–	2	–
†SUTTON	–	2	–	–	–	–
†THE MALDENS AND COOMBE	–	–	–		2	–
†WALTON UPON THAMES	–		1		–	M. 1
†WIMBLEDON ...	–	2	1	–	–	M. 1
†WOKING	–	1	–	–	–	–
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	–	1	1	–	–
DORKING... ...	–	2		–	–	–
EPSOM	–	1	5	–	1	–
GODSTONE ...	–	1		–	–	–
GUILDFORD ...	–	1	–	–	–	–
REIGATE	–	3	–	–	–	–
SUSSEX, EAST ...	–	14	3	1	1	–
†BRIGHTON C.B. ...	–	2	2	–	1	–
†EASTBOURNE C.B.	–	7	–	–	–	–
†HASTINGS C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
†HOVE	–	–	–	1	–	–
Rural Districts:—						
EASTBOURNE ...	–	1	–	–	–	–
HAILSHAM ...	–	1	–	–	–	–
UCKFIELD ...	–	–	1	–	–	–
SUSSEX, WEST...	–	7	7	–	–	N. 2
Boroughs and Urban Districts:—						
†BOGNOR	–	1	1	–	–	–
†CHICHESTER ...	–	3	1	–	–	–
†LITTLEHAMPTON	–	–	3	–	–	–
SHOREHAM-BY-SEA	–	–	–	–	–	N. 1
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
WESTBOURNE ...	–	–	1	–	–	–
WESTHAMPNETT	–	2	1	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	3	62	52	2	46	C. 3 E. 1 F. 1 G. 1 M. 7 N. 6
†BIRMINGHAM C.B.	–	30	42	1	41	C. 2 E. 1 F. 1 M. 4 N. 4
†COVENTRY C.B. ..	3	9	4	–	1	G. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	6	1		–	–
†ROYAL LEAMINGTON SPA	–	–	–	–	–	M. 1
†RUGBY	–		2	–		
†SUTTON COLDFIELD	–	5	–	–	–	–
†WARWICK ...	–	–	–	–	–	M. 1
Rural Districts:—						
ALCESTER ..	–	2	–	–	–	–
ATHERSTONE ...	–	2	–	–	–	
FOLESHILL ..	–	1	1	–	2	M. 1 N. 1
MERIDEN... ...	–	–			1	C. 1
RUGBY	–	1	2	–	–	
SOLIHULL ...	–	2	–	–	–	–
SOUTHAM... ...	–	1	–	1	1	–
STRATFORD ON AVON	–	2	–	–		–
TAMWORTH (part)	–	1	–	–	–	N. 1
WESTMORLAND	–	–	–	–	3	–
Borough and Urban District:—						
AMBLESIDE ...	–	–	–	–	2	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–		1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF	–	8	3	–	–	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
†NEWPORT... ...	–	1	–	–	–	–
SHANKLIN ...		2	–	–		–
VENTNOR... ...	–	3	–	–	–	
Rural Districts:—						
ISLE OF WIGHT	–	1	3	–		–
WILTS	–	13	3	–	4	N. 2
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	–	–	–	2	–
CHIPPENHAM ...	–	–	1	–	–	–
DEVIZES	–	1	–	–	–	–
MELKSHAM ...		–	–	–	1	–
†SALISBURY ...	–	3			–	–
†SWINDON... ...	–	2		–	–	N. 1
†TROWBRIDGE ...		–	–	–	–	N. 1
WESTBURY ...		1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	–			1	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
HIGHWORTH ...		1	1		–	–
MARLBOROUGH ...	–	2	–	–		–
SALISBURY ...	–	1	1	–	–	–
WORCESTER ...		19	8	1	7	M. 1 N. 1
†DUDLEY C.B. ..			3	–	1	M. 1
†WORCESTER C.B.	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*—cont.*						
Boroughs and Urban Districts:—						
BROMSGROVE ...	-	2	-	-	-	-
†HALESOWEN ...	-	1	-	-	2	-
†KIDDERMINSTER	-	-	2	-	1	-
†LYE AND WOLLESCOTE	-	-	1	-	-	-
†MALVERN ...	-	5	-	-	-	-
†OLDBURY... ...	-	-	1	1	1	N. 1
†REDDITCH ...	-	5	-	-	-	-
Rural Districts:—						
BROMSGROVE ...	-	1	-	-	-	-
DROITWICH ...	-	1	-	-	-	-
UPTON ON SEVERN	-	2	1	-	1	-
YORKS ... ... (East Riding).	-	19	40	-	5	C. 1 E. 5
†KINGSTON UPON HULL C.B.	-	15	24	-	4	E. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	-	5	-	-	-
COTTINGHAM ...	-	-	-	-	-	E. 2
GREAT DRIFFIELD	-	-	1	-		-
HESSLE	-	-	-	-	1	-
Rural Districts:—						
DRIFFIELD ...		1	-	-	-	C. 1 E. 1
NORTON	-	-	2	-		-
PATRINGTON ...	-	2	-	-	-	-
RICCALL	-	1	-	-	-	-
SKIRLAUGH ...	-	-	8	-	-	-
YORKS ... ... (North Riding).	4	28	5	-	10	-
†MIDDLESBROUGH C.B.	3	4	1	-	4	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	-	1	-	-	-	-
LOFTUS	-	6	-	-	-	-
NORTHALLERTON	-	-	1	-	-	-
RICHMOND ...	-	-	-	-	1	-
†SCARBOROUGH ...	1	-	-	-	4	-
WHITBY	-	1	-	-	-	-
Rural Districts:—						
EASINGWOLD ..		1		-	-	-
GUISBOROUGH ...	-	1		-	-	-
LEYBURN... ...	-	7	2	-	-	-
RICHMOND ...	-	-	1	-	-	-
SCARBOROUGH ...	-	1	-	-	-	-
STARTFORTH ...	-	2	-	-	-	-
STOKESLEY ...	-	1	-	-	-	-
THIRSK	-	3		-	-	-
WHITBY	-	-	-		1	-
YORKS ... ... (West Riding).	37	232	85	7	134	C. 2 E. 2 G. 1 M. 10 N. 13
†BARNSLEY C.B. ...	-	2	2	1	1	G. 1
†BRADFORD C.B. ...	3	20	2	-	21	N. 1
†DEWSBURY C.B....	-	1	-	-	-	-
†DONCASTER C.B.	2	4	1	-	-	-
†HALIFAX C.B. ...	-	1	2	2	1	N. 1
†HUDDERSFIELD C.B.	-	9	7	-	2	M. 1
†LEEDS C.B. ...	1	19	7	1	36	M. 2
†ROTHERHAM C.B.	-	6	9	-	7	M. 1 N. 1
†SHEFFIELD C.B....	3	75	25	-	37	C. 1 M. 4 N. 6
†WAKEFIELD C.B.	-	3	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	2	–	–	–
ALTOFTS	–	2	–	–	2	–
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	3	–	–	–	–
†BENTLEY WITH ARKSEY	–	–	5	–	–	–
†BINGLEY	–	–		–	2	–
BIRSTAL	–	1	–		–	–
†BOLTON UPON DEARNE	–	5	–	–	1	N. 1
†CASTLEFORD ...	–	1	1		–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	1	–	–	1	–
†DARTON	–	3	–	–	1	–
FARSLEY	–	2	–	–	–	–
GILDERSOME ...	–	–	1	–	–	–
†GOLCAR	–	–	–	–	2	–
GUISELEY ...	–	–	2	–	–	–
†HARROGATE ...	–	2	–	–	1	–
HORSFORTH ...	–	–	1	–		–
†HOYLAND NETHER	–	4	–	–	–	–
†KEIGHLEY ...	2	2	–	–	–	–
KIRKBURTON ...	–	–	–		–	N. 1
KNOTTINGLEY ...	–	1	–	–	2	–
MALTBY	–	1	1	–	1	–
†MEXBOROUGH ...	–	2	–	–	–	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY	–		–	–	–	N. 1
†NORMANTON ...	–	3	–	–	–	–
OTLEY	–	1	–	–	–	–
†PONTEFRACT ...	–	3	–	–	–	–
QUEENSBURY ...	17	–	–	–	–	–
†RAWMARSH ...	–	5	–	–	1	–
†ROTHWELL ...	–	–	1	–	–	–
ROYSTON	–	2	1	–	–	–
SHELF	3	–	1	–	–	–
†SHIPLEY	–	2	–	–	–	–
SKELMANTHORPE	–	–	3	–	–	–
SOUTH CROSLAND	–	1	–	–	–	–
†SPENBOROUGH ...	–	3	–	–	1	–
STAINLAND ...	–	1	–	–	–	–
†STANLEY	–	–	3	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
STOCKSBRIDGE ...	–	3	–	–	2	C. 1
†SWINTON	1	2	–	–	–	E. 1
THURLSTONE ...	*	*	*	*	*	*
TICKHILL ...		–	–	–	1	–
†TODMORDEN ...	–	–	–	1	1	–
†WATH UPON DEARNE	–	–	–	1	–	E. 1
WHITWOOD ...	–	1	–	–		–
†WOMBWELL ...	–		3	–		–
†WORSBOROUGH ...	–	2	–	–	–	–
Rural Districts:—						
BARNSLEY ...	–	2	–	–		–
DONCASTER ...	–	1	1	–	1	–
GOOLE	–	1	–	–	1	–
HALIFAX ...	–	–	–	–	1	–
HEMSWORTH ...	–	2	–	–	1	–
HUNSLET	–	1		–	–	–
KIVETON PARK ...	5	1	2	–	–	–
PATELEY BRIDGE	–	1	–	–	–	–
PONTEFRACT ...	–	5	–	–		–
ROTHERHAM ...	–	3	–	–	1	N. 1
SEDBERGH ...		1	–	–	–	–
SETTLE	–	–	–	–	1	–
SKIPTON	–	–	1	1	–	–
THORNE	–	2	–	–	–	M. 1
WAKEFIELD ...		2	–	–	1	–
WORTLEY ...		6	–	–	1	M. 1
YORK, CITY OF ...	–	12	–	–	–	–
†YORK C.B.		12	–	–		–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	-	–	12	-	–	N. 1
Boroughs and Urban Districts:—						
MENAI BRIDGE ...	-	–	1	–	–	–
Rural Districts:—						
AETHWY	-	-	4	-	-	–
TWRCELYN ...	-	–	5	–	–	–
VALLEY	–	–	2	–	–	N. 1
BRECKNOCK ...	–	1	2	–	2	–
Rural Districts:—						
BUILTH	–	1	–	–	1	–
VAYNOR AND PENDERYN	–	–	1	–	-	–
YSTRADGYNLAIS	–	–	1	–	1	–
CAERNARVON ...	–	5	3	–	1	–
Boroughs and Urban Districts:—						
BETHESDA ...	–	–	1	-	–	–
CONWAY	–	1	–	–	1	–
CRICCIETH ...	–	1	–	-	–	–
†LLANDUDNO ...	–	2	–	–	–	–
PENMAENMAWR...	–	1	–	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	–	1	–	–	–
GWYRFAI... ...	–	–	1	-	-	–
CARDIGAN ...	–	2	–	·	1	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	1	–	–	–	–
CARDIGAN ...	–	1	-	–	–	·
TREGARON ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN...	–	5	3	–	3	-
Boroughs and Urban Districts:—						
†LLANELLY ...	–	1	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	1	–	-	-	–
LLANDILO FAWR	–	1	1	–	2	–
LLANELLY ...	–	2	1	–	1	–
DENBIGH ...	-	6		–	2	–
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	1	–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
RUTHIN	*	*	*	*	*	*
WREXHAM ...	–	5	–	–	1	–
FLINT	–	1	3	–	–	N. 1
Boroughs and Urban Districts:—						
FLINT	-	–	1	–	–	–
Rural Districts:—						
HOLYWELL ...	–	1	2	–	–	–
OVERTON	–		–	–	–	N. 1
GLAMORGAN ...	50	44	49	–	33	C. 2 M. 5 N. 2
†CARDIFF C.B.	–	4	12	–	6	M. 1 N. 1
†MERTHYR TYDFIL C.B	–		2	–	2	–
†SWANSEA C.B.	–	4	9	–	3	M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ...	4	2	2	–	1	C. 2
†BARRY	–	1	2	–	2	–
BRIDGEND ...	–	1	–	–	–	–
†CAERPHILLY ...	3	2	–	–	–	–
†GELLIGAER ...	15		1	–	2	–
†GLYNCORWG ...	–	–	1	–	–	–
†MAESTEG... ...	–	3	6	–	–	–
†MOUNTAIN ASH...	24	4	3	–	3	–
†OGMORE AND GARW	–	1	–	–	1	–
†PENARTH ...	–	1		–	–	–
†PONTYPRIDD ...	4	3	1	–	1	–
PORTHCAWL ...	–	–	1	–	–	
†PORT TALBOT ...	–	4	4	–	–	M. 1
†RHONDDA ...	–	9	1	–	10	M. 1 N. 1
Rural Districts:—						
COWBRIDGE ...	–	–	–	–	2	–
GOWER	–	2	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	–	–
PENYBONT ...	–	1	1	–	–	–
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA... ..	–	–	2	–	–	–
MERIONETH ...	–	–	2	–	–	–
Urban Districts:—						
DOLGELLEY ...	–	–	1	–		–
FFESTINIOG ..	–	–	1	–	–	–
MONMOUTH ...	25	8	3	–	9	D. 2 E. 1
†NEWPORT C.B. ...	–	3	1	–	4	D. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	1	1	1	–	–	–
†ABERTILLERY ...	1	–	–	–	–	–
BEDWAS AND MACHEN	–	1	–	–	1	–
†BEDWELLTY ...	4	–	1	–	–	–
†BLAENAVON ...	1	–		–	–	–
†EBBW VALE ..	12	–	–	–	3	E. 1
LLANTARNAM ...	–	1	–	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NANTYGLO AND BLAINA	5	–	–	–	–	–
†PANTEG	–	1	–	–	–	–
PONTYPOOL ...	1	–	–	–	–	–
†RHYMNEY ...	–	–	–	–	–	D. 1
†TREDEGAR ...	–	1	–	–	1	–
MONTGOMERY...		5	–	–	1	E. 1
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN	–	3	–	–	–	–
WELSHPOOL ...	–	2	–	–	–	–
Rural Districts:—						
NEWTOWN AND LLANIDLOES	–	–	–	–	1	E. 1
PEMBROKE ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
MILFORD HAVEN	–	2		–		–
NEYLAND... ...	*	*	*	*	*	*
RADNOR	–	1	2	–	–	–
Urban Districts:—						
PRESTEIGNE ...	–	–	1	–	–	–
Rural Districts:—						
PAINSCASTLE ...	–	–	1	–	–	–
RHAYADER ...	–	1	–	–	–	–
Total of Part II. ...	258	1743	1043	129	797	C. 32 D. 6 E. 16 F. 2 G. 13 L. 5 M. 80 N. 68

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff	–	–	–	–	2	–	Plymouth	–	–	–	–	1	–
Littlehampton ...	–	–	1	–	–	–	Sandwich	–	–	1	–	1	–
Liverpool	–	1	–	–	–	–	Southampton ...	–	–	–	–	2	L. 1
Newport (Mon.) ...	–	–	–	1	–	–							
							Total of Part III. ...	–	1	2	1	6	L. 1

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	–	272	271	16	89	C 11 D. 2 E. 3 L. 2 M. 12 N. 12
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	258	1743	1043	129	797	C. 32 D. 6 E. 16 F. 2 G. 13 L. 5 M. 80 N. 68
Total of Part III.—Port Sanitary Districts	–	1	2	1	6	L. 1
Total (*i.e.*, of returns received), England and Wales ...	258	2016	1316	146	892	C. 43 D. 8 E. 19 F. 2 G. 13 L. 8 M. 92 N. 80

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate. Births, Deaths (distinguishing certain Cau and Deaths of Infants under 1 Year Age) and Notified Cases of certain fectious Diseases in the last Thirt Weeks.

Week ended :—	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15	Oct. 22.	Oct. 29.	Nov. 5.	N
LONDON:—													
Deaths (excluding Still-births)—all ages.	727	759	773	744	778	762	816	977	904	972	940	903	
Deaths—0 to 1 year ..	42	55	67	69	75	49	78	70	59	64	55	59	
GREAT TOWNS, aggregate (including London):—													
Live Births	6,314	6,575	6,703	6,193	6,091	5,997	6,352	6,602	6,428	6,203	6,472	6,541	6,
Stillbirths	245	306	267	268	252	264	264	235	232	260	238	210	
Deaths (excluding Still-births)—all ages	3,244	3,343	3,380	3,346	3,401	3,610	3,571	3,941	3,905	4,021	4,103	3,904	3,
Deaths—0 to 1 year ..	280	344	329	359	361	347	353	368	354	368	398	355	
Enteric Fever—Cases	28	36	38	44	34	36	33	25	28	32	28	35	
" Deaths	2	—	1	4	5	3	5	3	1	3	3	5	
Small Pox—Cases ..	26	38	19	39	20	18	27	32	34	51	57	55	
" Deaths ..	—	—	1	-	—	—	—	—	—	—	—	—	
Scarlet Fever—Cases	677	774	889	977	951	1,176	1,136	1,275	1,439	1,348	1,505	1,217	1,
" Deaths	8	4	2	6	6	4	2	8	5	2	4	8	
Diphtheria—Cases ..	449	453	556	693	688	801	742	746	834	938	939	990	
" Deaths ..	13	15	22	24	27	33	20	34	32	39	41	34	
Measles—Deaths ..	19	16	13	16	13	10	9	14	14	20	25	19	
Influenza—Deaths ..	21	20	18	21	24	42	34	27	51	63	64	86	

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 12th November, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	49	29	43·4	33·0	0·3
Brighton ..	51	30	44·6	35·4	12
Portsmouth ..	51	30	45·2	35·8	7
Norwich (Eaton)	48	32	43·1	34·7	55
Plymouth ..	53	33	47·1	36·4	13
Bristol (Clifton).	48	31	43·4	33·7	7
Birmingham (Edgbaston).	48	29	42·3	32·7	24
Nottingham ..	48	30	43·9	33·7	1
Birkenhead (Bidston).	46	30	42·7	35·0	2
Manchester (Whitworth Park).	45	27	42·7	† 31·1	6
Burnley	44	21	41·4	28·7	2

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres
	°	°	°		
Huddersfield	44	25	41·9	30·9	4
Bradford ..	43	24	41·8	31·0	3
Sheffield ..	46	31	41·9	33·0	0·3
York (Museum)	46	27	42·3	31·6	7
Hull (Pearson Park).	46	29	43·7	32·7	14
Tynemouth ..	47	29	41·7	33·0	59
Cardiff.. ..	49	31	44·4	33·4	15
Edinburgh ..	42·0	27·0	39·6	30·9	6
Glasgow ..	45·7	28·5	41·1	31·9	2
Dublin (Phœnix Park).	48·8	25·2	45·0	30·1	6
(Fitzwilliam Square†).	47·2	29 8	44·2	33·3	4
Belfast.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 12th November, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	6	In Equator	29·082	49·5	37·5	12·0	43·6	− 2·2	37·2	6·4	14·9	1·3	79	81·5	28·9	52·7	SW: WSW.	SW: SSE.	1·0	0·0	0·1	288	+ 9	0·00
MONDAY	7	..	29·142	43·2	34·0	9·2	39·1	− 6·3	36·7	2·4	6·0	0·2	92	47·2	27·3	52·5	SW: Calm.	NNW: Calm: SW.	0·1	0·0	0·0	167	− 115	0·00
TUESDAY	8	Perigee	29·457	40·0	29·2	10·8	34·4	−10·6	34·4	0·0	4·2	0·0	100	40·8	24·0	52·3	Calm: NE.	NE	0·9	0·0	0·0	175	− 111	0·00
WEDNESDAY	9	Full	29·337	43·3	34·0	9·3	38·4	− 6·2	30·0	8·4	16·2	3·7	71	73·7	26·8	52·1	NE: NNE.	NNW: NW: WSW.	2·8	0·0	0·2	349	+ 58	0·00
THURSDAY	10	..	29·381	40·9	30·0	10·9	36·1	− 8·2	29·1	7·0	12·5	4·0	74	51·1	22·1	51·9	NW: W: NNW.	NNW: NW.	2·7	0·0	0·2	346	+ 51	0·00
FRIDAY	11	..	29·572	41·1	32·3	8·8	36·6	− 7·4	27·7	8·9	13·9	5·2	69	66·3	25·1	51·4	NW	NW: WNW.	2·2	0·0	0·4	416	+ 118	0·00
SATURDAY	12	..	29·857	45·7	31·0	14·7	38·5	− 5·2	35·0	3·5	11·9	2·9	87	71·0	23·9	51·0	NW: NNW: N.	N	4·0	0·0	0·3	359	+ 60	0·01
MEANS		..	29·404	43·4	32·6	10·8	38·1	− 6·6	32·9	5·2	11·4	2·5	82	61·7	25·4	52·0	NW		..	..	..	Sum 2100	Sum + 70	Sum 0·01
No of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. November.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours	Sun above Horizon in hours.	General Remarks
Sunday	6	wP.	2·5	9·4	Variably cloudy. Heavy dew in morning and at night. Solar halo about 12h. Parhelion about 15h. Slight rain at 19h., and 20¼h.
Monday ..	7	wP till 12h.; mP till 20h.; then wP.	0·0	9·3	Variably cloudy till 8h.; partially cloudy till 9½h.; then overcast. Dew and slight hoar frost in morning. Slight rain 15h. till 15½h. Mist generally. Gloom 9½h. till 12½h.
Tuesday ..	8	wP till 6h.; mP till 22h., then wP.	0·0	9·2	Overcast. Mist till 3h.; then fog till 15h.
Wednesday	9	wP till 7½h.; then mP.	2·0	9·2	Overcast till 12h.; partially cloudy till 15h.; then variably cloudy. Damping 5h. Haze 9h. till 21h. Hoar frost at night.
Thursday	10	wP till 6h.; mP till 20½h., then wP.	0·1	9·2	Variably cloudy. Hoar frost in morning. Frequent slight damping between 18¾h. and 19¼h. Haze 9h. till 15h.
Friday ..	11	wP till 7h., then mP.	4·3	9·1	Nearly cloudless generally. Haze 9h. till 21h.
Saturday	12	wP till 7h.; mP till 12h.; variably mP and mN till 14h.; then mP.	4·1	9·0	Partially cloudy till 12h.; very cloudy till 16½h.; then clearing to cloudless by 18h. Rain 12h. till 12¼h.
			Sum 13·0	Sum 64·4	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·32 ins. at the beginning of the week to 28·97 ins. by 1h. on November 7th; increased to 29·48 by 10h. on November 8th; decreased to 29·29 ins. by 0h. on November 10th; increased and was 30·08 ins. by midnight on November 12th.

FOR OFFICIAL USE

1927. No. 46.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 19TH NOVEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 19TH NOVEMBER, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the forty-sixth week of the year numbered 6,183 and corresponded to an annual rate of 16·5 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,384 and corresponded to an annual rate of 11·7 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·9, 10·4 and 10·3. Infant mortality based on the average weekly number of live births during the last 52 weeks, was 65 against 60, 54 and 59 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,414 live births, corresponding to a rate of 16·0 per 1,000, and 985 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 11·2, against 10·6, 10·2 and 9·7 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·4 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 51 as against 37, 40 and 53 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 3,864 to 4,384 and in London from 855 to 985.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 273 in the Great Towns including 54 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 19th November, 1927.

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 Great Towns ..	19,540,143*	6183	273	4384	427	7	50	5	4	35	65	6
London	4,605,400*	1414	54	985	76	2	11	-	-	13	13	1
Towns in Outer Ring.												
Croydon C.B. ..	205,900	37	1	45	3	-	-	-	-	-	-	-
Wembledon ..	58,030	16	-	13	-	-	-	-	-	-	-	-
Ealing	91,783	37	-	18	1	-	-	-	-	-	-	1
Acton	63,040	13	1	11	2	-	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	9	1	10	1	-	-	-	-	-	-	-
Willesden ..	165,270	60	-	32	1	-	-	-	-	-	-	-
Hendon	62,570*	20	1	15	-	-	-	-	-	-	-	-
Hornsey	87,230	17	-	15	1	-	-	-	-	1	-	-
Wood Green ..	51,940	10	1	11	-	-	-	-	-	-	-	-
Tottenham ..	151,520	40	-	19	3	-	-	-	-	-	-	-
Edmonton	71,700	38	2	9	1	-	-	-	-	-	-	-
Enfield	63,640	12	-	9	-	-	-	-	-	1	-	1
West Ham C.B. ..	315,900	97	5	55	6	-	-	-	-	-	1	-
East Ham C.B. ..	146,600	35	-	12	1	-	-	-	-	-	-	-
Leyton	130,000	18	1	20	1	-	-	-	-	-	-	-
Walthamstow ..	125,500	43	1	27	1	-	-	-	-	-	-	-
Ilford	100,500	40	2	15	1	-	-	-	-	-	-	-
Gillingham	47,820*	22	-	19	3	-	-	-	1	-	-	-
Canterbury C.B ..	23,470*	8	-	4	-	-	-	-	-	-	-	-
Hastings C.B.	61,340	14	-	15	3	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	14	-	15	1	-	-	-	-	-	-	-
Brighton C.B.	139,500*	39	3	38	-	-	1	-	-	-	-	-
Portsmouth C.B. ..	231,500*	65	2	60	3	-	-	-	-	-	-	-
Bournemouth C.B. ..	90,100	29	-	21	-	-	2	-	-	-	-	-
Southampton C.B. ..	169,300	56	2	34	2	-	-	-	-	-	-	-
Reading C.B	93,090*	26	-	17	2	-	-	-	-	2	-	-
Oxford C.B.	56,800	21	-	10	1	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	26	-	15	-	-	-	-	-	-	-	-
Luton	59,240	11	1	9	-	-	-	-	-	-	-	-
Cambridge	58,820	14	-	16	1	-	-	-	-	1	-	-
Southend-on-Sea C.B.	104,300	33	-	14	-	-	-	-	-	-	-	-
Ipswich C.B.	84,140	21	2	19	-	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	12	1	21	1	-	-	-	-	-	-	-
Norwich C.B.	123,500*	40	1	27	1	-	-	-	-	-	-	-
Swindon	57,320	21	2	12	-	-	-	-	-	-	-	-
Exeter C.B.	60,340*	27	-	20	1	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	63	2	54	8	-	-	-	-	2	1	-
Bath C.B.	69,000	20	-	18	1	-	-	-	-	-	-	-
Bristol C.B.	383,300*	112	7	86	4	-	-	-	-	-	2	-
Gloucester C.B. ..	53,050	17	2	19	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	114	6	78	15	-	2	-	-	-	1	-
Burton-upon-Trent C.B.	48,660	10	-	14	4	-	-	-	-	-	2	-
Wolverhampton C.B.	131,000	51	1	29	2	-	-	-	-	1	-	-
Walsall C.B.	102,100	41	1	22	1	-	-	-	-	1	2	-
West Bromwich C.B.	79,920	19	2	18	-	-	-	-	-	-	-	-
Dudley C.B.	58,930	15	-	18	5	-	-	-	-	-	1	-
Worcester C.B. ..	50,660	13	1	9	2	-	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	314	11	200	19	2	-	1	-	2	5	-
Smethwick C.B. ..	76,940	26	2	10	-	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	41	1	25	3	-	-	-	-	-	-	-
Leicester C.B ..	241,700	52	2	56	4	1	-	-	-	-	1	-
Lincoln C.B.	65,760*	19	2	15	1	-	-	-	-	-	-	-
Grimsby C.B.	88,580	34	3	19	3	-	-	-	-	-	-	-
Nottingham C.B. .	268,000	87	3	85	9	-	-	-	-	2	3	-
Derby C.B.	136,600*	40	2	35	4	-	2	-	-	-	-	-
Chesterfield ..	66,650	20	1	15	1	-	-	-	-	1	1	-
Stockport C.B. ..	125,400	42	2	28	1	1	1	-	-	-	-	-
Chester C.B.	41,710	11	-	7	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	49	3	39	10	-	-	-	-	-	6	-
Wallasey C.B. ..	93,050	19	2	18	1	-	-	-	-	-	-	-
Liverpool C.B. ..	862,600	371	14	190	33	-	-	-	-	-	6	-
Bootle C.B.	84,580	43	1	26	6	-	-	-	-	-	-	-
St. Helens C.B. ..	110,000	42	4	36	7	-	7	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
OUTHPORT C.B. ..	77,970	14	–	17	1	–	–	–	–	–	–	–
VIGAN C.B.	88,620 *	14	1	22	1	–	–	–	–	–	–	1
ARRINGTON C.B. ..	76,940*	23	2	29	2	–	1	1	–	–	–	1
OLTON C.B.	177,000	53	3	37	5	–	1	–	–	–	–	–
URY C.B.	56,840*	26	1	10	1	–	–	–	–	–	–	–
IANCHESTER C.B. ..	752,000	256	18	199	20	–	11	–	1	2	3	1
ALFORD C.B.	247,400	78	3	59	6	–	–	–	–	–	3	1
ASHTON-UNDER-LYNE	51,050	15	–	13	–	–	–	–	–	–	–	–
LDHAM C.B.	143,000	39	2	38	5	–	1	–	–	–	1	1
OCHDALE C.B.	91,510	18	1	20	1	–	–	–	–	–	–	–
URNLEY C.B.	99,600	26	3	25	4	–	–	–	–	–	1	–
LACKBURN C.B. ..	124,400	35	2	23	2	–	–	–	–	–	1	2
RESTON C.B.	124,200	30	3	31	3	–	–	–	–	–	–	1
LACKPOOL C.B. ..	88,640	21	–	21	1	–	–	–	–	–	–	–
ARROW-IN-FURNESS C.B.	70,420	15	1	10	–	–	–	–	–	–	–	–
UDDERSFIELD C.B. ..	111,900	30	2	37	6	–	–	–	–	1	–	1
ALIFAX C.B.	96,130*	26	–	20	–	–	–	–	–	–	–	–
RADFORD C.B. ..	288,700	76	4	75	5	–	–		–	1	–	–
EEDS C.B.	473,400	149	13	117	15	–	–	–	–	–	1	2
EWSBURY C.B. ..	53,630	19	–	8	–	–	–	–	–	–	–	–
AKEFIELD C.B. ..	53,830	23	1	9	1	–	–	–	–	–	–	–
ARNSLEY C.B. ..	70,760	20	1	5	–	–	–		–	–	–	1
HEFFIELD C.B. ..	523,300*	144	10	122	12	–	3	2	1	1	3	3
OTHERHAM C.B. ..	70,080	23	–	12	3	–	2	–	–	–	2	–
ONCASTER C.B. ..	55,700	25	1	12	3	–	–	–	–	–	1	–
ORK C.B.	84,430*	23	2	25	2	–	–	–	–	–	–	–
ULL C.B.	294,600	92	3	72	8	–	–	–	–	1	2	–
IDDLESBROUGH C.B.	133,600	67	5	24	2	–	–	–	1	–	–	–
ARLINGTON C.B. ..	70,700	24	–	15	3	–	2	–	–	–	–	–
OCKTON-ON-TEES ..	67,910	30	1	19	–	–	–	–	–	–	–	–
EST HARTLEPOOL C.B.	71,060	29	–	14	2	–	1	–	–	–	–	–
UNDERLAND C.B. ..	163,800	75	–	33	3	–	–	–	–	–	–	2
OUTH SHIELDS C.B. ..	123,900	65	2	21	5	–	–	–	–	1	–	1
ATESHEAD C.B. ..	127,700	46	2	31	4	–	–	–	–	–	–	1
EWCASTLE-ON-TYNE C.B.	284,700*	136	9	89	20	–	–	–	–	–	–	6
YNEMOUTH C.B ..	66,560	19	–	12	2	–	2	–	–	–	–	–
ARLISLE C.B.	56,140*	17	4	17	1	–	–	–	–	–	–	–
EWPORT (MON.) C.B.	96,620	25	2	17	–	–	–	–	–	–	–	–
ARDIFF C.B.	225,600*	62	3	54	6	1	–	–	–	–	2	1
HONDDA	162,500	45	–	28	2		–	–	–	–	–	–
ERTHYR TYDFIL C.B.	80,690	22	2	19	2	–	–	1	–	–	–	–
BERDARE	56,930	9	1	10	2	–	–	–	–	1	–	–
WANSEA C.B.	163,200	59	6	37	4	–	–	–	–	–	–	–
REATER LONDON ..	7,791,310*	2,320	83	1,573	115	3	11	2	–	19	14	24
UTER RING	3,185,910*	906	29	588	39	1	–	2	–	6	1	9
GREAT TOWNS IN OUTER RING	1,947,963*	542	16	336	23	–	–	–	–	2	1	4
EMAINDER OF OUTER RING	1,237,947*	364	13	252	16	1	–	2	–	4	–	5
DINBURGH†	426,100	135	?	105	10	–	–	–	–	–	–	1
LASGOW†	1,049,000	440	?	326	75	1	11	1	2	8	5	–
UBLIN (REGISTRATION AREA)†	421,000	186	?	133	26	1	–	–	–	1	6	4
ELFAST†	415,007	181	?	105	9	–	–	1	–	–	4	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926. eaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents miciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland ring the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available p

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
LONDON‡	4,605,400	1927. Nov. 19	1414	54	985	11·2	2	-	11	-	-	13	13
CALCUTTA AND SUBURBS	1,077,264	Oct. 8	?	?	619‖	29·9	-	1	-	?	?	?	?
BOMBAY§	1,298,708	" 22	503	37	485‖	19·4	2	2	-	-	-	-	14
MADRAS	528,791	" 22	574	23	344‖	•33·8	4	-	-	-	-	-	19
SYDNEY AND SUBURBS	1,038,950	Oct. 31 (31 days)											
BRISBANE (Metropolitan Area).	274,260	Sept. 30 (30 day)											
PERTH (Metropolitan Area).	184,223	Oct. 1	76	?	31	8·8	-	-	-	-	-	-	2
AUCKLAND (Urban Area).	201,220	Sept. 30 (30 days)											
WELLINGTON (Urban Area).	126,310	Sept. 30 (30 days)											
CHRISTCHURCH (Urban Area).	121,780	Sept. 30 (30 days)											
CAPE TOWN	114,846	Oct. 22	61	2	23	10·4	-	-	-	2	1	-	-
JOHANNESBURG	172,718	" 22	83	4	44	13·3	-	-	1	-	-	-	-
DURBAN	54,715	" 22	16	-	9	8·6	1	-	-	-	-	-	-
PARIS	2,871,429	Nov. 10 (10 days)	1154	90	955	12·1	3	-	8	1	4	7	15
ANTWERP	300,103	Oct. 15	80	1	50	8·7	-	-	-	-	1	-	2
AMSTERDAM	731,081	" 22	230	8	101	7·2	-	-	1	-	-	-	-
COPENHAGEN	597,800	Nov. 5	146	2	148	12·9	-	-	3	-	-	4	-
STOCKHOLM	453,332	Oct. 29	88	2	100	11·5	-	-	-	-	-	-	-
GOTHENBURG	231,196	" 29	?	?	27	6·1	1	-	-	-	-	-	-
OSLO	254,055	Nov 12	65	1	45	9·2	-	-	-	-	-	-	-
BERLIN	2,000,000	Oct. 29	356	8	478	12·4	1	?	-	1	-	9	4
BRESLAU	562,000	" 29	117	6	119	11·0	-	?	-	1	3	1	-
COLOGNE	719,000	" 29	171	3	134	9·7	-	?	1	2	1	1	1
DRESDEN	626,000	" 29	107	4	133	11·0	-	?	-	-	-	1	-
FRANKFORT-ON-MAIN..	475,000	" 29	102	4	68	7·4	-	?	-	-	-	-	-
HAMBURG	1,108,000	" 29	229	12	220	10·3	1	?	-	-	1	1	-
LEIPZIG	687,000	" 29	138	6	133	10·1	-	?	-	-	-	-	-
MUNICH	692,000	" 29	137	1	147	11·0	-	?	-	-	-	-	2
VIENNA	1,870,325	April 30 (30 days)											
PRAGUE AND SUBURBS	738,132	April 30 (30 days)											
BUDAPEST	971,169	Oct. 29	296	10	255	13·6	4	-	-	1	-	6	1
WARSAW	1,028,982	Nov. 5	?	11	254	12·9	10	-	-	3	1	2	7
CAIRO	874,300	July 1	821	28	784	46·8	12	-	3	-	?	4	238
		" 8	886	18	970	57·9	13	-	11	-	?	7	290
ALEXANDRIA	501,800	" 1	403	9	328	34·1	2	-	-	-	?	1	60
		" 8	467	6	374	38·9	1	-	-	-	?	2	85
NEW YORK	5,970,920	Nov. 5	?	?	1316	11·5	2	-	-	-	4	15	11
CHICAGO	3,101,000	Oct. 28	1167	40	702	11·8	-	-	2	1	2	8	9
NEW ORLEANS	433,000	Sept. 30 (30 days)	1016	51	617	17·1	2	-	-	-	1	5	14

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo, and to *children under 1 year o* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 11 deaths from Cholera in Calcutta, 1 in Madras, and 1 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 19th November, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	985	76	20	17	27	38	38	53	111	171	210	224
Enteric fever	2	-	-	-	-	-	-	1	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	11	2	6	3	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	13	-	3	4	6	-	-	-	-	-	-	-
Influenza	15	-	-	-	-	-	-	2	2	2	3	6
Erysipelas	3	1	-	-	-	-	-	-	1	-	1	-
Acute Poliomyelitis, Polioencephalitis	2	-	-	-	-	1	1	-	-	-	-	-
Encephalitis lethargica	4	-	-	1	-	1	-	-	-	1	1	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	77	-	-	-	2	15	16	15	13	11	4	1
Nervous system	2	-	-	2	-	-	-	-	-	-	-	-
Intestines and peritoneum	4	-	1	-	-	2	-	-	1	-	-	-
Other forms	1	-	-	-	-	-	1	-	-	-	-	-
Venereal diseases	3	1	-	-	-	-	-	-	1	-	-	1
Cancer	113	-	1	-	-	-	-	5	22	31	33	21
Rheumatic fever	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes	10	-	-	-	-	-	-	1	4	-	4	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	-	-	2	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	43	-	-	-	-	-	-	1	5	7	16	14
Epilepsy	2	-	-	-	-	1	-	-	-	-	1	-
"Convulsions" (not puerperal) ..	2	1	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	34	-	-	-	1	3	2	7	6	11	3	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	3	-	-	-	-	2	1	-	-	-	-	-
Other diseases of heart	180	-	-	-	-	5	5	6	19	38	55	52
Other diseases of circulatory system	67	-	-	-	-	-	-	1	4	8	22	32
Bronchitis	56	5	-	1	-	1	-	-	6	8	11	24
Broncho-pneumonia	21	9	3	-	-	-	-	1	1	1	2	4
Lobar-pneumonia	19	-	-	-	1	-	1	1	5	4	6	1
Pneumonia (type not distinguished)	10	1	-	2	1	1	-	2	-	-	2	1
Other diseases of respiratory system	8	-	-	-	-	-	-	-	1	4	-	3
Diarrhœa and enteritis	17	10	3	1	-	1	-	-	-	-	2	-
Appendicitis, Typhlitis	4	-	-	-	-	1	1	-	1	1	-	-
Hernia, Intestinal obstruction	17	-	-	-	-	-	-	-	2	7	4	4
Cirrhosis of liver	7	-	-	-	-	-	-	-	1	4	1	1
Other diseases of digestive system ..	19	-	-	-	2	-	1	1	3	5	4	3
Acute nephritis	3	-	-	1	-	-	1	-	1	-	-	-
Chronic Bright's disease	41	-	-	-	-	-	2	4	3	13	12	7
Other diseases of genito-urinary system.	18	1	-	-	1	-	-	1	1	5	4	5
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations	8	4	1	-	-	-	-	-	1	-	-	-
Premature birth	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	8	8	-	-	-	-	-	-	-	-	-	-
Old age	34	-	-	-	-	-	-	-	-	-	4	30
Suicide	7	-	-	-	-	1	1	1	1	1	2	-
Burns and Scalds	3	-	-	1	1	-	-	-	-	-	1	-
Drowning	3	-	-	-	-	-	1	-	1	1	-	-
Suffocation in bed	4	4	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	16	-	-	-	8	2	-	-	1	2	2	1
Other deaths by violence	14	1	-	-	-	-	-	-	1	2	3	7
Other specified causes	34	8	1	1	1	1	3	2	2	4	7	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 19th November, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	343	321	3	87	C. 6 D. 1 E. 1 G. 3 M. 14 N. 15
Metropolitan Boroughs:—						
†BATTERSEA ...	–	19	24	–	10	C. 1
†BERMONDSEY ...	–	18	11	–	1	–
†BETHNAL GREEN	–	9	12	–	3	–
†CAMBERWELL ...		16	18	–	5	M. 1 N. 1
†CHELSEA	–	5	4		3	N. 1
†DEPTFORD ...	–	11	10	–	1	G. 1
†FINSBURY ...	–	9	10	–	–	M. 3
†FULHAM	–	6	12	–	5	C. 1 M. 1 N. 1
†GREENWICH ...	–	17	16	–	2	–
†HACKNEY ...	–	36	20	–	1	–
†HAMMERSMITH ...	–	7	5	–	1	G. 1
†HAMPSTEAD ...	–	3	5	–	1	N. 1
†HOLBORN... ...	–	–	2	–	2	N. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	25	13	–	3	G. 1 M. 1 N. 2
†KENSINGTON ...	–	7	9	–	4	–
†LAMBETH ...	–	14	20	–	4	E. 1 M. 2 N. 2
†LEWISHAM ...	–	15	7	1	4	–
†PADDINGTON ...	–	7	5	1	2	–
†POPLAR	–	18	10	–	11	C. 1 M. 1 N. 2
†ST. MARYLEBONE	–	2	2	–	2	M. 2
†ST. PANCRAS ...	–	12	12	–	3	M. 1 N. 1
†SHOREDITCH ...	–	7	13	–	3	M. 1
†SOUTHWARK ...	–	19	20	–	6	C. 2 N. 1
†STEPNEY	–	23	22	1	2	C. 1
†STOKE NEWINGTON	–	3	1	–	–	–
†WANDSWORTH ...		22	31	–	6	D. 1 M. 1 N. 1
†WESTMINSTER, CITY OF		1	2	–	1	N. 1
†WOOLWICH ...		12	5	–	1	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	18	9	-	3	L 1. M. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	-	2	-	-	1	-
†BEDFORD ...	-	3	1	-	-	-
BIGGLESWADE ...	-	1	-	-	-	L. 1
DUNSTABLE ...	-	1	5	-	-	-
KEMPSTON ...	-	-	-	-	-	M. 1
†LUTON	-	5	2	-	1	-
Rural Districts:—						
BEDFORD ...	-	6	-	-	-	
BIGGLESWADE ...	-	-	1	-	1	-
BERKS	-	12	6	4	1	C. 2
†READING C.B. ...	-	8	6	4	-	C. 1
Boroughs and Urban Districts:—						
†NEWBURY ...	-	1	-	-	-	-
WANTAGE ...	-	1	-		-	-
WOKINGHAM ...	-	-	-	-	-	C. 1
Rural Districts:—						
COOKHAM ...	-	1	-	-	-	-
NEWBURY ...	-	-	-	-	1	-
WALLINGFORD ...	-	1	-	-	-	-
BUCKINGHAM ...	-	7	4	1	1	M. 1 N. 1
Boroughs and Urban Districts:—						
BEACONSFIELD ...	-	-	-	1	-	-
BLETCHLEY ...	-	-	1	-	-	-
BUCKINGHAM ...	-	-	-	-	-	N. 1
†CHEPPING WYCOMBE	-	1	-	-	1	M. 1
MARLOW	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	-	2	-	-	-	-
AYLESBURY ...	-	2	-	-	-	-
BUCKINGHAM ...	-	1	-	-	-	-
WYCOMBE ...	-	1	2	-	-	-
CAMBRIDGE ...	-	5	1	-	-	E. 1 G. 1 N. 1
Borough:—						
†CAMBRIDGE ...	-	4	-	-	-	E. 1 N. 1
Rural Districts:—						
CHESTERTON ...	-	1	-	-	-	-
LINTON	-	-	1	-	-	-
NEWMARKET ...	-	-	-	-	-	G. 1
CHESTER ...	-	58	31	-	22	C. 2 G. 1 M. 4 N. 10
†BIRKENHEAD C.B.	-	1	7	-	6	N. 3
†CHESTER C.B. ...	-	2	1	-	-	N. 2
†STOCKPORT C.B.	-	7	4		2	C. 1 M. 2 N. 2
†WALLASEY C.B. ...	-	2	2	-	2	G. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	1	-	-	-	C. 1
ASHTON UPON MERSEY	-	1		-	-	-
†BEBINGTON AND BROMBOROUGH	-	3	3		1	-
BOWDON	-	-	-	-	2	-
BREDBURY AND ROMILEY	-	2	1	-	1	-
†CONGLETON ...	-	1	2	-	-	M. 1 N. 2
†CREWE	-	2	1	-	-	-
†DUKINFIELD ...	-	1	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ELLESMERE PORT AND WHITBY	–	3	–		–	–
HALE	–	1	2	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	–	–	1	–
†HYDE	–	2	–	–	–	M. 1
LYMM	–	5	–	–	–	–
†MACCLESFIELD ...	–	2	–	–	–	N. 1
NANTWICH ...	–	1			–	–
†NORTHWICH ...	–	1	–	–	–	
†RUNCORN... ...	–	2	1	–	1	–
†SALE		2	–	–	–	–
SANDBACH ...	–	–	1	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	–
†WINSFORD ...	–	–	1	–	1	–
YEARDSLEY CUM WHALEY	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW ..	–	–	–	–	1	–
CONGLETON ..	–	–	1	–	–	–
MACCLESFIELD ..	–	–	2	–	–	–
RUNCORN ..	–	3	1	–	2	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	8	–	–	1	–
CORNWALL ...	–	13	3	–	3	G. 1 L. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BODMIN	–	–	–	–	–	L. 1
†CAMBORNE ...	–	–	2	–	–	–
LAUNCESTON ...	–	–	1		1	–
LOSTWITHIEL ...	–	1	–	–	–	–
PAUL	–	4	–	–	–	–
†PENZANCE ..	–	4	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
ST. IVES	–	–	–	–	–	N. 1
TORPOINT ...	–	–	–	–	–	G. 1
TRURO	–	–		–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts:—						
EAST KERRIER ...	–	1	–		–	–
LAUNCESTON ...	–	–	–	–	1	–
STRATTON ...	–	1	–	–	–	–
WEST PENWITH...	–	2	–	–	–	–
CUMBERLAND...	–	6	10	–	2	N. 1
†CARLISLE C.B. ..	–	1	2	–	1	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	*	*	*	*	*	*
EGREMONT ..	–	1	3	–	–	–
†MARYPORT ...	–	–	1	–	–	–
MILLOM	–	–	1	–	–	–
PENRITH	–	–	1	–	–	–
†WHITEHAVEN ...	–	1	1	–	–	–
†WORKINGTON ...	–	–	1	–	–	–
Rural Districts:—						
BOOTLE	–	1	–	–		–
BRAMPTON ...	–	–	–	–	1	–
COCKERMOUTH ...	–	1	–	–	–	N. 1
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	23	40	37	3	20	E. 1 N. 2
†DERBY C.B. ..	–	9	5	1	9	E. 1
Boroughs and Urban Districts:—						
†ALFRETON ..	19	–	2	–	1	–
ASHBOURNE ...	–	1	–	–	–	–
†BUXTON	–	2	–	–	–	–
†CHESTERFIELD ...	–	3	1	–	2	–
CLAY CROSS ...	–	–	1	–	1	–
†GLOSSOP	–	–	1		–	–
†HEANOR	–	1	–	–	–	N. 1
†ILKESTON ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LONG EATON ...	–	–	1	–	–	–
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY	3	–	1	–	–	–
†SWADLINCOTE DISTRICT	–	–	–	–	1	–
Rural Districts:—						
BELPER	–	–	–	1	–	–
BLACKWELL ...	–	4	9	–	1	
CHESTERFIELD ...	1	8	8	1	2	–
CLOWNE	–	3	–	–	–	–
HARTSHORN AND SEALS	–	–	4	–	2	–
HAYFIELD ..	–	1	–	–	–	–
NORTON	–	–	1	–	–	–
REPTON	–	–	1	–	–	–
SHARDLOW ...	–	5	2	–	–	N. 1
DEVON	–	14	17	–	8	E. 1 F. 1 M. 1 N. 4
†PLYMOUTH C.B...		2	13	–	4	M. 1 N. 4
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	–	–	1	–
GREAT TORRINGTON	*	*	*	*	*	*
HONITON... ...	–	–	–	–	–	F. 1
†ILFRACOMBE ...	–	–	1		–	–
OKEHAMPTON ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY ...	–	2	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	4	–	–	–	–
BIDEFORD ...	–	–	–	–	1	–
BROADWOOD WIDGER	–	–	–	–	1	–
CULMSTOCK ...	–	1	–	–	–	–
HONITON... ...	–	–		–	–	E. 1
NEWTON ABBOT...			–	–	–	–
DEVON—*cont.*						
Rural Districts—*cont.*						
PLYMPTON ST. MARY		–	3	–	1	–
ST. THOMAS ...	–	1	–	–	–	–
TORRINGTON ...	*	*	*	*	*	*
DORSET	–	16	1	–	–	–
Boroughs and Urban Districts:—						
†POOLE	–	3	–	–	–	–
†PORTLAND ..	–	1	–	–	–	–
SHAFTESBURY ...	–	1	–	–	–	–
SWANAGE ...	–	2	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
DORCHESTER ...	–	–	1	–	–	–
POOLE	–	2	–	–	–	–
WAREHAM AND PURBECK	–	3	–	–	–	–
WIMBORNE AND CRANBORNE	–	3	–	–	–	–
DURHAM ...	57	59	52	3	83	C. 2 G. 2 M. 6 N. 3
†DARLINGTON C.B.	4	5	–	–	3	N. 1
†GATESHEAD C.B.	4	4	2	–	4	–
†SOUTH SHIELDS C.B	25	8	3	1	16	G. 1
†SUNDERLAND C.B.	–	–	5	–	16	–
†WEST HARTLEPOOL C.B	–	3	7	–	5	N. 2
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	4	–	–	–	1	–
BENFIELDSIDE ...	–	4	3	–	1	–
BILLINGHAM ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BISHOP AUCKLAND	–	–	3	–	–	–
†BLAYDON... ...	–	1	1	–	–	–
†BRANDON AND BYSHOTTLES	–	–	1	–	–	–
†CHESTER LE STREET	7	–	–	–		–
†CONSETT	–	–	4	–	1	–
†CROOK	–	1	–	–	–	–
†HARTLEPOOL ...	–	–	1	–	–	–
†HEBBURN ...	–	3	2	–	1	M. 1
†HETTON	–	2	–	–	1	–
†HOUGHTON LE SPRING	1	–	–	–	1	–
†JARROW	–	–	–	–	16	M. 1
†SEAHAM HARBOUR	–	1	2	–	–	–
†SHILDON	–	2	–	–	–	–
†SOUTHWICK ON WEAR	–	2	–	–	3	–
†SPENNYMOOR ...	1	–	1	–	–	–
†STANLEY	4	1	–	–	–	–
†STOCKTON ON TEES	–	3	3	–	2	M. 2
†TANFIELD ...	–	1	–	–	–	
TOW LAW ...	–	–	–	–	–	M. 1
†WASHINGTON ...	–	1	–	–	–	–
WILLINGTON ...	–	1	1	–	1	–
Rural Districts:—						
AUCKLAND ..	–	5	2	–	–	C. 1
BARNARD CASTLE	–	3	–	–	–	–
CHESTER LE STREET	2	–	–	–	4	M. 1
DURHAM	–	–	–	–	2	C. 1
EASINGTON ...	1	3	3	–	1	G. 1
HOUGHTON LE SPRING	–	1	2	–	1	–
LANCHESTER ...	1	–	5	–	2	–
SEDGEFIELD ...	–	1	–	1	–	–
SOUTH SHIELDS...	3	1	1	–	–	–
SUNDERLAND ...	–	1	–	–	–	–
WEARDALE ...	–	1	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	2	1	1	5	–
Boroughs and Urban Districts:—						
ELY	–	–	–	–	1	–
†WISBECH	–	–	–	–	1	–
Rural District:—						
ELY	–	–	–	–	2	–
NORTH WITCHFORD	–	–	–	1	–	–
WISBECH	–	2	1	–	1	–
ESSEX	–	179	97	9	36	C. 2 G. 1 M. 1 N. 1
†EAST HAM C.B. ...	–	17	15	–	2	–
†SOUTHEND-ON-SEA C.B.	–	7	3	–	3	–
†WEST HAM C.B. ...	–	61	37	2	13	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	6	2	–	3	C. 1 G. 1
BRENTWOOD ...	–	–	1	–	–	–
BURNHAM ON CROUCH	–	4	–	–	–	–
†CHELMSFORD ...	–	11	–	2	–	–
CHINGFORD ...	–	2	2	–	–	–
†CLACTON	–	2	–	–	–	–
†COLCHESTER ...	–	–	–	–	1	–
DAGENHAM ...	–	4	4	–	–	N. 1
†GRAYS THURROCK	–	–	6	–	–	–
HALSTEAD ...	–	1	–	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	9	5	–	4	–
†LEYTON	–	14	5	–	1	–
MALDON	–	1	–	1	–	–
†ROMFORD ...	–	–	3	1	–	–
SHOEBURYNESS ...	–	–	–	–	1	–
TILBURY	–	2	1	1	–	–
†WALTHAMSTOW...	–	23	4	–	3	C. 1 M. 1
†WANSTEAD ...	–	2	–	–	1	–
WITHAM	–	2	–	–	–	–
†WOODFORD ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BILLERICAY ...	-	-	2	-	1	-
BRAINTREE ...	-	1	-	-	1	-
CHELMSFORD ...	-	2	-	-	-	-
LEXDEN AND WINSTREE	-	1	-	-	-	-
MALDON	-	3	-	2	-	-
ONGAR	-	-	1	-	-	-
ORSETT	-		3	-	-	-
ROCHFORD ...	-	-	2	-	1	-
ROMFORD... ...	-	1	-	-	-	-
TENDRING ...	-	1	-	-	-	-
GLOUCESTER ...	3	70	17	-	8	D. 1 F. 1 G. 1 M. 1 N. 3
†BRISTOL C.B. ...	3	46	12	-	4	D. 1 F. 1 G. 1 M. 1 N. 3
†GLOUCESTER C.B.	-	4	1	-	-	-
Boroughs and Urban Districts:—						
CHARLTON KINGS	-	1	-	-	-	-
†CHELTENHAM ...	-	7	2	-	-	-
†KINGSWOOD ...	-	1	-	-	-	-
STROUD	-	-	1	-	-	-
TEWKESBURY ...	-	2	-	-	-	-
Rural Districts:—						
DURSLEY	-	-	-	-	1	-
EAST DEAN AND UNITED PARISHES	-	2	-	-	-	-
MARSTON SICCA...	-	1	-	-	-	-
PEBWORTH ...	-	1	-	-	-	-
STROUD	-	1	1	-	-	-
TEWKESBURY (part)	-	2	-	-	-	-
WARMLEY ...	-	1	-	-	-	-
WEST DEAN ...	-		-	-	3	-
WINCHCOMB(part)	-	1	-	-		-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	-	9	1	-	-	-
Boroughs and Urban Districts:—						
†HEREFORD ...	-	5	-	-	-	-
Rural Districts:—						
BROMYARD ...	-	2	-	-	-	-
HEREFORD ...	-	1	1	-	-	-
ROSS	-	1	-	-	-	-
HERTFORD ...	-	13	7	76	1	D. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	-	1	-	-	-	-
†BARNET	-	-	1	-	-	-
BUSHEY	-	1	-	-	-	-
†CHESHUNT ...	-	1	2	-	-	D. 1
†EAST BARNET VALLEY	-	2	-	-	-	-
GREAT BERKHAMPSTEAD	-	-	1	-	-	-
†HEMEL HEMPSTEAD	-	-	-	49	-	-
†HERTFORD ...	-	-	1	-	-	-
HODDESDON ...	-	-	1		-	-
†ST. ALBANS ...	-	1	-	1	-	-
WARE	-	1	-	-	-	-
†WATFORD ...	-	3	1	-	-	-
Rural Districts:—						
ASHWELL ...	-	2	-	-	-	-
HATFIELD ...	-	1	-	-	-	-
HEMEL HEMPSTEAD	-	-	-	22	-	-
HERTFORD ...	-	-	-	-	1	-
WATFORD ...	-	-	-	4	-	-
HUNTINGDON ...	-	3	-	-	1	-
Boroughs and Urban Districts:—						
OLD FLETTON ...	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON—*cont.*						
Rural Districts:—						
OUNDLE (part) ...	–	–	–	–	1	–
ST. IVES	–	1	–	–	–	
KENT	-	67	65	10	15	C. 3 E. 1 G. 2 M. 1 N. 2
†CANTERBURY C.B.	–	–	5	–	1	C. 1
Boroughs and Urban Districts:—						
†ASHFORD	-	-		-	2	–
†BECKENHAM ...	-	6	8	–	–	-
†BEXLEY	–	–	-	1	–	–
†BROADSTAIRS AND ST. PETER'S	–	2	-	-	1	-
†BROMLEY ...	-	-	1	–	1	C. 1
†CHATHAM ...	–	6	9	–	-	–
†CRAYFORD ...	-	–	1		1	–
†DARTFORD ...	-	2	5	–	–	–
†DEAL	–	–	–	1	–	–
†DOVER	–	4	1	–	–	G. 1
†ERITH	–	4	6	–	3	–
†FOLKESTONE ...	–	2	–	–	–	–
†GILLINGHAM ...	–	4	3	1	–	–
†GRAVESEND ...	-	1	1	–	-	–
HYTHE	–	1	–	–	–	C. 1
LYDD	–	1	-	–	–	–
†MAIDSTONE ...	–	5	1	1	1	–
†MARGATE ...	–	1	–	–	–	–
MILTON REGIS ...	–	–	5	–	–	–
†NORTHFLEET ..	-	3	2	1	–	G. 1
†PENGE	–	–	3	–	–	–
†RAMSGATE ...	–	2	–	–	1	N. 1
†ROCHESTER ...	–	1	2	–	–	N. 1
†ROYAL TUNBRIDGE WELLS	-	1	–	–	2	E. 1
SANDWICH ...	–	–	2	–	-	–
SEVENOAKS ...	–	1	–	–	–	–
SWANSCOMBE ...	–	–	1	–	–	M. 1
TENTERDEN ...	–	2	–	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
WHITSTABLE ...	–	–	6	–	–	–
KENT—*cont.*						
Rural Districts:—						
BROMLEY ...	–	3	–	–	1	–
CRANBROOK ...	–	-	–	1	–	–
EAST ASHFORD ...	–	1	–	–	–	–
EASTRY	–	1	–	–	–	–
FAVERSHAM ..	-	2	–	–	–	–
MAIDSTONE ...	–	–	–	3	–	–
MALLING	–	4	2	1	–	–
STROOD	–	1	–		–	–
TENTERDEN ...	–	3	–	–	1	–
TONBRIDGE ...	-	1	1	–	-	–
LANCASTER ...	23	258	185	6	182	C. 9 D. 2 E. 4 F. 1 G. 6 L. 1 M. 15 N. 14
†BARROW IN FURNESS C.B.	–	3	–	–	–	D. 1 G. 1
†BLACKBURN C.B.	–	3	–	–	2	–
†BLACKPOOL C.B.	–	5	–	–	-	-
†BOLTON C.B. ...	–	8	4	–	1	N. 1
†BOOTLE C.B. ..	–	2	1	1	–	L. 1
†BURNLEY C.B. ...	–	–	1	–	–	–
†BURY C.B. ...	–	1	7	-	1	–
†LIVERPOOL C.B. ..	-	46	40	3	30	C. 4 D. 1 E. 3 G. 2 M. 10 N. 3
†MANCHESTER C.B.	4	52	42	–	61	C. 2 E. 1 M. 3 N. 3
†OLDHAM C.B. ...	–	4	4	–	1	C. 1 G. 1 M. 2
†PRESTON C.B. ...	–	2	9	-	4	N. 2
†ROCHDALE C.B. ...	–	10	4	–	–	–
†ST. HELENS C.B. ..	–	8	3	–	5	N. 3
†SALFORD C.B. ..	-	12	10	–	12	–
†SOUTHPORT C.B.	–	5	4		1	–
†WARRINGTON C.B.	–	1	4	–	4	C. 2
†WIGAN C.B. .	–	1	1		4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts:—						
ADLINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	–	–	4	–
ASPULL	–	1	–	–	–	–
†ATHERTON ...	–	–	1	–	1	G. 2
AUDENSHAW ...	–	1	–	–	–	–
†BACUP	–	2	1	–	1	–
BILLINGE AND WINSTANLEY	–	2	–	–	–	–
BLACKROD ...	*	*	*	*	*	*
BRIERFIELD ...	–	1	–	–	–	–
†CHADDERTON ...	–	–	1	–	–	–
†CHORLEY	–	–	–	–	2	–
CHURCH	–	1	–	–	–	–
CLAYTON LE MOORS	*	*	*	*	*	*
†CLITHEROE ...	–	–	4	–	1	–
†COLNE	11	–	–	–	–	–
†CROMPTON ...	–	1	–	–	–	–
CROSTON	–	1	–	–	–	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	11	7	1	1	–
†FAILSWORTH ...	–	–	1	–	3	–
†FARNWORTH ...	–	2	2	–	–	–
†FLEETWOOD ...	–	4	–	–	–	–
FORMBY	–	2	–	–	–	–
FULWOOD ...	–	–	–	–	–	N. 1
†GREAT CROSBY ...	–	–	2	–	1	–
†GREAT HARWOOD	–	1	–	–	–	–
HEYSHAM ...	–	–	–	–	2	–
†HEYWOOD ...	–	3	–	–	1	–
†HINDLEY... ...	–	2	–	–	5	–
†HORWICH ...	–	1	–	–	–	–
IRLAM	–	1	–	–	–	–
KIRKHAM ...	–	–	–	–	1	–
†LANCASTER ...	–	3	–	–	1	–
†LEIGH	–	–	–	–	1	–
†LITHERLAND ...	–	1	–	–	–	–
†LITTLEBOROUGH	–	–	1	–	–	–
LITTLE HULTON...		–	1	–	–	–
†LYTHAM ST. ANNE'S	–	–	–	–	1	–
†MIDDLETON ...	–	–	–	–	1	–
MILNROW... ...	–	1	–	–	–	–
†MORECAMBE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†NELSON	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	1	–	–	–
ORMSKIRK ...	–	1	–	–	2	N. 1
†OSWALDTWISTLE	–	2	–	–	–	–
†PADIHAM ...	–	–	5	–	1	–
†PRESTWICH ...	–	2	–	–	–	F. 1
†RADCLIFFE ...	–	3	2	–	1	–
RAINFORD ...	–	2	–	–	–	–
†RAMSBOTTOM ...	–	–	–	–	2	–
†RAWTENSTALL ...	–	–	–	1	1	–
†ROYTON	–	–	1	–	1	–
†STRETFORD ...	–	5	–	–	2	–
†SWINTON AND PENDLEBURY	–	3	1	–	1	–
TOTTINGTON ...	–	2	–	–	–	–
TRAWDEN ...	8	1	–	–	–	–
†TURTON	–	–	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	1	–	2	–
†ULVERSTON ...	–	2	1	–	–	–
†WALTON LE DALE	–	–	1	–	1	–
WARDLE	–	3	1	–	–	–
†WATERLOO WITH SEAFORTH	–	2	–	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	–	1	–	–	–
†WIDNES	–	–	5	–	8	–
†WORSLEY... ...	–	3	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	6	1	–	1	–
BURNLEY... ...	–	1	–	–	–	–
BURY	–	1	–	–	–	–
FYLDE	–	8	–	–	–	–
GARSTANG ...	–	1	1	–	–	–
LIMEHURST ...	–	–	1	–	–	–
LUNESDALE ...	–	1	–	–	–	–
PRESTON	–	–	5	–	1	–
SEFTON	–	–		–	1	–
WEST LANCASHIRE	–	–	1	–	–	–
WHISTON... ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	33	31	–	9	D. 1 G. 2 M. 1 N. 1
†LEICESTER C.B. ...	–	24	19	–	5	D. 1 G. 2 M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS .	–	–			1	–
†COALVILLE ...	–	1	8	–	–	
†LOUGHBOROUGH	–	2	1	–		–
OADBY	–	1	–	–		–
THURMASTON ...	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–		–
BARROW UPON SOAR	–	3	–	–	1	
BLABY	–	–	–	–	–	N 1
HINCKLEY ...	–	1	–		1	–
MARKET BOSWORTH	–		2	–		–
MELTON MOWBRAY		1	–			–
LINCOLN (parts of Holland).	–	11	7	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	–	7		–	–
Rural Districts:—						
BOSTON	–	4		–	–	–
CROWLAND ...	–	4		–	–	–
EAST ELLOE ...	–	1	–	–	–	–
SPALDING (part)..	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	4	–	–	–	C. 1
Rural Districts:—						
BOURNE	–	–	–	–	–	C. 1
BRANSTON ...	–	2	–	–	–	–
CLAYPOLE ...	–	1	–	–	–	–
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	8	24	19	–	5	C. 1 G. 1 M. 1 N. 1
†GRIMSBY C.B. ...	–	3	1	–	2	C. 1 G. 1 M. 1
†LINCOLN C.B. ...	8	3	3	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	5		–	–
BRIGG	–	2	–	–	–	–
†CLEETHORPES ...	–	2	2	–	–	N. 1
†GAINSBOROUGH ...	–	–	1	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	8	–		1	–
Rural Districts:—						
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	–	2	7	–	–	–
GRIMSBY... ...	–	1	–		–	–
HORNCASTLE ...	–	3	–	–	–	
MIDDLESEX ...	–	83	82	3	15	–
Boroughs and Urban Districts:—						
†ACTON	–	5	4	–	–	–
†BRENTFORD AND CHISWICK	–	1	1	–	–	–
†EALING	–	1	1	–	1	–
†EDMONTON ...	–	8	7	–	1	–
†ENFIELD	–	3	18	–	1	
FELTHAM ...	–	–	2	–		–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FINCHLEY ...	–	2	3	–	–	–
†HAMPTON ...	–	–	–	1	–	–
†HARROW ON THE HILL	–	2	–	–	–	–
†HENDON	–	5	5	1	–	–
†HESTON AND ISLEWORTH	–	3	–	–	–	–
†HORNSEY... ...	–	3	4	–	–	–
KINGSBURY ...	–	2	–	–	–	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	5	–	–	–	–
†SOUTHGATE ...	–	4	1	–	1	–
SUNBURY ON THAMES	–	1	1	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	16	8	–	4	–
†TWICKENHAM ...	–	2	7	–	1	–
†WEALDSTONE ...	–	–	–	1	2	–
†WEMBLEY ...	–	2	–	–		–
†WILLESDEN ...	–	8	13	–	1	
†WOOD GREEN ...	–	2	2	–	–	–
YIEWSLEY ...	–	2	2	–	–	–
Rural Districts:—						
HENDON	–	3	1	–	–	–
STAINES		2	1	–		–
UXBRIDGE ...	–	–	–	–	3	–
NORFOLK ...	–	34	6	1	6	–
†GREAT YARMOUTH C.B.	–	5	1	–	1	–
†NORWICH C.B. ...	–	19	3	–	1	–
Boroughs and Urban Districts:—						
DISS	–	2	–	–	–	–
THETFORD ..	–	–	–	1	–	–
WALSOKEN ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	1	–
DEPWADE ...	–	2	–	–	2	–
DOWNHAM ...	–	–	1	–		–
ERPINGHAM ...	–	1		–	–	–
FOREHOE... ...	–	2	–	–	1	–
SMALLBURGH ...	–	2	–	–		–
NORTHAMPTON	–	13	8	–	7	M. 1
†NORTHAMPTON C.B.	–	11	2	–	3	M. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	–	–	1	–
IRTHLINGBOROUGH	–	1	–	–	1	–
†KETTERING ..	–	–	1	–	1	–
OUNDLE	–	–	–		1	
†RUSHDEN... ...	–	–	1	–		
Rural Districts:—						
HARDINGSTONE ...	–	1		–	–	–
THRAPSTON (part)	–		1	–		–
TOWCESTER ...	–	–	1	–		–
WELLINGBOROUGH	–	–	2	–	–	–
NORTHUMBERLAND.	9	70	10	5	75	D. 1 M. 2 N. 3
†NEWCASTLE UPON TYNE C.B.	1	33	5	2	46	D. 1 M. 2 N. 1
†TYNEMOUTH C.B.	–	12	4		3	–
Boroughs and Urban Districts:—						
AMBLE	–	–	–	–	2	
†ASHINGTON ...	2	2	–	1	–	–
†BEDLINGTONSHIRE	–	3	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	1	1	–	–	–
†BLYTH	–	–	–	–	2	–
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	–	1	–	–	4	–
MORPETH... ...	2	1	–	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	2	2	–	1	2	–
†WALLSEND ...	–	4		–	8	N. 1
WEETSLADE ...	–	–	–	–	–	N. 1
†WHITLEY AND MONKSEATON	–	1	–	–	2	–
Rural Districts:—						
BELLINGHAM ...	–	3	–	–	–	–
CASTLE WARD ...	–	1	–	–	1	–
GLENDALE ...	*	*	*	*	*	*
HEXHAM	–	–	–	1	1	–
MORPETH ...	2	–	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
ROTHBURY ...	–	2	–	–	–	–
NOTTINGHAM ...	1	32	27	–	5	C. 2 E. 1 G. 1 M. 2 N. 5
†NOTTINGHAM C.B.	–	8	25	–	3	G. 1 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†BEESTON	–	2	1	–	–	N. 1
†CARLTON	–	2	–	–	1	–
EASTWOOD ...	–	1	–	–	–	–
HUTHWAITE ...	–	–	–	–	–	M. 1
†KIRKBY IN ASHFIELD	–	3	–	–	–	–
†MANSFIELD ...	–	–	–	–	–	C. 1 M. 1 N. 1
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANSFIELD WOODHOUSE	–	1	–	–		–
†SUTTON IN ASHFIELD	–	2	–	–	–	N. 1
WARSOP	–	–	–	–	1	–
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP... ...	1	1	–	–	–	–
Rural Districts:—						
BASFORD	–	3	–	–	–	–
BINGHAM... ...	–	–		–	–	C. 1
EAST RETFORD ...	–	–	–	–	–	E. 1
LEAKE	–	1	–	–	–	–
SKEGBY	–	6	–	–	–	–
SOUTHWELL ...	–	–	1	–	–	N. 1
OXFORD	–	12	1	1	1	–
†OXFORD C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	7	–	1	–	–
WOODSTOCK ...	–	–	1	–	–	–
Rural Districts:—						
BANBURY ...	–	3	–	–	–	–
BICESTER... ...	–	–	–	–	1	–
CULHAM	–	1	–	–		–
PETERBOROUGH (Soke of).	–	4	1	–	2	–
Borough:—						
†PETERBOROUGH...	–	4	1	–	2	–
RUTLAND ...	–	1	–	–	–	–
Rural District—						
UPPINGHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puérperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	-	19	4	-	1	E. 1
Boroughs and Urban Districts:—						
BISHOP'S CASTLE	-	1	-	-	-	-
DAWLEY	-	1	-	-	-	-
MARKET DRAYTON	-	2	-	-	-	-
NEWPORT ...	-	1	-	-	-	-
†OAKENGATES ...	-	2	-	-	-	-
OSWESTRY ...	-	-	3	-	-	-
†SHREWSBURY ...	-	3	-	-	-	-
WELLINGTON ...	-	3	-	-	-	-
†WENLOCK ...	-	1	1	-	-	-
Rural Districts:—						
LUDLOW	-	-	-	-	-	E. 1
OSWESTRY ...	-	4	-	-	-	-
SHIFNAL	-	1	-	-	-	-
WELLINGTON ...	-	-	-	-	1	-
SOMERSET ...	-	35	7	-	7	N. 2
†BATH C.B. ...	-	4	3	-	-	-
Boroughs and Urban Districts:—						
CLEVEDON ...	-	5	-	-	-	-
CREWKERNE ...	-	1	-	-	-	-
†FROME	-	2	-	-	1	-
HIGHBRIDGE ...	-	-	-	-	-	N. 1
MIDSOMER NORTON	-	1	-	-	2	-
RADSTOCK ...	-	4	-	-	-	-
†TAUNTON... ...	-	-	-	-	2	-
†WESTON SUPER MARE	-	1	4	-	-	-
Rural Districts:—						
AXBRIDGE ...	-	1	-	-	-	-
BRIDGWATER ...	-	5	-	-	-	-
CLUTTON	-	2	-	-		-
KEYNSHAM ...	-	1	-	-	-	-
LANGPORT ...	-	5	-	-	1	-
WILLITON ...	-	1	-	-	-	-
WINCANTON ...	-	2	-	-	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON.	-	57	34	2	8	D. 1 M. 3 N. 7
†BOURNEMOUTH C.B.	-	5	1	-	-	N. 1
†PORTSMOUTH C.B.	-	22	16	1	-	N. 1
†SOUTHAMPTON C.B.	-	18	5	-	4	M. 2 N. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	-	4	-	-	D. 1 N. 1
†BASINGSTOKE ...	-	1	-	-	-	-
†EASTLEIGH AND BISHOPSTOKE	-		-	-	1	-
FLEET	-	-	-	-	1	-
†WINCHESTER ...	-	1	2	-	-	-
Rural Districts:—						
ALTON	-	-	1	-	-	M. 1 N. 1
ANDOVER... ...	-	1	-	-	-	-
BASINGSTOKE ...	-		-	-	-	N. 1
CHRISTCHURCH ...	-	1	-	-	-	-
FAREHAM ...	-	4	-			-
HARTLEY WINTNEY	-	1	-	1	-	-
HAVANT	-	-	1	-		-
LYMINGTON ...	-	1	-			-
NEW FOREST ...	-	1	2	-	-	-
ROMSEY	-	-	-	-	1	-
SOUTH STONEHAM	-	1	-			-
STOCKBRIDGE ...	-	-	2	-	-	-
WHITCHURCH ...	-	-	-	-	1	-
STAFFORD ...	-	56	38	2	47	C. 1 E. 3 G 1 L. 1 M. 3 N. 3
†BURTON UPON TRENT C.B.	-	2	2	-	2	-
†SMETHWICK C.B.	-	5	5	-	3	C. 1
†STOKE ON TRENT C.B.	-	13	6	-	14	M. 2
†WALSALL C.B. ...	-	3	13	1	4	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio; G, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†WEST BROMWICH C.B.	-	-	-	-	3	N. 1
†WOLVERHAMPTON C.B.	-	6	1	1	-	N. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	*	*	*	*	*	*
†AUDLEY ...	-	2	-	-		-
BIDDULPH	-	-	4	-	1	-
†BILSTON ...	-	-	-	-	5	-
†CANNOCK ...		1	-	-	1	N. 1
†COSELEY ...	-	-	-	-		G. 1
†DARLASTON	-	1		-	2	-
KIDSGROVE	-	1	2	-		
†LEEK ...		2	-		-	-
LICHFIELD	-	3	-	-	-	-
QUARRY BANK	-	-	1	-	-	-
†ROWLEY REGIS ...	-	3	1	-	3	-
RUGELEY...			-		-	E. 1
†SEDGLEY ...	-	1	-	-	-	-
TAMWORTH	-	-	1	-	-	-
†TIPTON ...	-	1	-		5	-
†WEDNESBURY	-	1	-	-	-	-
†WILLENHALL	-	1	-	-		-
Rural Districts:—						
CANNOCK ...	-	1	-	-	-	-
CHEADLE...	-	6	1	-		M. 1
KINGSWINFORD...	-	2			-	-
LEEK ...	-	-	-		1	-
LICHFIELD	-	-	-	-	1	E. 2
SEISDON ...	-	1	1	-	1	L. 1
STONE ...	-	-		-	1	
UTTOXETER ...	*	*	*	*	*	*
SUFFOLK, EAST	-	25	3	4	3	D. 1 G. 1 N. 1
†IPSWICH C.B.	-	4	-	-	-	D. 1 G. 1
Boroughs and Urban Districts:—						
BECCLES ...	-	2	-	-	-	-
†LOWESTOFT	-	11	-	3	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST —*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	-	2	-	-		-
EAST STOW ...	-	-	1	-	-	-
HARTISMERE ...	-	1	-	-	2	-
HOXNE	-	1	-	-	-	-
MUTFORD AND LOTHINGLAND	-	-	-	-	-	N. 1
SAMFORD... ...	-	4	-	-	-	-
WANGFORD ...	-	-	-	-	1	-
WOODBRIDGE ...	-	-	2	1	-	-
SUFFOLK, WEST	-	-	1	-	-	-
Boroughs and Urban Districts:—						
HAVERHILL ...	-	-	1	-	-	-
SURREY	-	51	39	6	18	C. 3 G. 1 M. 2 N. 2
†CROYDON C.B. ...	-	8	15	-	1	-
Boroughs and Urban Districts:—						
†BARNES	-	7	-	-	1	C. 1
†BEDDINGTON AND WALLINGTON	-	-	4	-	-	-
†CARSHALTON ...	-	3	10	-	-	-
†CATERHAM ...	-	1	-	-	-	-
†CHERTSEY	-	1	-	-	1	-
†COULSDON AND PURLEY	-	6	-	1	-	-
†EPSOM	-	-	-	-	2	C. 1
†FARNHAM ...	-	-	-	1	-	-
†FRIMLEY	-	1	-	-	-	-
†GUILDFORD ...	-	2	-	-	-	G. 1
†KINGSTON ON THAMES	-	2	2		-	M. 1
†MERTON AND MORDEN	-	2	-	-	-	M. 1
†MITCHAM... ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RICHMOND ...	–	1	–	–		C. 1
†SURBITON ...	–	–	1	–	3	–
†SUTTON	–	2		–	–	–
†THE MALDENS AND COOMBE	–	1	–	.	4	N. 1
†WALTON UPON THAMES	–	3	–	–	1	–
†WIMBLEDON ...	–	2	2	1	–	–
†WOKING	–	–	–		–	N. 1
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
DORKING... ...	.	1	–	–	–	–
EPSOM	–	3	2	1	–	–
FARNHAM ...	–	2	–	–	–	–
GODSTONE ...	–	–	1	-	1	–
GUILDFORD ...	–	–	.	1	1	–
HAMBLEDON ...	-	–	–	1	-	–
REIGATE	–	3	–	–	3	–
SUSSEX, EAST ...	–	28	7	–	2	E. 1 N. 1
†BRIGHTON C.B. ...	–	5	5	–	–	E. 1 N. 1
†EASTBOURNE C.B.	–	5	–	–	–	–
†HASTINGS C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
EAST GRINSTEAD	*	*	*	*	*	*
HAYWARDS HEATH	–	5	1	–	–	–
†HOVE	–	1	–	–	–	–
NEWHAVEN ...	–	–	1	–	–	–
SEAFORD	–	1	–	–	–	–
Rural Districts:—						
BATTLE	–	3	–	–	–	–
CUCKFIELD ...	-	2	–	–	–	–
RYE	–	1	–	–	–	–
UCKFIELD ...	.	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	–	12	5	1	–	G. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	3	–	–	–	–
†LITTLEHAMPTON	–		2	–	–	–
†WORTHING ...	–	2	3	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...		2	–	–	.	G. 1
WESTHAMPNETT	–	4	–	1	–	–
WARWICK ...	6	81	58	1	52	C. 3 G. 1 M. 6 N. 1
†BIRMINGHAM C.B.	–	39	45	–	39	C. 1 G. 1 M. 6
†COVENTRY C.B. ...	1	14	5	–	3	N. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	1	4	–	–	3	–
†ROYAL LEAMINGTON SPA	–	2	–	1	1	–
†RUGBY	–	–	1	–	–	–
†SUTTON COLDFIELD	–	4	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	–	C. 1
ATHERSTONE ...	–	2	1	–	–	–
COVENTRY ...	3	1	1	–	–	–
FOLESHILL ...	1	7	1	–	–	–
MERIDEN... ...	–	–	–	–	4	C. 1
RUGBY	–	–	2	–	2	–
SOLIHULL ...	–	1	1	–	–	–
SOUTHAM... ...	–	2	–	–	–	–
STRATFORD ON AVON	–	3	–	–	–	–
TAMWORTH (part)	–	–	1	-	–	–
WARWICK ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	2	–	–	–	–
Borough and Urban District:—						
WINDERMERE ...	–	1	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	7	2	–	–	–
Boroughs and Urban Districts:—						
VENTNOR... ...	–	3	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	4	2	–	–	–
WILTS	–	23	6	–	2	C. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	8	–	–	–	–
†SWINDON... ...	–	2	1	–	2	–
WESTBURY ...	–	1	–	–	–	N. 1
Rural Districts:—						
AMESBURY ...	–	2	–	–	–	–
BRADFORD ON AVON	–	2	–	–	–	–
CALNE	–	1	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
HIGHWORTH ...	–	–	–	–	–	M. 1
MELKSHAM ...	–	–	1	–	–	–
MERE	–	–	–	–	–	C. 1
PEWSEY	–	1	–	–	–	–
SALISBURY ...	–	1	4	–	–	–
TISBURY	–	1	–	–	–	–
WILTON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	21	8	–	5	D. 1 M. 2 N. 3
†DUDLEY C.B. ...	–	–	1	–	–	M. 1 N. 1
†WORCESTER C.B.	–	1	–	–	2	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	1	–	–	–
BROMSGROVE ...	–	3	–	–	–	–
†HALESOWEN ...	–	1	1	–	–	–
†KIDDERMINSTER	–	1	1	–	1	D. 1
†LYE AND WOLLESCOTE	–	–	2	–	–	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	2	–	–	–	–
†OLDBURY... ...	–	2	2	–	1	–
†REDDITCH ...	–	3	–	–	–	N. 1
†STOURBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	2	–	–	–	–
MARTLEY... ...	–	–	–	–	1	–
TEWKESBURY (part)	–	2	–	–	–	–
UPTON ON SEVERN	–	2	–	–	–	M. 1 N. 1
YORKS ... ... **(East Riding).**	–	16	42	–	3	N. 2
†KINGSTON UPON HULL C.B.	–	14	24	–	3	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	7	–	–	–
BRIDLINGTON ...	–	–	–	–	–	N. 1
COTTINGHAM ...	–	–	1	–	–	–
FILEY	–	–	3	–	–	–
HESSLE	–	1	–	–	–	–
HORNSEA... ...	–	–	2	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	–	–	–	–	N. 1
SCULCOATES ...	–	1	1	–	–	–
SKIRLAUGH ...	–	–	4	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	6	30	14	–	9	M. 2
†MIDDLESBROUGH C.B	2	4	–	–	4	–
Boroughs and Urban Districts:—						
†ESTON	–	2	2	–	–	–
LOFTUS	–	7	–	–	–	–
†REDCAR	–	2	1	–	1	–
SALTBURN BY THE SEA	–	–	2	–	–	–
†SCARBOROUGH ...	4	2	2	–	1	M. 1
†SKELTON AND BROTTON	–	2	1	–	–	–
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
BEDALE	–	–	–	–	1	M. 1
CROFT	–	1	–	–	1	–
EASINGWOLD ..	–	–	–	–	1	–
GUISBOROUGH ...	–	1	–	–	–	–
LEYBURN... ...	–	1	1	–	–	–
RICHMOND ...	–	1	5	–	–	–
STARTFORTH ...	–	1	–	–	–	–
STOKESLEY ...	–	3	–	–	–	–
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding).	24	242	83	5	131	C. 7 E. 2 F. 1 G. 2 M. 4 N. 10
†BARNSLEY C.B. ...	–	6	4	–	–	N. 1
†BRADFORD C.B. ...	2	16	6	–	21	F. 1 N. 1
†DEWSBURY C.B....	–	3	4	–	–	–
†DONCASTER C.B.	1	–	1	–	1	–
†HALIFAX C.B. ...	–	1	2	–	–	–
†HUDDERSFIELD C.B.	–	4	6	–	2	C. 2 G. 1
†LEEDS C.B. ...	2	18	12	–	21	E. 1 M. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†ROTHERHAM C.B.	–	2	2	–	5	–
†SHEFFIELD C.B....	2	97	15	2	46	C. 3 M. 1
†WAKEFIELD C.B.	–	5	2	1	2	C. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	2	2	1	–	1	N. 1
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	1	–		1	N. 1
†BENTLEY WITH ARKSEY	1	2	5	–	–	–
†BINGLEY	–	–	1	–	2	–
BIRSTAL	–	3	–	1	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CONISBROUGH ...	–	1	1	–	1	–
CUDWORTH ...	–	2	–	–	–	
†DARTON	–	2	–	–	–	–
FARSLEY	–	1	–	–	–	–
FLOCKTON ...	–	1	–	–	–	–
†GOOLE	–	–	1	1	1	N. 1
†HARROGATE ...	–	3	–	–	–	–
HEBDEN BRIDGE	–	3	–	–	–	–
HIPPERHOLME ...	1	–	–	–	–	–
HOLME	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	4	–	–	1	N. 1
ILKLEY	–	2	–	–	–	–
†KEIGHLEY ...	4	–	–	–	–	–
KNARESBOROUGH	–	–	1	–	–	–
†MEXBOROUGH ...	–	3	–	–	2	M. 1
†MORLEY	–	1	1	–	1	–
NEW MILL ...	–	1	–	–	–	–
†NORMANTON ...	–	4	2	–	–	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	2	–	–	1	–
†PONTEFRACT ...	–	–	–	–	2	–
QUEENSBURY ...	5	1	–	–	–	–
RAWDON	–	–	1	–	–	–
†RAWMARSH ...	–	3	–	–	3	–
RIPON	–	2	–	–	–	–
†ROTHWELL ...	–	–	1	–	–	–
SELBY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHELLEY		–	–	–	1	–
†SHIPLEY	–	1				–
SKELMANTHORPE	–	2	–	–	1	–
†SKIPTON	–	1	–	–	1	–
†SPENBOROUGH ...	–	2	–		2	–
†STANLEY	–	1		–	1	–
STOCKSBRIDGE ...	–	–	2		3	–
†TODMORDEN ...	–	–	1	–	–	E. 1
†WATH UPON DEARNE	–	1	–	–		G. 1 N. 1
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–		4	–	–	–
†WORSBOROUGH ...	–	1	–		–	–
Rural Districts:—						
BISHOPTHORPE ...	–	–	3	–		–
DONCASTER ...	–	2	3	–	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	4	–		1	M. 1 N. 1
HUNSLET	–	1	–	–	–	–
KIVETON PARK ...	4	–	–	–	–	–
PONTEFRACT ...	–	3	–	–	–	–
ROTHERHAM ...	–	6	–	–	1	N. 1
SEDBERGH ...	–	1	–	–	–	–
TADCASTER ...	–	3	1	–	1	–
THORNE	–	4	–	–	1	–
WAKEFIELD ...	–	1	–	–	3	–
WHARFEDALE (NORTH)	–	–	–	–	1	–
WORTLEY ...	–	2	–	–		–
YORK, CITY OF ...	–	7	1	–	7	N. 2
†YORK C.B. ...	–	7	1	–	7	N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	2	11	–	1	C. 1 E. 1
Boroughs and Urban Districts:—						
AMLWCH	–	–	5	–	–	–
†HOLYHEAD ...	–	1	–	–	–	
MENAI BRIDGE ...	–	–	–	–	1	E. 1
Rural Districts:—						
AETHWY	–	–	3	–	–	–
TWRCELYN ...	–	–	1	–	–	C. 1
VALLEY	–	1	2	–	–	–
BRECKNOCK ...	6	–	–	–	–	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	6	–	–	–	–	–
CAERNARVON ...	–	3	1	–	2	C. 2 N. 1
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
CAERNARVON ...	–	–	1	–	–	–
CONWAY	–	1	–	–	–	–
†LLANDUDNO ...	–	–	–	–	–	C. 1 N. 1
Rural Districts:—						
CONWAY	–	–	–	–	1	–
GEIRIONYDD ...	–	1	–	–	–	–
GLASLYN	–	–	–	–	–	C. 1
LLEYN	–	–	–	–	1	–
CARDIGAN ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN—*cont.*						
Rural Districts:—						
CARDIGAN ...	–	1	–	–	–	–
CARMARTHEN ...	–	6	4	–	6	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
BURRY PORT ...	–	–	–	–	1	–
CWMAMMAN ...		–	1	–	–	–
†LLANELLY ...	–	1	–	–	1	–
Rural Districts:—						
CARMARTHEN ...	–		–	–	1	–
LLANDILO FAWR	–	3	–	–	3	–
LLANELLY ...	–	2	2	–	–	–
DENBIGH	–	4	3	–	4	M. 1 N. 2
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	–	–	2	–
RUTHIN	–	–	–	–	1	–
†WREXHAM ...	–	1	–	–	1	–
Rural Districts:—						
CHIRK	–	–	1	–	–	–
LLANSILIN ...	–		–	–	–	N. 2
WREXHAM ...	–	3	2	–	–	M. 1
FLINT	–	1	4	–	3	–
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	–	–	–	3	–
MOLD	–	–	1	–	–	–
Rural Districts:—						
HOLYWELL ...	–	1	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	36	52	57	–	43	J. 1 M. 3 N. 4
†CARDIFF C.B. ..	–	6	12	–	8	J. 1 M. 2 N. 2
†MERTHYR TYDFIL C.B.	–	1	3	–	–	–
†SWANSEA C.B. ...	–	4	6	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	2	2	–	–	1	–
†BARRY	–	4	–	–	3	–
†CAERPHILLY ...	–	3	1	–	–	–
†GELLIGAER ...	9	1	1	–	3	–
†GLYNCORWG ...	–	–	2	–	–	–
†MAESTEG... ...	–	3	9	–	–	–
†MOUNTAIN ASH ...	25	5	6	–	2	–
†NEATH	–	5	1	–	2	–
†OGMORE AND GARW	–	–	–	–	1	–
†PENARTH ...	–	2	–	–	2	–
†PONTYPRIDD ..	–	1	–	–	–	N. 1
PORTHCAWL ...	–	1	–	–	2	–
†PORT TALBOT ...	–	9	5	–	1	–
†RHONDDA ...	–	1	6	–	10	–
Rural Districts:—						
CARDIFF	–	1	–	–	–	N. 1
LLANTRISANT AND LLANTWIT-FARDRE	–	1	1	–	3	–
NEATH	–	–	1	–	1	–
PENYBONT ...	–	2		–	–	–
PONTARDAWE ...	–	–	2	–	3	–
SWANSEA... ...	–	–	1	–	–	–
MERIONETH ...	–	1	7	–	–	E. 1
Urban Districts:—						
BARMOUTH ...	–	–	1	–	–	–
DOLGELLEY ...	–	–	1	–	–	–
FFESTINIOG ..	–	1	5	–		E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH ...	24	11	8	–	7	–
†NEWPORT C.B. ..	–	4	1	–	1	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	3	1	–	–	–
†ABERTILLERY ...	–	–	1	–	1	–
†BEDWELLTY ...	6	–		–	–	–
†BLAENAVON ...	1	–	–	–	1	–
†EBBW VALE ...	7	–	1	–	1	–
LLANFRECHFA UPPER	–	–	–	–	1	–
†MYNYDDISLWYN	–	1	1	–	–	–
†NANTYGLO AND BLAINA	7	–	–	–	1	–
PONTYPOOL ...	3	–	–	–	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	–	–	–	1	–
Rural Districts:—						
ABERGAVENNY ...	–	1		–	–	–
MONMOUTH ...	–	2	–	–		–
ST. MELLONS ...	–	–	2	–	–	–
MONTGOMERY...	–	3	–	1	–	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN	–	1	–	–	–	–
WELSHPOOL ...	–	2		1		–
PEMBROKE ...	–	6	–	–	4	C. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
HAVERFORDWEST.		1	–	–	–	–
MILFORD HAVEN	–	1	–	–	–	–
NEYLAND... ...	–	–	–	–	–	C. 1 N. 1
†PEMBROKE ...	–	1	–	–	1	–
TENBY	–		–	–	1	G. 1
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	1	–
ST. DOGMELLS ...	–	2	–	–	1	–
RADNOR	–	–	–	1	4	–
Urban Districts:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
PRESTEIGNE ...	–	–	–	–	1	–
Rural Districts:—						
KNIGHTON ...	–	–	–	–	3	–
RHAYADER ...	–	–	–	1	–	–
Total of Part II. ...	226	1974	1183	146	885	C. 43 D. 9 E. 18 F. 4 G. 27 J. 1 L. 4 M. 66 N. 96

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
CAERNARVON	*	*	*	*	*	*
LITTLEHAMPTON ...	*	*	*	*	*	*
LIVERPOOL		1	1	2	–	G. 1
PLYMOUTH	–	–	–	–	–	L. 1

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
SANDWICH	–	–	2	–	–	–
SOUTHAMPTON ...	–	–	1	–	–	–
PORT OF LONDON ...	–	2	1	3	–	–
Total of Part III. ...	–	3	5	5	–	G. 1 L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	343	321	3	87	C 6 D. 1 E. 1 G. 3 M. 14 N. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	226	1974	1183	146	885	C. 45 D. 9 E. 18 F. 4 G. 27 J. 1 L. 4 M. 66 N. 96
Total of Part III.—Port Sanitary Districts	–	3	5	5	–	G. 1 L. 1
Total (*i.e.*, of returns received), England and Wales ...	226	2320	1509	154	972	C. 49 D. 10 E. 19 F. 4 G. 31 J. 1 L. 5 M. 80 N. 111

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—LONDON and GREAT TOWNS in the GGREGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.
IDON :—													
ATHS (excluding Still-rths)—all ages.	759	773	744	778	762	816	977	904	972	940	903	855	985
ATHS—0 to 1 year ..	55	67	69	75	49	78	70	59	64	55	59	79	76
EAT TOWNS, aggre-te (including Lon-n):—													
E BIRTHS	6,575	6,703	6,193	6,091	5,997	6,352	6,602	6,428	6,203	6,472	6 541	6,123	6.183
LBIRTHS	306	267	268	252	264	264	235	232	260	238	210	249	273
ATHS (excluding Still-rths)—all ages	3,343	3,380	3,346	3,401	3,610	3,571	3,941	3,905	4,021	4,103	3,904	3,864	4,384
ATHS—0 to 1 year ..	344	329	359	361	347	353	368	354	368	398	355	389	427
ERIC FEVER—Cases	36	38	44	34	36	33	25	28	32	28	35	41	25
„ Deaths	—	1	4	5	3	5	3	1	3	3	5	3	7
LL POX—Cases ..	38	19	39	20	18	27	32	34	51	57	55	63	61
„ Deaths ..	—	1	-	—	—	—	—	—	—	—	—	—	—
RLET FEVER—Cases	774	889	977	951	1,176	1,136	1,275	1,439	1,348	1,505	1,217	1,080	1,289
„ Deaths	4	2	6	6	4	2	8	5	2	4	8	6	5
HTHERIA—Cases ..	453	556	693	688	801	742	746	834	938	939	990	820	967
„ Deaths ..	15	22	24	27	33	20	34	32	39	41	34	24	35
ASLES—Deaths ..	16	13	16	13	10	9	14	14	20	25	19	31	50
UENZA—Deaths ..	20	18	21	24	42	34	27	51	63	64	86	47	67

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 19th November, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
OON	53	32	48·7	38·1	3	HUDDERSFIELD	53	27	36·1	36·0	29
REENWICH).						BRADFORD ..	51	28	46·1	34·9	27
HTON ..	54	33	49·9	40·4	13	SHEFFIELD ..	55	34	47·1	39·3	31
SMOUTH ..	55	33	49·7	40·6	28	YORK (MUSEUM)	54	30	46·9	38·1	16
WICH (EATON).	52	31	46·7	36·0	8	HULL (PEARSON PARK).	53	33	46·9	38·3	17
OUTH ..	56	34	51·4	40·7	44	TYNEMOUTH ..	54	32	46·1	40·0	11
TOL (CLIFTON).	53	30	48·0	40·0	30	CARDIFF.. ..	53	32	48·3	39·9	39
HINGHAM (EDGBASTON).	51	30	46·0	39·0	34						
TINGHAM ..	54	29	48·0	38·4	11	EDINBURGH ..	53·0	30·0	45·9	37·7	5
KENHEAD (BIDSTON).	53	35	46 7	41·0	33	GLASGOW ..	51·0	30·0	47·2	37·3	19
CHESTER WHITWORTH PARK).	54	27	48·1	38·4	8	DUBLIN (PHŒNIX PARK).	55·3	25·3	48·4	35·3	30
						(FITZWILLIAM SQUARE†).	§	§	§	§	§
NLEY.. ..	51	24	46·3	34·6	25	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 19th November, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	13	Greatest Declination N.	30·109	42·9	32·4	10·5	37·1	− 6·4	31·5	5·6	12·4	2·9	80	67·1	21·2	50·7	N: NNW.	N:WNW: WSW.	0·6	0·0	0·1	208	− 91	0·00
MONDAY -	14	..	30·016	46·2	35·6	10·6	42·4	− 0·9	37·7	4·7	8·3	1·3	84	59·1	30·0	50·4	WSW: NNW.	NW: WSW.	0·5	0·0	0·0	216	− 81	0·01
TUESDAY -	15	..	29·981	52·0	40·5	11·5	46·2	+ 3·1	41·7	4·5	10·6	2·3	84	63·1	33·3	50·1	SW: WSW.	W: SW	0·3	0·0	0·0	236	− 59	0·01
WEDNESDAY	16	Last Quarter.	30·020	53·0	40·5	12·5	46·5	+ 3·7	43·6	2·9	7·5	0·3	90	64·0	28·2	50·0	SW	SW: SSW.	0·2	0·0	0·0	221	− 74	0·00
THURSDAY -	17	..	29·859	49·1	37·5	11·6	43·2	+ 0·6	39·6	3·6	7·7	0·5	87	70·8	26·5	49·8	SSW: Calm: SSE.	SE: ESE.	1·5	0·0	0·1	206	− 88	0·00
FRIDAY -	18	..	29·515	50·0	39·4	10·6	45·1	+ 2·7	39·9	5·2	10·3	1·5	83	69·7	36·4	49·5	ESE	ESE: E	1·5	0·0	0·2	285	− 8	0·00
SATURDAY -	19	..	29·372	48·0	44·5	3·5	46·0	+ 3·7	44·3	1·7	2·4	1·2	95	49·1	39·6	49·4	E: ENE	E: ESE	3·1	0·0	0·4	328	+ 33	0·09
MEANS -			29·839	48·7	38·6	10·1	43·8	+ 0·9	39·8	4·0	8·5	1·4	86	63·3	30·7	50·0	Variable			..		Sum 1700	Sum − 368	Sum 0·11
No of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY	13	wP till 6½h.; mP till 22h.; then wP.	1·7	9·0	Partially cloudy till 6h.; overcast till 12h.; then variably cloudy. Slight mist and hoar frost in morning and at night. Slight rain 22h. Frozen rain about 10½h.
MONDAY ..	14	wP till 8h.; mP till 20h., then wP.	0·1	8·9	Overcast generally. Slight rain at 6½h.; and 16¾h. till 7h. Frequent damping between 10½h. and 13¼h.
TUESDAY ..	15	wP till 8h.; mP till 22½h., then wP.	0·1	8·9	Overcast generally. Rain about 3h.; and 21¾h. till 23h. Damping 4½h. till 5h.
WEDNESDAY	16	wP.	1·2	8·8	Overcast generally till 15h.; then variably cloudy. Heavy dew at night.
THURSDAY	17	wP.	1·5	8 8	Variably cloudy, becoming overcast by 13h. Thick ground mist 7h. till 9½h. Solar halo 14¼h. till 15½h.
FRIDAY ..	18	wP.	0·3	8·7	Overcast generally. Occasional slight rain between 16½h. and 21h. Damping about 22h.
SATURDAY	19	wP till 3½h.; variably wN and wP till 22h.; then wP.	0·0	8·7	Overcast generally till 20¾h.; then partially cloudy. Damping 1h. till 2h.; and frequently between 6h. and 19¾h. Rain about 4h.; and 16¼h. till 17¼h. Shower at 21½h.
			Sum 4·9	Sum 61·8	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry,

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemomentric records for the 50 years ending 1916,

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and −"*lower*" than the average,

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined,

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative: w. weak; m. moderate; s. strong; v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine each day.

The reading of the barometer increased from 30·08 ins. at the beginning of the week to 30·14 ins. by 10h. on November 13th; decreased generally to 29·33 ins. by 14h. on November 19th; increased and was 29·44 by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION,
LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND LONDON."

SHAW & SONS,
LIMITED.

The recognised Publishers of the prescribed and other necessary Forms and Records for

PUBLIC HEALTH AUTHORITIES.

All Notices and Registers under
NOTIFICATION OF INFECTIOUS DISEASES ACTS.
NOTIFICATION OF BIRTHS ACT.
MILK AND DAIRIES ORDER, 1926.
OPHTHALMIA NEONATORUM, PUERPERAL FEVER AND PUERPERAL PYREXIA REGULATIONS, 1926.

Complete Lists on Application to

SHAW & SONS
LIMITED.

Local Government Printers and Publishers,
FETTER LANE, LONDON, E.C.4.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.
Telegrams:
"Clinician, Wesdo, London."

(64463) Wt. 40—20 1875 11/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 47.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 26TH NOVEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 26TH NOVEMBER, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the forty-seventh week of the year numbered 5,937 and corresponded to an annual rate of 15·8 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,339 and corresponded to an annual rate of 11·6 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·4, 10·3 and 11·7. Infant mortality based on the average weekly number of live births during the last 52 weeks, was 69 against 54, 59 and 65 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,352 live births, corresponding to a rate of 15·3 per 1,000, and 1,023 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 11·6, against 10·2, 9·7 and 11·1 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·7 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 56 as against 40, 53 and 51 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 4,382 to 4,339 and increased in London from 984 to 1,023.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 295 in the Great Towns including 49 in London.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 26th November, 1927.

TOWNS.	ESTIMATED POPULATION, Mid. 1926.	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
107 GREAT TOWNS ..	19,540,143*	5937	295	4339	452	3	39	4	6	32	50	6
LONDON	4,605,400*	1352	49	1023	83	1	9	-	-	8	10	1
TOWNS IN OUTER RING.												
CROYDON C.B. ..	205,900	56	2	38	-	-	-	-	-	1	-	-
WEMBLEDON ..	58,030	14	1	11	1	-	-	-	-	-	-	-
EALING	91,783	16	1	15	-	-	-	-	-	-	-	-
ACTON	63,040	11	-	7	1	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	56,840	10	1	13	-	-	-	-	-	-	-	-
WILLESDEN ..	165,270	28	-	32	3	-	-	-	-	1	-	-
HENDON	62,570*	16	1	9	-	-	-	-	-	-	-	-
HORNSEY	87,230	10	1	20	1	-	-	-	-	-	-	-
WOOD GREEN ..	51,940	10	1	10	2	-	-	-	-	-	-	-
TOTTENHAM ..	151,520	34	2	35	6	-	-	-	-	-	-	-
EDMONTON	71,700	29	2	11	1	-	-	-	-	-	-	-
ENFIELD	63,640	15	3	13	1	-	-	-	-	1	-	-
WEST HAM C.B. ..	315,900	114	4	72	3	-	1	-	1	-	1	-
EAST HAM C.B. ..	146,600	41	5	21	1	-	-	-	-	-	1	-
LEYTON	130,000	22	1	26	4	-	-	-	-	-	-	-
WALTHAMSTOW ..	125,500	32	1	17	-	-	-	-	-	-	-	-
ILFORD	100,500	16	2	19	2	-	-	-	-	-	-	-
GILLINGHAM	47,820*	18	1	16	1	-	-	-	1	-	1	-
CANTERBURY C.B ..	23,470*	3	-	2	-	-	-	-	-	-	-	-
HASTINGS C.B.	61,340	10	-	20	-	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	56,060	11	-	11	-	-	-	-	-	-	-	-
BRIGHTON C.B.	139,500*	51	1	50	3	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	231,500*	65	3	56	9	-	-	-	-	-	-	-
BOURNEMOUTH C.B. ..	90,100	13	-	25	1	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	169,300	53	1	29	4	-	-	-	-	-	-	-
READING C.B	93,090*	32	-	28	1	1	-	-	-	-	-	-
OXFORD C.B.	56,800	13	-	21	-	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,530*	21	1	23	-	-	-	-	-	-	-	-
LUTON	59,240	17	3	19	-	-	-	-	-	-	-	-
CAMBRIDGE	58,820	11	1	10	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	104,300	22	-	25	1	-	-	-	1	-	-	-
IPSWICH C.B.	84,140	24	-	20	1	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,760	14	-	12	-	-	-	-	-	-	-	-
NORWICH C.B.	123,500*	38	2	24	2	-	-	-	-	-	-	-
SWINDON	57,320	17	-	10	-	-	-	-	-	-	-	-
EXETER C.B.	80,340*	17	1	15	1	-	-	1	-	-	-	-
PLYMOUTH C.B. ..	187,300*	86	6	49	9	-	-	-	1	-	-	-
BATH C.B.	69,000	8	3	18	1	-	-	-	-	-	1	-
BRISTOL C.B.	383,300*	117	3	88	14	1	-	-	-	1	-	-
GLOUCESTER C.B. ..	53,050	20	2	12	1	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	275,600	97	7	57	7	-	-	-	-	-	-	-
BURTON-UPON-TRENT C.B.	48,660	16	2	11	1	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	131,000	46	1	38	5	-	1	-	-	-	1	-
WALSALL C.B.	102,100	40	1	19	1	-	-	-	-	-	-	-
WEST BROMWICH C.B.	79,920	33	2	17	1	-	-	-	-	-	-	-
DUDLEY C.B.	58,930	19	1	14	4	-	-	-	-	-	-	-
WORCESTER C.B. ..	50,660	24	-	16	-	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	934,300*	296	19	189	23	-	-	-	-	1	5	-
SMETHWICK C.B. ..	76,940	25	1	13	-	-	-	-	-	-	-	-
COVENTRY C.B. ..	127,800	45	-	30	3	-	-	-	-	-	-	-
LEICESTER C.B ..	241,700	74	6	52	10	-	-	-	-	1	1	-
LINCOLN C.B	65,760*	15	1	17	1	-	-	-	-	-	-	-
GRIMSBY C.B. .. .	88,580	21	1	24	-	-	-	-	-	-	-	-
NOTTINGHAM C.B. .	268,000	81	5	69	7	-	-	-	-	1	2	-
DERBY C.B.	136,600*	43	2	32	1	-	1	-	-	1	-	-
CHESTERFIELD ..	66,650	25	1	12	3	-	-	-	-	1	-	-
STOCKPORT C.B. ..	125,400	33	1	35	5	-	-	-	-	-	-	-
CHESTER C.B.	41,710	9	-	2	1	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	158,000	54	5	31	2	-	-	-	-	2	-	-
WALLASEY C.B. ..	93,050	21	-	14	-	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	862,600	342	12	204	29	-	-	-	1	1	3	-
BOOTLE C.B.	84,580	39	2	13	3	-	-	-	-	1	2	-
ST. HELENS C.B. ..	110,000	37	2	31	7	-	1	-	-	1	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
OUTHPORT C.B. ..	77,970	14	1	15	-	-	-	-	-	-	-	-
VIGAN C.B.	88,620	35	3	21	6	-	-	-	-	-	1	-
VARRINGTON C.B. ..	76,940*	35	-	12	3	-	-	-	-	-	-	-
OLTON C.B.	177,000	32	6	50	3	-	1	1	-	-	-	-
URY C.B.	56,840*	15	2	8	-	-	-	-	-	-	-	-
IANCHESTER C.B. ..	752,000	225	18	216	23	-	14	1	1	3	5	4
ALFORD C.B.	247,400	88	2	58	11	-	-	-	-	1	3	2
SHTON-UNDER-LYNE	51,050	14	-	12	1	-	-	-	-	-	-	-
LDHAM C.B.	143,000	36	4	29	5	-	1	-	-	-	1	-
OCHDALE C.B.	91,510	22	1	23	1	-	-	-	-	-	-	1
URNLEY C.B.	99,600	24	3	16	3	-	-	-	-	-	-	-
LACKBURN C.B. ..	124,400	34	1	29	2	-	-	-	-	-	-	-
RESTON C.B.	124,200	29	-	29	3	-	-	-	-	-	-	2
LACKPOOL C.B. ..	88,640	20	1	22	-	-	1	-	-	-	-	-
ARROW-IN-FURNESS C.B.	70,420	21	1	10	-	-	-	-	-	-	-	1
UDDERSFIELD C.B. ..	111,900	29	1	30	2	-	-	-	-	-	1	-
ALIFAX C.B.	96,130*	25	2	32	6	-	-	-	-	-	-	-
RADFORD C.B. ..	288,700	75	2	72	10	-	-	-	-	1	-	2
EEDS C.B.	473,400	140	12	118	15	-	-	-	-	-	2	4
EWSBURY C.B. ..	53,630	17	1	11	1	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,830	25	1	9	-	-	-	-	-	-	-	1
ARNSLEY C.B. ..	70,760	21	2	18	3	-	-	-	-	-	-	1
HEFFIELD C.B. ..	523,300*	156	6	105	14	-	2	-	-	1	1	1
OTHERHAM C.B. ..	70,080	31	5	10	1	-	-	-	-	-	-	1
ONCASTER C.B. ..	55,700	23	1	15	-	-	-	-	-	-	-	2
ORK C.B.	84,430*	28	2	16	4	-	-	-	-	-	-	-
ULL C.B.	294,600	88	4	62	9	-	-	-	-	-	2	1
IDDLESBROUGH C.B.	133,600	48	2	29	5	-	-	-	-	-	3	4
ARLINGTON C.B. ..	70,700	20	1	14	-	-	-	-	-	-	-	1
OCKTON-ON-TEES ..	67,910	27	-	12	2	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,060	36	2	15	1	-	-	-	-	-	-	-
UNDERLAND C.B. ..	163,800	73	2	41	6	-	-	-	-	2	2	-
OUTH SHIELDS C.B. ..	123,900	52	2	28	6	-	2	-	-	-	-	-
ATESHEAD C.B. ..	127,700	45	2	19	3	-	-	-	-	-	-	-
EWCASTLE-ON-TYNE C.B.	284,700*	115	5	59	8	-	-	-	-	-	1	-
YNEMOUTH C.B ..	66,560	24	-	13	2	-	2	-	-	1	-	-
ARLISLE C.B.	56,140*	17	1	9	3	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,620	29	3	14	1	-	-	-	-	-	-	1
ARDIFF C.B.	225,600*	79	4	35	4	-	-	-	-	-	-	1
HONDDA	162,500	41	6	33	7	-	3	-	-	-	-	-
ERTHYR TYDFIL C.B.	80,690	15	2	15	4	-	-	-	-	-	-	-
BERDARE	56,930	14	-	8	-	-	-	-	-	-	-	-
WANSEA C.B.	163,200	58	4	32	2	-	-	1	-	1	-	-
REATER LONDON ..	7,791,310*	2,173	90	1,639	131	1	10	-	1	14	15	19
UTER RING	3,185,910*	821	41	616	48	-	1	-	1	6	5	9
GREAT TOWNS IN OUTER RING	1,947,963*	474	28	369	26	-	1	-	1	3	2	6
EMAINDER OF OUTER RING	1,237,947*	347	13	247	22	-	-	-	-	3	3	3
DINBURGH†	426,100	148	?	139	23	-	-	1	-	-	1	4
LASGOW†	1,049,000	392	?	363	74	-	25	1	3	4	10	3
UBLIN (REGISTRATION AREA)†	421,000	256	?	115	27	-	3	1	-	-	5	-
ELFAST†	415,007	158	?	109	18	-	-	-	-	2	2	3

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926. eaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents omiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland uring the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
		1927.											
London‡	4,605,400	Nov. 26	1352	49	1023	11·6	1	-	9	-	-	8	10
Calcutta and Suburbs	1,077,264	Oct. 15	?	?	681‖	32·9	?	1	-	?	?	?	?
Bombay§	1,298,708	" 29	432	44	581	23·2	2	2	-	-	-	-	16
Madras	528,791	" 29	548	29	416	40·9	6	1	-	-	1	-	24
Sydney and Suburbs	1,038,950	Oct. 31 (31 days)											
Brisbane (Metropolitan Area).	274,260	Sept. 30 (30 days)											
Perth (Metropolitan Area).	184,223	Oct. 8	75	?	45	12·7	-	-	-	-	-	-	1
Auckland (Urban Area).	201,220	Sept. 30 (30 days)	330	8	158	9·4	-	-	-	-	-	-	-
Wellington (Urban Area).	126,310	Sept. 30 (30 days)	236	6	95	9·0	-	-	1	-	-	2	-
Christchurch (Urban Area).	121,780	Sept. 30 (30 days)	186	8	109	10·7	-	-	1	-	-	-	-
Cape Town	114,846	Oct. 29	59	2	25	11·3	-	-	-	-	2	1	-
Johannesburg	172,718	" 29	91	1	39	11·7	-	-	-	-	1	-	-
Durban	54,715	" 29	41	1	15	14·3	-	-	1	-	-	1	2
Paris	2,871,429	Nov. 20 (10 days)											
Antwerp	300,103	Oct. 22	88	3	43	7·4	-	-	-	-	-	-	-
Amsterdam	731,081	" 29	229	6	131	9·3	-	-	-	-	1	-	-
Copenhagen	597,800	Nov. 12	165	6	122	10·6	-	-	4	-	1	2	-
Stockholm	453,332	" 5	75	4	97	11·1	-	-	-	-	-	-	-
Gothenburg	231,196	" 5	?	?	37	8·3	-	-	-	-	-	-	-
Oslo	254,055	" 19	62	1	52	10·6	-	-	-	-	-	1	-
Berlin	2,000,000	" 5	335	17	425	11·1	-	?	-	-	-	9	4
Breslau	562,000	" 5	138	6	113	10·5	-	?	-	-	-	-	-
Cologne	719,000	" 5	201	5	132	9·5	-	?	1	-	-	1	-
Dresden	626,000	" 5	117	8	119	9·9	-	?	-	-	-	-	2
Frankfort-on-Main..	475,000	" 5	102	5	78	8·5	-	?	-	1	1	-	-
Hamburg	1,108,000	" 5	180	11	191	9·0	1	?	-	-	-	-	-
Leipzig	687,000	" 5	149	3	125	9·5	-	?	-	-	1	1	-
Munich	692,000	" 5	138	4	145	10·9	-	?	-	-	1	-	1
Vienna	1,870,325	April 30 (30 days)	1731	150	2286	14·7	3	?	19	5	4	16	18
Prague and Suburbs	738,132	April 30 (30 days)											
Budapest	971,169	Nov. 5	266	17	201	10·7	5	-	-	-	-	2	4
Warsaw	1,028,982	" 12	395	9	238	12·1	3	-	1	6	5	1	11
Cairo	874,300	July 15	895	28	934	55·7	11	-	7	-	?	7	288
		" 22	865	20	928	55·3	17	-	3	1	?	5	269
Alexandria	501,800	" 15	475	5	352	36·6	4	-	-	-	?	1	61
		" 22	470	12	372	38·7	6	-	-	-	?	-	66
New York	5,970,920	Nov. 12	?	?	1284	11·2	1	-	-	-	4	11	13
Chicago	3,101,000	" 4	1139	32	626	10·5	-	-	-	1	1	17	8
New Orleans	433,000	Oct. 31 (31 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo, and to *children under 1 year o* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 19 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 26th November, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1023	83	16	20	23	31	37	64	113	168	224	244
Enteric fever	1	-	-	-	-		-	1	-	-	-	-
Small-pox	-		-	-	-	-	-	-	-	-	-	-
Measles	9	3	2	4	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	8	1	1	3	3	-	-	-	-	-	-	-
Influenza	10	-	-	-	-	-	-	2	2	2	1	3
Erysipelas	3	2	-	-	-	-	1	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	2	1	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	69	-	-	-	-	18	12	7	17	7	7	1
Nervous system	3	1	-	1	-	1	-	-	-	-	-	-
Intestines and peritoneum	3	-	1	-	1	-	-	-	1	-	-	-
Other forms	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	4	2	-	-	-	-	-	-	2	-	-	-
Cancer	142		-	-	1	-	2	12	22	37	42	26
Rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	7	-	-	-	-	-	2	-	-	5	-	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	-	2	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	44	-	-	-	-	-	-	-	3	9	18	14
Epilepsy	2	-	-	-	-	1	-	1	-	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	35	-	1	1	5	1	3	8	4	6	4	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	3	-	-	-	1	-	-	2	-	-	-	-
Other diseases of heart	169	-	-	-	1	3	2	4	19	29	51	60
Other diseases of circulatory system	74	-	-	-	-	-	-	2	1	11	22	38
Bronchitis	52	2	-	1	1	-	1	1	2	11	14	19
Broncho-pneumonia	35	13	6	2	-	2	-	1	2	4	3	2
Lobar-pneumonia	24	-	1	1	-	1	1	4	3	5	5	3
Pneumonia (type not distinguished)	17	2	1	-	2	1	-	1	1	4	4	1
Other diseases of respiratory system	13	-	-	-	-	1	-	2	3	1	2	4
Diarrhœa and enteritis	14	9	1	1	-	-	-	-	1	-	1	1
Apendicitis, Typhlitis	9	-	-	1	2	1	-	-	1	3	1	-
Hernia, Intestinal obstruction	15	2	-	1	-	-	-	-	1	3	5	3
Cirrhosis of liver	3	-	-	-	-	-	-	-	-	2	1	-
Other diseases of digestive system ..	31	-	-	-	1	-	-	2	7	8	6	7
Acute nephritis	4	-	-	1	-	-	-	2	-	-	-	1
Chronic Bright's disease	40	-	-	1	1	-	3	3	4	7	13	8
Other diseases of genito-urinary system.	14	-	-	-	-	-	-	1	1	3	4	5
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-		-
Other cause incident to childbirth ..	1	-			-	-	1	-	-			
Congenital malformations	4	3	1	-	-	-	-	-	-	-	-	-
Premature birth	26	26			-	-	-	-		-		-
Debility, atrophy (congenital)	5	5			-	-				-		
Old age	38	-	-						-	-	4	34
Suicide	5	-	-	-	-	-	-	1	3	1	-	-
Burns and Scalds	1	-	-	-	-	-	-	-	-	1	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	13	-	-	-	1	1	3	2	2	1	2	1
Other deaths by violence	23	1	-	-	-	-	4	2	1	1	6	8
Other specified causes	42	7	-	-	3	-	1	3	10	7	8	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 26th November, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	343	329	8	116	C. 6 D. 2 E. 2 G. 3 L. 1 M. 14 N. 15
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	12	26	–	7	C. 1 E. 1 M. 1 N. 4
†BERMONDSEY ...	–	22	15	1	3	–
†BETHNAL GREEN	–	10	14	–	1	M. 2
†CAMBERWELL ...	–	16	20	–	8	–
†CHELSEA	–	5	6	–	4	M. 1
†DEPTFORD ...	–	12	10	1	6	N. 1
†FINSBURY ...	–	3	2	–	6	N. 1
†FULHAM	–	15	6	2	6	C. 1 D. 1 E. 1
†GREENWICH ...	–	10	22	–	3	–
†HACKNEY ...	–	33	17	–	5	–
†HAMMERSMITH ...	–	4	7	–	–	L. 1
†HAMPSTEAD ...	–	1	5	–	1	C. 1
†HOLBORN... ...	–	–	–	–	3	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	21	14	–	6	C. 2 G. 1 M. 2 N. 3
†KENSINGTON ...	–	6	5	–	2	N. 1
†LAMBETH ...	–	20	28	2	8	M. 2 N. 1
†LEWISHAM ...	–	14	9	–	3	–
†PADDINGTON ...	–	11	8	–	5	G. 1
†POPLAR	–	18	12	–	4	M. 1
†ST. MARYLEBONE	–	3	8	–	–	N. 1
†ST. PANCRAS ...	–	15	7	1	5	M. 1 N. 2
†SHOREDITCH ...	–	8	6	–	4	C. 1
†SOUTHWARK ...	–	22	12	–	8	D. 1 M. 2
†STEPNEY	–	17	26	–	4	G. 1 M. 1 N. 1
†STOKE NEWINGTON	–	3	4	–	–	–
†WANDSWORTH ...	–	29	25	1	12	–
†WESTMINSTER, CITY OF	–	3	4	–	–	–
†WOOLWICH ...	–	9	11	–	2	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	17	17	2	6	-
Boroughs and Urban Districts:—						
AMPTHILL ...	-	-	1	-	-	-
†BEDFORD ...	-	3	1	1	-	-
DUNSTABLE ..	-	3		-	-	-
KEMPSTON ...	-	1	-	-	-	-
LEIGHTON BUZZARD	-	1			-	-
†LUTON		4	11	-	3	-
SANDY	-	1	-	-		-
Rural Districts:—						
AMPTHILL ...	-	-	-	-	1	-
BEDFORD ...	-	3	-	-	-	-
BIGGLESWADE ...	-	1	1	1	1	-
LUTON	-	-	3		1	-
BERKS	-	9	6	5	1	M. 2
†READING C.B. ...	-	3	5	3	1	-
Rural Districts:—						
ABINGDON ...	-	1	-	-	-	-
BRADFIELD ...	-	-	1	2	-	M. 1
COOKHAM ...	-	2	-	-	-	-
EASTHAMPSTEAD	-	3	-	-	-	-
WOKINGHAM ...	-	-	-	-	-	M. 1
BUCKINGHAM ...	-	9	3	1	2	E. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...	-	-	1	-		-
BUCKINGHAM ...	*	*	*	*	*	*
CHESHAM... ...	-	1	-	-		-
†SLOUGH	-	1	1	1	1	E. 1
†WOLVERTON ...	-	1	-	-		-
Rural Districts:—						
AMERSHAM ...	-	4	-	-	1	-
WING	-	1		-		
WYCOMBE ...	-	1	1	-		-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	-	6	5	-		-
Borough:—						
†CAMBRIDGE ...	-	1	5	-	-	-
Rural Districts:—						
CHESTERTON ...	-	5		-	-	-
CHESTER ...		75	23	-	21	C. 1 E. 1 G. 4 L. 1 M. 2 N. 4
†BIRKENHEAD C.B.	-	4	5	-	6	M. 1
†CHESTER C.B. ...	-	1	-	-	-	C. 1
†STOCKPORT C.B.	-	12	4		2	G. 1
†WALLASEY C.B. ...	-	6	2	-	2	-
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	2		-	-	-
†BEBINGTON AND BROMBOROUGH		2	2		1	-
BREDBURY AND ROMILEY	-	4	5	-	-	-
†CHEADLE AND GATLEY	-	2	-	-	1	-
†CONGLETON ...	-	1	1	-	-	-
†CREWE	-	3	1	-	-	N. 2
†DUKINFIELD ...	-		-	-	1	N. 1
†ELLESMERE PORT AND WHITBY	-	2	1	-	-	-
HALE	-	5	1	-	1	-
HOOLE	-	2	-	-	-	-
†HYDE	-	4	-	-	-	-
LYMM	-	1	-	-	-	-
†MACCLESFIELD ...	-	2	-	-	-	G. 2 L. 1 N. 1
MIDDLEWICH ...	-	1	-	-	-	-
NESTON AND PARKGATE	-	1		-	-	-
†NORTHWICH ...		3	-		-	-
†RUNCORN... ...	-	3	-		-	-
†SALE		1	-	-	-	G. 1
SANDBACH ...	-	1			-	-
†WINSFORD ...	-	-	1	-	3	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	-	1	-	-	1	-
CONGLETON ...	-	2	-	-	-	M. 1
DISLEY	-	1	-	-	1	-
NANTWICH ...	-	1	-	-	-	-
NORTHWICH ...	-	5	-	-	1	-
RUNCORN ...	-	1	-		-	-
WIRRAL	-	1	-	-	1	E. 1
CORNWALL ...	-	12	1	8	1	L. 2 N. 1
Boroughs and Urban Districts:—						
BODMIN	-	-	-	-	-	L. 2
†CAMBORNE ...	-	-	1	1	-	-
†FALMOUTH ...	-	-	-		1	-
FOWEY	-	-	-	1	-	-
LAUNCESTON ...	-	1	-	-	-	-
LISKEARD ...	-	-	-	5	-	-
MADRON	-	2		-	-	-
†PENZANCE ..	-	4	-	-	-	-
PHILLACK ...	-	1	-	-	-	-
ST. JUST	-	1	-		-	-
Rural Districts:—						
EAST KERRIER ...	-	1	-	-	-	-
LISKEARD ...	-	-	-		-	N. 1
ST. AUSTELL ...	-	-	-	1	-	-
WEST PENWITH...	-	2	-	-	-	-
CUMBERLAND...	-	15	12		6	E. 1 G. 1 N. 2
†CARLISLE C.B. ...	-	2	1	-	3	N. 1
Boroughs and Urban Districts:—						
EGREMONT ..	-	-	8	-	-	-
HOLME CULTRAM	-	-	-	-	1	-
†MARYPORT ...	-	-	1	-	-	-
MILLOM	-	-	-	-	-	G. 1
PENRITH	-	2	1	-	-	N. 1
†WHITEHAVEN ...		3	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BRAMPTON ...	-	5	-	-	1	-
CARLISLE ...	-	1	-	-	1	-
COCKERMOUTH ...	-	-	1	-	-	-
PENRITH	-	1	-	-	-	-
WHITEHAVEN ...	-	1	-	-	-	E. 1
DERBY	21	46	24	-	18	N. 4
†DERBY C.B.	-	7	5	-	8	-
Boroughs and Urban Districts:—						
†ALFRETON .	12	-	-	-	-	-
ALVASTON AND BOULTON	*	*	*	*	*	*
†BELPER	3	1	-	-	-	-
†BOLSOVER ...		3		-	-	-
BONSALL... ...	*	*	*	*	*	*
†BUXTON	-	4	-	-		-
†CHESTERFIELD ...	-	-	1		1	-
CLAY CROSS ...	-	1	2		-	N. 1
†GLOSSOP	-	-	-	-		N. 1
†HEANOR	-	3	1	-	-	-
†ILKESTON ...	-	4	-	-	1	-
†LONG EATON ...	-	1	-	-	-	-
NEW MILLS ...	-	2	-	-	-	-
NORTH DARLEY...	-	1	-	-	-	-
†RIPLEY	5	1	-	-	-	N. 1
†SWADLINCOTE DISTRICT	-	1	1		4	-
WIRKSWORTH ...		-	-	-	1	-
Rural Districts:—						
BELPER	1	-	1		1	-
BLACKWELL ...	-	4	-	-	-	N. 1
CHAPEL EN LE FRITH	-	2	-	-	-	-
CHESTERFIELD .	-	3	8	-	1	-
CLOWNE	-	1		-		-
HARTSHORN AND SEALS	-	-	5	-	-	-
REPTON	-	1	-	-	-	-
SHARDLOW ...	-	6	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	-	21	11	1	11	C. 1 G. 1 N. 7
†EXETER C.B. ...	-	2		-	1	N. 2
†PLYMOUTH C.B.	-	2	9	-	2	N. 3
Boroughs and Urban Districts:—						
ASHBURTON ...	-	-	-	-	1	-
†BARNSTAPLE ...	-	1	-		-	-
BRIXHAM... ...	-	-	1	-	-	-
HOLSWORTHY ...	-	-	-	1	-	-
NORTHAM ...	-	1	-	-	-	-
OTTERY ST. MARY	-	-	-	-	-	N. 1
SIDMOUTH ...	-	1	-	-	1	N. 1
†TEIGNMOUTH ...	-	-	-	-	-	G. 1
TIVERTON ...	-	2	-		-	-
†TORQUAY ...	-	1	-	-	1	-
Rural Districts:—						
AXMINSTER ...	-	-	-	-	1	-
BROADWOOD WIDGER	-	-	-	-	2	-
CREDITON ...	*	*	*	*	*	*
HONITON	-	-	-	-	1	-
NEWTON ABBOT...	-	2	-	-	1	-
OKEHAMPTON ...	-	7	-	-	-	-
PLYMPTON ST. MARY		-	1	-	-	-
ST. THOMAS ...	-	2	-	-	-	C. 1
DORSET	-	13	-	1	6	N. 2
Boroughs and Urban Districts:—						
BRIDPORT ...	-	1	-	-	-	-
DORCHESTER ...	-	-	-	-	1	N. 1
†POOLE		4		-	2	-
†PORTLAND	-	1	-	-	-	-
†WEYMOUTH AND MELCOMBE REGIS	-	-	-	-	-	N. 1
Rural Districts:—						
BEAMINSTER ...	-	1	-		-	-
POOLE	-	2	-	-	-	-
STURMINSTER ...	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts—*cont.*						
WAREHAM AND PURBECK	-	-	-	-	1	-
WEYMOUTH ...	-	2	-	1	-	-
WIMBORNE AND CRANBORNE	-	-	-	-	2	-
DURHAM ...	43	63	39	1	90	G. 1 M. 3 N. 4
†DARLINGTON C.B.	4	3	2	-	8	-
†GATESHEAD C.B.	-	5	2	-	-	N. 1
†SOUTH SHIELDS C.B.	14	10	1	-	15	-
†SUNDERLAND C.B.	6	7	3	-	17	M. 2
†WEST HARTLEPOOL C.B	-	5	3		6	-
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	-	2	1	-	-	-
BARNARD CASTLE	-	-	-	-	-	G. 1
BENFIELDSIDE ...	-	-	1	-	4	-
†BISHOP AUCKLAND	-	-	2	-	-	-
†BRANDON AND BYSHOTTLES		1	-	-	-	-
†CHESTER LE STREET	-	1	-	-	-	N. 2
†CONSETT	-	1		-	-	-
†CROOK	-	-	1	-	-	-
†DURHAM	-	-	-	-	1	-
†FELLING	2	-		-	-	-
†HARTLEPOOL ...	-	1		-	-	-
†HEBBURN ..	-		1	-	2	-
†HETTON	-	1	-	-	-	-
†JARROW	1	2	-	-	18	-
LEADGATE ...	-	1	-	-	-	-
†RYTON	-	2	-	-	-	-
†SEAHAM HARBOUR	1		-	-	-	-
†SHILDON	1	1	-	-	-	-
†SOUTHWICK ON WEAR	-	1	-	-	1	-
†SPENNYMOOR ...	4	3	-	-	-	-
†STANLEY	5	1	4	-	1	M. 1

* Returns not received. † Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKTON ON TEES	–	1	2	–	2	–
†TANFIELD ...	–	–		–	1	–
TOW LAW ...	–	–	2	–	–	–
†WHICKHAM ...	–	1	–	–	3	N. 1
WILLINGTON ...	–	–	4	–	–	–
Rural Districts:—						
AUCKLAND ..	–	6	2	–	–	–
BARNARD CASTLE	–	–	1	–		–
CHESTER LE STREET	–	–	–	1	2	–
DURHAM	–	2	–	–	–	–
EASINGTON ..	1	–	1	–	2	–
HOUGHTON LE SPRING	–	–	–	–	5	–
LANCHESTER ...	1		3	–	1	–
SEDGEFIELD ...	–	1	3	–	–	–
SOUTH SHIELDS...	3	3	–	–	–	–
SUNDERLAND ...	–	–	–	–	1	–
WEARDALE ...	–	1	–	–		–
ELY, ISLE OF ...	–	–	1	1	2	M. 2
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	–	–	–	–	1	–
WHITTLESEY ...		–	1	–	–	–
†WISBECH	–	–	–	–	1	M. 2
Rural District:—						
WISBECH	–	–	–	1	–	–
ESSEX	–	140	111	6	44	E. 1 G. 1 M. 6 N. 2
†EAST HAM C.B. ...	–	20	18	–	4	M. 1
†SOUTHEND-ON-SEA C.B.	–	6	4	1	4	M. 1
†WEST HAM C.B. ...	–	39	43	3	15	M. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	1	1	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	1	–	–	–	–
†CHELMSFORD ...	–	5	–	–	–	
CHINGFORD ...	–	1	–	–	–	–
†CLACTON	–	1	–		–	–
†COLCHESTER ...				–	1	E. 1
DAGENHAM ...	–	10	3	–	2	M. 1
†GRAYS THURROCK	–		2	–	–	–
HALSTEAD ...	–	2	–		–	–
†HARWICH ...	–	1	–		–	–
†HORNCHURCH ...	–	4	–	–	–	–
†ILFORD	–	8	4	1	3	N. 1
†LEYTON	–	9	10		3	M. 1
MALDON		1	1		–	–
†ROMFORD ...	–	1	2		–	–
TILBURY	–	–	6		1	–
†WALTHAMSTOW...	–	14	9		5	–
†WANSTEAD ...	–	1	1	–	2	–
WITHAM	–	1	–			–
†WOODFORD ...	–	4	1	–		–
Rural Districts:—						
BILLERICAY ...	–	1	2	–	1	–
BRAINTREE ...	–	3	–	–	1	–
DUNMOW	–	–	–		–	M. 1
EPPING	–	–	1	–	–	–
HALSTEAD ...	–	1	–		–	–
MALDON	–	1	1	–	–	–
ONGAR	–	1	3	–		G. 1
ROCHFORD ...	–	2	–		1	–
ROMFORD... ...	–	1		–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
GLOUCESTER ...	2	68	20	–	22	F. 1 L. 1 M. 1 N. 3
†BRISTOL C.B. ...	2	56	13	–	14	L. 1 M. 1 N. 2
†GLOUCESTER C.B.	–	–	3		1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	1	–	2	–
†MANGOTSFIELD ...	–	2	1	–	–	–
Rural Districts:—						
CHELTENHAM ...	*	*	*	*	*	*
CHIPPING SODBURY	–	1	–	–	–	F. 1
EAST DEAN AND UNITED PARISHES	–	2	–	–	–	N. 1
GLOUCESTER ...	–	1	–	–	–	–
PEBWORTH ...	–	1	–	–	–	–
TETBURY (part)	–	–	1	–	–	–
THORNBURY ...	–	–	–	–	1	–
WEST DEAN ...	–	–	–	–	4	–
WHEATENHURST	–	–	1	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	6	2	–	1	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	1	–	–	–
†HEREFORD ...	–	6	–	–	1	–
ROSS	–	–	1	–	–	–
HERTFORD ...	–	10	5	54	8	–
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	1	–
†BARNET	–	–	–	1	–	–
†CHESHUNT ...	–	–	1			–
†EAST BARNET VALLEY	–	1	–		–	–
GREAT BERKHAMPSTEAD	–	–	–	1	–	–
HARPENDEN ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEMEL HEMPSTEAD	–	–	–	39	–	–
†HERTFORD ...	–	–	1	–	–	–
†HITCHIN	–	–	–	–	1	
†LETCHWORTH ...	–	–	–	–	2	–
ROYSTON	–	1	–	–	–	–
†ST. ALBANS ...	–	–	–	1	2	–
TRING	–	–	–	–	1	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	3	2	1	1	–
Rural Districts:—						
BARNET	–	1	–	–	–	–
HEMEL HEMPSTEAD	–	1	–	7	–	–
HITCHIN	–	1	–	–	–	–
WARE	–	1	–	–		–
WATFORD ...	–	–	–	4	–	–
HUNTINGDON ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	–	–	1	–
ST. IVES	–	1	–	–	–	–
KENT	–	56	62	7	12	G. 1 L. 1 M. 2 N. 1
†CANTERBURY C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–		–
†BECKENHAM ...	–	6	7	–	–	L. 1 M. 1
†BEXLEY	–	1		–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROADSTAIRS AND ST. PETER'S	–	1	1	–	–	–
†BROMLEY ...	–	–		1	1	–
†CHATHAM ...	–	4	10	–	–	–
†CRAYFORD ...	–	–	3	–	–	–
†DARTFORD ...	–	2	9	–	–	N. 1
†DOVER	–	3	1	–	1	–
†ERITH	–	4	3	–	2	–
†FAVERSHAM ...	–	–	1	1	–	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...	–	2	5	1		–
†GRAVESEND ...	–	–	4	–	–	–
LYDD	–	3	–	–	–	–
†MAIDSTONE ...	–	3	–	1	–	–
†MARGATE ...	–	–	1	–	–	–
MILTON REGIS ...	–	–	3	–	1	–
NEW ROMNEY ...	–	–	–	–	1	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	–	–	–	1	–
†ROCHESTER ...	–	2	1	1	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	1	–	–
SANDWICH ...	–	–	–	–	1	–
†SHEERNESS ...	–	–	–	–	–	M. 1
SITTINGBOURNE	–	–	1	–	–	–
SWANSCOMBE ...	–	–	3	–	–	–
TENTERDEN ...	–	1	–	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BRIDGE	–	1	1		–	–
BROMLEY ...	–	–	1	1	–	–
DARTFORD ..	–	–	1	–	–	–
EAST ASHFORD ...	–	2	–	–	–	–
ELHAM	–	1	–	–	–	–
FAVERSHAM ...	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
HOO	–	2	–	–	–	–
MAIDSTONE ...	–	2		–	–	–
MALLING	–	2	2	–	–	–
MILTON	–	1	1	–	–	–
SEVENOAKS ...	–	–	–	–	1	G. 1
STROOD	–	1	–	–	–	–
TENTERDEN ...	–	1	–	–	1	–
TONBRIDGE ...	–	3	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	5	198	195	13	220	C. 3 D. 2 G. 3 L. 1 M. 16 N. 10
†BARROW IN FURNESS C.B.	–	1	1	–	–	–
†BLACKBURN C.B.	–	2	2		7	–
†BLACKPOOL C.B.	–	5	–	1	–	M. 1
†BOLTON C.B. ...	–	5		1	3	–
†BOOTLE C.B. ...	–	2	2	2	1	–
†BURNLEY C.B. ..	–	1	1	–	2	–
†BURY C.B. ...	–	2	12	–	3	C. 1
†LIVERPOOL C.B. ..	–	38	43	3	34	D. 1 G. 1 M. 7
†MANCHESTER C.B.	2	39	58	–	64	C. 1 G. 1 M. 5 N. 4
†OLDHAM C.B. ...	–	5	7	–	4	M. 1
†PRESTON C.B. ..	–	3	7	–	–	–
†ROCHDALE C.B. ...	3	7	2	–	2	
†ST. HELENS C.B. ..	–	4	2	–	6	C. 1
†SALFORD C.B. ...	–	10	9	–	17	D. 1 N. 1
†SOUTHPORT C.B.	–	4	4	–	1	–
†WARRINGTON C.B.	–	–	1	–	7	–
†WIGAN C.B. ..	–	1	2	–	4	N. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ..	–	1	1		–	–
†ASHTON UNDER LYNE	–	2	1	–	1	–
†ATHERTON ...	–	1	1	–	–	–
†BACUP	–		–	–	–	G. 1
BLACKROD ...	–	1	–		–	–
†CHADDERTON ...	–	–	1		1	N. 1
†CHORLEY			1	–	–	–
†COLNE	–	2	1	1	1	–
†CROMPTON ...	–	–	1	–	–	–
†DARWEN	–	–	–	–	4	–
†DENTON	–	1	–	–	–	M. 1
†DROYLSDEN ...	–	–	2	–	–	–
†ECCLES	–	7	6	–	4	–
†FAILSWORTH ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FARNWORTH ...	–	1	1	–	2	–
†FLEETWOOD ...	–	1	–	–	–	–
FORMBY	–	1	–	–	–	–
FULWOOD ...	–	–	–	–	–	N. 1
†GREAT CROSBY ...	–	–	1		–	–
†GREAT HARWOOD	*	*	*	*	*	*
HEYSHAM ...	–	–	–	–	2	–
†HEYWOOD ...	–	1	–	–	1	–
†HINDLEY... ...	–	1	–	–	–	–
†HORWICH ...	–	2	–	–	2	–
†INCE IN MAKERFIELD	–	–	–	–	2	–
KIRKHAM ...	–	–	–	–	1	–
†LANCASTER ...	–	2	–	–	1	–
†LEIGH	–	–	2	–	4	N. 1
†LITHERLAND ...	–	1	1	1	–	–
†LITTLEBOROUGH	–	–	1	–	–	–
†MIDDLETON ...	–	2	–	–	4	–
†MOSSLEY	–	5	–	–	–	–
†NELSON	–	4	–	1	–	–
†NEWTON IN MAKERFIELD	–	1	1	–	–	–
ORMSKIRK ...	–	–	2	–		–
ORRELL	–	–	–	–	2	–
†OSWALDTWISTLE	–	2	–	–	–	M. 1
†PADIHAM ...	–	–	4	–	1	–
PRESCOT	–	2	–	–	–	–
†PRESTWICH ...	–	–	2	–	1	–
†RADCLIFFE ...	–	2	1	–	2	–
†RAWTENSTALL ...	–	1	–	–	1	–
†STRETFORD ...	–	5	–	–	4	–
†SWINTON AND PENDLEBURY	–	4	–	–	–	–
THORNTON CLEVELEYS	–	–	–	–	1	–
TRAWDEN ...	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	1	–
WARDLE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	2	2	3	2	–
WHITEFIELD ...	–	2	–		–	–
†WIDNES	–	1	5	–	11	N. 1
†WORSLEY... ...	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY... ...	–	–	–	–	1	–
BURY	–	1	2	–	2	–
CHORLEY... ...	–	–	–	–	1	–
CLITHEROE ...	–	–	–	–	–	L. 1
FYLDE	–	1	–	–	–	–
PRESTON	–	–	1	–	–	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	3	–	–	1	–
WHISTON... ...	–	1	–	–	–	–
LEICESTER ...	–	43	20	1	9	E. 1 G. 1 N. 1
†LEICESTER C.B. ...	–	30	10	–	4	E. 1 N 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–		3	–	–	–
†HINCKLEY ...	–	2	2	–	–	–
†LOUGHBOROUGH	–	–	2	–	–	–
MELTON MOWBRAY	–	1	–	–	2	G. 1
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	3	–	–	–	–
BILLESDON ...	–	3	–	–	–	–
HINCKLEY ...	–	1	2	–	2	–
LOUGHBOROUGH	–	–	–	–	1	–
MARKET BOSWORTH	–	–	–	1	–	–
MELTON MOWBRAY	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	5	2	–	1	C. 1
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	1	–
†SPALDING ...	–	1	2	–	–	C. 1
Rural Districts:—						
CROWLAND ...	–	1	–	–	–	–
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	1	–
Rural Districts:—						
BRANSTON ...	–	1	–	–	–	–
GRANTHAM ...	–	–	–	–	1	–
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	12	23	9	–	2	C. 1 G. 1 M. 2 N. 1
†GRIMSBY C.B. ...	–	2	1	–	–	M. 1 N. 1
†LINCOLN C.B. ...	12	5	2	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
BRIGG	–	–	1	–	1	–
†CLEETHORPES ...	–	1	–	–	–	–
†GAINSBOROUGH ...	–	–	1	–	–	M. 1
HORNCASTLE ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	5	–	–	–	C. 1
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR	–	2			–	–
GLANFORD BRIGG	–	2	3	–	–	–
GRIMSBY... ...		1	–	–	–	–
HORNCASTLE ...		3	–	–	–	–
ISLE OF AXHOLME	–	–	–		–	G. 1
LOUTH	–	1	–	–	–	
SPILSBY	*	*	*	*	*	*
MIDDLESEX ...	–	103	72	1	26	C. 2 D. 1 G. 2 M. 2 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	11	5	–	–	–
†BRENTFORD AND CHISWICK	–	1	1	–	3	–
†EALING	–	5	–	–	1	C. 1
†EDMONTON ...	–	14	2	–	–	–
†ENFIELD	–	2	10	–	–	G. 1
FELTHAM ...	–	–	1	–	–	–
†FINCHLEY ...	–	1	–	–	1	–
†FRIERN BARNET	–	–	–	–	1	–
†HARROW ON THE HILL	–	–	1	–	1	–
†HENDON	–	5	2	1	–	–
†HESTON AND ISLEWORTH	–	4	1	–	5	C. 1 N. 2
†HORNSEY... ...	–	4	6	–	1	D. 1
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	4	–	–		–
†SOUTHGATE ...	–	4	–	–	1	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	–	2	–	–	–
†TOTTENHAM ...	–	17	6	–	6	G. 1
†TWICKENHAM ...	–	2	12	–	–	–
†WEALDSTONE ...	–	–		–	–	N. 1
†WEMBLEY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WILLESDEN ...	–	8	10	–	3	M. 2 N. 2
†WOOD GREEN ...	–	14	3	–	3	–
YIEWSLEY ...	–	–	–	–	–	N. 1
Rural Districts:—						
HENDON	–	–	2	–	–	–
STAINES	–	2	7	–	–	–
UXBRIDGE ...	–	2	–	–	–	–
NORFOLK ...	–	25	8	4	10	G. 1
†GREAT YARMOUTH C.B	–	3	–	–	3	–
†NORWICH C.B. ...	–	11	–	–	–	G. 1
Boroughs and Urban Districts:—						
CROMER	–	–	2	–	–	–
DISS	–	1	–	–	–	–
†KING'S LYNN ...	–	1	3	–	1	–
SHERINGHAM ...	–	1	–	–	1	–
THETFORD ..	–	–	–	2	–	–
WALSOKEN ...	–	–	–	1	–	–
Rural Districts:—						
BLOFIELD ...	–	1	1	–	–	–
DEPWADE ...	–	2	–	1	1	–
DOCKING	–	1	–	–	1	–
DOWNHAM ...	–	–	2	–	1	–
EAST AND WEST FLEGG	–	1	–	–	–	–
FOREHOE... ...	–	–	–	–	1	–
LODDON AND CLAVERING	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	3	–	–	–	–
SMALLBURGH ...	–	–	–	–	1	–
WAYLAND ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHAMPTON	–	13	4	–	11	C. 1 N. 1
†NORTHAMPTON C.B.	–	8	–	–	7	C. 1
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	–	–	1	–
FINEDON	–	–	–	–	1	–
†KETTERING ...	–	1		–	–	N. 1
†RUSHDEN... ...	–	–	1	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
NORTHAMPTON ...	–	–	–	–	1	–
POTTERSPURY ...	–	1	–	–	–	–
TOWCESTER ...	–	1	3	–	1	–
NORTHUMBERLAND.	33	45	19	3	55	D. 1 E. 1 G. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	28	21	11	1	35	D. 1 M. 2
†TYNEMOUTH C.B	–	6	7	–	4	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	1	–	1	–	G. 1
†BEDLINGTONSHIRE	–	1	–	–	–	–
†BERWICK UPON TWEED	–	1	–	–		–
†BLYTH	1	–	–	–	1	E. 1
†EARSDON	–	1	–	–	1	–
†GOSFORTH ...		2	–	1	1	–
HEXHAM	–	–	–	–	–	M. 1
MORPETH... ...	1	–	–	–	–	–
†NEWBURN ...	–	–	1	–	1	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	2	–	–	9	–
†WHITLEY AND MONKSEATON	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	1	–
CASTLE WARD ...	–	3	–	–	–	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	1	1	–	–	1	–
ROTHBURY ...	–	1		–	–	–
NOTTINGHAM ...	15	25	27	–	16	C. 1 D. 1
†NOTTINGHAM C.B	3	4	23		7	C. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†BEESTON	–	–	–	–	1	–
†CARLTON	11	–	2	–	–	–
†KIRKBY IN ASHFIELD	–	2	–	–	–	–
†MANSFIELD ...	–	1	–	–	1	–
†MANSFIELD WOODHOUSE	–	1	–	–		–
†SUTTON IN ASHFIELD	–	5	–	–	–	–
WARSOP	–	–	1	–	–	–
†WEST BRIDGFORD	–	1	1	–		–
†WORKSOP... ...	1	–	–	–	–	–
Rural Districts:—						
BASFORD	–	2	–		2	–
BINGHAM... ...	–	–	–	–	1	–
EAST RETFORD ...	–	1	–	–	–	–
SKEGBY	–	3	–	–	–	D. 1
SOUTHWELL ..	–	4	–		1	–
WORKSOP... ...	–	1	–	–	2	–
OXFORD	–	4	4	1	1	N. 1
†OXFORD C.B.		–	2		–	N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	2	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
WITNEY	–	–	–	–	1	–
OXFORD—*cont.*						
Rural Districts:—						
BICESTER... ...	–	1	2		–	–
CROWMARSH ...	–	–	–	1	–	–
PETERBOROUGH (Soke of).	–	3	–		2	–
Borough:—						
†PETERBOROUGH..	–	2	–	–	2	–
Rural Districts:—						
BARNACK... ...	–	1	–	–	–	–
RUTLAND ...	–	1		–	1	–
Rural Districts:—						
KETTON	–	1	–	–	–	–
UPPINGHAM ...	–	–	–	–	1	–
SALOP	–	16	7	–	2	M. 1
Boroughs and Urban Districts:—						
CHURCH STRETTON	–	–	1	–	–	–
DAWLEY	–	2	–	–	–	–
LUDLOW	–	–	3	–	–	–
MARKET DRAYTON	–	1	–	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	2	3	–	–	–
†SHREWSBURY ...	–	4		–	–	–
WELLINGTON ...	–	1	–	–	1	M. 1
†WENLOCK ...	–	2	–	–	–	–
Rural Districts:—						
DRAYTON... ...	–	1	–	–	–	–
ELLESMERE ...	–		–	–	1	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	-	33	9	-	5	M. 1 N. 1
†BATH C.B. ...	-	2	2	-	1	M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	1	-	-	-	-
CLEVEDON ...	-	2	-	-		-
CREWKERNE ...	-	1	-	-	-	-
†FROME	-	1	-	-	-	-
MIDSOMER NORTON	-	3	-	-	-	-
SHEPTON MALLET	-	-	-	-	2	-
STREET	-	1	-	-	-	-
WELLINGTON ...	-	4		-	-	-
WELLS	-	1	-	-	-	-
†WESTON SUPER MARE	-	2	6	-	-	-
Rural Districts:—						
AXBRIDGE ...	-	3	-	-	-	-
BATH	-	-	-	-	-	N. 1
BRIDGWATER ...	-	1	1	-	-	-
CHARD	-	2	-	-	-	-
CLUTTON	-	4	-	-	1	-
KEYNSHAM ...	-	2	-	-	-	-
LANGPORT ...	-	-	-	-	1	-
TAUNTON ...	-	1	-	-	-	-
WELLS	-	2	-	-	-	-
SOUTHAMPTON.	-	67	39	3	8	M. 2 N. 4
†BOURNEMOUTH C.B.	-	4	-	-	1	-
†PORTSMOUTH C.B.	-	24	16	-	-	-
†SOUTHAMPTON C.B	-	18	7	1	5	M. 1 N. 3
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	-	8	-	-	M. 1
ALTON	-	-	-	2	-	N. 1
†BASINGSTOKE ...	-	3	-	-	-	-
CHRISTCHURCH ...	-	-	-	-	1	-
†FARNBOROUGH ...	-	1	-	-	-	-
†GOSPORT	-	-	1	-	-	-
HAVANT	-	-	1	-	-	-
PETERSFIELD ...	-	1	-	-	-	-
†WINCHESTER ...	-	-	2	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts:—						
CATHERINGTON ...	-	3	-	-	-	-
FAREHAM ...	-	1	-	-	-	-
HARTLEY WINTNEY	-	-	-	-	1	-
HAVANT	-	1	-	-	-	-
KINGSCLERE ...	-	2	-	-	-	-
NEW FOREST ...	-	6	3	-	-	-
PETERSFIELD ...	-	2	-		-	-
SOUTH STONEHAM	-	1	-	-	-	-
STOCKBRIDGE ...	-	-	1	-	-	-
STAFFORD ...	-	62	40	1	71	C. 2 L. 1 M. 10 N. 5
†BURTON UPON TRENT C.B.	-	2	7	-	-	-
†SMETHWICK C.B.	-	5	1	-	-	-
†STOKE ON TRENT C.B.	-	8	5	-	25	C. 2 M. 6
†WALSALL C.B. ...	-	3	10	-	5	M. 1 N. 1
†WEST BROMWICH C.B.	-	2	-	1	3	-
†WOLVERHAMPTON C.B.	-	6	2	-	3	N. 1
Boroughs and Urban Districts:—						
BIDDULPH ...	-	1	1	-	4	-
†BILSTON	-	1	1	-	7	-
†BRIERLEY HILL...	-	-	1	-	1	-
†BROWNHILLS ...	-	1	1	-	4	-
†CANNOCK	-	-	-	-	2	-
†COSELEY	-	1	-	-		-
†DARLASTON ...	-	1	-	-	2	N. 1
†LEEK	-	3	-	-	-	-
LICHFIELD ...	-	3	1	-	-	-
†NEWCASTLE UNDER LYME	-	-	1	-	-	M. 1
†ROWLEY REGIS ...	-	-	-	-	2	-
†SEDGLEY	-	-	-	-	-	M. 1
†STAFFORD ...	-	3	1	-		N. 1
STONE	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
TAMWORTH ...	–	–	1	–	–	–
†TIPTON	–	1	–	–	2	–
†WEDNESBURY ...	–	3	–	–	–	–
†WILLENHALL ...	–	2	–	–	2	–
†WOLSTANTON UNITED	–	2	–	–	2	M. 1
Rural Districts:—						
BLORE HEATH ...	–	3	–	–	1	–
CANNOCK	–	5	5	–	–	N. 1
KINGSWINFORD ...	–	–	1	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	2	–
SEISDON	–	–	1	–	–	L. 1
STONE	–	3	–	–	–	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL... ...	–	–	–	–	3	–
SUFFOLK, EAST	–	30	6	1	3	G. 1 N. 1
†IPSWICH C.B. ...	–	6	1	–	–	G. 1
Boroughs and Urban Districts:—						
BECCLES	–	4	–	–	–	–
BUNGAY	–	–	1	–	–	–
EYE	–	6	–	–	–	–
†LOWESTOFT ...	–	9	–	1	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	–	–	–	N. 1
EAST STOW ...	–	–	2	–	–	–
HOXNE	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
SAMFORD... ...	–	1	–	–	1	–
WANGFORD ...	–	–	–	–	1	–
WOODBRIDGE ...	–	–	2	–	–	–
SUFFOLK, WEST	–	5	1	–	1	–
Boroughs and Urban Districts:—						
HAVERHILL ...	–	1	1	–	–	–
NEWMARKET ...	–	–		–	1	–
SUDBURY... ...	–	1	–	–	–	–
Rural Districts:—						
CLARE	–	1	–	–	–	–
THINGOE	–	2	–	–	–	–
SURREY	–	43	53	6	14	C. 1 E. 1 M. 3 N. 4
†CROYDON C.B. ...	–	9	18	–	2	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	3		–	–	–
†BEDDINGTON AND WALLINGTON	–	1	8	1	–	–
†CARSHALTON ...	–	3	7	–	2	–
†CATERHAM ...	–	1		–	–	–
†CHERTSEY	–	2	–	–	1	–
†COULSDON AND PURLEY	–	1	–	–	–	–
†EGHAM	–	2	1	–	–	–
†EPSOM		1	–	–	–	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FARNHAM ...	–	–	1	–	–	–
†FRIMLEY	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	–	1	–	–	–
†KINGSTON ON THAMES	–	–	5		2	M. 2
LEATHERHEAD ...	–	–	1	–	1	–
†MERTON AND MORDEN	–	–	–	–	1	–
†MITCHAM... ...	–	4	2	–	–	C. 1 N. 1
†REIGATE		2	–	1	–	–
†RICHMOND ...	–	3	–	–	2	–
†SURBITON ...	–	–	1	–	1	–
†SUTTON	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†THE MALDENS AND COOMBE	–	–	1	–	–	–
†WALTON UPON THAMES	–	–	–	1	–	–
WEYBRIDGE ...	–	–	–		–	N. 1
†WIMBLEDON ..	–	3	1	–	–	–
WINDLESHAM ...	–	–	–	1	–	–
†WOKING		1	2		2	N. 1
Rural Districts:—						
CHERTSEY ...	–	–	–	1	–	–
DORKING... ...		1	–	–	–	–
EPSOM	–	–	3	1		N. 1
GODSTONE ...	–	–	–	–	–	E. 1
GUILDFORD ..	–	2	–	–		–
SUSSEX, EAST ...	–	45	7	1	8	N. 1
†BRIGHTON C.B. ...	–	5	3	1	1	–
†EASTBOURNE C.B.	–	4	–	–	4	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–		–
BURGESS HILL ...	–	–	–	–	1	–
EAST GRINSTEAD	*	*	*	*	*	*
HAYWARDS HEATH	–	19	–	–	–	–
†HOVE	–	–	–	–	1	–
†LEWES		–	–	–	1	–
PORTSLADE BY SEA	–	–	1	–	–	–
SEAFORD	–	–	1	–	–	–
Rural Districts:—						
BATTLE	–	6	–	–	–	–
CHAILEY	–	2	–	–	–	N. 1
CUCKFIELD ...	–	3	1	–	–	–
EASTBOURNE ...	–	–	1	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
HASTINGS ...	–	1	–	–	–	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	2	–	–	–	–
SUSSEX, WEST...	–	13	15	1	1	F. 1 L. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	2	–	–	F. 1
†CHICHESTER ...	–	–	1		–	L. 1
†LITTLEHAMPTON	–	–	4	–	–	–
†WORTHING ...	–	3	7	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–		1	–	–
HORSHAM ...	–	1	–	–	1	–
MIDHURST ...	–	1	–	–	–	–
WESTBOURNE ...	–	–	1	–	–	–
WESTHAMPNETT	–	8	–	–	–	–
WARWICK ...	3	78	71	3	70	C. 2 F. 1 M. 3 N. 4
†BIRMINGHAM C.B.	–	44	53	1	60	C. 1 M. 2 N. 4
†COVENTRY C.B. ...	2	12	8	–	5	C. 1 M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	1	–	2	F. 1
†ROYAL LEAMINGTON SPA	–	1	3	1		–
†STRATFORD ON AVON	–	2	–	–	1	–
†SUTTON COLDFIELD	–	2	–	–		–
Rural Districts:—						
ALCESTER ...	–	1	–	–		–
ATHERSTONE ...	1	2	2	–	1	–
FOLESHILL ...	–	6	3	–	–	–
MERIDEN... ...	–	–	–	–	1	–
RUGBY	–	–	1	–	–	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	–	–	1		–
STRATFORD ON AVON	–	4	–	–	–	–
WARWICK ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	4	–	–	–	–
Borough and Urban District:—						
†KENDAL		1	–	–		–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	13	–	–	2	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	1	–	–	–	–
SANDOWN ...	–	2	–	–	–	–
SHANKLIN ...	–	4	–	–		–
VENTNOR... ...	–	2	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	4	–	–	2	–
WILTS	–	22	–	–	5	M. 1 N. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
†SALISBURY ...	–	4	–	–	–	–
†SWINDON	–	2	–	–	2	N. 1
WESTBURY ...	–	1	–	–	–	–
Rural Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
CHIPPENHAM ..	–	1	–	–	–	–
DEVIZES	–	2	–	–	–	–
HIGHWORTH ...	–	2	–	–	–	–
WILTS—*cont.*						
Rural Districts—*cont.*						
MARLBOROUGH ...	–	–	–	–	3	–
PEWSEY	–	2	–	–	–	M. 1
TISBURY	–	3			–	–
WILTON	–	3	–	–	–	–
WORCESTER ...		20	6	1	13	D. 1 N. 2
†DUDLEY C.B. ..		3	1	–	2	–
†WORCESTER C.B.	–	4	–	1	3	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†HALESOWEN ...		2	–	–	–	–
†KIDDERMINSTER	–	–	1	–	–	–
†LYE AND WOLLESCOTE	–	2	1	–	3	–
†MALVERN ...	–	1	–	–	2	–
†OLDBURY... ...	–	2	3	–	2	N. 1
Rural Districts:—						
BROMSGROVE ...		2	–	–	–	–
DROITWICH ...	–	1	–	–	–	D. 1
FECKENHAM ...		1	–	–	–	–
TENBURY... ...	–	–	–	–	–	N. 1
TEWKESBURY (part)		1		–	–	–
UPTON ON SEVERN	–		–	–	1	–
YORKS ... ... (East Riding).	–	12	22	–	7	D. 1 N. 1
†KINGSTON UPON HULL C.B.	–	11	13	–	6	D. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	4			–
COTTINGHAM ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BEVERLEY ...	-	-	1	-		
HOWDEN	-	-	-	-	1	-
SKIRLAUGH ...	-	-	1			N. 1
YORKS ... ... (North Riding).	5	33	9	3	26	C. 1 M. 1
†MIDDLESBROUGH C.B.	4	4	1	-	16	M. 1
Boroughs and Urban Districts:—						
†ESTON	-	-	-	-	1	-
LOFTUS	-	7	-	-	-	-
MALTON	-	-	-	1	-	-
NORTHALLERTON	-	1	-	-	-	-
†REDCAR	-	1	-	-	3	-
RICHMOND ...	-	-	-	-	2	-
†SCARBOROUGH ...	1	2	3	-	2	-
†SKELTON AND BROTTON	-	1	-	2	-	-
Rural Districts:—						
EASINGWOLD ..	-	-	-	-	2	C. 1
LEYBURN... ...	-	1	-	-	-	-
MALTON	-	3	-	-	-	-
RICHMOND ...	-	1	5	-	-	-
SCARBOROUGH ...	*	*	*	*	*	*
STOKESLEY ...	-	10	-	-	-	-
THIRSK	-	2	-	-	-	-
YORKS ... ... (West Riding).	33	220	84	4	159	C 5 E. 1 F. 1 G. 4 M. 4 N. 5
†BARNSLEY C.B. ..	-	2	2	-	5	C. 1 G. 1
†BRADFORD C.B. ..	8	15	1	-	12	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†DEWSBURY C.B....	-	1	5	-	-	G. 1
†DONCASTER C.B.	1	3	4	-	1	-
†HALIFAX C.B. ...	-	5	4	-	-	-
†HUDDERSFIELD C.B.	-	6	8	1	1	-
†LEEDS C.B. ...	3	17	11	-	34	C. 1 G 1 M. 2 N. 1
†ROTHERHAM C.B.	-	4	2	-	6	-
†SHEFFIELD C.B....	1	77	21	-	62	C. 2 N. 1
†WAKEFIELD C.B.	-	-	1	1	3	N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	5	1		-	N. 1
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BARNOLDSWICK ...	-	1	-	-	-	-
†BATLEY	-	2	-	-	-	-
†BENTLEY WITH ARKSEY	-	2	2	-	-	-
†BINGLEY	-	-	-	-	2	-
BIRSTAL	-	1	-	-	-	-
†BOLTON UPON DEARNE	-	1	-		-	-
†CASTLEFORD ...	-	2	-	-	-	..
†CONISBROUGH ...	-	1	1	-	-	-
CUDWORTH ...	-	2			-	-
DENBY AND CUMBERWORTH	-	-	1	-	-	-
DODWORTH ...	-	1	-		-	-
EARBY	-	1		-	-	-
†ELLAND	-	-	4	-	-	-
FARSLEY	-	4	-	-	-	-
†FEATHERSTONE ...	-	3	-	-	-	-
†HARROGATE ...	-	1	-		1	G. 1
HEBDEN BRIDGE	-	1	-	-	-	-
HECKMONDWIKE	-	1	-	-		-
HIPPERHOLME ...	-	1	-	-	-	-
HONLEY	-	1	-	-	-	-
†HOYLAND NETHER	-	3	-	-	-	-
ILKLEY	-	-		-	1	-
†KEIGHLEY ...	3	7	3	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Kirkburton ...	–	1	–	–	–	–
†Mirfield ...	–		1	–		–
†Morley	–	–	–	–	1	M. 1
†Normanton ..		–	2	–	3	–
Oakworth ...		1	–		–	
†Ossett	*	*	*	*	*	*
Otley	–	1	–	1	5	–
Penistone ...	–	1	–	–	–	–
†Pontefract ...	–	2	1	–	–	–
Queensbury ...	9	–	–	–	–	–
Rawdon		–	1	–	–	–
†Rawmarsh ...		2	–	–	–	–
Ripon	–	1	–	–	–	–
†Rothwell ...	–	–	2	–	–	E. 1
†Saddleworth ...	–	1	–	–	–	–
Shelf	6	–	–	–	–	–
†Shipley	–	3	–	–	–	–
†Sowerby ...	–	1	–	–	–	–
†Spenborough ...		1	1	–	2	–
Springhead ...	–	–	1	–	–	–
†Stanley	–	1	–	–		–
Stocksbridge ...	–	1	–	–	2	–
Tickhill ...	–	–	1	–	–	–
†Wombwell ..	–	–	1	1	1	–
†Worsborough ...	–	2	–	–	–	N. 1
Rural Districts:—						
Bowland ...	–	1	–	–	–	–
Doncaster ..	–	4	1	–	3	–
Great Ouseburn	–	3	–	–	–	–
Hemsworth ...	–	2	–	–	7	F. 1
Hunslet		1	–	–	–	–
Kiveton Park ...	2	1	–	–	–	M. 1
Pateley Bridge	–	1	–	–	–	–
Pontefract ...	–	1	–	–	–	–
Rotherham ..	–	5	–	–	4	–
Sedbergh ...	–	2	–	–		–
Tadcaster ...	–	1	1	–	–	–
Thorne		4	–	–	–	–
Wharfedale (North)	–	–	–	–	1	–
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
Wharfedale (South)	–	1	–	–	2	–
Wortley ...	–	3	–	–	–	–
YORK, CITY OF ...		6	–	–	2	G. 2 M. 1
†York C.B. ...	–	6	–	–	2	G. 2 M. 1
WALES.						
ANGLESEY ...	–	–	10	–	–	–
Boroughs and Urban Districts:—						
†Holyhead ...	–	–	1	–	–	–
Menai Bridge ...	–		1		–	–
Rural Districts:—						
Aethwy	–	–	4	–	–	–
Dwyran	–	–	2	–	–	–
Twrcelyn ...	–	–	1	–	–	–
Valley		–	1	–	–	–
BRECKNOCK ...	2	–	–		1	–
Boroughs and Urban Districts:—						
Brynmawr ...	2		–	–	–	–
Rural Districts:—						
Ystradgynlais		–	–		1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON ...	–	3	1	–	2	M. 1
Boroughs and Urban Districts:—						
†BANGOR	–	–	1	–	–	–
BETHESDA ...	–	–	–	–	1	–
CONWAY	–	–	–	–	1	–
PENMAENMAWR...	–	2	–	–	–	–
PWLLHELI ...	–	–	–	–	–	M. 1
Rural Districts:—						
LLEYN	–	1	–	–	–	–
CARDIGAN ...	–	–	3	–	–	–
Rural Districts:—						
CARDIGAN ...	–	–	3	–	–	–
CARMARTHEN...	–	7	1	–	8	–
Boroughs and Urban Districts:—						
KIDWELLY ...	–	2	–	–	1	–
†LLANELLY ...	–	2	1	–	5	–
Rural Districts:—						
CARMARTHEN ...	–	2	–	–	–	–
LLANDILO FAWR	–	–	–	–	1	–
LLANELLY ...	–	1	–	–	1	–
DENBIGH	–	10	3	–	1	L. 6 N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	1	–	–	–	–
DENBIGH ...	–	–	–	–	1	L. 6
†WREXHAM ...	–	4	1	–	–	–
Rural Districts:—						
LLANSILIN ...	*	*	*	*	*	*
WREXHAM ...	–	5	2	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	4	2	–	4	–
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	–	–	–	2	–
HOLYWELL ...	–	–	–	–	1	–
MOLD	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
HOLYWELL ...	–	2	1	–	–	–
OVERTON... ...	–	–		–	1	–
GLAMORGAN ...	20	50	59	2	29	L. 1 M. 1 N. 4
†CARDIFF C.B. ..	–	5	9	–	5	M. 1
†MERTHYR TYDFIL C.B.	–	2	6	–	–	N. 2
†SWANSEA C.B. ...	–	7	8	1	1	–
Boroughs and Urban Districts:—						
†ABERDARE ..	1	3	–	–	2	–
†BARRY	–	–	1	–	–	L. 1
†CAERPHILLY ...	–	1	2	–		
†GELLIGAER ...	7	4	1	–	2	N. 1
†MAESTEG... ...	–	1	12	–	2	–
†MOUNTAIN ASH ..	9	2	6	–	–	–
†NEATH	–	1	2	–	4	–
†OGMORE AND GARW	–	5	1	–	–	N. 1
†PENARTH ...	–	1	–	–	1	–
†PONTYPRIDD ...	3	1	–	–	–	–
†PORT TALBOT ...	–	4	2	–	–	–
†RHONDDA ...	–	4	6	–	7	–
Rural Districts:—						
CARDIFF	–	1	–	–	–	–
COWBRIDGE ...	–	3	–	–	4	–
LLANTRISANT AND LLANTWITFARDRE	–	–	2	–	–	–
NEATH	–	3	1	1	1	–
PENYBONT ...	–	1	–	–	–	–
SWANSEA... ..	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum -

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MERIONETH ...	–	1	13	–	–	–
Urban Districts:—						
BARMOUTH ...	–	1	–	–	–	–
DOLGELLEY ...	–	–	3	–	–	–
FFESTINIOG ...	–	–	8	–	–	–
Rural Districts:—						
EDEIRNION ...	–	–	2	–	–	–
MONMOUTH ...	39	11	7	–	8	N. 1
†NEWPORT C.B. ...	–	3	–	–	5	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	5	1	–	–	–	–
†ABERTILLERY ...	–	–	2	–	–	–
BEDWAS AND MACHEN	–	–	–	–	1	N. 1
†BEDWELLTY ...	6	2	2	–	–	–
†BLAENAVON ...	–	–	1	–	–	–
CHEPSTOW ...	–	1	–	–	–	–
†EBBW VALE ...	16	–	–		–	–
LLANTARNAM ...		2	–	–	1	–
†NANTYGLO AND BLAINA	5		1		1	–
†PANTEG	–	1		–	–	–
PONTYPOOL ...	7	–	–	–	–	–
†RISCA	*	*	*	*	*	*
†TREDEGAR ...	–	1	1	–	–	–
Rural Districts:—						
ST. MELLONS ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONTGOMERY...	–	6	–	–	1	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN	–	3	–	–	–	–
WELSHPOOL ...	–	3	–	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
PEMBROKE ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST.	–	2	–	–	–	–
RADNOR	–	1	1	–	–	–
Urban Districts:—						
PRESTEIGNE ...	–	–	1	–	–	–
Rural Districts:—						
RHAYADER ...	–	1	–	–	–	–
Total of Part II. ...	233	1874	1171	136	1058	C. 22 D. 7 E 8 F. 4 G. 25 L. 15 M. 70 N. 85

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
COWES	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	–	1	–
LIVERPOOL	–	1	–	–	–	–	**Total of Part III.** ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ,

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡)
Total of Part I.—London	–	343	329	8	116	C. D. E. G. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	233	1874	1171	136	1058	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	–	1	–	–	1	
Total (*i.e.*, of returns received), England and Wales ...	233	2218	1500	144	1175	C. D. E. F. G. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyre

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—LONDON and GREAT TOWNS in the GGREGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.
DON :—													
THS (excluding Still-ths)—all ages.	773	744	778	762	816	977	904	972	940	903	855	984	1,023
THS—0 to 1 year ..	67	69	75	49	78	70	59	64	55	59	79	76	83
AT TOWNS, aggre-te (including Lon-n):—													
BIRTHS	6,703	6,193	6,091	5,997	6,352	6,602	6,428	6,203	6,472	6 541	6,123	6,183	5,937
LBIRTHS	267	268	252	264	264	235	232	260	238	210	249	273	295
THS (excluding Still-ths)—all ages	3,380	3,346	3,401	3,610	3,571	3,941	3,905	4,021	4,103	3,904	3,864	4,382	4,3 9
THS—0 to 1 year ..	329	359	361	347	353	368	354	368	398	355	389	427	452
ERIC FEVER—Cases	38	44	34	36	35	25	28	32	28	35	41	25	33
" Deaths	1	4	5	3	5	3	1	3	2	5	3	7	3
LL POX—Cases ..	19	39	20	18	27	32	34	51	57	55	63	61	94
" Deaths ..	1	—	—	—	—	—	—	—	—	—	—	—	—
RLET FEVER—Cases	889	977	951	1,176	1,136	1,275	1,439	1,348	1,505	1,217	1,080	1,289	1,216
" Deaths	2	6	6	4	2	8	5	2	4	8	6	5	4
ITHERIA—Cases ..	556	693	688	801	742	746	834	938	939	990	820	967	991
" Deaths ..	22	24	27	33	20	34	32	39	41	34	24	35	32
SLES—Deaths ..	13	16	13	10	9	14	14	20	25	19	31	50	39
UENZA—Deaths ..	18	21	24	42	34	27	51	63	64	86	47	68	66

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 26th November, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ON (REENWICH).	53	29	48·1	37·0	18
HTON ..	55	33	? 51·3	39·7	19
SMOUTH ..	54	38	51·7	41·5	16
VICH (EATON)	50	31	47·1	37·0	23
OUTH ..	55	36	52·7	46·4	21
OL (CLIFTON).	52	36	48·7	40·9	11
INGHAM (DGBASTON).	50	37	45·1	38·7	19
INGHAM ..	52	34	47·7	37·7	18
ENHEAD (BIDSTON).	52	38	46·0	40·7	11
DHESTER WHITWORTH PARK).	51	39	? 49·3	40·1	7
LEY	49	33	46·6	38·3	11

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	51	36	45·6	38·1	27
BRADFORD ..	48	36	45·7	38·3	19
SHEFFIELD ..	51	36	46·0	38·7	27
YORK (MUSEUM)	51	36	46·7	38·7	12
HULL (PEARSON PARK).	50	36	45·9	39·3	12
TYNEMOUTH ..	51	40	46·6	41·3	8
CARDIFF	52	37	47·7	40·4	15
EDINBURGH ..	52·0	38·0	46·7	40·7	5
GLASGOW ..	51·1	29·2	47·3	41·5	18
DUBLIN (PHŒNIX PARK).	54·0	28 0	50·0	38·3	21
(FITZWILLIAM SQUARE).	54·3	34·1	50·4	41·0	12
BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 26th November, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - 20	In Equator	29·355	47·1	41·1	6·0	44·1	+ 1·9	43·3	0·8	5·1	0·6	97	50·9	32·4	49·6	E : ENE	ENE	10·2	0·0	1·2	461	+ 165	0·55
MONDAY - 21	Apogee	29·434	46·9	42·9	4·0	45·1	+ 3·0	43·9	1·2	2·9	0·0	95	47·0	41·3	49·3	ENE	ENE : Calm : SE.	5·6	0·0	0·6	354	+ 58	0·05
TUESDAY - 22	..	29·721	47·2	37·8	9·4	43·6	+ 1·5	43·0	0·6	2·9	0·0	97	54·5	28·1	49·2	SE : Calm.	ENE	0·5	0·0	0·0	182	- 118	0·00
WEDNESDAY 23	..	29·744	48·6	35·7	12·9	38·6	- 3·4	37·8	0·8	3·9	0·8	97	41·9	36·1	49·0	NE : Calm.	Calm : S.	1·2	0·0	0·1	174	- 130	0·00
THURSDAY - 24	New	29·766	53·4	42·5	10·9	48·7	+ 6·7	46·4	2·3	6·8	1·4	92	58·0	34·7	49·1	S	NNW : NW : W.	3·3	0·0	0·3	316	+ 8	0·10
FRIDAY - 25	..	30·285	47·9	35·0	12·9	41·1	- 0·8	38·8	2·3	8·5	0·5	91	57·6	25·7	49·0	SW	SW : SSW.	0·3	0·0	0·0	211	- 102	0·00
SATURDAY - 26	..	30·287	44·0	28·8	15·2	36·8	- 5·0	36·5	0·3	3·1	0·0	99	51·0	21·0	48·9	Calm	Calm	0·2	0·0	0·0	80	- 237	0·00
MEANS -		29·799	47·9	37·7	10·2	42·6	- 0·6	41·4	1·2	4·7	0·5	95	51·6	31·3	49·2	Variable		..	..	.	Sum 1778	Sum - 356	Sum 0·65
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY	20	wP till 14h.; then variably wN and wP.	0·0	8·6	Partially cloudy becoming overcast by 5h. Mist 7h. till 12h. Brisk wind 10h. till 11h.; and from 14h. Rain 14½h. till 22½h.
MONDAY ..	21	wP till 19½h.; wN till 20½h., then wP.	0·0	8·6	Overcast. Brisk wind till 5h. Occasional slight rain 11¾h. till 21h.
TUESDAY ..	22	wP.	0·0	8·5	Overcast generally. Heavy dew in morning. Fog 6h. till 13h.
WEDNESDAY	23	wP till 3¾h.; loss of register till 10h.; then wP.	0·0	8·5	Overcast. Damping 3h.; and 6h. till 7h. Gloom 9h. till 15h. Dew at night.
THURSDAY	24	wP till 21h.; then mP.	0·0	8·4	Overcast till 20½h.; then partially cloudy. Slight rain 0¼h. till 8¼h; and occasionally between 10¾h. and 15h. Gloom 12¾h. till 13¼h. Dew at night.
FRIDAY ..	25	wP.	2·3	8·4	Cloudless generally, with partially cloudy period from 13¼h. till 16h. Hoar frost in morning and at night. Haze 11¼h. till 15h.
SATURDAY	26	mP till 11h.; then wP.	0·2	8·3	Cloudless till 12h., becoming overcast by 12¾h. Hoar frost in morning. Fog 6h. till 14h.; and from 23h.
			Sum 2·5	Sum 59·3	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry,

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemomentric records for the 50 years ending 1916,

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average,

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined,

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative: w. weak; m. moderate; s. strong; v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine each day.

The reading of the barometer increased from 29·44 ins. at the beginning of the week to 29·46 ins. by 7h. on November 20th; decreased to 29·23 ins. 22h. on November 20th; increased generally to 29·76 ins. by 11h. on November 23rd; decreased to 29·65 ins. by 6h. on November 24th; increased to 30·38 ins. by 1h. on November 26th; decreased and was 30·16 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION, LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND LONDON."

Austin CARS ARE AVAILABLE for all and every purpose.

Dignified in appearance—silent in running—comfortable to ride in—low to maintain, and in perfect keeping with a doctor's standing.

Prices from £145 to £775.

THE AUSTIN MOTOR CO. Ltd.
LONGBRIDGE, BIRMINGHAM.



20-H.P. CARLTON SALOON
£550.

A. C. A. L.
Associated Clinical and Analytical Laboratories, Ltd.,
STAPLE INN BUILDINGS SOUTH, 335, HIGH HOLBORN, LONDON, W.C.1.

Laboratory Investigations of every description undertaken for Public Health Authorities, including the analysis of Milk according to recent regulations, other foodstuffs, and the bacteriological analysis of Water, etc.

Collecting Apparatus and Particulars forwarded on application to the Medical Superintendent.

TELEPHONE: HOLBORN 1342.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.

Telegrams:
"Clinician, Wesdo, London."

(64574) Wt. 40—20 1875 12/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 48.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 3RD DECEMBER, 1927

LONDON:

PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1927.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 3RD DECEMBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the forty-eighth week of the year numbered 5,949 and corresponded to an annual rate of 15·8 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,424 and corresponded to an annual rate of 11·8 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 10·3, 11·7 and 11·6. Infant mortality based on the average weekly number of live births during the last 52 weeks, was 61 against 59, 65 and 69 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,330 live births, corresponding to a rate of 15·0 per 1,000, and 1,008 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 11·4, against 9·7, 11·1 and 11·6 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 11·0 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 58 as against 53, 51 and 56 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 4,339 to 4,424 and decreased in London from 1,023 to 1,008.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 260 in the Great Towns including 43 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. — **Births and Deaths registered in the week ended 3rd December, 1927.**

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 Great Towns ..	19,540,143*	5949	260	4424	403	5	48	7	12	43	45	63
London	4,605,400*	1330	43	1008	86	1	13	3	2	6	13	13
Towns in Outer Ring.												
Croydon C.B. ..	205,900	57	2	44	3	-	-	-	-	-	-	1
Wimbledon ..	58,030	10	1	15	-	-	-	-	-	-	-	1
Ealing	91,783	18	-	15	1	-	-	-	-	-	-	-
Acton	63,040	17	-	17	1	-	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	11	-	8	1	-	-	-	-	-	-	1
Willesden ..	165,270	38	1	35	2	-	-	-	-	-	1	-
Hendon	62,570*	14	-	7	-	-	-	-	-	-	-	-
Hornsey	87,230	15	1	14	-	-	-	-	-	-	-	1
Wood Green ..	51,940	5	-	11	-	-	-	-	-	-	-	-
Tottenham ..	151,520	32	-	37	-	-	-	-	-	-	-	1
Edmonton	71,700	33	2	18	-	-	-	-	-	-	-	-
Enfield	63,640	10	1	16	3	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	104	9	62	8	-	-	-	-	2	2	1
East Ham C.B. ..	146,600	31	-	28	1	-	-	-	-	1	-	-
Leyton	130,000	35	1	26	-	-	-	-	-	-	-	-
Walthamstow ..	125,500	25	1	35	4	-	-	-	-	-	-	-
Ilford	100,500	20	-	23	2	-	-	-	-	-	-	1
Gillingham	47,820*	11	-	7	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	12	-	5	-	-	-	-	-	-	-	-
Hastings C.B.	61,340	15	1	12	1	-	-	-	-	-	1	-
Eastbourne C.B. ..	56,060	9	1	6	-	-	-	-	-	-	-	-
Brighton C.B.	139,500*	27	4	27	1	-	1	-	-	-	-	-
Portsmouth C.B. ..	231,500*	69	-	58	3	-	-	1	-	6	-	-
Bournemouth C.B. ..	90,100	19	-	16	1	-	1	-	-	-	-	1
Southampton C.B. ..	169,300	48	3	42	-	-	-	-	-	-	-	-
Reading C.B	93,090*	29	-	24	3	-	-	-	-	1	-	-
Oxford C.B.	56,800	24	2	9	-	-	-	-	-	-	-	1
Northampton C.B. ..	93,530*	24	1	26	3	-	-	-	-	-	-	-
Luton	59,240	14	1	11	-	-	-	-	-	-	-	-
Cambridge	58,820	13	2	16	1	-	-	-	-	1	-	-
Southend-on-Sea C.B.	104,300	25	-	25	2	-	-	-	-	-	-	-
Ipswich C.B.	84,140	37	1	12	1	-	-	-	-	-	1	-
Great Yarmouth C.B.	57,760	14	-	14	2	-	-	-	-	-	-	-
Norwich C.B.	123,500*	32	2	24	-	1	-	-	-	-	-	-
Swindon	57,320	13	3	10	1	-	-	-	-	-	-	-
Exeter C.B.	60,340*	23	-	14	2	-	1	-	-	-	-	-
Plymouth C.B. ..	187,300*	73	7	38	2	-	-	-	-	2	-	-
Bath C.B.	69,000	10	-	20	-	-	-	-	-	-	-	-
Bristol C.B.	383,300*	100	5	89	5	-	2	-	1	-	-	-
Gloucester C.B. ..	53,050	17	2	9	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	129	8	69	12	-	-	-	1	-	1	1
Burton-upon-Trent C.B.	48,660	13	-	6	1	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	46	2	20	3	-	-	-	-	-	-	-
Walsall C.B.	102,100	38	-	22	4	-	-	-	1	-	1	-
West Bromwich C.B.	79,920	32	-	23	3	-	-	-	-	-	1	-
Dudley C.B.	58,930	18	1	17	4	-	-	-	-	-	1	-
Worcester C.B. ..	50,660	10	3	10	-	-	-	-	-	-	1	-
Birmingham C.B. ..	934,300*	307	11	199	26	-	-	-	2	2	6	3
Smethwick C.B. ..	76,940	19	-	11	1	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	34	1	26	4	-	-	-	-	2	1	1
Leicester C.B ..	241,700	84	6	54	8	-	-	-	-	-	2	2
Lincoln C.B	65,760*	14	-	11	1	-	-	-	-	-	-	-
Grimsby C.B. .. .	88,580	32	2	12	2	-	-	-	-	-	-	-
Nottingham C.B. .	268,000	81	2	64	8	-	1	-	-	2	2	1
Derby C.B.	136,600*	39	1	33	3	-	1	-	-	1	-	-
Chesterfield ..	66,650	27	2	20	-	-	-	-	-	-	-	-
Stockport C.B. ..	125,400	32	4	35	1	-	-	1	-	1	-	3
Chester C.B.	41,710	15	-	6	-	-	-	-	1	-	-	-
Birkenhead C.B. ..	158,000	47	3	38	3	-	-	-	-	-	-	-
Wallasey C.B. ..	93,050	24	-	21	1	-	-	-	-	1	-	-
Liverpool C.B. ..	862,600	356	17	189	27	-	1	-	3	1	-	1
Bootle C.B.	84,580	28	-	18	1	-	-	-	-	-	-	1
St. Helens C.B. ..	110,000	38	2	28	3	-	-	-	-	-	-	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	77,970	21	1	22	-	-	-	-	-	-	-	-
Wigan C.B.	88,620	37	3	30	6	-	-	-	-	-	-	2
Warrington C.B. ..	76,940*	27	1	19	1	-	2	-	-	-	1	-
Bolton C.B.	177,000	53	2	53	1	1	1	-	-	-	-	-
Bury C.B.	56,840*	15	2	15	-	-	-	-	-	-	-	-
Manchester C.B. ..	752,000	251	10	185	25	-	15	2	-	1	3	2
Salford C.B.	247,400	64	-	54	2	-	1	-	-	2	-	-
Ashton-under-Lyne	51,050	23	-	12	-	-	-	-	-	-	-	1
Oldham C.B.	143,000	36	2	43	1	-	-	-	-	-	-	-
Rochdale C.B.	91,510	18	-	36	1	-	-	-	-	-	-	3
Burnley C.B.	99,600	34	1	20	2	-	-	-	-	-	-	-
Blackburn C.B. ..	124,400	26	-	34	-	-	-	-	-	1	-	2
Preston C.B.	124,200	36	1	22	2	-	-	-	-	-	-	-
Blackpool C.B. ..	88,640	22	1	23	3	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	70,420	18	-	14	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	111,900	23	1	27	2	-	-	-	-	1	-	-
Halifax C.B.	96,130*	27	2	35	2	-	-	-	-	-	-	-
Bradford C.B. ..	288,700	65	4	87	10		-		-	1	-	2
Leeds C.B.	473,400	143	9	118	9	1	-	-	-	1	-	1
Dewsbury C.B. ..	53,630	13	1	16	1		-	-	-	-	1	-
Wakefield C.B. ..	53,830	32	-	14	1	-	-	-	-	1	-	-
Barnsley C.B. ..	70,760	38	2	8	-	-	-		-	-	-	-
Sheffield C.B. ..	523,300*	163	6	112	13	-	2	-	-	1	1	3
Rotherham C.B. ..	70,080	19	-	18	1	-	-	-	-	2	-	-
Doncaster C.B. ..	55,700	19	-	9	1	-	-	-	-	-	-	-
York C.B.	84,430*	14	1	13	1	-	-	-	-	1	-	-
Hull C.B.	294,600	91	4	75	3	-	-	-	-	-	1	2
Middlesbrough C.B.	133,600	45	-	28	7	-	1	-	-	-	1	-
Darlington C.B. ..	70,700	15	1	16	1	-	1	-	-	-	-	1
Stockton-on-Tees ..	67,910	26	5	17	-	-	-	-	-	-	-	1
West Hartlepool C.B.	71,060	25	3	18	1	-		-	-	-	-	-
Sunderland C.B. ..	163,800	68	6	39	7	-	-	-	-	-	-	1
South Shields C.B. ..	123,900	47	2	20	3		-	-	-	-	-	2
Gateshead C.B. ..	127,700	45	2	29	3	-	-	-	-	-	-	4
Newcastle-on-Tyne C.B.	284,700*	130	7	88	14	-	-	-	1	-	-	-
Tynemouth C.B ..	66,560	20	2	14	1	-	1	-	-	-	-	-
Carlisle C.B.	56,140*	16	1	23	1		-	-	-	-	-	-
Newport (Mon.) C.B.	96,620	32	1	13	2		-	-	-	-	-	-
Cardiff C.B.	225,600*	75	3	47	7	1	-	-	-	-	2	-
Rhondda	162,500	59	4	34	5		3	-	-	-	1	-
Merthyr Tydfil C.B.	80,690	22	4	19	2	-	-	-	-	2	-	-
Aberdare	56,930	17	-	9	1	-	-	-	-	-	-	-
Swansea C.B.	163,200	53	3	31	2	-	-	-	-	-	-	-
Greater London ..	7,791,310*	2,131	69	1,666	133	1	13	3	2	13	17	22
Outer Ring	3,185,910*	801	26	658	47	-	-	-	-	7	4	9
17 Great Towns in Outer Ring	1,947,963*	475	19	411	26	-	-	-	-	3	3	7
Remainder of Outer Ring	1,237,947*	326	7	247	21	-	-	-	-	4	1	2
Edinburgh†	426,100	137	?	116	10	-	1	-	1	2	1	4
Glasgow†	1,049,000	430	?	364	83	-	20	2	2	5	7	6
Dublin (Registration Area)†	421,000	175	?	130	24	-	3	-	-	2	3	-
Belfast†	415,007	141	?	103	13	-	-	-	-	1	2	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available per

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
LONDON‡	4,605,400	1927. Dec. 3	1330	43	1008	11·4	1	–	13	3	2	6	13
CALCUTTA AND SUBURBS	1,077,264	Oct. 22	?	?	607‖	29·3	?	–	–	?	?	?	?
BOMBAY§	1,298,708	Nov. 5	577	50	534	21·3	5	–	2	–	–	1	18
MADRAS	528,791	" 5	540	23	389	38·3	–	–	–	–	1	–	15
SYDNEY AND SUBURBS	1,038,950	Oct. 31 (31 days)											
BRISBANE (Metropolitan Area).	274,260	Sept. 30 (30 days)	478	?	252	11·0	1	–	4	–	1	–	3
PERTH (Metropolitan Area).	184,223	Oct. 15											
AUCKLAND (Urban Area).	201,220	Oct. 31 (31 days)											
WELLINGTON (Urban Area).	126,310	Oct. 31 (31 days)											
CHRISTCHURCH (Urban Area).	121,780	Oct. 31 (31 days)											
CAPE TOWN	114,846	Nov. 5	44	3	18	8·2	–	–	–	–	1	–	–
JOHANNESBURG	172,718	" 5	77	–	26	9·8	–	–	–	–	–	–	2
DURBAN	54,715	" 5	21	–	11	10·5	–	–	–	–	–	–	–
PARIS	2,871,429	Nov. 20 (10 days)	1259	101	975	12·4	4	–	3	–	2	8	21
ANTWERP	300,103	Oct. 29	115	4	50	8·7	–	–	–	–	–	–	2
AMSTERDAM	731,081	Nov. 5	244	6	95	6·8	–	–	–	–	–	–	2
COPENHAGEN	597,800	" 19	192	4	127	11·1	–	–	–	–	1	2	–
STOCKHOLM	453,332	" 12	98	1	107	12·3	–	–	–	–	1	–	1
GOTHENBURG	231,196	" 12	?	?	51	11·5	–	–	2	–	–	–	1
OSLO	254,055	" 26	49	1	53	10·9	–	–	–		–	–	–
BERLIN	2,000,000	" 12	329	18	443	11·5	–	?	–	–	–	2	6
BRESLAU	562,000	" 12	159	6	103	9·5	–	?	–	1	2	–	2
COLOGNE	719,000	" 12	218	8	148	10·7	–	?	1	–	–	–	2
DRESDEN	626,000	" 12	131	4	113	9·4	–	?	1	1	–	–	1
FRANKFORT-ON-MAIN ..	475,000	" 12	102	4	73	8·0	–	?	–	1	–	–	1
HAMBURG	1,108,000	" 12	212	10	250	11·7	1	?	1	–	–	–	1
LEIPZIG	687,000	" 12	146	5	131	9·9	–	?	–	–	1	1	–
MUNICH	692,000	" 12	144	3	152	11·4	–	?	1	–	–	–	1
VIENNA	1,870,325	May 31 (31 days)	1917	155	2172	14·0	3	?	8	6	14	10	16
PRAGUE AND SUBURBS	738,132	April 30 (30 days)											
BUDAPEST	971,169	Nov. 12	254	9	237	12·7	3	–	–	–	–	3	5
WARSAW	1,028,982	" 19	?	12	256	13·0	9	–	1	4	3	4	9
CAIRO	874,300	July 29	867	21	842	50·2	13	–	–	–	?	6	249
		Aug. 5	902	23	821	49·0	20	–	3	–	?	6	219
ALEXANDRIA	501,800	July 29	445	3	376	39·1	6	–	–	–	?	6	59
		Aug. 5	481	5	361	37·5	3	–	–	–	?	7	79
NEW YORK	5,970,920	Nov. 19	?	?	1376	12·0	4	–	1	–	9	22	15
CHICAGO	3,101,000	" 11	852	60	684	11·5	–	–	–	–	1	14	5
NEW ORLEANS	433,000	Oct. 31 (31 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo, and to *children under 1 year of* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 19 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 3rd December, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1008	86	17	18	21	34	43	65	104	169	231	220
Enteric fever	1	-		1	-	-	-	-	-	-	-	-
Small-pox	-	-	-		-	-	-	-	-	-	-	-
Measles	13	3	3	7	-	-	-	-	-	-	-	-
Scarlet fever	3	-	-	1	2	-	-	-	-	-	-	-
Whooping cough	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	6	1	2	1	1	-	-	1	-	-	-	
Influenza	13	-	-	-	1	-	-	4	2	2	2	2
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-	-	1	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	-	-	1	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	64	-	-	-	-	16	10	12	17	6	2	1
Nervous system	4	1	1	-	2	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	5	-	-	-	1	1	-	-	1	1	1	-
Venereal diseases	2	-	-	-	-	-	2	-	-	-	-	-
Cancer	137	-	-	-	1	-	1	7	22	47	37	22
Rheumatic fever	6	-	-	-	3	1	1	-	-	-	-	1
Diabetes	12	-	-	-	-	-	1	-	-	4	4	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	2	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	33	-	-	-	-	-	-	1	-	4	17	11
Epilepsy	4	-	-	-	-	-	1	1	-	-	2	-
"Convulsions" (not puerperal) ..	1	1	-	-		-	-	-		-	-	
Other diseases of nervous system ..	33	2	-	1	1	1	4	7	7	4	3	3
Pericarditis	2		-	-	-	-	1	1	-	-	-	-
Acute endocarditis	6	-	-	-	1	1	1	2	1	-	-	-
Other diseases of heart	179	-	-	-	-	4	2	4	16	33	63	57
Other diseases of circulatory system	65	-	-	-	-	-	-	1	4	10	20	30
Bronchitis	64	4	1	-	1	1	-	-	2	15	17	23
Broncho-pneumonia	38	13	6	1	1	-	-	-	3	4	2	8
Lobar-pneumonia	30	5	-	-	-	1	1	5	3	7	5	3
Pneumonia (type not distinguished)	10	1	-	1	-	1	-	1	-	2	3	1
Other diseases of respiratory system	14	-	-	1	-	1	1	1	5	-	3	2
Diarrhœa and enteritis	15	13	-	-	-		-	-	2	-	-	-
Apendicitis, Typhlitis	6	-	-	-	1	1	-	1	1	2	-	-
Hernia, Intestinal obstruction	12	-	1	1	-	1	2	2	-	3	1	1
Cirrhosis of liver	5	-	-	-	-	-	-	1	1	3	-	-
Other diseases of digestive system ..	26	1	-	1	1	-	2	3	4	4	6	4
Acute nephritis	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	34	-	-	-	-	-	-	1	4	10	12	7
Other diseases of genito-urinary system.	19	1	-	-	-	1	2	-	1	1	7	6
Puerperal sepsis	5	-	-	-	-	-	4	1	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	-	2	-	-	-	-	-
Congenital malformations	7	7	-	-	-	-	-	-	-	-	-	-
Premature birth	15	15	-	-	-	-	-	-		-	-	-
Debility, atrophy (congenital)	4	4	-	-	-	-	-	-	-	-		
Old age	28	-	-	-	-	-	-	-	-	-	6	22
Suicide	9	-	-	-	-	-	1	3	3	2	-	-
Burns and Scalds	2	-	1	1	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	9	-	-	-	-	1	1	1	-	1	4	1
Other deaths by violence	18	2	-	-	-	-	1	1	1	2	4	7
Other specified causes	40	9	1	1	4	1	1	3	4	2	9	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 3rd December, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	304	329	7	119	C. 9 D. 2 E. 2 G. 3 L. 2 M. 10 N. 21
†CITY OF LONDON	–	1	-	–	–	N. 1
Metropolitan Boroughs:—						
†BATTERSEA ...	-	13	20		6	N. 1
†BERMONDSEY ...		14	13	–	1	C. 1
†BETHNAL GREEN		10	8	-	6	M. 1
†CAMBERWELL ...		17	18	-	7	N. 3
†CHELSEA	–	2	4		2	D. 1
†DEPTFORD ...		12	4	–	2	N. 1
†FINSBURY ...		6	3	-	–	–
†FULHAM		4	11	1	4	C. 3 M. 2 N. 2
†GREENWICH ...		8	18	–	1	N. 1
†HACKNEY ...	-	24	17	–	2	M. 1 N. 1
†HAMMERSMITH ...		9	9	–	1	N. 1
†HAMPSTEAD ...	–	2	1	–	1	–
†HOLBORN... ...		1	1	1	2	C. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	22	18	–	6	C. 2 N. 2
†KENSINGTON ...	–	2	9	–	8	G. 1 L. 2
†LAMBETH ...	-	16	20	–	9	M. 2
†LEWISHAM ...	–	16	9	1	1	C. 1 E. 1
†PADDINGTON ...	-	9	9	1	2	N. 1
†POPLAR	–	11	15	–	6	G. 1 M. 1 N. 1
†ST. MARYLEBONE	–	4	1	1	2	G. 1 N. 1
†ST. PANCRAS ...	–	16	9	–	9	M. 1 N. 1
†SHOREDITCH ...	–	9	10	–	7	C. 1 E. 1 N. 1
†SOUTHWARK ...	-	13	21	–	9	M. 1 N. 1
†STEPNEY	–	19	38	–	6	M. 1 N. 2
†STOKE NEWINGTON	–	3	2	–	–	–
†WANDSWORTH ...		28	35	1	13	–
†WESTMINSTER, CITY OF	-	5	4	–	2	–
†WOOLWICH ...		8	2	1	4	D. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ..	-	18	15	-	6	-
Boroughs and Urban Districts:—						
†BEDFORD ..	-	2	-	-	2	-
BIGGLESWADE ...		1			-	-
DUNSTABLE ..	-	1	-	-	-	-
KEMPSTON ...	-	2		-	-	-
LEIGHTON BUZZARD	-	-	1	-		-
†LUTON		4	11	-	-	-
Rural Districts:—						
AMPTHILL ..	-	-	-	-	1	-
BEDFORD ...	-	7	-	-	-	-
BIGGLESWADE ...	-	-		-		-
LUTON		1	3		-	-
BERKS		9	6	8	-	C. 1 L. 1 N. 1
†READING C.B.	-	4	6	3	-	-
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	-	2		-	-	-
†NEWBURY ...	-	1	-	-	-	-
†NEW WINDSOR ...	-	-	-	2	-	-
Rural Districts:—						
ABINGDON ...	-	-	-	1	-	-
BRADFIELD ...	-	-	-	-	-	L. 1
EASTHAMPSTEAD	-	1	-	-	-	-
WANTAGE ...	-	1	-	-	-	C. 1
WOKINGHAM ..	-	-	-	2	-	N. 1
BUCKINGHAM ...	-	8	8	-	4	E. 1 M. 1
Boroughs and Urban Districts:—						
BEACONSFIELD ...	-	1	-	-	-	-
BLETCHLEY ..	-		2	-	-	-
†CHEPPING WYCOMBE	-	2	1	-	-	-
ETON	-	-	-	-	-	E. 1
MARLOW	-	-	1	-	-	-
†SLOUGH		-	2	-	-	-
†WOLVERTON ..	-	1	-	-	-	-
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ..	-	1	-	-	-	-
AYLESBURY ...	-	-	1	-	-	-
BUCKINGHAM ...	-	-	-	-	1	-
ETON	-	2	-	-	2	-
NEWPORT PAGNELL ...	-	-	-	-	-	M. 1
WING	-	1	-	-	-	-
WINSLOW... ...	-	-	-	-	1	-
WYCOMBE ..	-	-	1		-	-
CAMBRIDGE ...	-	10	-	-	2	-
Borough:—						
†CAMBRIDGE .	-	8	-	-	-	-
Rural Districts:—						
CHESTERTON ...	-	2	-	-	-	-
NEWMARKET ...	-	-	-	-	2	-
CHESTER ...	-	70	28	-	29	L. 2 M. 3 N. 2
†BIRKENHEAD C.B	-	6	6	-	12	M. 1
†CHESTER C.B. .	-	2	-	-	1	M. 1
†STOCKPORT C.B.	-	11	3		1	-
†WALLASEY C.B. .	-	3	4	-	-	L. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	1		-	-	-
†BEBINGTON AND BROMBOROUGH	-	2	2		1	-
BREDBURY AND ROMILEY	-	-	2	-	1	-
BUGLAWTON ...	-	-	1	-	-	-
†CHEADLE AND GATLEY	-	3	-	-	-	-
†CONGLETON ..	-	1	-		1	-
†CREWE	-	3	-		-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ELLESMERE PORT AND WHITBY	–	3	1	–	–	–
HALE	–	3	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HYDE	–	5	3	–	2	–
†MACCLESFIELD ..	–	1	–	–	1	–
MOTTRAM IN LONGDENDALE	–	–	3	–	1	–
NANTWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	3	–	–	1	–
†RUNCORN... ..	–	4	–	–	–	L. 1
†STALYBRIDGE ...	–		–	–	–	N. 2
Rural Districts:—						
BUCKLOW ..	–	1	–	–	1	–
CHESTER	–	1	–		–	–
CONGLETON ...	–	6	1	–	2	–
DISLEY	–	1	–	–	–	–
MACCLESFIELD ...	–	1	1	–	–	–
NANTWICH ...	–	–	1	–	2	–
NORTHWICH ...	–	1	–	–	–	M. 1
RUNCORN ..	–	1		–	1	–
TARVIN	–	2		–	–	–
WIRRAL	–	3	–	–	1	–
CORNWALL ...	–	8	4	7	3	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	2	–	–	–
LAUNCESTON ...	–	–	–	1	1	–
LISKEARD ...	–	–	1	1	–	–
LOOE	–	–	–	1	–	–
LOSTWITHIEL ...	–	1	–	–	–	–
PAUL	–	1	–		–	–
†PENZANCE ..	–	1	–	1	–	–
ST. JUST	–	2	–	–	–	–
TORPOINT ...	–	–	–	–	2	–
WADEBRIDGE ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts:—						
BODMIN	–	1	–	1	–	–
CAMELFORD ...	*	*	*	*	*	*
EAST KERRIER ...	–	1	–	–	–	–
LISKEARD ...	–	–	1	–	–	–
ST. COLUMB MAJOR	–	–	–	1	–	–
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND...	–	8	8		8	M. 1
†CARLISLE C.B. ..	–	2	2	–	5	M. 1
Boroughs and Urban Districts:—						
EGREMONT ...		–	3	–	–	–
HARRINGTON ...	–	2	–	–	–	–
HOLME CULTRAM	–		–	–	1	–
†WHITEHAVEN ...		1	1	–	–	–
†WORKINGTON ...	–	–	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	1	–
CARLISLE ...	–	1	–	–	–	–
COCKERMOUTH ...		1	–	–	–	–
WHITEHAVEN ...	–	–	1	–	–	–
WIGTON	–		–	–	1	–
DERBY	25	39	28	1	18	E. 2
†DERBY C.B. .	–	4	11	–	4	E. 1
Boroughs and Urban Districts:—						
†ALFRETON ..	17	2	–	–	1	E. 1
ASHBOURNE ...	–	1	–	–		–
†BELPER	4	1	–	–	–	–
†BOLSOVER ...	–	3	–	–	–	–
BRAMPTON AND WALTON	1	–	–	–	–	–
†BUXTON	–	2	–	–	–	–
†CHESTERFIELD ..	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
CLAY CROSS ...	–	2	–	–	–	–
†HEANOR	–	3	1	–	–	–
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	–	1	–	–	1	–
NORTH DARLEY...	–	1	–	–	–	–
†RIPLEY	2	–	1	–	–	–
†SWADLINCOTE DISTRICT	–	–	2	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BELPER	–	1	–	1	1	–
BLACKWELL ..	–	1	1	–	1	–
CHAPEL EN LE FRITH	–	1	1	–	–	–
CHESTERFIELD ...	1	4	7	–	3	–
CLOWNE	–	2	2	–	–	–
HARTSHORN AND SEALE	*	*	*	*	*	*
NORTON	–	1	–	–	–	–
REPTON	–	3	–	–	1	–
SHARDLOW ..	–	5	–	–	4	–
DEVON	–	15	10	–	6	M. 1 N. 3
†EXETER C.B. ...	–	1	–	–	–	–
†PLYMOUTH C.B..	–	5	8	–	3	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	1	N. 1
BRIXHAM... ...	–	–	1	–	–	–
DAWLISH... ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	–	–	–	–	N. 1
SOUTH MOLTON...	–	1	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	2	–	–	–	–
CREDITON ...	–	1	–	–	–	–
NEWTON ABBOT...	–	3	–	–	–	–
PLYMPTON ST. MARY	–	–	1	–	2	–
SOUTH MOLTON...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	14	–	–	6	E. 1 N. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	–	–
BRIDPORT ...	–	2	–	–	–	–
†POOLE	–	1	–	–	–	–
SHERBORNE ...	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	4	–	–	3	–
BLANDFORD ...	–	–	–	–	–	N. 1
BRIDPORT ...	–	–	–	–	–	E. 1
POOLE	–	2	–	–	–	–
STURMINSTER ...	–	2	–	–	–	–
WAREHAM AND PURBECK	–	–	–	–	2	–
WEYMOUTH ...	–	1	–	–	–	–
DURHAM ...	74	64	47	1	147	G. 4 M. 8
†DARLINGTON C.B	2	2	3	–	5	–
†GATESHEAD C.B.	2	2	2	–	7	–
†SOUTH SHIELDS C.B	33	13	–	–	28	M. 1
†SUNDERLAND C.B.	1	3	4	1	14	G. 2 M. 2
†WEST HARTLEPOOL C.B	–	1	1	–	3	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	5	–	–	7	–
BARNARD CASTLE	–	–	–	–	1	–
BENFIELDSIDE ...	–	2	–	–	–	–
BILLINGHAM ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	–	2	–	–	–
†BLAYDON... ..	–	–	2	–	1	–
†BRANDON AND BYSHOTTLES	–	1	1	–	–	–
†CHESTER LE STREET	1	–	–	–	1	–
†CONSETT	–	–	–	–	1	–
†CROOK	–	–	4	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DURHAM	7	-	-	-	-	-
†FELLING	1	-	-	-	1	-
†HARTLEPOOL ..	-	1	-		1	-
†HEBBURN .		1	1		1	-
†HETTON	-	1	-	-	11	M. 1
†HOUGHTON LE SPRING	-	1	-	-	1	-
†JARROW	2	2	-	-	21	-
LEADGATE ..	-	-	3	-	-	-
†RYTON	-	-	-	-	1	M. 1
†SEAHAM HARBOUR	4	-	-	-	1	-
†SHILDON		1	1	-	-	-
†SOUTHWICK ON WEAR	-	1	-		2	M. 1
†SPENNYMOOR ...	5	1	2	-		G. 1
†STANLEY	3	-	5	-	1	-
†STOCKTON ON TEES	-	5	3		3	-
†TANFIELD ...	-	-	1	-	-	-
TOW LAW ...	-	1	-	-	-	-
†WHICKHAM ...	-	1	-	-	3	-
WILLINGTON ...	-	4	3	-	-	-
Rural Districts:—						
AUCKLAND ..	-	2	2	-	1	-
BARNARD CASTLE	-	2	-	-	-	G. 1
CHESTER LE STREET	4	-	-	-	10	-
EASINGTON ..	-	3	1	-	10	-
HARTLEPOOL ...	-	-	-	-	1	-
HOUGHTON LE SPRING	-	1	-	-	2	-
LANCHESTER ..	1	-	4	-	1	-
SEDGEFIELD ..	1	2	-	-	-	M. 1
SOUTH SHIELDS..	5	4	-	-	4	-
SUNDERLAND ..	-	-	2		2	M. 1
WEARDALE ..	-	-	-	-	1	-
ELY, ISLE OF ...	-	-	2	-	-	-
Boroughs and Urban Districts:—						
WHITTLESEY ...		-	2	-	-	-
ESSEX	-	145	112	-	36	E. 1 G. 1 M. 2 N. 5
†EAST HAM C.B. ...	-	19	13	-	2	-
†SOUTHEND-ON-SEA C.B	-	11	-	-	7	M. 1 N. 1
†WEST HAM C.B. .	-	40	46	-	9	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN..	-	1	1	-	1	N. 1
BRENTWOOD ..	-	1	-	-		-
BRIGHTLINGSEA	-		-	-	1	-
†CHELMSFORD ...	-	3	1	-		-
CHINGFORD ...	-	2	-		-	-
†CLACTON	-	1	-	-	-	-
†COLCHESTER ..	-		-	-	3	-
DAGENHAM ...	-	3	9		2	-
EPPING	-	-	-	-	2	-
FRINTON ON SEA	*	*	*	*	*	*
†GRAYS THURROCK		1	3	-	-	-
HALSTEAD ...	-	1	-	-	-	-
†HARWICH ..			1	-	-	N. 1
†ILFORD	-	3	3	-	2	-
†LEYTON	-	22	12		1	-
MALDON	-	-	1	-		-
†ROMFORD ...	-	2	2	-	-	-
TILBURY			7	-	-	-
†WALTHAMSTOW ...	-	17	4	-	2	E. 1
†WANSTEAD ...		2	1	-	-	-
WITHAM		-	-	-	1	-
†WOODFORD ...	-	1	-	-	-	-
Rural Districts:—						
BILLERICAY ...	-	2	2	-	-	-
BRAINTREE ..	-	-	-	-	-	G. 1
CHELMSFORD ...	-	1	-	-	-	-
DUNMOW	-	-	-	-	1	-
EPPING		6	-	-	1	-
LEXDEN AND WINSTREE	-	2	-	-	-	-
MALDON		1	-	-	-	-
ONGAR	-	-	1	-	1	-
ORSETT	-	1	5	-	-	-
ROCHFORD ...		-	-	-	-	N. 1
TENDRING ..	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	6	47	13	4	16	F. 1 L. 5 N. 3
†BRISTOL C.B. ..	4	36	9	2	8	F. 1 L. 5 N. 1
†GLOUCESTER C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
AWRE	–	–	–	–	1	–
†CHELTENHAM ...	–	1	1	–	–	–
COLEFORD ...	–	–	–	1	–	–
†KINGSWOOD ...	–	4	–	–	–	–
†MANGOTSFIELD ...	2	1	–	–	–	–
TEWKESBURY ...	–	2	–	–	–	–
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	1	1	–	–	N. 1
GLOUCESTER ...	–	–	–	1	–	N. 1
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	2	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	–	–	–	4	–
WHEATENHURST	–	–	1	–	–	–
HEREFORD ...	–	18	4	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	4	2	–	–	–
ROSS	–	–	1	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	1	–	–	–
HEREFORD ...	–	12	–	–	–	–
WEOBLEY... ...	–	2		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	6	5	8	7	N. 2
Boroughs and Urban Districts:—						
†BARNET	–	–	–	1	–	–
BUSHEY	–	1	–		–	–
†CHESHUNT ...	–	–	1	–	2	–
CHORLEYWOOD ...	–	1	–	–	–	N. 2
†HEMEL HEMPSTEAD	–	–		2	–	–
†HERTFORD ...	–	–	–	1	–	–
†ST. ALBANS ...	–	–	–	1	–	–
STEVENAGE ...	–	1	–	–	–	–
†WATFORD ..	–	2	3	–	4	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
BUNTINGFORD ...	–	1	–		–	–
HEMEL HEMPSTEAD	–	–	1	3	–	–
HUNTINGDON ...	–	2	3	–	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	3	–	–	–
RAMSEY	–	–	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	1	–	–	–	–
ST. IVES	–	1		–	–	–
KENT	–	73	66	6	15	C. 1 D. 1 N. 3
†CANTERBURY C.B.	–	–	–			D. 1
Boroughs and Urban Districts:—						
†ASHFORD... ..	–	1	–	–		–
BECKENHAM ..		6	7	–	1	–
†BEXLEY	–	4		–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–		–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROMLEY ...	-	1	-	-	3	-
†CHATHAM ...	-	2	9	1	1	-
CHISLEHURST ...	-	2	-	-	-	-
†DARTFORD ...	-	5	3	-	-	-
†DEAL	-	-	-	1	-	-
†DOVER	-	5	3	-	1	-
†ERITH	-	5	10	-	3	-
†FOLKESTONE ...	-	2	-	-	-	-
†GILLINGHAM ...	-	3	9	-	-	N. 1
†GRAVESEND ...	-	-	3	-	-	-
LYDD	-	1	-	-	-	-
†MAIDSTONE ...	-	3	-	1	1	-
†MARGATE ...	-	1	-	-	-	-
MILTON REGIS ...	-	-	2	-	-	-
†PENGE	-	1	1		-	-
†RAMSGATE ...	-	1	-	-	-	-
†ROCHESTER ...	-	1	1	-	1	-
SANDWICH ...	-	-	-	-	1	-
†SHEERNESS ...	-	1	-	-	-	-
SIDCUP	-	-	1	-	-	-
SITTINGBOURNE	-	-	3	-	-	C. 1
SOUTHBOROUGH	-	-	-	1	-	-
SWANSCOMBE ...	-	1	1	-	-	-
WHITSTABLE ...	-	1	-	-	-	-
Rural Districts:—						
BLEAN	-	-	-	-	1	-
BRIDGE	-	-	1	-	-	-
BROMLEY ...	-	3	-	-	-	N. 2
CRANBROOK ...	-	-	1	-	-	-
DARTFORD ...	-	3	3	-	-	-
DOVER	-	1	-	-	-	-
EAST ASHFORD ...	-	3	-	-	-	-
EASTRY	-	1	-		-	-
ELHAM	-	1	-	-	-	-
FAVERSHAM ...	-	3	1	-	-	-
ISLE OF THANET	-	1	-	-	1	-
MAIDSTONE ...	-	3	-	1	-	-
MALLING... ...	-	1	4	-	-	-
MILTON	-	2	1	-	-	-
ROMNEY MARSH...	-	1	-	-	-	-
SEVENOAKS ...	-	-	1	1	-	-
STROOD	-	1	-	-	-	-
TONBRIDGE ...	-	2	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	36	257	205	10	235	C. 6 G. 7 M. 23 N. 9
†BARROW IN FURNESS C.B.	-	2	1	-	3	-
†BLACKBURN C.B.	-	3	1	-	7	-
†BLACKPOOL C.B.	-	4	2	-	-	G. 1
†BOLTON C.B. ...	-	9	2	-	2	-
†BOOTLE C.B. ...	-	5	6	2	-	M. 2 N. 1
†BURNLEY C.B. ...	1	-	8	-	3	N. 1
†BURY C.B. ...	-	5	3	-	4	N. 1
†LIVERPOOL C.B. ..	-	34	61	4	41	C. 2 G. 2 M. 11 N. 2
†MANCHESTER C.B.	5	57	40	1	72	C. 1 M. 4
†OLDHAM C.B. ..	-	2	10	-	1	C. 1
†PRESTON C.B. ...	-	1	7	-	5	-
†ROCHDALE C.B. ...	1	5	1	1	1	G. 1
†ST. HELENS C.B...	-	5	3	-	8	M. 1 N. 1
†SALFORD C.B. ..	-	14	8	-	13	M. 1
†SOUTHPORT C.B.	-	9	2	-	3	-
†WARRINGTON C.B.	-	-	2	-	4	C. 1 G. 1
†WIGAN C.B. ...	-	-	-	-	5	-
Boroughs and Urban Districts:—						
ABRAM	-	-	-	-	3	-
†ACCRINGTON ...	-	3	-	-	1	-
ADLINGTON ...	-	1	-	-	-	-
†ASHTON IN MAKERFIELD	-	-	-	-	2	-
†ASHTON UNDER LYNE	-	2	1	-	-	-
ASPULL	-	-	-	-	1	N. 1
†ATHERTON ...	-	-	4	-	2	-
†BACUP	-	-	1	-	-	-
BRIERFIELD ...	-	-	1	-	-	-
†CHADDERTON ...	-	4	1	-	-	M. 1
†CHORLEY	-	-	-	-	2	-
CHURCH	-	-	-	-	1	-
†COLNE	22	2	-	-	-	-
†CROMPTON ...	-	1	-	-	-	-
CROSTON	-	1	-	-	-	-
†DARWEN	-	1	1	-	1	-
†DENTON	-	2	-	-	1	-
†DROYLSDEN ...	-	-	2	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ECCLES	-	20	1	-	1	-
†FAILSWORTH ...	-	-	3	-	4	-
†FARNWORTH ...	-	-	1	-	3	-
†FLEETWOOD ...	-	1	-	-	2	N. 1
FORMBY	-	1	-	-	-	-
GOLBORNE ..	-	1	-	-	-	-
†GREAT CROSBY ...	-	-	-	-	1	-
†GREAT HARWOOD	-	1	1	-	1	-
†HASLINGDEN ...	-	-	-	-	1	G. 1
†HAYDOCK ...	-	-	-	-	2	-
†HEYWOOD ..	-	-	-	-	-	N. 1
†HINDLEY... ...	-	-	-	-	2	-
†HORWICH ...	-	1	2	-	1	-
HUYTON WITH ROBY	-	1	-	-	-	C. 1
KEARSLEY ...	-	-	-	-	1	-
†LANCASTER ..	-	3	1	-	2	M. 1
†LEIGH	-	1	1	-	-	-
LEYLAND... ...	-	2	-	-	-	-
LITTLE HULTON .	-	-	-	-	1	-
LITTLE LEVER ...	-	-	-	-	2	-
LONGRIDGE ...	-	1	-	-	-	-
†LYTHAM ST. ANNE'S	-	1	-	-	-	-
†MIDDLETON ...	-	2	-	-	2	-
†MOSSLEY	-	1	-	-	1	-
†NELSON	3	7	-	-	-	-
†NEWTON IN MAKERFIELD	-	-	1	-	-	-
NORDEN	-	-	-	-	1	-
ORMSKIRK ...	-	1	1	-	-	-
†OSWALDTWISTLE	-	2	2	-	-	-
†PADIHAM ...	-	-	1	-	-	-
PRESCOT	-	2	-	-	-	-
†PRESTWICH ...	-	2	1	-	-	-
†RADCLIFFE ..		6	4	-	-	-
†ROYTON	-	-	1	-	1	G. 1
†STRETFORD ..	-	3	-	-	-	M. 1
†SWINTON AND PENDLEBURY	-	-	-	-	3	-
THORNTON CLEVELEYS	-	1	-	1	-	-
TRAWDEN ...	4	-	-	-	-	-
†TYLDESLEY WITH SHAKERLEY	-	1	1	-	-	-
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ULVERSTON ...	-	1	-	-	-	-
URMSTON... ...	-	1	-	-	-	-
†WALTON LE DALE	-	3	-	-	-	-
†WATERLOO WITH SEAFORTH	-	2	2	1	1	-
†WESTHOUGHTON	-	-	-	-	1	-
WHITEFIELD ...	-	-	1	-	-	-
†WIDNES	-	-	7	-	4	M. 1
WITHNELL ...	-	-	-	-	1	-
†WORSLEY... ...	-	4	-	-	-	-
Rural Districts:—						
BARTON UPON IRWELL	-	3	1	-	-	-
BURNLEY... ...	-	1	-	-	-	-
BURY	-	1	-	-	-	-
FYLDE	-	2	-	-	-	-
GARSTANG ...	-	-	1	-	-	-
LANCASTER ...	-	2	-	-	-	-
LEIGH	-	-	-	-	1	-
LIMEHURST ...	-	-	-	-	1	-
PRESTON	-	-	-	-	3	-
SEFTON	-	1	3	-	-	-
WARRINGTON ...	-	2	-	-	1	-
WEST LANCASHIRE	-	-	-	-	1	-
WHITTON... ...	-	-	-	-	1	-
WIGAN	-	-	-	-	1	-
LEICESTER ...	-	47	18	2	18	C. 1 G. 3 M. 4 N. 1
†LEICESTER C.B. ...	-	35	11	-	10	M. 4
Boroughs and Urban Districts:—						
ASHBY WOULDS ..	*	*	*	*	*	*
†COALVILLE ...	-	2	3	-	2	-
†HINCKLEY ...	-	2	-	-	-	G. 2
MELTON MOWBRAY	-	-	-	-	2	G. 1
THURMASTON ...	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	2	1	–
BARROW UPON SOAR	–	2	1	–	–	–
BLABY	–	1	–	–	–	–
HINCKLEY ...	–	1	–	–	1	–
LOUGHBOROUGH	–	–	–	–	1	C. 1
MARKET BOSWORTH	–	1	3	–	1	N. 1
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	5	–	–	1	E. 1 M. 2
Boroughs and Urban Districts:—						
†BOSTON	–	2	–		–	–
HOLBEACH ...	–	1	–	–	–	E. 1
†SPALDING ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	1	–	–	–	M. 1
EAST ELLOE ...	–	–	–	–	1	M. 1
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	1	–	2	E. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	1	–	–	–
Rural Districts:—						
BOURNE	–	1	–	–	–	–
BRANSTON ...	–	2	–	–	1	–
SLEAFORD ...	–	–	–	–	1	E. 1
LINCOLN (parts of Lindsey).	18	19	21	–	4	–
†GRIMSBY C.B. ..		2	2	–	2	–
†LINCOLN C.B. ...	18	3	3	–	–	–
Boroughs and Urban Districts:—						
BRIGG	–	–	1	–	–	–
†CLEETHORPES ..		3	5	–	1	–
†GAINSBOROUGH ...	–	1	5	–	–	–
HORNCASTLE ...	–	1	–		–	–
†SCUNTHORPE AND FRODINGHAM	–	2	2	–	–	–
Rural Districts:—						
CAISTOR	–	2	–	–	1	–
GLANFORD BRIGG		3	3	–	–	–
LOUTH	–	1	–	–	–	–
SIBSEY	–	1		–	–	–
MIDDLESEX ...	–	86	68	4	24	C. 3 G. 1 M. 3 N. 2
Boroughs and Urban Districts:—						
†ACTON ...	–	3	3	–	2	–
†BRENTFORD AND CHISWICK	–	6	3	–	2	–
†EALING	–	3	1	–	1	–
†EDMONTON ...	–	7	10	–		
†ENFIELD	–	–	7	–	1	C. 1
†FINCHLEY ...	–	4	3	–	–	–
†FRIERN BARNET	–	1	1	–	–	–
HAYES	–	–	–	–	–	M. 2
†HENDON	–	2	3	–		–
†HESTON AND ISLEWORTH	–	3	1	3	2	–
†HORNSEY	–	3	1	–	3	–
RUISLIP NORTHWOOD	–	3	–	–	–	–
†SOUTHALL NORWOOD	–	2	2	–	1	C. 1
†SOUTHGATE ...	–	3	2	–	1	N. 2
†TEDDINGTON ...	–	3	2	1	1	–
†TOTTENHAM ...	–	16	11	–	5	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TWICKENHAM ...	–	–	3	–	–	–
†UXBRIDGE ...	*	*	*	*	*	*
†WEALDSTONE ...	–	5	1	–	1	–
†WEMBLEY ...	–	4	–	–	–	G. 1
†WILLESDEN ...	–	8	10	–	2	–
†WOOD GREEN ...		5	2	–	–	–
YIEWSLEY ...		1	–	–	1	–
Rural Districts:—						
HENDON	–	–	1	–	–	C. 1
STAINES	–	2	1	–	1	–
UXBRIDGE ...	–	2	–	–		–
NORFOLK ...	–	29	5	3	11	G. 1 M. 2 N. 1
†GREAT YARMOUTH C.B.	–	8	3	–	2	–
†NORWICH C.B. ..	–	12	–	1	3	G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
DISS	–	2	–	–	–	–
EAST DEREHAM ...	–	–	1	–	–	–
†KING'S LYNN ...	–	–	1	–	–	–
THETFORD ..	–	–	–	1	–	–
Rural Districts:—						
BLOFIELD ...	–	–	–	–	1	–
ERPINGHAM ...	–	2	–	–	–	–
FOREHOE ...	–	–	–	–	1	–
HENSTEAD ...	–	1	–	–		–
LODDON AND CLAVERING	–	1	–	–	1	–
MARSHLAND ...	–	–	–	1	–	–
ST. FAITH'S ...	–	3	–	–	–	M. 1
SMALLBURGH ...	–	–	–	–	1	–
WALSINGHAM ...	–		–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	17	2	–	6	M. 1 N. 1
†NORTHAMPTON C.B.	–	9	1		3	–
Boroughs and Urban Districts:—						
HIGHAM FERRERS	*	*	*	*	*	*
IRTHLINGBOROUGH	–	2		–	–	–
†KETTERING .	–	1	–	–	2	–
ROTHWELL ...	–	1		–	–	N. 1
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	2	–	–	–	–
KETTERING ...	–	–	–	–	1	–
NORTHAMPTON ...	–	–	1	–	–	–
OUNDLE (part) ...	–	–	–	–	–	M. 1
NORTHUMBERLAND.	22	55	19	4	52	G. 1 L. 1 M. 2 N. 2
†NEWCASTLE UPON TYNE C.B.	18	16	5	3	30	N. 1
†TYNEMOUTH C.B	–	15	10	–	4	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	4	–	–	–	–
†BEDLINGTONSHIRE	–	2	–	–	2	G. 1
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	1	–	–	2	–
CRAMLINGTON ...	1	–	–	–	–	–
†EARSDON... ...	–	–	1	–	–	–
†GOSFORTH ...	–	1	–	–	1	–
†LONGBENTON ...	–	1	–	–		–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	1	–	–	–	–
SEATON DELAVAL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALLSEND ...	–	1	1		7	N. 1
WEETSLADE ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	1	3	1		–	–
Rural Districts:—						
ALNWICK ...	–	3	–	–	–	–
BELLINGHAM ...	–	1	–	–	1	–
CASTLE WARD ..	–	1	1	–	3	–
HEXHAM	–	–	–	1	1	L. 1
MORPETH ..	–	–	–	–	–	M. 1
NOTTINGHAM ...	15	22	26	–	7	N. 2
†NOTTINGHAM C.B.	1	6	24		4	–
Boroughs and Urban Districts:—						
†BEESTON	–	1	–	–	–	–
†CARLTON	9	2	–	–	1	N. 1
†EAST RETFORD ..	–	–	–	–	–	N. 1
†HUCKNALL ..		–	–	–	1	–
HUTHWAITE ...	–	1	1	–	–	–
†MANSFIELD ..	–	–	–	–	1	–
†MANSFIELD WOODHOUSE	–	2	–	–	–	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	2	–	–	–	–
†WORKSOP... ...	4	2	–	–	–	–
Rural Districts:—						
BASFORD	1	–	–		–	–
BINGHAM... ...	*	*	*	*	*	*
SOUTHWELL ...	–	–	1	–	–	–
STAPLEFORD ...	–	4	–	–	–	–
WORKSOP... ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	4	–	1	2	–
†OXFORD C.B. ..	–	1	–	–	–	–
Boroughs and Urban Districts:—						
HEADINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
CROWMARSH ...	–	–	–	1	–	–
GORING	–	–	–	–	1	–
HEADINGTON ...	–	1	–	–	–	–
WITNEY	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	2	–	–	5	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	5	–
Rural Districts:—						
PETERBOROUGH...	–	1	–	–	–	–
SALOP	–	18	6	–	4	G. 1
Boroughs and Urban Districts:—						
DAWLEY	–	2	–	–	–	–
LUDLOW	–	1	2	–	1	–
NEWPORT ...	–	3	–	–	1	–
OAKENGATES ...	–	3	–	–	–	–
†SHREWSBURY ..	–	2	–	–	–	–
WELLINGTON ...	–	1	–	–	–	G. 1
†WENLOCK ...	–	2	–	–		–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
BURFORD... ...	–	–	–	–	1	–
DRAYTON... ...	–	2	–	–	–	–
LUDLOW	–	–	2	–	–	–
OSWESTRY ...	–	–	1	–	–	–
SHIFNAL	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	-	40	6	-	10	E. 1 L. 1 N. 3
†BATH C.B. ...	-	4	2	-	2	L. 1 N. 2
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	-	-	-	1	N. 1
BURNHAM ON SEA	-	-	-	-	1	-
CLEVEDON ...	-	4	-	-	-	-
†FROME	-	4	-	-	-	-
ILMINSTER ...	-	1	-	-	-	-
MIDSOMER NORTON	-	1	1	-	1	E. 1
RADSTOCK ...	-	2	-	-	-	-
SHEPTON MALLET	-	-	1	-	1	-
STREET	*	*	*	*	*	*
†WESTON SUPER MARE	-	1	-	-	-	-
Rural Districts:—						
AXBRIDGE ...	-	3	-	-	2	-
BRIDGWATER ...	-	2	-	-	-	-
CHARD	-	1	-	-	1	-
CLUTTON	-	2	1	-	-	-
KEYNSHAM ...	-	3	-	-	-	-
LANGPORT ...	-	6	-	-	-	-
LONG ASHTON ...	-	4	-	-	-	-
SHEPTON MALLET	-	1	-	-	-	-
WELLS	-	1	-	-	1	-
YEOVIL	-	-	1	-		-
SOUTHAMPTON.	-	51	42	1	17	C. 1
†BOURNEMOUTH C.B	-	2	1	-	3	C. 1
†PORTSMOUTH C.B	-	17	26	-	1	-
†SOUTHAMPTON C.B	-	11	7	-	9	-
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	-	1	-	-	-
ALTON	-	1	-	-	-	-
†BASINGSTOKE ...	-	1	-	-	2	-
†EASTLEIGH AND BISHOPSTOKE	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts— *cont.*						
FAREHAM ...	-	2	-	-	-	-
†FARNBOROUGH ...	-	1	-	-	-	-
FLEET	-	2	-	-	-	-
†GOSPORT	-	-	3	-	-	-
PETERSFIELD ...	-	-	-	1	-	-
Rural Districts:—						
ALRESFORD ...	-	1	-	-	-	-
ALTON	-	2	-	-	-	-
BASINGSTOKE ...	-	-	1	-	-	-
CHRISTCHURCH ...	-	1	-	-	-	-
FAREHAM ...	-	5	-	-	-	-
FORDINGBRIDGE.	-	1	-	-	-	-
HURSLEY	-	1	-	-	-	-
NEW FOREST ...	-	2	1	-		-
SOUTH STONEHAM	-	-	-	-	1	-
STOCKBRIDGE ...	-	-	1	-	-	-
WHITCHURCH ...	-	-	1	-		-
WINCHESTER ...	-	1	-	-	-	-
STAFFORD ...	-	48	46	-	90	C. 1 L. 1 M. 9 N. 4
†BURTON UPON TRENT C.B.	-	1	1	-	-	-
†SMETHWICK C.B.	-	6	-	-	4	-
†STOKE ON TRENT C.B.	-	8	8	-	38	C. 1 M. 2
†WALSALL C.B. ...	-	3	14	-	5	N. 1
†WEST BROMWICH C.B.	-	3	-	-	5	-
†WOLVERHAMPTON C.B.	-	5	1	-	2	M. 5
Boroughs and Urban Districts:—						
†AUDLEY	-	3	-	-	1	-
BIDDULPH ...	-	-	3	-	1	-
†BILSTON	-	-	-	-	6	M. 1
†BRIERLEY HILL...	-	-	-	-	1	N. 1
†BROWNHILLS ...	-	-	2	-	4	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CANNOCK	–	–	–	–	2	–
†COSELEY	–	–	3	–	2	–
†DARLASTON ...	–	2	1		4	–
KIDSGROVE ...	–	1	–		–	–
LICHFIELD ...	–	–	1	–	–	–
QUARRY BANK ...	–	–	1	–	1	–
†ROWLEY REGIS ...	–	–		–	1	–
RUGELEY... ...	–	–	–	–	–	N. 1
†SEDGLEY	–	–	–	–	2	–
SHORT HEATH ...	–	–	–	–	1	–
†STAFFORD ...	–	5	2	–	1	–
TAMWORTH ...	–			–	1	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	1	–	–	–	–
†WEDNESBURY ...	–	2	1	–	–	–
†WILLENHALL ...	–	–	–	–	2	–
†WOLSTANTON UNITED	–	1	1	–	2	N. 1
Rural Districts:—						
BLORE HEATH ...	–	1	–	–	–	–
CANNOCK	–	3	4	–	1	–
CHEADLE... ...	–	1	–	–	2	L. 1 M. 1
KINGSWINFORD...	–	–	1		–	–
LICHFIELD ...	–	2		–	–	–
SEISDON	–	–	1	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
SUFFOLK, EAST	–	19	8	–	7	M. 1 N. 1
†IPSWICH C.B. ...	–	7	5	–	1	M. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
BECCLES	–	5	–	–	–	–
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	4	1	–		
SAXMUNDHAM ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	1	–	–	N. 1
EAST STOW ...	–	1	–	–	–	–
HARTISMERE ..	–	–	–		1	–
PLOMESGATE ...	–	–	1	–	2	–
SUFFOLK, WEST	–	3	–	–	2	G. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2	–	–	1	–
NEWMARKET ...	–	–	–	–	1	G. 1
SUDBURY... ...	–	1		–	–	–
SURREY	–	47	36	5	17	C. 1 D. 1 G. 3 N. 2
†CROYDON C.B. ..	–	16	13	1	2	G. 1 N. 2
Boroughs and Urban Districts:—						
†BARNES		1	–	–	1	–
†CARSHALTON ..	–	5	9	1	–	–
†CATERHAM ..	–	1		–	–	–
†CHERTSEY	–	1	2	–	–	–
†EGHAM	–	–	1	–	–	–
†ESHER AND THE DITTONS	–	–	2	–	1	–
†FRIMLEY	–	1	–	–	–	D. 1
GODALMING ...		1	–	–	–	–
†GUILDFORD ..	–	–	3	–	1	–
†KINGSTON ON THAMES	–	4	3	–	1	–
†MERTON AND MORDEN	–	1	1	–	–	–
†REIGATE	–	3	–	–	–	–
†RICHMOND ...	–	1	–	–	–	C. 1
†SURBITON ...	–	–	–	–	1	–
†SUTTON	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†THE MALDENS AND COOMBE	-	1	-	-	2	-
†WIMBLEDON	-	4	-	-	-	-
WINDLESHAM ...	-	-	-	1	-	-
†WOKING	-	2	-	2	1	-
Rural Districts:—						
CHERTSEY ...	-	-	1	-	3	G. 1
DORKING... ...	-	1	-	-	-	-
EPSOM	-	2	1	-	-	-
GUILDFORD ..	-	1	-	-	1	G. 1
HAMBLEDON ...	-	-	-	-	1	-
REIGATE	-	-	-	-	1	-
SUSSEX, EAST ...	-	14	11		8	E. 1 G. 1 N. 3
†BRIGHTON C.B. ...	-	2	5	-	-	E. 1 N. 3
†EASTBOURNE C.B.	-	4	-		1	G. 1
†HASTINGS C.B. ...	-	2	-	-	3	-
Boroughs and Urban Districts:—						
BURGESS HILL ...	-	-	-	-	2	-
HAYWARDS HEATH	-	4	-	-	-	-
†HOVE	-	-	1	-		-
NEWHAVEN ...	-	-	-	-	1	-
PORTSLADE BY SEA	-	-	2	-	-	-
SEAFORD	-	-	1	-		-
Rural Districts:—						
CUCKFIELD ...	-			-	1	-
EAST GRINSTEAD	-	-	1	-		-
RYE	-	-	1	-	-	-
STEYNING EAST...	-	1	-	-	-	-
UCKFIELD ...		1	-	-	-	-
SUSSEX, WEST...	-	4	14	-	1	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	-		3	-	-	-
†CHICHESTER ...	-	-	3	-	-	-
†LITTLEHAMPTON	-	-	5	-	-	-
†WORTHING ..	-	2	3	-	-	-
Rural Districts:—						
EAST PRESTON ...	-	2	-	-	1	-
THAKEHAM ...	-	-	-	-	-	M. 1
WARWICK ...	3	76	59	4	74	C. 2 G. 3 M. 10 N. 2
†BIRMINGHAM C.B	-	31	47	1	63	C. 2 G. 2 M. 10 N. 2
†COVENTRY C.B.	2	16	3	-	2	-
Boroughs and Urban Districts:—						
†NUNEATON ..	-	6	-	-	3	G. 1
†RUGBY	-	1	3	-	-	-
†STRATFORD ON AVON	-	2		-		-
†SUTTON COLDFIELD	-	1	-	-	-	-
†WARWICK ..	-	-	-	-	2	-
Rural Districts:—						
ALCESTER ..	-	6	-	-	-	-
ATHERSTONE ...	1	-	2	-	-	-
COVENTRY ...	-	1	1	-	-	-
FOLESHILL .	-	6			1	-
RUGBY	-	1	3	-	2	-
SOLIHULL ..	-	1	-	-	1	-
SOUTHAM... ...	-	-	-	2		-
STRATFORD ON AVON	-	4	-	-	-	-
WARWICK ..	-	-	-	1	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	-	6	-	-	2	N. 1
Borough and Urban District:—						
APPLEBY	-	-	-	-	1	-
†KENDAL	-	1	-	-	-	-
Rural Districts:—						
EAST WESTMORLAND	-	2	-	-	-	-
SOUTH WESTMORLAND	-	3	-	-	1	N. 1
WIGHT, ISLE OF	-	13	3	-	4	-
Boroughs and Urban Districts:—						
†COWES	-	-	-	-	1	-
EAST COWES ...	-	-	-	-	1	-
†NEWPORT... ...	-	1	-	-	-	-
†RYDE	-	1	-	-	-	-
ST. HELENS ...	-	1	-	-	1	-
SANDOWN ...	-	1	-	-	-	-
SHANKLIN ...	-	4	-	-	-	-
VENTNOR... ...	-	2	-	-	-	-
Rural Districts:—						
ISLE OF WIGHT	-	3	3	-	1	-
WILTS	-	14	1	-	6	N. 1
Boroughs and Urban Districts:—						
DEVIZES	-	-	-	-	-	N. 1
MALMESBURY ...	-	1	-	-	-	-
†SALISBURY ...	-	6	-	-	-	-
†SWINDON... ...	-	-	1	-	3	-
WARMINSTER ...	*	*	*	*	*	*
WESTBURY ...	-	4	-	-	-	-
Rural Districts:—						
CHIPPENHAM ...	-	1	-	-	-	-
HIGHWORTH ..	-	1	-	-		-
MARLBOROUGH ...	-	-	-	-	3	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
WARMINSTER ...	*	*	*	*	*	*
WILTON	-	1	-	-	-	-
WORCESTER ...	-	23	12	1	14	N. 2
†DUDLEY C.B. ..	-	1	3	-	-	-
†WORCESTER C.B.	-	5	1	-	2	-
Boroughs and Urban Districts:—						
BEWDLEY ...	-	1	-	-	-	-
BROMSGROVE ...	-	2	1	-	-	-
†HALESOWEN ...	-	2	1	-	4	-
†KIDDERMINSTER	-	-	-	-	1	-
†LYE AND WOLLESCOTE	-	-	1	-	1	-
†MALVERN ...	-	-	-	-	1	N. 2
NORTH BROMSGROVE	-	2	-	-	-	-
†OLDBURY... ...	-	1	5	1	1	-
†REDDITCH ...	*	*	*	*	*	*
Rural Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
DROITWICH ...	-	2	-	-	1	-
FECKENHAM ...	-	2	-	-	-	-
PERSHORE ...	-	2	-	-	2	-
TEWKESBURY (part)	-	1	-	-	-	-
UPTON ON SEVERN	-	2	-	-	1	-
YORKS ... ... (East Riding).	-	16	22	1	11	C. 2
†KINGSTON UPON HULL C.B.	-	13	18	-	7	C. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	2	1			-
†BRIDLINGTON ...	-	-	-	1	-	-
GREAT DRIFFIELD	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BEVERLEY ...	-	1	1	-	-	-
DRIFFIELD ...	-	-	1	-		
ESCRICK	-	-	1	-	-	-
HOWDEN	-	-	-	-	2	C. 1
SKIRLAUGH ...	-	-	-	-	2	-
YORKS ... ... (North Riding).	4	27	7	3	17	E. 1 M. 2
†MIDDLESBROUGH C.B.	3	3	1	2	6	M. 1
Boroughs and Urban Districts:—						
†ESTON	-	1	-	-	-	-
GUISBOROUGH ...	-	1	-	-	2	-
LOFTUS	-	2	-	-	-	M. 1
MALTON	-	-	-	1	-	-
†REDCAR	-	3	1	-	-	-
†SCARBOROUGH ...	1	2	2	-	2	-
†SKELTON AND BROTTON	-	1	-	-	1	-
WHITBY	-	-	-	-	3	-
Rural Districts:—						
CROFT	-	-	1	-	-	-
EASINGWOLD ...	-	-	-	-	1	-
FLAXTON	-	2	-	-	-	-
LEYBURN... ...	-	4	-	-	-	-
MALTON	-	2	-	-	-	-
RICHMOND ...	-	-	2	-	-	-
SCARBOROUGH ...	-	-	-		2	E. 1
STOKESLEY ...	-	3	-	-	-	-
THIRSK	-	2	-	-	-	-
WHITBY	-	1	-	-	-	-
YORKS ... ... (West Riding).	50	225	88	5	164	C 4 D. 1 F. 1 G. 1 L. 1 M. 9 N. 6
†BARNSLEY C.B. ...	-	4	7	-	4	-
†BRADFORD C.B. ...	6	20	7	-	22	D. 1 M. 2 N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†DEWSBURY C.B....	-	1	2	-	-	-
†DONCASTER C.B.	2	1	2	-	3	N. 1
†HALIFAX C.B. ...	1	9	2	-	1	-
†HUDDERSFIELD C.B.	2	7	7	-	6	-
†LEEDS C.B. ..	3	11	11	1	25	M. 1 N. 1
†ROTHERHAM C.B.	-	6	8	-	5	M. 1
†SHEFFIELD C.B...	8	81	15	-	47	C. 1 G. 1 M. 5 N. 1
†WAKEFIELD C.B.	-	3	4	1	2	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	-	-	-	1	-
ARDSLEY, EAST AND WEST	-	-	-	-	-	F. 1
†BARNOLDSWICK ...	-	1	-	-	-	-
†BATLEY	-	-	-	-	3	-
†BENTLEY WITH ARKSEY	-	1	2	-	-	-
†BINGLEY	-	1	-	-	3	-
†BOLTON UPON DEARNE	5	-	-	-	-	-
†BRIGHOUSE ...	4	-	-	-	-	-
CALVERLEY ...	-	1	-	-	-	-
†CASTLEFORD ...	-	1	-	-	-	-
†CONISBROUGH ...	-	1	-	-	-	-
CUDWORTH ...	-	1	-	-	-	-
†DARTON	-	4	-	-	-	-
DRIGHLINGTON ...	-	-	-	-	1	-
EARBY	-	1	-	-	-	-
†ELLAND	-	-	2	-	-	-
EMLEY	-	-	-	-	1	-
FARSLEY	-	3	-	-	-	-
†FEATHERSTONE ..	-	2	1	-	1	-
GILDERSOME ...	-	-	-	-	2	-
†GOLCAR	-	2	-	-	-	-
†GOOLE	-	-	-	-	3	L. 1
GREASBROUGH ...	-	1	-	-	-	-
GREETLAND ...	-	-	1	-	-	-
†HARROGATE ...	-	-	1	-	-	-
†HEMSWORTH ...	-	-	-	-	2	-
†HOLMFIRTH ..	-	2	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KEIGHLEY ..	9	7	2	–	–	–
KIRKHEATON ...	–	–		–	1	–
KNOTTINGLEY ...	–	–	–	–	1	–
LUDDENDEN FOOT	–	–	–	–	1	–
MARSDEN... ..	–	–	–	1	–	–
†MEXBOROUGH ..		3	1	–	2	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY ...	–	–	–	–	–	C. 1
MYTHOLMROYD ...	–	2	–	–	2	–
†NORMANTON	–	2	1		1	–
OTLEY	–	1	–	–	2	–
†PUDSEY	–	2	–	–	1	–
QUEENSBURY ...	5	–	–	–	–	–
†RAWMARSH ..	–	1	–		1	C. 1
†ROTHWELL ...	–	1		–	–	–
SHELF	2	–	–	–		–
SHEPLEY	–	–	–		1	–
†SHIPLEY		1	–		–	–
†SKIPTON	–	1	–	–	–	–
SOUTH CROSLAND	–	1	–	–	–	–
†SPENBOROUGH ..	–	1	–	–	1	C. 1
†STANLEY	–	–	–	–	1	–
STOCKSBRIDGE ..		–	–	–	2	–
TICKHILL ...	–		7	–	–	–
†WATH UPON DEARNE	–	2	–	–		–
WHITWOOD ...	–	2	–	–	1	–
†WOMBWELL ..	–	2	1	–		–
†WORSBOROUGH ...	–		–	–	1	–
Rural Districts:—						
BARNSLEY ...	–		–		–	N. 1
DONCASTER ..	–	3	2		–	–
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ..	–	4	1	1	3	–
HUNSLET... ...	–	1	–	1	–	–
KIVETON PARK ...	3	5	–	–	–	–
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ..	–	–	–	–	1	–
ROTHERHAM	–	3	–	–	2	–
SELBY	–	–	–	–	2	–
TADCASTER ...	–	2	–	–		–
WAKEFIELD ..	–	4	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
WETHERBY ..	–	3	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	4	–	–	2	–
YORK, CITY OF ...	–	7	2	–	1	–
†YORK C.B. ..	–	7	2	–	1	–
WALES.						
ANGLESEY ...	–	1	4	1	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ..	–	1	1	–	–	–
LLANGEFNI ...	–	–	–	1	–	–
Rural Districts:—						
AETHWY	–	–	1	–	–	–
VALLEY	–	–	2	–	–	–
BRECKNOCK ...	8	–	1	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ..	8	–	–	–	–	–
Rural Districts:—						
BUILTH	–	–	–	–	2	–
YSTRADGYNLAIS	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON ...	-	4	1	-	1	C. 1
Boroughs and Urban Districts:—						
†BANGOR	-	-	1	-	1	-
CONWAY		-	-	-	-	C. 1
PENMAENMAWR...	-	3	-	-	-	-
PORTMADOC ...	-	1	-	-		-
CARDIGAN ...	-	-	-	1	-	-
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	-	-	-	1		-
CARMARTHEN...	-	1	6	-	2	-
Boroughs and Urban Districts:—						
AMMANFORD ...	-	-	-	-	1	-
†LLANELLY ...	-	1	1	-	1	-
Rural Districts:—						
LLANDILO FAWR	-	-	2		-	-
LLANELLY ..	-	-	3	-	-	-
WHITLAND ...	*	*	*	*	*	*
DENBIGH	-	2	3	-	1	L. 5 M. 1 N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	-	-	-	-	-	L. 1
DENBIGH ...	-	-	-	-	-	L. 4
†WREXHAM ...	-	2	-	-	1	-
Rural Districts:—						
LLANRWST ...	-	-	-	-	-	M 1 N. 1
WREXHAM ...	-	-	3	-	-	-
FLINT	-	2	4	-	2	-
Boroughs and Urban Districts:—						
HOLYWELL ...	-	-	1	-	1	-
†RHYL	-	1	2	-	-	-
Rural Districts:—						
HAWARDEN ...	-	1	-	-	-	-
HOLYWELL ...	-	-	1	-	1	-
GLAMORGAN ...	36	45	75	1	41	C. 3 G. 3 M. 8 N. 1
†CARDIFF C.B. ..	-	2	24	1	6	C. 3 G. 1 M. 4 N. 1
†MERTHYR TYDFIL C.B.	-		1	-	2	M. 1
†SWANSEA C.B. ...	-	4	4	-	5	M. 3
Boroughs and Urban Districts:—						
†ABERDARE ...	1	4	-	-	3	-
†BARRY	-	6	4	-	1	-
†CAERPHILLY ..		-	-	-	1	-
†GELLIGAER ..	6	2	1	-	1	-
†GLYNCORWG ...		2	5	-	-	-
†MAESTEG... ...	-	4	8	-	1	-
†MOUNTAIN ASH ..	22	2	6	-	1	-
†NEATH	-	4	2	-	2	-
†OGMORE AND GARW	-	1	1	-	-	-
†PENARTH ..	-	-	1	-	-	G. 1
†PONTYPRIDD ..	6	-	-	-	1	-
†PORT TALBOT ..	-	6	2	-	-	G. 1
†RHONDDA ..	1	5	10	-	9	-
Rural Districts:—						
CARDIFF	-	-	-	-	1	-
COWBRIDGE ...	-	-	-		4	
GOWER	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
LLANTRISANT AND LLANTWITFARDRE	–	–	–	–	1	–
NEATH	–	3	4	–	1	–
SWANSEA... ..	–	–	2	–	1	–
MERIONETH ...	–	2	8	–	1	
Urban Districts:—						
FFESTINIOG ..	–	1	7	–	1	–
TOWYN		1	–	–	–	–
Rural Districts:—						
DOLGELLEY ...		–	1	–	–	–
MONMOUTH ...	69	22	6	–	5	C. 1 M. 2
†NEWPORT C.B. ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	1	1	–	–	–	–
†ABERSYCHAN ...	8	1	–	–	–	–
†ABERTILLERY ...	3	–	–	–	–	M. 1
BEDWAS AND MACHEN	–	–	–		1	–
†BEDWELLTY ...	13	4	1		1	M. 1
†BLAENAVON ...	2	–	–	–	–	–
†EBBW VALE	26	2		–	3	C. 1
LLANTARNAM ...	–	3	–	–	–	–
MONMOUTH ...	–		1	–	–	–
†MYNYDDISLWYN	–	3	–	–	–	–
†NANTYGLO AND BLAINA	7	4			–	–
PONTYPOOL ...	9	–				–
†TREDEGAR ...	–	1		–	–	–
Rural Districts:—						
ST. MELLONS ...	–		2		–	–
MONTGOMERY...	–	3	–	–	5	C.
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	–	–	–	1	–
NEWTOWN AND LLANLLWCHAIARN	–	–	–	–	2	–
WELSHPOOL ...	–	2	–	–	2	–
Rural Districts:—						
FORDEN		–	–	–	–	C.
LLANFYLLIN ...	–	1	–	–	–	–
PEMBROKE ...	–	9	–	–	2	–
Boroughs and Urban Districts:—						
FISHGUARD ...		4		–	–	–
HAVERFORDWEST.	–	2	–	–	–	–
NEYLAND... ...	–	1	–		–	–
Rural Districts:—						
HAVERFORDWEST.	–	2			–	–
NARBERTH ...		–	–	–	2	–
RADNOR	–	1	1	–	–	–
Urban Districts:—						
KNIGHTON ...		1	–	–	–	–
PRESTEIGNE ...			1		–	–
Total of Part II. ...	366	1843	1196	82	1182	C. D. E. F. G. L. M. N.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

ort Sanitary Districts	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
OWES	*	*	*	*	*	*	SWANSEA	–	1	–	–	–	–
ITTLEHAMPTON ...	*	*	*	*	*	*	**Total of Part III.** ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ,

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	
Total of Part I.—London	-	304	329	7	119	C D E G L M N
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	366	1843	1196	82	1182	C D E F G L M N
Total of Part III.—Port Sanitary Districts	–	1	–	-	–	
Total (*i.e.*, of returns received), England and Wales ...	366	2148	1525	89	1301	C D E F G L M N

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute P encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Conti Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyr

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

e 5.—LONDON and GREAT TOWNS in the GREGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.
DON :—													
THS (excluding Stillths)—all ages.	744	778	762	816	977	904	972	940	903	855	984	1,023	1,008
THS—0 to 1 year ..	69	75	49	78	70	59	64	55	59	79	76	83	86
AT TOWNS, aggre- s (including Lon-):—													
BIRTHS	6,193	6,091	5,997	6,352	6,602	6,428	6,203	6,472	6,541	6,121	6 183	5,937	5,949
BIRTHS	268	252	264	264	235	232	260	238	210	249	273	295	260
THS (excluding Stillths)—all ages	3,346	3,401	3,610	3,571	3,941	3,905	4,021	4,103	3,904	3,864	4,382	4,329	4,424
THS—0 to 1 year ..	359	361	347	353	368	354	368	398	355	389	427	452	403
RIC FEVER—Cases	44	34	36	33	25	28	32	28	35	41	25	33	32
" Deaths	4	5	3	5	3	1	3	2	5	3	7	3	5
L POX—Cases ..	39	20	18	27	32	34	51	57	55	63	61	94	115
" Deaths ..	-	—	—	—	—	—	—	—	—	—	—	—	—
LET FEVER—Cases	977	951	1,176	1,136	1,275	1,439	1,348	1,505	1,217	1,080	1,289	1,216	1,181
" Deaths	6	6	4	2	8	5	2	4	8	6	5	4	7
THERIA—Cases ..	693	688	801	742	746	834	938	939	990	820	967	991	1,025
" Deaths ..	24	27	33	20	34	32	39	41	34	24	35	32	43
LES—Deaths ..	16	13	10	9	14	14	20	25	19	31	50	39	48
JENZA—Deaths ..	21	24	42	34	27	51	63	64	86	47	68	66	63

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 3rd December, 1927. (*Supplied by the Meteorological Office.*)

'OWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ON	47	33	42·4	37·9	26	HUDDERSFIELD	51	26	43·6	33·9	6
EENWICH).						BRADFORD ..	46	30	41·8	35·4	5
TON ..	50	34	44·0	38·4	28	SHEFFIELD ..	48	32	43·9	36·1	7
MOUTH ..	50	35	44·1	39·1	17	YORK (MUSEUM)	46	26	42·7	34·2	4
ICH	46	35	42·4	38·3	33	HULL (PEARSON PARK).	47	27	44·3	36·4	10
(EATON).											
UTH ..	52	36	48·0	39·7	9	TYNEMOUTH ..	50	34	45·1	39·6	1
L	50	35	42·9	38·0	7	CARDIFF.. ..	49	35	44·0	38·3	5
(CLIFTON).											
NGHAM	46	33	41·9	36·6	11						
GBASTON).						EDINBURGH ..	50·0	29·0	43·0	35·0	2
NGHAM ..	48	28	42·4	35·0	16	GLASGOW ..	48·3	28·4	43·2	35·4	7
NHEAD	50	34	43·3	37·6	7	DUBLIN (PHŒNIX PARK).	52·0	24·0	47·4	33·1	5
(BIDSTON).											
HESTER	48	34	44·2	37·3	9						
HITWORTH PARK).						(FITZWILLIAM SQUARE†).	52·9	31·0	47·6	38·4	4
EY.. ..	46	30	42·0	35·0	6	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 3rd December, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	27	Greatest Declination S.	30·084	42·2	36·3	5·9	38·3	− 3·4	37·5	0·8	2·1	0·0	97	40·8	36·9	48 8	Calm	NW: Calm.	0·5	0·0	0·0	101	− 217	0·00
MONDAY -	28	..	30·144	47·1	39·7	7·4	42·3	+ 0·8	41·2	1·1	3·3	0·5	96	43 9	29·1	48·6	Calm	SSW: S	1·3	0·0	0·1	172	− 144	0·00
TUESDAY -	29	..	29·982	47·1	42·8	4·3	44·8	+ 3·6	44·0	0·8	2·9	0·0	97	48·2	41·8	48·5	S: SSE: N.	NNE: NE: ENE.	4·5	0·0	0·4	414	+ 102	1·00
WEDNESDAY	30	..	30·171	43·4	40·2	3·2	41·9	+ 0·9	38·8	3·1	4·5	1 1	89	43·4	39·9	48 2	NE: ENE.	E: ENE	2·6	0·0	0·2	288	− 22	0·02
DECEMBER. THURSDAY -	1	..	30·070	43·0	39·0	4·0	40·2	− 0·7	35·7	4·5	6·7	2·6	84	41·5	37·8	48·1	ENE: NE.	NE: ENE.	0·6	0·0	0·1	241	− 69	0·00
FRIDAY -	2	First Quarter.	30·041	39·6	37·9	1·7	39·0	− 1·9	35·5	3·5	6·4	1·9	87	40·9	36·7	48 0	NE	NE: ENE.	0·2	0·0	0·0	216	− 97	0 00
SATURDAY -	3	..	29·870	37·9	33·2	4·7	35·5	− 5·6	33·5	2·0	6·4	1·1	93	40·0	33·0	48·0	NE: ENE: Calm.	Calm: ESE.	0·1	0·0	0·0	118	− 204	0 00
MEANS -			30·052	42·9	38·4	4·5	40·3	− 0·9	38·0	2·3	4·6	1·0	92	42·7	36·5	48·3	ENE		..	..	..	Sum 1550	Sum − 651	Sum 1·02
No of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours	GENERAL REMARKS
SUNDAY	27	wP.	0·0	8·3	Overcast throughout. Fog till 23h. Gloom 10½h. till 11½h.
MONDAY ..	28	wP.	0·0	8·3	Overcast generally, Slight fog 6h. till 13h. Damping 4h., 6h. and 13h. till 15h.
TUESDAY ..	29	Variably wP and wN.	0·0	8·2	Overcast throughout. Rain or damping 4½h. till 21h.; and from 23h. Gloom 10½h. till 11½h. Brisk wind 18h. till 22h.
WEDNESDAY	30	wP.	0·0	8·2	Overcast throughout. Slight rain till 1h.; and from 19½h. to 19½h. Damping 5h. till 7h.; 10½h. till 12h.; and 19½h. till 21h. Brisk wind 8h. till 9h.
DECEMBER. THURSDAY	1	wP.	0·0	8·1	Overcast throughout. Damping 1h.
FRIDAY ..	2	wP till 9h.; mP till 19h., then wP.	0·0	8·1	Overcast throughout. Occasional slight damping between 10h. and 21h.
SATURDAY	3	wP.	0·0	8·1	Overcast throughout. Occasional slight damping from 6h.
			Sum 0·0	Sum 57·4	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry,

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemomentric records for the 50 years ending 1916,

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average,

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined,

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative: w. weak; m. moderate; s. strong; v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine each day.

The reading of the barometer decreased from 30·16 ins. at the beginning of the week to 30·05 ins. by 12h. on November 27th; increased to 30·20 ins. by 10h. on November 28th; decreased to 29·94 ins. by 9h. on November 29th; increased to 30·20 ins. by 10h. on November 30th; decreased generally and was 29·76 ins. by midnight on December 3rd.

THE
CLINICAL RESEARCH ASSOCIATION,
LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND LONDON."

SHAW & SONS,
LIMITED.

The recognised Publishers of the prescribed and other necessary Forms and Records for

PUBLIC HEALTH AUTHORITIES.

All Notices and Registers under
NOTIFICATION OF INFECTIOUS DISEASES ACTS.
NOTIFICATION OF BIRTHS ACT.
MILK AND DAIRIES ORDER, 1926.
OPHTHALMIA NEONATORUM, PUERPERAL FEVER AND PUERPERAL PYREXIA REGULATIONS, 1926.

Complete Lists on Application to

SHAW & SONS
LIMITED.

Local Government Printers and Publishers,
FETTER LANE, LONDON, E.C.4.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.
Telegrams:
"Clinician, Wesdo, London."

(64648) Wt. 40—20 1875 12/27 H. St. G. 43

FOR OFFICIAL USE.

1927. No. 49

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 10TH DECEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 10TH DECEMBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the forty-ninth week of the year numbered 6,226 and corresponded to an annual rate of 16·6 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,763 and corresponded to an annual rate of 12·7 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 11·7, 11·6 and 11·8. Infant mortality based on the average weekly number of live births during the last 52 weeks, was 75 against 65, 69 and 61 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,421 live births, corresponding to a rate of 16·1 per 1,000, and 1,128 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 12·8, against 11·1, 11·6 and 11·4 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 11·7 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 58 as against 51, 56 and 58 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 4,425 to 4,763 and in London from 1,008 to 1,128.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 263 in the Great Towns including 51 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 10th December, 1927.**

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 Great Towns ..	19,540,143*	6226	263	4763	494	3	76	10	23	40	67	77
London	4,605,400*	1421	51	1128	86	-	13	5	5	6	14	13
Towns in Outer Ring.												
Croydon C.B. ..	205,900	63	3	35	7	-	-	-	1	-	-	-
Wimbledon ..	58,030	13	1	10	1	-	-	-	-	-	-	-
Ealing	91,783	36	-	24	2	-	-	-	-	-	-	-
Acton	63,040	22	-	16	1	-	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	9	-	17	1	-	-	-	-	-	-	-
Willesden ..	165,270	44	1	38	4	1	-	-	-	-	1	3
Hendon	62,570*	15	-	13	-	-	-	-	-	-	-	-
Hornsey	87,230	17	-	28	1	-	-	-	-	-	-	1
Wood Green ..	51,940	6	-	9	-	-	-	-	-	-	-	-
Tottenham ..	151,520	38	1	30	1	-	-	-	-	-	-	-
Edmonton	71,700	41	2	12	1	-	-	-	-	-	-	-
Enfield	63,640	18	-	10	1	-	-	-	-	-	1	-
West Ham C.B. ..	315,900	143	3	71	5	-	1	-	1	4	1	2
East Ham C.B. ..	146,600	39	-	21	1	-	-	-	-	-	-	-
Leyton	130,000	37	-	30	-	-	-	-	2	-	-	-
Walthamstow ..	125,500	30	1	24	8	-	-	1	-	-	-	1
Ilford	100,500	27	6	18	1	-	-	-	-	-	-	-
Gillingham	47,820*	20	-	7	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	7	2	4	-	-	-	-	-	-	-	-
Hastings C.B.	61,340	10	-	17	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	16	-	9	-	-	-	-	-	-	-	-
Brighton C B.	139,500*	30	5	32	4	-	2	-	-	1	-	-
Portsmouth C.B. ..	231,500*	96	3	44	5	-	-	1	-	2	2	-
Bournemouth C.B. ..	90,100	22	-	23	1	-	-	-	-	-	-	1
Southampton C.B. ..	169,300	59	4	43	2	-	-	-	-	1	-	1
Reading C.B	93,090*	38	-	24	3	1	-	-	-	4	1	-
Oxford C.B.	56,800	24	-	10	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	18	2	20	2	-	-	-	-	-	1	-
Luton	59,240	19	-	9	1	-	-	-	-	-	-	-
Cambridge	58,820	17	1	18	-	-	-	-	-	-	-	1
Southend-on-Sea C.B.	104,300	28	2	19	-	-	-	-	-	-	-	-
Ipswich C.B.	84,140	26	1	24	1	-	-	-	-	-	-	1
Great Yarmouth C.B.	57,760	16	-	20	2	-	1	-	-	-	-	1
Norwich C.B.	123,500*	39	2	27	3	-	-	-	-	-	-	-
Swindon	57,320	16	2	10	2	-	-	-	-	-	-	-
Exeter C.B.	60,340*	19	1	24	-	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	70	2	49	4	-	-	-	-	-	-	-
Bath C.B.	69,000	9	1	20	-	-	-	-	-	-	-	-
Bristol C.B.	383,300*	106	6	93	3	-	8	-	1	1	-	3
Gloucester C.B. ..	53,050	15	1	21	-	-	-	-	-	-	-	1
Stoke-on-Trent C.B.	275,600	105	9	81	15	-	1	-	2	1	2	1
Burton-upon-Trent C.B.	48,660	13	1	14	1	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	45	3	26	7	-	-	-	-	-	1	-
Walsall C.B.	102,100	41	2	18	2	-	1	-	-	-	-	-
West Bromwich C.B.	79,920	29	-	17	6	-	-	-	-	1	2	1
Dudley C.B.	58,930	22	2	10	3	-	-	-	-	-	-	-
Worcester C.B. ..	50,660	12	-	21	4	-	-	-	1	-	1	-
Birmingham C.B. ..	934,300*	347	15	235	30	-	-	-	1	2	8	6
Smethwick C.B. ..	76,940	16	3	10	1	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	34	-	26	2	-	-	-	-	1	1	1
Leicester C.B. ..	241,700	73	1	55	6	-	-	-	-	-	-	2
Lincoln C.B.	65,760*	14	1	18	2	-	-	-	-	-	-	-
Grimsby C.B.	88,580	21	2	17	1	-	-	-	-	-	-	-
Nottingham C.B. .	268,000	73	5	62	5	-	-	-	-	3	1	1
Derby C.B.	136,600*	40	2	27	3	-	4	-	-	-	-	-
Chesterfield ..	66,650	30	-	10	1	-	1	-	-	1	-	-
Stockport C.B. ..	125,400	29	4	30	9	-	-	-	-	1	3	1
Chester C.B.	41,710	14	-	7	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	51	2	35	5	-	-	-	-	-	-	1
Wallasey C.B. ..	93,050	19	-	20	1	-	-	-	-	-	-	3
Liverpool C.B. ..	862,600	323	14	234	38	-	-	-	5	-	5	3
Bootle C.B.	84,580	31	1	18	2	-	-	-	-	-	1	-
St. Helens C.B. ..	110,000	57	-	31	4	-	2	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	77,970	16	-	20	2	-	-	-	-	-	-	1
Wigan C.B.	88,620	31	2	29	4	-	-	-	-	-	-	2
Warrington C.B. ..	76,940*	28	1	19	4	-	2	-	-	-	-	1
Bolton C.B.	177,000	41	6	38	5	-	-	-	-	-	1	3
Bury C.B.	56,840*	13	1	8	2	-	-	-	-	-	-	-
Manchester C.B. ..	752,000	239	10	219	24	-	27	1	-	2	2	1
Salford C.B.	247,400	69	2	70	8	1	4	-	-	-	3	1
Ashton-under-Lyne	51,050	15	1	15	1	-	-	-	-	-	1	-
Oldham C.B.	143,000	45	3	40	6	-	-	-	-	-	1	-
Rochdale C.B.	91,510	13	-	30	6	-	-	-	-	-	-	1
Burnley C.B.	99,600	21	-	25	-	-	-	-	-	1	-	1
Blackburn C.B. ..	124,400	32	2	32	1	-	-	-	-	-	-	-
Preston C.B.	124,200	28	1	33	4	-	-	-	-	-	-	-
Blackpool C.B. ..	88,640	14	-	18	3	-	-	-	-	1	-	-
Barrow-in-Furness C.B.	70,420	9	2	7	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	111,900	32	2	30	1	-	-	-	-	-	-	-
Halifax C.B.	96,130*	26	1	37	6	-	-	-	-	1	-	-
Bradford C.B. ..	288,700	85	3	80	7	-	-	-	-	-	1	2
Leeds C.B.	473,400	138	6	118	13	-	-	-	-	-	1	-
Dewsbury C.B. ..	53,630	13	2	15	2	-	-	-	-	-	-	-
Wakefield C.B. ..	53,830	16	1	19	4	-	-	-	-	1	2	-
Barnsley C.B. ..	70,760	32	-	15	-	-	-	-	-	1	-	-
Sheffield C.B. ..	523,300*	159	4	131	14	-	5	-	2	-	1	4
Rotherham C.B. ..	70,080	26	1	8	1	-	-	-	-	-	-	-
Doncaster C.B. ..	55,700	18	1	18	1	-	-	-	-	-	-	1
York C.B.	84,430*	37	3	22	2	-	-	-	-	-	-	1
Hull C.B.	294,600	141	4	79	12	-	-	-	-	1	1	1
Middlesbrough C.B.	133,600	70	6	25	7	-	-	1	1	-	-	1
Darlington C.B. ..	70,700	24	-	25	2	-	1	-	-	1	-	2
Stockton-on-Tees ..	67,910	19	-	19	1	-	-	-	-	-	-	-
West Hartlepool C.B.	71,060	20	1	26	3	-	1	-	-	-	-	-
Sunderland C.B. ..	163,800	69	2	36	9	-	-	-	-	-	-	-
South Shields C.B. ..	123,900	32	1	38	4	-	-	-	-	-	1	1
Gateshead C.B. ..	127,700	48	-	39	2	-	-	1	-	-	1	1
Newcastle-on-Tyne C.B.	284,700*	119	5	63	10	-	1	-	-	1	1	1
Tynemouth C.B ..	66,560	27	1	14	1	-	-	-	-	1	-	1
Carlisle C.B.	56,140*	12	-	15	-	-	-	-	-	-	1	-
Newport (Mon.) C.B.	96,620	38	1	24	1	-	-	-	-	-	-	-
Cardiff C.B.	225,600*	88	5	49	4	-	-	-	-	-	-	-
Rhondda	162,500	44	3	30	4	-	1	-	1	-	1	1
Merthyr Tydfil C.B.	80,690	36	3	20	5	-	-	-	-	-	2	-
Aberdare	56,930	11	1	8	-	-	-	-	-	-	-	-
Swansea C.B.	163,200	54	4	34	5	-	-	-	-	-	-	-
Greater London ..	7,791,310*	2.399	76	1,789	143	1	14	7	9	13	19	26
Outer Ring	3,185,910*	978	25	661	57	1	1	2	4	7	5	13
17 Great Towns in Outer Ring	1,947,963*	598	18	406	35	1	1	1	4	4	3	7
Remainder of Outer Ring	1,237,947*	380	7	255	22	-	-	1	-	3	2	6
Edinburgh†	426,100	122	?	129	14	-	-	-	3	-	1	-
Glasgow†	1,049,000	414	?	425	78	-	34	2	7	6	7	6
Dublin (Registration Area)†	421,000	159	?	139	35	-	6	-	-	1	5	2
Belfast†	415,007	168	?	104	11	-	-	1	-	1	1	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
LONDON‡	4,605,400	1927. Dec. 10	1421	51	1128	12·8	–	–	13	5	5	6	14
CALCUTTA AND SUBURBS	1,077,264	Oct. 29	?	?	679‖	32·8	?	–	–	?	?	?	?
BOMBAY§	1,298,708	Nov. 12	562	52	475‖	19·0	2	–	2	–	–	–	12
MADRAS	528,791	„ 12	515	22	414	40·7	3	1	–	–	–	–	20
SYDNEY AND SUBURBS	1,070,510	Oct. 31 (31 days)											
BRISBANE (Metropolitan Area).	274,260	Oct. 31 (31 days)											
PERTH (Metropolitan Area).	184,223	Oct. 15	77	?	36	10·2	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	201,220	Oct. 31 (31 days)											
WELLINGTON (Urban Area).	126,310	Oct. 31 (31 days)											
CHRISTCHURCH (Urban Area).	121,780	Oct. 31 (31 days)											
CAPE TOWN	114,846	Nov. 12	42	2	16	7·2	–	–	–	–	–	–	2
JOHANNESBURG	172,718	„ 12	82	1	42	12·6	–	–	1	–	–	–	4
DURBAN	54,715	„ 12	26	–	16	15·2	–	–	–	–	–	–	–
PARIS	2,871,429	Nov. 30 (10 days)	1148	84	1015	12·9	–	–	–	1	2	6	21
ANTWERP	300,103	Nov. 5	93	2	53	9·3	1	–	–	–	–	1	3
AMSTERDAM	732,845	„ 12	253	8	113	8·1	–	–	–	–	–	–	1
COPENHAGEN	597,800	„ 26	187	6	110	9·6	–	–	1	–	1	–	–
STOCKHOLM	453,332	„ 19	97	3	95	10·9	–	–	–	–	1	1	–
GOTHENBURG	231,196	„ 19	?	?	55	12·4	–	–	4	–	–	–	–
OSLO	254,055	Dec. 3	36	2	77	15·8	–	–	–	–	–	–	–
BERLIN	2,000,000	Nov. 19	337	15	418	10·9	–	?	–	1	–	11	2
BRESLAU	562,000	„ 19	155	10	143	13·2	1	?	–	1	1	1	–
COLOGNE	719,000	„ 19	215	6	137	9·9	–	?	–	1	1	–	1
DRESDEN	626,000	„ 19	133	9	138	14·6	–	?	–	1	1	1	–
FRANKFORT-ON-MAIN..	475,000	„ 19	90	1	70	7·7	–	?	–	–	–	–	–
HAMBURG	1,108,000	„ 19	325	7	193	9·1	–	?	–	–	1	–	1
LEIPZIG	687,000	„ 19	136	4	157	11·9	–	?	–	–	–	–	1
MUNICH	692,000	„ 19	136	4	156	11·7	–	?	–	–	–	–	–
VIENNA	1,867,850	June 30 (30 days)	1809	186	1917	12·3	3	?	2	5	9	9	16
PRAGUE AND SUBURBS	738,132	April 30 (30 days)											
BUDAPEST	971,169	Nov. 19	322	12	220	11·8	2	–	–	–	1	–	1
WARSAW	1,028,982	„ 26	?	10	285	14·4	6	–	–	7	1	3	10
CAIRO	874,300	Aug. 12	805	20	734	43·8	17	–	4	–	?	9	165
		„ 19	792	15	694	41·4	13	–	4	–	?	8	144
ALEXANDRIA	501,800	„ 12	434	6	368	38·2	6	–	–	–	?	2	66
		„ 19	454	9	367	38·1	8	–	–	–	?	6	68
NEW YORK	5,970,920	Nov. 26	?	?	1271	11·1	–	–	–	1	6	8	10
CHICAGO	3,101,000	„ 18	1379	32	679	11·4	–	1	–	1	–	13	8
NEW ORLEANS	433,000	Oct. 31 (31 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo, and to *children under 1 year* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 22 deaths from Cholera in Calcutta, 2 in Bombay and 3 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 10th December, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1128	86	18	20	34	38	51	65	132	203	240	241
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	13	2	4	5	1	1	-	-	-	-		-
Scarlet fever	5	-	-	1	3	-	-	-	-	-	1	-
Whooping cough	5	4	1	-	-	-	-	-	-	-	-	-
Diphtheria	6	-	1	2	3	-	-	-	-	-	-	-
Influenza	13	-	-	-	1	-	-	1	3	4	4	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	82	-	1	-	1	18	20	11	16	9	5	1
Nervous system..	5	1	-	1	3	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	1	-	-	-	-	-	-	-	-
Other forms	4	-	-	1	-	1	-	1	-	-	-	1
Venereal diseases	6	-	-	-	-	-	-	1	3	1	-	1
Cancer	155	-	-	-	-	-	3	14	27	43	49	19
Rheumatic fever	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes	8	-	-	-	-	1	-	-	-	1	4	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	-	-	2	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	56	-	-	-	-	-	-	1	8	10	16	21
Epilepsy	7	-	-	-	-	2	-	1	1	2	1	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	-	-	-	3	-	4	2	6	6	4	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	6	-	-	-	-	1	1	1	1	-	2	-
Other diseases of heart	164	-	-	-	1	3	3	6	15	29	51	56
Other diseases of circulatory system	58	-	-	-	-	-	-	2	6	17	16	17
Bronchitis	63	3	-	-	-	-	-	3	5	12	12	28
Broncho-pneumonia	56	15	10	4	2	-	-	1	4	4	8	8
Lobar-pneumonia	39	1	-	1	1	2	3	3	8	7	8	5
Pneumonia (type not distinguished)	9	-	-	-	-	1	1	-	4	1	1	1
Other diseases of respiratory system	18	-	-	1	2	1	1	1	-	2	4	6
Diarrhœa and enteritis	16	13	1	-	1	-	-	-	-	-	1	-
Appendicitis, Typhlitis	2	-	-	-	-	1	-	1	-	-	-	-
Hernia, Intestinal obstruction.. ..	13	-	-	-	-	1	3	-	-	2	5	2
Cirrhosis of liver	9	-	-	-	-	-	-	-	1	5	2	1
Other diseases of digestive system ..	33	-	-	-	2	-	1	4	6	12	5	3
Acute nephritis	2	1	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease	36	-	-	-	-	-	1	2	3	13	8	9
Other diseases of genito-urinary system.	18	-	-	-	-	-	-	-	1	4	8	5
Puerperal sepsis	2	-	-	-	-	-	1	1	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	-	1	-	-	-	-	
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital).. ..	5	5	-	-	-		-	-	-	-	-	
Old age	41	-	-	-	-	-	-	-	-	-	7	34
Suicide	19	-	-	-	-	1	2	4	4	5	2	1
Burns and Scalds	3	-	-	1	1	-	-	-	-	-	-	1
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	21	-	-	1	2	2	-	1	4	2	5	4
Other deaths by violence	20	2	-	-	-	2	3	-	2	2	1	8
Other specified causes	50	12	-	1	4	-	3	3	2	10	10	5
Ill-defined causes	1	-	-	-	-	-	-	-	1	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 10th December, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	294	349	7	143	C. 7 D. 2 E. 1 G. 1 M. 11 N. 15
Metropolitan Boroughs:—						
†BATTERSEA ...	–	12	25	–	8	M. 1
†BERMONDSEY ...	–	16	16	–	6	–
†BETHNAL GREEN	–	13	6	–	7	–
†CAMBERWELL ...	–	11	29	–	3	M. 1 N. 2
†CHELSEA	–	4	5	–	4	M. 1
†DEPTFORD ...	–	11	11	–	5	–
†FINSBURY ...	–	3	1	–	3	–
†FULHAM	–	12	6	–	6	–
†GREENWICH ...	–	7	11	–	4	–
†HACKNEY ...	–	30	22	–	–	M. 1 N. 1
†HAMMERSMITH ...	–	4	8	1	5	E. 1
†HAMPSTEAD ...	–	4	1	–	1	N. 1
†HOLBORN... ...	–	2	1	1	2	M. 1
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	18	31	–	7	M. 1 N. 3
†KENSINGTON ...	–	4	7	–	3	M. 1
†LAMBETH ...	–	22	17	1	7	C. 2 M. 1 N. 1
†LEWISHAM ...	–	10	7	–	2	–
†PADDINGTON ...	–	10	10	–	3	–
†POPLAR	–	15	9	1	16	C. 1
†ST. MARYLEBONE	–	1	5	1	1	M. 1 N. 1
†ST. PANCRAS ...	–	7	7	1	4	C. 3 D. 1 N. 1
†SHOREDITCH ...	–	5	12	–	8	C. 1
†SOUTHWARK ...	–	11	20	–	4	G. 1 M. 1
†STEPNEY	–	21	24	–	9	–
†STOKE NEWINGTON	–	1	1	–	–	–
†WANDSWORTH ...	–	28	41	–	17	D. 1 N. 3
†WESTMINSTER, CITY OF	–	3	8	1	2	N. 1
†WOOLWICH ...	–	9	8	–	6	M. 1 N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	14	13	–	5	G. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	–	–	1	–
†BEDFORD ...	–	5	1	–	2	–
DUNSTABLE ...	–	2	2	–	–	–
KEMPSTON ...	–	–	1	–	1	–
†LUTON	–	3	4	–	–	G. 1
Rural Districts:—						
BEDFORD ...	–	3		–	–	–
BIGGLESWADE ...	–	–	–	–	1	–
LUTON	–	1	5	–	–	–
BERKS	–	9	7	2	3	C. 1 G. 1
†READING C.B. ...	–	2	4	1	1	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	1	–	–	–
†MAIDENHEAD ...	–	–	–	1	–	–
†NEWBURY ...	–	1	–		–	–
WALLINGFORD ..	–	–		–	2	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	2	1	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
FARINGDON (part)	–	1	–	–	–	–
WALLINGFORD ...	–	–	–	–	–	C. 1
WINDSOR... ...	–	–	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	G. 1
BUCKINGHAM...	–	11	7	–	2	L. 1 N. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...		–	1	–	–	–
BEACONSFIELD ...	–	1	–	–	–	–
BLETCHLEY ...		–	1	–	–	–
BUCKINGHAM ...	*	*	*	*	*	*
†CHEPPING WYCOMBE	–	2	–		1	–
CHESHAM... ...	–	1	–	–	1	–
†SLOUGH	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	L. 1
AYLESBURY ...	–	–	–	–	–	N. 1
ETON	–	5	1	–	–	–
WYCOMBE ...	–	–	2	–	–	–
CAMBRIDGE ...	–	2	5	–	1	–
Borough:—						
†CAMBRIDGE ..	–	1	5	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER ...	–	66	31	–	40	G. 2 M. 4 N. 1
†BIRKENHEAD C.B.	–	6	3	–	6	G. 2 M. 1
†CHESTER C.B. ...	–	2	1	–	1	–
†STOCKPORT C.B.	–	14	3	–	5	M. 1
†WALLASEY C.B. ...	–	5	6	–	2	–
Boroughs and Urban Districts:—						
ASHTON UPON MERSEY	–	–	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	3	–	–	–
BREDBURY AND ROMILEY	–	2	4	–	1	–
†CHEADLE AND GATLEY	–		–	–	–	N. 1
†CONGLETON ...	–	1	2	–	–	–
†CREWE	–	2		–	–	–
†DUKINFIELD ...	–	–	2	–	6	–
†ELLESMERE PORT AND WHITBY	–	3	–	–	1	–
HALE	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HAZEL GROVE AND BRAMHALL	–	1	1	–	–	M. 1
HOLLINGWORTH	–	1	–	–	–	–
HOOLE	–	1	–	–	–	–
†HYDE	–	4	–	–	1	–
LYMM	–	1	–	–	–	–
NESTON AND PARKGATE	–	1	–	–	–	–
†NORTHWICH ...	–	2	1	–	–	M. 1
†RUNCORN... ...	–	4	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	4	–
TARPORLEY ...	–	–	–	–	1	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	2	–	–	2	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	–	–
CONGLETON ...	–	1	–	–	–	–
DISLEY	–	1	–	–	–	–
MACCLESFIELD ...	–	1	–	–	1	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	2	–	–	1	–
RUNCORN ...	–	1	1	–	3	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	2	2	–	4	–
CORNWALL ...	–	8	6	–	4	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	1	–	–	–
LISKEARD ...	–	–	2	–	–	–
PAUL	–	5	–	–	–	–
ST. AUSTELL ...	–	–	–	–	1	–
ST. IVES	–	–	–	–	1	–
ST. JUST	–	1	–	–	–	–
TORPOINT ...	–	–	–	–	1	–
Rural Districts:—						
BODMIN	–	–	–	–	–	M. 1
EAST KERRIER ...	–	–	–	–	1	–
CORNWALL—*cont.*						
Rural Districts—*cont.*						
LISKEARD ...	–	–	1	–	–	–
REDRUTH ...	–	1	2	–	–	–
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND...	–	6	7	–	6	M. 2
†CARLISLE C.B. ..	–	1	6	–	3	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	1	–	–	–
EGREMONT ...	–	1	–	–	–	–
KESWICK	–	–	–	–	2	M. 1
†MARYPORT ...	–	1	–	–	–	–
†WHITEHAVEN ...	–	–	–	–	–	M. 1
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
WHITEHAVEN ...	–	2	–	–	–	–
WIGTON	–	–	–	–	1	–
DERBY	11	38	29	–	34	C. 3 D. 1 N. 3
†DERBY C.B. ..	1	9	5	–	11	C. 1 D. 1 N. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	7	1	1	–	–	–
†BELPER	2	2	–	–	–	–
†BUXTON		1	–	–		–
†CHESTERFIELD ...	1	3	4	–	4	–
CLAY CROSS ...	–	–	1	–	1	–
DRONFIELD ...	–	–	1	–	–	–
†GLOSSOP	–	–	–	–	1	–
†ILKESTON ...	–	4	–	–	1	–
†LONG EATON ...	–	1	1	–	1	–
NEW MILLS ...	–	–	2	–	–	–
NORTH DARLEY...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RIPLEY	–	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	–	–	–	C. 1
WIRKSWORTH ...	–	–	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	–	–	–	1	–
BLACKWELL ...	–	7	2	–	3	N. 1
CHAPEL EN LE FRITH	–	2	–	–	–	–
CHESTERFIELD ...	–	2	8	–	2	C. 1
CLOWNE	–	1	–	–	–	–
HARTSHORN AND SEALS	–	1	3	–	–	–
HAYFIELD ..	–	1	–	–	–	–
REPTON	–	–	–	–	1	–
SHARDLOW ..	–	1	1	–	5	–
SUDBURY... ...	–	1	–	–	–	–
DEVON	–	11	11	2	14	E. 1 G. 2 M. 3 N. 2
†EXETER C.B. ...	–	1		–	1	M. 1
†PLYMOUTH C.B....	–	3	7	–	5	G. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
ASHBURTON ...	*	*	*	*	*	*
†BARNSTAPLE ...	–	2	–	–	1	–
BRIXHAM... ...	–	1		1	–	–
BUDLEIGH SALTERTON	–	–	–	–	1	–
DARTMOUTH ...	–	2	–	–	–	–
OTTERY ST. MARY	–	–	–	–	–	N. 1
SIDMOUTH ...	–	–	–	–	1	–
†TORQUAY ...	–	–	–	–	2	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
KINGSBRIDGE ...		–	–	–	1	–
DEVON—*cont.*						
Rural Districts—*cont.*						
PLYMPTON ST. MARY	–	–	3	–	1	E. 1 G. 1
TIVERTON ...	–	–	–	1	–	–
TORRINGTON ...	–	1	–	–	–	–
TOTNES	–		1	–	1	–
DORSET	–	6	–	1	3	M. 1
Boroughs and Urban Districts:—						
†POOLE	–	1	–	1	1	–
SWANAGE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS		–	–	–	2	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	–	M. 1
BRIDPORT ...	–	1	–	–	–	–
POOLE	–	1	–	–	–	–
STURMINSTER ...	–	1	–	–	–	–
WEYMOUTH ...	–	1	–	–	–	–
DURHAM ...	44	58	46	5	139	C. 2 G. 1 M. 6 N. 5
†DARLINGTON C.B.	11	3	–	–	10	G. 1
†GATESHEAD C.B.	2	1	1	–	9	–
†SOUTH SHIELDS C.B.	13	4	1	1	21	–
†SUNDERLAND C.B.	–	2	9	1	26	M. 2
†WEST HARTLEPOOL C.B.	–	7	5	1	7	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN		1	–	–	1	M. 1 N. 2
BENFIELDSIDE ...	–	3	2	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
BILLINGHAM ...	–	–	–	–	2	–
†BISHOP AUCKLAND	–	–	1	–	–	–
†BLAYDON... ..	–	–	1	–	–	N. 1
†BRANDON AND BYSHOTTLES	–	–	1	–	–	–
†CHESTER LE STREET	2	1	–	–	1	–
†CONSETT	–	–		–	4	–
†CROOK	–	2	–	–	–	–
†DURHAM	2	1	–	–	–	–
†HARTLEPOOL ...	–	3	–	–	–	–
†HEBBURN ...	3	2	1	1	–	–
†HETTON	–	3	–	–	10	M. 1
†HOUGHTON LE SPRING	–	–	–	–	2	–
†JARROW	1	2	–	–	19	–
LEADGATE ...	–	–	2	–	–	
†RYTON	–	1	–		–	N. 1
†SHILDON	–	–	1	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†SPENNYMOOR ...	3	–	–	–	–	–
STANHOPE ...	–	1	–	–	–	–
†STANLEY	3	3	1	–	–	–
†STOCKTON ON TEES	–	3	4	–	3	–
†TANFIELD ...	1	1	–	–	3	–
†WASHINGTON ...	–	–	–	–	1	–
†WHICKHAM ...	–	3	3	–	3	M. 1
WILLINGTON ...	1	1	5	–	–	–
Rural Districts:—						
AUCKLAND ..	–	4	1	–	2	–
CHESTER LE STREET	–	–	–	1	2	–
DARLINGTON ...	–	–	–	–	–	C. 1 N. 1
DURHAM	–	–	–	–	1	–
EASINGTON ..	1	2	1	–	3	–
HARTLEPOOL ...	–	–	–	–	1	C. 1
HOUGHTON LE SPRING	–	1	–	–	2	–
LANCHESTER ..	–	–	–	–	1	M. 1
SEDGEFIELD ..	–	–	3	–	1	–
SOUTH SHIELDS..	1	3	2		2	–
SUNDERLAND ..	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	–	4	–	2	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	1	–	–	–
†WISBECH	–		1	–	–	–
Rural Districts:—						
ELY	–	–	–	–	1	–
NORTH WITCHFORD	–	–	–	–	1	–
THORNEY... ...	–		1	–	–	–
WISBECH	–	–	1	–	–	–
ESSEX	–	163	96	4	35	C. 3 E. 1 M. 1 N. 1
†EAST HAM C.B. ...	–	16	9	–	2	–
†SOUTHEND-ON-SEA C.B.	–	8	5	–	4	–
†WEST HAM C.B. ...	–	49	44	1	10	C. 1 E. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	10	4	–	2	–
BRIGHTLINGSEA	–	–		–	2	–
†CHELMSFORD ...	–	3	1	–	2	–
CHINGFORD ...	–	2	–	–	–	–
†CLACTON	–	2	–	–	–	–
†COLCHESTER ...	–	–	–	1	2	–
DAGENHAM ...	–	11	5	–	1	C. 1
†GRAYS THURROCK	–	1	3	–	1	–
HALSTEAD ...	–	1	–	–	–	–
†ILFORD	–	11	4	–	2	–
†LEYTON	–	16	6	–	3	M. 1
MALDON	–	2	–	–	–	–
†ROMFORD ...	–	3	1	–	–	–
TILBURY		–	3	–	–	–
†WALTHAMSTOW...	–	14	4	–	2	–
†WANSTEAD ...	–	3	–	–	–	–
†WOODFORD ...	–	–	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	1	1	–	–	–
EPPING	–	3	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this col mn denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
LEXDEN AND WINSTREE	–	–	–	–	–	C. 1 N. 1
MALDON	–	1	–	–	–	–
ORSETT	–	2	2	–	–	–
ROCHFORD ...	–	–	2	–	1	–
ROMFORD... ...	–	3	1	–	–	–
STANSTED ...	–	–	1	2	–	–
GLOUCESTER ...	2	65	17	3	16	C. 1 F. 1 G. 1 L. 9 N. 2
†BRISTOL C.B. ...	2	38	17	3	8	C. 1 F. 1 G. 1 L. 9
†GLOUCESTER C.B.	–	4	–	–	1	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	2	–	–	–	–
†CHELTENHAM ...	–	11	–	–	–	–
†KINGSWOOD ...	–	2	–	–	–	–
NAILSWORTH ...	*	*	*	*	*	*
TEWKESBURY ...	–	2	–	–	–	–
WESTBURY ON SEVERN	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
CIRENCESTER ...	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	2	–	–	2	N. 1
PEBWORTH ...	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	–	N. 1
WARMLEY ...	–	–	–	–	1	–
WEST DEAN ...	–	–	–	–	1	–
WHEATENHURST	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	10	2	1	2	L. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	8	1	–	–	–
LEOMINSTER ...	–	–	–	–	1	–
Rural Districts:—						
BROMYARD ...	–	–	1	–	1	–
HEREFORD ...	–	2	–	–	–	–
LEOMINSTER ...	–	–	–	–	–	L. 1
ROSS	–	–	–	1	–	–
HERTFORD ...	–	16	7	1	8	G. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	2	–	–	–
BISHOP'S STORTFORD	–	–	–	–	2	G. 1
GREAT BERKHAMPSTEAD	–	–	1	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HITCHIN	–	4	–	–	–	–
†LETCHWORTH ...	–	–	–	–	1	–
RICKMANSWORTH	–	2	–	–	–	–
†ST. ALBANS ...	–	–	1	–	1	–
†WATFORD ...	–	2	3	–	2	–
Rural Districts:—						
ASHWELL ...	–	2	–	–	–	–
BERKHAMPSTEAD.	–	1	–	–	–	–
HEMEL HEMPSTEAD	–	–	–	1	–	–
HITCHIN	–	2	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	–	–	–	1	–
WATFORD ...	–	1	–	–	1	–
HUNTINGDON ...	–	1	3	–	2	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	3	–	1	–
OLD FLETTON ...	–	–	–	–	1	–
RAMSEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	-	50	62	5	18	C. 1 G. 2 M. 3 N. 4
†CANTERBURY C.B.	-	-	1	-	-	-
Boroughs and Urban Districts:—						
†ASHFORD	-	1	-	-	-	-
†BECKENHAM ..	-	3	4	1	1	-
†BEXLEY	-	1	1	-	-	-
†BROADSTAIRS AND ST. PETER'S	-	1	-	-	-	N. 1
†BROMLEY ..	-	-	1	1	-	N. 1
†CHATHAM ...	-	8	8	-	1	C. 1
CHERITON ...	-	-	-	-	1	-
†DARTFORD ...	-	1	7	-	-	
†DEAL	*	*	*	*	*	*
†DOVER	-	3	2	-	2	-
†ERITH	-	3	2	-	3	N. 1
†FAVERSHAM ...	-	-	1	-	-	-
†FOLKESTONE ...	-	1			1	M. 1
†GILLINGHAM ...	-	2	5		-	-
†GRAVESEND ...	-	-	1	-	-	-
†HERNE BAY ...	-	-	-	-	1	-
LYDD	-	3	-	-	-	-
†MAIDSTONE ...	-	1	-	-	-	-
†MARGATE ...	-	2	1	-		-
MILTON REGIS ..	-	-	1	-	-	-
†NORTHFLEET ...	-	1	-	-	1	-
†PENGE	-	-	3	-	-	-
†RAMSGATE ...	-	-		-	-	N. 1
†ROCHESTER ...	-	2	2	-	-	M. 1
†ROYAL TUNBRIDGE WELLS	-	1	-	-	2	-
SEVENOAKS ...	-	-	1	-	-	-
†SHEERNESS ..	-	-	-	-	-	G. 1
SITTINGBOURNE	-	-	1	-	-	-
SWANSCOMBE ...	-	1	1	-	-	-
†TONBRIDGE ...	-	-	-	1	-	-
WHITSTABLE ...	-	-	1	-	-	-
Rural Districts:—						
BLEAN	-	-	-	-	3	-
BRIDGE	-	-	-	-	1	-
BROMLEY ...	-	-	-	-	1	-
CRANBROOK ...	-	1	1	-	-	-
DARTFORD ...	-	-	1	-	-	-
DOVER	-	1	-	-	-	-
EAST ASHFORD ...	-	1	-	-	-	-
EASTRY	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
FAVERSHAM ...	-	1	1	-	-	-
ISLE OF THANET	-	-	1	-	-	-
MAIDSTONE ...	-	1	1	1	-	M. 1
MALLING	-	2	2		-	G. 1
MILTON	-	5	4	-	-	-
SEVENOAKS ...	-	-	-	1	-	-
STROOD	-	1	3	-	-	-
TENTERDEN ...	-	1	-	-	-	-
TONBRIDGE ...	-	-	4	-	-	-
LANCASTER ...	33	250	191	5	248	C. 3 D. 3 E. 3 G. 9 M. 25 N. 11
†BARROW IN FURNESS C.B.	-	5	-	-	2	-
†BLACKBURN C.B.		2	2	-	3	G. 1
†BLACKPOOL C.B.	-	2	-	-	1	-
†BOLTON C.B. ...	-	9	4	-	2	-
†BOOTLE C.B. ..		5	2	1	4	C. 1 G. 1
†BURNLEY C.B. ..	-	-	8	-	5	N. 1
†BURY C.B. ...	-	3	3	-	-	-
†LIVERPOOL C.B. ..	-	29	52	1	54	D. 2 E. 1 G. 1 M. 11 N. 4
†MANCHESTER C.B.	10	50	39	-	72	C. 2 E. 1 G. 2 M. 5 N. 1
†OLDHAM C.B. ..	-	1	4	-	4	G. 1
†PRESTON C.B. ...		2	5	-	-	-
†ROCHDALE C.B. ..	1	4	2		1	-
†ST. HELENS C.B...	-	5	3	-	1	-
†SALFORD C.B. ...	-	18	16	1	11	G 1 M. 1 N. 2
†SOUTHPORT C.B.	-	5	-	-	1	-
†WARRINGTON C.B.	9	1	2	-	12	-
†WIGAN C.B. ...	-	1	1	-	4	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—						
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	1	–
†ACCRINGTON ..	–	2	–	–	3	M. 1
†ASHTON IN MAKERFIELD	–	–	–	–	2	–
†ASHTON UNDER LYNE	–	1	2	–	2	–
ASPULL	–	–	–	–	3	–
†ATHERTON ...	–	–		–	1	–
AUDENSHAW ..	*	*	*	*	*	*
†BACUP	–	–	–	–	1	–
BARROWFORD ...	–	3	–	–	–	–
BRIERFIELD ...	–	1	–	–	–	–
CARNFORTH ...	–	1	–	–	–	–
†CHADDERTON ...	–	2	2	–	–	N. 1
†CHORLEY	–	2	–	–	2	–
CHURCH	–	–	–	–	1	–
†COLNE	10	–	1	–	–	–
†CROMPTON ...	–	–	1	–	–	–
†DARWEN	–	–	–	–	3	–
†DENTON	–	–	2	–	1	
†DROYLSDEN ...	–	–	–	1	1	M. 1 N. 1
†ECCLES	–	18	2	–	1	M. 2
†FAILSWORTH ...	–	–	3	–	2	N. 1
†FARNWORTH ...	–	3	1	–	1	–
†FLEETWOOD ...	–	2	–	–	1	–
FORMBY	–	1	–	–	–	–
†GREAT CROSBY ...	–	1	–	–	–	–
†HASLINGDEN ...	–	–	2	–	–	–
†HAYDOCK ...	–	1	–		–	–
†HEYWOOD ...	–	1	3	–	–	–
†HINDLEY... ...	–	–	–	–	4	–
†HORWICH ...	–	6	2	–	–	–
†INCE IN MAKERFIELD	2	–	–	–	1	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	4	1	1	2	M. 1
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	2	2	–	1	D. 1
LEYLAND... ...	–	1	–		–	–
†LITHERLAND ...	–	–	2	–	1	–
†LITTLEBOROUGH	–	1	–	–	–	–
LITTLE HULTON...	–	1	–	–	1	–
†LYTHAM ST. ANNE'S	–	1	1	–	1	–
†MIDDLETON ...	–	3	–		1	–
MILNROW... ...	–	–	–	–	1	–
†MORECAMBE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†NELSON	1	2	1	–	1	–
†NEWTON IN MAKERFIELD	–	1	–	–	–	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM ...	–	1	–	–	1	–
†PRESTWICH ...	–	2	1	–	–	–
†RADCLIFFE ...	–	4	4	–	2	–
†RAWTENSTALL ...	–	1	–	–	2	–
RISHTON	–	1	–	–	2	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	6	1	–	2	–
†SWINTON AND PENDLEBURY	–	–	–	–	1	M. 1
TOTTINGTON ...	*	*	*	*	*	*
†TURTON	–	–	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
†ULVERSTON ...	–	2	–	–	–	–
URMSTON... ...	–	–	1	–	–	–
WARDLE	–	1		–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	1	M. 1
†WESTHOUGHTON	–	1	–	–	1	–
WHITEFIELD ...	–	1	–	–	1	–
WHITWORTH ...	–	–	–	–	2	–
†WIDNES	–	–	3	–	8	E. 1
Rural Districts:—						
BARTON UPON IRWELL	–	5	–	–	1	–
BLACKBURN ...	–	1	–	–	1	–
BURY	–	1	–	–	–	G. 1
CLITHEROE ...	–	2	–	–	–	–
FYLDE	–	3	–	–	–	–
LEIGH	–	–	3	–	1	M. 1
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	1	1	–	–	–
SEFTON	–	–	1	–	–	–
ULVERSTON ...	–	2	–	–		–
WARRINGTON ...	–	1	–	–	1	–
WEST LANCASHIRE	–	–	2	–	1	–
WHISTON... ...	–	3	–	–	1	–
WIGAN	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	2	41	27	–	10	M. 1 N. 1
†LEICESTER C.B. ...	2	27	16	–	4	M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS ...	–	–	–	–	1	–
†COALVILLE ...	–	5	5	–	1	–
†HINCKLEY ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	2	2	–	–	–
MARKET HARBOROUGH ...	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–
THURMASTON ...	–	–	–	–	2	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	–	N. 1
BARROW UPON SOAR	–	1	–	–	–	–
BLABY	–	1	1	–	–	–
LUTTERWORTH ...	–	1	–	–	–	–
MARKET BOSWORTH	–	1	2	–	–	–
MELTON MOWBRAY	–	1	1	–	–	–
LINCOLN (parts of Holland).	–	6	4	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	–	–
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	–	4	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	1	–	–	–	–
SPALDING (part) ..	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	1	2	E. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	M. 2
STAMFORD ...	*	*	*	*	*	*
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
BOURNE	–	–	–	–		E. 1
BRANSTON ...	–	–	–	–	–	N. 1
CLAYPOLE ...	–	1	–	1	1	–
GRANTHAM ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	9	41	20	–	8	–
†GRIMSBY C.B. ...	–	3	2	–	3	–
†LINCOLN C.B. ...	9	5	1	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	2	–	–	–
BRIGG	–	4	2	–	–	–
†CLEETHORPES ..	–	1	2	–	1	–
†GAINSBOROUGH ...	–	2	4	–	1	–
HORNCASTLE ...	–	3	–	–	–	–
LOUTH	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	14		–	1	–
Rural Districts:—						
CAISTOR	–	1	–	–	–	–
GAINSBOROUGH ...	–	2	–	–	1	–
GLANFORD BRIGG	–	2	5	–	–	–
GRIMSBY	–	–	1	–	–	–
LOUTH	–	2	–	–	–	–
WELTON	–	1	–	–	–	–
MIDDLESEX ...	–	76	61	4	30	C. 2 M. 1 N. 2
Boroughs and Urban Districts:—						
†ACTON	–	5	2	–		C. 1
†BRENTFORD AND CHISWICK	–	1	–	1	1	–
†EALING	–	6	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EDMONTON ...	–	8	5	–	1	–
†ENFIELD	–	2	16	–	3	–
FELTHAM ...	–	–	–	1	–	–
†FINCHLEY ..	–	3	1	–	–	N. 1
†FRIERN BARNET		2	–	–	3	–
†HARROW ON THE HILL	–	3	–	–	–	–
†HENDON	–	1	1	–	–	–
†HESTON AND ISLEWORTH	–	2	–	–	5	N. 1
†HORNSEY... ...	–	3	–	–	1	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	3	2	–	–	–
†SOUTHGATE ...	–	2	3	–	4	–
SUNBURY ON THAMES	–	–	2	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	11	11	–	1	M. 1
†TWICKENHAM ...	–	–	2	–		–
†WEALDSTONE ...		6	–		2	–
†WEMBLEY ...	–	2	–	–	1	–
†WILLESDEN ...	–	4	8	1	6	–
†WOOD GREEN ...	–	5	2	–	–	C. 1
Rural Districts:—						
HENDON	–	–	6	–	–	–
STAINES	–	1	–	–	–	–
UXBRIDGE ...	–	4	–	–	1	–
NORFOLK ...	–	34	8	1	3	C. 1
†GREAT YARMOUTH C.B	–	3	2		–	–
†NORWICH C.B. ...		17	2	–	–	C. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	2	1	1	–
SHERINGHAM ...	–	–	–	–	1	–
WALSOKEN ...	–	–	1	–	1	–
NORFOLK—*cont.*						
Rural Districts:—						
DEPWADE ...	–	2	–	–	–	–
DOWNHAM ...	–	–	1	–	–	–
EAST AND WEST FLEGG	–	1	–	–	–	–
ERPINGHAM ...	–	4	–	–	–	–
FOREHOE ...	–	2	–	–		–
HENSTEAD ...	–	2	–	–	–	–
LODDON AND CLAVERING	–	2	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
NORTHAMPTON	–	19	–	–	9	N. 2
†NORTHAMPTON C.B.	–	11	–	–	1	–
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	–	–	2	–
IRTHLINGBOROUGH	–	–	–	–	1	–
†KETTERING ..	–	1	–	–	–	N. 2
RAUNDS	–	–	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	2	–	–	–	–
DAVENTRY ...	–	2	–	–	1	–
HARDINGSTONE ...	–	3	–	–	–	–
NORTHAMPTON ..	–		–	–	1	–
POTTERSPURY ...	–	–	–	–	1	–
THRAPSTON (part)	–	–	–		1	–
NORTHUMBERLAND.	9	32	13	1	69	D. 1 L. 1 M. 2 N. 3
†NEWCASTLE UPON TYNE C.B.	5	8	7	1	38	D. 1 M. 2
†TYNEMOUTH C.B.	–	5	4	–	8	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	1	3	1	-	2	N. 1
†BEDLINGTONSHIRE	–	4	1	–	2	–
†BERWICK UPON TWEED	*	*	*	*	*	*
†BLYTH	–		–	–	4	N. 1
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	–	–	–	1	N. 1
†LONGBENTON ...	–	1	–	–	3	–
MORPETH... ...	1	–	–	–	–	–
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	–	–	–	4	–
†WHITLEY AND MONKSEATON	–	5	-	–	5	–
Rural Districts:—						
BELFORD	-	-	–	–	–	L. 1
CASTLE WARD ...	–	3	–	–	–	–
MORPETH ...	2	–	–	–	–	–
NOTTINGHAM ...	9	34	49	–	10	G. 1 M. 3 N. 1
†NOTTINGHAM C.B	1	16	42	–	4	M. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	1	–
†BEESTON	–	1	–	–	–	–
†CARLTON	6	–	-	–	1	–
†EAST RETFORD ...	–	–	2	–	–	–
†HUCKNALL ...	–	-	1	–	.	–
†MANSFIELD ...	–	2	–	–		G. 1
†SUTTON IN ASHFIELD	–	5	–	–	–	M. 1
†WORKSOP... ...	1	–	-	–	–	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	1	3	1	–	2	-
BINGHAM... ...	–	1	–	–		–
EAST RETFORD ...	–	2	–	–	–	–
SKEGBY	–	2	–	–	1	–
SOUTHWELL ...	–	–	3	–	-	N. 1
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	–	1	–	–	–	–
OXFORD	–	1	1	–	4	L. 1
†OXFORD C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
HEADINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BANBURY ...	–	–		–	1	–
CHIPPING NORTON	-	–	–	–	1	–
CROWMARSH ...	–	–	–	–	1	–
GORING	–	–	–	–	–	L. 1
WITNEY	–	1	–	–	–	–
PETERBOROUGH (Soke of).	1	3	–	–	1	–
Borough:—						
†PETERBOROUGH...	1	2	–	–	1	–
Rural Districts:—						
BARNACK... ...	–	1	–	–	.	–
SALOP	–	16	6	1	2	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	3	1	–	–	–
ELLESMERE ...	–	1	–	–	–	–
NEWPORT ...	–	-	–	–	1	-
OAKENGATES ...	–	1	–	–		–
OSWESTRY ...	–	–	2	-	–	M. 1
†SHREWSBURY ...	–	2	1	-	–	N. 1
WHITCHURCH ...	–	2	-	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	1	–	1	–	–
CHIRBURY ...	–	–	–	–	1	–
CLEOBURY MORTIMER	–	–	1	–	–	–
DRAYTON... ...	–	1	–	–		–
OSWESTRY ...	–	–	1	–	–	–
SHIFNAL	–	2	–	–	–	–
TEME	–	2	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WEM	–	–	–	–	–	C. 1
SOMERSET ...	–	27	15	–	17	F. 1
†BATH C.B. ...	–	5	3	–	–	–
Boroughs and Urban Districts:—						
CLEVEDON ...	–	1	–	–	–	–
ILMINSTER ...	–	–	–	–	1	–
MIDSOMER NORTON	–	1	1	–	–	F. 1
PORTISHEAD ...	–	–	–	–	1	–
RADSTOCK ...	–	1	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	–
WELLINGTON ...	–	4	–	–	–	–
†WESTON SUPER MARE	–	1	5	–	1	–
†YEOVIL	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	1	2	–	3	–
BATH	–	–	1	–	1	–
CHARD	–	3	–	–	–	–
CLUTTON... ...	–	1	1	–	1	–
FROME	–	–	1	–	3	–
LANGPORT ...	–	2	–	–	1	–
LONG ASHTON ...	–	1	1	–	–	–
SHEPTON MALLET	–	1	–	–	1	–
TAUNTON ...	–	2	–	–	1	–
WINCANTON ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON.	–	60	34	1	10	M. 2 N. 6
†BOURNEMOUTH C.B.	–	4	4	–	–	–
†PORTSMOUTH C.B.	–	18	18	–	1	M. 1 N. 2
†SOUTHAMPTON C.B.	–	18	2	–	7	M. 1 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	3	–	–	–
†BASINGSTOKE ...	–	2	–	–	–	–
FAREHAM ...	–	1	–	–	–	–
†FARNBOROUGH ...	–	1	–	–	–	–
†GOSPORT	–	–	3	–	1	–
PETERSFIELD ...	–	2	–	–	–	–
ROMSEY	–	1	–	–	–	–
†WINCHESTER ...	–	–	–	1	1	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
CATHERINGTON ...	–	1	2	–	–	–
CHRISTCHURCH ...	–	2	–	–	–	–
FAREHAM ...	–	3	–	–	–	–
NEW FOREST ...	–	1	1	–	–	N. 2
PETERSFIELD ...	–	3	–	–	–	–
ROMSEY	–	1	–	–	–	–
SOUTH STONEHAM	–	–	–	–	–	N. 1
STOCKBRIDGE ...	–	–	1	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD ...	–	47	35	3	81	C. 2 G. 3 L. 2 M. 6 N. 3
†BURTON UPON TRENT C.B.	–	–	2	–	2	G. 1
†SMETHWICK C.B.	–	3	4	–	4	C. 1 G. 1
†STOKE ON TRENT C.B.	–	10	2	1	23	M. 3
†WALSALL C.B. ...	–	1	8	–	2	–
†WEST BROMWICH C.B.	–	1	1	–	8	C. 1
†WOLVERHAMPTON C.B.	–	9	–	–	5	M. 2 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	3	–
BIDDULPH ..	–	1	4	–	1	–
†BILSTON	–	1	–	–	10	–
†BRIERLEY HILL...	–	2	–	–	3	–
†BROWNHILLS ...	–	1	–	–	–	–
†CANNOCK	–	2	–	–	–	
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	–	1	–		–
†LEEK	–	1	3	–	–	–
†NEWCASTLE UNDER LYME	–	–	–	–	–	N. 1
QUARRY BANK ...	–	–	1	–		–
†ROWLEY REGIS ...	–	3	1	–	3	–
†SEDGLEY	–	–	1	–	2	N. 1
†STAFFORD ...	–	1	3	–	–	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	–	1	–	6	M. 1
†WEDNESBURY ...	–	2	–	–	1	–
WEDNESFIELD ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	1	–	–	3	–
Rural Districts:—						
CHEADLE... ...	–	–	–	–	2	G. 1 L. 2
GNOSALL	–	1	–	–	–	–
LICHFIELD ...	–	1	–	2	1	–
†NEWCASTLE UNDER LYME	–	–	1	–	–	–
SEISDON	–	1		–	–	–
STONE	–	2		–	–	–
WALSALL... ...	–	1	2	–	–	–
SUFFOLK, EAST	–	19	5	1	8	–
†IPSWICH C.B. ..	–	6	4	–	3	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	*	*	*	*	*	*
BECCLES	–	2	–	–	–	–
BUNGAY	–	–	–	–	1	–
†FELIXSTOWE ...	–	1	1	–	–	–
†LOWESTOFT ...	–	3	–	1	2	–
SOUTHWOLD ...	*	*	*	*	*	*
STOWMARKET ...	–	–	–	–	1	–
SUFFOLK, EAST —*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	3	–	–	–	
EAST STOW ...	–	1		–	–	–
HARTISMERE ...	–	2	–	–	–	–
HOXNE	–	1	–	–	–	–
PLOMESGATE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	3	–	–	2	N. 2
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
NEWMARKET ...	–	–	–	–	1	–
SUDBURY... ...	–	1	–	–	–	N. 1
Rural Districts:—						
MILDENHALL ...	–	–	–	–	1	–
MOULTON ...	–	–	–	–	–	N. 1
THINGOE	–	1	–	–	–	–
SURREY	–	46	47	4	16	F. 1 L. 1 M. 1 N. 2
†CROYDON C.B. ...	–	11	12	–	4	–
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	2	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	5	4	–	1	M. 1
†CHERTSEY	–	1	1	1	–	–
†COULSDON AND PURLEY	–	2	–	–	–	–
EAST AND WEST MOLESEY	–	1	–	–	–	F. 1
†EGHAM	–	2	1	–	1	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FARNHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GUILDFORD ...	–	–	1	–	–	–
†KINGSTON ON THAMES	–	4	5	–	2	–
†MERTON AND MORDEN	–	–	1	–		–
†MITCHAM... ...		2	–	1	1	–
†REIGATE	–	1	1	–	1	–
†SURBITON ...	–	–	3	–	–	–
†SUTTON	–	2	1	–	1	–
†THE MALDENS AND COOMBE	–	4	1	1	1	–
†WALTON UPON THAMES	–	–	–	1	–	–
†WIMBLEDON ...	–	2	9	–	–	–
†WOKING		1	–	–	–	–
Rural Districts:—						
DORKING... ...	–	2	–	–	–	N. 1
EPSOM	–	4	2	–	1	–
FARNHAM ...	–	–	1	–	–	N. 1
GODSTONE ...		–	1	–	–	–
GUILDFORD ...	–	1	–	–	–	–
REIGATE	–		–	–	1	L. 1
SUSSEX, EAST ...	–	18	13	–	7	N. 1
†BRIGHTON C.B. ...	–	6	7	–	2	–
†EASTBOURNE C.B.	–	2	–	–	1	–
†HASTINGS C.B. ...	–	2	–		–	N. 1
Boroughs and Urban Districts:—						
BATTLE	–	–	2	–	–	–
BURGESS HILL ...	–	–	–	–	2	–
HAYWARDS HEATH	–	2	–	–	–	–
†HOVE	–	1	2	–	–	–
PORTSLADE BY SEA	–	–	–	–	1	–
SEAFORD	–	–	1	–	–	–
SUSSEX, EAST—*cont.*						
Rural Districts:—						
BATTLE	–	1	–	–	–	–
CUCKFIELD ...	–	1	–	–	–	–
EASTBOURNE ...	–	2	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
STEYNING EAST...	–	–	1	–	–	–
SUSSEX, WEST...	–	11	11	1	–	–
Boroughs and Urban Districts:—						
†BOGNOR	–		2	–	–	–
†CHICHESTER ...	–	3	3	–	–	–
†HORSHAM ...	–	–	2	–	–	–
†LITTLEHAMPTON	–	–	1	–	–	–
SHOREHAM-BY-SEA	–	–	–	1	–	–
†WORTHING ...	–	2	2	–	–	–
Rural Districts:—						
HORSHAM ...	–	2	–	–	–	–
STEYNING WEST	–	1	–	–	–	–
WESTBOURNE ...	–	2	–		–	–
WESTHAMPNETT	–	1	1	–	–	–
WARWICK ...	5	71	92	1	99	G. 2 M. 6 N. 5
†BIRMINGHAM C.B.	–	34	73	1	87	G. 2 M. 6 N. 4
†COVENTRY C.B. ...	1	19	11	–	3	–
Boroughs and Urban Districts:—						
†NUNEATON ...	1	6	4	–	2	N. 1
†RUGBY	–	2	1	–	1	–
†STRATFORD ON AVON	–	1	–	–		–
†SUTTON COLDFIELD	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	2	–	–	–	–
ATHERSTONE ...	3	–	–	–	–	–
FOLESHILL ...	–	3	1	–	–	–
MERIDEN... ...	–	1	–	–	–	–
RUGBY	–	1	1	–	2	–
SOLIHULL ...	–	1	–	–	1	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	1	–	–	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND	–	4	–	–	1	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	1	–
†KENDAL	–	2	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	9	1	–	–	–
Boroughs and Urban Districts:—						
†COWES	–	1	1	–	–	–
†NEWPORT... ...	–	1	–	–	–	–
†RYDE	–	2	–	–	–	–
ST. HELENS ...	–	2	–	–	–	–
VENTNOR... ...	–	2	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	17	10	–	10	–
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
†SALISBURY ...	–	5	2	–	1	–
†SWINDON... ...	–	–	5	–	3	–
WARMINSTER ...	–	1	–	–	–	–
WESTBURY ...	–	1	–	–	–	–
WILTON	–	1	–	–	–	–
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	–	–	1	–	2	–
CHIPPENHAM ...	–	1	–	–	–	–
HIGHWORTH ...	–	2	–	–	–	–
MALMESBURY ...	–	–	–	–	2	–
MARLBOROUGH ...	–	–	–	–	1	–
MELKSHAM ...	–	–	–	–	1	–
MERE	–	1	–	–	–	–
PEWSEY	–	2	–	–	–	–
SALISBURY ...	–	–	2	–	–	–
TISBURY	–	1	–	–	–	–
WILTON		1	–	–	–	–
WORCESTER ...	–	23	2	–	17	M. 1 N. 2
†DUDLEY C.B. ...	–	–	1	–	1	–
†WORCESTER C.B.	–	1	–	–	3	N. 1
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
BROMSGROVE ...	–	2	–	–	–	–
†HALESOWEN ...	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†MALVERN ...	–	–	–	–	2	–
NORTH BROMSGROVE	–	6	–	–	–	–
†OLDBURY... ...	–	2	–	–	5	–
†REDDITCH ...	–	2	–	–	1	–
†STOURBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
FECKENHAM ...	–	–	–	–	1	M. 1
MARTLEY... ...	–	3	–	–	–	–
SHIPSTON ON STOUR	–	–		–	3	–
TEWKESBURY (part)	–	1	–	–	–	–
UPTON ON SEVERN	–	2	–	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	19	38	–	14	C. 1 E. 1 G. 1 M. 2 N. 1
†KINGSTON UPON HULL C.B	–	14	31	–	13	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	2		1	–
COTTINGHAM ...	–	2	–	–	–	N. 1
FILEY	–	–	1	–		–
HESSLE	–	1	–	–	–	–
HORNSEA	–	1	2	–	–	–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
DRIFFIELD ...	–	–	1	–		
SCULCOATES ...	–	–	–		–	E. 1
SKIRLAUGH ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	3	15	8	–	18	C. 1 G. 1 M. 1 N. 1
†MIDDLESBROUGH C.B.	2	2	2	–	11	C. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
LOFTUS	–	1	–	–	1	
†REDCAR	–	1	–	–	–	–
RICHMOND ...	–	–	1	–	–	–
†SCARBOROUGH ...	1	1	3	–	1	M. 1
†SKELTON AND BROTTON	–	1	–	–	–	–
†THORNABY ON TEES	–	2	–	–	–	–
†WHITBY	–	–	–	–	3	–
Rural Districts:—						
EASINGWOLD ..	–	–	–	–	2	–
LEYBURN... ...	–	–	1	–	–	–
MALTON	–	2	–			–
NORTHALLERTON	–	3	1	–	–	–
STOKESLEY ...	–	1	–	–	–	–
THIRSK	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	27	223	75	1	183	C 4 E. 1 G. 3 M. 4 N. 9
†BARNSLEY C.B. ...	–	5	4	–	2	G. 1 N. 1
†BRADFORD C.B. ...	2	22	2	–	13	N. 3
†DEWSBURY C.B....	–	4	1	–	–	–
†DONCASTER C.B.	–	–	1	–	3	–
†HALIFAX C.B. ...	–	10	3	–	–	–
†HUDDERSFIELD C.B.	–	1	6	–	–	–
†LEEDS C.B. ...	6	14	12	–	22	E. 1 M. 1
†ROTHERHAM C.B.	–	2	4	–	6	M. 1
†SHEFFIELD C.B....	1	77	21	–	71	C. 4 M. 1 N. 3
†WAKEFIELD C.B.	–	4	2	1	3	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	4	2	–	–	–
†BATLEY	–	–	–	–	1	–
†BENTLEY WITH ARKSEY	–	1	1	–	–	–
†BINGLEY	1	–	–	–	5	–
BIRKENSHAW ...	–	–	–	–	1	–
BIRSTAL	–	1	–	–	–	–
†BOLTON UPON DEARNE	4	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	1	–
†CONISBROUGH ...	–	1	–	–	2	–
†DARTON	–	1	–	–	–	–
DENBY AND CUMBERWORTH	–	–	1	–	2	–
DODWORTH ...	–	–	1	–	–	–
DRIGHLINGTON ...	–	–	–	–	2	–
EARBY	1	–	–	–	–	
EMLEY	–	–	–	–	1	–
FARSLEY	–	1	–	–	–	–
†FEATHERSTONE ...	–	1	1	–	1	N. 1
GILDERSOME ...	–	–	–	–	1	–
†HARROGATE ...	–	2		–	2	–
HAWORTH ...	–	–	1	–	–	–
†HEMSWORTH ...	–	–	–	–	2	–
HONLEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAND NETHER	–	5	1	–	1	–
ILKLEY	–	1	–		–	–
†KEIGHLEY ...	7	1	–	–	2	–
LINTHWAITE ...	–	1	–	–	–	–
MALTBY	–	1	–	–	–	–
MARSDEN... ...	–	5	–	–	–	–
METHLEY ...	–	1	–	–	–	–
†MEXBOROUGH ..	–	4	–	–	1	–
†MIRFIELD ...	–	–	–	–	2	–
†MORLEY	–	–	–	–	4	–
†NORMANTON ..	–	1	–	–	4	–
OTLEY	–	1	–		3	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	3	–	–	1	–
†RAWMARSH ...	–	4	–	–	–	–
RIPON	–	1	–	–	–	–
SHELF	1	–	–	–	–	–
SHELLEY	–	1	–	–	1	–
†SHIPLEY	–	1	–	–	–	–
SKELMANTHORPE	–	–	2	–	–	–
†SKIPTON	–	1	–	–	1	–
†SPENBOROUGH ...	–	4	–	–	5	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON... ...	–	3	–	–	1	–
TICKHILL ...	–	–	5	–	–	–
†TODMORDEN ...	–	1	–		1	N. 1
†WOMBWELL ..	–	1	–	–	2	–
YEADON	–	–	–	–	1	–
Rural Districts:—						
DONCASTER ...	–	3	–	–	1	–
GOOLE	–	–	–	–	1	–
GREAT OUSEBURN	–	–	–	–	–	G. 1
HEMSWORTH ...	–	5	3	–	1	–
HUNSLET... ...	–	2	–	–	–	–
KEIGHLEY ...	1	–	–	–	–	–
KIVETON PARK ...	3	4	–	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	–	3	1	–	–	–
SKIPTON	–	3	–	–	–	–
TADCASTER ...	–	–	–	–	2	–
THORNE	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
TODMORDEN ...	–	1	–	–	–	–
WETHERBY ..	–	–	–	–	2	–
WHARFEDALE (SOUTH)	–	–	–	–	3	–
WORTLEY ...	–	4	–	–	–	G. 1
YORK, CITY OF ...	–	3	–	1	3	–
†YORK C.B. ...	–	3	–	1	3	–
WALES.						
ANGLESEY ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	–	–	–	–
Rural Districts:—						
DWYRAN	–	1	–	–	–	–
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	11	1	–	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	11	–	–	–	1	–
Rural Districts:—						
BUILTH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON ...	–	2	–	–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
PENMAENMAWR ...	–	2	–	–	–	–
Rural Districts:—						
CONWAY	–	–	–	–	–	G. 1
LLEYN	–	–	–	–	–	N. 1
CARDIGAN ...	–	1	1	–	–	–
Rural Districts:—						
CARDIGAN ...	–	1	1	–	–	–
CARMARTHEN ...	–	4	1	–	5	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	–	–	–	–
†LLANELLY ...	–	–	–	–	2	–
Rural Districts:—						
LLANDILO FAWR	–	–	1	–	3	–
LLANELLY ...	–	3	–	–	–	–
WHITLAND ...	*	*	*	*	*	*
DENBIGH	–	4	2	–	1	L. 4
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	–	–	–	L. 4
†WREXHAM ...	–	–	1	–	1	–
Rural Districts:—						
WREXHAM ...	–	4	1	–	–	–
FLINT	–	1	7	–	6	C. 1 G. 1
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	–	1	–	–	–
HOLYWELL ...		–	–	–	1	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	–	C. 1
HOLYWELL ...	–	–	3	–	4	G. 1
OVERTON... ...	–	–	–	–	1	–
ST. ASAPH (FLINT)	–	–	3	–	–	–
GLAMORGAN ...	23	52	74	–	42	C. 2 G. 1 M. 4 N. 6
†CARDIFF C.B. ...	–	4	11	–	4	G. 1 M. 1
†MERTHYR TYDFIL C.B.	–	1	1	–	2	N. 1
†SWANSEA C.B. ...	–	4	2	–	1	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	5	1	–	5	–
†BARRY	–	5	3	–	–	–
BRIDGEND ...	–	2	–	–	–	–
†CAERPHILLY ...	–	–	3	–	–	N. 1
†GELLIGAER ...	10	3	1	–	5	–
†GLYNCORWG ...	–	–	5	–	1	–
†MAESTEG... ...	–	5	9	–	1	–
†MOUNTAIN ASH ...	12	2	3	–	2	–
†NEATH	–	2	1	–	2	–
†OGMORE AND GARW	–	2	2	–	2	N. 1
†PONTYPRIDD ...	1	1	1	–	–	–
†PORT TALBOT ...	–	8	4	–	–	–
†RHONDDA ...	–	4	14	–	10	M. 1 N. 2
Rural Districts:—						
CARDIFF	–	–	–	–	1	–
COWBRIDGE ...	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
LLANTRISANT AND LLANTWIT FARDRE	–	–	1	–	–	M. 1
NEATH	–	2	1	–	1	–
PENYBONT ...	–	1	6	–	–	C. 1
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ..	–	–	5	–	1	–
MERIONETH ...	–	8	10	–	–	–
Urban Districts:—						
BARMOUTH ...	–	4	–	–	–	–
FFESTINIOG ..	–	2	9	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	1	–	–	–
EDEIRNION ...	–	1	–	–	–	–
MONMOUTH ...	41	11	6	–	7	D. 1 M. 1
†NEWPORT C.B.	–	7	–	–	2	M. 1
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ..	7	–	–	–	–	–
†ABERTILLERY ...	–	–	1	–	2	–
BEDWAS AND MACHEN	–	–	–	–	–	D. 1
†BEDWELLTY ...	8	1	2	–	–	–
†BLAENAVON ...	–	–	1	–	–	–
CHEPSTOW ...	–	1		–	–	–
†EBBW VALE .	13	–	–			–
LLANTARNAM ...		1	–	–	–	–
†MYNYDDISLWYN	1	–	–	–	–	–
†NANTYGLO AND BLAINA	10	–	–	–	1	–
PONTYPOOL ...	2	–	–	–	1	–
†RISCA	–		2		–	–
Rural Districts:—						
MAGOR	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–	–	–	
LLANIDLOES ...	*	*	*	*	*	*
MACHYNLLETH ...	–	–	1	–	–	–
WELSHPOOL ...	–	1	–	–	–	–
PEMBROKE ...	–	4	1	–	3	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
HAVERFORDWEST.	–	–	1	–	–	–
MILFORD HAVEN	–	1	–	–	1	–
NEYLAND... ...	*	*	*	*	*	*
†PEMBROKE ...	–	2	–	–	1	–
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
NARBERTH ...	–	–	–	–	1	–
RADNOR	–	6	–	–	–	–
Urban Districts:—						
LLANDRINDOD WELLS	–	1	–	–	–	–
Rural Districts:—						
RHAYADER ...	–	5	–	–	–	–
Total of Part II. ...	230	1803	1222	49	1281	C. 29 D. 6 E. 8 F. 3 G. 34 L. 20 M. 84 N. 80

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
Deal	*	*	*	*	*	*
Littlehampton ...	*	*	*	*	*	*
Liverpool	–	–	1		–	–

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
Plymouth	–	1	–	–	–	–
Southampton ...	–	1	–	–	–	–
Total of Part III. ...	–	2	1	–	–	–

*, Returns not received. † Population over 10,000.

', Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see
Total of Part I.—London	–	294	349	7	143	C. D. E. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	230	1803	1222	49	1281	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	–	2	1	–	–	
Total (*i.e.*, of returns received), England and Wales ...	230	2099	1572	56	1424	C. D. E. F. G L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrex

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

ble 5.—London and Great Towns in the Aggregate. } { **Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.**

Week ended :—	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.
NDON :—													
ATHS (excluding Still-births)—all ages.	778	762	816	977	904	972	940	903	855	984	1,023	1,008	1,128
ATHS—0 to 1 year ..	75	49	78	70	59	64	55	59	79	76	83	86	86
REAT TOWNS, aggregate (including London):—													
VE BIRTHS	6,091	5,997	6,352	6,602	6,428	6,203	6,472	6,541	6,121	6,183	5,937	5,949	6,226
ILLBIRTHS	252	264	264	235	232	260	238	210	249	273	295	260	263
ATHS (excluding Still-births)—all ages	3,401	3,610	3,571	3,941	3,905	4,021	4,103	3,904	3,864	4,382	4,339	4,425	4,763
ATHS—0 to 1 year ..	361	347	353	368	354	368	398	355	389	427	452	403	494
TERIC FEVER—Cases	34	36	33	25	28	32	28	35	41	25	33	32	26
„ Deaths	5	3	5	3	1	3	2	5	3	7	3	5	3
ALL POX—Cases ..	20	18	27	32	34	51	57	55	63	61	94	115	78
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	-
ARLET FEVER—Cases	951	1,176	1,136	1,275	1,439	1,348	1,505	1,217	1,080	1,289	1,216	1,181	1,141
„ Deaths	6	4	2	8	5	2	4	8	6	5	4	7	10
PHTHERIA—Cases ..	688	801	742	746	834	938	939	990	820	967	991	1,025	1,064
„ Deaths ..	27	33	20	34	32	39	41	34	24	35	32	43	40
ASLES—Deaths ..	13	10	9	14	14	20	25	19	31	50	39	48	76
FLUENZA—Deaths ..	24	42	34	27	51	63	64	86	47	68	66	63	77

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 10th December, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON	54	33	45·6	37·9	1	HUDDERSFIELD	51	32	43·4	35·4	3
GREENWICH).						BRADFORD ..	48	32	43·1	36·0	4
IGHTON ..	53	36	47·3	41·0	0	SHEFFIELD ..	50	32	42·3	36·9	6
RTSMOUTH ..	54	37	48·7	40·1	0	YORK (MUSEUM)	49	35	42·9	38·1	1
RWICH	51	36	43·7	38·3	1	HULL (PEARSON PARK).	50	34	44·0	37·9	1
(EATON).											
MOUTH ..	54	41	51·3	44·3	21	TYNEMOUTH ..	49	36	44·0	39·9	3
STOL	54	36	46·9	38·6	2	CARDIFF.. ..	51	36	46·6	40·1	2
(CLIFTON).											
MINGHAM	50	33	42·6	37·4	2						
(EDGBASTON).						EDINBURGH ..	49·0	33·0	43·0	37·4	0·00
TTINGHAM ..	52	33	44·1	37·1	1	GLASGOW ..	49·5	28·6	45·3	38·4	7
KENHEAD	50	34	44·0	38·4	1	DUBLIN	§	§	§	§	§
(BIDSTON).						(PHŒNIX PARK).					
NCHESTER	53	35	45·3	38·3	1	(FITZWILLIAM SQUARE†).	52·0	28·9	49·1	40·2	7
(WHITWORTH PARK).											
ANLEY.. ..	49	31	44·6	36·0	1	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 10th December, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. {MONTH AND DAY.}		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest.	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	4	In Equator	29·686	39·0	33·5	5·5	36·5	- 4·8	36·2	0·3	2·0	0·0	99	39·0	33·3	47·9	ESE: Calm.	Calm	0·2	0·0	0·0	115	- 216	0·01
MONDAY -	5	..	29·523	46·2	39·0	7·2	41·6	+ 0·1	39·3	2·3	6·0	0·8	91	62·6	35·1	47·8	Calm: SE.	SE: SSE.	1·7	0·0	0·1	210	- 126	0·00
TUESDAY -	6	..	29·464	54·0	39·9	14·1	47·1	+ 5·6	43·8	3·3	8·5	0·2	88	84·2	29·4	47·7	SSE: SE.	SE: ESE; Calm.	1·0	0·0	0·1	221	- 119	0·00
WEDNESDAY	7	Perigee	29·653	44·6	39·9	4·7	42·0	+ 0·7	40·7	1·3	2·9	0·0	95	51·0	31·2	47·5	Calm: ENE.	NNE	0·7	0·0	0·0	182	- 156	0·00
THURSDAY -	8	Full	29·722	40·8	37·8	3·0	39·7	- 1·3	37·8	1·9	2·7	0·8	93	40·3	36·2	47·5	N	Calm	0·4	0·0	0·0	156	- 177	0·00
FRIDAY -	9	..	29·770	46·8	37·6	9·2	42·8	+ 2·2	41·2	1·6	4·9	0·6	94	58·0	35·9	47·2	Calm	Calm	0·0	0·0	0·0	111	- 215	0·00
SATURDAY -	10	Greatest Declination N.	29·866	44·9	38·0	6·9	41·9	+ 1·5	39·0	2·9	7·5	0·6	90	51·1	37·0	47·3	SE: Calm.	E: ESE	2·2	0·0	0·1	222	- 100	0·02
MEANS -		..	29·669	45·2	38·0	7·2	41·7	+ 0·7	39·7	1·9	4·9	0·4	93	55·2	34·0	47·6	Calm		..	..	..	Sum 1217	Sum - 1109	Sum 0·03
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours	GENERAL REMARKS.
SUNDAY ..	4	wP.	0·0	8·1	Overcast throughout. Mist in morning. Fog 10½h. till 15½h., then mist till 0h.
MONDAY ..	5	wP.	1·8	8·0	Overcast till 9½h., little cloud generally from 11½h. Sky veiled 16¾h till 19h. Partial lunar halo 21h. Dew at night.
TUESDAY ..	6	wP.	5·5	8·0	Nearly cloudless till 22h., overcast by 23h. Partially cloudy period 7½h. till 11h. Dew in morning. Mist and dew at night.
WEDNESDAY	7	wP.	0·0	8·0	Overcast. Few breaks 12½h till 13½h. Fog 5h. till 10h., then misty.
THURSDAY	8	wP.	0·0	8 0	Overcast throughout. Mist generally. Damping 14h. and about 21h. Gloom in afternoon.
FRIDAY ..	9	wP.	0·0	7·9	Overcast generally. Damping 22h.
SATURDAY	10	wP.	0·0	7·9	Overcast generally. Rain 1½h. till 2h.
			Sum 7·3	Sum 55·9	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry,

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemomentric records for the 50 years ending 1916,

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average,

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined,

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative: w. weak; m. moderate; s. strong; v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine each day.

The reading of the barometer decreased from 29·76 ins. at the beginning of the week to 29·39 ins. by 5h. on December 6th; increased to 29·88 ins. by 10h. on December 10th; decreased and was 29·86 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION, LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND LONDON."

Austin CARS ARE AVAILABLE for all and every purpose.

Dignified in appearance—silent in running—comfortable to ride in—low to maintain, and in perfect keeping with a doctor's standing.

Prices from £145 to £775.

THE AUSTIN MOTOR CO. Ltd.
LONGBRIDGE, BIRMINGHAM.

20-H.P. CARLTON SALOON
£550.

A. C. A. L.
Associated Clinical and Analytical Laboratories, Ltd.,
STAPLE INN BUILDINGS SOUTH, 335, HIGH HOLBORN, LONDON, W.C.1.

Laboratory Investigations of every description
undertaken for Public Health Authorities, including the analysis of Milk according to recent regulations, other foodstuffs, and the bacteriological analysis of Water, etc.

Collecting Apparatus and Particulars forwarded on application to the Medical Superintendent.

TELEPHONE: HOLBORN 1342.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.

Telegrams:
"Clinician, Wesdo, London."

(64742) Wt. 40—20 1875 12/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 50.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 17TH DECEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 17TH DECEMBER, 1927.

BIRTHS AND DEATHS.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the fiftieth week of the year numbered 5,529 and corresponded to an annual rate of 14·7 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,782 and corresponded to an annual rate of 12·8 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 11·6, 11·8 and 12·7. Infant mortality based on the average weekly number of live births during the last 52 weeks, was 71 against 69, 61 and 75 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,242 live births, corresponding to a rate of 14·0 per 1,000, and 1,054 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 11·9, against 11·6, 11·4 and 12·8 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 11·9 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 57 as against 56, 58 and 58 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 4,763 to 4,782 and in London decreased from 1,128 to 1,054.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 253 in the Great Towns including 52 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in th week ended 17th December, 1927.

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,540,143*	5529	253	4782	468	3	81	9	19	40	56
London	4,605,400*	1242	52	1054	83	2	23	2	8	7	13
Towns in Outer Ring.											
Croydon C.B. ..	205,900	59	2	53	3	-	1	1	-	-	1
Wimbledon ..	58,030	11	-	12	1	-	-	-	-	-	-
Ealing	91,783	26	-	25	2	-	-	-	-	-	-
Acton	63,040	11	-	15	1	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	12	-	14	2	-	-	-	-	-	-
Willesden ..	165,270	33	2	27	1	-	-	-	-	-	-
Hendon	62,570*	9	-	15	1	-	-	-	-	-	-
Hornsey	87,230	13	2	21	1	-	-	-	-	-	-
Wood Green ..	51,940	8	1	6	1	-	-	-	-	-	-
Tottenham ..	151,520	49	-	27	1	-	-	-	-	-	-
Edmonton	71,700	37	2	12	1	-	-	-	-	-	-
Enfield	63,640	14	-	12	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	122	6	73	5	-	-	-	-	-	1
East Ham C.B. ..	146,600	29	-	29	2	-	-	-	-	-	1
Leyton	130,000	25	2	18	1	-	-	-	-	1	-
Walthamstow ..	125,500	32	-	30	-	-	-	-	-	-	-
Ilford	100,500	32	1	21	2	-	-	-	-	-	-
Gillingham	47,820*	12	1	4	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	4	-	2	-	-	-	-	-	-	-
Hastings C.B.	61,340	10	-	22	-	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	6	-	13	-	-	-	-	-	-	-
Brighton C.B.	139,500*	21	1	38	4	-	2	-	-	-	-
Portsmouth C.B. ..	231,500*	64	6	59	3	-	-	-	1	1	2
Bournemouth C.B. ..	90,100	21	1	17	-	-	-	-	-	-	-
Southampton C.B. ..	169,300	48	1	50	4	-	1	1	-	-	1
Reading C.B	93,090*	22	-	20	1	-	-	-	-	-	-
Oxford C.B.	56,800	13	2	20	3	-	-	-	-	-	-
Northampton C.B. ..	93,530*	24	-	20	2	-	-	-	-	-	-
Luton	59,240	11	-	18	2	-	-	-	-	1	1
Cambridge	58,820	22	1	16	2	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	20	-	22	2	-	-	-	-	-	-
Ipswich C.B.	84,140	23	-	27	1	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	20	-	18	2	-	-	-	-	-	-
Norwich C.B.	123,500*	34	1	23	1	-	-	-	-	-	-
Swindon	57,320	10	-	10	-	-	-	-	-	-	-
Exeter C.B.	60,340*	18	2	12	2	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	65	3	47	3	-	-	-	-	2	-
Bath C.B.	69,000	18	-	18	-	-	-	-	-	-	-
Bristol C.B.	383,300*	96	-	104	13	-	13	-	2	2	3
Gloucester C.B. ..	53,050	7	-	11	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	91	5	62	7	-	1	-	1	-	-
Burton-upon-Trent C.B.	48,660	16	1	6	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	37	1	34	3	-	-	-	-	-	1
Walsall C.B.	102,100	32	-	25	6	-	-	-	-	-	-
West Bromwich C.B.	79,920	32	2	20	5	-	-	-	-	-	-
Dudley C.B.	58,930	23	1	20	3	-	1	-	-	1	-
Worcester C.B. ..	50,660	17	1	9	1	-	-	-	-	-	-
Birmingham C.B. ..	934,300*	276	13	239	32	1	-	2	-	4	3
Smethwick C.B. ..	76,940	21	-	10	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	38	2	21	2	-	-	-	-	1	-
Leicester C.B. ..	241,700	66	2	51	7	-	-	-	-	-	-
Lincoln C.B	65,760*	15	1	20	2	-	-	-	-	-	-
Grimsby C.B.	88,580	33	2	24	2	-	-	-	-	-	-
Nottingham C.B. .	268,000	51	2	69	7	-	-	-	-	2	1
Derby C.B.	136,600*	39	1	37	4	-	4	-	-	-	-
Chesterfield ..	66,650	28	1	12	-	-	1	-	-	-	-
Stockport C.B. ..	125,400	27	-	36	4	-	1	-	-	-	1
Chester C.B.	41,710	10	-	15	3	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	53	2	32	3	-	-	-	1	-	-
Wallasey C.B. ..	93,050	26	-	19	2	-	2	-	-	2	-
Liverpool C.B. ..	862,600	321	19	238	26	-	1	1	4	4	2
Bootle C.B.	84,580	28	2	21	3	-	-	-	-	-	-
St. Helens C.B. ..	110,000	35	2	30	1	-	4	-	1	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
UTHPORT C.B. ..	77,970	12	3	17	-	-	-	-	-	-	-	-
GAN C.B.	88,620	31	5	20	2	-	-	-	-	-	1	-
ARRINGTON C.B. ..	76,940*	26	1	24	3	-	4	-	-	-	-	1
LTON C.B.	177,000	41	3	37	3	-	-	-	-	-	1	-
RY C.B.	56,840*	13	-	14	-	-	-	-	-	-	-	-
NCHESTER C.B. ..	752,000	222	7	196	22	-	12	-	-	-	4	6
LFORD C.B.	247,400	57	2	55	5	-	1	-	-	1	1	1
HTON-UNDER-LYNE	51,050	12	-	15	1	-	1	-	-	-	-	-
DHAM C.B.	143,000	34	1	44	7	-	1	-	-	-	4	1
CHDALE C.B.	91,510	21	1	38	3	-	-	-	-	-	-	1
RNLEY C.B.	99,600	23	-	39	1	-	1	-	-	-	-	-
ACKBURN C.B. ..	124,400	23	2	19	-	-	-	-	-	-	-	2
ESTON C.B.	124,200	22	4	28	3	-	-	-	-	-	-	1
ACKPOOL C.B. ..	88,640	24	2	29	4	-	-	-	-	-	-	1
RROW-IN-FURNESS .B.	70,420	14	2	11	-	-	-	-	-	-	-	-
DDERSFIELD C.B. ..	111,900	25	3	28	1	-	-	-	-	-	-	1
LIFAX C.B.	96,130*	25	-	39	3	-	-	-	-	1	-	-
ADFORD C.B. ..	288,700	79	3	87	7	-	1	-	-	-	-	1
EDS C.B.	473,400	139	8	114	15	-	-	-	-	-	1	4
WSBURY C.B. ..	53,630	14	-	13	3	-	-	-	-	-	-	1
KEFIELD C.B. ..	53,830	24	-	9	2	-	-	-	-	-	-	-
RNSLEY C.B. ..	70,760	20	2	15	2	-	1	-	-	-	-	-
EFFIELD C.B. ..	523,300*	156	8	141	16	-	1	-	-	1	3	-
HERHAM C.B. ..	70,080	23	1	16	1	-	-	1	1	2	-	-
NCASTER C.B. ..	55,700	26	2	15	3	-	-	-	-	-	1	-
RK C.B.	84,430*	12	3	25	2	-	-	-	-	-	-	-
LL C.B.	294,600	84	4	87	13	-	-	-	-	-	3	1
DDLESBROUGH C.B.	133,600	53	5	34	5	-	-	-	-	-	1	2
RLINGTON C.B. ..	70,700	19	1	22	2	-	-	-	-	-	1	1
CKTON-ON-TEES ..	67,910	35	-	18	5	-	-	-	-	-	-	1
ST HARTLEPOOL C.B.	71,060	18	2	14	1	-	1	-	-	-	-	-
DERLAND C.B. ..	163,800	67	2	49	12	-	-	-	-	1	3	2
TH SHIELDS C.B. ..	123,900	50	3	38	8	-	2	-	-	1	-	-
ESHEAD C.B. ..	127,700	38	1	33	4	-	-	-	-	-	-	2
WCASTLE-ON-TYNE B.	284,700*	102	5	73	8	-	-	-	-	1	-	-
EMOUTH C.B ..	66,560	20	-	23	7	-	-	-	-	-	-	-
LISLE C.B.	56,140*	12	1	20	2	-	-	-	-	-	1	1
WPORT (MON.) C.B.	96,620	31	2	18	1	-	-	1	-	-	-	-
DIFF C.B.	225,600*	83	9	56	6	-	-	-	-	2	-	1
ONDDA	162,500	40	1	41	1	-	-	-	-	2	-	2
RTHYR TYDFIL C.B.	80,690	22	2	16	3	-	-	-	-	-	-	1
RDARE	56,930	14	-	17	1	-	-	-	-	-	-	1
NSEA C.B.	163,200	55	3	30	4	-	-	-	-	-	-	1
ATER LONDON ..	7,791,310*	2,071	72	1,759	129	2	24	3	10	10	19	29
ER RING	3,185,910*	829	20	705	46	-	1	1	2	3	6	12
REAT TOWNS IN TER RING	1,947,963*	522	18	410	25	-	1	1	-	1	3	9
AINDER OF OUTER NG	1,237,947*	307	2	295	21	-	-	-	2	2	3	3
RBURGH†	426,100	121	?	132	13	-	-	-	1	1	1	2
GOW†	1,049,000	428	?	358	75	1	29	2	4	7	7	5
LIN (REGISTRATION RA)†	421,000	149	?	142	29	-	8	-	-	2	3	1
FAST†	415,007	151	?	105	11	-	-	-	1	2	2	3

Population adjusted by the exclusion of non-civilians.

The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926.

as in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents ciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland g the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths rsons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available p

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases†(un-
		1927.											
LONDON‡	4,605,400	Dec. 17	1242	52	1054	11·9	2	–	23	2	8	7	13
CALCUTTA AND SUBURBS	1,077,264	Nov. 5	?	?	695‖	33·5	?	1	–	?	?	?	?
BOMBAY§	1,298,708	„ 19	570	35	515	20·6	1	–	1	–	–	–	17
MADRAS	528,791	„ 19	567	29	426‖	41·8	1	–	–	–	4	–	24
SYDNEY AND SUBURBS	1,070,510	Oct. 31 (31 days)	1834	?	935	10·5	2	?	?	10	15	6	5
BRISBANE (Metropolitan Area).	274,260	Oct. 31 (31 days)											
PERTH (Metropolitan Area).	184,223	Oct. 22	48	?	36	10·2	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	201,220	Oct. 31 (31 days)											
WELLINGTON (Urban Area).	126,310	Oct. 31 (31 days)											
CHRISTCHURCH (Urban Area).	121,780	Oct. 31 (31 days)											
CAPE TOWN	114,846	Nov. 19	54	3	17	7·7	–	–	–	–	1	1	–
JOHANNESBURG	172,718	„ 19	83	3	50	15·1	–	–	–	–	–	–	4
DURBAN	54,715	„ 19	20	–	5	4·8	–	–	–	–	–	–	–
PARIS	2,871,429	Dec. 10 (10 days)											
ANTWERP	300,402	Nov. 12	93	2	47	8·2	–	–	–	–	1	–	4
AMSTERDAM	732,845	„ 19	239	6	127	9·1	–	–	–	–	–	–	3
COPENHAGEN	597,800	Dec. 3	173	3	14[illegible]	12·4	–	–	4	–	–	1	–
STOCKHOLM	453,332	Nov. 26	89	3	116	13·3	–	–	–	–	–	–	1
GOTHENBURG	231,196	„ 26											
OSLO	254,055	Dec. 10	75	2	55	11·3	–	–	–	–	–	–	–
BERLIN	2,000,000	Nov. 26	371	18	475	12·4	–	?	–	–	–	17	9
BRESLAU	562,000	„ 26	153	5	121	11·2	–	?	–	1	–	2	2
COLOGNE	719,000	„ 26	173	5	126	9·1	–	?	2	–	1	1	1
DRESDEN	626,000	„ 26	121	3	133	11·0	–	?	1	1	–	–	1
FRANKFORT-ON-MAIN..	475,000	„ 26	110	6	70	7·7	–	?	–	–	–	–	–
HAMBURG	1,108,000	„ 26	251	11	270	12·7	–	?	–	2	1	–	2
LEIPZIG	687,000	„ 26	160	12	160	12·1	–	?	–	–	–	–	1
MUNICH	692,000	„ 26	132	4	137	10·3	–	?	–	–	–	1	–
VIENNA	1,867,850	July 31 (31 days)											
PRAGUE AND SUBURBS	738,132	April 30 (30 days)											
BUDAPEST	971,169	Nov. 26	271	3	224	12·0	4	–	–	–	–	6	–
WARSAW	1,028,982	Dec. 3	?	12	275	13·9	3	–	1	3	4	2	18
CAIRO	874,300	Aug. 26	798	20	688	41·0	15	–	5	–	?	6	150
		Sept. 2	806	19	534	31·8	20	–	2	–	?	12	117
ALEXANDRIA	501,800	Aug. 26	417	7	347	36·1	4	–	–	–	?	4	66
		Sept. 2	402	12	314	32·6	4	–	–	–	?	6	57
NEW YORK	5,970,920	Dec. 3	?	?	1302	11·4	4	–	1	2	4	18	6
CHICAGO	3,101,000	Nov. 25	1026	44	617	10·4	–	–	–	2	–	9	4
NEW ORLEANS	433,000	Oct. 31 (31 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo, and to *children under 1 year* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 25 deaths from Cholera in Calcutta and 4 in Madras

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 17th December, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1054	83	29	18	28	44	40	65	128	175	199	245
Enteric fever..	2	-	-	-	-	-	1	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	23	4	11	4	4	-	-	-	-	-	-	-
Scarlet fever	2	-	1	-	1	-	-	-	-	-	-	-
Whooping cough	8	6	1	1	-	-	-	-	-	-	-	-
Diphtheria	7	-	1	2	4	-	-	-	-	-	-	-
Influenza	17	-	-	-	-	-	1	2	3	3	2	6
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	98	-	1	-	3	17	14	18	26	14	5	-
Nervous system..	4	-	1	2	-	1	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	4	1	1	-	1	-	-	1	-	-	-	-
Venereal diseases	3	-	-	-	-	-	-	-	1	1	1	-
Cancer	102	-	-	-	-	2	2	3	14	34	31	16
Rheumatic fever	4	-	-	-	2	1	-	-	-	1	-	-
Diabetes	8	-	-	-	-	-	-	-	1	5	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	47	-	-	-	-	-	-	-	2	9	15	21
Epilepsy	3	-	-	1	-	-	-	1	-	1	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	37	1	-	3	5	2	2	8	4	9	1	2
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	2	-	-	-	-	-	1	-	-	1	-	-
Other diseases of heart	193	-	-	-	-	5	1	5	22	31	58	71
Other diseases of circulatory system	49	-	-	-	-	-	-	-	5	7	8	29
Bronchitis	69	5	-	-	-	-	1	3	8	7	20	25
Broncho-pneumonia	42	17	4	2	1	-	-	3	1	3	7	4
Lobar-pneumonia	45	-	1	-	3	1	7	5	8	8	6	6
Pneumonia (type not distinguished)	9	-	-	1	-	1	-	-	3	2	2	-
Other diseases of respiratory system	17	-	-	1	-	-	-	-	-	5	7	4
Diarrhœa and enteritis	15	12	1	-	-	-	-	-	1	-	-	1
Appendicitis, Typhlitis	8	-	-	1	-	3	-	-	2	1	-	1
Hernia, Intestinal obstruction.. ..	17	2	-	-	-	1	-	-	1	4	5	4
Cirrhosis of liver	9	-	-	-	-	-	-	2	1	5	1	-
Other diseases of digestive system ..	17	2	-	-	-	1	-	2	2	6	3	1
Acute nephritis	1	-	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease	21	-	-	-	-	2	1	1	4	3	4	6
Other diseases of genito-urinary system.	22	-	-	-	1	-	-	1	3	3	6	8
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	1	-	1	-	-	-	-
Congenital malformations	6	5	-	-	-	1	-	-	-	-	-	-
Premature birth	13	13	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital).. ..	2	2	-	-	-	-	-	-	-	-	-	-
Old age	37	-	-	-	-	-	-	-	-	-	4	33
Suicide	6	-	-	-	-	-	-	-	3	2	1	-
Burns and Scalds	5	-	3	-	-	-	2	-	-	-	-	-
Drowning	3	-	-	-	-	1	-	-	2	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	-	-	-	1	1	3	1	1	2	2	-
Other deaths by violence	17	-	-	-	-	2	1	3	2	3	4	2
Other specified causes	38	11	2	-	1	1	1	4	6	4	4	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 17th December, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	271	320	6	147	C. 4 D. 2 E. 1 G. 3 L. 1 M. 16 N. 14
Metropolitan Boroughs:—						
†BATTERSEA ...	–	12	24	–	8	–
†BERMONDSEY ...		10	12	–	–	–
†BETHNAL GREEN		14	9	–	9	N. 1
†CAMBERWELL ...		12	20	–	2	–
†CHELSEA	–	–	6	–	2	–
†DEPTFORD ...		8	10	–	4	N. 1
†FINSBURY ...	–	3	7	–	1	M. 2
†FULHAM	–	11	8	–	3	G. 1
†GREENWICH ...		5	26	1	3	L. 1 M. 1
†HACKNEY ...	–	23	10	–	2	C. 1 N. 2
†HAMMERSMITH ...		5	11	1	5	G. 1
†HAMPSTEAD ...	–	2	1	–	1	D. 1 N. 1
†HOLBORN... ...	–	–	2	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	14	18	–	9	D. 1 M. 1 N. 1
†KENSINGTON ...	–	8	3	–	9	E. 1 M. 1
†LAMBETH ...	–	22	17	–	9	M. 1 N. 2
†LEWISHAM ...	–	19	5	–	4	M. 1 N. 1
†PADDINGTON ...	–	8	9	1	9	–
†POPLAR	–	20	19	–	14	M. 4
†ST. MARYLEBONE	–	–	8	–	2	–
†ST. PANCRAS ...	–	4	4	1	4	–
†SHOREDITCH ...	–	3	9	–	8	C. 2 M. 1 N. 1
†SOUTHWARK ...	–	11	14	–	10	M. 1 N. 1
†STEPNEY	–	23	18	–	4	M. 1
†STOKE NEWINGTON	–	2	–	–	1	–
†WANDSWORTH ...		18	37	1	17	G. 1 M. 1 N. 1
†WESTMINSTER, CITY OF	–	7	6	1	3	N. 1
†WOOLWICH ...	–	7	7	–	4	C. 1 M. 1 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ..	–	10	10	–	2	C. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	2	1	–	–	–
DUNSTABLE ...	–	–	2	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	2	4	–	1	–
SANDY	–	4	–	–	1	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	–	C. 1
BEDFORD ...	–	1		–	–	
LUTON	–	–	3	–	–	–
BERKS	–	11	8	2	3	–
†READING C.B. ...	–	5	6	2	1	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–		–	–
†NEW WINDSOR ...	–	2	–	–	–	–
Rural Districts:—						
BRADFIELD ...	–	1	1	–		–
EASTHAMPSTEAD	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	1	–
WOKINGHAM ...	–	–	1	–	1	–
BUCKINGHAM ...	–	12	7	1	3	–
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–	2	2	–		–
BLETCHLEY ...	–	1	3	–	–	–
BUCKINGHAM ...	*	*	*	*	*	*
†CHEPPING WYCOMBE	–	3	–		1	–
CHESHAM... ...	–	–	–	–	1	
LINSLADE ...	*	*	*	*	*	*
†SLOUGH	–	2	–		–	–
†WOLVERTON ...	–	1	–	–		–
Rural Districts:—						
AMERSHAM ...	–	–			1	–
AYLESBURY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
ETON	–	–	1	1	–	–
WING	–	2	–	–	–	–
WYCOMBE ...	–	–	1	–	–	–
CAMBRIDGE ...	–	7	–	–	2	–
Borough:—						
†CAMBRIDGE ...	–	5	–	–	1	–
Rural Districts:—						
CHESTERTON ...	–	2	–	–	–	–
NEWMARKET ...	–	–	–	–	1	–
CHESTER ...	–	57	45	1	41	G. 2 M. 3 N. 6
†BIRKENHEAD C.B.	–	6	7	–	14	M. 2 N. 2
†CHESTER C.B. ...	–	1	4	1	1	–
†STOCKPORT C.B.	–	11	4	–	2	–
†WALLASEY C.B. ...	–	2	11	–	–	N. 1
Boroughs and Urban Districts:—						
ALSAGER	–	1	–	–	1	–
†ALTRINCHAM ...	–	1		–	–	–
ASHTON UPON MERSEY	–	2	–		–	–
†BEBINGTON AND BROMBOROUGH	–	2	5		1	N. 1
BREDBURY AND ROMILEY	–	3	6	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	–	N. 1
†CONGLETON ...	–	1	1	–	2	–
†CREWE	–	2	–	–	1	–
†DUKINFIELD ...	–	–	–	–	5	–
†ELLESMERE PORT AND WHITBY	–	4	–	–	–	–
HALE	–	2		–	–	–
HOLLINGWORTH	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	–	1	–	6	N. 1
LYMM	–	2	–	–	–	–
†MACCLESFIELD ..	–	1	1	–	1	–
MARPLE	–	1	–	–	–	–
†NORTHWICH ...	–	2	1	–	1	–
†RUNCORN... ..	–	4	–		1	–
†STALYBRIDGE ...	–	–	–	–	1	–
†WINSFORD ...	–	1	2	–	–	–
Rural Districts:—						
BUCKLOW ...	–	2	–	–	1	M. 1
CONGLETON ...	–	–	–	–	1	–
MACCLESFIELD ...	–	2	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...		1	–	–	–	G. 1
RUNCORN ...	–	–	–	–	1	G. 1
TARVIN	–	–		–	1	–
WIRRAL	–	1	1	–	–	–
CORNWALL ...	–	2	4	1	5	L. 3 N. 1
Boroughs and Urban Districts:—						
BODMIN	–	–	–	–	–	L. 3
†CAMBORNE ...	–	–	2	–	–	–
LOSTWITHIEL ...	–	1	–	–	–	–
REDRUTH ...	–	–	1	–		N. 1
TORPOINT ...	–	–	–	–	2	–
WADEBRIDGE ...	–	–	–	1	–	–
Rural Districts:—						
EAST KERRIER ...	–	–	–	–	1	–
HELSTON	–	–	1	–	–	–
ST. COLUMB MAJOR	–	–	–	–	1	–
ST. GERMANS ...	–	–	–	–	1	–
WEST PENWITH...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	1	13	6	1	10	G. 1 N. 1
†CARLISLE C.B. ..	–	–	3		6	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	–	–	–	N. 1
EGREMONT ...	–	2	1	–	–	–
HOLME CULTRAM	–	–	–	–	1	–
†MARYPORT ...	1	1	–	1	–	–
MILLOM	–	1	–	–		–
†WHITEHAVEN ...	–	–	1	–	–	–
†WORKINGTON ...	–	2		–	1	–
Rural Districts:—						
CARLISLE ...	–	–	1	–	1	–
PENRITH	–	2	–	–	–	–
WHITEHAVEN ...	–	2	–	–	–	G. 1
WIGTON	–	3	–	–	1	–
DERBY	16	30	34	–	26	G. 1 M. 1 N. 2
†DERBY C.B. ..	1	3	13	–	4	–
Boroughs and Urban Districts:—						
†ALFRETON ..	10	–	2	–	1	–
†BELPER	3	–	–	–	–	–
†BOLSOVER ...	–	3	2	–	–	–
†BUXTON	–	2	–	–	–	–
†CHESTERFIELD ...	–	2	3	–	2	–
CLAY CROSS ...	–		–	–	–	N. 1
DRONFIELD ...	–		1	–	–	–
†GLOSSOP	–	–	–	–	1	–
†HEANOR	–	1	1	–	3	–
†ILKESTON ...	–	3	–	–	–	–
†LONG EATON ...	–	1	2	–	–	–
NEW MILLS ...	–	–	1	–	–	–
†RIPLEY	2	–	–	–	2	–
†SWADLINCOTE DISTRICT	–	–	–	–	4	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	1	N. 1
BLACKWELL ..	–	6	2	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHAPEL EN LE FRITH		1	–	–	1	–
CHESTERFIELD ...	–	1	4	–	1	–
CLOWNE	–	2	2	–	–	–
GLOSSOP DALE ...	–	–	–	–	1	–
HARTSHORN AND SEALS	–	2	2	–	–	–
REPTON	–	2	–	–	1	
SHARDLOW	–	–	1	–	3	M. 1
CODNOR PARK AND SHIPLEY (Parishes)	–	–	–	–	1	–
DEVON	–	12	10	3	14	C. 2 E. 1 N. 1
†EXETER C.B. ...	–	–	–	–	1	N. 1
†PLYMOUTH C.B...		3	7	–	6	C. 2 E. 1
Boroughs and Urban Districts:—						
CREDITON ...	–	–	1	–	–	–
†EXMOUTH ...	–	–	2	–	–	–
GREAT TORRINGTON	–	1	–	–	–	–
†NEWTON ABBOT...	–	1	–	–	–	–
OKEHAMPTON ...	*	*	*	*	*	*
TAVISTOCK ...	–	–	–	–	1	–
TIVERTON ...	–	1	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	2	–	–	–	–
BIDEFORD ...	–	–		1	–	–
BROADWOOD WIDGER	–	–	–	–	1	–
CREDITON ...		1		–	–	–
HONITON	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	–	1	–	–
NEWTON ABBOT...			–	–	2	–
OKEHAMPTON ...	*	*	*	*	*	*
PLYMPTON ST. MARY	–	2		1	2	–
ST. THOMAS ...	*	*	*	*	*	*
TIVERTON ...		–	–	–	1	–
DORSET	–	11	1	–	6	G. 1 N. 2
Boroughs and Urban Districts:—						
BRIDPORT ...	–	1	–	–	–	–
†POOLE	–	–	–	–	1	–
†PORTLAND ..	–	–	–	–	–	G. 1
SHERBORNE ...	–	–	–	–	1	–
SWANAGE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
CERNE	–	2	–	–	–	–
DORCHESTER ...	–	3	–	–	–	–
POOLE	–	2	–	–	–	–
SHAFTESBURY ...	–	1	1	–	1	–
WAREHAM AND PURBECK	–	–	–	–	1	–
WEYMOUTH ...	–	1	–	–	1	N. 2
DURHAM ...	29	49	47	2	133	C. 1 G. 5 M. 2 N. 4
†DARLINGTON C.B.	1	4	–	–	5	G. 1
†GATESHEAD C.B.	2	2	1	–	7	–
†SOUTH SHIELDS C.B.	15	5	2	–	27	N. 1
†SUNDERLAND C.B.	–	1	4	1	43	G. 2
†WEST HARTLEPOOL C.B.	–	5	7	–	1	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	2	1	–	–	–
BENFIELDSIDE ...	–	2	–	–	1	–
BILLINGHAM ...	–	–	–	–	1	M. 1
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	–	2	2	–	1	–
†CHESTER LE STREET	–	1	–	–	1	–
†CONSETT	–	2	1	–	–	–
†CROOK	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
T, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DURHAM	1	–	–	–	–	–
†FELLING	–	1	–	–	1	–
†HARTLEPOOL ...	–	–	–	–	2	–
†HEBBURN ...	–	–	1	–	5	M. 1
†HETTON	–	–	–	–	5	–
†JARROW	–	–	–	–	14	–
LEADGATE ...	–	–	2	–	–	–
†RYTON	–	1	–		–	G. 1
†SEAHAM HARBOUR	1	–	–	–	2	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†SPENNYMOOR ...	–	1	1	–	–	–
†STANLEY	2	1	4	–	–	–
†STOCKTON ON TEES	–	3	6	1	5	–
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	–	1	–	2	N. 2
WILLINGTON ...	–	1	2	–	–	–
Rural Districts:—						
AUCKLAND ...	–	3	3	–	–	N. 1
CHESTER LE STREET	1	–	–	–	–	C. 1
DARLINGTON ...	–	1	–	–	–	–
EASINGTON ...	–	2	2		2	–
HOUGHTON LE SPRING	–	–	–	–	3	–
LANCHESTER ...	2	–	3	–	–	–
SEDGEFIELD ...	–	–	–	–	1	–
SOUTH SHIELDS...	3	4	1	–	2	–
SUNDERLAND ...	–	–	2		1	G. 1
WEARDALE ...	–	3	–	–	–	–
ELY, ISLE OF ...	–	–	3	–	3	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	1	–	1	–
†WISBECH	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Rural Districts:—						
THORNEY... ...	–	–	1	–	–	–
WISBECH	–	–	–	–	1	–
ESSEX	–	128	105	6	42	C. 1 G. 1 M. 4
†EAST HAM C.B. ...	–	12	21	–	4	–
†SOUTHEND-ON-SEA C.B.	–	3	1	–	3	–
†WEST HAM C.B. ...	–	42	29	–	5	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	6	8	–	1	M. 1
BRENTWOOD ...	–	–	1	–	1	–
BURNHAM ON CROUCH	–	2	–	–	–	–
†CHELMSFORD ...	–	2	3	1	–	–
CHINGFORD ...	–		–	–	1	–
DAGENHAM ...	–	11	5	–	1	–
EPPING	–	3	–	–	1	–
†GRAYS THURROCK	–	1	4	1	1	–
HALSTEAD ...	–	–		–	2	–
†HARWICH ...	–	–	–	1	–	–
†HORNCHURCH ...	–	1	1	–	–	–
†ILFORD	–	10	5	–	6	G. 1
†LEYTON	–	12	10	–	7	C. 1 M. 1
†ROMFORD ...	–	2	–	–	3	–
SHOEBURYNESS ...	–	1	–	–	–	–
TILBURY	–	–	2	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW...	–	11	7	1	1	–
†WANSTEAD ...	–	–	–	–	1	–
†WOODFORD ...	–	2		1	–	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
BUMPSTEAD ...	–	–	–	–	–	M. 2
CHELMSFORD ...	–	2	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
EPPING	–	1	–	–	1	–
HALSTEAD ...	–	3	–	–	–	–
ONGAR	–	–	2	–	1	–
ORSETT	–	–	5	–	–	–
ROCHFORD ...	–	–	–	–	2	–
GLOUCESTER ...	–	42	16	1	25	C. 1 E. 1 L. 3 M. 1
†BRISTOL C.B. ...	–	31	14	–	14	C. 1 E. 1 L. 3 M. 1
†GLOUCESTER C.B.	–	4	–	–	4	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	3	1	–	1	–
†MANGOTSFIELD ...	–	1	–	–	1	–
TETBURY	–	–	1	–	–	–
Rural Districts:—						
CAMPDEN ...	–	1	–	–	–	–
CIRENCESTER ...	–	–	–	–	2	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
PEBWORTH ...	–	1	–	–	–	–
STOW ON THE WOLD (part)	–	–	–	1	–	–
STROUD	–	–	–	–	1	–
WEST DEAN ...	–	–	–	–	1	–
WHEATENHURST	–	–	–	–	1	–
HEREFORD ...	–	7	2	–	2	N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	7	–	–	1	–
ROSS	–	–	1	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
LEDBURY... ...	–	–	1	–	–	–
LEOMINSTER ...	–	–	–	–	–	N. 1
HERTFORD ...	–	5	15	1	10	–
Boroughs and Urban Districts:—						
†BARNET	–	1	3	1	–	–
BISHOP'S STORTFORD	–	–	2	–	–	–
†CHESHUNT ...	–	1	–	–	3	–
†HERTFORD ...	–	–	2	–	–	–
RICKMANSWORTH	–	–	–	–	1	–
ROYSTON	–	–	2	–	–	–
†ST. ALBANS ...	–	–	1	–	2	–
TRING	–	1	–	–	–	–
†WATFORD ...	–	–	4	–	3	–
WELWYN GARDEN CITY	–	1	–	–	–	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
HERTFORD ...	–	–	1	–	–	–
WARE	–	1	–	–	–	–
HUNTINGDON ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	-	71	50	4	6	C. 1 G. 2 M. 4
†CANTERBURY C.B.	-	-	4	-		-
Boroughs and Urban Districts:—						
†ASHFORD	-	1	-		-	-
†BECKENHAM ...	-	5	2	-	-	-
†BEXLEY	-	-	1	-	-	-
†BROADSTAIRS AND ST. PETER'S	-	1	-	-	-	-
†BROMLEY ...	-	-	1	-	-	G. 1
†CHATHAM ...	-	6	8	-	-	M. 1
†DARTFORD ...	-	-	2	-	1	-
†DEAL	-	1	-		-	-
†DOVER	-	8	-	-	1	M. 1
†EBITH	-	3	3		-	-
†FAVERSHAM ...	-	-	-	1	-	-
†FOLKESTONE ...	-	4	-			-
†GILLINGHAM ...	-	4	2	-	2	-
†GRAVESEND ...	-	2	6	-	-	-
HYTHE	-	1		-	-	-
LYDD	-	2	-	-	-	-
†MAIDSTONE ...	-	3	1	-	-	-
†MARGATE ...	-	1	1		-	-
MILTON REGIS ...	-	-	1	-	-	-
†PENGE	-	2	5	-	-	-
†RAMSGATE ...	-	3	-	-	-	C. 1
†ROCHESTER ...	-	5	3	-	-	-
SANDGATE ...	-	-	-	-	1	-
SEVENOAKS ...	-	1	-	-	-	-
SIDCUP	-	3	-	-	-	-
SITTINGBOURNE	-	-	3	1	-	-
SWANSCOMBE ...	-	1	1		-	-
†TONBRIDGE ...	-	-	-	-	-	M. 1
WHITSTABLE ...	-	-	1	-	-	G. 1
WROTHAM ...	-	-	-	-	1	-
Rural Districts:—						
BRIDGE	-	-	-	1	-	-
BROMLEY ...	-	1	1	1	-	-
DARTFORD ...	-	3	-	-	-	-
DOVER	-	-	1	-	-	-
FAVERSHAM ...	-	2	-	-	-	
MALLING	-	2	-	-	-	-
MILTON	-	1	-		-	-
SEVENOAKS ...	-	-	-	-		M. 1
STROOD	-	-	1	-	-	-
TENTERDEN ...	-	4	-	-	-	-
TONBRIDGE ...	-	1	2		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	38	245	184	9	300	C. 3 D. 1 E. 3 G. 7 M. 24 N. 8
†BARROW IN FURNESS C.B.	-	1	3	-	2	-
†BLACKBURN C.B.	-	-	2	-	4	-
†BLACKPOOL C.B.	-	2	2	-	5	-
†BOLTON C.B. ...	-	6	4	1	3	-
†BOOTLE C.B. ...	-	3	5	-	3	N. 1
†BURNLEY C.B. ..	-	1	16	-	3	G. 1 N. 1
†BURY C.B. ...	-	2	1	-	3	-
†LIVERPOOL C.B. ..	-	34	39	3	49	E. 3 G. 3 M. 9 N. 2
†MANCHESTER C.B.	8	49	17	1	91	C. 1 G. 1 M. 4 N. 1
†OLDHAM C.B. ...	-	3	10	-	4	C. 1 M. 1
†PRESTON C.B. ...	-	7	5	-	3	N. 1
†ROCHDALE C.B. ...	-	4	3	-	-	-
†ST. HELENS C.B...	-	7	1	1	3	M. 1
†SALFORD C.B. ...	-	19	16	-	16	G. 1 M. 2 N. 1
†SOUTHPORT C.B.	-	5	1	1	-	-
†WARRINGTON C.B.	14	-	1	-	9	-
†WIGAN C.B. ...	-	4	2	-	5	-
Boroughs and Urban Districts:—						
ABRAM	-	-	-	-	2	C. 1
†ACCRINGTON ..	-	-	-	-	1	-
†ASHTON IN MAKERFIELD	-	-	-	-	5	-
†ASHTON UNDER LYNE	-	1	-	-	2	-
†ATHERTON ...	-	1	3	-	3	M. 1
†BACUP	-	1	-	-	-	-
BILLINGE AND WINSTANLEY	-	-	-	-	-	N. 1
BRIERFIELD ...	-	-	1	-	-	-
†CHADDERTON ...	-	5	-	-	-	-
†CHORLEY	-	-	-	-	2	-
†CLITHEROE ...	-	-	1	-	-	-
†COLNE	5	1	-	-	2	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†CROMPTON ...	–	–	1	–	1	–
†DARWEN	–	2	–	–	5	–
†DENTON	–	–	2	–	–	–
†DROYLSDEN ...	–	–	–	–	2	M. 1
†ECCLES	–	17	3	–	4	–
†FAILSWORTH ...	–	–	–	–	1	G. 1
†FARNWORTH ...	–	2	1	–	2	–
†FLEETWOOD ...	–	1	–	–	2	–
†GREAT CROSBY ...	–	2	–		1	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	–	1	–	–	–
†HAYDOCK ...	–	–	1	–	7	–
HEYSHAM ...	–	–	–	–	1	–
†HEYWOOD ...	–	–	–	–	1	–
†HINDLEY... ...	2	–	–	–	–	–
†HORWICH ...	–	4	1	–	–	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	1	1	–	–	–	–
IRLAM	–	2	–	–	1	–
KEARSLEY ...	–	–	–	–	1	–
KIRKHAM ...	–	1	–	–	–	–
†LANCASTER ...	–	1	–	–	2	–
LEES	–	1	–	–	–	–
†LEIGH	–	–	4	–	1	D. 1 M. 1
†LITHERLAND ...	–	–	2	–	1	–
†LITTLEBOROUGH	–	1	–	–	–	–
LITTLE LEVER ...	–	–	–	–	3	–
†LYTHAM ST. ANNE'S	–	2	–	–	–	–
†MIDDLETON ...	–	4	–	–	6	–
MILNROW... ...		1	–	–	–	–
†MORECAMBE ...	–	2	–	–	1	–
†MOSSLEY	–	–	–	–	1	–
†NELSON	5	5	–		–	–
†NEWTON IN MAKERFIELD	–	–	–	–	3	–
NORDEN	–		1		–	–
ORMSKIRK ...	–	1	3	–		–
†OSWALDTWISTLE	–	1	–	–	3	–
†PADIHAM ...	–		6	–		–
POULTON LE FYLDE	–	1	–	–	–	–
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
PRESCOT	–	2	1	–	–	–
†PRESTWICH ...	–	3	–	–	1	M. 1
†RADCLIFFE ...	–	3	3	–	1	–
†RAMSBOTTOM ...	–	–	2	–	–	–
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	3	1	–	2	–
†SWINTON AND PENDLEBURY	–	3	–	–	5	–
TOTTINGTON ...	–	3	1	–	–	–
TRAWDEN ...	1	–	–	–	–	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	6	–
URMSTON... ...	–	3	2	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
WARDLE	1	–	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	1	–	–	M. 1
†WESTHOUGHTON	–	–	–	–	1	M. 1
WHITEFIELD ...	–	–	2	–	–	–
†WIDNES	–	2	5	–	3	–
†WORSLEY... ...	–	–	–	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	3	–	–	1	–
BLACKBURN ...	–	–	–	–	1	–
BURNLEY... ...	–	2	1	–	–	–
BURY	–	–	1	–	–	M. 1
CLITHEROE ...	–	–	–	1	–	–
FYLDE	–	1	–	–	–	–
PRESTON	1	3	1	–	2	–
SEFTON	–	1	–	1	–	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	1	4	–	–	–
WHISTON	–	2	–	–	–	–
WIGAN	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	37	18	–	19	D. 1 M. 1 N. 1
†LEICESTER C.B. ...	–	31	6	–	8	M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS ..	–	–	1	–	–	–
†COALVILLE ...	–	–	3	–	6	–
†HINCKLEY ...	–	–	–	–	1	–
QUORNDON ...	*	*	*	*	*	*
SHEPSHED ...	–	–	–	–	1	–
WIGSTON MAGNA	–	2	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	1	–
BLABY	–	–	1	–	–	–
HINCKLEY ...	–	1	–	–	1	–
LOUGHBOROUGH	–	–	–	–	–	D. 1
LUTTERWORTH ...	–	–	2	–	–	–
MARKET BOSWORTH	–	3	–	–	1	–
MARKET HARBOROUGH...	–	–	2	–	–	–
LINCOLN (parts of Holland).	–	11	6	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	1	6	–	–	–
Rural Districts:—						
BOSTON	–	3	–	–	1	–
CROWLAND ...	–	2	–	–		C. 1 M. 1
SPALDING (part)..	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	1	–	1	N. 1
Boroughs and Urban Districts:—						
BOURNE	–	1	–	–	–	–
STAMFORD ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
BOURNE	–	–	–	–	1	–
BRANSTON ...	–	–	–	–	–	N. 1
GRANTHAM ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	4	20	11	–	6	C. 1 E. 1
†GRIMSBY C.B. ...	–	1	–	–	–	–
†LINCOLN C.B. ...	4	5	1	–	1	–
Boroughs and Urban Districts:—						
BRIGG	–	1	–	–	–	–
†CLEETHORPES ...	–	–	2	–	–	C. 1
†GAINSBOROUGH ...	–	–	5	–	1	–
LOUTH	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	1	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
CAISTOR	–	3	–	–	–	–
GLANFORD BRIGG	–	–	3	–	–	E. 1
GRIMSBY	–	1	–	–	2	–
LOUTH	–	6	–	–	–	–
SPILSBY	–	1	–	–	–	–
MIDDLESEX ...	–	70	76	2	35	C. 1 G. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
†ACTON	–	3	5	–	1	–
†BRENTFORD AND CHISWICK	–	1	1	1	1	–
†EALING	–	5	–	1	5	–
†EDMONTON ...	–	5	12	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ENFIELD	–	1	6	–	1	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	3	2	–	1	–
†FRIERN BARNET	–	1	–	–	–	–
†HAMPTON ...	–	1	–	–	1	–
HAMPTON WICK...	–	–	1	–	–	–
†HARROW ON THE HILL	–	1	–	–		G. 1 N. 1
HAYES	–	1	–	–	–	–
†HENDON	–	6	–	–	2	–
†HESTON AND ISLEWORTH	–	1	2	–	1	C. 1
†HORNSEY... ...	–	2	1	–	2	–
KINGSBURY ...	–	1	–	–	–	–
RUISLIP NORTHWOOD	–	4	–	–	–	–
†SOUTHALL NORWOOD	–	3	–	–	2	–
†SOUTHGATE ...	–	2	3	–	2	–
SUNBURY ON THAMES	–	1	1	–	–	–
†TEDDINGTON ...	–	–	–	–	–	N. 1
†TOTTENHAM ...	–	14	14	–	1	–
†TWICKENHAM ...	–	–	2	–	1	–
†UXBRIDGE ...	–	–	–	–	2	–
†WEALDSTONE ...	–	2	–	–		–
†WILLESDEN ...	–	6	22	–	10	M. 1 N. 1
†WOOD GREEN ...	–	3	1	–	2	–
Rural Districts:—						
HENDON	–	–	2	–	–	–
STAINES	–	1	1	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK ...	–	22	4	–	8	G. 1 N. 1
†GREAT YARMOUTH C.B.	–	2	1	–	1	–
†NORWICH C.B. ...	–	12	–	–	4	G. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	1	1	–	–	–
THETFORD ...	–	1	–	–	–	–
NORFOLK—*cont.*						
Rural Districts:—						
DEPWADE ...	–	–	–	–	1	N. 1
DOWNHAM ...	–	–	1	–	–	–
FOREHOE ...	–	2	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
SMALLBURGH ...	–	3	–	–	–	–
THETFORD ..	–	–	1	–	–	–
WALSINGHAM ...	–	–	–	–	2	–
NORTHAMPTON	–	11	3	1	9	N. 2
†NORTHAMPTON C.B	–	6	–	–	4	–
Boroughs and Urban Districts:—						
†KETTERING ..	–	–	–	–	3	–
OUNDLE	–	–	2	–	–	–
RAUNDS	–	–	–	–	1	–
ROTHWELL ...	–	–	–	–	–	N. 1
WELLINGBOROUGH	–	–	1	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	3	–	–	–	–
NORTHAMPTON ...	–	2	–	–	–	–
OUNDLE (part) ...	–	–	–	1	–	–
POTTERSPURY ...	–	–	–	–	–	N. 1
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND.	9	53	21	–	78	M. 1 N. 3
†NEWCASTLE UPON TYNE C.B.	4	24	13	–	26	–
†TYNEMOUTH C.B.	–	5	3	–	9	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	1	2	–	–	2	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	1	1	–	8	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	–	–	–	10	M. 1
†EARSDON	–	1	–	–	–	–
HEXHAM	–	–	–	–	3	–
MORPETH... ...	3	–	–	–	–	–
†NEWBURN ...	–	5	–	–	–	–
PRUDHOE... ...	–	–	–		11	–
†WALLSEND ...	–	2	1	–	5	N. 1
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	5	2	–	2	–
Rural Districts:—						
ALNWICK... ...	–	2	–	–	–	–
BELLINGHAM ...	–	1	–	–		–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	–	–	–	–	1	N. 1
MORPETH ...	1	2		–	–	–
NORHAM AND ISLANDSHIRES	–		1	–	–	–
ROTHBURY ...	–	2	–	–	–	–
NOTTINGHAM ...	7	22	34	–	15	C. 1 M. 4 N. 1
†NOTTINGHAM C.B	1	12	29		7	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	–	M. 1
†BEESTON	–	2	–	–	–	–
†CARLTON	–	–		–	1	–
†HUCKNALL ...	–	–	–	–	1	–
†MANSFIELD ...	–	1	–	–	1	M. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	2	–	–	–	–
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
WARSOP	–	–	–	–	2	M. 1
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP... ...	6	–	–	–	–	–
Rural Districts:—						
BASFORD	–	2	–	–	2	–
EAST RETFORD ...	*	*	*	*	*	*
SOUTHWELL ...	–	1	5	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	5	2	–	1	–
†OXFORD C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	2	–	–		–
HEADINGTON ...	–	–	–	–	1	–
Rural Districts:—						
CULHAM	–	2	–	–		–
PETERBOROUGH (Soke of).	–	1	–	–	4	N. 1
Borough:—						
†PETERBOROUGH...		–	–	–	2	–
Rural Districts:—						
BARNACK... ...	–	1	–	–	–	–
PETERBOROUGH...	–	–	–	–	2	N. 1
SALOP	–	15	3	–	3	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	5	–	–	1	–
ELLESMERE ...	–	–	–	–	1	–
LUDLOW	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
OAKENGATES ...	–	–	–	–	–	C. 1
†SHREWSBURY ...	–	2	–	–	–	–
WEM	–	–	–	–	–	N. 1
WHITCHURCH ...	–	–	–	–	–	M. 1
Rural Districts:—						
DRAYTON... ...	–	3	–	–	–	–
OSWESTRY ...	–	1	2	–	–	–
SHIFNAL	–	2	–	–	1	–
WELLINGTON ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–		–
SOMERSET ...	–	15	12	1	10	M. 1
†BATH C.B. ...	–	3	2	–	–	M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	1	–	–	–
MIDSOMER NORTON	–	2	–	–	1	–
RADSTOCK ...	–	–	–	–	1	–
†TAUNTON... ...	–	3	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	–	6	–	–	–
†YEOVIL	–	–	1	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–		–
BATH	–	1	1	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON... ...	–	2	–	–	1	–
FROME	–	–	–	–	2	–
LANGPORT ...	–	1	–	–	1	–
LONG ASHTON ...	–	–	–	–	1	–
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON ...	–	1	–	–	–	–
WELLS	–	1	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON.	–	64	25	3	22	C. 3 D. 1 G. 1 M. 4 N. 4
†BOURNEMOUTH C.B.	–	4	1	–	–	
†PORTSMOUTH C.B.	–	21	12	–	–	C. 1 M. 1
†SOUTHAMPTON C.B.	–	19	4	1	14	C. 1 G. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	3	–	2	–
†BASINGSTOKE ...	–	1	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
FAREHAM ...	–	1	–	–	–	–
†FARNBOROUGH ...	–	2	–	–	1	D. 1
†GOSPORT	–	–	3	–	–	N. 1
PETERSFIELD ...	–	1	–	–	–	–
†WINCHESTER ...	–	1	–	–	–	M. 1
Rural Districts:—						
ALTON	–	3	–	–	1	–
BASINGSTOKE ...	–	1	–	–	–	–
FAREHAM ...	–	1	1	–	–	–
FORDINGBRIDGE..	–	–	–	–	–	C. 1
HARTLEY WINTNEY	–	2	–	1	–	–
HAVANT	–	–	–	–	1	–
HURSLEY... ...	–	–	–	–	–	M. 1
NEW FOREST ...	–	1	–	–	–	–
PETERSFIELD ...	–	4	–	–	–	–
SOUTH STONEHAM	–	2	–	–	–	–
WINCHESTER ...	–	–	–	1	2	–
STAFFORD ...	–	45	57	1	74	M. 4 N. 6
†BURTON UPON TRENT C.B.	–	1	2	–	1	–
†SMETHWICK C.B.	–	–	–	–	6	–
†STOKE ON TRENT C.B.	–	8	3	–	35	M. 3
†WALSALL C.B. ...	–	3	15	–	3	N. 4

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†WEST BROMWICH C.B.	–	–	1	–	3	–
†WOLVERHAMPTON C.B.	–	3	1	–	1	N. 1
Boroughs and Urban Districts:—						
AMBLECOTE	–	–	1	–		–
†AUDLEY	–	2	1	–	1	–
BIDDULPH ...	–	–	16	–	–	–
†BILSTON	–	1	–	–	1	–
†BRIERLEY HILL...	–	1	1	–	–	–
†BROWNHILLS ...	–	1	–	–	5	–
†CANNOCK	–	–	–	–	1	–
†DARLASTON ...	–	1	–	–	3	–
KIDSGROVE ...	–	1	1	–	–	–
†LEEK	–	4	–	–	–	–
LICHFIELD ...	–	1	1	–	–	–
QUARRY BANK ...	*	*	*	*	*	*
†ROWLEY REGIS ...	–	1	–	–	1	–
†SEDGLEY	–	–	1	–	2	–
†STAFFORD ...	–	–	6	–	2	–
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	–	–	–	3	–
†WEDNESBURY ...	–	1	–	–	1	–
WEDNESFIELD ...	–	1	–	–	–	–
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	4	–	–	2	–
Rural Districts:—						
CANNOCK	–	–	5	–	–	–
CHEADLE... ...	–	3		–	2	M. 1
GNOSALL	–		1	–	–	–
KINGSWINFORD ...	–	–	1	–		–
LEEK	–	1		–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON	–	–	–	1	–	–
STAFFORD ...	–	–	–	–	–	N. 1
TAMWORTH (part)	–	1		–	–	–
UTTOXETER ...	–	3	–	–	–	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST	–	17	7	–	6	D. 1
†IPSWICH C.B. ...	–	8	2	–	3	–
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
BECCLES	–	3	–	–	–	D. 1
†FELIXSTOWE ...	–	–	1	–	–	–
HALESWORTH ...	–	1	–	–	–	–
†LOWESTOFT ...	–	2	3	–	2	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	1	–	–	–
EAST STOW ...	–	1	–	–	–	–
HOXNE	–	1	–	–	–	–
PLOMESGATE ...	–	1		–	–	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	7	–	–	2	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
NEWMARKET ...	–	–	–		1	–
SUDBURY... ...	–	1	–	–	–	–
Rural Districts:—						
CLARE	–	1		–	–	–
MELFORD... ...	–	4	–	–	–	–
THINGOE	–	–	–		1	–
SURREY	–	53	20	3	20	C. 2 N. 4
†CROYDON C.B. ...	–	10	7	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	3	–	–	2	–
†BEDDINGTON AND WALLINGTON	–	–	–	2	–	–
†CARSHALTON ...	–	1	8	–	1	–
†CHERTSEY	–	1	–	1	–	–
†COULSDON AND PURLEY	–	1	–	–	–	–
DORKING	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EPSOM	–	2	–	–	–	–
†FARNHAM ...	–	–	–	–	1	–
†GUILDFORD ...	–	–	–	–	4	–
†KINGSTON ON THAMES	–	2	1	–	1	–
†MERTON AND MORDEN	–	2	–	–	1	–
†MITCHAM... ...	–	2	–	–	1	C. 1
†REIGATE	–	–	–	–	–	C. 1
†RICHMOND ...		2	–	–	1	–
†SURBITON ...	–	2	2	–	1	–
†SUTTON		1	–	–	–	–
†THE MALDENS AND COOMBE	–	4	–	–	–	N. 1
WEYBRIDGE ...	–	1	–	–	–	–
†WIMBLEDON ...	–	5	2	–	3	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–		1	N. 1
DORKING... ...		2	–	–	–	–
EPSOM	–	1	–	–	–	–
GODSTONE ...	–	7	–	–	1	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	–	–	–	2	N. 2
SUSSEX, EAST ...	–	24	6	–	5	C. 1 G. 1 L. 1 M. 1 N. 1
†BRIGHTON C.B. ...	–	6	3	–	–	G. 1
†EASTBOURNE C.B.	–	1	–	–	2	L. 1 M. 1
†HASTINGS C.B. ...	–	–	–	–	–	C. 1
Boroughs and Urban Districts:—						
BATTLE	–	2	–	–	–	–
†BEXHILL	–	1	–	–	–	–
HAYWARDS HEATH	–	2	–	–	–	–
†LEWES	–	–	–	–	–	N. 1
NEWHAVEN ...	–	–	–	–	2	–
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
PORTSLADE BY SEA		–	1	–	–	–
RYE	–	1		–	–	–
SEAFORD	–	4	–	–	–	–
Rural Districts:—						
BATTLE	–	1	–	–	–	–
CHAILEY	–	–	–	–	1	–
CUCKFIELD ...	–	2		–	–	–
RYE	*	*	*	*	*	*
STEYNING EAST...	–		2	–	–	–
UCKFIELD ...	–	4	–	–	–	–
SUSSEX, WEST...	–	4	13		2	D. 1 E. 1 N. 1
Boroughs and Urban Districts:—						
†BOGNOR		–	4	–	–	–
†CHICHESTER ...	*	*	*	*	*	*
†HORSHAM ...	–	–	–	–	1	–
†LITTLEHAMPTON	–	–	1	–	–	–
SHOREHAM-BY-SEA	–	2	–	–	–	–
SOUTHWICK ...	–	–	1	–	–	–
†WORTHING ...	–	1	5	–	–	D. 1
Rural Districts:—						
EAST PRESTON ...	–	1	1	–	–	–
HORSHAM ...	–	–	–	–	–	N. 1
MIDHURST ...	–	–	–	–	1	E. 1
WESTHAMPNETT	–	–	1		–	–
WARWICK ...	1	58	62	1	85	C. 2 G. 3 M. 6 N. 2
†BIRMINGHAM C.B.	–	30	37	–	80	C. 1 G. 3 M. 6 N. 1
†COVENTRY C.B. ...	–	8	5	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	1	–	–	–
†NUNEATON ...	–	6	–	–	1	N. 1
†ROYAL LEAMINGTON SPA	–	1	2	1	–	–
†RUGBY	–	3	–		–	–
†SUTTON COLDFIELD	–	1	2	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	1	–		–
ATHERSTONE ...	–	1	1	–	1	–
COVENTRY ...	–	3	–	–	–	–
FOLESHILL ...	1	2	2	–	–	–
MERIDEN... ...	–	–	1	–	1	–
RUGBY	–	–	7	–	–	–
SOLIHULL ...	–	1	–	–	1	–
SOUTHAM... ...	–	1	–	–	–	–
STRATFORD ON AVON	–	–	–	–	1	–
TAMWORTH (part)	–	–	3	–	–	–
WESTMORLAND	–	2	–	–	4	–
Boroughs and Urban Districts:—						
APPLEBY	–	–	–	–	1	–
†KENDAL	–	1	–	–	–	–
KIRKBY LONSDALE	–	–	–	–	3	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†RYDE	*	*	*	*	*	*
VENTNOR... ...	–	2	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	33	4	1	9	N. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	1	–
DEVIZES	–	1	–	–	–	–
MARLBOROUGH ...	–	–	–	–	–	N. 1
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	8	–	1	1	–
†SWINDON... ...		2	1	–	2	–
WESTBURY ...	–	3	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	4	1	–	1	–
BRADFORD ON AVON	–	4	–	–	1	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	1	–
HIGHWORTH ...	–	3	–	–	–	–
MALMESBURY ...	–	–	–	–	1	–
MARLBOROUGH ...	–	–	–	–	1	–
MELKSHAM ...	–	1	–	–	–	–
MERE	–	1	–	–	–	–
TISBURY	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	3	–	–	–	–
WILTON	–	1	2	–	–	–
WORCESTER ...	–	18	10	–	16	–
†DUDLEY C.B. ...	–	4	4	–		–
†WORCESTER C.B.	–	5	1	–	2	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	–	–	1	–
BROMSGROVE ...	–	1	–	–	–	–
EVESHAM ...	*	*	*	*	*	*
†HALESOWEN ...	–	1	–	–	1	–
†KIDDERMINSTER	–	–	2	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	2	–	–	–	–
NORTH BROMSGROVE	–	2	–	–	–	–
†OLDBURY... ...	–	1	2	–	7	–
†REDDITCH ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
KIDDERMINSTER	–	–	–	–	1	–
MARTLEY... ...	–	–	–	–	2	–
SHIPSTON ON STOUR	–	–	–	–	2	–
TENBURY... ...	–	–	1		–	–
YORKS ... ... (East Riding).	–	17	41	1	20	E. 1 M. 1
†KINGSTON UPON HULL C B	–	12	35	–	18	E. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	*	*	*	*	*	*
COTTINGHAM ...	–	1	–	–	–	–
FILEY	–	–	1	–	–	–
HESSLE	–	2	1	–	–	–
Rural Districts:—						
BEVERLEY ...	–	1		–	–	–
†BRIDLINGTON ...	–	–	–		1	–
DRIFFIELD ...	–	–	–	1	–	–
ESCRICK		–	1	–		
NORTON	–	–	2	–	–	–
SCULCOATES ...	–	1	–	–	1	–
SKIRLAUGH ...	–	–	1	–		–
YORKS ... ... (North Riding).	5	14	7	1	25	–
†MIDDLESBROUGH C.B.	1	4	3	–	16	–
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	1	–
LOFTUS	–	4	–	–	–	–
NORTHALLERTON	–	1	–	–	–	–
†REDCAR	–	1	–	–	2	–
†SCARBOROUGH ...	4	–	1	1	–	–
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SKELTON AND BROTTON	–	–	1	–	1	–
†WHITBY	–	–	–	–	2	–
Rural Districts:—						
CROFT	–	–	1	–	–	–
EASINGWOLD ..	–	–	–	–	1	–
FLAXTON	–	1	–		1	–
GUISBOROUGH ...	–	–	1		–	–
MIDDLESBROUGH	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	1	–
STOKESLEY ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	28	227	80	12	186	C. 8 E. 1 L. 1 M. 9 N. 12
†BARNSLEY C.B. ...	–	11	6	–	2	–
†BRADFORD C.B. ...	2	15	3	–	14	C. 1 M. 1 N. 1
†DEWSBURY C.B....	–	1	1		2	–
†DONCASTER C.B.	1	3	3		1	–
†HALIFAX C.B. ...	–	5	3	–	–	M. 1
†HUDDERSFIELD C.B.	–	4	7	–	5	N. 1
†LEEDS C.B. ...	4	25	8	2	40	L. 1 M. 1
†ROTHERHAM C.B.	–	5	2	–	5	M. 1
†SHEFFIELD C.B....	–	73	23	2	71	C. 4 M. 2 N. 5
†WAKEFIELD C.B.	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	5	3	–	1	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	–	–	–	1	–
†BENTLEY WITH ARKSEY	–	–	2	–	–	–
†BINGLEY	–	–	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
CLAYTON WEST ...	–	1	–		–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	1	–	–	–	–
†DARTON	–	–	3	–	2	–
DENBY AND CUMBERWORTH	–	–	–	–	1	–
EARBY	1	–	–	–		–
†ELLAND	–		–		1	–
†FEATHERSTONE ...	–	4	–	–	–	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	–	1	–	–	–
GREASBROUGH ...	–	1	–	–	–	–
†HARROGATE ...	–	1		–		C. 1
HECKMONDWIKE	–	–	1	–	–	–
†HEMSWORTH ...	–	–	–	–	2	–
†HOYLAND NETHER	–	1	–	1	–	–
ILKLEY	–	1	–	–	–	
†KEIGHLEY ...	13	3	–	–	–	M. 1
KIRKBURTON ...	–	–	1	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
LEPTON	–	2	–	–	–	–
MALTBY	–	1	–	–	–	–
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	–	3	–	–	3	–
†MORLEY	–	1	–	–	2	–
MYTHOLMROYD ...	*	*	*	*	*	*
†NORMANTON ...	–	4	–	–	1	–
OAKWORTH ...	1	–	–	–	–	–
OTLEY	–	–	–	–	2	–
†PONTEFRACT ...	–	2	–	–	3	–
†PUDSEY	–	–	–	–	1	–
QUEENSBURY ...	2	–	–	–	–	–
†RAWMARSH ...	–	4	–	–	–	–
RIPON	–	5	–	–	2	–
†ROTHWELL ...	–	1	–	–	1	–
ROYSTON	–	1	–	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–
SELBY	–	4	–	–	–	N. 1
SHELLEY	–	1	–	–	–	–
SHEPLEY	–	–	1	–	–	–
†SHIPLEY	–	2	–	–	–	–
SKELMANTHORPE	–	–	3	–	–	–
†SKIPTON	–	1	–	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SOUTHOWRAM ...	–	2	–	–		–
†SPENBOROUGH ...	–	1	–	2	1	M. 1
						N. 1
†STANLEY	–	1	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	2	N. 1
†SWINTON	–	–	–	–	2	E. 1
THURSTONLAND AND FARNLEY TYAS	–	–	–	–	1	–
TICKHILL ...	–	–	4	–	–	–
†TODMORDEN ...	–	1	–	–	3	–
†WOMBWELL ..	–	1	1	–	–	–
†WORSBOROUGH ...	–	1	–	–	–	–
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	–	2	–	1	–	–
GOOLE	–	–	–	–	–	N. 1
GREAT OUSEBURN	–	1	–	–	–	C. 1
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	1	–	4	3	–
HUNSLET	–	–	–	–	–	N. 1
KIVETON PARK ...	1	2	1	–	2	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	–	–	–	–	C. 1
ROTHERHAM ...	3	2	–	–	–	–
TADCASTER ...	–	2	–	–	–	–
THORNE	–	1	–	–	–	M. 1
WAKEFIELD ...	–	1	1	–	–	–
WETHERBY ..	–	1	–	–	1	–
WHARFEDALE (NORTH)	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	1	–	–	5	–
WORTLEY ...	–	4	–	–	–	–
YORK, CITY OF ...	–	9	2	–	5	–
†YORK C.B. ...	–	9	2	–	5	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	2	3	–	1	–
Boroughs and Urban Districts:—						
†Holyhead ...	*	*	*	*	*	*
Rural Districts:—						
Aethwy	–		1	–		–
Twrcelyn ...	–	2	1	–	1	–
Valley	–	–	1			–
BRECKNOCK ...	6		1		2	–
Boroughs and Urban Districts:—						
Brynmawr ...	6			–	1	–
Rural Districts:—						
Builth	–	–			1	–
Hay	*	*	*	*	*	*
Ystradgynlais	–	–	1	–	–	–
CAERNARVON ...	–	6	2	–	–	–
Boroughs and Urban Districts:—						
Caernarvon ...	–	–	1	–	–	–
Conway	–	1	1	–	–	–
†Llandudno ...	–	1	–	–	–	–
Rural Districts:—						
Geirionydd ...	–	3	–	–	–	–
Lleyn	–	1	–	–	–	–
CARDIGAN ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
Cardigan ...	–	1	–	–	–	–
CARDIGAN— *cont.*						
Rural Districts:—						
Cardigan ...	–	2	–	–	–	–
Tregaron ...	–	–	–	–	1	–
CARMARTHEN ...	–	3	2	–	5	–
Boroughs and Urban Districts:—						
Ammanford ...	–	1	–	–	–	–
Burry Port ...	–			–	1	–
†Llanelly ...	–	–	1	–	1	–
Rural Districts:—						
Carmarthen ...	–	1	–	–	–	–
Llandilo Fawr	–	1	–	–	–	–
Llandovery ...		–	–	–	1	–
Llanelly ...	–	–	1	–	2	–
DENBIGH	–	6	2	1	–	–
Boroughs and Urban Districts:—						
Llangollen ...	*	*	*	*	*	*
†Wrexham ...	–	2	–	1	–	–
Rural Districts:—						
Llangollen ...	*	*	*	*	*	*
Wrexham ...	–	4	2	–	–	–
FLINT	–	–	2	–	1	G. 1
Boroughs and Urban Districts:—						
Prestatyn ...	*	*	*	*	*	*
Rural Districts:—						
Holywell ...	–	–	–	–	1	G. 1
St. Asaph (Flint)	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	18	33	72	1	49	C. 2 M. 8 N. 2
†CARDIFF C.B. .	–	1	16	–	9	C. 1 M. 3 N. 2
†MERTHYR TYDFIL C.B.	1	–	3	–	–	M. 1
†SWANSEA C.B. ..	–	5	3	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ..	–	–	–	–	4	–
†BARRY	–	4	2	–	2	–
†CAERPHILLY ...	–	–	3	–	–	M. 1
COWBRIDGE ...	–	1	–	–	–	–
†GELLIGAER ...	8	–	1	1	3	–
†GLYNCORWG ...	–	–	4	–	–	–
†MAESTEG... ...	–	1	5	–	3	–
†MOUNTAIN ASH ...	8	1	6	–	2	–
†NEATH	–	3	2	–	1	–
†OGMORE AND GARW	–	1	2	–	–	–
†PENARTH ...	–	–	–	–	1	–
†PONTYPRIDD ...	–	–	–	–	2	M. 1
PORTHCAWL ...	–	–	–	–	1	
†PORT TALBOT ...	–	8	1	–	–	C. 1 M. 1
†RHONDDA ...	1	4	12	–	8	–
Rural Districts:—						
CARDIFF	–	–	–	–	2	–
COWBRIDGE ...	–	–	–	–	7	M. 1
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	–	1	–	2	–
NEATH	–	1	–	–	1	–
PENYBONT ...	–	–	5	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	3	4	–	–	–
MERIONETH ...	–	1	8	–	–	–
Urban Districts:—						
FFESTINIOG ..	–	–	6	–	–	–
TOWYN	–	1	–	–	–	–
MERIONETH— *cont.*						
Rural Districts:—						
DEUDRAETH ...	–	–	1	–	–	–
DOLGELLEY ...	–	–	1	–	–	–
MONMOUTH ...	50	14	8	–	9	C. G. G.
†NEWPORT C.B. ...	–	5	3	–	3	
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	15	2	–	–	–	–
†ABERTILLERY ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	8	4	2	–	–	–
†BLAENAVON ...	9	–	1	–	–	–
†EBBW VALE ...	11	–	1	–	2	C.
LLANFRECHFA UPPER	–	1	–	–	–	–
†NANTYGLO AND BLAINA	5	–	–	–	2	–
PONTYPOOL ...	2	–	–	–	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	1	–	–	1	–
MONTGOMERY...	–	–	–	–	2	–
Rural Districts:—						
FORDEN	–	–	–	–	2	–
PEMBROKE ...	–	1	1	–		–
Boroughs and Urban Districts:—						
HAVERFORDWEST	*	*	*	*	*	*
MILFORD HAVEN	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE—*cont.*						
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
RADNOR	–	2	–	–	–	–
Urban Districts:—						
KNIGHTON ...	–	1	–			–
RADNOR—*cont.*						
Rural Districts:—						
RHAYADER ...	–	1	–	–	–	–
Total of Part II. ...	212	1662	1174	61	1375	C. 34 D. 5 E. 9 G. 29 L. 8 M. 82 N. 73

PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEAL	*	*	*	*	*	*
HARTLEPOOL	*	*	*	*	*	*
HULL AND GOOLE ...	–	–	–	–	–	L. 1
LIVERPOOL	–	–	1	–	–	L. 1
Total of Part III. ...	–	–	1	–	–	L. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	271	320	6	147	C. D. E. G. L. M. 1 N. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	212	1662	1174	61	1375	C. 3 D. E. G. 2 L. M. 8 N. 7
Total of Part III.—Port Sanitary Districts	–	–	1	–	–	L.
Total (*i.e.*, of returns received), England and Wales ...	212	1933	1495	67	1522	C. 3 D. 7 E. 1 G 3 L. 1 M. 9 N. 8

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

ble 5.—LONDON and GREAT TOWNS in the AGGREGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.
ONDON :—													
EATHS (excluding Still-births)—all ages.	762	816	977	904	972	940	903	855	964	1,029	1,008	1,196	1,054
EATHS—0 to 1 year ..	49	78	70	59	64	55	59	79	76	89	86	96	86
REAT TOWNS, aggregate (including London):—													
IVE BIRTHS	5,997	6,352	6,602	6,428	6,203	6,472	6,541	6,121	6,193	5,987	5,849	6,299	5,899
TILLBIRTHS	264	264	235	282	269	298	210	249	273	295	269	264	258
EATHS (excluding Still-births)—all ages	3,610	3,571	3,941	3,905	4,021	4,103	3,904	3,864	4,382	4,539	4,425	4,763	4,782
EATHS—0 to 1 year ..	347	353	368	354	368	398	355	389	427	452	403	494	468
NTERIC FEVER—Cases	36	33	25	28	32	28	35	41	25	33	32	26	25
.. Deaths	3	5	3	1	3	2	5	3	7	3	5	3	3
MALL POX—Cases ..	18	27	32	34	51	57	55	63	61	94	115	73	60
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
CARLET FEVER—Cases	1,176	1,136	1,275	1,439	1,348	1,505	1,217	1,080	1,289	1,216	1,261	1,141	1,073
„ Deaths	4	2	8	5	2	4	8	6	5	4	7	10	9
IPHTHERIA—Cases ..	801	742	746	834	985	989	990	920	967	991	1,015	1,064	975
„ Deaths ..	33	20	34	32	39	41	34	24	35	32	43	40	40
EASLES—Deaths ..	10	9	14	14	20	25	19	31	50	39	48	76	81
FLUENZA—Deaths ..	42	34	27	51	63	64	86	47	68	66	63	77	94

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 17th December, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ONDON (GREENWICH).	38	21	36·3	31·9	11	HUDDERSFIELD	38	23	35·9	31·9	8
						BRADFORD ..	37	25	35·0	31·1	12
RIGHTON ..	42	26	37·9	33·9	13	SHEFFIELD ..	39	27	35·6	31·4	10
ORTSMOUTH ..	46	26	40·1	34·3	13	YORK (MUSEUM)	41	22	37·1	32·7	15
ORWICH (EATON)	39	19	36·0	30·9	8	HULL (PEARSON PARK).	41	24	38·0	32·6	21
LYMOUTH ..	52	32	44·7	37·9	6	TYNEMOUTH ..	43	29	38·1	36·6	44
RISTOL (CLIFTON).	43	24	36·4	32·9	19	CARDIFF.. ..	43	24	38·3	31·6	9
IRMINGHAM (EDGBASTON).	37	23	34·0	30·7	10	EDINBURGH ..	40·0	25·0	36·1	31·1	4
OTTINGHAM ..	38	24	35·4	31·4	21	GLASGOW ..	42·0	28·1	36·6	33·7	3
IRKENHEAD (BIDSTON).	39	26	35·9	32·6	3	DUBLIN (PHŒNIX PARK).	47·2	30·9	41·4	35·4	2
ANCHESTER (WHITWORTH PARK).	41	27	37·0	32·4	2	(FITZWILLIAM SQUARE†).	46·0	34·9	42·2	37·6	2
URNLEY	38	23	35·0	30·6	1	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 17th December, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	11	..	29·757	38·1	35·2	2·9	37·1	− 3·1	32·6	4·5	6·8	3·6	84	42·0	35·1	47·1	E : ESE	ENE	5·0	0·0	0·8	454	+ 136	0·00
MONDAY -	12	..	29·625	37·6	35·7	1·9	36·7	− 3·6	31·4	5·3	8·5	4·8	80	40·1	35·1	47·1	ENE	NE	6·4	0·0	0·8	503	+ 185	0·00
TUESDAY -	13	..	29·632	38·1	35·0	3·1	36·7	− 3·8	30·0	6·7	8·4	4·8	76	41·0	34·3	47·0	NE : NNE.	Calm	0·8	0·0	0·0	148	− 170	0·00
WEDNESDAY	14	..	29·463	37·7	33·7	4·0	35·9	− 4·8	35·4	0·5	6·6	0·0	98	44·5	33·9	47·0	Calm : SSE.	SE : ESE : E.	1·3	0·0	0·1	214	− 104	0·25
THURSDAY -	15	..	29·814	37·9	31·9	6·0	35·0	− 5·8	30·4	4·6	10·0	0·0	83	42·9	25·7	46·8	E : ENE	ENE : NE.	1·9	0·0	1·2	301	− 15	0·00
FRIDAY -	16	Last Quarter.	30·228	32·4	20·8	11·6	27·6	−13·1	24·4	3·2	7·4	1·2	88	46·0	10·0	46·5	NE	SSE : Calm.	0·2	0·0	0·0	Loss of Register.	..	0·00
SATURDAY -	17	In Equator	30·302	31·9	22·8	9·1	28·0	−12·4	23·6	4·4	7·2	2·4	85	64·0	13·4	46·2	NNW : NE : SE.	Calm	0·7	0·0	0·0	Loss of Register.	..	0·00
MEANS -			29·832	36·2	30·7	5·5	33·9	− 6·7	29·7	4·2	7·8	2·4	85	45·8	26·8	46·8	Easterly		..	..	..	Sum ..	Sum ..	Sum 0·25
No of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours	GENERAL REMARKS
SUNDAY ..	11	wP.	0·0	7·9	Overcast throughout. Brisk wind 12h. till 16h.
MONDAY ..	12	wP. till 13h.; then mP.	0·0	7·9	Overcast throughout. Brisk wind 0h. till 17h.
TUESDAY ..	13	wP till 7h.; mP till 20h.; then wP.	0·0	7·8	Overcast throughout. Gloom 13½h till 15h.
WEDNESDAY	14	wP till 9h.; then variably wP and wN.	0·0	7·8	Overcast throughout. Damping 3h. till 5h.; and 8h. till 9h.; slight rain generally 9½h. till 22h.
THURSDAY	15	Variably wP and wN till 15h.; then mP.	0·0	7·8	Overcast till 20h., clearing to partially cloudy by 20¾h. Rain 0h. till 2h. Sleet 4h. till 7h. Slight snow about 14¾h. Frost at night.
FRIDAY ..	16	wP till 7h.; then mP.	0·9	7 8	Variably cloudy till 12h., then overcast. Slight snow 4¾h. till 5h.; 14h. till 16h. Hoar frost in morning and at night.
SATURDAY	17	mP till 9h.; then wP.	4·1	7·8	Variably cloudy till 10½h.; partially cloudy till 15½h.; then overcast. Hoar frost in morning. Slight snow 9h. till 10h.; and at 23h.
			Sum 5·0	Sum 54·8	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry,

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemomentric records for the 50 years ending 1916,

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and −"*lower*" than the average,

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined,

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative: w. weak; m. moderate; s. strong; v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine each day.

The reading of the barometer decreased generally from 29·86 ins. at the beginning of the week to 29·45 ins. by 18h. on 14th; increased and was 30·34 ins. by midnight on the 17th

THE
CLINICAL RESEARCH ASSOCIATION,
LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

A COMPLETE LABORATORY SERVICE.

All kinds of Laboratory Investigations which may be required by Public Health Authorities are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND LONDON."

SHAW & SONS,
LIMITED.

The recognised Publishers of the prescribed and other necessary Forms and Records for

PUBLIC HEALTH AUTHORITIES.

All Notices and Registers under
NOTIFICATION OF INFECTIOUS DISEASES ACTS.
NOTIFICATION OF BIRTHS ACT.
MILK AND DAIRIES ORDER, 1926.
OPHTHALMIA NEONATORUM, PUERPERAL FEVER AND PUERPERAL PYREXIA REGULATIONS, 1926.

Complete Lists on Application to

SHAW & SONS
LIMITED.

Local Government Printers and Publishers,
FETTER LANE, LONDON, E.C.4.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.
Telegrams:
"Clinician, Wesdo, London."

(64825) Wt. 40—20 1875 12/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 51.

THE REGISTRAR-GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 24TH DECEMBER, 1927

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1927.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 24TH DECEMBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the fifty-first week of the year numbered 5,433 and corresponded to an annual rate of 14·5 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 5,898 and corresponded to an annual rate of 15·7 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 11·8, 12·7 and 12·8. Infant mortality based on the average weekly number of live births during the last 52 weeks, was 88 against 61, 75 and 71 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,256 live births, corresponding to a rate of 14·2 per 1,000, and 1,374 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 15·6, against 11·4, 12·8 and 11·9 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·9 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 67 as against 58, 58 and 57 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) increased from 4,783 to 5,898 and in London increased from 1,054 to 1,374.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 274 in the Great Towns including 53 in London.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 24th December, 1927.

Towns.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 Great Towns ..	19,540,143*	5433	274	5898	576	4	94	9	18	64	61	120
London	4,605,400*	1256	53	1374	99	-	33	1	3	15	10	17
Towns in Outer Ring. Croydon C.B. ..	205,900	54	1	57	3	-	-	-	-	1	1	3
Wembledon ..	58,030	12	-	17	-	-	-	-	-	-	-	-
Ealing	91,783	16	-	26	1	-	-	-	-	-	-	1
Acton	63,040	20	1	16	2	-	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	10	2	10	2	-	-	-	-	-	-	-
Willesden ..	165,270	39	3	44	2	-	-	-	-	-	-	1
Hendon	62,570*	16	1	20	-	-	-	-	-	-	-	2
Hornsey	87,230	17	-	26	-	-	-	-	-	1	-	1
Wood Green ..	51,940	11	-	17	2	-	-	-	-	-	-	1
Tottenham ..	161,520	29	1	45	3	-	-	-	-	1	-	-
Edmonton	71,700	23	3	14	-	-	-	-	-	1	-	-
Enfield	63,640	9	1	17	3	-	-	-	-	-	-	-
West Ham C.B. ..	315,900	123	3	76	6	-	-	-	-	1	1	1
East Ham C.B. ..	146,600	36	-	36	2	-	-	-	-	1	-	1
Leyton	130,000	20	2	29	1	-	-	-	-	1	1	1
Walthamstow ..	125,500	23	1	36	1	1	-	-	-	-	-	1
Ilford	100,500	34	1	18	-	-	-	-	-	1	-	-
Gillingham	47,820*	21	-	16	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	7	-	7	1	-	-	-	-	-	-	-
Hastings C.B.	61,340	14	-	26	1	-	-	-	-	-	-	2
Eastbourne C.B. ..	56,060	1	1	26	-	-	-	-	-	-	-	2
Brighton C.B.	139,500*	32	3	36	3	-	-	-	-	-	-	-
Portsmouth C.B. ..	231,500*	63	3	82	8	-	2	1	-	1	-	1
Bournemouth C.B. ..	90,100	15	2	30	2	-	-	-	-	-	-	1
Southampton C.B. ..	169,300	53	3	57	3	-	-	-	-	1	1	-
Reading C.B	93,090*	27	-	29	1	-	-	-	-	4	-	-
Oxford C.B.	56,800	14	-	21	-	-	-	-	-	-	-	2
Northampton C.B. ..	93,530*	15	1	28	3	-	-	-	-	-	-	2
Luton	59,240	13	2	15	2	-	-	-	-	-	-	-
Cambridge	58,820	7	1	17	1	-	-	-	-	-	1	-
Southend-on-Sea C.B.	104,300	17	1	29	-	-	-	-	-	-	-	-
Ipswich C.B.	84,140	29	2	26	-	-	-	-	-	-	-	1
Great Yarmouth C.B.	57,760	10	-	18	-	-	-	-	-	-	-	2
Norwich C.B.	123,500*	30	4	32	2	-	-	-	-	-	-	1
Swindon	57,320	14	-	20	1	-	-	-	-	-	-	-
Exeter C.B.	60,340*	28	-	14	2	-	1	-	-	-	1	-
Plymouth C.B. ..	187,300*	60	3	51	3	-	-	-	-	-	-	-
Bath C.B.	69,000	13	1	19	1	-	-	-	-	-	-	-
Bristol C.B.	383,300*	114	6	127	15	-	10	-	1	-	1	1
Gloucester C.B. ..	53,050	15	1	23	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	275,600	110	9	84	10	-	1	1	1	1	-	1
Burton-upon-Trent C.B.	48,660	15	-	15	2	-	-	-	-	-	-	-
Wolverhampton C.B.	131,000	48	2	30	6	-	2	-	-	-	1	1
Walsall C.B.	102,100	42	-	27	3	-	-	-	-	1	-	-
West Bromwich C.B.	79,920	36	1	26	7	-	-	-	-	-	-	1
Dudley C.B.	58,930	14	2	25	4	-	1	-	-	-	-	-
Worcester C.B. ..	50,660	8	-	21	2	-	-	-	-	-	-	1
Birmingham C.B. ..	934,300*	280	13	250	33	-	-	1	1	1	5	9
Smethwick C.B. ..	76,940	22	-	25	1	-	-	-	-	-	-	-
Coventry C.B. ..	127,800	30	1	30	8	-	-	-	-	1	-	-
Leicester C.B. ..	241,700	67	3	67	11	-	-	-	-	-	1	-
Lincoln C.B.	65,760*	13	1	20	2	-	-	-	-	-	-	-
Grimsby C.B. .. .	88,580	22	-	20	2	-	-	-	-	-	-	-
Nottingham C.B. .	268,000	68	5	89	5	-	1	-	2	2	1	2
Derby C.B.	136,600*	38	1	43	8	-	3	-	-	-	-	1
Chesterfield ..	66,650	27	3	14	1	-	-	-	-	2	-	-
Stockport C.B. ..	125,400	25	-	39	7	-	2	-	-	-	1	3
Chester C.B.	41,710	17	1	10	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	50	3	47	6	-	-	-	-	-	1	1
Wallasey C.B. ..	93,050	21	-	38	2	-	2	-	-	1	-	-
Liverpool C.B. ..	862,600	277	10	314	38	-	3	-	6	5	6	6
Bootle C.B.	84,580	30	1	20	3	-	-	-	-	-	1	-
St. Helens C.B. ..	110,000	35	3	33	6	-	2	-	-	-	-	2

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	77,970	18	-	25	-	-	-	-	-	-	-	-
Wigan C.B.	88,620	24	3	20	3	-	-	-	-	-	1	1
Warrington C.B. ..	76,940*	34	2	34	9	-	1	-	-	-	1	-
Bolton C.B.	177,000	40	3	61	5	1	1	-	-	1	1	-
Bury C.B.	56,840*	15	1	19	4	-	-	-	-	-	1	-
Manchester C.B. ..	752,000	229	10	281	35	-	17	4	1	3	4	4
Salford C.B.	247,400	59	5	74	5	-	2	-	-	-	-	1
Ashton-under-Lyne	51,050	12	-	22	4	-	-	-	-	-	1	1
Oldham C.B.	143,000	39	2	53	4	-	1	-	-	1	1	2
Rochdale C.B.	91,510	6	-	23	1	-	-	-	-	1	-	-
Burnley C.B.	99,600	25	1	36	6	-	-	-	-	-	-	-
Blackburn C.B. ..	124,400	24	4	50	6	-	-	-	-	2	2	-
Preston C.B.	124,200	30	3	35	3	-	-	-	-	-	-	1
Blackpool C.B. ..	88,640	13	1	30	1	-	-	-	-	1	-	-
Barrow-in-Furness C.B.	70,420	8	1	20	2	-	-	-	-	-	2	1
Huddersfield C.B. ..	111,900	17	1	44	2	-	-	-	-	-	-	-
Halifax C.B.	96,130*	24	3	18	1	-	-	-	-	-	-	-
Bradford C.B. ..	288,700	64	10	96	8	-	-	-	1	1	-	7
Leeds C.B.	473,400	135	9	143	11	-	1	-	1	-	1	4
Dewsbury C.B. ..	53,630	20	-	17	1	-	-	-	-	-	-	-
Wakefield C.B. ..	53,830	22	3	11	3	-	-	-	-	-	1	-
Barnsley C.B. ..	70,760	15	-	20	2	-	-	-	-	-	-	1
Sheffield C.B. ..	523,300*	145	9	145	22	1	3	-	1	1	3	1
Rotherham C.B. ..	70,080	21	-	10	2	-	1	-	-	1	-	-
Doncaster C.B. ..	55,700	18	1	8	1	-	-	-	-	-	-	-
York C.B.	84,430*	14	2	26	1	-	-	-	-	-	-	-
Hull C.B.	294,600	90	6	71	10	-	-	-	-	1	2	1
Middlesbrough C.B.	133,600	49	3	37	7	-	1	-	-	-	-	2
Darlington C.B. ..	70,700	14	-	24	4	-	2	-	-	1	-	1
Stockton-on-Tees ..	67,910	27	2	19	4	-	-	-	-	1	-	1
West Hartlepool C.B.	71,060	29	2	26	1	-	-	-	-	1	-	1
Sunderland C.B. ..	163,800	85	2	56	13	1	-	-	-	1	1	2
South Shields C.B. ..	123,900	39	4	38	4	-	1	-	-	1	-	3
Gateshead C.B. ..	127,700	35	1	40	3	-	-	-	-	-	-	1
Newcastle-on-Tyne C.B.	284,700*	104	3	91	9	-	-	1	-	-	1	4
Tynemouth C.B ..	66,560	20	5	23	2	-	-	-	-	-	-	-
Carlisle C.B.	56,140*	14	-	17	2	-	-	-	-	-	-	1
Newport (Mon.) C.B.	96,620	24	3	25	1	-	-	-	-	1	1	2
Cardiff C.B.	225,600*	51	-	39	10	-	-	-	-	-	1	-
Rhondda	162,500	42	-	46	8	-	-	-	-	1	2	-
Merthyr Tydfil C.B.	80,690	16	-	27	3	-	-	-	-	-	-	2
Aberdare	56,930	17	-	15	2	-	-	-	-	-	-	1
Swansea C.B.	163,200	51	3	39	5	-	-	-	-	1	-	1
Greater London ..	7,791,310*	2,052	90	2,212	146	1	33	1	5	26	16	42
Outer Ring	3,185,910*	796	37	838	47	1	-	-	2	11	6	25
17 Great Towns in Outer Ring	1,947,963*	492	20	504	28	1	-	-	-	8	3	13
Remainder of Outer Ring	1,237,947*	304	17	334	19	-	-	-	2	3	3	12
Edinburgh†	426,100	153	?	157	15	-	1	-	2	2	-	3
Glasgow†	1,049,000	440	?	439	68	-	39	3	10	2	11	8
Dublin (Registration Area)†	421,000	§	?	§	§	§	§	§	§	§	§	§
Belfast†	415,007	128	?	109	10	-	-	1	-	-	2	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Return not received.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available per

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	LIVE BIRTHS.	STILLBIRTHS.	DEATHS (excluding Stillbirths).	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
LONDON‡	4,605,400	1927. Dec. 24	1256	53	1374	15·6	-	-	33	1	3	15	10
CALCUTTA AND SUBURBS	1,077,264	Nov. 12	?	?	738‖	35·6	?	-	-	?	?	?.	?
BOMBAY§	1,298,708	„ 26	541	47	513	20·5	4	1	-	-	-	-	21
MADRAS	5[illegible]8,791	„ 26	451	12	456‖	44·8	-	2	-	-	2	-	29
SYDNEY AND SUBURBS	1,070,510	Nov. 30 (30 days)											
BRISBANE (Metropolitan Area).	274,260	Oct. 31 (31 days)											
PERTH (Metropolitan Area).	184,223	Oct. 29	78	?	54	15·2	-	-	-	-	-	-	2
AUCKLAND (Urban Area).	201,220	Oct. 31 (31 days)											
WELLINGTON (Urban Area).	126,310	Oct. 31 (31 days)											
CHRISTCHURCH (Urban Area).	121,780	Oct. 31 (31 days)											
CAPE TOWN	114,846	Nov. 26	63	1	33	14·9	-	-	-	-	-	1	-
JOHANNESBURG	172,718	„ 26	75	3	55	16·6	-	-	1	-	2	-	2
DURBAN	54,715	„ 26	15	1	13	12·4	1	-	-	-	-	-	-
PARIS	2,871,429	Dec. 10 (10 days)	1194	82	1170	14·9	6	-	8	1	10	8	23
ANTWERP	300,402	Nov. 19	87	3	59	10·2	-	-	-	-	-	-	3
AMSTERDAM	732,845	„ 26	248	9	131	9·3	1	-	2	-	-	-	-
COPENHAGEN	597,800	Dec. 10	178	5	127	11·1	-	-	2	-	-	3	1
STOCKHOLM	453,332	„ 3	102	-	114	13·1	-	-	-	-	-	-	-
GOTHENBURG	231,196	„ 3	?	?	58	13·0	-	-	6	-	-	-	-
OSLO	254,055	„ 17	74	3	46	9·4	-	-	-	-	-	-	1
BERLIN	2,000,000	„ 3	394	15	525	13·7	-	?	-	1	1	14	4
BRESLAU	562,000	„ 3	160	12	129	11·9	-	?	-	-	-	1	-
COLOGNE	719,000	„ 3	213	10	138	10·0	-	?	-	-	1	-	-
DRESDEN	626,000	„ 3	137	8	129	10·7	-	?	-	-	-	-	2
FRANKFORT-ON-MAIN..	475,000	„ 3	94	7	70	7·7	-	?	-	-	1	-	-
HAMBURG	1,108,000	„ 3	288	9	246	11·5	-	?	-	-	-	-	-
LEIPZIG	687,000	„ 3	169	8	131	9·9	-	?	-	-	-	2	1
MUNICH	692,000	„ 3	154	7	157	11·8	-	?	-	-	-	-	2
VIENNA	1,867,850	July 31 (31 days)											
PRAGUE AND SUBURBS	738,132	April 30 (30 days)											
BUDAPEST	971,169	Dec. 3	268	10	251	13·4	-	-	-	-	1	3	-
WARSAW	1,028,982	„ 10	?	6	262	13·3	4	-	-	13	1	2	11
CAIRO	874,300	Sept. 9	749	23	479	28·6	8	-	-	-	?	7	75
ALEXANDRIA	501,800	„ 9	440	5	330	34·3	6	-	-	-	?	7	39
NEW YORK	5,970,920	Dec. 0	?	?	1306	11·4	3	-	1	3	8	9	6
CHICAGO	3,101,000	„ 2	1236	32	719	12·1	2	-	-	2	3	13	8
NEW ORLEANS	433,000	Oct. 31 (31 days)	839	56	633	17·5	1	-	-	1	2	3	23

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo, and to *children under* 1 *year o* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The est mated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 42 deaths from Cholera in Calcutta and 1 in Madras

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 24th December, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1374	99	37	33	31	38	75	86	146	222	284	323
Enteric fever..	-	-	-	-	-		-	-	-	-	-	-
Small-pox	-	-	-		-	-	-	-	-	-	-	-
Measles	33	9	12	11	1	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	3	1	1	1	-	-	-	-	-	-	-	-
Diphtheria	15	1	1	5	6	1	-	1	-		-	
Influenza	17	-	-	-	1	1	-	3	4	5	-	3
Erysipelas	3	1	-	1	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	1	-	-	-	-	-
Meningococcal meningitis	2	-	-	-	1	-	1	-	-	-	-	-
Tuberculosis :—												
Respiratory system	103	-	-	-	5	17	30	17	23	8	3	-
Nervous system..	5	-	-	2	1	2	-	-	-	-	-	-
Intestines and peritoneum	1	1	-	-	-	-	-	-	-	-	-	-
Other forms	6	1	-	-	2	2	-	-	-	-	1	-
Venereal diseases	6	1	-	-	-	-	-	1	2	1	-	1
Cancer	137	-	-	-	-	1	4	7	30	36	34	25
Rheumatic fever	3	-	-	-	1	1	1	-	-	-	-	-
Diabetes	17	-	-	1	-	-	4	-	1	4	5	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	59	-	-	-	-	-	-	1	5	10	18	25
Epilepsy	2	-	-	-	-	-	-	-	1	1	-	-
"Convulsions" (not puerperal) ..	3	2	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	30	-	1	1	1	1	1	3	3	8	7	4
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	-	2	1	1	-	-	1
Other diseases of heart	258	-	-	-	1	1	3	12	14	52	88	87
Other diseases of circulatory system	79	-	-	-	-	-	1	2	8	20	23	25
Bronchitis	107	4	3	1	1	-	-	3	10	10	29	46
Broncho-pneumonia	76	20	10	7	1	-	2	2	6	7	8	13
Lobar-pneumonia	42	-	1	1	-	1	3	3	10	13	6	4
Pneumonia (type not distinguished)	20	3	2	-	1	1	-	-	1	4	5	3
Other diseases of respiratory system	13	-	-	1	-	1	-	2	1	2	2	4
Diarrhœa and enteritis	11	7	3	-	-	-	-	-	-	1	-	-
Appendicitis, Typhlitis	7	-	-	-	-	-	1	-	2	2	1	1
Hernia, Intestinal obstruction.. ..	11	1	1	-	-	-	-	-	-	-	3	6
Cirrhosis of liver	8	-	-	-	-	-	1	2	1	1	2	1
Other diseases of digestive system ..	32	-	-	1	1	1	4	5	7	8	2	3
Acute nephritis	3	-	-	-	1	-	1	-	1	-	-	-
Chronic Bright's disease	44	-	-	-	-	-	3	5	6	8	13	9
Other diseases of genito-urinary system.	17	-	-	-	-	-	-	2	2	3	8	2
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	7	7	-	-	-	-	-	-	-	-	-	-
Premature birth	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital).. ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	51	-	-	-	-	-	-	-	-	1	6	44
Suicide	17	-	-	-	-	-	4	6	2	3	-	2
Burns and Scalds	2	-	-	-	-	1	-	-	-	-	1	-
Drowning	3	-	-	-	-	-	1	1	-	1	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	15	-	-	-	2	2	2	2	1	-	4	2
Other deaths by violence	25	2	-	-	1	2	1	2	2	7	4	4
Other specified causes	44	11	1	-	1	2	2	3	1	6	11	6
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 24th December, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	239	283	9	160	C. 5 D. 1 E. 3 G. 2 J. 1 L. 1 M. 11 N. 10
†CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	5	12	–	7	L. 1 N. 2
†BERMONDSEY ...	–	11	13	–	5	G. 1
†BETHNAL GREEN	–	7	7	1	6	–
†CAMBERWELL ...	–	15	22	–	2	M. 2 N. 1
†CHELSEA	–	3	4	–	3	N. 1
†DEPTFORD ...	–	11	7		4	–
†FINSBURY ...	–	6	5	–	3	G. 1
†FULHAM	–	6	5	–	9	–
†GREENWICH ...	–	6	17	–	5	–
†HACKNEY ...	–	24	16	–	2	C. 1 M. 1 N. 1
†HAMMERSMITH ...	–	8	12	–	2	–
†HAMPSTEAD ...	–	3	2	–	1	M. 1
†HOLBORN... ...	–	2	4	1	–	–
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	12	13	–	12	C. 1 M. 2 N. 1
†KENSINGTON ...	–	8	5	–	11	–
†LAMBETH ...		14	19	1	9	C. 1 D. 1 M. 1
†LEWISHAM ...		11	11	–	4	E. 1 M. 1
†PADDINGTON ...	–	12	9	1	3	E. 1 J. 1 M. 1
†POPLAR	–	10	8	–	17	N. 1
†ST. MARYLEBONE	–	3	5	1	1	N. 1
†ST. PANCRAS ...		8	5	1	4	M. 1 N. 1
†SHOREDITCH ...	–	5	6	–	7	C. 1 M. 1
†SOUTHWARK ...		9	18	–	5	N. 1
†STEPNEY	–	11	29	3	2	–
†STOKE NEWINGTON	–	1	–	–	3	–
†WANDSWORTH ...		23	18	–	19	C. 1
†WESTMINSTER, CITY OF	–	1	6	–	2	E. 1
†WOOLWICH ...	–	3	4	–	12	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	9	8	-	4	-
Boroughs and Urban Districts:—						
AMPTHILL ...	-	1	-	-	-	-
†BEDFORD ...	-	3	1	-	1	-
DUNSTABLE ...	-	-	1			-
KEMPSTON ...	-	-	-	-	1	-
LEIGHTON BUZZARD	-	1	1	-	-	-
†LUTON	-	3	3	-	-	-
SANDY	-	-			1	-
Rural Districts:—						
BEDFORD ...	-	1		-	-	-
BIGGLESWADE ...	-	-	2	-	1	-
LUTON	*	*	*	*	*	*
BERKS	-	13	7	-	3	-
†READING C.B. ...		4	5	-	-	-
Boroughs and Urban Districts:—						
ABINGDON ...	-	-	1	-	-	-
†MAIDENHEAD ...	-	-	-		1	-
†NEW WINDSOR ...	-	2	1	-		-
WALLINGFORD ..	-	-	-	-	1	-
Rural Districts:—						
BRADFIELD ...	-	1	-	-	-	-
COOKHAM ...	-		-	-	1	-
EASTHAMPSTEAD	-	1	-	-	-	-
WANTAGE ...	-	5	-	-		-
BUCKINGHAM ...	-	8	10		8	N. 2
Boroughs and Urban Districts:—						
†AYLESBURY ...	-	-	-	-	2	-
BEACONSFIELD ...	-	1	-	-	-	-
BLETCHLEY ...	-	1	2	-	-	-
BUCKINGHAM ...	*	*	*	*	*	*
†CHEPPING WYCOMBE	-	1	1		1	-
ETON	-	-	-	-	1	-
MARLOW	-	-	-	-	1	-
†SLOUGH	-		2	-	1	-
†WOLVERTON ...	-	-	-	-	2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	-	-	-	-	-	N. 1
ETON	-	-	4	-	-	N. 1
NEWPORT PAGNELL	-	-	1		-	-
WING		1			-	-
WYCOMBE ...	-	4	-	-	-	-
CAMBRIDGE ...	-	7	2	-	-	N. 1
Borough:—						
†CAMBRIDGE ...		4	1	-	-	-
Rural Districts:—						
CHESTERTON ...		1	-	-	-	-
LINTON	-	1	1	-	-	-
NEWMARKET ...	-	1	-	-		N. 1
CHESTER ...		44	27	1	29	G. 2 M. 2 N. 1
†BIRKENHEAD C.B.		7	2	-	7	G. 1
†CHESTER C.B. ...	-	2	-	-	1	-
†STOCKPORT C.B.	-	7	3	-	3	M. 1
†WALLASEY C.B. ...		2	9	-	3	G. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...		2	-		-	-
†BEBINGTON AND BROMBOROUGH		-	5	-	3	-
BREDBURY AND ROMILEY	-	2	2		-	-
BUGLAWTON ...	-	-	-	-	-	M. 1
†CHEADLE AND GATLEY	-	-	-	-	2	-
†CREWE	-	-	1	-	1	-
†ELLESMERE PORT AND WHITBY	-	2	-	-	-	-
HOLLINGWORTH	*	*	*	*	*	*
†HYDE	-	4	-	-	2	-
†MACCLESFIELD ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MIDDLEWICH ...	*	*	*	*	*	*
NANTWICH ...		–	–	–	1	–
†NORTHWICH ...	–	3	–	–	–	–
†RUNCORN... ...	–	6	–		–	–
†STALYBRIDGE ...	–		2	–	–	–
†WINSFORD ...	–	2	–	–	–	–
YEARDSLEY CUM WHALEY	–	–		–	2	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	1	–
CONGLETON ..	–	1	1	–	–	N. 1
DISLEY	–	1	–	–	–	–
NORTHWICH ...	–	–	–	1	–	–
RUNCORN ...		–	1	–	1	–
WIRRAL	–	2	1	–	1	–
CORNWALL ...		7	5	–	2	–
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	1	–	–	–	–
LAUNCESTON ...	–	–		–	1	–
LOSTWITHIEL ...	*	*	*	*	*	*
LUDGVAN ...	*	*	*	*	*	*
MADRON	*	*	*	*	*	*
PAUL	*	*	*	*	*	*
REDRUTH ...	*	*	*	*	*	*
ST. IVES	–	1	–	–		–
ST. JUST	–	2	–	–	–	–
WADEBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
CALSTOCK ...	–	–	5	–	–	–
REDRUTH ...	–	–	–	–	1	–
WEST PENWITH...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	11	7	–	12	G. 1 M. 1
†CARLISLE C.B. ..	–	3	–	–	10	G. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	1	–	–	M. 1
EGREMONT ...	–	1	2	–	1	–
KESWICK	*	*	*	*	*	*
MILLOM	–	–	–	–	1	–
†WHITEHAVEN ...	–	3	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
CARLISLE ...	–	1	1	–	–	
LONGTOWN ...	–	–	1	–	–	–
PENRITH	–	1	–	–	–	–
WHITEHAVEN ...	–		1	–		–
WIGTON	–	1	–	–	–	–
DERBY	18	34	26	–	41	D. 1 G. 1 M. 1 N. 3
†DERBY C.B. ...	–	6	3	–	9	N. 1
Boroughs and Urban Districts:—						
†ALFRETON ..	10	1	–	–	1	N. 1
ASHBOURNE ...	*	*	*	*	*	*
†BELPER	4	–	–		–	–
†BOLSOVER ...	–	2	2	–	1	–
†BUXTON	*	*	*	*	*	*
†CHESTERFIELD ...	1	1	3	–	3	–
CLAY CROSS ...			–		2	M. 1
†GLOSSOP	–	1	–	–	–	–
†HEANOR	–	1	1	–	2	–
†ILKESTON ...	–	–	–	–	2	–
†LONG EATON ...	–		3		2	N. 1
NEW MILLS ...	–	1	1	–	–	–
†RIPLEY	–	–		–	3	–
†SWADLINCOTE DISTRICT	–	–	–	–	4	G. 1
†THE MATLOCKS...	–	2	–	–	–	–
WIRKSWORTH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	-	-	-	-	1	-
BAKEWELL ...		1	-	-	-	-
BELPER	-	1	-	-	-	-
BLACKWELL ..	-	1	3	-	-	-
CHAPEL EN LE FRITH	-	1	-	-	-	-
CHESTERFIELD ..	2	3	9	-	1	D. 1
HARTSHORN AND SEALS	-	2	1	-	2	-
HAYFIELD ..	-	1	-	-	-	-
REPTON	-	4	-	-	4	-
SHARDLOW ...	1	4	-	-	3	-
SUDBURY... ...	-	1	-	-	-	-
DEVON		12	15	1	14	C. 3 E. 1 M. 1 N. 1
†EXETER C.B. ...	-	-	-	-	-	C. 1
†PLYMOUTH C.B...		3	8	-	5	C. 2
Boroughs and Urban Districts:—						
ASHBURTON ...	-	-	-	-	1	-
†BARNSTAPLE ...		-	1	1	1	-
BUCKFASTLEIGH	*	*	*	*	*	*
DARTMOUTH ...	-	1	-	-	1	-
†EXMOUTH ...	-	-	-	-	1	-
†NEWTON ABBOT...	-	2	-	-	-	-
†PAIGNTON ...	-	-	-	-	-	E. 1 M. 1
SIDMOUTH ...			-	-	1	-
Rural Districts:—						
BARNSTAPLE ...	-	1	-		-	-
BIDEFORD ...	*	*	*	*	*	*
NEWTON ABBOT...	-	-	2	-	3	-
PLYMPTON ST. MARY	-	2	4	-	-	N. 1
ST. THOMAS ...	-	-	-	-	1	-
TORRINGTON ...	-	3	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	-	3	-	-	8	-
Boroughs and Urban Districts:—						
DORCHESTER ...	-	-	-	-	1	-
†POOLE	-	1	-	-	1	-
†PORTLAND ..	-	-	-	-	1	-
SWANAGE ...	-	2	-	-	-	-
†WEYMOUTH AND MELCOMBE REGIS	-	-	-	-	2	-
Rural Districts:—						
WAREHAM AND PURBECK	-	-	-	-	2	-
WEYMOUTH ...	-	-	-	-	1	-
DURHAM ...	47	58	55	2	125	C. 1 M. 4 N. 4
†DARLINGTON C.B.	3	6	1	1	10	M. 1
†GATESHEAD C.B.	1	3	1	-	5	-
†SOUTH SHIELDS C.B.	24	9	4	1	14	-
†SUNDERLAND C.B.	6	4	9	-	27	M. 2 N. 1
†WEST HARTLEPOOL C.B.	-	4	13	-	15	-
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	-	-	-	-	-
BENFIELDSIDE ...	-	5	-	-	-	-
†BISHOP AUCKLAND	-	1	-	-	-	-
†BLAYDON... ...		2	-	-	1	-
†CONSETT	-	-	-	-	1	-
†CROOK	-	1	1	-	-	-
†DURHAM	1	-	-	-	3	-
†FELLING	-	-	-	-	2	-
†HARTLEPOOL ...	-	1	-	-	-	-
†HEBBURN ...	1	1	-	-	1	-
†HETTON	-	2	-	-	1	-
†HOUGHTON LE SPRING	-		-	-	1	-
†JARROW	-	-	-	-	6	-
LEADGATE ...	-	1	-	-	5	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SEAHAM HARBOUR	4	–	–	–	4	–
†SHILDON	–	–	1	–	1	–
†SPENNYMOOR ...	–	–	1	–	–	–
†STANLEY	–	–	3	–	–	–
†STOCKTON ON TEES	–	3	4	–	8	–
†TANFIELD ...		–	1	–	2	–
†WHICKHAM ...	–	–	2	–		–
WILLINGTON ...	–	3	3	–	–	–
Rural Districts:—						
AUCKLAND ..	–	5	8	–	1	–
CHESTER LE STREET	1	1	–	–	–	–
DURHAM	–	–	–	–	1	N. 1
EASINGTON ...	1	2	2		3	–
HARTLEPOOL ...	*	*	*	*	*	*
HOUGHTON LE SPRING	–	1	–	–	3	M. 1 N. 1
LANCHESTER ..	–	–	1	–	2	N. 1
SOUTH SHIELDS..	4	3	–	–	1	–
STOCKTON ...	–	–	–	–	1	C. 1
SUNDERLAND ..	–	–	–	–	4	–
WEARDALE ...	–	–			2	–
ELY, ISLE OF ...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
ELY		1	–	–	–	–
Rural Districts:—						
WISBECH	–	–	–		–	M. 1
ESSEX	–	127	77	3	46	E. 2 M. 4 N. 4
†EAST HAM C.B. ..	–	22	11	–	2	N. 1
†SOUTHEND-ON-SEA C.B	–	11	3	1	5	E. 1
†WEST HAM C.B. ...	–	23	26	–	15	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	1	–	3	M. 1
BRIGHTLINGSEA	–		–	–	1	–
BUCKHURST HILL	*	*	*	*	*	*
BURNHAM ON CROUCH	*	*	*	*	*	*
CANVEY ISLAND	*	*	*	*	*	*
†CHELMSFORD ...	–	1		–	–	–
CHINGFORD ...	–		–	–	1	
†CLACTON		1	–	–	1	–
†COLCHESTER ...		2	1	1	3	–
DAGENHAM ...	–	11	6	1	1	–
EPPING	–	1	–	–	1	–
†GRAYS THURROCK			2		–	
†HORNCHURCH ...	–	2	–	–		–
†ILFORD	–	11	7		6	–
†LEYTON	–	11	4	–	1	–
MALDON		2		–	–	–
†ROMFORD ...	–	4	1	–	–	–
TILBURY		–	6	–		–
†WALTHAMSTOW...		11	3		2	E. 1 N. 2
†WANSTEAD ...	–	1	–	–	–	–
WITHAM	–	–	–	–	1	–
†WOODFORD ...		3	–	–	–	–
Rural Districts:—						
BILLERICAY ...			–		1	–
DUNMOW	–	1	1	–		–
EPPING		2	1	–		–
HALSTEAD ...	–	3	–	–	–	–
LEXDEN AND WINSTREE		–	–	–	1	–
MALDON		1	–	–	1	M. 1 N. 1
ORSETT	*	*	*	*	*	*
ROCHFORD ...	–	–	2			–
ROMFORD... ...	–	–	2		–	–
TENDRING ...	–			–	–	M. 1
GLOUCESTER ...	–	49	14	1	17	G. 1 M. 1 N. 2
†BRISTOL C.B. ...	–	30	10	1	7	M. 1 N. 1
†GLOUCESTER C.B.	–	3	1	–	1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	–	–	1	G. 1
†KINGSWOOD ...	–	3	–	–	–	–
†MANGOTSFIELD ...	–	2	–	–	–	–
STROUD	–	–	1	–	–	–
TETBURY	–	1	–	–	1	–
TEWKESBURY ...	–	2	–	–		–
Rural Districts:—						
CHELTENHAM ...	*	*	*	*	*	*
DURSLEY	–	–	1		1	–
EAST DEAN AND UNITED PARISHES	–	3	1	–	1	–
GLOUCESTER ...	–	–	–	–	1	–
STROUD	–	–	–	–	2	–
TETBURY (part)	–	–	–	–	1	–
THORNBURY ...	–	1	–	–	–	–
WEST DEAN ...	*	*	*	*	*	*
WHEATENHURST	–	–	–	–	1	–
HEREFORD ...	–	10	–	–	–	N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	4	–	–	–	–
LEDBURY... ...	–	1	–	–		–
LEOMINSTER ...	–	1	–	–		–
ROSS	*	*	*	*	*	*
Rural Districts:—						
BREDWARDINE ...	*	*	*	*	*	*
HEREFORD ...	–	3	–		–	–
ROSS	*	*	*	*	*	*
WEOBLEY... ...	–	1	–	–	–	–
WIGMORE ...	–	–	–	–	–	N. 1
HERTFORD ...	–	7	15	–	3	–
Boroughs and Urban Districts:—						
†BARNET	–	–	1			–
BISHOP'S STORTFORD		–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESHUNT ...	–	1	1	–	1	–
†HERTFORD ...	–	1		–	–	–
†LETCHWORTH ...	–	–	–	–	1	–
ROYSTON	–	–	5	–	–	–
SAWBRIDGEWORTH	*	*	*	*	*	*
†WATFORD ...	–	1	3	–	–	–
Rural Districts:—						
BERKHAMPSTEAD		1	–	–	–	–
WARE	–	2	3	–	–	–
WATFORD ...	–	1	–	–	–	–
WELWYN	–	–	–	–	1	–
HUNTINGDON ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	1	–	–	–
OLD FLETTON ...	–	1	–	–	2	–
KENT	–	57	50	1	16	C. 1 D. 1 G. 1 M. 1 N. 2
†CANTERBURY C.B.	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–		–	–	1	–
†BECKENHAM ...	–	6	1	–	–	–
†BEXLEY	–	1	–		–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–		1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROMLEY ...	-	-	4	-	3	-
†CHATHAM ...	-	7	10	-	1	-
†DARTFORD ...	-	5	4	-	-	M. 1
†DOVER	-	7	3	-	1	D. 1 N. 1
†ERITH	-	2	2	-	1	-
†FAVERSHAM ..	-	-	1	-	-	-
†FOLKESTONE ...	-	7		-	2	-
†GILLINGHAM ...	-	1	2	-	-	-
†GRAVESEND ...	-	3	1	-	-	-
LYDD	-	3	-	-	-	-
†MAIDSTONE ...	-	5	1	-	-	-
†MARGATE ...	-	-	-	-	1	-
MILTON REGIS ..		-	3	-		-
†NORTHFLEET ...	-	1	-		-	-
†PENGE	-	-	3	-	1	C. 1
†RAMSGATE ...	-	-	-	-	1	-
†ROCHESTER ...	-	-	1	-	-	N. 1
†ROYAL TUNBRIDGE WELLS	-	1	1		-	G. 1
SANDWICH ...	-	-	1	-	-	-
SITTINGBOURNE	-	1	-		-	-
WALMER	*	*	*	*	*	*
WHITSTABLE ...	-	-	1	-	-	-
Rural Districts:—						
BROMLEY ...	-	-	1	-		-
DARTFORD ..	*	*	*	*	*	*
EAST ASHFORD ..	-	1	-	-		-
EASTRY	-	1	-	-	1	-
FAVERSHAM ...	-	-	1	-		-
MAIDSTONE ...		-	-	1	-	-
MALLING	-	1	-	-	1	-
MILTON	-	1	3	-	-	-
SEVENOAKS ..	-	1	1		-	-
TONBRIDGE ..		-	3	-	-	-
WEST ASHFORD...	-	-	-	-	1	-
LANCASTER ...	23	191	166	5	294	C. 5 D. 3 F. 1 G. 7 M. 23 N. 2
†BARROW IN FURNESS C.B.		3	2	-	2	-
†BLACKPOOL C.B.	-	1	1	-	2	D. 1
LANCASTER—*cont.*						
†BOLTON C.B. ...	-	12	5	-	1	-
†BOOTLE C.B. ...	-	-	4	-	5	D. 1 M. 1
†BURNLEY C.B. ...	13	1	13	-	3	-
†BURY C.B. ...	-	1	-	-	1	C. 1
†LIVERPOOL C.B. ..	-	30	34	3	65	C. 1 G. 4 M. 12
†MANCHESTER C.B.	-	36	40	-	107	C. 1 G. 2 M. 7
†OLDHAM C.B. ..	-	1	4	-	4	-
†PRESTON C.B. ..	-	5	6	-	2	-
†ROCHDALE C.B. ..	-	2	-	-	2	-
†ST. HELENS C.B. ..	-	4	8	-	-	-
†SALFORD C.B. ..	-	22	15	-	12	-
†SOUTHPORT C.B.	-	3	2	-	6	-
†WARRINGTON C.B	2	-	-	-	5	C. 1
†WIGAN C.B. ..	-	-	-	-	3	G. 1
Boroughs and Urban Districts:—						
ABRAM	-	-	-	-	1	-
†ACCRINGTON ...	-	1	-	-	1	-
†ASHTON IN MAKERFIELD	-	-	-	-	1	-
†ASHTON UNDER LYNE	-	1	2	-	4	-
†ATHERTON ...	-	-	-	-	1	-
AUDENSHAW ...	-	-	-	-	1	-
†BACUP	-	1	-	-	1	-
BRIERFIELD ...	-	-	1	-	-	-
†CHADDERTON ...	-	-	2	-	-	M. 1
†CHORLEY	-	-	-	-	1	-
CHURCH	-	4	-	-	-	-
†COLNE	3	2	-	1	-	-
†DARWEN	-	-	-	-	4	-
†DENTON	-	1	1	-	1	-
†DROYLSDEN ...		-	1	-	-	-
†ECCLES	-	13	3	-	3	-
†FAILSWORTH ...	-	-	6	-	1	-
†FARNWORTH ...	-	1	1	-	1	D. 1
†FLEETWOOD ...	-	2	-	-	3	-
GOLBORNE ...	-	-	-	-	-	N. 1
†GREAT CROSBY ...	-	-	-	-	1	-
†GREAT HARWOOD	-	1	2	-		-
†HASLINGDEN ...	-	-	1	-	-	-
†HAYDOCK ...	-	-	-	-	1	-
HEYSHAM ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY... ...	–	1	–		3	–
†HORWICH ...	–	2	–	–	4	–
†INCE IN MAKERFIELD	1	–	–	–	1	–
IRLAM	–	–	–		1	–
KEARSLEY ...		1	–	–	–	–
†LANCASTER ...	–	1	–	–	2	N. 1
LATHOM AND BURSCOUGH	*	*	*	*	*	*
†LEIGH	–	2	1		2	
LEYLAND... ...		1	–	–	–	–
†LITTLEBOROUGH	–	1	–			–
LITTLE CROSBY....	–	1	–	–	1	
LITTLE HULTON..	–	–	–	–	–	M. 1
LITTLE LEVER ...		1	–	–		
†MIDDLETON ...		3	–		3	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	2	5	1	–	1	–
†NEWTON IN MAKERFIELD	–	2	–	–	1	–
ORMSKIRK ...	–	–	–	–	1	–
POULTON LE FYLDE	–	–	–	–	2	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	3	–	–	–	–
†RADCLIFFE ...	–	3	1	–	1	C. 1
†RAWTENSTALL ...	–	–	–	1	–	–
RISHTON	–	–	–	–	2	–
†ROYTON	–		1		1	–
†STRETFORD ...	–	3	–	–	7	–
†SWINTON AND PENDLEBURY	1	–	–	–	–	–
TOTTINGTON ...	–	2	–	–	1	–
TRAWDEN ...	1	–	–	–	–	–
URMSTON... ...	–	2	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	1	–
WHITEFIELD ...	*	*	*	*	*	*
†WIDNES	–	1	4	–	4	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURY	–	–	1	–	–	–
CHORLEY... ...	–	–	–	–	–	M. 1
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CLITHEROE ...	*	*	*	*	*	*
LANCASTER ...	–	–	1	–	–	–
LEIGH	–	1	–	–	–	–
PRESTON	–	–	–	–	1	–
SEFTON	–	1	–	–	–	E. 1
WARRINGTON ...	–	1	1	–	1	–
WEST LANCASHIRE	–	–	–	–	3	–
WHISTON	–	1	–	–	–	–
WIGAN	–		–	–	2	–
LEICESTER ...	–	43	13	–	15	C. 2 L. 1 N. 1
†LEICESTER C.B. ...	–	29	3	–	7	C. 2 L. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
†COALVILLE ...	–	–	4	–	2	–
†HINCKLEY ...	–	2	–	–	1	–
†LOUGHBOROUGH		1	2	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	1	–	–	1	–
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	–	–	–	1	–
BLABY	–	2	–	–	–	–
HINCKLEY ...	–	4	1	–	–	–
LUTTERWORTH ...	–	–	2	–	–	–
MARKET HARBOROUGH...	–	–	1	–	–	–
MELTON MOWBRAY	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	-	5	1	-	-	M. 1
Boroughs and Urban Districts:—						
†BOSTON	-	2	-	-	-	-
†SPALDING ...	-	-	1	-	-	M. 1
Rural Districts:—						
BOSTON	-	1	-		-	-
SPALDING (part)..	-	2	-	-	-	-
LINCOLN (parts of Kesteven).	-	3	-	-	-	-
Rural Districts:—						
BOURNE	-	1	-	-	-	-
SPALDING (part)..	-	2	-	-	-	-
LINCOLN (parts of Lindsey).	4	21	11	3	2	E. 1 G. 1
†GRIMSBY C.B. ...	-	2	-		1	-
†LINCOLN C.B. ...	4	5	4	-	-	-
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	-	-	2	-	-	E. 1
†CLEETHORPES ...	-	1	3	3	-	-
†GAINSBOROUGH ...	-	-	1	-	1	-
LOUTH	-	3	-	-	-	-
†SCUNTHORPE AND FRODINGHAM	-	5	-	-	-	-
Rural Districts:—						
CAISTOR	-	1	-	-	-	-
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	-	4	1	-	-	-
LOUTH	-	-	-		-	G. 1
MIDDLESEX ...	-	69	52	4	45	C. 3 E. 1 G. 1 M. 1 N. 6
Boroughs and Urban Districts:—						
†ACTON	-	2	1	-	-	-
†BRENTFORD AND CHISWICK	-	2	1	1	1	-
†EALING	-	2	-	-	4	C. 3
†EDMONTON ...	-	8	3	-	2	-
†ENFIELD	-	2	11	-	1	-
FELTHAM ...	-		-	-	2	-
†FINCHLEY ...	-	2	2	-	2	-
†HAMPTON ...	-	-	2	-	2	-
†HARROW ON THE HILL	-	1	-	-	-	N. 2
†HENDON	-	-	3	-	2	-
†HESTON AND ISLEWORTH	-	1	-	-	3	-
†HORNSEY... ...	-	7	2	1	8	-
KINGSBURY ...	-	-	1	-		-
†SOUTHALL NORWOOD	-	1		-	1	-
†SOUTHGATE ...	-	4	1	-	1	-
STAINES	-	1	-	-		-
†TOTTENHAM ...	-	20	5	-	8	G. 1
†TWICKENHAM ...	-	1	4	-	-	-
†UXBRIDGE ...	-	1	-	-	1	-
†WEALDSTONE ...	-	2	-	-	1	-
†WEMBLEY ...	-	1	1	1	-	-
†WILLESDEN ...	-	7	10	1	6	E. 1 M. 1 N. 1
†WOOD GREEN ...	-	4	1	-	-	-
YIEWSLEY ...	-	-	2	-		-
Rural Districts:—						
HENDON	-	-	-	-	-	N. 3
SOUTH MIMMS ...	-	-	2	-		-
NORFOLK ...	-	24	8	-	8	N. 1
†GREAT YARMOUTH C.B.	-	1	3	-	2	-
†NORWICH C.B. ...	-	15	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	3	–	2	–
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
AYLSHAM... ...	–	1	–			–
BLOFIELD ...	–	1		–	–	–
DEPWADE ...	–	–	–		2	–
DOWNHAM ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	–	1	–	–	–
MITFORD AND LAUNDITCH	–	–	–		1	–
ST. FAITH'S ...	*	*	*	*	*	*
SMALLBURGH ...	–	5		–	–	N. 1
THETFORD ..	–	1	–	–	–	–
NORTHAMPTON	–	20	2	–	5	C. 1 M. 1 N. 3
†NORTHAMPTON C.B.	–	12	–	–	2	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–		–	–	–	C. 1
IRTHLINGBOROUGH	–	2	–	–	–	–
†KETTERING ..	–	–		–	1	N. 3
ROTHWELL ...	–	1		–		–
†WELLINGBOROUGH	–	–	1	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	4	–	–	–	–
HARDINGSTONE...	–	–	–	–	–	M. 1
KETTERING ...	–	1	1	–	–	–
NORTHAMPTON ...	–	–	–	–	1	–
TOWCESTER ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	13	40	16	3	72	G. 3 M. 6 N. 2
†NEWCASTLE UPON TYNE C.B.	2	12	8	2	44	G. 1 M. 2
†TYNEMOUTH C.B.	–	3	5		5	G. 1 M. 2
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1		–	–	–
†BEDLINGTONSHIRE	2	2	1	–	5	M. 1
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	–	–	–	5	N. 1
†EARSDON	–	3	–	–	–	M. 1
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	–	1	–	–
†LONGBENTON ...	–	–	–	–	1	–
MORPETH... ...	7	1	–	–	2	N. 1
NEWBIGGIN BY THE SEA	–	3	–	–	–	–
PRUDHOE... ...	–	–	–	–	1	–
SEATON DELAVAL	–	1	–	–	–	–
SEGHILL	–	–	–	–	2	–
†WALLSEND ...	–	3	–	–	1	G. 1
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	3	–	–	–	–
Rural Districts:—						
BELFORD	–	–	–	–	1	–
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	–	1	–	–	1	–
HALTWHISTLE ...	–	4	–	–		–
HEXHAM	–	–		–	1	–
MORPETH ...	2	–	1	–	–	–
NORHAM AND ISLANDSHIRES	–		1	–	2	–
NOTTINGHAM ...	15	24	25	–	21	G. 1 M. 1 N. 1
†NOTTINGHAM C.B	1	9	21	–	13	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts:—						
†ARNOLD	-	-	1	-	-	-
†BEESTON	-	2	-	-	-	-
†CARLTON	5	1		-	1	M. 1
†EAST RETFORD ...	-	1	-	-	-	-
†HUCKNALL ...	-	1		-	-	-
†MANSFIELD ..	-	2	-	-	1	-
†MANSFIELD WOODHOUSE	-	2	-		-	-
†NEWARK		-	1	-	-	-
†SUTTON IN ASHFIELD		4	-	-	-	-
WARSOP	*	*	*	*	*	*
†WEST BRIDGFORD	1	-	1	-	-	-
†WORKSOP... ...	8				-	-
Rural Districts:—						
BASFORD	-	1			4	-
BINGHAM... ...	*	*	*	*	*	*
SKEGBY	-	1	-	-	-	-
SOUTHWELL ...	-	-	1	-	-	-
STAPLEFORD ...	-	-		-	1	-
WORKSOP... ...	-	-			1	N. 1
OXFORD	-	1	1	1	2	G. 2
†OXFORD C.B. ...	-		-	-	-	G. 1
Boroughs and Urban Districts:—						
HEADINGTON ...	-		-	-	1	-
WOODSTOCK ...	-	-	-	-	-	G. 1
Rural Districts:—						
BICESTER... ...	-	-	1			-
HEADINGTON ...	-	1	-	1	-	-
HENLEY	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of).	-	5	-	-	7	-
Borough:—						
†PETERBOROUGH..	-	3	-	-	4	-
Rural Districts:—						
BARNACK... ...	-	-	-	-	1	-
PETERBOROUGH...	-	2	-	-	2	-
SALOP	-	20	2	-	4	M. 1 N. 2
Boroughs and Urban Districts:—						
DAWLEY	-	4	-	-	-	-
LUDLOW	-	2	1	-	-	-
†OAKENGATES ...	-	6	-	-	-	M. 1
OSWESTRY ...	*	*	*	*	*	*
†SHREWSBURY ...	-	5	-	-	-	N. 1
WELLINGTON ...	-	-	-	-	2	-
†WENLOCK ...	-	1	-	-	-	-
Rural Districts:—						
ATCHAM	-	-	1	-	-	-
BRIDGNORTH ...	-	-	-	-	-	N. 1
DRAYTON... ...	-	1	-	-	-	-
NEWPORT ...	-	-	-	-	1	-
SHIFNAL	-	1	-	-	-	-
WHITCHURCH ...	-	-	-	-	1	-
SOMERSET ...	-	16	13	2	9	C. 1 G. 1 N. 1
†BATH C.B. ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	-	-	-	1	-
†FROME	-	-	1	-	-	G. 1 N. 1
MIDSOMER NORTON	-	1	1	-	-	-
MINEHEAD ...	-	-	-	1	-	-
†TAUNTON... ...	-	-	-	-	1	-
WELLINGTON ...	-	1	-	-	-	-
†WESTON SUPER MARE	-	-	8	-	-	-
†YEOVIL	-	-	-	-	-	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	–	–	2	1	1	–
BRIDGWATER ...	–	2	–	–	–	–
CHARD	–	–	–	–	1	–
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	–	–	–	1	–
LANGPORT ...	–	4	–	–	–	–
LONG ASHTON ...	–	–	1	–	3	–
WELLS	–	3	–	–	1	–
WINCANTON ...	–	2	–	–	–	–
SOUTHAMPTON.	–	31	36	1	18	G. 1 M. 1 N. 3
†BOURNEMOUTH C.B.	–	2	1	–	1	N. 1
†PORTSMOUTH C.B.	–	5	19	–	2	–
†SOUTHAMPTON C.B.	–	12	1	1	8	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	4	–	1	–
†BASINGSTOKE ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	*	*	*	*	*	*
†GOSPORT	–	–	4	–	–	–
†WINCHESTER ...	–	–	–	–	4	–
Rural Districts:—						
ALTON	–	3	1	–	1	–
ANDOVER... ...	–	–	–	–	1	–
BASINGSTOKE ...	–	–	1	–	–	–
CATHERINGTON ...	–	1	–	–	–	–
DROXFORD ...	–	–	–	–	–	G. 1
HARTLEY WINTNEY	–	1	–	–	–	–
HAVANT	–	–	1	–	–	–
KINGSCLERE ...	–	–	–			M. 1 N. 1
NEW FOREST ...	–	2	4	–	–	N. 1
PETERSFIELD ...	–	1	–	–	–	–
RINGWOOD ...	–	1	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
STOCKBRIDGE ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	–	47	48	–	65	M. 8 N. 3
†BURTON UPON TRENT C.B.	–	2	1	–		–
†SMETHWICK C.B.	–	2	–	–	6	M. 1
†STOKE ON TRENT C.B.	–	13	9	–	12	M. 2
†WALSALL C.B. ...	–	–	15	–	1	M. 2 N. 1
†WEST BROMWICH C.B.	–	–	1	–	9	–
†WOLVERHAMPTON C.B.	–	3	1	–	2	M. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	*	*	*	*	*	*
†AUDLEY	–	1	–	–	–	N. 2
BIDDULPH ...	–	–	5	–	3	–
†BILSTON	–	–	–	–	6	–
†BRIERLEY HILL...	–	–	2	–	1	–
†BROWNHILLS ...	–	–	1	–		–
†CANNOCK	–	1	1	–	2	M. 1
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	3	–	–	1	–
KIDSGROVE ...	–	4	–	–	2	–
†LEEK	–	5	1	–	–	M. 1
QUARRY BANK ...	–	1	1	–	–	–
†ROWLEY REGIS ...	–	–	1	–	3	–
†STAFFORD ...	–	1	1	–	–	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	–	1	–	3	–
†WEDNESBURY ...	–	1	–	–	2	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	2	2	–	6	–
Rural Districts:—						
CANNOCK	–	–	3	–	–	–
CHEADLE... ...	–	2	–	–	1	–
GNOSALL	*	*	*	*	*	*
KINGSWINFORD...	–	1	1	–	–	–
LICHFIELD ..	–	–	–	–	2	–
†NEWCASTLE UNDER LYME	–	–	1	–		–
SEISDON	*	*	*	*	*	*
TAMWORTH (part)	–	1	–	–	–	–
TUTBURY... ...	–	1	–	–	–	–
WALSALL... ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	-	10	1	-	6	-
†IPSWICH C.B. ..	-	4	-	-	3	-
Boroughs and Urban Districts:—						
HALESWORTH ...	-	1	-	-	-	-
†LOWESTOFT ..	-	2	-	-	-	-
Rural Districts:—						
BOSMERE AND CLAYDON	-	2	1	-	-	-
MUTFORD AND LOTHINGLAND	-	1	-	-	-	-
SAMFORD... ...	-	-	-	-	2	-
WOODBRIDGE ...	-	-	-	-	1	-
SUFFOLK, WEST	-	23	-	-	1	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	1	-	-		-
NEWMARKET ...	-	-	-	-	1	-
Rural Districts:—						
BRANDON... ...	-	22	-	-	-	-
MELFORD... ...	-	-	-	-	-	N. 1
SURREY	-	45	30	8	30	C. 2 G. 1 L. 1 N. 1
†CROYDON C.B. ...		8	11		1	C. 1 N. 1
Boroughs and Urban Districts:—						
†BARNES	-	2	-	-	2	-
†BEDDINGTON AND WALLINGTON	-	4	4	-	1	-
†CARSHALTON ...	-	3	7	-	2	C. 1
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CATERHAM ...	-	3	-	-		-
†CHERTSEY	-	1	-	-	1	-
†COULSDON AND PURLEY	-	3	1	-	1	-
EAST AND WEST MOLESEY		1	-	-	1	-
†EGHAM	-	-	-	-	1	-
†EPSOM	-	-		1	-	-
†ESHER AND THE DITTONS	-	2	-	-	1	-
†FARNHAM ...	-	-	-		1	-
†GUILDFORD ...	-		1	2	1	G. 1
HASLEMERE ...	*	*	*	*	*	*
†KINGSTON ON THAMES	-	2	1	-	3	-
†MERTON AND MORDEN	-		2	-	-	-
†MITCHAM... ...	-	4	2	-	4	-
†REIGATE	-	-	-	-	1	-
†RICHMOND ...	-	2	-	1		-
†SURBITON ...		1	1	-	-	-
†SUTTON	-	1	-	-	-	-
†THE MALDENS AND COOMBE	-	-	-	-	1	-
†WALTON UPON THAMES	-	-	-	-	1	-
WEYBRIDGE ...	-	-	-	1	2	-
†WIMBLEDON ...	-	3	-	-	2	-
†WOKING	-	2	-	-	-	-
Rural Districts:—						
EPSOM	-	-	-	2	-	L. 1
FARNHAM ...	-	1	-	-	-	-
GODSTONE ...	-	-	-	-	1	-
GUILDFORD ...	-	2	-	-	-	-
HAMBLEDON ...	-	-	-	1	2	-
SUSSEX, EAST ...	-	16	4	2	10	N. 1
†BRIGHTON C.B. ...	-	-	1	-	3	-
†EASTBOURNE C.B.	-	5	-	-	4	-
†HASTINGS C.B. ..	-	2	-	1	1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
EAST GRINSTEAD	-	-		-	1	-
HAYWARDS HEATH	-	1	-	-	-	-
†HOVE	-		1	-	-	-
NEWHAVEN ...	-	-	-	-	1	-
Rural Districts:—						
CUCKFIELD ...	-	2		-	-	-
EASTBOURNE ...	-	-	1	-	-	-
RYE		1	-	1	-	-
UCKFIELD ...	-	5	1	-	-	-
SUSSEX, WEST...	-	5	10		4	C. 1 N. 2
Boroughs and Urban Districts:—						
†BOGNOR	-		3	-	-	
†CHICHESTER ...	-	-	1	-	-	-
†HORSHAM ...	-	-	1	-		N. 1
†LITTLEHAMPTON	-	-	1		2	
†WORTHING ...	-	-	1		-	C. 1 N. 1
Rural Districts:—						
EAST PRESTON ...	-	1	3	-	-	-
MIDHURST ...	-	1	-	-	-	-
THAKEHAM ...		-	-		1	-
WESTBOURNE ...	-	1	-	-	1	-
WESTHAMPNETT		2	-	-	-	-
WARWICK ...	11	75	72	-	106	C. 7 D. 2 M. 4 N. 7
†BIRMINGHAM C.B.	-	37	50	-	83	C. 4 D. 2 M. 3 N. 4
†COVENTRY C.B. ...	1	19	8	-	5	-
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
BULKINGTON ...	-	-	-	-	1	-
†NUNEATON ...	5	6	1	-	4	C. 2
†ROYAL LEAMINGTON SPA	-	-	-		-	N. 2
†RUGBY	-	2	1	-	1	-
†SUTTON COLDFIELD	-	6	6	-	5	-
†WARWICK ...	-	-	-	-	1	-
Rural Districts:—						
ALCESTER ...		1	-	-	1	-
ATHERSTONE ...	4	1	1		1	C. 1
FOLESHILL ...	*	*	*	*	*	*
MERIDEN... ...	-	1	1	-	2	N. 1
NUNEATON ...	1		-	-		-
RUGBY	-		2	-		-
SOLIHULL ...	-	-	-	-	1	-
SOUTHAM... ...	-	2	-	-	-	-
TAMWORTH (part)	-	-	2	-	-	-
WARWICK ...		-	-	-	1	M. 1
WESTMORLAND	-	3	-	-	3	-
Boroughs and Urban Districts:—						
†KENDAL	-	1	-	-	1	-
Rural Districts:—						
EAST WESTMORLAND	-	1	-	-	1	-
SOUTH WESTMORLAND		1	-	-	1	-
WIGHT, ISLE OF		4	-	-		-
Boroughs and Urban Districts:—						
†NEWPORT... ...	-	1	-	-	-	-
VENTNOR... ...	-	1	-	-	-	-
Rural Districts:—						
ISLE OF WIGHT	-	2	-		-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	15	2	–	9	C. 1 D. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	N. 1
MALMESBURY ...	–	–	–	–	1	–
MELKSHAM ...		–	–	–	–	C. 1
†SALISBURY ..	–	4	1	–	–	–
†SWINDON... ...		–	–	–	5	D. 1 M. 1
WESTBURY ...	–	3	–	–	–	–
Rural Districts:—						
AMESBURY ..	–	1		–	–	–
CHIPPENHAM ...	–	–	–	–	1	–
DEVIZES		1	–	–	–	–
HIGHWORTH ..		3	–	–	–	N. 1
MALMESBURY ...		–	–	–	–	N. 1
MERE		1	–	–	2	–
SALISBURY ...	*	*	*	*	*	*
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WILTON	–	–	1	–	–	–
WORCESTER ...		11	13	–	20	N. 1
†DUDLEY C.B. ...		–	2	–	2	–
†WORCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	–	–	1	–
†HALESOWEN ...	–	1	–	–	2	N. 1
†KIDDERMINSTER	–	–	–	–	1	–
†LYE AND WOLLESCOTE	–	–	6	–	1	–
†MALVERN ...	–	–	–	–	1	–
NORTH BROMSGROVE	–	1	1			–
†OLDBURY... ...	–	–	3	–	6	–
†REDDITCH ...	–	4	–		–	–
†STOURBRIDGE ...	–	–	–	–	1	–
WORCESTER—cont.						
Rural Districts:—						
DROITWICH ...	–	2	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
KIDDERMINSTER	–	–	–	–	1	–
MARTLEY... ...	–	–	–	–	1	–
PERSHORE ...	–	–	–	–	1	–
TEWKESBURY (part)	–	1	–	–	–	–
UPTON ON SEVERN	–	1	1	–	1	–
YORKS ... ... (East Riding).	–	20	19	1	9	M. 1 N. 1
†KINGSTON UPON HULL C.B	–	14	13	–	6	M. 1 N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
FILEY	–		3	–	–	–
GREAT DRIFFIELD	–	–	1	–		
HESSLE	–	3	–	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	–	–	1		–
HOWDEN	–	–	–	–	2	–
PATRINGTON ...	–	2	–	–	–	–
SCULCOATES ...	–	–	1	–	–	–
SKIRLAUGH ...		1	1	–	–	–
YORKS ... ... (North Riding).	–	19	6	1	19	C. 1 M. 1
†MIDDLESBROUGH C.B.	–	–	–	–	10	C. 1
Boroughs and Urban Districts:—						
†ESTON	–	2	2	–	–	
HINDERWELL ...	*	*	*	*	*	*
LOFTUS		5	–	–	–	–
†REDCAR	–	–	–	–	1	–
RICHMOND ...	–	–	–		1	–
†SCARBOROUGH ...	–	1	1	1	3	M. 1
†WHITBY	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
BEDALE	–	1	–	–	–	–
FLAXTON	–	–	1	–	–	–
GUISBOROUGH ...	–	1		–	–	–
NORTHALLERTON	–	–	–	–	1	–
RICHMOND ...	–	–	1	–	1	–
STARTFORTH ...	–	1	–	–	–	–
STOKESLEY ...	–	5	1	–	1	–
WHITBY	–	2	–	–	–	–
YORKS ... ... (West Riding).	49	184	78	2	218	C. 1 D. 1 G. 1 M. 4 N. 3
†BARNSLEY C.B. ..	–	6	2	–	4	–
†BRADFORD C.B. ..	2	9	3	–	15	–
†DEWSBURY C.B...	–	4	–	–	3	–
†DONCASTER C.B.	2	1	2		5	–
†HALIFAX C.B. ..	–	4	4	–	2	–
†HUDDERSFIELD C.B	2	5	1	–	4	–
†LEEDS C.B. ..	4	14	14	–	34	M. 1 N. 2
†ROTHERHAM C.B.	–	5	8	–	2	G. 1
†SHEFFIELD C.B...	3	62	19	–	90	D. 1 M. 2 N. 1
†WAKEFIELD C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	3	2	–	1	–
ALTOFTS	–	–	–	–	2	–
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	1	–	–		C. 1
†BATLEY	–	1	–	–	3	–
†BENTLEY WITH ARKSEY	–	–	2	–	–	–
†BINGLEY	–	1	2	–	2	–
BIRSTAL	–	1	–	–	–	–
†BOLTON UPON DEARNE	10	–	–	–	–	–
†BRIGHOUSE ...	–	–	1	–	–	–
†CASTLEFORD ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONISBROUGH ...	–	2	1	1	–	–
†DARTON	–	1	–	–	1	–
DODWORTH ...	–	1	–		–	–
DRIGHLINGTON ...	–	–	1	–	–	–
EARBY	–	1	–	–	–	–
†ELLAND	–	–	–	–	1	–
FARSLEY	–	1	–	–	–	–
†FEATHERSTONE ...		3	–	–	1	–
GILDERSOME ...	–	1	–	–	–	–
†GOOLE		–	–		1	–
GREASBROUGH ...	–	3	–	–	–	–
GUISELEY ...	–	–	–	–	1	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–	2	–	–	2	–
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–		1	–	–	–
†HEMSWORTH ...	–	1	–		–	–
HIPPERHOLME ...	–	1	–	–	–	–
†HOLMFIRTH ...	–	–	–	–	2	–
HORBURY ...	*	*	*	*	*	*
HORSFORTH ...	*	*	*	*	*	*
†HOYLAND NETHER	–	2	2	–	–	–
HOYLAND SWAINE	*	*	*	*	*	*
ILKLEY	–	1	–	–	–	–
†KEIGHLEY ...	19	2	1	–	–	–
KIRKBURTON ...	–	–	–	–	2	–
KNARESBOROUGH	*	*	*	*	*	*
MALTBY	–	2	–	–		–
MARSDEN... ...	–	2	–	–	–	–
†MEXBOROUGH ...	–	3	–	–	1	–
MIDGLEY... ...	–	–	–	–	1	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY	–	–	–	–	2	–
†NORMANTON ..	–	3	–	–	1	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	–	–	–	2	–
QUEENSBURY ...	–	1	–	–	1	–
RIPON	–	1	–	–	–	–
SELBY		4	–	–	3	–
SHELF	1	–	–	–	–	–
SHELLEY	–	2	–	–	–	–
†SHIPLEY	–	2	–	–	1	–
†SKIPTON		–	1	1	–	–
SOUTHOWRAM ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SPENBOROUGH ...	–	3	–	–	–	–
SPRINGHEAD ...	–	–	1	–	1	–
STAINLAND ...		–	–		2	–
†SWINTON	–		–	–	1	–
THURLSTONE ...	*	*	*	*	*	*
THURNSCOE ...		–	1	–	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE		1	–		–	–
†WOMBWELL ..	–	2	1	–	–	–
†WORSBOROUGH ...	–	1	–	–	1	–
YEADON	–	–	–	–	1	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ..	–	2	1	–	3	–
GREAT OUSEBURN		–	4	–	–	–
HEMSWORTH ...	–	2	1	–	3	–
HUNSLET	–	–	1	–	–	–
KIVETON PARK ..	6	2	–		–	–
PONTEFRACT ..		–	–	–	2	M. 1
ROTHERHAM ..	–	4	–	–	1	–
SELBY	–	–	–		1	–
TADCASTER ...	–	–		–	1	–
THORNE	–		–	–	3	–
WETHERBY ..	–	1	–		–	–
WHARFEDALE (SOUTH)	–				4	–
WORTLEY ...		2	1	–	–	–
YORK, CITY OF ..		9	2	1	7	G. 1
†YORK C.B. ..	–	9	2	1	7	G. 1
WALES.						
ANGLESEY ...	–	–	2	–		G. 1
Boroughs and Urban Districts:—						
BEAUMARIS ...	–	–	–	–	–	G. 1
†HOLYHEAD ...	–	–	2		–	–
MENAI BRIDGE ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	*	*	*	*	*	*
HAY	*	*	*	*	*	*
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
YSTRADGYNLAIS	–	2	–	–		–
CAERNARVON ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	2	–	–	–	–
Rural Districts:—						
CONWAY	–	1	–	–	1	–
CARDIGAN ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	1	–	–	–
CARMARTHEN ...	–	–	3	–	6	–
Boroughs and Urban Districts:—						
†CARMARTHEN ...	–	–	2	–	–	–
CWMAMMAN ...	–	–	–	–	1	–
†LLANELLY ...	–	–	–	–	1	–
Rural Districts:—						
LLANELLY ...	–	–	1	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	3	1	–	5	N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	1	–	–	–	–
DENBIGH ...	–		–		1	–
†WREXHAM ...	–	1	1	–	1	N. 1
Rural Districts:—						
RUTHIN	–	–	–	–	2	–
WREXHAM ...	–	1	–	–	1	–
FLINT	–	2	5	–	2	G. 1 N. 1
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	–	–	–	1	–
HOLYWELL ...	–	1	1	–	–	–
†RHYL	–	–	–	–	1	N. 1
Rural Districts:—						
HOLYWELL ...	–	1	1	–	–	G. 1
OVERTON... ...	*	*	*	*	*	*
ST. ASAPH (FLINT)	–		3	–	–	–
GLAMORGAN ...	31	30	68	–	37	L. 1 M. 4 N. 2
†CARDIFF C.B.	–	2	9	–	3	L. 1 N. 1
†MERTHYR TYDFIL C.B.	–	–	4	–	1	M. 2
†SWANSEA C.B. ...	–	9	5	–	3	–
Boroughs and Urban Districts:—						
†ABERDARE ..	–	3	2	–	1	–
†BARRY	–	2	1	–	2	–
BRIDGEND ...	–	2	–	–	–	–
†CAERPHILLY ..		1	4	–	3	M. 1
†GELLIGAER ...	13	–	–	–	1	–
GLAMORGAN—cont.						
Boroughs and Urban Districts—cont.						
†GLYNCORWG ...	*	*	*	*	*	*
†MAESTEG... ...	–	3	9	–	6	–
†MOUNTAIN ASH ..	15	–	–		6	–
†NEATH	–	2	3	–	–	–
†OGMORE AND GALW	–	1	3		1	–
†PONTYPRIDD .	3	2	–	–	–	–
†PORT TALBOT ..	–	1	3	–	–	N. 1
†RHONDDA ...	–	–	10	–	9	M. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	
COWBRIDGE ...	–	–	1	–	–	–
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	1	1	–	1	–
NEATH	–	1	1	–	–	–
PENYBONT ...	–	–	3	–	–	–
PONTARDAWE ..	–		2	–	–	–
SWANSEA... ..	–	–	6	–	–	–
MERIONETH ...	–	–	3	–	–	–
Urban Districts:—						
MALLWYD ...	–	–	3	–	–	
MONMOUTH ...	44	9	7	–	8	N. 1
†NEWPORT C.B. .	–	6	3	–	1	–
Boroughs and Urban Districts:—						
†ABERCARN ...	1	–	–	–	–	–
†ABERSYCHAN ..	8	1	1	–	–	–
†ABERTILLERY ..	–	–	–	–	1	–
BEDWAS AND MACHEN	–	–		–	1	–
†BEDWELLTY ..	11	–	2	–		–
†BLAENAVON ..	3	–	–	–	–	–
CHEPSTOW ...		–	–	–	–	N. 1
†EBBW VALE .	10	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
LLANFRECHFA UPPER	–	1	–	–	–	–
†NANTYGLO AND BLAINA	5	–	–	–	1	–
PONTYPOOL ...	6	–	–	–	–	–
†TREDEGAR ...	–	1	1	–	2	–
MONTGOMERY...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
LLANIDLOES ..	–	–	–	–	1	–
MONTGOMERY ...	–	–	–	–	1	–
NEWTOWN AND LLANLLWCHAIARN	*	*	*	*	*	*
WELSHPOOL ...	–	1	–	–		–
PEMBROKE ...	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
GOODWICK ...	*	*	*	*	*	*
HAVERFORDWEST.	–	–	–	–	–	N. 1
MILFORD HAVEN	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE—*cont.*						
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
LLANFYRNACH ...	*	*	*	*	*	*
NARBERTH ...	*	*	*	*	*	*
RADNOR	–	3	–	–	–	–
Urban Districts:—						
KNIGHTON ...	–	1	–		–	–
LLANDRINDOD WELLS	*	*	*	*	*	*
Rural Districts:—						
NEW RADNOR ...	*	*	*	*	*	*
PAINSCASTLE ...	*	*	*	*	*	*
RHAYADER ...	–	2	–	–	–	–
Total of Part II. ...	255	1512	1040	43	1400	C. 30 D. 9 E. 6 G. 28 L. 1 M. 74 N. 72

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
DEAL	*	*	*	*	*	*
LITTLEHAMPTON ...	*	*	*	*	*	*
SANDWICH	–	–	1	–	–	–

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
WEYMOUTH	–	–	–	–	1	–
PORT OF LONDON ...	*	*	*	*	*	*
Total of Part III. ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	239	283	9	160	C. D. E. G. J. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	255	1512	1040	43	1400	C. D. E. G. L. M. N.
Total of Part III.—Port Sanitary Districts	–	–	1	–	1	–
Total (*i.e.*, of returns received), England and Wales ...	255	1751	1324	52	1561	C. D. E. G. J. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexi

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—London and Great Towns in the GGREGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10	Dec. 17.	Dec. 24.
IDON :—													
ATHS (excluding Still-rths)—all ages.	816	977	904	972	940	903	855	984	1,023	1,008	1,128	1,054	1,374
ATHS—0 to 1 year ..	78	70	59	64	55	59	79	76	83	86	86	83	99
EAT TOWNS, aggre-te (including Lon-on):—													
E BIRTHS	6,352	6,602	6,428	6,203	6,472	6.541	6,121	6,183	5,937	5,949	6,226	5,529	5,433
LLBIRTHS	264	235	232	260	238	210	249	273	295	260	264	253	274
ATHS (excluding Still-rths)—all ages	3,571	3,941	3,905	4,021	4,103	3,904	3,864	4,382	4,339	4,425	4,763	4 783	5,898
ATHS—0 to 1 year ..	353	368	354	368	398	355	389	427	452	403	494	468	576
ERIC FEVER—Cases	33	25	28	32	28	35	41	25	33	32	26	25	24
„ Deaths	5	3	1	3	2	5	3	7	3	5	3	3	4
LL POX—Cases ..	27	32	34	51	57	55	63	61	94	115	78	60	71
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
RLET FEVER—Cases	1,136	1,275	1,439	1,348	1,505	1,217	1,080	1,289	1,216	1,181	1,141	1,078	970
„ Deaths	2	8	5	2	4	8	6	5	4	7	10	9	9
HTHERIA—Cases ..	742	746	834	938	939	990	820	967	991	1,025	1,064	975	860
„ Deaths ..	20	34	32	39	41	34	24	35	32	43	40	40	64
ASLES—Deaths ..	9	14	14	20	25	19	31	50	39	48	76	81	94
UENZA—Deaths ..	34	27	51	63	64	86	47	68	66	63	77	94	120

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 24th December, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON	54	19	42·6	30·4	34	HUDDERSFIELD	41	21	34·4	26·7	28
REENWICH).						BRADFORD ..	42	20	34·1	26·9	47
HTON ..	51	23	40·4	33·3	58	SHEFFIELD ..	45	23	36·4	28·7	49
TSMOUTH ..	53	24	41·7	33·8	62	YORK (MUSEUM)	46	19	37·0	28·1	47
WICH (EATON)	50	14	38·7	28·1	30	HULL (PEARSON PARK).	49	19	38·1	29·1	48
MOUTH ..	54	31	46·1	39·4	70	TYNEMOUTH ..	45	28	38·7	33·9	61
TOL (CLIFTON).	52	21	42·9	31·1	39	CARDIFF.. ..	50	21	40·1	32·1	39
MINGHAM	51	20	36·7	30·1	51						
EDGBASTON).						EDINBURGH ..	41·0	24·0	37·3	29·4	29
TINGHAM ..	50	21	37·9	29·0	37	GLASGOW ..	42·1	23·6	36·5	29·8	19
KENHEAD (BIDSTON).	46	24	35·7	30·6	27	DUBLIN (PHŒNIX PARK).	§	§	§	§	§
CHESTER (WHITWORTH PARK).	50	24	38·5	30·4	23	(FITZWILLIAM SQUARE†).	§	§	§	§	§
NLEY	48	18	36·7	26·7	34	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 24th December, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - 18	Apogee	30·302	29·6	21·8	7·8	26·2	−13·8	16·6	9·6	16·7	3·3	67	53·5	12·4	46·1	Calm	Calm	0·0	0·0	0·0	..	..	0·00
MONDAY - 19	..	30·026	29·7	18·5	11·2	25·2	−14·3	17·6	7·6	13·9	3·9	72	53·4	12·0	45·6	E : ESE	E	1·5	0·0	0·1	..	..	0·00
TUESDAY - 20	..	29·783	28·8	21·5	7·3	25·1	−13·9	18·7	6·4	11·0	3·8	76	59·6	17·0	45·3	E : ESE	ESE : E	1·0	0·0	0·1	212	− 77	0·00
WEDNESDAY 21	..	29·365	47·3	26·1	21·2	40·7	+ 2·0	40·7	0·0	3·8	0·5	100	52·7	26·1	45·0	ESE : SE : S	SSW : SSE.	0·8	0·0	0·1	258	− 26	0·19
THURSDAY - 22	..	28·609	54·2	42·3	11·9	49·8	+11·4	48·8	1·0	3·8	0·5	96	59·5	40·6	45·0	SE : S : SSW.	S : SSW	6·0	0·0	0·7	478	+ 198	0·51
FRIDAY - 23	..	28·793	49·5	42·8	6·7	46·7	+ 8·5	46·0	0·7	1·7	0·0	97	50·0	41·7	44·7	SW : WSW.	W : NNW : Calm.	1·7	0·0	0·1	276	− 5	0·31
SATURDAY - 24	New. Greatest Declination S.	29·124	46·2	40·9	5·3	43·5	+ 5·3	43·5	0·0	1·8	0·0	100	56·0	32·5	44·6	Calm	Calm : S.	0·3	0·0	0·0	134	− 153	0·09
MEANS -	..	29·429	40·8	30·6	10·2	36·7	− 2·1	33·1	3·6	7·5	1·7	87	55·0	26·0	45·2	Variable		..	..	..	Sum 1358	Sum − 63	Sum 1·10
No of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours	GENERAL REMARKS.
SUNDAY ..	18	wP till 15h.; mP till 22h.; then wP.	1·2	7·8	Overcast generally. Slight snow 1h. and 22¾h. Slight fog 11½h. till 21h.
MONDAY ..	19	wP.	4·7	7·8	Cloudy becoming nearly cloudless by 2h. till 12½h.; then becoming overcast by 14h. Slight snow 13¾h. till 16½h.
TUESDAY ..	20	wP.	5·8	7·8	Overcast till 5h.: partially cloudy till 17½h., then becoming overcast by 19¾h.
WEDNESDAY	21	Variably wP and wN till 10h.; then wP.	0·0	7·8	Overcast generally. Rain 1¾h. till 4¼h.; and from 6h. till 11¼h. Slight fog 6h. till 15h. Occasional damping between 12h. and 15h. Frost in morning.
THURSDAY	22	wP.	0·0	7 7	Overcast generally. Rain 2¼h. till 7½h.; damping generally till 22¼h.; then rain. Brisk wind 5h. till 8h.; and 13h. till 21h.
FRIDAY ..	23	wP till 15h.; mP till 22½h., then v.	0·0	7·8	Overcast throughout. Rain till 5h., frequent slight rain 9h. till 12½h., rain 14h. till 15¼h., and again from 18¾h. Mist generally.
SATURDAY	24	v till 3h., wP till 8h., then mP.	0·0	7·8	Overcast generally. Rain till 4½h., and showers 9½h. and at 16¼h. Mist or slight fog in morning.
			Sum 11·7	Sum 54·5	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermom ters, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry,

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemomentric records for the 50 years ending 1916,

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average,

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined,

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative: w. weak; m. moderate; s. strong; v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine each day.

The reading of the barometer decreased from 30·34 ins. at the beginning of the week to 28·42 ins. by 0h. on Dec. 23rd; increased to 29·15 ins. by 21h. on Dec. 24th., decreased and was 29·13 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION, LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

All kinds of **LABORATORY INVESTIGATIONS** which may be required by

PUBLIC HEALTH AUTHORITIES

are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: GERRARD 8993 (2 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

Austin **CARS ARE AVAILABLE**
for all and every purpose.

Dignified in appearance—silent in running—comfortable to ride in—low to maintain, and in perfect keeping with a doctor's standing.

Prices from £145 to £775.

THE AUSTIN MOTOR CO. Ltd.
LONGBRIDGE, BIRMINGHAM.

20-H.P. CARLTON SALOON
£550.

A. C. A. L.
Associated Clinical and Analytical Laboratories, Ltd.,
STAPLE INN BUILDINGS SOUTH, 335, HIGH HOLBORN, LONDON, W.C.1.

Laboratory Investigations of every description
undertaken for Public Health Authorities, including the analysis of Milk according to recent regulations, other foodstuffs, and the bacteriological analysis of Water, etc.

Collecting Apparatus and Particulars forwarded on application to the Medical Superintendent.

TELEPHONE: HOLBORN 1342.

To MEDICAL OFFICERS OF HEALTH.

Laboratory Investigations of all kinds conducted for SANITARY AUTHORITIES, including Bacteriological Analysis of WATER, MILK, and other food stuffs.

CULTURE MEDIA supplied.

For Postal Outfits and Particulars, address—
THE SECRETARY,
LABORATORIES OF PATHOLOGY AND PUBLIC HEALTH,
6, Harley Street, LONDON, W.1.
Telegrams:
"Clinician, Wesdo, London."

(64909) Wt. 40—20 1875 12/27 H. St. G. 43

FOR OFFICIAL USE

1927. No. 52

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 31ST DECEMBER, 1927

LONDON:

PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1928.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 31st DECEMBER, 1927.

Births and Deaths.

In the 107 County Boroughs and Great Towns of England and Wales the live births registered in the fifty-second week of the year numbered 4,965 and corresponded to an annual rate of 13·2 per 1,000 living.

The civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 5,756 and corresponded to an annual rate of 15·4 per 1,000 of their aggregate civilian population, which is estimated at 19,540,143 in the year 1926. In the preceding three weeks the rates had been 12·7, 12·8 and 15·7. Infant mortality based on the average weekly number of live births during the last 52 weeks, was 87 against 75, 71 and 88 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,043 live births, corresponding to a rate of 11·8 per 1,000, and 1,315 deaths (excluding stillbirths) of civilians, corresponding to an annual rate of 14·9, against 12·8, 11·9 and 15·6 for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 13·8 per 1,000. The infant mortality based on the average weekly number of live births during the last 52 weeks, was 63 as against 58, 57 and 67 in the three weeks preceding.

In the aggregate of the great towns the total deaths (excluding stillbirths) decreased from 5,898 to 5,756 and in London decreased from 1,374 to 1,315.

Under the Births and Deaths Registration Act, 1926, which came into operation on the 1st July, 1927, the registration of stillbirths was made compulsory. The number registered during the week was 283 in the Great Towns including 49 in London.

The fall in the number of births registered in the Great Towns from 5,432 in the week ending 24th December to 4,965 last week is mainly due to delayed registration owing to the holidays.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 31st December, 1927.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,540,143*	4965	283	5756	568	2	60	6	32	53	59
London	4,605,400*	1043	49	1315	93	-	14	-	10	13	19
Towns in Outer Ring.											
Croydon C.B. ..	205,900	42	1	58	5	-	-	-	-	3	-
Wimbledon ..	58,030	7	-	17	-	-	-	-	-	-	-
Ealing	91,783	18	-	24	2	-	-	-	-	-	-
Acton	63,040	13	3	15	3	-	-	-	-	-	-
Brentford and Chiswick ..	56,840	9	-	20	1	-	-	-	-	-	-
Willesden ..	165,270	20	1	32	1	-	-	-	-	1	-
Hendon	62,570*	7	-	13	1	-	-	-	-	-	-
Hornsey	87,230	18	1	25	1	-	-	-	-	-	-
Wood Green ..	51,940	7	1	11	-	-	-	-	-	-	-
Tottenham ..	151,520	24	-	33	2	-	-	1	-	-	-
Edmonton	71,700	39	1	16	3	-	-	-	-	-	1
Enfield	63,640	18	1	15	1	-	-	-	-	-	-
West Ham C.B. ..	315,900	103	4	83	5	-	2	-	-	1	1
East Ham C.B. ..	146,600	18	-	26	1	-	-	1	-	3	-
Leyton	130,000	16	-	26	1	-	-	-	-	-	-
Walthamstow ..	125,500	28	-	35	1	-	-	-	-	-	-
Ilford	100,500	20	1	26	-	-	-	-	-	2	-
Gillingham	47,820*	12	-	9	-	-	-	-	-	-	-
Canterbury C.B ..	23,470*	6	-	7	-	-	-	-	-	-	-
Hastings C.B.	61,340	5	2	13	3	-	-	-	-	-	-
Eastbourne C.B. ..	56,060	8	-	12	1	-	-	-	-	-	-
Brighton C.B.	139,500*	30	3	48	2	-	2	-	-	-	-
Portsmouth C.B. ..	231,500*	54	7	61	3	-	-	-	-	3	1
Bournemouth C.B. ..	90,100	18	1	26	-	-	-	-	-	-	-
Southampton C.B. ..	169,300	29	1	50	4	-	2	1	-	-	1
Reading C.B	93,090*	31	-	25	1	-	1	-	-	1	-
Oxford C.B.	56,800	13	-	15	-	-	-	-	-	-	-
Northampton C.B. ..	93,530*	23	2	18	1	-	-	-	-	-	-
Luton	59,240	11	1	14	-	-	-	-	-	-	-
Cambridge	58,820	9	-	19	-	-	-	-	-	-	-
Southend-on-Sea C.B.	104,300	20	3	24	-	-	-	-	-	-	-
Ipswich C.B.	84,140	25	3	24	4	-	-	-	-	-	-
Great Yarmouth C.B.	57,760	11	-	10	-	-	-	-	-	-	-
Norwich C.B.	123,500*	31	4	32	4	-	-	-	-	-	-
Swindon	57,320	7	-	12	-	-	-	-	-	-	-
Exeter C.B.	60,340*	10	1	6	-	-	-	-	-	-	-
Plymouth C.B. ..	187,300*	57	3	64	3	-	-	-	-	-	-
Bath C.B.	69,000	17	-	22	2	-	-	-	-	-	-
Bristol C.B.	383,300*	90	4	129	12	-	9	-	-	1	-
Gloucester C.B. ..	53,050	14	4	8	3	-	-	-	-	-	1
Stoke-on-Trent C.B.	275,600	83	3	80	13	-	-	-	1	-	2
Burton-upon-Trent C.B.	48,660	12	3	8	2	-	-	-	-	-	-
Wolverhampton C.B.	131,000	45	3	26	6	-	-	-	-	-	-
Walsall C.B.	102,100	38	1	21	4	-	-	-	-	2	-
West Bromwich C.B.	79,920	24	3	27	1	-	-	-	-	-	1
Dudley C.B.	58,930	15	1	17	4	-	-	-	1	-	1
Worcester C.B. ..	50,660	17	1	25	2	-	1	-	-	-	1
Birmingham C.B. ..	934,300*	225	15	281	47	-	-	-	-	1	4
Smethwick C.B. ..	76,940	10	-	17	3	-	-	-	-	-	-
Coventry C.B. ..	127,800	39	-	22	3	-	-	-	-	-	-
Leicester C.B. ..	241,700	65	5	83	8	-	-	1	-	-	-
Lincoln C.B.	65,760*	17	4	12	-	-	-	-	-	-	-
Grimsby C.B.	88,580	20	1	11	-	-	-	-	-	-	-
Nottingham C.B. .	268,000	64	3	80	3	-	-	-	-	3	-
Derby C.B.	136,600*	42	1	54	9	-	2	-	-	-	1
Chesterfield ..	66,650	19	-	17	2	-	-	-	-	2	-
Stockport C.B. ..	125,400	34	1	35	4	-	-	-	1	-	-
Chester C.B.	41,710	7	1	9	2	-	-	-	-	-	-
Birkenhead C.B. ..	158,000	38	3	44	4	-	-	-	1	-	1
Wallasey C.B. ..	93,050	19	-	27	1	-	2	-	-	-	-
Liverpool C.B. ..	862,600	344	10	330	57	-	1	-	14	1	7
Bootle C.B.	84,580	25	2	20	2	-	-	-	-	-	-
St. Helens C.B. ..	110,000	33	5	36	5	-	3	1	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1926.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
OUTHPORT C.B. ..	77,970	12	4	27	-	-	-	-	-	-	-	1
'IGAN C.B.	88,620	18	-	33	3	-	-	-	-	-	-	1
'ARRINGTON C.B. ..	76,940*	30	2	20	4	-	4	-	-	-	-	1
OLTON C.B.	177,000	31	6	60	3	-	-	-	-	-	-	-
URY C.B.	56,840*	27	-	15	1	-	-	-	-	-	1	-
'ANCHESTER C.B. ..	752,000	206	20	280	36	-	11	-	1	4	4	4
ALFORD C.B.	247,400	59	7	81	11	-	2	-	-	-	2	2
SHTON-UNDER-LYNE	51,050	11	1	13	2	-	-	-	-	-	2	-
LDHAM C.B.	143,000	33	1	55	6	-	1	-	-	2	-	2
OCHDALE C.B.	91,510	13	1	29	4	-	-	-	-	1	-	-
URNLEY C.B.	99,600	15	2	43	2	-	-	-	-	-	-	1
LACKBURN C.B. ..	124,400	23	3	48	3	-	-	-	-	-	-	-
RESTON C.B.	124,200	23	2	45	1	1	-	-	-	-	-	-
LACKPOOL C.B. ..	88,640	18	-	27	3	-	-	-	-	-	-	1
ARROW-IN-FURNESS C.B.	70,420	22	1	15	1	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	111,900	22	2	33	2	-	-	-	-	-	1	-
ALIFAX C.B.	96,130*	23	-	35	3	-	-	-	-	-	1	-
RADFORD C.B. ..	288,700	82	5	102	8	-	-	-	1	-	1	3
EEDS C.B.	473,400	128	8	137	10	-	-	-	-	1	-	7
EWSBURY C.B. ..	53,630	12	2	16	1	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,830	16	-	11	-	-	-	-	-	-	-	-
ARNSLEY C.B. ..	70,760	20	3	21	3	-	-	-	-	-	-	3
HEFFIELD C.B. ..	523,300*	137	8	153	18	-	1	1	1	1	-	2
OTHERHAM C.B. ..	70,080	22	1	21	2	-	-	-	-	1	-	-
ONCASTER C.B. ..	55,700	7	1	14	1	-	-	-	-	1	1	-
ORK C.B.	84,430*	22	1	21	-	-	-	-	-	-	-	1
ULL C.B.	294,600	97	4	86	12	-	-	-	-	-	1	3
IDDLESBROUGH C.B.	133,600	52	2	50	10	-	-	-	-	-	-	2
ARLINGTON C.B. ..	70,700	15	2	22	2	1	1	-	-	-	-	-
OCKTON-ON-TEES ..	67,910	26	1	20	4	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,060	26	1	29	6	-	-	-	-	-	-	4
NDERLAND C.B. ..	163,800	73	3	63	10	-	-	-	-	2	-	2
UTH SHIELDS C.B. ..	123,900	64	-	40	5	-	1	-	-	-	-	2
ATESHEAD C.B. ..	127,700	37	3	29	5	-	-	-	-	-	-	-
EWCASTLE-ON-TYNE C.B.	284,700*	96	5	79	10	-	-	-	-	-	-	2
NEMOUTH C.B ..	66,560	21	2	28	2	-	-	-	-	-	-	1
ERLISLE C.B.	56,140*	10	1	25	3	-	-	-	-	-	-	-
WPORT (MON.) C.B.	96,620	16	3	26	5	-	-	-	1	-	-	1
RDIFF C.B.	225,600*	72	3	60	7	-	-	-	-	-	-	2
ONDDA	162,500	42	1	47	8	-	-	-	-	-	3	-
ERTHYR TYDFIL C.B.	80,690	25	-	25	2	-	-	-	-	1	-	-
ERDARE	56,930	12	-	15	1	-	-	-	-	-	-	-
ANSEA C.B.	163,200	33	3	37	2	-	-	-	-	2	-	2
EATER LONDON ..	7,791,310*	1,665	72	2,070	145	-	17	2	10	28	23	49
TER RING	3,185,910*	622	23	765	52	-	3	2	-	15	4	25
GREAT TOWNS IN UTER RING	1,947,963*	407	14	475	28	-	2	2	-	10	2	15
MAINDER OF OUTER ING	1,237,947*	215	9	280	24	-	1	-	-	5	2	10
NBURGH†	426,100	144	?	175	13	-	-	-	4	3	3	3
ASGOW†	1,049,000	439	?	439	66	-	45	1	4	4	9	4
BLIN (REGISTRATION REA)†	421,000	175	?	154	22	-	13	-	1	5	2	1
FAST†	415,007	144	?	137	16	-	-	-	-	-	2	7

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1927 except that of Belfast which is the Preliminary Census figure of 1926. th in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents iciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland ng the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths ersons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available p**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
London‡	4,605,400	1927. Dec. 31	1043	49	1315	14·9	-	-	14	-	10	13	19
Calcutta and Suburbs	1,077,264	Nov. 19	?	?	792‖	38·2	?	2	-	?	?	?	?
Bombay§	1,298,708	Dec. 3	544	45	550	22·0	3	1	1	-	-	1	16
Madras	528,791	„ 3	466	21	490	48·2	4	1	-	-	1	-	25
Sydney and Suburbs	1,070,510	Nov. 30 (30 days)											
Brisbane (Metropolitan Area).	274,260	Oct 31 (31 days)	539	?	222	9·7	-	-	3	-	2	1	2
Perth (Metropolitan Area).	184,223	Nov. 5	69	?	25	7·1	-	-	-	-	-	-	1
Auckland (Urban Area).	201,220	Oct. 31 (31 days)											
Wellington (Urban Area).	126,310	Oct. 31 (31 days)											
Christchurch (Urban Area).	121,780	Oct. 31 (31 days)											
Cape Town	114,846	Dec. 3	57	2	28	12·7	-	-	-	-	2	-	3
Johannesburg	172,718	„ 3	69	1	38	11·4	-	-	1	1	-	-	3
Durban	54,715	„ 3	17	-	12	11·4	-	-	-	-	-	-	-
Paris	2,871,429	Dec. 20 (10 days)											
Antwerp	300,402	Nov. 26	89	2	67	11·5	-	-	-	-	1	-	2
Amsterdam	734,005	Dec. 3	225	7	140	10·6	-	-	1	-	2	-	-
Copenhagen	597,800	„ 17	198	5	158	13·8	1	-	4	1	2	2	-
Stockholm	453,332	„ 10	88	3	95	10·9	-	-	-	-	-	-	-
Gothenburg	231,196	„ 10	?	?	42	9·4	-	-	7	-	-	2	-
Oslo	254,055	„ 24	75	4	66	13·5	-	-	-	-	-	-	-
Berlin	2,000,000	„ 10	332	15	546	14·2	-	?	-	2	1	11	3
Breslau	562,000	„ 10	143	9	117	10·8	-	?	1	-	3	1	-
Cologne	719,000	„ 10	227	6	145	10·5	-	?	1	1	1	1	-
Dresden	626,000	„ 10	115	7	126	10·5	-	?	-	-	-	1	1
Frankfort-on-Main..	475,000	„ 10	96	1	67	7·3	-	?	-	-	-	-	-
Hamburg	1,108,000	„ 10	251	6	204	9·6	-	?	-	-	4	1	-
Leipzig	687,000	„ 10	156	6	151	11·4	-	?	-	-	-	1	2
Munich	692,000	„ 10	127	4	159	11·9	-	?	-	-	-	-	1
Vienna	1,867,850	July 31 (31 days)											
Prague and Suburbs	738,132	April 30 (30 days)											
Budapest	971,169	Dec. 10	262	8	240	12·8	1	-	1	-	1	5	-
Warsaw	1,028,982	„ 17	?	8	303	15·4	4	-	-	3	3	1	6
Cairo	874,300	Sept. 16	751	24	497	29·6	11	-	2	-	?	14	72
Alexandria	501,800	„ 16	420	13	300	31·2	6	-	-	-	?	2	41
New York	5,970,920	Dec. 17	?	?	1352	11·8	-	-	1	-	3	6	6
Chicago	3,101,000	„ 9	1094	26	680	11·4	-	-	-	-	5	15	8
New Orleans	433,000	Nov. 30 (30 days)											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Vienna.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo, and to *children under 1 year* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 49 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 31st December, 1927, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1315	93	33	21	30	33	50	79	144	207	299	326
Enteric fever..	-	-	-	-	-		-	-	-	-	-	-
Small-pox	-		-		-	-	-	-	-	-	-	-
Measles	14	2	6	5	-	-	-	-	-	1	-	-
Scarlet fever	-	-		-	-	-	-	-	-	-	-	-
Whooping cough	10	6	1	2	1	-	-	-	-	-	-	-
Diphtheria	13	1	4	5	3	-	-	-	-	-	-	
Influenza	24	-	-	-	-	1	-	3	7	3	7	3
Erysipelas	3	-	-	-	-	-	-	1	1	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	1	-	-	-	-	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	68	-	-	-	1	12	18	11	10	10	6	-
Nervous system..	5	-	2	1	2	-	-	-	-	-	-	-
Intestines and peritoneum	-	-		-	-	-	-	-	-	-	-	-
Other forms	5	-	1	1	-	1	1	-	-	1	-	-
Venereal diseases	4	-	-	-	-	-	1	-	2	1	-	-
Cancer	142	-	-	1	-	1	2	11	26	31	48	22
Rheumatic fever	3	-	-		2	-	1	-	-	-	-	-
Diabetes	14	-	-	-	-	1	-	1	-	5	5	2
Alcoholism	1	-	-	-	-		-	-	-	1	-	-
Simple meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	43	-	-	-	-	-	1	1	1	9	19	12
Epilepsy	8	-	-	-	2	2	2	-	-	1	1	-
"Convulsions" (not puerperal) ..	-	-	-	-		-	-	-		-	-	
Other diseases of nervous system ..	45	1	-	-	2	1	2	6	15	7	7	4
Pericarditis	2	-	-	-	-	-	-	-	-	2	-	-
Acute endocarditis	8	-	-	-	1	-	4	1	-	2	-	-
Other diseases of heart	243	-	-	-	1	2	3	9	22	39	77	90
Other diseases of circulatory system	70	-	-	-	-	-	-	1	7	18	11	33
Bronchitis	107	3	1	-	-	-	-	1	10	20	26	46
Broncho-pneumonia	73	14	8	6	2	-	1	1	5	8	16	12
Lobar-pneumonia	41	-	3	-	-	-	2	2	9	10	11	4
Pneumonia (type not distinguished)	14	1	-	-	-	-	2	2	2	2	2	3
Other diseases of respiratory system	33	-	-	-	2	2	-	2	4	5	8	10
Diarrhœa and enteritis	23	15	4	-	-	-	-	-	1	-	1	2
Appendicitis, Typhlitis	6	-	-	-	1	-	2	1	2	-	-	-
Hernia, Intestinal obstruction.. ..	19	1	-	-	2	1	-	1	2	5	5	2
Cirrhosis of liver	7	-	-	-	-	-	-	1	3	1	-	2
Other diseases of digestive system ..	41	-	1	-	2	1	4	6	5	7	11	4
Acute nephritis	1	-	-	-	-	-	-	1	-	-	-	-
Chronic Bright's disease	35	-	-	-	1	-	-	3	2	6	14	9
Other diseases of genito-urinary system.	11	-	-	-	-	-	1	1	1	2	2	4
Puerperal sepsis	3	-	-	-	-	1	1	1	-	-		-
Other causes incident to childbirth ..	-	-	-		-	-	-	-	-	-		-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	23	23	-		-	-	-	-	-	-	-	-
Debility, atrophy (congenital).. ..	3	3	-	-	-	-	-	-	-	-		-
Old age	55	-	-	-	-	-	-	-	-	1	5	49
Suicide	10	-	-	-	-	1	2	3	1	1	1	1
Burns and Scalds	3	-	2	-	-	-	-	1	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	3	3	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	-	-	-	-	2	-	4	1	1	3	-
Other deaths by violence	18	1	-	-	-	-	-	1	2	2	4	8
Other specified causes	43	13	-	-	4	4	-	2	3	5	9	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 31st December, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	225	253	9	195	C. 4 G. 3 M. 9 N. 16
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	20	–	8	–
†BERMONDSEY ...	–	17	14	–	4	C. 1
†BETHNAL GREEN	–	8	5	–	8	C. 2 M. 1
†CAMBERWELL ...	–	8	13	–	4	N. 3
†CHELSEA	–	–	2	–	2	M. 1 N. 1
†DEPTFORD ...	–	9	6		2	–
†FINSBURY ...	–	3	6	–	7	N. 1
†FULHAM	–	7	8	–	9	M. 3
†GREENWICH ...	–	7	9	1	7	–
†HACKNEY ...	–	27	14	2	3	C. 1 G. 1
†HAMMERSMITH ...	–	2	8	–	–	G. 1 N. 1
†HAMPSTEAD ...	–	4	2	1	–	–
†HOLBORN... ...	–	3	2	1	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	11	16	1	9	M. 2 N. 2
†KENSINGTON ...	–	4	6	–	5	–
†LAMBETH ...	–	15	15	2	16	G. 1
†LEWISHAM ...	–	–	6	–	4	–
†PADDINGTON ...	–	8	7	–	6	–
†POPLAR	–	18	7	–	23	N. 1
†ST. MARYLEBONE	–	1	5	–	1	–
†ST. PANCRAS ...	–	10	11	–	19	N. 1
†SHOREDITCH ...	–	3	11	–	5	–
†SOUTHWARK ...	–	9	10	–	7	N. 1
†STEPNEY	–	16	16	–	11	M. 1 N. 1
†STOKE NEWINGTON	–	3	2	–	1	N. 1
†WANDSWORTH ...	–	13	19	1	18	M. 1 N. 1
†WESTMINSTER, CITY OF	–	4	1	–	1	–
†WOOLWICH ...	–	11	11	–	14	N. 2

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	8	7	–	4	C. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	–	–	1	–
BIGGLESWADE ...	–	2	–	–	–	–
DUNSTABLE ..	–	2	3	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	1	4	–	–	C. 1
SANDY	–	1		–	–	–
Rural Districts:—						
BIGGLESWADE ...	–	–	–	–	3	–
BERKS	–	12	6	–	1	–
†READING C.B. ...	–	1	6	–	–	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	2	–	–	–	–
Rural Districts:—						
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	2	–	–	–	–
FARINGDON (part)	–	1	–	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ..	–	–	–	–	1	–
WANTAGE ...	–	2	–	–	–	–
WOKINGHAM ...	–	2	–		–	–
BUCKINGHAM ...	–	7	7	–	8	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	–	3	–	–	–
CHESHAM	–	2	–	–		–
MARLOW	–	–	1	–	–	–
NEWPORT PAGNELL ...	–	–		–	1	–
†SLOUGH	–	–	1	–	–	–
†WOLVERTON ...	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	–	1	–	–	1	–
ETON	–	–	–	–	2	–
WYCOMBE ...	–	4	2	–	–	–
CAMBRIDGE ...	–	12	3	–	2	–
Borough:—						
†CAMBRIDGE ...	–	11	2	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	1	–	–	–
CHESTERTON ...	–	1	–	–	1	–
MELBOURN ...	–	–	–	–	1	–
CHESTER ...	2	47	24	–	59	G. 1 M. 1 N. 2
†BIRKENHEAD C.B.	–	5	8	–	10	–
†CHESTER C.B. ...	1	–	–	–	3	–
†STOCKPORT C.B.	1	8	3	–	6	M. 1
†WALLASEY C.B. ...	–	3	7	–	1	–
Boroughs and Urban Districts:—						
ALSAGER	–	–	1	–	–	–
†ALTRINCHAM ...	–	2	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	2	–	2	–
BREDBURY AND ROMILEY	–	2	–	–	–	–
BUGLAWTON ...	–	–	–	–	–	N. 1
†CHEADLE AND GATLEY	–	2	–	–	3	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	3	2	–	2	G. 1
†DUKINFIELD ...	–	–	–	–	4	–
†ELLESMERE PORT AND WHITBY	–	4	–	–	3	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
I, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	2	–	–	3	–
LYMM	–	1	–	–	1	–
†MACCLESFIELD ...	–	–	1	–	2	–
†RUNCORN... ...	–	1	–	–	3	–
†SALE	–	1	–	–	–	–
WILMSLOW ...	–	2	–	–	–	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	–	–	–	–	N. 1
CHESTER	–	–	–	–	3	–
CONGLETON ...	–	–	–	–	1	–
DISLEY	–	–	–	–	2	–
NANTWICH ...	–	2	–	–	1	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	1	–	–	–	–
TARVIN	–	–	–	–	1	–
TINTWISTLE ...	–	–	–	–	1	–
WIRRAL	–	2	–	–	5	–
CORNWALL ...	–	5	2	–	3	–
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	1	–	–	–	–
HAYLE	–	–	–	–	1	–
HELSTON	*	*	*	*	*	*
LOSTWITHIEL ...	–	1	–	–	–	–
†PENZANCE ..	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
Rural Districts:—						
BODMIN	–	1	–	–	–	–
CALSTOCK ...	–	–	2	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
LISKEARD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	5	10	–	17	N. 2
†CARLISLE C.B. ...	–	–	–	–	8	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	1	–	–	–
EGREMONT ...	–	–	5	–	–	–
HARRINGTON ...	–	1	–	–	–	–
HOLME CULTRAM	–	–	–	–	1	–
KESWICK	–	–	–	–	1	–
MILLOM	–	–	1	–	–	–
PENRITH	–	–	–	–	3	–
†WHITEHAVEN ...	–	1	–	–	–	–
†WORKINGTON ...	–	–	–	–	–	N. 1
Rural Districts:—						
BOOTLE	–	1	–	–	–	–
CARLISLE ...	–	1	–	–	–	N. 1
LONGTOWN ...	–	–	–	–	1	–
PENRITH	–	–	1	–	2	–
WHITEHAVEN ...	–	–	2	–	–	–
WIGTON	–	1	–	–	1	–
DERBY	21	33	27	–	33	D. 1 M. 1 N. 3
†DERBY C.B. ...	18	9	8	–	12	D. 1
Boroughs and Urban Districts:—						
†ALFRETON ..	–	2	–	–	1	–
ALVASTON AND BOULTON	–		–	–	1	–
†BELPER	–	2	–	–	–	–
†BOLSOVER ...	–	2	2	–	1	–
†BUXTON	–	2	–	–	–	–
†CHESTERFIELD ...	1	1	5	–	2	–
CLAY CROSS ...	–	–	–	–	1	M. 1
DRONFIELD ...	–	2	–	–	1	–
†GLOSSOP	–	–	1	–	2	–
†HEANOR	–	3	–	–	–	N. 1
†ILKESTON ...	–	1	1	–	1	–
†LONG EATON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RIPLEY		1	1	–	1	–
†SWADLINCOTE DISTRICT	–	1	–	–	3	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	1	1	–	–	–	–
BLACKWELL ...	–	2	–	–	–	–
CHAPEL EN LE FRITH		1	–	–	–	–
CHESTERFIELD	1	–	6	–	–	N. 2
HARTSHORN AND SEALS	–	1	2	–	4	–
REPTON	–	1	–	–	1	–
SHARDLOW ...	–	–	–	–	2	–
DEVON	–	6	15	–	15	C. 1 N. 3
†EXETER C.B. ...	–	–		–	2	–
†PLYMOUTH C.B. ..	–	2	12	–	6	–
Boroughs and Urban Districts:—						
BIDEFORD ..	*	*	*	*	*	*
DARTMOUTH ...	–	1	–	–	3	–
†EXMOUTH ...	–	–	–	–	1	–
†NEWTON ABBOT ...	–	–	1	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
OTTERY ST. MARY	–	–	–	–	–	N. 1
†TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	–	C. 1
PLYMPTON ST. MARY	–	–	1	–	1	N. 1
ST. THOMAS ...	–	–	–	–	1	–
SOUTH MOLTON ...	–	–	–	–	–	N. 1
TAVISTOCK ...	–	–	–	–	1	–
TORRINGTON ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	1	5	1	8	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	2	–	1	–
†POOLE	–	–	–	–	2	–
†PORTLAND ..	–	–	1	–	–	–
SHERBORNE ...	–	–	–	–	1	–
WAREHAM ...	–	–	–	–	1	–
Rural Districts:—						
CERNE	–	–	1	–	–	–
POOLE	–	1	–	–	–	–
WAREHAM AND PURBECK	–	–	1	–	3	–
WEYMOUTH ...	–	–	–	1	–	–
DURHAM ...	61	44	32	–	154	C. 1 M. 4 N. 4
†DARLINGTON C.B.	10	6	1	–	4	–
†GATESHEAD C.B.	6	–	3	–	5	–
†SOUTH SHIELDS C.B.	14	4	1	–	21	–
†SUNDERLAND C.B.	2	1	3	–	38	C. 1 N. 1
†WEST HARTLEPOOL C.B.	–	5	2	–	17	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2		–	–	1	–
BARNARD CASTLE	–	–	–	–	1	–
BENFIELDSIDE ...	–		1	–	1	M. 1
BILLINGHAM ...	–	–	–	–	2	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...		2	–	–	2	–
†CHESTER LE STREET	1	–	–	–	1	–
†DURHAM	*	*	*	*	*	*
†FELLING	4	–	–	–	–	–
†HEBBURN ...	1	1	1	–	5	–
†HETTON	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	6	1	1	–	14	M. 1
LEADGATE ...	–	1	1	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	7	–	–	–	1	–
†SHILDON	–	1	1	–	–	–
†SPENNYMOOR ...	1	–	–	–	–	–
STANHOPE ...	–	1	–	–	–	–
†STANLEY	2	–	4	–	1	–
†STOCKTON ON TEES	–	6	2	–	5	M. 1
†TANFIELD ...	–	1	1	–	2	–
†WHICKHAM ...	–	–	–	–	4	–
WILLINGTON ...	1	1	2	–	1	–
Rural Districts:—						
AUCKLAND	–	1	–	–	1	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER LE STREET	1	–	–	–	1	–
DARLINGTON ...	–	1	–	–	–	N. 1
DURHAM	–	2	–	–	–	–
EASINGTON ..	1	–	2	–	6	M. 1 N. 1
HOUGHTON LE SPRING	–	1	–	–	4	–
LANCHESTER ..	–	1	3	–	2	–
SEDGEFIELD .	1	–	1	–	–	–
SOUTH SHIELDS ..	1	1	–	–	2	N. 1
STOCKTON ...	–	1		–	–	–
SUNDERLAND ..	–	–	2	–	8	–
WEARDALE ...		–	–	–	1	–
ELY, ISLE OF ...	–	1	2	–	1	–
Boroughs and Urban Districts:—						
†WISBECH	–	–	2	–	–	–
Rural Districts:—						
ELY	–	1	–	–	–	–
WISBECH	–	–	–	–	1	–
ESSEX	–	116	70	4	49	C. 1 D. 1 G. 1 N. 1
†EAST HAM C.B. ...	–	12	9	–	2	–
†SOUTHEND-ON-SEA C.B.	–	5	3	–	1	–
†WEST HAM C.B. ...	–	35	20	–	11	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	2	1	4	–
BRAINTREE ...	–	2	–	–	–	–
BRENTWOOD ...	–	–	–	–	2	N. 1
†CHELMSFORD ...	–	1	–	–	–	–
†CLACTON	–	–	–	–	1	–
DAGENHAM ...	–	8	6	–	6	G. 1
†GRAYS THURROCK	–	1	5	–	–	–
HALSTEAD ...	–	2	–	–	–	–
†ILFORD	–	11	5	1	3	D. 1
†LEYTON	–	10	8	2	2	–
MALDON	–	2	–	–	–	–
†ROMFORD ...	–	–	1	–	–	–
SHOEBURYNESS ...	–	–	–	–	2	–
TILBURY	–	–	6	–	–	–
†WALTHAMSTOW...		8	–	–	6	–
†WANSTEAD ...	–	1	1	–	–	–
WITHAM	–	–	–	–	3	–
†WOODFORD ...	–	1	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	–	–	–	1	–
CHELMSFORD ...	–	4	–		–	–
DUNMOW	–	1	–	–	1	–
HALSTEAD ...	–	2	–	–	2	–
LEXDEN AND WINSTREE	–	3	–	–	–	–
MALDON	–	4	–	–	–	C. 1
ONGAR	–	–	1	–	1	–
ORSETT	–	–	1	–	–	–
ROCHFORD ...	–	–	1	–	–	–
ROMFORD... ...	–	–	1	–	–	–
GLOUCESTER ...	–	35	19	–	27	L. 1 N. 1
†BRISTOL C.B. ..		23	16	–	17	L. 1
†GLOUCESTER C.B.	–	–	1	–	4	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	2	–	–	2	–
COLEFORD ...	–	–	–	–	1	–
†MANGOTSFIELD ...	–	1	–	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	3	–	–	–	–
CHIPPING SODBURY	–	2	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	1	–
MARSTON SICCA...	–	–	–	–	1	–
STOW ON THE WOLD (part)	–	1	–	–	–	–
STROUD	–	1	1	–	–	–
TEWKESBURY (part)	–	–	–	–	1	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	5	1	–	1	N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	3	1	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	1	–	–	–	–
LEDBURY... ...	–	–	–	–	–	N. 1
WEOBLEY... ...	–	1	–	–	–	–
HERTFORD ...	–	10	11	–	1	–
Boroughs and Urban Districts:—						
†BARNET	–	–	1	–	–	–
†CHESHUNT ...	–	3	–	–	–	–
GREAT BERKHAMPSTEAD	–	3		–	–	–
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
ROYSTON	–	–	8	–	–	–
†ST. ALBANS ...	–	–	1	–	–	–
WARE		1	–	–	–	–
†WATFORD ...	–	2	–	–	1	–
Rural Districts:—						
HITCHIN	–	1	–	–	–	–
WARE	–	–	1	–	–	–
HUNTINGDON ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	1	–	–	–
ST. IVES	–	1	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	*	*	*	*	*	*
ST. IVES	–	–	2	–	–	–
KENT	–	50	46	1	35	G. 2 N. 1
†CANTERBURY C.B.	–	2	3	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	1	–	–	1	–
†BECKENHAM ...	–	3	3	–	–	–
†BEXLEY	–	1	–	–	–	–
†BROMLEY ...	–	–	–	–	3	–
†CHATHAM ...	–	10	8	–	6	–
CHERITON ...	–	–	–	–	1	–
CHISLEHURST ...	–	1	–	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	1	3	–	4	–
†ERITH	–	4	2	–	7	–
†FAVERSHAM ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FOLKESTONE ...	–	2	1	1	2	–
†GILLINGHAM ...	–	1	–	–	–	–
†GRAVESEND ...	–	1	2	–	–	G. 1 N. 1
†MAIDSTONE ...	–	2	–	–	1	–
†MARGATE ...	–	–	1	–	–	–
MILTON REGIS ...	–	–	1	–	1	–
†NORTHFLEET ...	–	–	3	–	–	–
†PENGE	–	–	–	–	2	G. 1
†RAMSGATE ..	–	2	–	–	2	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	–
SANDWICH ...	*	*	*	*	*	*
SITTINGBOURNE	–	–	2	–	–	–
SWANSCOMBE ...	–	–	2	–	–	–
WHITSTABLE ...	–	–	4	–	–	–
Rural Districts:—						
BRIDGE	–	–	–	–	1	
BROMLEY ...	–	2	1		–	–
DARTFORD ...	–	1	4	–	–	–
DOVER	–	1	–	–	–	–
EASTRY	–	2	1	–	–	–
FAVERSHAM ...	–	1	–		–	–
HOLLINGBOURNE	–	2	–	–	–	–
MAIDSTONE ...	–	2	–	–	–	–
MALLING	–	2	–	–	–	–
MILTON	–	2	–	–	–	–
ROMNEY MARSH...	–	–	–	–	1	–
SEVENOAKS ...	–	–	–	–	2	–
SHEPPEY	–	–		–	1	–
STROOD	–	–	2	–	–	–
TENTERDEN ...	–	1	–	–	–	–
LANCASTER ...	36	205	130	3	366	C. 3 D. 1 E. 3 G. 9 L. 7 M. 8 N. 13
†BARROW IN FURNESS C.B.		1	–	–	1	–
†BLACKBURN C.B.	–	1	1		5	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BLACKPOOL C.B.	–	5	3	–	3	–
†BOLTON C.B. ...	–	8	1	–	4	–
†BOOTLE C.B. ...	–	2	2	–	5	N. 2
†BURNLEY C.B. ...	5	3	2	–	5	–
†BURY C.B. ...	–	2	4	–	2	G. 1
†LIVERPOOL C.B. ..	–	36	28	2	74	C. 1 D. 1 E. 1 G. 1 N. 2
†MANCHESTER C.B.	–	33	36	–	109	E. 1 G 1 M. 6 N. 2
†OLDHAM C.B. ...	–	4	6	–	4	–
†PRESTON C.B. ...	–	6	1	–	–	G. 2
†ROCHDALE C.B. ...	–	4	4	–	–	–
†ST. HELENS C.B...	–	9	3	–	8	M. 2 N. 2
†SALFORD C.B. ...	–	12	9	–	15	–
†SOUTHPORT C.B.	–	3	–	–	7	–
†WARRINGTON C.B.	5	–	2	–	5	–
†WIGAN C.B. ...	–	1	1	–	12	G. 1 N. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ..	–	2	–	–	2	–
†ASHTON IN MAKERFIELD	–	1	–	–	2	C. 1
†ASHTON UNDER LYNE	–	5	2	–	2	–
†ATHERTON ...	1	1	2	–	–	–
†BACUP	–	–	–	–	3	–
BLACKROD ...	–	–	–	–	1	–
†CHADDERTON ...	–	2	–	–	1	–
†CHORLEY	–	2	1	–	3	–
CHURCH	–		–	–	2	–
†CLITHEROE ...	–	–	3	–	–	–
†COLNE	10	2	–	–	–	–
†CROMPTON ...	–	–	–	–	1	–
†DARWEN	–	–	–	–	3	–
†DENTON	–	–	2	–	1	–
†DROYLSDEN ...	–	–	–	–	2	
†ECCLES	–	10	1	–	3	N. 1
†FAILSWORTH ...	–	–	1	–	3	–
†FARNWORTH ...	1	2	–	–	–	–
†FLEETWOOD ...	–	1	–	–	1	–
FORMBY	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
FULWOOD ...	–	–	–	–	1	–
†GREAT CROSBY ...	–	2	–	–	2	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	–	3	–	–	–
†HAYDOCK ...	–	1	–	–	4	–
†HINDLEY... ...	–	–	–	–	1	N. 1
†HORWICH ...	–	2	–	–	3	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	1	1	–	–	1	–
IRLAM	–	1	–	–	3	–
KIRKHAM ...	–	1	–	–	–	–
†LANCASTER ...	–	3	–	–	5	–
†LEIGH	–	4	–	–	1	–
LITTLE LEVER ...	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	1	–	–	–	–	–
†MIDDLETON ...	–	1	1	–	1	–
MILNROW... ...	–	1	–	–	–	–
†MORECAMBE ...	–	1	–	–	–	–
†NELSON	6	1	1	1	1	–
†NEWTON IN MAKERFIELD	–	–	–	–	1	–
ORMSKIRK ...	–	–	1	–	2	–
†OSWALDTWISTLE	–	1	–	–	1	–
PRESCOT	–	3	–	–	–	–
†PRESTWICH ...	–	–	–	–	1	–
†RADCLIFFE ...	–	2	–	–	8	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	–	–	–	2	–
RISHTON	–	1	–	–	2	–
†ROYTON	–	1	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	3	–	–	3	–
†SWINTON AND PENDLEBURY	–	–	–	–	3	G. 1
THORNTON CLEVELEYS	–	–	–	–	1	–
†TURTON	–	1	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	4	–	–	–	4	–
URMSTON... ...	–	–	1	–	1	E. 1
†WALTON LE DALE		1	1	–	–	–
WARDLE	–	1	2	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATERLOO WITH SEAFORTH	–	–	1	–	2	N. 1
†WESTHOUGHTON	–	–	–	–	3	–
WHITWORTH ...	–	–	–	–	3	–
†WIDNES	–	1	3	–	5	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	G. 1
BLACKBURN ...	–	–	–	–	1	–
BURNLEY... ...	–	–	–	–	1	–
BURY	–	2	–	–	–	N. 1
CHORLEY... ...	–	3	–	–	–	–
FYLDE	–	1	–	–	–	C. 1
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	1	–	–	1	–
LIMEHURST ...	–	–	–	–	1	–
PRESTON	2	–	–	–	–	–
ULVERSTON ...	–	1	–	–	1	–
WARRINGTON ...	–	2	–	–	1	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON... ...	–	–	–	–	–	L. 7
WIGAN	–	–	–	–	1	–
LEICESTER ...	–	27	12	–	11	G. 1 M. 1 N. 2
†LEICESTER C.B. ...	–	19	8	–	5	G. 1 N. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	–	3	–	1	M. 1
†HINCKLEY ...	–	2	–	–	2	–
†LOUGHBOROUGH	–	1	1	–	–	–
MELTON MOWBRAY	–	1	–	–	1	–
QUORNDON ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	1	–
BLABY	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	6	2	–	3	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	2	–
†SPALDING ...	–	3	2	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	–	–	–	1	–
EAST ELLOE ...	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	6	C. 1
Boroughs and Urban Districts:—						
BOURNE	–	–	–	–	2	–
†GRANTHAM ...	–	–	–	–	1	–
Rural Districts:—						
BOURNE	–	–	–	–	1	–
BRANSTON ...	–	–	1	–	1	–
CLAYPOLE ...	–	–	–		1	C. 1
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	3	22	12	–	7	G. 1 M. 1 N. 1
†GRIMSBY C.B. ...	–	2	–	–	2	M. 1
†LINCOLN C.B. ...	3	4	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)— *cont.*						
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	4	–	2	–
BRIGG	–	1	–	–	–	–
†CLEETHORPES ...		–	4	–	1	–
†GAINSBOROUGH ...	–	–	1	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	6	–	–	–	N. 1
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH ...	–	–	–		1	–
GLANFORD BRIGG	–	4	1	–		G. 1
GRIMSBY	–	–	1	–	–	–
LOUTH	–	4	–	–	–	–
SIBSEY	–	1	–	–	–	–
MIDDLESEX ...	–	79	48	1	48	C. 2 M. 1 N. 3
Boroughs and Urban Districts:—						
†ACTON	–	3	–	–	–	–
†BRENTFORD AND CHISWICK	–	–	–		4	N. 1
†EALING	–	3	–	–	6	N. 1
†EDMONTON ...	–	6	3		1	–
†ENFIELD	–	1	8	–	1	M. 1
†FINCHLEY ...	–	3	–	–	3	–
†FRIERN BARNET	–	4	–	–	1	–
†HAMPTON ...	–	–	1	–		–
HAMPTON WICK...	–	–	–	–	1	–
†HARROW ON THE HILL	–	3	–	–	3	–
HAYES	–	–	–	1	–	–
†HENDON	–	5	4	–	2	C. 1
†HESTON AND ISLEWORTH	–	–	–	–	3	N. 1
†HORNSEY... ...	–	2	5	–	5	–
RUISLIP NORTHWOOD	–	2	2	–		–
†SOUTHALL NORWOOD	–	5	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHGATE ...	–	4	1	–	2	–
†TOTTENHAM ...	–	17	6	–	5	–
†TWICKENHAM ...	–	–	1	–	–	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	2	–	–	–	–
†WEMBLEY ...	–	1	–	–	2	–
†WILLESDEN ...	–	13	9	–	8	C. 1
†WOOD GREEN ...	–	4	4	–	1	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
HENDON	–	–	1	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK ...	–	17	7	2	6	E. 1 N. 1
†GREAT YARMOUTH C.B.	–	3	1	–	3	–
†NORWICH C.B. ...	–	9	2	2	1	E. 1 N. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	1	1	–	–	–
WALSOKEN ...	–	–	1	–	–	–
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
FOREHOE ...	–	1	–	–	1	–
FREEBRIDGE LYNN	–	–	1		–	–
LODDON AND CLAVERING	–	1	–	–	1	–
SMALLBURGH ...	–	–	1	–	–	–
THETFORD ..	–	1	–	–	–	–
NORTHAMPTON	–	11	–	1	17	–
†NORTHAMPTON C.B.	–	6	–	1	6	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	–	–	–	1	–
†KETTERING ..	–	–	–	–	1	–
OUNDLE	–	–	–	–	1	–
RAUNDS	–	1	–	–	–	–
†RUSHDEN... ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	–	–	–	2	–
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
BRIXWORTH ...	–	–	–		1	–
DAVENTRY ...	–	1	–	–	1	–
NORTHAMPTON ...		1	–	–	–	–
OUNDLE (part) ...	–	1	–	–	–	–
OXENDON... ...	–	–	–	–	1	–
TOWCESTER ...	–	–	–	–	2	–
NORTHUMBERLAND.	10	33	14	–	66	G. 2 N. 4
†NEWCASTLE UPON TYNE C.B.	5	8	9	–	31	G. 1 N. 3
†TYNEMOUTH C.B.	–	3	2		6	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	1	6	–	–	2	–
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BLYTH	1	–	–	–	5	–
CRAMLINGTON ...	–	1	–	–	1	–
HEXHAM	–	–	–	–	2	–
†LONGBENTON ...	–	–	–	–	1	–
MORPETH... ...	1	–	–	–	–	–
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
†NEWBURN ...	–	1	2	–	3	–
SEATON DELAVAL	–	2	–	–	1	–
SEGHILL	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALLSEND ...	–	1	–	–	4	G. 1
†WHITLEY AND MONKSEATON	–	3	–	–	5	–
Rural Districts:—						
BELFORD	–	1	–	–		–
CASTLE WARD ...	–	1	–	–	2	–
HALTWHISTLE ...	–	2	–	–	–	N. 1
MORPETH ...	2	–	–			–
NORHAM AND ISLANDSHIRES	–	1	1	–		–
NOTTINGHAM ...	9	22	23	–	30	C. 2 G. 1 M. 1 N. 1
†NOTTINGHAM C.B	2	6	15	–	15	C. 2 M. 1 N. 1
Boroughs and Urban Districts:—						
†BEESTON	–	–	–	–	1	–
†CARLTON	6	1	–	–	3	–
†EAST RETFORD ...	–	–	–	–	1	–
†HUCKNALL ...	–	–	1	–	2	–
HUTHWAITE ...	–	–	1		–	–
†KIRKBY IN ASHFIELD	–	–	–	–	2	–
†MANSFIELD ...	–	–	–	–	1	–
†SUTTON IN ASHFIELD	–	7	–	–	–	–
WARSOP	–	1	–	–	1	–
†WEST BRIDGFORD	–	–	1	–	–	–
†WORKSOP... ...	1	1	–	–	1	–
Rural Districts:—						
BASFORD	–	2	1	–	–	–
BINGHAM... ...	–	–	4	–	1	–
SKEGBY	–	–	–	–	–	G. 1
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	1	–	–	–	–
WORKSOP... ...	–	2	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	1	2	–	–	N. 3
†OXFORD C.B. ..	–	–	–	–	–	N. 2
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	–	–	–	–
BICESTER... ...	–	–	2	–	–	–
THAME	–	–	–	–	–	N. 1
PETERBOROUGH (Soke of).	–	2	–	–	3	–
Borough:—						
†PETERBOROUGH..	–	2	–	–		–
Rural Districts:—						
PETERBOROUGH...	–	–	–	–	3	–
RUTLAND ...	–	1	–	–	–	–
Rural Districts:—						
OAKHAM	–	1	–	–	–	–
SALOP	–	13	6	–	5	C. 3 M. 1 N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	2	–	–	–	–
OSWESTRY ...	–	–	4	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	4	C. 1
†WENLOCK ...	–	2	1	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	–	M. 1
CLEOBURY MORTIMER	–	2	–	–	–	–
CLUN	–	2	–	–	–	N. 1
DRAYTON... ...	–	1	–	–	–	–
LUDLOW	–	–	–	–	–	C. 1
NEWPORT ...	–	1	–	–	1	–
OSWESTRY ...	–	2	1	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	17	4	–	18	E. 1 N. 1
†BATH C.B. ...	–	5	2	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	2	–	–	3	–
†FROME	–	1	–	–	–	–
PORTISHEAD ...	–	–	–	–	1	–
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	1	–	–	–	–
†YEOVIL	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	–	N. 1
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	–	–	–	3	–
CHARD	–	–	–	–	1	–
CLUTTON	–	3	–	–	2	–
KEYNSHAM ...	–	1	–	–	–	E. 1
LANGPORT ...	–	2	–	–	–	–
LONG ASHTON ...	–	–	2	–	–	–
TAUNTON ...	–	–	–	–	2	–
WELLINGTON ...	–	–	–	–	2	–
SOUTHAMPTON.	–	30	34	2	23	C. 1 G. 1 M. 5 N. 3
†BOURNEMOUTH C.B.	–	5	1	–	3	G. 1
†PORTSMOUTH C.B.	–	10	16	2	–	M. 2
†SOUTHAMPTON C.B.	–	6	5	–	15	M. 1 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	5	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FAREHAM ...	–	2	–	–	–	–
†FARNBOROUGH ...	–	–	1	–	–	–
†GOSPORT	–	–	3	–	1	C. 1
PETERSFIELD ...	–	1	–	–	1	–
ROMSEY	–	2	–	–	–	–
†WINCHESTER ...	–	1	–	–	–	–
SOUTHAMPTON —*cont.*						
Rural Districts:—						
DROXFORD ...	–	–	1	–	–	M. 1 N. 1
HAVANT	–	–	1	–	–	–
HURSLEY	–	1	–	–	1	–
NEW FOREST ...	–	–	1	–	1	–
RINGWOOD ...	–	–	–	–	–	N. 1
ROMSEY	–	–	–	–	–	M. 1
STAFFORD ...	–	47	30	2	50	C. 1 E. 1 F. 1 G. 2 M. 5 N. 4
†SMETHWICK C.B.	–	1	2	–	2	–
†STOKE ON TRENT C.B	–	11	4	2	16	C. 1 G. 1 M. 2 N. 1
†WALSALL C.B. ...	–	1	10	–	3	M. 1 N. 1
†WEST BROMWICH C.B.	–	1	1	–	3	–
†WOLVERHAMPTON C.B.	–	8	–	–	4	M. 1 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	2	1	–	1	M. 1
BIDDULPH ...	–	–	1	–	3	–
†BILSTON	–	–	–	–	1	–
†CANNOCK	–	–	1	–		–
†COSELEY	–	1	1	–	–	–
†DARLASTON ...	–	–	–	–	1	–
KIDSGROVE ...	–	3	2	–	–	–
†LEEK	–	3	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	1	–	–	–
QUARRY BANK ...	–	–	1	–	1	–
†ROWLEY REGIS ...	–	2	2	–	4	–
†SEDGLEY	–	2	–	–	2	–
†STAFFORD ...	–	3	1	–	2	–
STONE	–	–	–	–	–	F. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TIPTON	–		–	–	3	–
†WEDNESBURY ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	3	1	–	2	–
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE... ...	–	–	–	–	1	G. 1
KINGSWINFORD...	–	1	1	–	–	–
LEEK	–	3	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	–	–	1	E. 1
STONE	–	–	–	–	–	N. 1
SUFFOLK, EAST	–	10	4	–	5	C. 1 M. 1 N. 1
†IPSWICH C.B. ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BECCLES	–	2	–	–	–	–
BUNGAY	–	–	–	–	1	–
†FELIXSTOWE ...	–	–	1	–	–	–
HALESWORTH ...	–	1	–	–	–	–
LEISTON CUM SIZEWELL	–	–	–	–	–	N. 1
†LOWESTOFT ...	–	4	1	–	2	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BLYTHING ...	–	–	–	–	–	M. 1
HARTISMERE ...	–	–	–	–	–	C. 1
HOXNE	–	–	–	–	1	–
PLOMESGATE ...	–	–	1	–	–	–
SUFFOLK, WEST	–	1	–	–	2	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	–	–	–	1	–
SUFFOLK, WEST—*cont.*						
Rural Districts:—						
BRANDON... ...	–	1	–	–	–	–
MILDENHALL ...	–	–	–	–	1	–
SURREY	–	44	21	–	31	E. 2 G. 2 L. 1 M. 1 N. 2
†CROYDON C.B. ...	–	9	6	–	6	N. 1
Boroughs and Urban Districts:—						
†BARNES	–	7	–	–	2	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	3	1	–	2	–
CHERTSEY ...	–	1	–	–	3	–
†COULSDON AND PURLEY	–	1	–	–	–	–
†EPSOM	–	–	–	–	1	–
†ESHER AND THE DITTONS	–	–	–	–	1	–
†FARNHAM ...	–	–	–	–	1	–
GODALMING ...	–	–	–	–	1	–
†GUILDFORD ...	–	–	2	–	–	G. 2
HASLEMERE ...	–	–	–	–	3	–
†KINGSTON ON THAMES	–	6	3	–	–	E. 1
LEATHERHEAD ...	–	–	–	–	1	–
†MERTON AND MORDEN	–	2	4	–	–	–
†MITCHAM... ...	–	3	–	–	1	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	–	1	–	4	–
†SURBITON ...	–	2	–	–	1	–
†SUTTON	–	1	–	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WALTON UPON THAMES	–	–	–	–	1	L. 1
WEYBRIDGE ...	–	–	–	–	1	–
†WIMBLEDON ...	–	2	1	–	–	M. 1
†WOKING	–	1	2	–	1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
EPSOM	–	2	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	1	–	–	–	E. 1
REIGATE	–	–	1	–	–	–
SUSSEX, EAST ...	–	10	2	–	11	G. 1 M. 1 N. 2
†BRIGHTON C.B. ...	–	2	2	–	–	G. 1 N. 2
†EASTBOURNE C.B.	–	3	–	–	4	–
†HASTINGS C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
†HOVE	–	1	–	–	1	–
NEWHAVEN ...	–		–	–	1	–
SEAFORD	–	2	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
Rural Districts:—						
CHAILEY	–	1	–	–	1	–
EAST GRINSTEAD	–	–	–	–	–	M. 1
STEYNING EAST...	–	–	–	–	1	–
SUSSEX, WEST...	–	7	8	–	8	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	3	–	–	–
†CHICHESTER ...	–	–	1	–	–	–
†HORSHAM ...	–	–	1	–	–	–
SHOREHAM-BY-SEA	–	–	–	–	1	–
†WORTHING ...	–	1	2	–	1	–
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	2	–
HORSHAM ...	–	–	–	–	2	–
MIDHURST ...	–	–	–	–	2	–
STEYNING WEST	–	1	–	–	–	–
WESTBOURNE ...	–	2	–	–	–	–
WESTHAMPNETT		1	1	–	–	–
WARWICK ...	8	37	38	1	94	C. 2 M. 10 N. 1
†BIRMINGHAM C.B.	–	20	24	–	71	C. 1 M. 10 N. 1
†COVENTRY C.B. ...	–	9	3	–	3	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	2	2	1	–	4	C. 1
†RUGBY	–	–	1	–	–	–
†STRATFORD ON AVON	–	–	–	–	3	–
†SUTTON COLDFIELD	–	1	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	2	2	1	–	2	–
COVENTRY ...	–	–	1	–	–	–
FOLESHILL ...	4	–	–	–	1	–
NUNEATON ...	–	–	–	–	2	–
RUGBY	–	–	3	–	1	–
SOLIHULL ...	–		–	–	1	–
SOUTHAM... ...	–	2	–	1	1	–
STRATFORD ON AVON	–	–	–	–	1	–
TAMWORTH (part)	–	1	2	–	–	–
WARWICK ...	–		1	–	2	–
WESTMORLAND	–	5	–	–	5	G. 1
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	–	G. 1
†KENDAL	–	2	–	–	1	–
KIRKBY LONSDALE	–	–	–	–	1	–
WINDERMERE ...	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	3	–	–	1	–
SOUTH WESTMORLAND	–		–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF	-	7	1	-	2	G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†COWES	-	1	1	-	-	G. 1
EAST COWES ...	-	-	-	-	1	N. 1
VENTNOR... ...	-	-	-	-	1	-
Rural Districts:—						
ISLE OF WIGHT	-	6	-	-	-	M. 1
WILTS	-	23	5	-	9	G. 1 L. 1 N. 2
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	-	1	-	-	-	N. 1
DEVIZES	-	1	-	-	-	-
†SALISBURY ...		8	3	-	-	N. 1
†SWINDON... ...	-	-	1	-	3	L. 1
†TROWBRIDGE ...	-	2	-	-	-	-
WESTBURY ...	-	2	-	-	1	G. 1
Rural Districts:—						
AMESBURY ...	-	3	-	-	1	-
BRADFORD ON AVON	-	-	-	-	1	-
CHIPPENHAM ...	-	-	-	-	1	-
HIGHWORTH ...	-	4	-		-	-
MERE		-	-	-	2	-
TISBURY	-	1	1	-	-	-
WESTBURY AND WHORWELLSDOWN	-	1	-	-	-	-
WORCESTER ...	-	5	5	1	30	C. 2 N. 1
†DUDLEY C.B. ..	-	2	1	-	4	-
†WORCESTER C.B.	-	-	1	-	5	-
WORCESTER—*—cont.*						
Boroughs and Urban Districts:—						
BROMSGROVE ...	-	1	-	-	-	-
†HALESOWEN ...	-	-	-	-	1	C. 1
†LYE AND WOLLESCOTE	-	-	2	-	2	-
†MALVERN ...	-	-	-	-	3	C. 1
†OLDBURY... ...	-	-	1	-	9	-
†REDDITCH ...	-	-	-	-	2	-
†STOURBRIDGE ...	-	-	-	-	3	-
Rural Districts:—						
BROMSGROVE ...	-	2	-	-	-	N. 1
DROITWICH ...	-	-	-	1	-	-
UPTON ON SEVERN	-	-	-	-	1	-
YORKS ... ... (East Riding).	-	16	18	-	12	-
†KINGSTON UPON HULL C.B.	-	8	11	-	8	-
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	-	4	-	2	-
†BRIDLINGTON ...	-	1	1	-	-	-
FILEY	-		2	-	-	-
WITHERNSEA ...	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	-	1	-	-	-	-
DRIFFIELD ...	-	1		-	-	-
HOWDEN	-	-	-	-	1	-
NORTON	*	*	*	*	*	*
PATRINGTON ...	-	2	-	-	-	-
RICCALL	-	3	-	-	-	-
SHERBURN ...	-	-	-	-	1	-
YORKS ... ... (North Riding).	10	10	9	-	26	-
†MIDDLESBROUGH C.B.	8	-	-	-	11	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	–	–	–	2	–
LOFTUS	–	3	1	–	1	
MALTON	*	*	*	*	*	*
PICKERING ...	–	1	–	–	–	–
SCALBY	–	–	1	–	–	–
†SCARBOROUGH ...	1	–	5	–	6	–
†SKELTON AND BROTTON	–	1	–	–	3	–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY	–	1	–	–	–	–
Rural Districts:—						
BEDALE	–	2	–	–	–	–
CROFT	–	–	1	–	–	–
LEYBURN... ...	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
NORTHALLERTON	–	–	1	–		
SCARBOROUGH ...	–	–	–	–	1	–
STOKESLEY ...	1	–	–	–	1	–
WHITBY	–	–	–	–	1	–
YORKS ... ... (West Riding).	33	196	71	1	217	C. 5 G. 6 L. 1 M. 4 N. 4
†BARNSLEY C.B. ...	–	4	4	–	3	–
†BRADFORD C.B. ...	2	21	3	–	26	C. 3 G. 1 M. 3
†DEWSBURY C.B....	1	1	–	–	1	–
†DONCASTER C.B.	1	4	2	–	–	–
†HALIFAX C.B. ...	–	6	8	–	2	M. 1
†HUDDERSFIELD C.B	–	4	5	–	7	–
†LEEDS C.B. ..	6	7	12	–	18	C. 2 G. 1 L. 1
†ROTHERHAM C.B.	–	7	3	–	10	G. 1
†SHEFFIELD C.B...	–	50	16	–	92	G. 1 N. 2
†WAKEFIELD C.B.	–	1	2	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	5		–	1	N. 1
ALTOFTS	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	–	–	–	–	1	–
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	5	–
†BATLEY	4	3	–	–	1	–
†BENTLEY WITH ARKSEY	–	1	3	–	–	–
†BINGLEY	–	1	–	–	1	–
BIRKENSHAW ...	–	–	–	–	1	–
†BOLTON UPON DEARNE	1	1	–	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
CLAYTON	2	–	–	–	–	–
†CONISBROUGH ...	–	3	–	–	–	–
CUDWORTH ...	–	1	–	–	–	–
DENBY AND CUMBERWORTH	–	–	1	–	–	–
DODWORTH ...	–	1	–	–	–	–
EARBY	–	1	–	–	–	–
†ELLAND	–	–	1	–	–	–
FARSLEY	–	1	–	–	–	–
†FEATHERSTONE ...	–	1	–	–	–	–
†GOOLE	–	1	–	–	1	–
GREASBROUGH ...	–	1	–	–	–	–
GUISELEY ...	1	1	–	–	–	–
†HARROGATE ...	–	2	–	–	–	–
HECKMONDWIKE	–	–	–	–	1	–
†HEMSWORTH ...	–	1	–	–	1	–
†HOLMFIRTH ...	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	1	–	1	–
ILKLEY	–	–	–	1	2	–
†KEIGHLEY ...	10	–	1	–	–	–
KNOTTINGLEY ...	–	1	–	–	–	–
MALTBY	–	3	1	–	–	–
†MEXBOROUGH ...	–	2	1		1	–
†MORLEY	–	–	–	–	5	–
MYTHOLMROYD ...	–	–	–	–	1	–
†NORMANTON ...	–	1	–	–	1	–
†OSSETT	–	3	–	–	–	–
OTLEY	–	–	–	–	1	–
†PONTEFRACT ...	–	1	1	–	1	–
RAWDON	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAWMARSH ...	–	3	–	–	1	–
RIPON	–	1	–	–	–	–
†SADDLEWORTH ...	–	2		–		–
†SHIPLEY	–	2	–	–	–	–
SILSDEN	1	–	–	–	–	–
SKELMANTHORPE	–	1	–	–	–	–
†SKIPTON		2	–	–	–	–
SOUTHOWRAM ...	–	2				–
†SPENBOROUGH ...	–	1		–	1	–
SPRINGHEAD ...		2	–	–	1	–
STAINLAND ...	–	–		–	1	–
†STANLEY		1	1	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON	–	2	–	–	1	–
TICKHILL ...	–		1		1	–
†TODMORDEN ...	–	1	–		1	G. 1
†WATH UPON DEARNE	–	1	–	–		–
†WORSBOROUGH ...	–	–	–		2	–
Rural Districts:—						
DONCASTER ...	–	1	–		2	G. 1
HEMSWORTH ...	–	1	–	–	3	N. 1
KIVETON PARK ...	3	3	–		–	–
KNARESBOROUGH	–	6	–	–	1	–
PATELEY BRIDGE	–	1	–		–	–
PENISTONE ...	–	3	–	–	–	–
PONTEFRACT ..	–	3	–	–	–	–
ROTHERHAM ..	1	5	2		3	–
TADCASTER ...	–	–	1	–	2	–
THORNE	–	2			3	–
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...		2	–		1	–
WORTLEY ...	–	2	1	–	3	–
YORK, CITY OF ...		8	2		6	C. 1 G. 1 N. 1
†YORK C.B. ...		8	2	–	6	C. 1 G. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	1	7	–	1	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	3	–	–	–
LLANGEFNI ...	–	–	1		–	–
Rural Districts:—						
TWRCELYN ...	–	1	1	–	1	–
VALLEY	–	–	2	–	–	–
BRECKNOCK ...	1	–	1	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	1	–	–	–	2	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	1	–	–	–
CAERNARVON ...	–	–	–	–	–	–
Rural Districts:—						
LLEYN	–	–	–	–	1	
CARDIGAN ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–		2	–
Rural Districts:—						
LAMPETER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
LLANDILO ...	–	–	1	–	–	–
†LLANELLY ...	–	1	1	–	–	–
Rural Districts:—						
LLANELLY ...	–	1	–	–	–	–
ENBIGH	–	7	–	–	5	–
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	1	–
LLANGOLLEN ...	–	1	–	–	–	–
Rural Districts:—						
CHIRK	–	2	–	–	–	–
RUTHIN	–	–	–	–	1	–
ST. ASAPH (DENBIGH)	–	1	–	–	–	–
WREXHAM ...	–	3	–	–	3	–
LINT	–	1	1	–	2	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	–	1	–
Rural Districts:—						
HAWARDEN ..	–	1	–	–	–	–
HOLYWELL ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	20	36	72	–	46	C. 2 M. 4 N. 2
†CARDIFF C.B. ...	–	6	10	–	6	M. 1
†MERTHYR TYDFIL C.B.	–	–	2	–	3	M. 2 N. 1
†SWANSEA C.B. ...	–	8	3	–	3	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	2	–	5	–
†BARRY	–	1	–	–	–	C. 1
BRIDGEND ...	–	1	–	–	–	–
†CAERPHILLY ...	–	–	1	–	–	–
†GELLIGAER ...	6	–	–	–	1	–
†MAESTEG... ...	–	2	15	–	3	–
†MOUNTAIN ASH...	12	–	4	–	3	–
†NEATH	–	4	3	–	–	–
†OGMORE AND GARW	1	–	2	–	1	C. 1
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	1	2	–	–	1	–
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	6	5	–	–	–
†RHONDDA ...	–	2	14	–	14	M. 1
Rural Districts:—						
COWBRIDGE ...	*	*	*	*	*	*
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	1	4	–	1	–
NEATH	–	–	–	–	1	–
PENYBONT ...	–	–	1	–	1	–
PONTARDAWE ...	–	–	2	–	–	–
SWANSEA... ...	–	–	4	–	2	–
MERIONETH ...	–	–	12	–	–	G. 1
Urban Districts:—						
BARMOUTH ...	–	–	3	–	–	G. 1
DOLGELLEY ...	–	–	1	–	–	–
FFESTINIOG ..	–	–	8	–	–	–

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	33	8	5	-	8	M. 1
†NEWPORT C.B. ..	-	2	-	-	4	M. 1
Boroughs and Urban Districts:—						
ABERGAVENNY ...	*	*	*	*	*	*
†ABERSYCHAN ...	6	1	2	-		-
†ABERTILLERY ...	-	1	-	-		-
BEDWAS AND MACHEN	-	-	-	-	1	-
†BEDWELLTY ...	5	2	-	-	-	-
†BLAENAVON ...	8	-	-	-	-	-
†EBBW VALE ...	3	2	-	-	1	-
†NANTYGLO AND BLAINA	11	-	-	-	1	-
†RISCA	-	-	3	-	-	-
†TREDEGAR ...	-	-	-	-	1	-
PEMBROKE ...	-	1	1	-	2	N. 1
Boroughs and Urban Districts:—						
MILFORD HAVEN	-	-	-	-	-	N. 1
†PEMBROKE ...	-	-	-	-	2	-
PEMBROKE— *cont.*						
Rural Districts:—						
PEMBROKE ...	-	-	1	-	-	
ST. DOGMELLS ...	-	1	-	-	-	
RADNOR	-	3	-	-	-	
Rural Districts:—						
RHAYADER ...	-	3	-	-	-	
Total of Part II. ...	247	1370	900	20	1605	C. D. E. F. G. L. M. N

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague, encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEAL	*	*	*	*	*	*	SANDWICH	*	*	*	*	*	*
HARTLEPOOL	*	*	*	*	*	*	SWANSEA	–	–	–	–	1	–
PLYMOUTH	–	–	–	–	1	–	**Total of Part III.** ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ *note below*).
Total of Part I.—London	–	225	253	9	195	C. 4 G. 3 M. 9 N. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	247	1370	900	20	1605	C. 30 D. 3 E. 8 F. 1 G. 34 L. 11 M. 52 N. 73
Total of Part III.—Port Sanitary Districts	–	–	–	–	2	–
Total (*i.e.*, of returns received), England and Wales ...	247	1595	1153	29	1802	C. 34 D. 3 E. 8 F. 1 G. 37 L. 11 M. 61 N. 89

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

ıble 5.—London and Great Towns in the Aggregate. } { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec, 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.
ONDON :—													
EATHS (excluding Still-births)—all ages.	977	904	972	940	903	855	984	1,023	1,008	1,128	1,054	1,374	1315
EATHS—0 to 1 year ..	70	59	64	55	59	79	76	83	86	86	83	99	93
REAT TOWNS, aggregate (including London):—													
IVE BIRTHS	6,602	6,426	6,203	6,472	6,541	6,121	6,183	5,936	5,949	6,226	5,529	5,432	4,965
TILLBIRTHS	235	232	260	238	210	249	273	295	260	264	253	274	283
EATHS (excluding Still-births)—all ages	3,941	3,905	4,021	4,103	3,904	3,864	4,382	4,339	4,425	4,763	4,783	5,898	5,756
EATHS—0 to 1 year ..	368	354	368	398	355	389	427	452	403	494	468	576	568
NTERIC FEVER—Cases	25	28	32	28	35	41	25	33	32	26	25	24	21
" Deaths	3	1	3	2	5	3	7	3	5	3	3	4	2
MALL POX—Cases ..	32	34	51	57	55	63	61	94	115	78	60	71	91
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
CARLET FEVER—Cases	1,275	1,439	1,348	1,505	1,217	1,080	1,289	1,216	1,181	1,141	1,078	970	882
" Deaths	8	5	2	4	8	6	5	4	7	10	9	9	6
IPHTHERIA—Cases ..	746	834	938	939	990	820	967	991	1,025	1,064	975	860	747
" Deaths ..	34	32	39	41	34	24	35	32	43	40	40	64	53
EASLES—Deaths ..	14	14	20	25	19	31	50	39	48	76	81	94	60
IFLUENZA—Deaths ..	27	51	63	64	86	47	68	66	63	77	94	120	128

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 31st December, 1927. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ONDON (GREENWICH).	45	19	35·3	29·4	41	HUDDERSFIELD	37	14	33·7	26·1	2
						BRADFORD ..	37	20	34·3	28·7	5
RIGHTON ..	50	26	37·3	32·3	42	SHEFFIELD ..	37	17	33·9	28·7	1
ORTSMOUTH ..	51	26	37·7	31·5	45	YORK (MUSEUM)	40	24	37·3	30·6	1
ORWICH (EATON).	37	17	35·3	29·6	31	HULL (PEARSON PARK).	40	25	37·9	32·9	1
LYMOUTH ..	46	30	38·4	31·9	19	TYNEMOUTH ..	41	32	39·6	35·4	10
RISTOL (CLIFTON).	40	25	34·1	29·9	27	CARDIFF.. ..	43	24	35·4	28·6	22
IRMINGHAM (EDGBASTON).	36	23	32·4	29·1	12	EDINBURGH ..	43·0	27·0	36·7	29·7	3
OTTINGHAM ..	37	20	34·4	29·9	5	GLASGOW ..	37·3	27·1	35·7	30·1	2
IRKENHEAD (BIDSTON).	38	24	34·9	30·4	1	DUBLIN (PHŒNIX PARK).	40·5	24·0	39·0	31·9	8
ANCHESTER (WHITWORTH PARK).	39	25	36·0	31·9	0	(FITZWILLIAM SQUARE†).	42·0	31·9	40·0	34·7	12
URNLEY	37	21	34·1	28·7	1	BELFAST.. ..	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 31st December, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1927. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - 25	..	28·992	45·1	32·0	13·1	39·3	+ 0·9	39·0	0·3	1·5	0·0	99	48·2	31·4	44·7	Calm : ENE.	NE : NNE.	2·8	0·0	0·3	365	+ 69	0·98
MONDAY - 26	..	29·379	34·7	32·1	2·6	33·5	- 5·1	31·7	1·8	4·7	0·0	93	37·1	31·5	44·7	NNE	NNE	7·3	0·1	1·4	770	+ 462	0·50
TUESDAY - 27	..	30·054	36·0	28·9	7·1	33·2	- 5·6	26·2	7·0	7·9	0·2	74	43·0	24·6	44·9	NE : NNE.	NE	9·0	0·3	1·3	604	+ 283	0·11
WEDNESDAY 28	..	30·319	34·6	28·2	6·4	32·1	- 6·8	22·6	9·5	11·2	3·8	69	65·3	23·2	44·7	NE : ENE.	ENE	10·1	0·4	1·5	613	+ 283	0·00
THURSDAY - 29	..	30·065	32·4	28·7	3·7	30·5	- 8·5	21·3	9·2	10·7	6·1	68	56·6	24·2	44·2	ENE	ENE : E	6·9	0·1	1·3	510	+ 175	0·00
FRIDAY - 30	..	29·980	31·0	20·5	10·5	26·2	-12·7	21·4	4·8	8·4	1·5	81	52·2	14·6	44·1	E : ENE.	ENE : Calm.	0·9	0·0	0·1	166	- 169	0·00
SATURDAY - 31	First Quarter. In Equator	29·976	33·3	19·4	13·9	27·8	-10·9	25·8	2·0	6·8	1·0	92	51·0	1 8	44·0	Calm	SE : ENE.	0·3	0·0	0·0	130	- 201	0·26
MEANS -	..	29·824	35·3	27·1	8·2	31·8	- 7·0	26·9	4·9	7·3	1·8	82	50·5	23·6	44·5	ENE		..	..	..	Sum 3158	Sum + 902	Sum 1·85
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours	GENERAL REMARKS.
SUNDAY ..	25	wP till 5h.; variably sN and wP till 16h.; wN till 22h.; then variably mP and sN.	0·0	7·8	Overcast throughout. Rain (0¾h. till 1h.; and 5h. till 20h.; then snow. Brisk wind from 14h. Mist in morning.
MONDAY ..	26	Variably wP and wN till 8h.; then wP.	0·0	7·8	Overcast throughout. Snow till 10h.; and from 11h. Brisk wind till 11h.; then high wind.
TUESDAY ..	27	wP.	0·0	7·8	Overcast till 19h.; partially cloudy till 22h.; then cloudless. Slight snow till 8h. High wind till 1h.; then brisk wind till 20h.
WEDNESDAY	28	wP till 7h.; mP till 10½h.; then wP.	6·4	7·8	Cloudless throughout Brisk wind from 3h.
THURSDAY	29	wP.	3·2	7·8	Variably cloudy till 13½h.; partially cloudy till 18h., then becoming cloudless by 19¾h. Brisk wind till 15h.
FRIDAY ..	30	wP.	4·3	7·8	Partially cloudy till 14h.; very cloudy till 15h.; cloudless till 21h.; then becoming overcast by 23h. Hoar frost in morning and at night. Slight mist from 6h.
SATURDAY	31	wP till 18½h.; variably mP and mN till 20h., then wP.	0·2	7·8	Overcast generally. Slight fog and hoar frost in morning. Slight snow at 9h.; 16¼h. till 16½h.; and at 22½h. Rain or sleet from 16½h. till 23h.
			Sum 14·1	Sum 54·6	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometric Tables, issued by the Meteorological Office, Air Ministry,

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemomentric records for the 50 years ending 1916,

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average,

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined,

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative: w. weak; m. moderate; s. strong; v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine each day.

The reading of the barometer decreased from 29·13 ins. at the beginning of the week to 28·95 ins. by 13h. on 25th; increased to 30·34 ins. by 12h. on 28th., decreased generally to 29·96 ins. by 15h. on 31st; increased and was 30·05 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION,
LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

All kinds of **LABORATORY INVESTIGATIONS** which may be required by

PUBLIC HEALTH AUTHORITIES

are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone : GERRARD 8993 (2 lines). Telegrams : "TUBERCLE, WESTRAND, LONDON."

Speed—Latitude—Contrast
Freedom from fog

These essential qualities of an X-Ray Film are all to be found, correctly balanced, in

Wellington

(Double Coated)

X-RAY FILM

British Made
and of
Supreme Quality

Wellington & Ward, Ltd., Elstree, Herts.

(64982) Wt. 40—20 1875 1/28 H. St. G. 43